

U.C.D. LIBRARY

CHINESE JAZZ



STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-68

HYDROLOGIC DATA: 1968


Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA

Appendix B: SURFACE WATER MEASUREMENT

Appendix C: GROUND WATER MEASUREMENT

MARCH 1970



NORMAN B. LIVERMORE, JR.

Secretary for Resources

The Resources Agency

RONALD REAGAN

Governor

State of California

WILLIAM R. GIANELLI

Director

Department of Water Resources

U.C.D. LIBRARY

STATE OF CALIFORNIA
The Resources Agency
Department of Water Resources

BULLETIN No. 130-68

HYDROLOGIC DATA: 1968

Volume V: SOUTHERN CALIFORNIA

Appendix A: CLIMATOLOGICAL DATA

Appendix B: SURFACE WATER MEASUREMENT

Appendix C: GROUND WATER MEASUREMENT

Copies of this bulletin at \$5.00 each may be ordered from:

Office of Procurement
DOCUMENTS SECTION
P.O. Box 20191
Sacramento, California 95820

Make checks payable to STATE OF CALIFORNIA.
California residents add 5 percent sales tax.

MARCH 1970

NORMAN B. LIVERMORE, JR.
Secretary for Resources
The Resources Agency

RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI
Director
Department of Water Resources



FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies to satisfy specific needs of the State. Bulletin No. 130-68 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

William R. Gianelli

William R. Gianelli, Director
Department of Water Resources
The Resources Agency
State of California
March 3, 1970

METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
Inch (in)	2.54	Centimeters
Foot (ft)	0.3048	Meter
Mile (mi)	1.609	Kilometers
Acre	0.405	Hectare
Square mile (sq. mi.)	2.590	Square kilometer
U. S. gallon (gal)	3.785	Liters
Acre-foot (acre-ft)	1,233.5	Cubic meters
U. S. gallon per minute (gpm)	0.0631	Liters per second
Cubic feet per second (cfs)	1.699	Cubic meters per minute
1 part per million (ppm)	Milligram per liter (mg/l)	
1 part per billion (ppb)	Microgram per liter (ug/l)	
1 part per trillion (ppt)	Nanogram per liter (ng/l)	
1 equivalent per million (epm)	Milliequivalent per liter (me/l)	
Degrees Fahrenheit (°F)	Degrees Centigrade = $(^{\circ}\text{F} - 32^{\circ}) \times 5/9$	

TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES	ii
FOREWORD	iii
METRIC CONVERSION TABLE	iv
ORGANIZATION	viii
ACKNOWLEDGMENTS	viii
ABSTRACT	viii

APPENDIXES

Appendix A: CLIMATOLOGICAL DATA	1
---	---

FIGURES

A Representative Precipitation Characteristics	
A-1 for San Luis Obispo	4
A-2 for Los Angeles	5
A-3 for San Diego	6
A-4 for Barstow	7

TABLES

A-1 Index of Climatological Stations	8
A-2 Precipitation Data	24
Central Coastal Drainage Province (T)	25
Los Angeles Drainage Province (U)	27
Lahontan Drainage Province (W)	34
Colorado River Basin Drainage Province (X)	36
Santa Ana Drainage Province (Y)	38
San Diego Drainage Province (Z)	41
A-3 Air Temperature Data	43
Central Coastal Drainage Province (T)	44
Los Angeles Drainage Province (U)	45
Lahontan Drainage Province (W)	49
Colorado River Basin Drainage Province (X)	51
Santa Ana Drainage Province (Y)	53
San Diego Drainage Province (Z)	55
A-4 Evaporation Data	57
Central Coastal Drainage Province (T)	58
Los Angeles Drainage Province (U)	59
Lahontan Drainage Province (W)	61
Colorado River Basin Drainage Province (X)	62
Santa Ana Drainage Province (Y)	62
San Diego Drainage Province (Z)	63

	<u>Page</u>
Appendix B: SURFACE WATER MEASUREMENTS	65

FIGURES

B-1 Net Diversions of Water to California from the Colorado River	82
B-2 Historical Importations of Water to Coastal Southern California	83

TABLES

B-1 Annual Unimpaired Runoff at Selected Stations	67
B-2 Daily Mean Discharge.	69
West Fork of Mojave River Below Cedar Springs	70
East Fork of West Fork of Mojave River Above Cedar Springs	71
West Fork of Mojave River Above Cedar Springs	72
Las Flores Diversion from West Fork of Mojave River Below Cedar Springs	73
Piru Creek Above Frenchmans Flat	74
Canada De Los Alamos Below Apple Canyon	75
Elizabeth Lake Canyon Creek Above Castaic Creek	76
Necktie Canyon Creek Above Castaic Creek	77
Elderberry Canyon Creek Above Castaic Creek	78
Castaic Creek Above Cordova Ranch	79
Fish Creek Above Castaic Creek	80
Castaic Creek Above Fish Creek	81
B-3 Monthly Water Content of Selected Surface Reservoirs in or Supplying Water to Southern California, October 1, 1967, to September 30, 1968	84
Appendix C: GROUND WATER MEASUREMENTS	85

FIGURES

C Names and Areal Code Numbers of Hydrologic Areas	
C-1 Central Coastal Drainage Province (T)	89
C-2 Los Angeles Drainage Province (U)	91
C-3 Lahontan Drainage Province (W)	93
C-4 Colorado River Basin Drainage Province (X)	95
C-5 Santa Ana Drainage Province (Y)	97
C-6 San Diego Drainage Province (Z)	99
C-7 Fluctuation of Water Level in Wells	100

TABLES

	<u>Page</u>
C-1 Ground Water Levels at Wells	113
Central Coastal Drainage Province (T)	114
Los Angeles Drainage Province (U)	136
Lahontan Drainage Province (W)	297
Colorado River Basin Drainage Province (X)	312
Santa Ana Drainage Province (Y)	336
San Diego Drainage Province (Z)	396
C-2 Ground Water Replenishment in Southern California During the 1967-68 Water Year	423
Appendix D: SURFACE WATER QUALITY))	
Appendix E: GROUND WATER QUALITY) (Published Separately))	
Appendix F: WASTE WATER DATA)	

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor, State of California
NORMAN B. LIVERMORE, JR., Secretary for Resources
WILLIAM R. GIANELLI, Director, Department of Water Resources
JOHN R. TEERINK, Deputy Director

This volume was prepared in the Southern District

James J. Doody District Engineer
Jack J. Coe Chief, Planning Branch

under the direction of

Robert Y. D. Chun Chief, Water Resources Evaluation Section
D. C. Gildersleeve Program Manager

by

Charles L. McKelvey Water Resources Technician II

assisted by

Eugene Ramstedt Assistant Engineer, W.R.

Data Processed by
Machine Computing Section
Southern District

Reviewed and Coordinated by
Division of Resources Development
Water Resources Evaluation Section

ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. Special mention is made of the following agencies whose cooperation is gratefully acknowledged.

City of Long Beach Water Department
City of Los Angeles Department of Water and Power
City of San Diego Utilities Department
Coachella Valley County Water District
Imperial Irrigation District
Los Angeles County Flood Control District
Orange County Flood Control District
Riverside County Flood Control and Water Conservation District
San Bernardino County Flood Control District
San Bernardino Valley Water Conservation District
San Diego County Department of Special District Services
San Luis Obispo County Flood Control and Water
Conservation District
Santa Barbara County Flood Control and Water
Conservation District
The Metropolitan Water District of Southern California
United States Army Corps of Engineers
United States Geological Survey
United States Weather Bureau
Ventura County Flood Control District

ABSTRACT

This report contains data on precipitation, evaporation, air temperature, surface water flow, reservoir storage, ground water levels, and ground water recharge activities in Southern California during the 1967-68 water year. Figures show location of hydrologic areas within drainage provinces, representative precipitation characteristics, imported water, and fluctuation of water level in wells.

Appendix A
CLIMATOLOGICAL DATA

Appendix A

CLIMATOLOGICAL DATA

This appendix summarizes monthly precipitation, air temperature, and evaporation data for Southern California from July 1, 1967, through September 30, 1968 (Tables A-2, A-3, and A-4).



Cooperators and cooperating agencies supplied data from 650 precipitation stations, 124 air temperature stations, and 53 evaporation stations. The U. S. Weather Bureau supplied data from 220 precipitation stations, and 9 evaporation stations. Air temperature data collected by the U. S. Weather Bureau are published separately in its report, "Climatological Data."

These climatological stations are listed in the Index (Table A-1). Daily and hourly data for some stations are available in the files of the Southern District of the Department of Water Resources. Representative precipitation characteristics for four stations are shown in Figures A-1 through A-4.



To ensure accuracy, the stations are inspected periodically by the responsible agency to see that equipment is properly maintained and that observations are taken in accordance with their standards.

Each station in this appendix has been assigned an identification number. The first character denotes the drainage province. The second and third characters represent the hydrologic unit. (Figures C-1 through C-6, pages 88 through 99, in Appendix C show the locations and code numbers of the hydrologic subdivisions in each drainage province.) The remaining characters denote the alphabetical sequence of the station.

Figure A-1





REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN LUIS OBISPO





REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR LOS ANGELES

Figure A-3



REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR SAN DIEGO



REPRESENTATIVE PRECIPITATION CHARACTERISTICS FOR BARSTOW

TABLE A-1 INDEX OF CLIMATOLOGICAL STATIONS

An explanation of the column headings and the code symbols follows:

40-Acre Tract – This denotes the location of the station within the section in which it is located. The letter code is derived from the diagram to the right.

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian – The code for this column is as follows:

- M – Mount Diablo Base and Meridian, or
- S – San Bernardino Base and Meridian

Cooperator Number – This number is assigned from the following list:

000	Private Cooperators
004	Southern California Edison Company
011	Southern Pacific Company
014	California-American Water Company
016	Temescal Water Company
017	Gage Canal Company
018	Corona Foothill Mutual Lemon Company
405	City of Los Angeles, Department of Water and Power
406	City of San Diego
410	Los Angeles County Flood Control District
411	Marin County Engineer
415	Orange County Flood Control District
416	Ventura County Flood Control District
417	The Metropolitan Water District of Southern California
428	San Diego County
429	San Bernardino County Flood Control District
430	San Luis Obispo County Flood Control and Water Conservation District
431	Riverside County Flood Control and Water Conservation District
432	Vista Irrigation District
433	Helix Irrigation District
435	Montecito County Water District
436	City of San Bernardino Water Department
808	State Division of Forestry
813	State Department of Water Resources
900	United States Weather Bureau (Published records)
906	Agriculture Research Service
907	United States Weather Bureau, State Climatologist, (Unpublished records)
913	United States Army Corps of Engineers, Los Angeles District
914	United States Marine Corps, Camp Pendleton
915	United States Weather Bureau, Washington, D. C., (Unpublished records)
916	United States Geological Survey

Cooperator's Index Number – This is the number assigned to the station by the agency responsible for, or handling the records of the station. The U.S. Weather Bureau number is only shown in this column when it differs from the alpha order number.

County – This is a standard code for California counties and adjacent areas as shown below:

Imperial	13	Monterey	27	San Diego	90
Inyo	14	Orange	30	San Luis Obispo	40
Kern	15	Riverside	33	Santa Barbara	42
Los Angeles	70	San Bernardino	36	Ventura	56
Mono	26				

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							•	•	•	•	•	•						
U03-0014-00	ACTON ESCUNDIDO CANYN	2920	05N	13W	30		S	34	29	31	118	16	30	410 F	261B	1897			70
U03-0014-01	ACTON ALISO CANYON	3900	04N	12W			S	34	24	02	118	05	33	410 F	423A	1937			70
U03-0014-02	ACTON ALISO CANYN BLU	2900	04N	12W			S	34	27	33	118	09	20	410 F	341	1932			70
U03-0014-03	ACTON CAMP 2	2825	04N	13W			S	34	27	02	118	11	55	410 F	2500	1930			70
U03-0014-04	ACTON-COLUMBU RANCH	3000	04N	13W			S	34	25	41	118	11	52	410 F	420C	1927			70
U03-0014-05	ACTON HUBBARD RCH	3490	05N	13W	16		S	34	31	31	118	13	58	410 F	2748	1897			70
W28-0024-00	ADELANTO	2845	06N	05W	21	N	S	34	35	21	117	24	50	900 SB	89A	1945			36
X22-0044-00	AGUA CALIENTE SPG PK						S	32	57	00	116	17	27	428	517-5	1966			90
W03-0050-51	ALABAMA HILLS	3125	15S	36E			M	36	40	15	118	05	40	405					14
U03-0072-15	ALAMO MT STORAGE GAG	6675	07N	20W	25		S	34	40	11	118	57	08	416 V	211	1959			56
U05-0084-50	ALCAZAR FLOOD CONTROL	400						34	03	46	118	11	54	410 F	191B	1929			70
U05-0085-00	ALDER CRK PARADISE	2330	03N	14W			S	34	19	48	118	19	03	410 F	705	1941			70
U05-0102-02	ALHAMBRA-CITY HALL	0533					S	34	06	05	118	07	52	410 F	110B	1927			70
Y01-0114-51	ALISO CANYON LOOK	1080	06S	07W			S	33	40	59	117	37	12	415 O	151A				30
U05-0115-00	ALISO CANYON CAT MTN	2367	03N	16W	28		S	34	18	53	118	33	25	410 F	446	1939			70
Z07-0136-00	ALPINE	1740	15S	02E	27		S	32	50	00	116	46	00	900		1952			90
U05-0140-01	ALTA CANYON	2020						34	13	39	118	12	40	410 F	175B	1919			70
U05-0144-00	ALIADENA	1125	01N	12W			S	34	10	55	118	08	15	410 F	176	1921			70
U05-0144-04	ALIADENA GOLF	1186						34	10	48	118	07	01	410 F	611C	1899			70
Y01-0145-05	ALTA LOMA-FURNEY	1865	01N	07W	27		S	34	07	25	117	36	27	429 SB	175	1953			36
U03-0179-10	AMERICAN C SUGAR CO	60	01N	21W			S	34	12	17	119	04	04	416 V	3	1902			56
Y01-0192-01	ANAHAIM AUTOMATIC		04S	10W			S	33	49	12	117	54	48	415 O	167				30
Y01-0193-00	ANAHAIM CARROLL RCH	105	04S	10W			S	33	49	54	117	57	54	415 O	91	1924			30
Y01-0194-00	ANAHAIM WATER WORKS	150	04S	10W	15		S	33	49	46	117	54	42	415 O	33	1880			30
W26-0195-07	ANAVHIDE LEONA VLY	2875	06N	13W			S	34	35	22	118	12	15	410 F	1108B	1955			70
U05-0208-11	ANGELES CREST G S	2300						34	14	05	118	11	00	410 F	726B	1945			70
U05-0208-12	ANGELES CREST HWY	2800						34	15	21	118	11	45	410 F	498	1945			70
U05-0208-20	ANGELES CREST HWY GRIZ	3050	02N	13W			S	34	15	33	118	11	32	410 F	X30	1957			70
T09-0215-00	ANNETTE	2150	26S	17E	16		M	35	39	00	120	11	00	430 L	130	1951			70
W26-0222-01	ANTELORE VLY FLD STA	2450	07N	14W			S	34	42	12	118	18	32	410 F	1106	1955			70
Z02-0235-00	ANZA	3915	07S	03E	21	H	S	33	33	00	116	40	30	900		1947			33
T12-0239-00	APACHE CAMP	4965	09N	23W	16		S	34	52	00	119	20	00	416 V	161	1940			56
W28-0244-00	APPLE VALLEY	2935	05N	03W	17		S	34	31	25	117	12	52	900 SB	136	1958			36
U05-0251-01	ARCAHIA ARHURETUM	0565	01N	11W			S	34	08	48	118	02	59	410 F	1037E	1950			70
U05-0251-02	ARCAHIA PP 1	611					S	34	09	32	118	02	02	410					70
Y01-0264-00	ARLINGTON	830	03S	05W	08		S	33	55	07	117	26	01	431 K	P1	1963			33
Y01-0264-01	ARLINGTON MANGROVE GCCU	1007	03S	05W	21	E	S	33	53	49	117	24	54	017 K	P1	1938			33
W28-0310-00	ARROWHEAD RANGER STA	5593	02N	03W	27		S	34	14	20	117	11	25	429 SB	107				36
T10-0320-00	ARROYO GRANDE	0110	32S	13E	21		M	35	07	24	120	34	24	900		1939			40
T10-0320-20	ARROYO GRANDE NO 5	135	32S	13E	26		M	35	07	10	120	35	25	430 L	147	1956			40
U05-0327-00	ARROYO SECO R S	1220	02N	12W	31		S	34	12	33	118	10	12	410 F	508C	1917			70
U05-0331-11	ARTESIA	52						33	51	48	118	04	58	410 F	2088	1917			70
U05-0339-00	ASCUT COVERED RES	0605	01S	13W	13		S	34	04	44	118	11	16	405		1939			70
U05-0355-00	ASSUC OIL ANAHAIM 1	340	03S	10W	13		S	33	54	37	117	52	41	900		1941	1966		30
T09-0358-05	ATASCADERO LAKE	915	28S	12E	27	0	M	35	28	00	120	40	20	430 L	167	1964			40
T09-0359-00	ATASCADERO PUMP STA	1204	28S	13E	04		M	35	31	30	120	34	30	430 L	133	1951			40
T09-0360-01	ATASCADERO SUM	0950	28S	12E	23		M	35	29	00	120	39	30	430 L	145	1954			40
T09-0360-20	ATASCADERO 1 NW	920	28S	12E	16		M	35	29	45	120	11	20	430 L	160	1962			40
T09-0361-01	ATASCADERO ANWC	835	28S	12E	10		M	35	30	06	120	39	36	430 L	34	1913			40
U03-0372-11	ATMOS MEADOW	4325	07N	16W			S	34	41	18	118	36	16	410 F	1119B	1956			70
U06-0395-00	AVALON PLEASURE PIER	0000						33	21	00	118	20	00	900		1931			70
T10-0406-00	AVILA	0115	31S	12E	36		M	35	10	48	120	43	18	430 L	55	1931			40
U05-0410-00	AZUSA CITY PARK	612	01N	10W	35	0	S	34	08	03	117	54	17	410 F	143B	1928			70
U05-0410-01	AZUSA FOOTHILL RCH	0615						34	07	57	117	53	32	410 F	99B	1913			70
U05-0410-02	AZUSA GRAFT VLY W CU	585						34	06	53	117	53	23	410 F	178B	1955			70
U05-0410-04	AZUSA PLI-GIC	0682						34	08	54	117	54	48	410 F	312B	1930			70</

TABLE A-I (Cont.)

INDEX OF CLIMATOLOGICAL STATIONS SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Begin	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-0625-00	BELL CYN RUSHWORTH	0925	01N	17W	04		S	34	11	37	118	39	27	410	F 735F				70
U05-0626-01	BELL FIRE STA	0145						33	58	45	118	11	16	410	F 192C	1928			70
W26-0630-00	BELLVIEW	2880						34	37	23	118	13	55	410	F 722C	1948			70
W03-0684-00	BENTON INSPECTION ST	5460	01S	32E	29		M	37	50	00	118	29	00	900		1959			26
X19-0699-00	BERMUOA DUNLS	100	05S	07E	07		S	33	44	38	116	17	15	431	K	1964			33
T10-0718-05	BETTENCOURT	745	31S	14E	05		M	35	15	15	120	29	45	430	L 153	1959			40
U05-0722-11	BEVERLY HILLS	0290						34	04	27	118	23	57	410	F 228B	1925			70
Y01-0741-00	BIG BEAR LAKE	6750						34	15	00	116	55	00	900					36
Y01-0741-01	BIG BEAR LAKE F D	6780	02N	01E	19		S	34	14	40	116	54	24	429	SB 90	1950			36
Y01-0742-00	BIG BEAR LAKE DAM	6815	02N	01W	22		S	34	14		116	58		900	SB 32	1892			36
Y01-0743-01	BIG BEAR CITY	6775	02N	01E	14		S	34	15	43	116	50	36	429	SB 91A	1942			36
U05-0758-00	BIG DALTON DAM	1575	01N	09W	15		S	34	10	06	117	48	36	410	F 223B	1930			70
U05-0758-01	BIG DALTON-MONROE	1825						34	10	34	117	48	26	410	F 724B	1939			70
W03-0776-00	BIG PINE POWER PL 3	5400	09S	33E	25		M	37	07	30	118	19	21	405		1925			14
W28-0779-00	BIG PINES PARK	6860	03N	08W	02		S	34	22	45	117	41	28	410	F 83B	1926			70
U05-0785-01	BIG SANTA ANITA DAM	1400	01N	11W	10		S	34	11	03	118	01	12	410	F 63C	1927			70
U05-0785-02	BIG SANTA ANITA R S	2175						34	11	46	118	01	20	410	F1046B	1950			70
U05-0788-00	BIG TUJUNGA DAM	2315	02N	13W	01		S	34	17	31	118	11	15	900	460 E	1917	04		70
U05-0818-00	BIRMINGHAM HOSPITAL	0724						34	11	22	118	30	25	410	F 725B	1944			70
W03-0819-00	BISHOP CREEK INTAKE	8150	08S	31E	16		M	37	15	00	118	35	00	900					26
W03-0822-00	BISHOP WB AIRPORT	4108	07S	33E	05		M	37	22	00	118	22	00	900		1899			14
W03-0824-00	BISHOP UNION CARBIDE	9390	07S	30E	05		M	37	22	00	118	43	00	900		1957			14
U03-0871-11	BLACK STUCK	855						34	15	31	118	45	13	416	V 155				56
U03-0877-11	BLANCHARD INV CO	0277						34	21	23	119	04	25	416	V 48	1896			56
U03-0884-00	BLOOD RANCH	3225	08N	18W	28	B	S	34	45	26	118	47	18	813		1967			70
Y01-0887-00	BLUOMINGTON	1100	01S	05W	22		S	34	04	08	117	23	49	429	SB106	1952			36
Z07-0889-00	BLOSSOM VALLEY	1000	15S	01E	15		S	34	51	32	116	51	22	428	500	1953			90
X22-0892-00	BURREGO CO RD STA							33	12	40	116	20	00	428	540-5	1963			90
Y01-0900-11	BLUE CUT	2560	02N	06W	13		S	34	15	32	117	28	03	429	SB103				36
W28-0900-52	BLUE JAY WEST	5440						34	14	28	117	13	06	429	SB209				36
U05-0904-10	BLUE RIDGE CAMP	8450						34	20	57	117	40	23	410	F*x26	1957			70
X15-0924-00	BLYTHE	0266	06S	23E	32		S	33	36	45	114	35	45	900		1931			33
X15-0927-00	BLYTHE CAA AIRPORT	0390	06S	22E	31		S	33	37	00	114	43	00	900		1940			33
X15-0927-05	BLYTHE AIR BASE	065	06S	23E	33		S												33
X15-0928-00	BLYTHE F C STA	065	06S	23E	32		S							431	K				33
U05-0930-00	BURCAT CANYON	4720						34	16	49	118	00	08	410	F1102B	1955			70
Z09-0968-00	BUNITA	0105	17S	02W			S	32	40		117	02		900		1899			90
U03-0978-51	BORGSTROM	200						34	16	47	119	15	27	416	V 67				56
X22-0983-00	BURREGO DESERT PARK	765	10S	05E	25		S	33	16		116	25		900		1943			90
X22-0986-00	BURREGO SPRINGS 3NNE	625	10S	06E	21		S	33	17		116	21		900		1945	1967		90
X22-0986-01	BURREGO TUBER CANYON							33	12	30	116	24	30	428	501-5	1964			90
X22-1009-00	BOULEVARD	3350	17S	07E	28	C	S	32	40	00	116	17	00	900		1924			90
U03-1013-00	BUQUET CANYON F124	3055	06N	14W	28	B	S	34	35	14	118	21	45	405	F 124B				70
U03-1013-01	BUQUET CANYON FC110	1760						34	30	35	118	27	00	410	F1104	1955			70
T09-1018-30	BOWMAN RANCH	1880	29S	16E	36		M	35	21	30	120	13	00	430	L 163	1962			40
U05-1028-11	BRAIDURG DEHRIS BASI	0935	93K					34	09	23	117	57	58	410	F1080B	1955			70
T09-1034-00	BRAULEY	0540	24S	11E	08		M	35	52	00	112	48	00	900		1946			27
U05-1043-41	BRAUN DEHRIS BASIN	925						34	11	04	118	16	32	410	F 198B	1928		3	70
U05-1043-51	BRAUN PARK	1250						34	11	18	118	16	20	410	F 210B	1928			70
X23-1048-00	BRAWLEY 2 SW	0100	14S	14E	07		S	32	57	00	115	33	00	900		1909			13
U05-1056-00	BREA CITY	0350						33	55	00	117	54	00	900	PN8119	1957			30
U05-1057-00	BREA DAM	0275	03S	10W	21		S	33	53	26	117	55	36	900					30
U05-1057-01	BREA UNION OIL	0375						33	55	46	117	54	53	410	F1094	1924			30
U05-1087-10	BRIGDEN RES NO 1	1020						34	10	15	118	06	40	410	F1151	1961			70
U05-1090-11	BRIGGS TERRACE	2225					S	34	14	17	118	13	27	410	F 373B	1933			70
Y01-1129-11	BRUSH CANYON	1475	01N	04W	10			34	10	46	117	17	11	429	SB133	1957			36
U05-1148-02	BUCKHORN FLAT	6760						34	20	44	117	55	08	410	F1062	1953			70
T09-1149-20	BUCKHORN RANCH	1950	31S	17E															

TABLE A-1 (Cont.)

INDEX OF CLIMATOLOGICAL STATIONS

SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
T10-1444-00	CAMP SAN LUIS OBISPO	0625	30S	12E	09		M	35	21		120	41		900		1941			40
Y01-1451-11	CAMP SILVERADO	2000					S	33	44	42	117	40	40	415 0 78					30
U05-1468-11	CAMP VALCHEST	5900					S	34	20	40	117	58	41	410 F1007C		1946			70
U03-1471-19	CAMULOS RANCH	720						34	24	20	118	45	20	416 V 170		1956			56
U02-1472-11	CANADA LANGA	800						34	22	25	119	13	42	416 V 65					56
U05-1484-00	CANOGA PARK PIERCE C	794	01N	16W	08		S	34	10	53	118	34	23	410 F1051		1949			70
W25-1488-00	CANTIL	2010	30S	37E	23		M	35	18	00	117	58	00	900		1955			15
T09-1498-15	CANYON RANCH	1200	27S	15E	35		M	35	32	00	120	20	00	430 L 138		1952			40
Z01-1506-00	CAPISTRANO							33	25	00	117	40	00	428 800		1928			90
Z01-1507-00	CAPISTRANO BEACH	20						33	27	56	117	41	12	415 0 164					30
U05-1518-00	CARBON CANYON GILMAN	1625	03S	09W	12		S	33	56	00	117	47	00	900 SB 41		1949			30
Y01-1557-31	CASA COLINA	680	02S	08W	18			33	59	30	117	43	10	429 SB 20C					36
U02-1558-00	CASITAS DAM	0369	03N	23W	06		S	34	22	00	119	20	00	907		1959			56
U02-1558-12	CASITAS RANCH	400						34	22	06	119	20	12	416 V 4		1927			56
U02-1559-00	CASITAS RESERVOIR		04N	23W	29		S	34	24	00	119	18	00	907		1959			56
U03-1562-11	CASTAIC PATHOL STA	1066						34	27	54	118	36	57	410 F 4518		1957			70
U03-1562-21	CASTAIC JUNCTION	1001						34	26	23	118	36	20	410 F1012		1947			70
X19-1587-05	CATHEDRAL CITY F.C.S	320	04S	05E	33		S	33	46	53	116	27	52	431 K		1948			33
T11-1595-10	CAVANAUGH RANCH	2000	29S	18E	33		M	35	23	00	120	02	30	430 L 78		1938			40
U05-1613-01	CEUAR SPRINGS	6780						34	21	21	117	52	34	410 F 402F		1936			70
W28-1613-10	CLOAR SPRINGS R EVAP	3275						34	17	03	117	19	47	813		1962			36
U05-1663-11	CHAPMAN WELLS	635						34	08	47	118	04	03	410 F 1718					70
U05-1665-02	CHARTER JAKS WALKER	705						34	06	25	117	51	40	410 F1131B					70
U05-1680-00	CHATSWORTH F C 24 U	457	02N	16W	18	M	S	34	15	23	118	36	19	900 F		1928			70
U05-1682-00	CHATSWORTH RESERVOIR	912	02N	17W	25		S	34	13	34	118	36	58	900 F 23E		1948			70
U05-1682-11	CHATSWORTH PAI STA	1254						34	16	39	118	36	13	410 F 259C		1930			70
Y01-1698-01	CHERRY VALLEY S D F	2860	02S	01W	22		S	33	58	32	116	58	20	431 R P2					33
Y01-1698-02	CHERRY VALLEY-LEE RN	2820	02S	01W	27		S	33	58	19	116	58	24	431 K P1		1955	1965		33
U03-1718-01	CHIEF PEAK	5000						34	31	04	119	10	50	416 V 179					56
W26-1724-01	CHILAO HMS	5280						34	19	02	118		30	410 F 492B		1944			70
U05-1725-00	CHILAO RANGER STA	5155	03N	11W	22		S	34	19	42	118	01	00	410 F 440C		1939			70
T11-1726-60	CHIMINEAS RANCH	2600	32S	19E	08		M	35	09	00	119	58	00	430 L 158		1961			40
Y01-1732-02	CHINO-IMBACH	642	02S	07W	27		S	33	58	32	117	35	36	429 SB 79		1930			36
Y01-1732-03	CHINO S C E CU	675	02S	08W	13		S	33	39	52	117	01	17	004 SB 67					36
Y01-1732-07	CHINO FIRE STATION		02S	08W	11		S	34	40	00	117	41	56	429 SB262		1891			36
Y01-1732-08	CHINO FIRE STATION 2	655	02S	08W	16		S	33	59	46	117	42	58	429 SB 20C		1961			36
Z08-1747-00	CHOLLAS RESERVOIR	0400	16S	02W	35		S	32	44	00	117	03	00	406		1914			90
U03-1754-00	CHUCHUPATE R S	5260	08N	20W	04		S	34	48	00	119	01	00	900		1941			56
Z10-1758-00	CHULA VISTA	0009						32	36	00	117	06	00	900		1931			90
Z09-1758-02	CHULA VISTA 2	0025						32	37	57	117	05	39	913					90
Z09-1758-40	CHULA VISTA S D G+E							32	38	15	117	05	15	428 802-3		1927			90
W26-1767-11	CIMA MESA	4325						34	26	50	117	57	12	410 F1123					70
Z08-1773-50	CIVIC CENTER S D							32	42	30	117	10	10	428 514-2		1961			90
Y01-1777-01	CLAREMONT FIRE STA	1180	01S	08W	09		S	34	05	45	117	42	57	410 F 938		1927			70
U05-1777-02	CLAREMONT INDIAN HIL	1403						34	07	22	117	43	11	410 F 91		1927			70
U05-1777-03	CLAREMONT SLAUGHTER	1350						34	07	35	117	43	55	410 F 497		1945			70
Y01-1779-00	CLAREMONT POMONA COL	1185	01S	08W	10		S	34	05	48	117	42	33	410 F 92		1894			70
U05-1798-11	CLEAR CREEK SCHOOL	3150						34	16	38	118	10	12	410 F 470		1925			70
U05-1799-10	CLEAR CREEK R S	3625						34	16	15	118	09	11	410 F1152		1961			70
U05-1883-00	CUGSWELL DAM	2330	02N	10W	19		S	34	14	37	117	57	35	410 F 334B		1947			70
U05-1896-00	CULHYS FC 530	3675	03N	12W	35		S	34	18	02	118	06	39	900 PN8290		1697			70
U04-1901-00	CULD CREEK	1318						34	05	37	118	39	22	410 F 489		1943			70
U05-1906-01	CULOWATER CANYON	3960						34	15	49	117	42	41	410 F 486B		1943			70
Y01-1941-01	CULTON HWY YAKUS	1220	01S	04W	19		S	34	04	10	117	20	32	429 SB204		1959			36
Y01-1941-02	CULTON F. U.	980	01S	04W	20		S	34	04	00	117	19	23	429 SB 27A		1924			36
Y01-1941-03	CULTON SCL CO	940	01S	04W	29			34	03	22	117	19	08	004 SB185		1929			36
Y01-1941-04	CULTON SPRK	0973						34	03	54	117	19	19	907 SB 68		1877			36
U05-1954-11	COMPTON FIRE STA	0078						33	53	42	118	134							

TABLE A-1 (Cont.)

INDEX OF CLIMATOLOGICAL STATIONS SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-2162-05	CHESTLINE S E	5160	02N	04W	27		S	34	41		117	21		429	S8181	1958			36
W28-2163-00	CHESTLINE LA GREGORY	4530	02N	04W	23	C	S	34	14		117	16		900	S8 45	1953	1966		36
W28-2164-00	CHESTLINE FIRE STA 2	4900	02N	04W	22		S	34	15	00	117	15	00	900		1966			36
U05-2198-00	CRYSTAL LAKE FC 283C	5370	03N	09W	29		S	34	18	58	117	50	30	900		1959			70
Y01-2210-01	CUCAMONGA	1210	01S	07W	22		S	34	06	26	117	34	32	429	S8 69	1925			36
Y01-2210-02	CUCAMONGA RES 2	1018						34	04	39	117	35	39	813	S8192				36
Y01-2210-05	CUCAMONGA WATER CO.	1225	01S	07W	03		S	34	07	28	117	35	36	429	S8	1938			36
U05-2214-00	CULVER CITY	75						34	01	18	118	23	17	410	F 2468	1930			70
T12-2236-00	CUYAMA	2240	10N	26W	25		S	34	56	00	119	37	00	900		1944			42
Z07-2239-00	CUYAMACA	4650						32	59		116	35		433		1888			90
W28-2255-00	DAGGETT 1 ENE	1975	09N	01E	15		S	34	51	57	116	52	07	900	S8153	1953			36
W28-2257-00	DAGGETT FAA AP	1922	09N	02E	20		S	34	52	00	116	47	00	900	S8113	1943			36
X09-2265-00	DALE DRY LAKE	1220	01N	12E	17	U	S	34	09	55	115	44	30	429	S8245	1964			36
X12-2275-00	DANNY DRY LAKE		02N	17E	12		S							429	S8237				36
U03-2303-11	DAVIS RANCH	20					S	34	09	26	119	04	39	416	V 177				56
U05-2304-11	DAWN MINE	2950					S	34	13	30	118	07	47	410	F 730	1945			70
W26-2305-11	DAWSON SAQULE	7900					S	34	22	08	117	48	10	410	F1120	1956			70
Y01-2307-51	DAY CANYON	2576	01N	06W	17			34	10	30	117	32	11	429	S8 28	1947			36
W09-2319-00	DEATH VALLEY	019M	27N	01E	16	J	S	36	28		116	52		900		1961			14
Y01-2325-51	DECLEZ	1107	01S	06W	13			34	04	40	117	28	14	429	S8 58	1946			36
X19-2327-00	DEEP CANYON LABONATO	1200	06S	06E	17		S	33	39	00	116	23	00	900					33
W05-2331-00	DEEP SPRINGS COLLEGE	5225	07S	36E	01		M	37	22	00	117	59	00	900		1948			14
U05-2333-00	DEER DEBRIS BASIN	1200						34	11	33	118	14	28	410	F1081	1955			70
T09-2359-10	DELLAGANNA RANCH	1280	27S	10E	35		M	35	32	00	120	51	30	430	L 139	1952			40
Z05-2361-70	DEL MAR S D G+E							32	58	45	117	15	00	428	803-1	1931			90
Y01-2370-03	DEL ROSA COWAN	1460	01N	04W	24	G	S	34	09	42	117	14	58	429	S8180	1957			36
Y01-2370-11	DEL ROSA RANCH	1580	01N	04W	13			34	09	57	117	15	05	429	S8 15	1946			36
U02-2399-00	DENNISON RCH	1250	04N	22W	09	N	S	34	26	10	119	11	36	416	V 64	1901			56
U05-2401-20	DEPR W P E VALLEY	780						34	12	30	118	24	35	410	F1126	1958			70
U05-2404-00	DESCANSO GARDENS	1325						34	12	07	118	12	06	410	F10718	1953			70
X17-2404-10	DESERT CENTER SNE	0555	05S	16E	05		S	33	46	01	115	20	06	813		1966			33
X19-2405-00	DESERT HOT SPRINGS	1080	02S	05E	30		S	33	57	42	116	30	06	431	R	1948			33
Z09-2406-00	DESCANSO R S	3500	15S	03E	24		S	32	51		116	37		900		1930			90
U05-2406-51	DESOTO RESERVOIR	1127						34	16	17	118	35	12	410	F 797				70
Y01-2407-01	DEVIL CANYON GATE	1880	01N	04W	06	H	S	34	12	06	117	19	58	436	S8 71	1912		10	36
U05-2409-00	DEVILS GATE DAM	1090						34	11	08	118	10	19	410	F 453C	1939			70
Y01-2412-00	DEVORE	2435	02N	05W	28		S	34	14	03	117	24	24	429	S8 11E	1919			36
Y01-2412-01	DEVORE ST. FOR.	2280	02N	05W	33	B	S	34	13		117	24		429	S8118	1951			36
Y01-2432-00	DIAMOND BAR HORSE CP	0748	02S	09W	21		S	33	58	41	117	49	58	410	F 269C	1930			70
U05-2465-32	DUMINGUEZ WATER CU	0030						33	49	54	118	13	30	410	F1113	1936			70
W26-2479-10	DURN CANYON	7280						34	22	16	117	46	51	410	F*A23	1957			70
U03-2492-50	DOUBLE H N RANCH	600						34	23	42	118	51	06	416	V 94A	1948			56
U03-2493-05	DOUGLAS WHI OAK PARK	1120						34	17	00	118	40	08	410	F1175	1966			56
T15-2493-11	DOULTON TUNNEL	1000						34	27	54	119	42	30	435	V 57				42
U05-2494-00	DOWNEY FIRE DEPT	130						33	56	18	118	08	03	410	F 107C	1925			70
U03-2516-00	DRY CANYON RESERVOIR	1520	05N	16W	35		S	34	28	55	118	31	40	900	F 127	1922			70
U05-2523-01	DUARTE	0548						34	08	26	117	58	02	410	F 1728	1925			70
U05-2523-02	DUARTE FIRE STA	580						34	08	25	117	56	47	410	F1136		1965		70
W28-2570-00	DUNN SIDING	1610	11N	05E	15		R	35	03		116	26		900		1959			36
U05-2571-11	DUNSMORE CANYON-UPPE	4425	02N	13W	15		S	34	15	38	118	13	47	410	F*A218	1956			70
U05-2571-21	DUNSMUIR DEBRIS BAS	2275						34	14	52	118	15	06	410	F1082	1954			70
U05-2592-20	EAGLE DEBRIS BASIN	1890						34	14	07	118	14	12	410	F*A33	1959			70
X17-2598-00	EAGLE MOUNTAIN	0973	04S	15E	30		S	33	48		115	27		900		1934			33
T09-2602-10	EAGLE RANCH	1315	29S	12E	03		M	35	25	30	120	40	30	430	L 148	1956			40
U05-2605-01	EAGLE ROCK SCLC	0950						34	09	02	118	10	57	410	F 672	1934			70
U05-2605-02	EAGLE ROCK RES	963	01N	13W	25		S	34	08	47	118	11	22	405	F 8028				70
Y01-2618-02	E HIGHLAND GOLD	1348	01S	03W				34	06	47	117	10	07	813	S8 72	1933			36
Y01-2618-03	E HIGHLAND ORANGE	1525	01N	03W	35			34	07	17	117	09	58	429	S8 25	1947			36
U05-2655-01	EAST WHITTIER	253						33	56	26	117	59	30	410	F 266C				70
U05-2660-11	EATON WASH DAM	0880						34	10	06	118	05	33	410	F 4498	1937			70
U05-2665-11	ECHO PARK-LA	0475						34	05	02	118	15	11	410	F 772	1947			70
Y01-2679-00	EDGE MONT FIRE ST SDF	1555	03S	04W	11		S	33	55	27	117	16	32	431	R P1	1965			33
U05-2681-30	EDISON INTAKE	1275						34	12	38	117	51	30	410	F 75A				70
T10-2684-10	EUNA (STONNETIA)	425	31S	13E	22		M	35	12	30	120	34	00	430	L 92	1940			40
U05-2701-15	EL CAHALLENO CON CLU	1000						34	08	52	118	31	53	410	F1147	1960			70
Z07-2702-00	EL CAJON SOGE	0750						32	47		116	57			804-2	1927			90
Z07-2704-00	EL CAPITAN DAM	600	15S	02E	07	B	S	32	53	00	116	49	00	406	PN1741	1899			90
X23-2713-00	EL CENTRU 2 SW	0030	16S	14E	07		S	32	46	02	115	33	52	900		1932			13
U05-2716-01	ELDER RANCH	1680						34	09	00	117	45	32	410	F 90	1928			70
Y01-2717-00	EL CERKITO	800	04S	06W	16		S	33	49	29	117	30	33	431	H	1963			33
U03-2734-01	ELIZABETH LAKE	3325						34	39	35	118	22	38	410	F 5198	1955	1965		70
U03-2735-00	ELIZABETH LAKE 1288	2075	06N	16W	15		S	34	36	28	118	33	40	900	PN7220	1928			70
W01-2756-00	ELLEY LAKE	9523	01N	25E	20		M	37	56	10	119	13	56	900		1924			26
U05-2770-11	EL MIRADOR RANCH	1120						34	09	48	118	10	53	410	F 3628				70
W28-2771-20	EL MIRAGE VISAN O F	2900	06N	07W	14	K	S	34	36	10	117	34	37	429	S8227A	1962			36
U05-2779-01	EL MONTE FIRE STA	0275						34	04	30	118	02	30	410	F 108D	1955			70
U05-2780-01	EL PRIETO CANTON	2325						34	13	32	118	09	19	410	F 789	1948			70
U05-2800-00	EL SEGUNDO	150						33	54	57	118	25	05	410	F 1578	1948			70
Y02-2805-00	ELSINOHE	1263	06S	04W	07	P	S	33	40	07	117	19	50	900		1931			3

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Mining	County Code
Number	Name							°	'	"	°	'	"						
Z04-2840-01	EL RES VISTA 10	0752	11S	03W	16		S	33	13	00	117	13	00		407-7	1936			90
Z04-2862-00	ESCONDIDO	0660	12S	02W	22		S	33	07		117	05		900		1894			90
Z04-2862-04	ESCONDIDO VALLEY PARK	80			7			33	09	00	117	04	23	000					90
U04-2867-01	ESCONDIDO CANYON G 5	1050	01S	18W			S	34	02	55	118	46	25	410 F	28	1927			70
Z04-2871-50	ESCONDIDO S D G+E							33	08	15	117	07	45	428	805-1	1927			90
X10-2882-05	ESSEX STATE HWY YAKO	1700	07N	16E	01	A	S	34	43	00	115	15	00	429	SB257	1962			36
Y01-2895-00	ELLWANDA	1390	01N	06W	32		S	34	07	31	117	31	30	900	SB119	1938			36
Z09-2906-50	EUCALYPTUS COUNTY PARK							32	45	35	117	00	00	428	503-3	1963			90
I09-2908-15	EUREKA RANCH	850	28S	12E	14		M	35	30	00	120	39	00	430 L	137	1952			40
U05-2918-11	EVERETT RANCH	730						34	14	52	118	50	26	416 V	147				56
W26-2941-00	FAIRMONT	3060	07N	15W	11		S	34	42	15	118	27	20	410 F	1105	1955			70
W26-2942-10	FAIRMONT RESERVOIR	3036						34	42	15	118	25	40	410 F	542E	1908			70
U05-2950-00	FAIR OAKS DEB POND	1585						34	12	15	118	08	18	410 F	433C	1938			70
Z03-2958-20	FALLBROOK FIRE STA							33	22	00	117	15	00	428	830-7	1960			90
U05-2961-11	FALLING SPRINGS	4010						34	18	06	117	50	20	410 F	51	1928			70
W26-3018-00	FENNER CANYON	5380						34	23	25	117	46	27	410 F	1167	1965			70
U05-3023-00	FERN CANYON	5200						34	11	48	117	41	45	410 F	740B	1936			70
U03-3036-15	FERNDALE HCH S PAULA	960	04N	21W	16		S	34	25	40	119	05	26	416 V	173	1956			56
U03-3050-00	FILLMORE 1 WNA	0435	04N	20W	25	G	S	34	24	12	118	55	33	900		1952			56
U03-3050-11	FILLMORE CITRUS ASSN	450						34	23	54	118	55	06	416 V	129				56
U03-3050-13	FILLMORE FISH HATCH	470	04N	19W	28	N	S	34	23	37	118	53	06	416 V	171				56
U03-3067-10	FISH CREEK	1670	06N	17W	15		S	34	36	10	118	39	36	813		1966			70
U05-3068-10	FISH CANYON	2600						34	12	23	117	56	43	410 F	1133	1958			70
Z07-3090-00	FLINN SPG CO PARK							32	50	50	116	51	30	428	542-2	1963			90
U05-3091-00	FLINTRIDGE F S	1345						34	10	57	118	11	47	410 F	280B	1930			70
Y01-3117-01	FONTANA B + D	1319	01S	05W	08		S	34	06	23	117	25	36	429	SB 18	1911			36
Y01-3117-03	FONTANA HERALD NEWS	1285	01S	05W	08		S	34	06	03	117	26	04	429	SB218				36
Y01-3117-04	FONTANA UNION WC	1280	01S	05W	08		S	34	06		117	26	04	019	SB194	1917			36
Y01-3117-05	FONTANA CU YDS	1275	01S	05W	24		S	34	05	59	117	37	36	429	SB206	1959			36
Y01-3117-06	FONTANA POWERHOUSE 2	1588	01N	05W	22		S	34	09	20	117	23	48	004	SB 73	1927			36
Y01-3118-00	FONTANA S N	1972	01N	05W	18		S	34	10	57	117	26	32	900	SB 17	1927			36
Y01-3120-00	FONTANA KAISER	1090	01S	06W	15		S	34	05		117	30		900	SB138	1950			36
Y01-3121-00	FONTANA SEWAGE	960	01S	06W	36		S							429	SB236				36
Y01-3129-00	FOREST FALLS	7120	01S	01W	18	H	S	34	04		116	49		429	SB173A	1960			36
W24-3233-02	FREEMAN STATION	3310						35	35	40	117	55	04	405					15
Z09-3265-00	FROSTLESS ACRES							32	47	00	116	53	00	428	430-3	1952			90
U05-3279-00	FULLERTON ARROUES RN	330	03S	10W	15		S	33	54		117	55		900		1948	1966		30
U05-3285-00	FULLERTON UAM	0340	03S	10W	24		S	33	54		117	53		900		1948			30
U05-3288-00	FULLERTON HILLCREST R	0340						33	52		117	54	13	900		1934			30
U05-3288-01	FULLERTON KNOWLTON	195						33	52	15	117	54	24	415 O	28A				30
U05-3289-02	FULLERTON PUMP PLANT	150						33	50	54	117	55	26	415 O	93				30
U05-3289-03	FULLERTON A P	94						33	52	13	117	58	34	415 O	126A				30
U05-3289-20	FULLERTON OCFLD YAKO	0163						33	52	05	117	54	10	415 O	172	1960			30
U04-3315-05	GARAPITO CREEK	1850						34	07	33	118	33	20	410 F	1165	1963			70
Y01-3336-15	GARDEN GROVE-CITY	0120	04S	10W	33	P	S	33	47	00	117	56	00	415 O	120				30
Y01-3336-21	GARDEN GROVE CO YU	90						33	46	13	117	56	03	415 O	116				30
U04-3345-11	GARRAPATA CYN	1415						34	07	44	118	34	42	410 F	1023B	1948			70
W01-3369-00	GEM LAKE	8970	02S	26E	19		M	37	45	07	119	08		900		1924			26
I14-3402-00	GIBBALTAR UAM 2	1550	05N	27W	11		S	34	31	24	119	41	18	900		1957			42
Z07-3410-00	GILLESPIE FIELD	0370						32	49		116	58		900		1959			90
U05-3430-00	GIRARD BRANT RANCH	876						34	10	16	118	35	56	410 F	21	1912			70
U05-3430-11	GIRARD RESERVOIR	986						34	09	07	118	36	36	410 F	20B	1927			70
W03-3434-11	GLACIER LODGE	8200						37	07	31	118	25	58	405					14
Y01-3438-20	GLEN AVON FIRE DEPT	253	02S	06W	10	P	S	34	00	43	117	29	37	431 H		1962			33
U05-3450-00	GLENDAL STAPENHORST	530	01N	13W			S	34	09	07	118	15	40	410 F	295G	1910			70
U05-3450-01	GLENDAL-JONES	0615					S	34	09	54	118	15	01	410 F	216	1926			70
U05-3450-02	GLENDAL-MCINTYRE	0603					S	34	09	00	118	14	27	410 F	703	1940			70
U05-3452-00	GLENDORA WEST FC 185	822					S	34	08	23	117	51	33	410 F	185	1881			70

TABLE A-I (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U05-3724-10	HAMILTON BOWL LONG B	0040						33	47	31	118	10	16	410	F 437	1937			70
Y01-3748-11	HANFORD PLANT	1030	01S	04W	10			34	06	09	117	17	28	436	S 86	1932			36
U05-3751-00	HANSEN DAM	1110	02N	14W	18		S	34	16	08	118	23	59	410	F 436C	1940			70
T13-3787-00	HARRIS GAGING STN	0320	08N	34W	23		S	34	46	00	120	25	00	900		1941			42
U03-3812-11	HASLEY CANYON	1725						34	28	44	118	41	04	410	F1022	1948			70
U05-3851-20	HAY OERIS BASIN	1925						34	13	28	118	12	17	410	F *X32	1957			70
X18-3855-00	HAYFIELD PUMP PLANT	1370	05S	13E	28		S	33	42		115	38		900		1933			33
U05-3874-51	HEADWORKS PUMP PLT	0470						34	09	21	118	18	02	410	F 2720	1930			70
T10-3888-00	HEARST RANCH	0150	26S	07E	23		M	35	39	30	121	11	12	430	L 69	1938			40
T10-3888-02	HEARST CASTLE	1800	26S	07E	12		M	35	41	12	121	10	12	430	L 112	1946			40
Y02-3896-00	HEMET	1630	05S	01W	11	P	S	33	45	00	116	57	00	900		1911			33
U05-3910-00	HENNINGER FLAIS	2550	01N	12W	01		S	34	11	36	118	05	17	410	F 235C	1930			70
Z03-3914-00	HENSHAW DAM	2700	11S	02E	10		S	33	14		116	46		900		1912			90
Z03-3914-10	HENSHAW F 36 EVAP PA	2700						33	14	00	116	45	18	432		1923			90
Z03-3914-20	HENSHAW L 36 EVAP PA	2650						33	14	18	116	45	42	432		1922			90
W28-3935-00	HESPERIA	3305	04N	04W	21	B	S	34	25	16	117	18	12	900	S 8 92	1904		20	36
W28-3935-01	HESPERIA FFS	3175	04N	04W	21		S	34	25	15	117	18	01	429	S 8195	1956			36
U05-3947-11	HIDDEN SPRINGS	2850					S	34	19	04	118	07	58	410	F1076	1954			70
Y01-3951-11	HIGH GROVE	940	02S	04W	07		S	34	00	56	117	19	49	429	S 8222				33
T09-3951-35	HIGHLAND FARM	2100	26S	16E	33		M	35	37	30	120	15	30	430	L 122	1948			40
U05-3953-52	HIGHLAND PK	850					S	34	07	57	118	10	27	410	F 3848				70
U05-3953-53	HIGHLAND PK-LINDSAY	0620					S	34	07	06	118	10	39	410	F 394	1935			70
U05-3971-00	HILLCREST COUNTRY CB	185						34	02	54	118	24	06	410	F 4628	1951			70
W28-3990-20	HINKLEY 5N	2055	11N	03W	28	F	S	35	01	00	117	11	50	429	S 8231	1962			36
W26-4005-11	HI VISTA-CARD	3075						34	44	04	117	46	50	410	F *X158	1951			70
Z05-4014-00	HODGES DAM	320	13S	02W	18		S	33	03		117	08		406		1919			90
U05-4017-00	HOEGES FC 60A	2650	02N	11W	33		S	34	12	30	118	02	00	410	F 60A	1931			70
Z05-4020-01	HULOREDE RANCH	3480	11S	02E	22		S	33	12	16	116	45	43	913	9P117	1935			90
U05-4021-15	HOLIDAY HILL	8130						34	21	29	117	40	54	410	F *X288	1957			70
U05-4031-11	HOLLYWOOD	305					S	34	05	28	118	19	30	410	F 1368				70
U05-4032-11	HOLLYWOOD DAM	0750					S	34	07	04	118	19	55	410	F 238	1929			70
Y02-4062-05	HOMELAND IN SEC 17	1600	05S	02W	17	P	S	33	44	33	117	06	27	431	R	1960			33
Z02-4133-00	HUWELL RANCH	1300	07S	04W	03		S	33	35	41	117	16	47	431	R	1965			33
Z07-4143-50	HUAL-CU-CUSH							32	58	30	116	35	00	428	S 04-2	1964			90
T09-4144-01	HUASNA	0770	12N	33W	29		M	35	06	00	120	23	17	430	L 51	1929			40
Y01-4173-11	HUNTINGTON BEACH	35						33	39	39	117	59	57	415	O 45				30
Y01-4173-21	HUNTINGTON BEACH RCH	70						33	40	45	118	00	02	415	O 135				30
U05-4180-11	HUNTINGTON PARK	0175					S	33	59	00	118	13	47	410	F 1990	1927			70
W26-4181-11	HUNT CANYON	3263						34	30	48	118	03	37	410	F1000	1945			70
X19-4185-51	HURLEY FLI TWIN PINE	3440	03S	02E	32		S	33	51	58	116	47	28	431	R	1919			33
X19-4211-00	IDYLLWILD R S	5397	05S	03E	07		S	33	44	46	116	42	48	900		1943			33
X23-4223-00	IMPERIAL	0060	15S	14E	18		S	32	50	57	115	34	06	900		1902			13
X23-4224-00	IMPERIAL FAA AP	0060	15S	14E	19		S	32	50	09	115	34	22	900					13
W03-4232-00	INDEPENDENCE	3950	13S	35E	18		M	36	48		118	12		900		1866			14
W03-4235-00	INDEPENDENCE UNION V	9175						36	46		118	20		900					14
X19-4258-11	INDIO S D F	8	05S	07E	26		S	33	42	47	116	13	24	431	R P1	1958			33
X19-4259-00	INDIO US DATE GARDEN	0011	05S	07E	16		S	33	44	00	116	15	00	900		1913			33
U05-4260-11	INGLEWOOD FS	0135						33	57	54	118	21	15	410	F 1160	1919			70
W24-4278-00	INYOKERN	2440	26S	39E	30		M	35	39	00	117	49	00	900		1937			15
W24-4280-00	INYOKERN ARMILAGE	2218	26S	40E	09		M	35	41	00	117	41	00	900		1944			15
U05-4296-03	IRON MOUNTAIN	5320						34	21	06	118	13	46	410	F1162	1963			70
X12-4297-00	IRON MOUNTAIN SB 114	0922	01N	18E	30		S	34	08		115	08		900	S 8114	1935			36
Y01-4300-01	IRVINE CO AUTOMATIC	197						33	40	37	117	45	34	415	O 125				30
Y01-4300-02	IRVINE CO MARKEL	100						33	40	32	117	47	54	415	O 54				30
Y01-4300-03	IRVINE CO HOME RCH	130						33	43	52	117	46	54	415	O 61	1877			30
Y01-4300-04	IRVINE CO JOHNSON	320						33	39	13	117	42	53	415	O 56				30
Y01-4300-05	IRVINE CO LAMBERT	470	05S	08W	34		S	33	41	41	117	42	38	415	O 57	1926			30
Y01-4300-07	IRVINE CO LIMESTONE																		

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
T10-5869-00	MURRO HAY J N	0670	29S	10E	12		M	35	25	00	120	51	00	900		1959			40
U05-5871-00	MURRIS DAM	1210	01N	10W	13		S	34	10	53	117	52	43	410 F	3908	1933			70
Y01-5900-00	MI BALDY FC 85F	4300	02N	07W	19		S	34	14	12	117	39	32	410 F	856	1920			70
W26-5900-01	MI BALDY	8650						34	16	53	117	37	00	410 F	1109	1955			70
Y01-5901-00	MI BALDY NOTCH	7735	02N	07W	09		S	34	16	25	117	36	50	900					36
U05-5919-05	MI DISAPPOINTMENT	5725						34	14	42	118	06	07	410 F	1138	1959			70
U05-5956-01	MI ISLIP	7520						34	20	50	117	49	57	410 F	1030	1949			70
X22-5964-00	MUUNT LAGUNA							32	53	10	116	25	00	428	544-4	1963			90
U05-5966-01	MI LOWE	4435	02N	12W	26		S	34	13	37	118	06	33	410 F	5880	1926		5	70
U05-5967-01	MI LUKENS	5040						34	16	05	118	14	06	410 F	365C	1898			70
U03-5971-50	MI PINOS STORAGE CAG	7900						34	48	41	119	06	47	416 V	200	1959			56
U05-5976-08	MI SAN ANTONIO CUL	0780						34	02	58	117	50	14	410 F	2550	1930			70
U05-5979-21	MI ST MARYS CUL	1025						34	05	10	118	28	57	410 F	265C	1930			70
U05-6003-05	MI WILSON OBSERVATOR	5650						34	13	27	118	03	32	410 F	338A	1933			70
U05-6006-00	MI WILSON FL 338B	5709	02N	11W	24		S	34	13	36	118	03	57	410 F	338B	1940			70
U05-6028-15	MULHOLLAND DR KIRKMA	1325						34	07	52	118	28	42	410 F	765B	1947	1965		70
U05-6028-21	MULHOLLAND FS	1101						34	07	45	118	24	20	410 F	12	1927			70
W26-6034-11	MUNZ VALLEY RCH	2600						34	42	50	118	21	15	410 F	322	1930			70
Y01-6036-01	MURDY RANCH	3102						33	43	21	118	00	46	415 U	103	1925	1966		30
Z07-6039-31	MURRAY DAM	520	16S	02W	13		S	32	46	51	117	02	38	406		1913			90
U02-6041-20	MURIETTA DIVINE SG	3460						34	29	25	119	25	40	416 V	203	1959			56
Z02-6042-00	MURRIETA SCS	1131	07S	03W	17		S	33	33	48	117	13	21	431 R		1954			33
Y01-6047-01	MUSCOY-RYLES	1267	01N	04W	30		S	34	08	17	117	19	54	429	S8201	1940	1963		36
Y01-6047-10	MUSCOY FIRE DEPT	1270	01N	04W			S	34	08	50	117	20	30	813	S8201A	1961			36
U03-6048-11	MUTAH FLATS	4900					S	34	38	28	119	03	11	416 V	181				56
T09-6056-00	NACIMIENTO DAM	770	25S	10E	15		M	35	46	00	120	53	00	900		1957			40
Z08-6088-01	NATIONAL CITY	15						32	40	04	117	06	42	913	80 13				90
X13-6115-00	NEEDLES	0480	09N	23E	32		S	34	50	00	114	36	00	900	S8156	1888			36
X13-6115-11	NEEDLES CO YD	0451	07N	22E	32		S	34	50	02	114	35	37	429	S8178	1958			36
X13-6118-00	NEEDLES FAA AP	0913	08N	23E	30		S	34	45	48	114	37	08	900		1940			36
X13-6119-10	NEEDLES PUMPING PLAN	1400	07N	23E	19	G	S	34	41	17	114	36	45	429	S8 59	1962			36
U03-6147-00	NEWBURY PARK 2 WNW	0685	01N	20W	11		S	34	11	18	118	56	24	416 V	188	1956	195		56
U03-6149-00	NEWBURY PARK 4 SW	0780	01N	20W	22	K	S	34	09	00	118	58	00	900		1956			56
U03-6149-01	NEWBURY PARK ACADEMY	810	01N	20W	01		S	34	11	46	118	56	05	416 V	158				56
U05-6155-01	NEWCOMB PASS	4025						34	14	17	118	01	04	410 F	727B	1945			70
U03-6159-11	NEWMALL RANCH	675	04N	18W	26		S	34	24	08	118	44	10	416 V	25	1912			56
U03-6162-00	NEWMALL SOLEDAD 32C	1243						34	23	07	118	31	54	900		1931			70
U03-6164-00	NEWMALL U S HS	1325						34	22	13	118	30	48	410 F	407	1949			70
Y01-6172-31	NEWMARK RES	1415						34	10	21	117	18	44	436	S8166				36
Y01-6175-00	NEWPORT BEACH MARBON	0008						33	36	09	117	53	57	900		1931			30
X13-6185-00	NEW YORK MOUNTAINS	6000	14N	16E	31		S	35	15		115	18		900		1965			36
U04-6188-20	NICHOLAS CYN	340						34	02	52	118	54	57	410 F	1129	1958			70
U05-6189-12	NICHOLS DAM BASIN	0478						34	06	22	118	24	00	410 F	759B	1947			70
X19-6196-00	NIGHTINGALE	4025	07S	05E	10		S	33	35	00	116	27	00	900					33
X23-6197-00	NILANO	0050	10S	14E	21		S	33	16	41	115	31	23	900		1942			13
T12-6207-00	NIPOMO 2 NW	0360	11N	34W	06		S	35	04	00	120	30	00	900		1920			40
T12-6207-05	NIPOMO							35	02	30	120	28	35	913	5N 20	1945			40
T14-6211-51	NUJOQUI PARK	680						34	32	00	120	10	30	913	50 19				42
Y01-6215-11	NURCO	630	03S	06W	06		S	33	55	52	117	32	53	431 R	P2	1961			33
W03-6254-00	NORTH HAIWEE RES	3850	20S	37E	04		M	36	13	41	117	58	08	405		1929			14
U05-6256-00	NORTH HOLLYWOOD	593						34	09	23	118	21	56	410 F	138	1936			70
U05-6270-11	NORTHRIDGE	810						34	13	52	118	32	28	405 F	25C	1920			70
X19-6275-20	NORTH SHORE	018W	07S	10E	34		S	33	31	14	115	56	13	431 R		1966			33
U05-6276-01	NO WHITTIER CULE RCH	575						34	00	26	117	59	42	410 F	104				70
U05-6282-11	NORWALK	0085					S	33	53	52	118	04	00	410 F	135	1926			70
Y01-6299-20	NUVIEW	1467	04S	02W	18		S	33	49	03	117	07	55	431 R		1957			33
U03-6308-20	OAK FLAT GUARD STA	2800						34	35	56	118	43	15	410 F	1132	1958			70
Y01-6310-11	OAK GLEN SB 14	4700	01S	01W	35			34											

TABLE A-1 (Cont.)

INDEX OF CLIMATOLOGICAL STATIONS SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z06-6586-11	PACIFIC BEACH	35						32	47	55	117	15	17	913	80 20				90
W26-6598-51	PACIFIC MOUNTAIN	6880						34	21	40	118	01	44	410	F10388	1950			70
U05-6599-61	PACIFIC PALISADES	0320						34	02	38	118	31	36	410	F 4918	1944			70
U05-6601-21	PACUIMA CANYON	2075						34	20	51	118	22	20	410	F 4226	1937			70
U05-6601-22	PACUIMA CYN-CITY RD	3175						34	21	42	118	18	25	410	F 728	1945			70
U05-6601-24	PACUIMA CYN NUTCH	3220	03N	14W			S	34	21	07	118	20	38	410	F 4668	1941			70
U05-6601-61	PACUIMA HADDAIZ	902						34	14	57	118	26	40	410	F 278	1925			70
U05-6601-71	PACUIMA WAREHOUSE	0955						34	15	21	118	24	24	410	F 219	1929			70
U05-6602-00	PACUIMA UAM FL 33A E	1500	03N	15W	24		S	34	19	48	118	23	59	900		1931			70
Y01-6605-11	PADUA HILLS PS	1800						34	08	52	117	41	55	410	F10208	1948			70
W26-6624-00	PALMOALE	2655	06N	12W	26		S	34	35	00	118	07	00	900	F3510	1931			70
W26-6624-01	PALMOALE HMS	2662	06N	12W	26	U	S	34	34	25	118	06	45	410	F 4410	1939			70
W26-6626-05	PALMOALE-CIRCLE C	2880						34	32	11	118	03	48	410	F10738	1953			70
W26-6627-00	PALMOALE FAA AP	2517	06N	11W	07		S	34	36	59	118	05	02	900		1943			70
Y01-6628-11	PALMER CANYON	2120						34	09	36	117	42	07	410	F10108	1946			70
X19-6633-01	PALM DESERT	263	05S	06E	19		S	33	43	08	116	23	33	431	K	1958			33
W26-6634-30	PALM ROCK RANCH	2615						34	35	40	117	58	10	410	F1154	1961			70
X19-6635-00	PALM SPRINGS	0411	04S	04E	13		S	33	49	34	116	32	41	900		1931			33
X19-6639-10	PALM SPRINGS N SDF	875	03S	04E	10		S	33	55	28	116	32	44	431	K	1958			33
X19-6640-00	PALM SPRINGS TRAMWAY	8505	04S	03E	23		S	33	42		116	33		900		1965			33
U04-6649-11	PALO COMADO CTN	1175						34	09	45	118	44	16	410	F1016	1948			70
Z04-6650-60	PALOMAR AIRPORT							33	07	00	117	16	00	428	515-1	1959			90
Z02-6657-00	PALOMAR MTR OBSERV	5560	09S	01E	27		S	33	21	00	116	51	00	900		1942			90
U05-6663-00	PALOS VERDES ESTATES	216	04S	14W			S	33	48	02	118	23	26	410	F 430	1927			70
U05-6663-01	PALOS VERDES	0400						33	46	47	118	20	35	410	F 444F	1929			70
U05-6663-12	PALOS VERDES HILLS F	1275						33	45	25	118	21	11	410	F10118	1955			70
U05-6663-14	PALOS VERDES HILLS M	1200						33	45	40	118	22	20	410	F1139	1959			70
Y01-6680-01	PANORAMA	3760						34	13	35	117	18	29	429	S8130				36
U05-6689-51	PARAMOUNT-CO FS	0070						33	53	30	118	09	36	410	F 388C	1935			70
X14-6699-00	PARKER RESERVOIR	738	02N	27E	05		S	34	17		114	10		900	S8 64	1934			36
T09-6703-10	PARKFIELD	1590	23S	14E	23		M	35	55	00	120	26	00	430	L 127	1950			27
U05-6719-00	PASADENA	0864						34	08	54	118	08	36	900		1931			70
U05-6719-02	PASADENA CAL TECH	0800						34	08	14	118	07	25	410	F 303F	1930			70
U05-6719-03	PASADENA CHLOKINE PL	1181						34	12	27	118	10	00	410	F 612	1916			70
U05-6719-06	PASADENA-GLEN	1400						34	10	54	118	04	42	410	F 696				70
U05-6719-08	PASADENA-HURLBURT FS	0780						34	07	48	118	09	12	410	F 6138	1939			70
U05-6719-09	PASADENA-CITY HALL	0985						34	10	03	118	07	17	410	F 6108				70
U05-6719-10	PASADENA JOURUAN	0705						34	08	52	118	05	14	410	F 795	1949			70
U05-6719-14	PASADENA MET STA	0918						34	09	48	118	09	27	410	311B	1938			70
U05-6719-18	PASADENA-SHELDON RES	1052						34	10	39	118	09	56	410	F 678	1938			70
U05-6727-01	PASEO MIRAMAR	0700						34	03	34	118	33	25	411	F 7708				70
T09-6730-00	PASO ROBLES	0700	26S	12E	33		M	35	38	00	120	41	00	900		1887			40
T09-6732-01	PASO ROBLES GERST	1500	26S	10E	14		M	35	40	00	120	51	30	430	L 44	1925			40
T09-6742-00	PASO ROBLES FMA AP	0803	26S	12E	13		M	35	40	00	120	38	00	900		1944			40
T09-6743-10	PASO ROBLES(SUM)	0720	26S	12E	28		M	35	38	00	120	41	00	430	L 144	1954			40
Y01-6754-11	PATTON	1370	01N	03W	29			34	08		117	12		429	S8170A	1959			36
W26-6760-01	PAUL	3390						34	29	13	117	50	02	410	F 564C	1915			70
U05-6760-53	PAULARINO-SHIFFER	47						33	40	55	117	53	26	415	U 47				30
Z04-6772-00	PECHSTEIN DAM							33	11	00	117	10	45	428	400-7	1954			90
Y01-6776-21	PEOLEY FIRE STA	710	02S	06W	26		S	33	58	31	117	29	07	431	K	1954			33
Z07-6779-25	PEERLESS-RASP							32	50	00	116	57	00	428	507-2	1963			90
Y02-6816-00	PEKRIIS	1470						33	47	00	117	14	00	900					33
T10-6816-10	PEROZZI	470	31S	13E	06		M	35	15	40	120	37	20	430	L 129	1951			40
Y01-6818-11	PEKRIIS S U F	1452	04S	03W	30		S	33	47	15	117	13	45	431	R P1				33
Y02-6818-12	PEKRIIS HILL	1280	01N	04W	36		S	34	08		117	16		436	S8163	1935			33
Y02-6818-16	PEKRIIS RES EVAP	1448						33	50	04	117	11	59	813		1963			33
W28-6848-01	PHELAN	4160	04N	07W	24			34	25		117	34		429	S8205	1958			36
U05-6850-01	PICKENS DEBRIS BAS	1600						34	13	18	118	13	45	410	F 468	1947			70
Y01-6858-01	PIGEON PASS	1910	02S	04W	23		S	33	59	16	117	16	09	431	K				33
U03-6862-00	PIEDRA BLANCA G S	3065	06N	22W	36	M	S	34	31	00	119	11	00	416	V 152	1959			56
W28-6868-01	PILOT ROCK EVAP	3668	02N	04W	10	K	S	34	16	16	117	16	53	813	S8220	1960			36
Y01-6889-01	PINE 2	575	03S	07W	05		S	33	56	46	117	38	25	429	S8 7A	1949			36
U03-6891-00	PINE CANYON PAT SIN	3286	07N	15W	23	R	S	34	40	24	118	25	45	410	F 321E	1931			70
W26-6891-01	PINE CANYON G S	3810						34	41	55	118	30	35	410	F1117	1956			70
U03-6902-51	PINE MIN	6740						34	38	22	119	19	19	416	V 176				56
U05-6902-52	PINE MOUNTAIN	4100						34	13	35	117	54	28	410	F*x29	1959			70
U03-6910-00	PINE MOUNTAIN INN	4200	06N	23W	18		S	34	36	34	119	21	52	900	V 63C	1965			56
U03-6910-01	PINE TREE RANCH	400						34	22	27	119	00	50	416	V 87				56
U03-6940-00	PIRU 2 ESE HQUTRS	730	04N	18W	27	E	S	34	24	22	118	45	22	900	V 101	1928			56
U03-6940-02	PIRU CANYON	1150						34	30	47	118	45	27	416	V 172				56
U03-6940-03	PIRU CITRUS ASSN	700						34	24	39	118	47	37	416	V 36	1927	1966		56
U03-6941-10	PIRU PROCTOR RANCH	640						34	24	29	118	49	02	416	V 106	1931			56
T10-6943-00	PISMO BEACH	0080	32S	12E	19		M	35	08	00	120	38	00	900		1949			40
W26-6958-03	PLUTE HUTIE	2680						34	39	02	117	50	57	410	F 456	1940			70
U05-6959-01	PLACENTIA AUM CO	190						33	51	32	117	53	06	415	O 29				30
U05-6959-02	PLACENTIA MUT ORANGE	225						33	52	42	117	52	24	415	O 27				30
U03-6959-51	PLACERITA CANYON	1485						34	22	37	118	28	43	410	F 2640	1928			56
W26-6983-41	PLEASANT VIEW	3980						34	27	34	117	55	57	410	F 4608	1940			70
T15-7016-21	PI CONCESSION	110						34	26	57	120	28	15	913	S8 258				42
Z08-7019-50	POINT LOHA SOLFCD							32	40	00	117	20	00	428	523-2	1965			90

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Y01-7050-12	POMONA-RIVIERA	820						34	01	34	117	46	06	410 F	263F	1956			70
T11-7057-10	POND RANCH NO 2	1300	28S	16E	03		M	35	31	00	120	13	40	430 L	911	1939			40
U03-7080-00	PURT HUENEME	20	01N	22W	20		S	34	08	40	119	12	30	416 V	17	1891			56
Z11-7100-01	POTRERO	2390	18S	04E	06	N	S	32	37	51	116	37	10		607-4	1914			90
U03-7102-41	POTRERO CANYON	1150						34	23	50	118	38	18	410 F	1040	1951			70
U05-7103-51	POTRERO MIGHTS	0285						34	02	34	118	04	50	410 F	1700	1926			70
Z06-7110-10	PUWAY CO RD STA							32	57	00	117	03	45	428	545-1	1962			90
Z06-7110-15	PUWAY-HENSHAW							32	57	52	117	03	35	428	508-1	1962			90
Z06-7111-00	PUWAY VALLEY	0440	14S	02W	12		S	32	57		117	04		900		1879			90
Y01-7123-01	PHADD DAM EVAP STA	575	03S	07W	20	P	S	33	53	24	117	38	09	415 O	23B	1930			33
U05-7123-11	PHAIRIE FORKS	5640						34	20	20	117	41	30	410 F	80B	1926			70
Z10-7155-75	PROCTOR VALLEY JAMUL							32	42	30	116	53	00	428	608-4	1951			90
U05-7160-01	PUDDINGSTONE DAM	1030	01S	09W	15		S	34	05	30	117	48	22	410 F	96B	1927			70
U05-7161-02	PUENTE-FERRERO	0380						34		12	117	56	19	410 F	254B	1930			70
U05-7161-03	PUENTE HILLS-WEISEL	0645						33	57	08	117	55	26	410 F	2650	1925			70
U05-7161-06	PUENTE HILLS	0840						33	59	40	117	59	31	410 F	201B	1924			70
U05-7161-08	PUENTE-N WHITTIER	0314						34	01	14	117	58	40	410 F	679	1935			70
Z03-7162-01	PUERTA LA CRUZ	3000	10S	03E	07		S	33	19	00	116	42	00		405-7	1961			90
W26-7163-31	PUNCH HOWL RANCH	4760						34	24	48	117	51	25	410 F	1111C	1964			70
W26-7164-40	PUZZLE SPRINGS RANCH	4130						34	26	34	117	40	25	410 F	1130	1958	1965		70
U03-7170-55	PYRAMID RESERVOIR	2495	07N	18W	27	U	S	34	40	30	118	46	55	813		1967			70
X08-7177-00	QUAIL CANYON	3448	01S	06E	12		S	34	05	35	118	30	00	429	S8238				36
Y02-7178-70	QUAIL VALLEY	1590	05S	03W	30	P	S	33	42	22	117	14	07	808 R		1958			33
Y02-7221-01	RAILROAD CANYON DAM	1390	06S	04W	02		S	33	40	36	117	16	31	016 R		1927			33
Z02-7222-03	RAINBOW CONSERVATION							33	25	40	117	07	00	428	330-7	1949			90
Z05-7231-00	RAMONA SPAULDING	1470	13S	01W	02		S	33	04	00	116	51	00	900		1949			90
Z05-7243-25	RANCH HSE RHO GUIJITO							33	09	45	116	57	15	428	521-1	1965			90
Z03-7244-00	RANCHITA	4110	11S	04E	23		S	33	14		116	32		900		1942			90
T09-7244-10	RANCHITA SLO	655	31S	13E	25		M	35	12	00	120	26	00	430 L	100	1943			40
U05-7247-51	RANCHO LOS AMIGOS	0090						33	55	18	118	09	44	410 F	270C	1930			70
U02-7247-72	RANCHO MATILAJA EVAP	0600						34	25	45	119	18	35	416 V	-150				56
Z05-7249-51	RANCHO SANTA FE	240	13S	03W	21		S	33	01	12	117	12	06	913	8P1298				90
U03-7249-61	RANCHO SESPE	430						34	23	00	118	57	52	416 V	39	1907			56
W25-7253-00	RANDBURG	3522	29S	40E	35		M	35	22	00	117	39	00	900		1937			15
U04-7255-51	RATTLESNAKE CANYON	1290						34	05	00	118	51	55	410 F	1068	1953			70
Z11-7283-00	REAM FIELD NAS							32	34	00	117	07	00	428	310-4	1955			90
Y01-7284-01	RECHE CANYON	1750	02S	03W	18		S	33	59	42	117	13	52	431 S8	9A	1953			33
U05-7293-20	RED BOX GAP	4625						34	15	30	118	06	18	410 F	11248	1957			70
Y01-7306-01	REDLANDS ROTH	1239	01S	03W	32		S	34	02	02	117	12	32	429 S8	23	1935			36
Y02-7306-02	REDLANDS SB 101	1194	01S	03W	20		S	34	03	30	117	12	57	429	S8101	1930			36
Y01-7306-03	REDLANDS DAILY FACTS	1318	01S	03W	27		S	34	03		117	11		429	S8144	1899			36
Y01-7311-00	REDLANDS COUNTRY CLU	2080	02S	03W	12		S	34	01	09	117	08	55	429	S8239				36
U05-7324-00	REDONDO BEACH	0070						33	50	43	118	23	20	410 F	42C	1918			70
U03-7375-10	REYNOLDS RANCH							34	44	12	118	53	18	416 V	145	1952	1955		56
Z07-7383-05	RHO ARROLEDA							32	49	00	116	55	00	428	516-2	1949			90
Y01-7384-08	RIALTO	1246	01S	05W	02			34	06	24	117	21	50	429	S8 4A	1943			36
Y01-7384-09	RIALTO ADAMS	1175	01S	05W	15			34	05	19	117	22	59	813	S8191	1940			36
Y02-7391-41	RICE RANCH RIV CO	1980	04S	05W	33		S	33	47	05	117	23	59	417 MW					33
U02-7391-51	RICE RANCH VEN CO	0750						34	27	29	119	17	41	416 V	156				56
U03-7403-11	RICHFIELD OIL	1560						34	26	08	119	08	02	416 V	65				56
U03-7425-01	RIDGE ROUTE MAINT ST	2505	07N	18W	27		S	34	40	34	118	46	47	410 F	409	1936			70
U05-7441-11	RIO HONDO SPREAD GRN	0155	02S	12W			S	33	59	25	118	06	33	410 F	10140	1927			70
X15-7447-65	RIPLEY-F.C.-STA.	0250	07S	22E	35		S	33	31	30	114	39	00	431 R					33
Y01-7469-01	RIVERSIDE C.F.C.-W.C	0875	02S	05W	14		S	33	58	43	117	22	29	431 R					33
Y01-7470-00	RIVERSIDE FIRE STN 3	0820	02S	05W	34		S	33	57	00	117	24	00	900	S8145	1931			33
Y01-7473-00	RIVERSIDE CITRUS EXP	1015	02S	04W	30	K	S	33	58	00	117	20	05	900	S8 61	1948			33
U05-7491-11	ROBERTA CANYON	4100						34	13	30	117	55	15	410 F	7328	1945			70
W03-7510-11	ROCK CREEK LAUMP	9360																	

TABLE A-I (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z08-7740-00	SAN DIEGO WB AP	0019						32	44	00	117	10	00	900		1931			90
Z04-7744-00	SAN DIEGUITO CO PARK							33	00	00	117	14	00	428	509-1	1963			90
Z05-7744-01	SAN DIEGUITO DAM	250	13S	03W	16		S	33	02		117	12		406		1924			90
U05-7746-02	SAN DIMAS CYN E FK	2765						34	11	41	117	44	26	410	F 741	1934			70
U05-7748-01	SAN DIMAS DAM	1350	01N	09W	24		S	34	09	10	117	46	17	410	F 89B	1924			70
U05-7749-00	SAN DIMAS FC YS	0955	01S	09W	11		S	34	06	26	117	48	19	900	S8154	1931			70
U05-7749-01	SAN DIMAS EXP STA	3100	01N	09W	01		S	34	06		117	46		907		1933			70
U05-7749-03	SAN DIMAS R S	1485					S	34	10	04	117	46	02	410	F 87C	1925			70
U05-7749-04	SAN DIMAS-STEVENSON	1110					S	34	07	39	117	47	42	410	F 134	1928			70
U05-7750-00	SAN DIMAS TANGARK	2745	01N	08W	06		S	34	12	20	117	45	40	900	S8157	1929			70
U05-7759-00	SAN FERNANDO	0965	02N	15W	09		S	34	16	22	118	27	50	900		1931			70
U05-7760-10	SAN FND0 VLY STATE C	857						34	14	17	118	31	48	410	F1157	1962			70
U05-7762-00	SAN FERNANDO PH NO 3	1248						34	18	49	118	29	30	900		1948			70
U05-7762-11	SAN FERNANDO VET HOS	1730						34	19	35	118	24	44	410	F1054	1952			70
U03-7773-00	SAN FRANCISQUITO 2	1580	05N	16W	14		S	34	32	02	118	31	27	410	F 372	1929			70
U05-7775-30	SAN GABRIEL BRUINGTO	472						34	06	18	118	06	32	410	F 2270	1953			70
U05-7775-45	SAN GABRIEL C EFK UO	2050					S	34	14	28	117	45	36	410	F10648	1953			70
U05-7775-50	SAN GABRIEL C EFK TU	2775					S	34	16	58	117	44	48	410	F1069	1953			70
U05-7775-51	SAN GABRIEL CYN EFK	1600					S	34	14	09	117	48	18	410	F 379B	1934			70
U05-7775-55	SAN GABRIEL CYN HELI	3200						34	15	02	118	01	30	410	F1160	1962			70
U05-7776-00	SAN GABRIEL CYN PH	744	01N	10W	22		S	34	09	20	117	54	28	900	F 627	1917			70
U05-7779-00	SAN GABRIEL DAM	1481	01N	09W	06		S	34	12	19	117	51	40	410	F 425B	1917			70
U05-7779-01	SAN GABRIEL DAM CAMP	1500					S	34	13	33	117	50	48	410	F 76B	1937			70
U05-7785-00	SAN GABRIEL FIRE DPI	450	01S	12W			S	34	06	11	118	05	56	900	F 742C	1939			70
U05-7785-15	SAN GABRIEL NO FORK	2200						34	15	43	117	50	40	410	F1144	1960			70
Y02-7810-00	SAN JACINTO	1550	04S	01W	27		S	33	48	00	116	59	00	900		1886			33
Y02-7811-00	SAN JACINTO RES MWD	1500	04S	01W	29		S	33	47	30	116	59	50	431	M P1	1952			33
Y02-7813-00	SAN JACINTO RS - SUF	1555	04S	01W	35		S	33	47	12	116	57	30	431	M P2	1940			33
Y01-7818-01	SAN JOAQUIN FRUIT CO	0197					S	33	42	55	117	45	43	415	O 60				30
U05-7826-10	SAN JOSE HILLS GALST	0440						34	03	00	117	54	53	410	F11488	1961			70
Z01-7836-51	SAN JUAN CAPISTRANO	0150						33	30	42	117	38	29	415	O 86				30
Z01-7836-52	S JUAN CPSTRN SUBSTA	150						33	30	44	117	39	58	415	O 92A	1923			30
T10-7850-00	S L OBISPO TANK FARM	0118	31S	12E	11		M	35	15	20	120	39	30	430	L 54	1931			40
T10-7851-00	SAN LUIS OBISPO POLY	0300	30S	12E	23		M	35	18	00	120	40	00	900		1869			40
T10-7851-50	SAN LUIS OBISPO (SDM)	150	30S	12E	34		M	35	16	00	120	40	30	430	L 143	1954			40
T10-7854-00	SAN LUIS OBISPO SUF	0330	30S	12E	22		M	35	18	00	120	41	00	430	L 96	1943			40
Z04-7857-03	SAN LUIS KEY S D G+E							33	12	45	117	20	00	428	811-7	1952			90
Z04-7858-03	SAN MARCUS CO RD STA							33	08	30	117	10	45	428	547-1	1962			90
U05-7862-46	SAN MARINO-HUNTINGTO	0070						34	07	38	118	06	48	410	F 275	1920			70
T09-7868-01	SAN MIGUEL SP MILL	620	25S	12E	16		M	35	45	00	120	41	00	430	L 125	1949			40
T14-7869-41	SAN MIGUELITO CYN	1000					S	34	35	20	120	29	40	913	SQ 50				42
Z01-7871-35	SAN UNOFNE							33	22	30	117	34	00	428	820-7	1955			90
U05-7876-11	SAN PEDRO HILLS	1240						33	46	30	118	22	58	410	F 2730	1955	1965		70
U05-7876-21	SAN PEDRO RES	0150						33	44	37	118	17	47	410	F1006	1944			70
U05-7876-26	SAN PEDRO 2	85						33	43	15	118	16	17	410	F 629C				70
Y01-7887-11	SAN TIMOTEO	1603	02S	02W	14			33	58	10	117	07	30	429	S8 2A	1953			33
Y01-7888-00	SANTA ANA USWB FR UP	115	05S	10W	13	A	S	33	44	39	117	52	02	900	O 191	1889			30
Y01-7888-01	SANTA ANA OCFUD	125						33	45	00	117	52	12	415	O 1210	1908			30
Y01-7891-00	SANTA ANA RIVER PH 3	1980	01S	02W	04		S	34	06	30	117	06	55	004	S8162	1906			36
Y01-7894-00	SANTA ANA RIVER PH 1	2765	01N	02W	26		S	34	09	00	117	04	00	900	S8147	1904			36
Y01-7895-00	SANTA ANA-SCUUEK	99						33	45	06	117	53	22	415	O 161				30
U05-7897-00	SANTA ANITA FERN LGE	2035	01N	11W	03		S	34	12	30	118	01	00	410	F 432	1938			70
U05-7898-20	SANTA ANITA CN HELIP	2575						34	12	52	118	01	05	410	F1146	1960			70
U05-7898-40	SANTA ANITA SPRING C	4655						34	12	52	117	58	56	410	F 4770	1958			70
T15-7902-00	SANTA BARBARA	0100	04N	27W	22		S	34	25	00	119	42	00	900		1867			42
T15-7905-00	SANTA BARBARA FAA AP	0009	04N	28W	17		S	34	26	00	119	50	06	900		1940			42
T14-7909-00	SANTA BARBARA IV PK	4000	05N	29W	07		S	34											

TABLE A-I (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8014-03	SAUGUS ELLISON STA	1096						34	25	21	118	34	26	410 F 200	1928				70
U03-8014-08	SAUGUS-NEWMALL	1150					S	34	24	56	118	32	51	410 F 475	1941				70
W26-8020-01	SAWHILL MTN MCH	3700						34	43	15	118	35	00	410 F 277	1931				70
U05-8022-12	SAWPIT CYN DEER PK	2690						34	11	38	117	57	52	410 F 304	1930				70
U05-8022-14	SAWPIT DAM NO 2	1378						34	10	34	117	59	14	410 F 68H	1926				70
U05-8023-01	SAWTELLE	0250						34	02	43	118	26	55	410 F 140C	1928				70
U05-8023-03	SAWTELLE SOLDIER HOM	0396						34	03	27	118	27	37	410 F 119F	1896				70
U03-8036-00	SCHAEFFER RCH FRAZ PK	5800						34	49	59	119	04	12	416 V 146	1952				56
U05-8038-51	SCHOLL DEBRIS BAS	987					S	34	09	13	118	12	01	410 F 1110	1956				70
Z04-8050-51	SCOTT RANCH	170						33	03	45	117	15	15	913 8P133					90
Y01-8063-00	SEAL HOUSE		04S	05W	10		S							431 R					33
U02-8085-01	SELBY RANCH STANDARD	750	04N	24W	14	J	S	34	25	28	119	21	15	416 V 44	1927				56
U02-8085-02	SELBY RANCH AUTOMATI	750	04N	24W	14	J	S	34	25	28	119	21	15	416 V 166	1956				56
U04-8086-01	SEMINOLE HOT SPGS	975						34	06	20	118	47	29	410 F 3B	1927				70
U05-8092-00	SEPULVEDA DAM	740						34	10	02	118	28	06	900 F 465C	1939				70
U05-8092-01	SEPULVEDA AND HAYEN	828						34	13	52	118	28	04	410 F 98	1928				70
U05-8092-03	SEPULVEDA CANYON	0570						34	04	50	118	28	12	410 F 778B	1947				70
U05-8092-04	SEPULVEDA CANYON 19	1300						34	06	25	118	28	26	410 F 7638	1947				70
U05-8092-05	SEPULVEDA DAM	0683						34	10	06	118	28	11	410 F 465C	1957				70
U05-8092-11	SEPULVEDA-MULHOLLAND	1425						34	07	51	118	29	26	410 F 17	1928				70
T09-8110-05	SEVEN-X RANCH	1200	27S	10E	08		M	35	36	00	120	55	00	430 L 59	1930			1	40
T09-8126-01	SHANDON DIV OF HWYS	1090	26S	15E	20		M	35	39	30	120	22	30	430 L 73	1937				40
T09-8126-03	SHANDON UNION OIL CO	1091	26S	15E	02		M	35	41	00	120	20	30	430 L 53	1931				40
U05-8158-00	SHELL ABSORPTION PLT	680	02S	10W	35		S	33	57		117	54		900	1948	1966			70
U05-8190-20	SHORTCUT CYN & FORK	4425						34	15	55	118	04	08	410 F 1159	1965				70
U05-8210-01	SIERRA MADRE DAM	1100						34	10	34	118	02	32	410 F 144	1928				70
U05-8210-06	SIERRA MADRE MM PP	985					S	34	10	11	118	02	51	410 F 294B	1930				70
U05-8210-07	SIERRA MADRE FEGL	658					S	34	09	27	118	02	36	410 F 66	1925				70
U05-8211-00	SIERRA MAURE PUMP ST	700						34	09	47	118	02	21	410 F 169E	1927				70
U05-8211-11	SIERRA MADRE USFS	0935						34	10	15	118	01	54	410 F 681A	1937				70
U05-8230-00	SIGNAL HILL FL 415	100						33	47	49	118	10	03	410 F 415	1937				70
Y01-8243-01	SILVERADO CANYON	1500						33	44	55	117	38	27	415 O 180					30
U05-8252-11	SILVER LAKE RES	0455	01S	13W	09		S	34	06	06	118	15	54	405 F 336	1930				70
U03-8256-00	SIMI	0770						34	17	00	118	58	00	416 V 184	1956				56
U03-8258-00	SIMI 3 E	920	02N	18W	11	L	S	34	16	18	118	44	24	416 V 193	1956	1966			56
U03-8258-10	SIMI FORSON RANCH	1100						34	15	44	118	39	32	416 V 93	1931				56
U03-8258-50	SIMI OAK RIDGE SUMMT	2680						32	22	00	118	44	05	416 V 226	1966	1967			56
T11-8259-01	SIMMLER DIV OF HWYS	2047	30S	19E	06		M	35	21	00	119	59	00	430 L 71	1937				40
Y02-8261-11	SIMMS RANCH	2140	04S	01E	27		S	33	47	49	116	52	22	417 MWD					33
Y01-8263-00	SINGLETON RANCH		02S	02W	25		S							431					33
X19-8317-00	SNOW CREEK UPPER	1940	03S	03E	33	D	S	33	52	00	116	41	00	900		1939		02	33
T11-8326-00	SODA LAKE	1975	31S	19E	10		M	35	14	47	119	55	09	430 L 47	1925				40
U03-8338-02	SOLEDAD CYN-ECKLES	2150						34	26	23	118	17	33	410 F 4058	1936				70
U03-8338-06	SOLEDAD PASS	3520						34	29	35	118	05	28	410 F 1063	1953				70
U03-8338-10	SOLEDAD CYN-BERMIE	1200						34	24	50	118	31	25	410 F 1142	1960				70
U03-8338-50	SOLEDAD CYN HUNBY	1270						34	25	13	118	30	08	410 F *X37	1966	1967			70
U03-8347-00	SUMIS 2 NNW BAND MCH	510	02N	20W	05		S	34	16	56	119	00	22	900 V 190	1955	1958			56
U03-8347-01	SUMIS SNYDER MCH	0300	02N	20W	17		S	34	15	47	118	59	46	416 V 54	1892				56
U03-8347-02	SUMIS	290						34	15	21	118	59	45	416 V 212	1961				56
U03-8348-00	SUMIS 3 NE	485	02N	20W			S	34	17		118	58		900	1955	1966			56
U03-8349-00	SUMIS 3 NW	0510	02N	21W			S	34	17		119	00	30	416 V 190	1955				56
U03-8350-00	SUMIS 5 WNW	0520	02N	21W	03		S	34	17	07	119	04	20	900	1955	1958			56
U03-8350-02	SUMIS AGGEN-RCH	375	02N	21W	12		S	34	16	08	119	02	04	416 V 2	1904				56
U02-8365-51	SUPERS RANCH	0870						34	28	56	119	17	37	416 V 151					56
T10-8374-05	SUTO RANCH NR CAMBRI	440	27S	09E	22		M	35	34	30	120	59	00	430 L 169	1963				40
U05-8377-01	SOUTH GATE	0130						33	57	16	118	12	43	410 F 4748	1941				70
U05-8379-45	SOUTH HAWKINS	7720						34	18	46	117	48	32	410 F 10598	1953				70
Y01-8387-00	SU CORONA		04S	06W	07		S												

TABLE A-1 (Cont.)
INDEX OF CLIMATOLOGICAL STATIONS
SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
U03-8700-00	SUSANA KNOLLS	1090						34	16		118	40		900		1956			56
Z05-8707-01	SUTHERLAND DAM	1900					S	33	07		116	47		406					90
Z09-8726-01	SWEETWATER DAM	300	17S	01W	17		S	32	41	33	117	00	30	014					90
W26-8727-01	SYCAMORE CAMP	4000						34	25	02	117	58	13	410	F10608	1953			70
U05-8728-11	SYLMAR	1250						34	18	37	118	28	15	405	F 391	19			70
W26-8748-00	TABLE MOUNTAIN	7420	03N	08W	02			34	22	56	117	40	39	410	F 82F	1928			70
U05-8783-51	TANBARK FLATS	2750						34	12	20	117	45	40	410	F 158	1929			70
U03-8784-01	TAPO CITRUS ASSN	1010						34	17	12	118	43	09	416	V 124				56
U03-8784-06	TAPO WATER CO	1080						34	17	53	118	43	16	416	V 62				56
Z02-8840-01	TEMECULA F S	1018	08S	03W	12		S	33	29	48	117	08	57	431	R		1955		33
U05-8848-01	TEMPLE CITY	0404						34	06	31	118	03	25	410	F 4808	1948			70
T09-8849-00	TEMPLETON	0800	27S	12E	29		M	35	32	56	120	42	21	430	L 43	1886			40
T12-8864-01	TEPUSQUET CYN	3248						34	54	36	120	11	08	913	50 318				42
U03-8877-11	TEVIOT ST	540						34	05	58	118	15	25	410	F 806				70
U02-8879-00	THACHER SCHOOL	1360	05N	22W			S	34	27	58	119	10	49	416	V 59	1915			56
X19-8892-00	THERMAL FAA AIRPORT	12v	06S	08E	20		S	33	38	05	116	09	51	900	M P2	1950			33
X19-8892-01	THERMAL AIR BASE SUF	110	06S	08E	20		S	33	38	05	116	10	16	431	M P1	1950			33
U03-8905-00	THOUSAND OAKS FC 718	0810	01N	19W	11	N	S	34	10	43	118	50	59	416	V 128	1943			56
U04-8907-00	THOUSAND OAKS 4TH PL	900	01N	19W	14	Q	S	34	09	50	118	50	11	416	V 169				56
X19-8908-20	THOUSAND PALMS	240	04S	06E	18		S	33	49	12	116	23	34	431	R		1958		33
W03-8930-00	TINEMAH RES	3865	10S	34E	26	F	M	37	03	10	118	13	39	405		1933			14
U03-8961-10	TOPA TOPA	2900						34	34	03	119	02	26	416	V 197	1958			56
U05-8963-03	TOPANGA CYN OUTLET	0075					S	34	02	58	118	34	46	410	F10890	1955			70
U04-8967-00	TOPANGA PAT S FC 68	747	01S	16W	18		S	34	05	03	118	35	57	410	F 68	1931			70
U05-8973-00	TORRANCE	0100						33	48	00	118	20	00	900		1932			70
U05-8973-03	TORRANCE AIRPORT	0102						33	47	59	118	20	08	410	F1158	1958			70
Z01-8992-01	TRABUCO CANYON	1250					S	33	39	28	117	34	12	415	O 81				30
U04-9003-01	TRANCAS BEACH	0025						34	01	52	118	50	30	410	F 306F	1930			70
U04-9027-21	TRIUNTO CANYON	0800						34	07	20	118	47	10	410	F 476F	1941			70
W21-9035-00	TRONA	1695	25S	43E	08		M	35	47	00	117	23	00	900	S8111	1920			36
U05-9048-03	TUJUNGA CN AB GOLD	1650						34	18	00	118	16	06	410	F10138	1947			70
U05-9048-07	TUJUNGA CYN-SOLOMON	1400						34	16	40	118	17	53	410	F10538	1952			70
U05-9048-10	TUJUNGA CYN-VUGEL	1850						34	17	12	118	13	32	410	F 6958	1939			70
U03-9048-15	TUJUNGA-MILL CR SUM	4970						34	23	25	118	04	50	410	F1029	1949			70
U03-9049-00	TUJUNGA MILL CREEK	4600	04N	12W	36		S	34	23	09	118	05	25	410	F 470	1948			70
U05-9082-01	TURNBULL DEBRIS BAS	0495						33	59	18	118	01	30	410	F1086	1954			70
Y01-9086-10	TUSTIN AUTOMATIC	106						33	44	18	117	48	00	415	O 166	1958			30
X09-9099-00	TWENTYNINE PALMS NPS	1980	01N	09E	29		S	34	08		116	35		900	S8 48A	1935			36
X09-9099-05	TWENTY NINE PALMS C	1895	01N	09E	20	R	S	34	09	00	116	03	00	429	S8216	1960			36
X09-9099-10	TWENTY NINE PALMS O	1520	01N	10E	14	R	S	34	10	00	115	54	00	429	S8232	1961			36
T12-9111-00	TWITCHELL DAM	0582	11N	33W	35		S	34	59	00	120	19	00	900		1959			42
U05-9138-00	UNION OIL STEAMNS	0710	03S	09W	06		S	33	56		117	52		900		1941			30
Z06-9151-50	UNIVERSITY CTY STELL							32	51	10	117	12	30	428	511-2	1963			90
U05-9152-00	U C L A	0430	01S	15W			S	34	04	18	118	27	00	900		1933			70
U05-9152-01	UNIV SO CAL	0208						34	01	14	118	17	15	410	F 482	1942			70
Y01-9156-10	UPLAND	1605						34	07	57	117	38	38	410	F1145	1959			70
Y01-9158-00	UPLAND 3 N	1605	01N	07W	31		S	34	07	58	117	38	26	900	S8 88	1932			36
Y01-9160-01	UPLAND-CAJONUM	1506					S	34	07	08	117	40	45	410	F 3428	1931			36
Y01-9160-02	UPLAND CU YDS	1215	01S	07W	09		S	34	05	43	117	37	42	429	S8 98	1959			36
Y01-9160-12	UPLAND CHAPPEL	1609	01N	08W	35		S	34	44	00	117	37	47	429	S8 19A				36
Y01-9160-20	UPLAND FIRE STATION	1275	01S	07W	07		S	35	05	55	117	38	53	429	S8165				36
U05-9165-05	UPPER FRANKLIN RES	867						34	07	14	118	24	38	410	F 11				70
T10-9179-00	UPPER MORRIS CREEK	1050	28S	11E	35		M	35	27	18	120	45	12	000		1951			40
Z10-9182-10	UPPER OTAY							32	39	00	116	55	45	428	613-4	1951			90
U05-9187-11	UPPER STONE CYN	0943						34	07	27	118	27	15	410	F 762	1947			70
Z02-9213-11	VAIL LAKE	1450						33	29	32	116	58	36	916		1952			33
Z03-9228-00	VALLEY CENTER 3 NE	1615	10S	01W	31		S	33	16	00	117	01	00	900		1924			90
Y01-9233-00	VALLEY OF THE FALLS		01S	01E	17		S	34	04	40	116								

TABLE A-1 (Cont.)

INDEX OF CLIMATOLOGICAL STATIONS SOUTHERN CALIFORNIA

Station		Elevation in Feet	Township	Range	Section	40 Acre Tract	Base and Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							°	'	"	°	'	"						
Z05-9379-35	VISTA ID WARNER RCH							33	09	15	116	39	15	428	401-7	1961			90
Z03-9379-39	VISTA ID WEST FORK							33	17	15	116	44	30	428	402-7	1961			90
Z04-9379-42	VISTA S D G+E							33	12	00	117	14	00	428	812-1	1954			90
T10-9392-05	VURTAC SBP	1461	31S	11E	02		M	35	15	06	120	45	35	430	L 172	1964			40
T10-9395-05	VULTURE ROCK	2635	26S	09E	28		M	35	38	30	121	01	00	430	L 168	1963			40
T10-9401-05	WAUHAMS	0100	31S	12E	16		M	35	13	30	120	41	30	430	L 166	1963			40
T12-9408-12	WAGON WHEEL CAMP 1 S	4990						34	43	49	119	11	01	416	V 202	1959			56
U05-9427-51	WALNUT FRUIT GROWERS	0533						34		13	117	51	09	410	F 339	1929			70
U05-9431-00	WALNUT PATROL STN	488	02S	09W	18	0	S	34	00	12	117	52	14	410	F 102H	1926			70
U05-9438-20	WALTERIA LAKE PUMP S	90						33	48	35	118	21	05	410	F 1164	1964			70
Z03-9447-00	WARNER SPRINGS	3180	10S	03E	26		S	33	17	00	116	38	00	900		1931			90
U05-9464-01	WATERMAN G S	3290						34	15	58	118	08	37	410	F 52C				70
U05-9464-23	WATERMAN MTN	7960						34	20	23	117	56	21	410	F 1031B	1949			70
U03-9485-00	WAYSIDE H R EVAP	1060	04N	17W	01	6	S	34	29	41	118	36	44	813	UWR	1963			70
X02-9487-00	W C SHEPHERD JOHNSON	2794	04N	04E	19		S	34	25	00	116	37	00	429	SB502				36
W26-9531-02	WEST ANTELOPE	3110	09N	15W	03		S	34	53	48	118	27	12	405		1921			15
U05-9531-51	WEST ARCADIA	0547					S	34	07	42	118	04	22	410	F 109D	1925			70
U05-9531-71	WEST AZUSA	0505					S	34	06	53	117	54	56	410	F 406C	1936			70
U05-9533-10	WEST BURBANK	615						34	10	47	118	20	07	410	F 1127	1958			70
T14-9536-00	WEST BIG PINE LOOKOUT	6280	07N	27W	12		S	34	42	00	119	40	00	900		1942			42
U05-9547-05	WEST COVINA KELLER R	0350						34	03	54	117	57	20	410	F 1010	1959			70
U05-9558-20	WEST FORK R S	3100						34	14	45	118	02	55	410	F 1001B	1945			70
Y01-9569-11	WESTMINSTER	38					S	33	45	08	117	59	17	415	O 162				33
Y02-9586-00	WEST PORTAL RIVERSIDE		04S	01W	15		S							431	R				33
Y01-9587-01	WEST RIVERSIDE	900	02S	05W	07			34	00	44	117	26	48	431	R	1948			33
T10-9603-10	WHALE ROCK DAM	250	28S	10E	34	F	M	35	26	48	120	53	06	813		1963			40
U02-9615-00	WHEELER SPRINGS 2 SS	0850	05N	23W	28		S	34	28	59	119	17	38	900		1940			56
U02-9615-01	WHEELER SPRINGS 2 SW	950	05N	23W	28		S	34	28	55	119	17	30	416	V 107	1932			56
U03-9618-00	WHEELER SPRINGS 7 N	4150						34	35	50	119	19	30	900	V 63	1927	1965		56
X01-9631-00	WHITE MOUNTAIN	7260	03N	01W	20		S	34	20	00	117	00	00	813	9635	1966			36
W05-9632-00	WHITE MOUNTAIN 1	0150	05S	35E	19		M	37	30	00	118	11	00	900		1955			26
W03-9633-00	WHITE MOUNTAIN 2	2470	04S	34E	20		M	37	35	00	118	14	00	900		1955			26
U05-9660-00	WHITTIER CITY HALL	320	02S	11W	28		S	33	58	30	118	01	57	410	F 106D	1928			70
U05-9660-02	WHITTIER-CATE	0280					S	34		20	118	03	30	410	F 1099	1955			70
U05-9660-08	WHITTIER-WOOD	0280					S	33	59	52	118	03	10	410	F 1035	1950			70
U05-9666-01	WHITTIER NARROWS	0230					S	34	02	02	118	02	40	410	F 1057B	1953			70
U05-9666-05	WHITTIER NARROWS DAM	0250	02S	11W	04		S	34	01	15	118	04	00	410	F 1114B				70
W20-9671-00	WILROSE RANGER STA	4100	19S	44E	23		M	36	15	00	117	14	00	900		1966			14
Y01-9675-51	WILROSE RANCH-EARL	875					S	33	47	25	117	29	54	813	UWR				33
T10-9679-05	WILLIAMS RANCH	50	25S	06E	15		M	35	45	30	121	18	30	430	L 1710	1964			40
W26-9699-50	WILLOW SPRINGS	3800	10N	15W	23		S	34	56	54	118	29	24	813	UWR	1929			15
U05-9701-02	WILMINGTON-2	0040					S	33	47	27	118	15	30	410	F 118C	1955			70
W26-9710-11	WILSONA	2910					S	34	34	50	117	43	10	410	F X12B	1951			70
U05-9710-21	WILSON CANYON	3175					S	34	21	17	118	27	00	410	F 363B	1933			70
Z05-9724-40	WINDMILL RHO QUIJITO							33	12	00	116	54	30	428	520-1	1965			90
Y01-9746-04	WINTERSBURG-SLATER	25						33	42	49	117	59	56	415	U 43				30
U05-9765-01	WOLFSKILL CYN-UPPER	3625						34	10	13	117	43	16	410	F 1075	1937			70
Y01-9774-20	WOODCREST PRENDA DAM	1580	03S	05W	25		S	33	53	50	117	19	47	431	R	1956			33
T11-9813-10	WHEUEN	2080	29S	17E	11		M	35	25	00	120	06	00	430	L 121	1948			40
W28-9819-31	WRIGHTWOOD	6038	03N	07W	08		S	34	22	17	117	29		429	SB 33	1959			36
U05-9819-33	WRIGHTWOOD FIRE STA	5960						34	21	34	117	37	57	410	F 1128	1958			70
W28-9836-75	YERMO INSPECTION STA	1912						34	55	30	116	48	10	429	SB233	1962			36
U05-9847-00	YUKBA LINDA	0405	03S	09W	22		S	33	54	00	117	49	00	900		1931			30
U05-9847-21	YUKBA RESERVOIR	320					S	33	52	23	117	48	29	415	U 163				30
T10-9850-05	YUKK MTN SANTA RITA	1274	27S	10E	35		M	35	32	05	120	51	40	430	L 161	1962			40
Y01-9875-02	YUCAIPA SH 127	2880	02S	02W	10		S	34	02		117	02		429	SB127	1949			36
Y01-9875-03	YUCAIPA-BLANKL	2800					S	34	00	41	117	00	59	429	SB126A				36
Y01-9875-04	YUCAIPA CO YDS	2120	01S	02W	04		S	34	01	59	117	06	08	429	SB 99	1959			36
Y01-9875-05	YUCAIPA FPS	2810	01S	02W	36		S	34	01	58	117	02	11	429	SB129				36
Y01-9875-07	YUCAIPA WATER CO	2740	01S	02W	36		S	34	02		117	02	26	429	SB132	1954			36
X08-9881-06	YUCCA VALLEY	3420	01N	05E	34		S	34	07	38	116	27	10	429	SB102A	1959			36
U04-9990-11	ZUMA CYN-OKLEY	1500					S	34	04	58	118	49	38	410	F 386C	1934			70
U04-9990-12	ZUMA CYN PS	0115					S	34	01	10	118	47	46	410	F 458	1940			70

TABLE A-2

PRECIPITATION DATA

The definition of terms and abbreviations used in connection with this table are as follows:

- No record or record incomplete.
- * Amount included in the following measurement. Time distribution unknown.
- E Wholly or partially estimated
- T Trace, an amount too small to measure.
- V Includes total from previous month.
- RB Record begins.
- RE Record ends.

Precipitation values are shown to the nearest hundredth (.01) of an inch, except where Fischer & Porter recording rain gages are used, these values are shown to the nearest tenth (.1) of an inch.

TABLE A-2
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SALINAS HYDROLOGIC UNIT T09																	
ATASCADERO LAKE	11.57	0.00	0.00	0.95	0.21	2.43	2.04	0.97	1.15	2.32	1.50	T	0.00	T	T	0.00	10.62
ATASCADERO PUMP STA	9.53	0.00	0.00	0.67	0.07	2.45	1.87	1.22	0.60	1.76	0.89	0.00	0.00	0.00	0.00	0.00	8.86
ATASCADERO AMWC	11.79	0.00	0.00	0.76	0.10	2.09	2.50	1.83	0.99	2.35	1.17	0.00	0.00	0.00	0.00	0.00	11.03
BUCKHORN RANCH	--	0.00	0.00	0.70	0.00	3.80	2.40	2.25	1.05	4.95	1.30	0.50	--	--	--	--	--
CAMP ROBERTS	7.69	0.00	0.00	0.55	0.10	2.39	0.20	1.05	0.76	1.47	1.10	0.07	0.00	T	T	0.00	7.14
DELLAGANNA RANCH	--	0.00	0.00	0.00	--	2.18	4.47	4.24	2.75	4.88	1.68	0.30	--	--	--	--	--
EAGLE RANCH	--	0.00	0.00	1.30	0.25	2.80	3.30	2.85	1.55	3.28	1.83	0.10	--	--	--	--	--
EUREKA RANCH	11.56	0.00	0.00	1.12	0.17	2.19	1.82	1.91	1.16	2.14	1.05	0.00	0.00	0.00	0.00	0.00	10.44
GOODWIN RANCH	--	0.00	0.00	0.90	0.20	3.70	--	--	--	--	--	--	--	--	--	--	--
HIGHLAND FARM	10.05	0.00	0.00	0.53	0.00	3.11	1.66	0.72	1.44	1.76	0.75	0.08	T	T	T	0.00	9.52
IVERSON RANCH(EO)	9.96	0.00	0.00	0.63	0.00	2.97	1.37	0.82	0.74	2.08	1.24	0.11	0.00	0.00	0.00	0.00	9.33
LINN RANCH	8.33	0.02	0.00	0.68	0.13	1.84	1.44	0.86	0.73	1.66	0.88	0.09	0.00	0.00	0.00	0.00	7.63
MC MILLAN CANYON	8.43	0.00	0.00	0.50	0.00	2.12	1.25	0.97	0.88	1.90	0.65	0.16	0.00	0.00	0.00	0.00	7.93
MC NEIL RANCH	15.28	0.00	0.00	0.90	0.00	3.17	2.27	2.16	1.16	3.87	1.75	0.00	0.00	0.00	0.00	0.00	14.38
NACIMIENTO DAM	8.28	0.07	0.00	0.48	0.07	1.56	1.71	0.63	0.67	1.82	1.22	0.05	0.00	0.00	0.00	0.00	7.73
PASO ROBLES	8.74	T	0.00	0.79	0.14	1.74	1.70	1.19	0.68	1.76	0.70	0.04	0.00	0.00	T	0.00	7.95
PASO ROBLES GERST	10.45	0.00	0.00	0.74	0.30	2.28	1.45	1.92	1.10	1.00	1.30	0.36	0.00	0.00	0.00	0.00	9.71
PASO ROBLES FAA AP	7.35	0.02	0.00	0.28	0.14	1.39	0.97	1.15	0.81	1.75	0.82	0.02	0.00	0.00	0.00	0.00	7.05
RUNITZ RANCH	10.16	0.00	0.00	0.79	0.00	2.46	1.82	1.47	0.95	1.84	0.83	0.00	0.00	0.00	0.00	0.00	9.37
SALINAS DAM	--	0.00	0.00	1.11	--	--	--	1.65	1.02	3.20	1.25	0.25	0.00	T	T	0.00	--
SANTA MARGARITA 2 SW	19.98	0.00	0.00	1.21	0.23	4.32	2.92	3.39	1.88	4.31	1.48	0.24	0.00	0.00	T	0.00	18.77
SANTA MARGARITA BSTR	20.11	T	0.00	1.32	0.20	4.33	3.32	3.31	1.89	4.05	1.49	0.20	0.00	T	T	T	18.79
SANTA MARGARITA P ST	--	0.00	0.00	0.75	0.07	3.83	1.87	2.11	0.88	2.33	1.17	--	0.00	0.00	0.00	0.00	--
SHANDON UNION OIL CO	--	0.00	0.00	0.66	0.00	2.08	1.21	0.84	0.70	1.46	0.69	--	--	0.00	0.00	0.00	--
TEMPLETON	11.23	0.00	0.00	0.62	0.16	1.98	2.67	2.02	0.85	1.91	0.96	0.06	0.00	0.00	0.00	0.00	10.61
SAN LUIS OBISPO HYDROLOGIC UNIT T10.																	
ARROYO GRANDE	11.53	0.00	0.00	0.78	0.00	3.35	1.74	0.84	1.35	2.52	0.88	0.07	0.00	0.00	T	0.00	10.75
ARROYO GRANDE NO 5	12.53	0.00	0.00	0.83	0.00	3.74	1.77	0.97	1.37	2.83	0.93	0.09	0.00	0.00	0.00	0.00	11.70
AVILA	10.43	0.00	0.00	0.16	0.00	3.46	1.60	0.67	1.32	3.22	0.00	0.00	0.00	0.00	0.00	0.00	10.27
BETTENCOURT	--	--	--	--	--	4.05	3.83	3.43	1.19	5.39	2.24	0.22	--	--	--	--	--
CAMP SAN LUIS OBISPO	13.69	0.00	0.00	1.09	0.08	2.93	1.76	1.77	1.52	2.94	1.43	0.17	0.00	--	--	--	--
EDNA (STORNETTA)	--	0.00	0.00	0.85	0.00	3.82	2.49	1.05	1.52	3.15	1.30	0.20	--	--	--	--	--
HEARST RANCH	--	0.00	0.00	0.25	0.27	0.83	--	--	--	--	--	--	--	--	--	--	--
HEARST CASTLE	19.53	0.00	0.00	0.05	0.07	1.42	5.15	3.12	3.95	3.85	1.52	0.40	0.00	0.00	0.00	0.00	19.48
MORRO BAY FIRE DEPT	10.45	0.00	0.00	0.87	0.13	1.70	1.56	1.14	1.75	2.00	1.24	0.06	0.00	0.00	T	0.06	9.64
MORRO BAY 3 N	11.79	0.00	0.00	0.84	0.00	2.16	1.45	1.67	1.79	2.39	1.22	0.27	0.00	0.00	0.00	0.00	10.95
PEROZZI	14.71	0.00	0.00	1.29	0.00	3.88	2.17	1.89	1.59	2.79	1.10	0.00	0.00	0.00	0.00	0.00	13.42
PISMO BEACH	13.69	0.00	0.00	0.61	0.00	3.09	1.66	2.40	1.66	2.75	1.36	0.16	0.00	0.00	0.00	0.00	13.08
PT PIEDRAS BLANCAS	14.26	0.00	0.00	0.23	0.16	1.00	2.75	2.23	3.33	2.89	1.41	0.26	0.00	0.00	0.20	0.00	14.23
S L OBISPO TANK FARM	14.78	0.00	0.00	0.77	0.02	3.13	2.89	2.31	1.45	2.95	1.15	0.11	0.00	0.00	0.00	0.00	14.01
SAN LUIS OBISPO POLY	17.94	0.00	0.00	1.20	0.00	3.83	3.05	2.43	2.07	3.70	1.31	0.35	0.00	0.00	0.00	0.01	16.75
WHALE ROCK DAM	9.73	0.00	0.00	0.67	0.08	1.37	1.82	1.23	1.63	2.05	0.76	0.12	0.00	0.00	0.00	0.03	9.09
CARRIZO PLAIN HYDROLOGIC UNIT T11																	
CAVANAUGH RANCH	8.14	0.00	0.63	0.25	0.00	2.35	1.07	0.52	0.75	1.97	0.60	0.00	0.00	0.00	0.00	0.00	7.26
POND RANCH NO 2	--	0.00	0.00	1.12	0.00	2.21	--	--	--	--	--	--	--	--	--	--	--
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
CUYAMA	5.48	0.00	0.20	0.26	0.00	2.34	0.54	0.31	0.52	0.96	0.34	0.01	0.00	0.00	0.02	0.00	5.04
NIPOMO 2 NW	11.37	0.00	0.00	0.59	0.00	2.86	1.84	1.12	1.32	2.71	0.84	0.09	0.00	0.00	0.00	0.00	10.78
SANTA MARIA WB AP	7.52	T	T	0.18	T	1.91	1.33	0.60	0.90	1.90	0.65	0.05	T	T	T	T	7.34
SUEY RANCH	11.04	0.00	0.00	0.17	0.00	2.98	1.69	1.00	1.65	2.82	0.70	0.03	0.00	T	0.00	0.00	10.87
TWITCHELL DAM	12.23	0.00	0.00	0.49	0.00	2.69	1.90	1.37	1.68	3.18	0.79	0.13	0.00	T	0.00	0.00	11.74
SAN ANTONIO HYDROLOGIC UNIT T13																	
LOS ALAMOS	9.66	0.00	T	0.28	0.00	2.06	1.03	1.45	0.88	2.83	0.97	0.16	0.00	T	0.00	0.00E	9.30E
SANTA YNEZ HYDROLOGIC UNIT T14																	
CACHUMA DAM	10.27	T	0.00	0.28	0.00	3.32	1.08	0.82	1.06	2.54	1.17	T	0.00	T	0.00	0.00	9.99
GIBLALTAR DAM 2	15.69	0.00	0.00	0.12	0.00	5.47	1.51	2.12	1.30	3.50	1.67	0.00	0.00	0.00	0.00	0.00	15.57
JUNCAL DAM	17.30	0.00	0.00	1.19	0.00	5.54	1.41	2.49	1.50	3.46	1.75	0.01	0.00E	T	T	0.00	16.10
LOMPOC	--	--	--	--	--	--	--	1.07	1.09	1.03	1.28	0.00	0.00	0.00	0.00	0.00	--
LOS PRIETOS R 5	12.96	0.00	0.00	0.29	0.00	4.00	1.06	1.25	1.19	3.26	1.91	0.00	0.00	T	0.00	0.00	12.67
SALSIPUEDES GAGING S	11.67	0.00	0.00	0.00	0.00	2.61	2.16	1.40	1.13	3.00	1.10	0.27	0.00	0.00	0.00	0.00	11.67
SANTA BARBARA TV PK	18.70	0.00	0.00	0.10	0.00	6.09	2.00	2.60	2.32	3.40	2.14	0.00	0.00	0.00	0.00	0.00	18.60

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968								TOTAL OCT. 1 THROUGH SEPT. 30	
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.		SEPT.
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SANTA BARBARA HYDROLOGIC UNIT T15																	
SANTA BARBARA	13.67	T	T	0.23	0.00	4.05	1.09	1.44	2.02	4.22	0.62	0.00	T	0.00	0.02	T	13.46
SANTA BARBARA FAA AP	13.76	T	0.05	0.07	T	4.31	1.28	1.13	1.88	4.39	0.65	T	T	T	T	T	13.64

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
VENTURA RIVER HYDROLOGIC UNIT U02																	
BARHET OJAI RANCH	14.80	0.00	0.00	0.23	0.00	5.92	1.03	1.59	1.37	3.50	1.16	0.00	0.00	0.00	0.12	0.00	14.69
CANADA LARGA	14.62	0.00	0.00	0.33	0.00	5.02	1.08	1.34	1.82	3.90	1.13	0.00	0.00	0.03	0.18	0.00	14.50
CASITAS DAM	16.75	0.00	0.00	0.14	0.00	5.62	1.41	1.75	1.68	5.01	1.14	0.00	0.00	0.00	0.02	0.00	16.63
CASITAS RESERVOIR	16.79	0.00	0.00	0.35	0.00	5.16	1.24	1.66	1.48	5.73	1.17	0.00	0.00	0.02	0.00	0.00	16.46
KINGSTON RES	14.62	0.00	0.00	0.10	0.00	5.15	1.25	1.05	1.52	4.50	1.05	0.00	0.00	0.00	0.01	0.00	14.53
MATILILJA DAM	15.28	0.00	0.00	0.24	0.00	5.64	0.98	1.62	1.38	3.98	1.44	0.00	0.00	0.00	0.00	0.00	15.04
OAKVIEW	16.34	0.00	0.00	0.33	0.00	5.10	1.34	1.68	1.48	5.01	1.40	0.00	0.00	0.00	0.00	0.00	16.01
OJAI	14.79	0.00	0.00	0.37	0.00	5.46	1.02	1.68	1.34	3.94	0.98	0.00	0.00	0.04	0.11	0.00	14.57
SELBY RANCH STANDARU	16.33	0.00	0.00	0.22	0.00	5.30	1.15	1.92	1.59	5.01	1.14	0.00	0.00	0.00	0.00	0.00	16.11
SOPERS RANCH	15.03	0.00	0.00	0.20	0.00	5.20	1.04	1.69	1.84	3.84	1.22	0.00	0.00	0.05	0.03	0.00	14.91
THACHER SCHOOL	--	--	--	--	0.00	5.10	1.05	1.33	1.56	2.44	1.02	0.02	0.00	0.00	0.00	0.00	12.52
VENTURA	13.24	0.00	0.00	0.28	0.00	6.17	1.21	1.46	0.53	3.07	0.52	0.00	0.00	0.03	T	T	12.99
VENTURA CH	13.98	0.00	0.00	0.32	0.00	6.29	1.32	1.51	1.36	2.61	0.57	0.00	0.00	0.00	0.02	0.00	13.68
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																	
ACTON ESCONDIDO CNYN	8.92	0.00	0.37	0.52	0.00	4.09	0.81	0.81	0.50	1.33	0.39	0.10	0.00	0.03	0.80	0.00	8.86
ACTON ALISO CANYON	17.13	0.09	1.65	0.55	0.00	6.67	1.78	1.51	1.32	2.61	0.95	T	0.00	0.71	0.24	0.00	15.79
ACTON ALISO CNYN BLU	9.49	T	0.73	0.70	0.00	4.03	1.58	0.46	0.81	0.83	0.33	0.02	0.00	0.21	1.08	0.00	9.35
ACTON CAMP 2	8.24	0.00	0.25	0.62	0.00	4.10	0.87	0.36	0.52	1.01	0.50	0.01	0.00	0.04	0.88	0.00	8.29
ACTON-COLOMBO RANCH	11.0E	0.00	0.2E	0.62	0.00	5.75	1.15	0.72	0.50	1.45	0.60	0.00	0.00	0.00	1.30	0.00	11.47
ACTON HUBBARD RCH	11.66	0.00	0.10	0.41	0.00	5.79	1.24	1.31	0.67	1.52	0.50	0.12	0.00	0.12	1.45	0.00	12.72
BARO RESERVOIR	17.35	0.00	0.00	0.28	0.00	10.56	1.23	0.92	0.59	3.40	0.37	0.00	0.00	0.00	0.20	0.00	17.27
BARSDALE YOUNG RCH	17.76	0.00	0.00	0.56	0.00	8.46	1.38	1.29	1.02	4.04	1.01	0.00	0.00	0.00	0.07	0.00	17.27
BLANCHARD INV CO	--	--	--	--	0.00	7.53	1.19	0.74	1.36	3.66	1.02	0.00	0.00	0.00	0.00	0.00	15.50
BORGSTROM	--	--	--	--	0.00	5.45	1.49	1.35	1.17	3.04	0.56	0.00	0.00	0.00	0.07	0.00	13.13
BOUQUET CANYON F124	14.10	0.00	0.00	0.14	0.00	6.92	1.37	1.17	0.99	2.27	0.92	0.32	0.00	0.00	0.15	0.00	14.11
BOUQUET CANYON FC110	9.27	0.00	0.00	0.05	0.00	6.26	0.65	0.94	0.48	0.00	0.56	0.33	0.00	0.00	0.90	0.00	10.12
BUCK CK GUARD STA	10.30	0.00	0.00	1.23	0.00	6.33	0.50	0.63	0.00	1.03	0.58	0.00	0.00	0.00	0.03	0.00	9.10
CAMULOS RANCH	15.99	0.00	0.00	0.55	0.00	7.79	1.60	0.86	0.72	3.54	0.93	0.00	0.00	0.00	0.11	0.00	15.55
CASTAIC PATROL STA	13.27	0.00	0.00	0.31	0.00	6.98	0.92	0.90	0.71	2.70	0.55	0.20	0.00	T	0.35	0.00	13.31
CASTAIC JUNCTION	11.65	0.00	0.00	0.20	0.00	6.24	0.31	1.06	0.74	2.25	0.85	0.00	0.00	0.00	0.00	0.00	11.45
DAVIS RANCH	13.73	0.00	0.00	0.15	0.00	7.05	1.08	0.97	1.13	3.04	0.31	0.00	0.00	0.00	0.00	0.00	13.58
DOUBLE H N RANCH	19.61	0.00	0.00	0.43	0.00	11.00	1.56	1.17	0.99	3.49	0.97	0.00	0.00	0.00	0.00	0.00	19.18
DRY CANYON RESERVOIR	11.94	0.00	0.00	0.29	0.00	6.26	1.17	0.84	0.67	2.20	0.51	0.00	T	0.01	0.44	0.00	12.10
ELIZABETH LAKE 1288	18.47	T	T	0.42	0.00	8.85	1.70	1.60	1.50	3.05	0.85	0.50	T	T	T	T	18.05
FILLMORE 1 WNW	17.88	0.03	0.00	0.35	0.00	8.63	1.67	1.10	1.24	3.93	0.93	T	0.00	0.00	0.00	0.00	17.50
FISH CREEK	--	0.00	0.00	--	0.00	8.04	1.10	0.86	1.12	2.74	0.91	0.09	0.00	0.00	0.01	0.00	14.87
GORMAN	9.50	0.00	0.00	0.82	0.00	5.03	0.10	0.67	0.94	1.07	0.73	0.14	0.00	0.00	0.00	0.00	8.68
HASLEY CANYON	15.52	0.00	T	0.47	0.00	7.03	1.28	1.14	1.34	3.28	0.80	0.18	0.00	0.00	0.37	0.00	15.42
LIMONEIRA RANCH	14.35	0.00	0.00	0.31	0.00	6.21	0.99	1.02	1.49	3.42	0.91	0.00	0.00	0.01	0.29	0.00	14.34
LITTLE GLEASON	20.26	0.00	1.00	0.64	0.00	8.93	1.77	1.89	1.67	2.97	1.36	0.03	0.00	0.24	0.69	0.00	19.55
LOCKWOOD VALLEY	8.56	0.00	0.39	0.55	0.00	3.80	0.59	0.59	0.72	1.20	0.72	0.00	0.00	0.10	0.00	0.00	7.72
MAGIC MOUNTAIN	--	--	--	--	0.00	--	--	--	--	--	1.16	0.00	0.00	0.00	0.00	0.00	--
MEHER MTN	15.65	0.00	0.00	0.20	0.00	6.09	1.19	1.55	1.88	3.32	1.42	0.00	0.00	0.00	0.04	0.02	15.51
MINT CANYON-THE OAKS	12.09	0.00	0.00	0.50	0.00	5.78	1.47	1.43	0.68	1.83	0.35	0.05	0.00	0.00	1.29	0.00	12.88
MINT CANYON-DYER	11.66	0.00	0.01	0.17	0.00	6.56	0.63	0.79	1.07	1.63	0.80	0.00	0.00	0.00	0.6E	0.00	12.1E
MOORPARK	17.42	T	0.00	0.73	0.00	8.90	1.48	1.06	0.93	3.82	0.50	T	0.00	0.05	0.32	0.00	17.06
NEWBURY PARK 4 SW	18.78	0.00	0.00	0.58	0.00	10.01	1.44	1.32	0.95	3.93	0.55	0.00	0.00	0.00	0.00	0.00	18.20
NEWMALL RANCH	17.10	0.00	0.00	0.60	0.00	8.21	1.65	1.17	0.75	3.67	0.96	0.09	0.00	0.00	0.15	0.00	16.65
NEWMALL SOLEDAD 32C	14.65	0.00	T	0.43	0.00	7.98	1.35	0.73	0.79	2.48	0.83	0.06	0.00	0.00	0.32	0.00	14.54
NEWMALL U S RS	--	0.00	0.00	0.95	0.00	7.56	1.97	1.17	1.24	--	--	--	--	--	--	--	--
OAK FLAT GUARD STA	15.58	0.00	0.00	0.20	0.00	5.62	1.74	1.89	1.84	3.01	1.20	0.08	0.00	0.00	0.00	0.01	15.39
OLIVE VIEW	16.98	0.00	0.00	0.68	0.00	7.32	1.19	1.32	1.28	4.40	0.61	0.18	0.00	0.00	0.22	0.04	16.56
OWENS MOUTH	21.06	0.00	T	0.27	0.00	7.95	2.16	1.50	1.88	5.85	1.37	0.08	0.00	0.00	0.1E	0.00	20.8E
OXNARD	15.00	0.00	0.00	0.67	0.00	4.34	2.09	0.70	1.20	5.55	0.45	0.00	T	0.01	0.12	0.00	14.46
PIEDRA BLANCA G S	13.01	0.00	0.00	0.35	0.00	5.43	0.98	1.15	1.19	2.75							

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																	
SANTA FELICIA RES	16.86	0.00	0.00	1.40	0.00	7.59	1.45	1.30	0.97	3.48	0.64	0.03	0.00	0.00	0.20	0.00	15.66
SANTA PAULA	14.95	0.00	0.00	0.12	0.00	6.95	1.09	0.99	1.26	3.49	1.05	0.00	0.00	T	0.10	0.00	14.93
SANTA ROSA VALLEY	--	--	--	--	0.00	8.22	1.37	1.03	0.85	4.30	0.47	0.00	0.00	0.00	0.00	0.00	16.24
SANTA SUSANA DEVIL C	17.09	0.00	0.00	0.40	0.00	7.55	1.61	1.49	1.72	3.37	0.90	0.05	0.00	0.00	0.11	0.00	16.80
SATICOY-DEL MAR	15.14	0.00	0.00	0.71	0.00	6.39	1.19	1.44	1.49	3.41	0.51	0.00	0.00	0.01	0.16	0.00	14.60
SATICOY FIRE STATION	--	0.00	0.00	0.35	--	--	--	--	--	--	--	--	--	--	--	--	--
SAUGUS POWER PLANT 1	16.34	0.00	0.00	0.51	0.00	8.05	1.63	1.42	1.37	1.97	1.01	0.38	0.00	0.00	0.08	0.00	15.91
SAUGUS EDISON STA	13.08	0.00	0.00	0.37	0.00	9.57	0.81	0.57	0.69	0.36	0.55	0.16	0.00	0.00	0.44	0.00	13.15
SAUGUS-NEWHALL	11.92	0.00	0.00	0.25	0.00	6.64	0.70	0.57	0.77	2.24	0.69	0.06	0.00	0.00	0.32	0.00	11.99
SCHAFFER RCH FRAZ PH	10.00	0.00	0.91	0.99	0.00	3.87	0.73	0.35	0.79	1.71	0.65	0.00	0.00	0.00	0.00	0.00	8.10
SOLEDAD CYN-ECKLES	11.95	T	0.01	0.30	0.00	5.72	1.14	1.01	0.43	2.55	0.79	0.00	0.00	T	0.35	0.00	11.99
SOLEDAD PASS	9.10	0.12	0.27	1.09	0.00	4.04	1.16	0.41	0.98	0.63	0.40	T	0.00	0.52	0.76	0.00	8.90
SOLEDAD CYN-BERMITE	12.8E	0.00	0.00	0.3E	0.00	6.33	1.59	0.60	0.85	2.33	0.72	0.0E	0.00	0.00	0.3E	0.00	12.8E
SOMIS SNYDER RCH	11.90	0.00	0.00	0.06	0.00	7.36	1.29	0.54	1.02	1.07	0.56	0.00	0.00	0.00	0.00	0.00	11.84
SOMIS	16.59	0.00	0.00	0.32	0.00	7.28	1.58	1.19	0.86	4.86	0.50	0.00	0.00	0.00	0.00	0.00	16.27
SOMIS 3 NW	15.44	0.00	0.00	0.35	0.00	6.60	1.35	1.27	1.05	4.22	0.60	0.00	0.00	0.00	0.00	0.00	15.09
SOMIS AGGEN RCH	15.21	0.00	0.00	0.15	0.00	6.69	1.33	1.26	0.75	4.56	0.47	0.00	0.00	0.00	0.00	0.00	15.06
SPRING CYN	9.7E	0.00	0.00	0.2E	0.00	5.20	0.63	0.88	0.77	1.30	0.68	0.00	0.00	0.00	0.3E	0.00	9.8E
SUSANA KNOLLS	16.92	0.00	0.00	0.21	0.00	9.08	1.22	1.08	1.04	3.73	0.51	0.05	0.00	0.00	0.49	0.00	17.20
THOUSAND OAKS FC 718	27.59	0.00	0.00	0.74	0.00	9.89	1.08	0.86	0.76	2.67	0.62	T	0.00	0.03	0.15	0.00	27.03
TUJUNGA-MILL CR SUM	22.4E	0.2E	2.47	0.38	0.00	9.48	2.7E	1.44	2.81	2.00	0.85	0.00	0.00	1.27	0.45	0.00	21.0E
TUJUNGA MILL CREEK	17.12	0.26	0.00	0.81	0.00	8.74	1.49	1.88	1.14	1.90	0.90	0.00	0.00	1.53	0.31	0.00	17.89
VENTURA CO F S	--	--	--	--	0.00	8.68	1.73	1.19	0.87	3.27	0.37	T	0.00	0.00	0.48	0.00	16.59
VENTURA WW DIST 6	--	--	--	--	0.00	11.03	1.04	0.88	0.65	4.08	0.65	0.00	0.00	0.00	0.00	0.00	18.33
VINCENT FIRE STN	8.10	0.00	1.37	0.52	0.00	4.06	0.86	0.23	0.69	0.04	0.33	0.00	0.00	0.03	1.10	0.00	7.34
WAYSIDE H R EVAP	--	--	--	--	0.00	6.73	1.26	0.95	0.00	2.56	0.60	0.20	0.00	T	0.35	0.00	12.65
MALIBU HYDROLOGIC UNIT U04																	
COLU CREEK	19.0E	0.0E	0.0E	0.5E	0.00	8.01	3.81	0.89	0.6E	4.4E	0.8E	0.00	0.00	0.00	0.1E	0.00	18.7E
ESCONDIDO CANYON G S	19.70	0.00	0.00	0.51	0.00	8.83	1.79	1.57	0.89	5.56	0.55	0.00	0.00	T	0.03	0.00	19.22
GARAPITO CREEK	15.24	0.00	0.00	0.32	0.00	7.71	1.26	0.75	0.95	3.46	0.79	0.00	0.00	0.00	0.3E	0.00	15.3E
GARRAPATA CYN	17.22	0.00	0.00	0.36	0.00	8.85	1.42	1.13	0.87	3.46	1.13	0.00	0.00	0.00	0.43	0.00	17.29
LAKE SHERWOOD	20.63	T	0.00	0.70	0.00	9.95	1.92	1.22	0.99	5.17	0.68	0.00	0.00	T	0.05	0.00	19.98
LAS FLORES CANYON	14.05	0.00	0.00	0.30	0.00	7.20	1.42	0.90	0.46	3.04	0.73	0.00	0.00	0.00	0.00	0.00	13.75
LATIGO CANYON BEACH	24.85	0.00	0.00	0.64	0.01	10.64	2.93	1.83	1.00	6.78	1.02	0.00	0.00	0.00	0.01	0.00	24.22
LECHUZA PATROL STN	21.65	0.00	0.00	0.73	0.00	10.28	2.08	1.34	0.89	5.66	0.67	0.00	0.00	0.00	0.00	0.00	20.92
MALIBU-DIV HDQTS	16.76	0.00	0.00	0.68	0.00	8.77	1.11	0.98	0.69	3.95	0.58	0.00	0.00	0.00	0.43	0.00	16.51
MALIBU BCH-DUNNE	14.40	0.00	0.00	0.12	0.00	7.14	1.05	1.08	0.44	3.99	0.58	0.00	0.00	0.00	0.00	0.00	14.28
MONTE NIDO	20.94	0.00	0.00	0.45	0.00	9.42	2.83	1.47	0.64	5.32	0.81	0.00	0.00	0.00	0.16	0.00	20.65
NICHOLAS CYN	17.86	0.02	0.00	0.38	0.00	11.51	0.64	0.52	0.83	3.59	0.37	0.00	0.00	0.00	0.00	0.05	17.51
OLD TOPANGA	19.70	0.00	0.00	0.56	0.00	9.73	2.02	1.16	0.65	4.31	1.27	T	0.00	T	0.56	T	19.70
PALO COMADO CYN	16.31	0.00	0.00	0.33	0.00	8.69	1.13	1.07	0.73	3.75	0.61	0.00	0.00	0.00	0.16	0.02	16.16
RATTLESNAKE CANYON	24.16	0.00	0.00	2.69	0.00	10.94	2.27	1.48	0.92	5.15	0.71	0.00	0.00	0.00	0.00	0.00	21.47
SEMINOLE HOT SPGS	--	--	--	--	0.00	11.2E	1.9E	1.5E	0.85	5.51	0.86	0.00	0.00	0.00	0.00	0.00	21.9E
TOPANGA PAT S FC 68	20.81	0.00	0.00	0.36	0.00	8.98	2.37	1.24	0.79	5.98	1.08	0.01	0.00	0.00	0.45	0.00	20.90
TRANCAS BEACH	--	0.00	0.00	0.5E	--	--	--	0.46	0.16	3.74	0.00	--	--	--	--	0.01	--
TRIUNTO CANYON	--	--	--	--	0.00	8.88	1.12	1.07	0.77	4.39	0.65	0.00	0.00	0.00	0.00	0.00	16.88
ZUMA CYN-OAKLEY	26.15	0.00	0.08	0.88	0.00	11.11	2.92	1.94	0.92	7.37	0.93	0.00	0.00	0.01	T	T	25.20
ZUMA CYN PS	15.75	0.00	0.00	0.58	0.00	7.46	0.90	1.27	0.79	4.43	0.32	0.00	0.00	0.00	0.00	T	15.17
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
ALCAZAR FLOOD CONTRK	13.86	0.00	0.00	0.68	0.00	5.51	2.24	0.81	0.51	3.55	0.56	T	T	0.01	0.06	0.00	13.25
ALDER CRK PARADISE	18.10	0.00	0.20	0.81	0.00	7.33	1.70	2.18	0.98	2.72	1.38	0.50	0.30	0.00	0.40	0.01	17.50
ALHAMBRA-CITY HALL	14.49	0.00	0.00	0.30	0.00	5.98	1.80	0.86	0.72	4.14	0.59	T	0.10	T	0.02	0.00	14.21
ALISO CANYON OAT MTN	19.98	0.00	T	0.36	0.00	9.42	1.71	1.90	1.30	4.48	0.75	0.06	0.00	T	0.10	0.03	19.75
ALTA CANYON	21.03	0.00	0.00	0.25	0.00	10.57	2.39	1.21	2.45	2.61	1.04	0.21	0.30	0.01	T	0.04	20.83
ALTADENA	16.89	0.00	0.00	0.14	0.00	8.18	1.57	1.38	1.20	3.46	0.66	0.15	0.15	0.01	0.18	0.01	16.95
ALTADENA GOLF	16.38	0.00	0.00	0.20	0.00	7.51	1.53										

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
BARLEY FLAT	23.03	0.00	T	0.94	0.00	12.68	2.35	1.85	1.61	2.67	0.93	T	0.00	0.17	0.11	0.00	22.37
BARLOW SANITARIUM	14.66	0.00	0.00	0.45	0.00	7.39	1.55	0.92	0.48	3.50	0.37	0.00	0.00	0.00	0.0E	0.00	14.2E
BEL AIR FC 108	18.33	0.00	0.00	0.75	0.00	8.96	2.24	1.05	0.37	4.38	0.58	0.00	0.00	0.00	0.14	0.00	17.72
BELL CYN RUSHWORTH	--	--	--	--	--	--	1.07	1.15	0.75	4.26	0.70	0.02	0.00	0.00	0.61	0.00	--
BELL FIRE STA	14.60	0.00	0.00	0.77	0.00	6.16	2.44	0.74	0.63	3.21	0.65	0.00	0.00	0.15	0.00	0.00	13.98
BEVERLY HILLS	18.87	0.00	0.00	0.55	0.00	9.10	2.36	0.84	0.51	4.99	0.52	T	0.00	T	0.07	0.00	18.39
BIG DALTON DAM	18.04	0.00	0.00	1.24	0.00	6.34	1.99	1.42	1.29	4.18	1.12	0.16	0.30	0.05	0.02	0.0E	16.95
BIG SANTA ANITA DAM	16.67	0.00	0.00	0.19	0.00	6.95	1.87	1.33	1.25	3.76	0.86	0.17	0.29	T	0.14	0.01	16.63
BIG SANTA ANITA R S	17.80	0.00	0.00	0.20	0.00	6.63	2.22	1.68	1.61	3.91	1.05	0.21	0.29	0.08	0.22	0.00	17.90
BIG TUJUNGA DAM	20.74	0.00	0.02	0.52	0.00	10.19	2.12	1.80	1.86	3.02	1.19	0.02	0.00	T	0.07	0.00	20.27
BIRMINGHAM HOSPITAL	12.48	0.00	0.00	0.41	0.00	6.33	0.92	0.79	0.67	2.73	0.54	0.09	0.00	0.00	0.54	0.00	12.61
BLUE RIDGE CAMP	--	0.87	2.3E	0.9E	6.19	--	--	--	--	--	--	--	0.00	1.81	0.00	0.00	--
BOBCAT CANYON	17.85	0.00	0.00	0.33	0.00	8.83	2.00	1.70	1.62	2.50	0.62	0.25	0.00	0.00	0.25	0.00	17.77
BRADBURG DEBRIS BASI	15.37	0.00	0.00	0.62	0.00	5.64	1.40	1.22	1.26	3.99	0.91	0.15	0.18	0.04	0.41	0.00	15.20
BRAND DEBRIS BASIN	14.20	0.00	T	0.32	0.00	7.69	1.05	0.68	1.25	2.57	0.53	0.06	0.05	0.00	T	0.00	13.88
BRAND PARK	15.56	0.00	0.00	0.35	0.00	7.75	1.36	0.77	1.40	3.16	0.65	0.00	0.12	0.00	0.00	0.00	15.21
BREA CITY	11.6E	0.00	0.00	0.28	0.00	3.15	2.84	0.68	0.54	3.37	0.81	0.02	0.0E	0.2E	0.00	0.00	11.6E
BRIGDEN RES NO 1	15.61	0.00	0.00	0.10	0.00	7.33	1.48	1.34	1.12	3.25	0.68	0.16	0.15	T	0.07	0.00	15.58
BRIGGS TERRACE	22.37	0.00	0.00	0.66	0.00	10.71	1.42	1.50	2.58	3.86	1.04	0.32	0.28	0.04	0.03	0.07	21.85
BUCKHORN FLAT	26.2E	0.00	0.74	0.19	0.00	14.07	2.16	2.47	3.07	2.36	1.0E	0.1E	0.00	0.77	0.10	0.00	26.1E
BUENA PARK	10.06	0.00	0.00	0.45	0.00	2.75	1.96	0.60	0.40	3.10	0.80	0.00	0.00	0.05	0.20	0.00	9.86
BURBANK FIRE DEPT	14.27	0.00	0.00	1.56	0.00	7.94	1.13	0.54	0.95	1.27	0.63	0.25	T	0.25	0.08	0.00	13.04
BURBANK VLY PMP PLT	13.73	T	0.00	0.54	0.00	7.58	1.05	1.13	0.78	2.08	0.55	T	0.02	0.04	0.13	0.00	13.36
CALABASAS	18.35	0.00	0.00	0.32	0.00	9.87	1.03	1.42	0.79	4.35	0.51	0.06	0.00	0.00	0.41	0.00	18.44
CAMP JOSEPHU	20.20	0.00	0.00	0.93	0.00	7.97	2.78	1.40	0.73	5.53	0.86	0.00	0.00	0.00	0.51	0.00	19.78
CAMP RINCON	20.50	0.00	0.00	0.17	0.00	9.12	1.82	2.08	1.92	3.85	1.35	0.18	0.01	0.09	0.04	0.00	20.46
CAMP VALCREST	19.22	0.05	0.55	0.10	0.00	9.52	2.69	1.86	1.63	1.87	0.93	0.02	0.00	0.82	0.60	0.00	19.94
CANOGA PARK PIERCE C	15.31	0.00	0.00	0.24	0.00	7.91	1.04	1.14	0.75	3.62	0.50	0.11	0.00	0.57	0.00	0.41	16.05
CEDAR SPRINGS	24.77	0.00	0.58	0.34	0.00	10.85	3.44	2.27	2.96	2.88	1.12	0.21	0.12	0.74	0.05	0.00	24.64
CHATSWORTH F C 24 D	16.36	0.00	0.00	0.35	0.00	7.72	1.64	1.25	0.79	4.07	0.44	0.10	0.00	0.00	0.28	0.00	16.29
CHATSWORTH RESERVOIR	14.99	0.00	0.00	0.38	0.00	6.13	1.87	1.04	0.78	4.06	0.66	0.07	0.00	0.00	0.30	0.00	14.91
CHATSWORTH PAT STA	16.91	0.00	0.00	0.36	0.00	7.77	1.63	1.34	0.86	4.36	0.49	0.10	0.00	0.00	0.26	0.00	16.81
CHILAO RANGER STA	20.43	0.00	0.58	0.14	0.00	11.25	2.25	1.76	1.53	2.05	0.85	0.01	0.00	T	0.29	0.00	20.00
CLAREMONT INDIAN HIL	14.25	0.00	0.00	0.12	0.00	5.14	1.60	1.44	1.05	3.62	1.02	0.09	0.17	0.13	0.00	0.00	14.26
CLAREMONT SLAUGHTER	14.02	0.00	0.00	0.14	0.00	4.80	1.61	1.50	1.21	3.53	0.99	0.09	0.15	0.14	0.00	0.00	14.02
CLEAR CREEK SCHOOL	22.18	0.00	0.00	0.16	0.00	11.27	1.75	2.16	2.29	3.28	1.20	0.07	T	0.15	0.15	0.00	22.32
CLEAR CREEK R S	24.5E	0.00	0.00	0.42	0.00	13.78	1.8E	1.88	2.23	3.21	1.22	0.00	0.00	0.00	0.00	0.00	24.1E
COGSWELL DAM	23.69	0.00	T	0.18	0.00	10.99	2.36	2.80	2.15	3.82	1.33	0.05	0.01	0.05	0.19	T	23.75
COLBY'S FC 530	22.46	0.00	0.01	0.80	0.00	12.08	1.76	1.89	1.84	2.81	1.27	0.00	0.00	0.05	0.00	0.00	21.70
COLDWATER CANYON	20.16	0.00	0.53	0.57	0.00	8.02	2.45	2.04	2.05	3.28	1.22	0.00	0.00	0.27	0.00	0.00	19.33
COMPTON FIRE STA	12.75	T	0.00	0.61	0.00	5.99	1.05	0.66	0.72	3.25	0.47	0.00	0.00	0.12	0.00	0.00	12.26
COOKS CANYON	17.86	0.00	0.00	0.45	0.00	9.30	1.18	1.20	2.05	2.79	0.69	0.20	T	T	T	0.00	17.41
COOKS DEBRIS BASIN	17.33	0.00	0.00	0.58	0.00	8.31	1.28	1.39	2.15	2.57	0.75	0.24	0.06	0.00	0.15	0.00	16.90
COON CANYON 2	19.23	0.00	0.00	0.09	0.00	10.49	1.44	1.67	1.42	3.11	0.74	0.27	T	T	0.11	0.00	19.25
COON CANYON 5	17.68	0.00	0.00	0.30	0.00	9.60	1.29	1.32	1.43	2.80	0.68	0.25	0.01	T	0.09	0.00	17.47
COON CANYON 6	18.86	0.00	0.00	0.04	0.00	10.87	1.40	1.22	1.20	3.08	0.74	0.29	0.02	T	0.09	0.00	18.91
COVINA GRIFFITH	13.55	0.00	0.00	0.04	0.00	4.86	1.96	1.18	0.86	3.92	0.62	0.04	0.07	0.07	0.03	0.00	13.61
COVINA SEWAGE PLANT	13.33	0.00	0.00	0.30	0.03	4.54	2.10	1.02	1.34	3.31	0.59	0.00	0.10	0.06	0.33	0.00	13.42
COVINA TEMPLE FC 193	14.74	0.00	0.00	0.26	0.00	4.74	1.96	1.29	1.72	3.92	0.70	T	0.15	0.09	0.10	0.00	14.67
CRYSTAL LAKE FC 283C	26.13	0.00	0.24	0.75	0.00	11.52	2.84	2.84	3.80	2.61	1.20	0.21	0.12	0.87	0.01	0.00	26.02
CULVER CITY	19.8E	0.0E	0.00	0.34	0.00	11.00	2.46	0.59	0.21	4.66	0.61	0.00	0.00	0.00	0.35	0.00	19.88
DAWN MINE	23.62	0.00	0.00	0.52	0.00	12.40	1.92	2.37	1.94	3.19	0.86	0.42	T	T	0.07	0.00	23.17
DEER DEBR DE																	

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
FAIR OAKS DEB POND	19.14	0.00	0.00	0.25	0.00	9.62	1.43	1.50	1.57	3.33	0.74	0.47	0.23	0.00	0.06	0.00	18.95
FALLING SPRINGS	23.04	0.00	0.33	0.50	0.00	10.51	2.20	2.20	3.25	2.63	1.01	0.21	0.20	0.49	0.02	0.00	22.72
FERN CANYON	24.01	0.00	0.00	0.81	0.00	8.20	2.52	2.85	3.28	4.21	1.50	0.35	0.29	0.37	0.00	0.00	23.57
FISH CANYON	22.63	0.00	T	0.19	0.00	8.82	2.20	2.12	1.81	5.64	1.52	0.21	0.12	0.0E	0.1E	0.00	22.6E
FLINTRIDGE F S	17.76	0.00	0.00	0.18	0.00	10.26	1.41	1.16	0.99	3.10	0.54	0.01	0.11	0.00	T	0.01	17.59
FULLERTON MILLCRST H	11.6E	0.00	0.00	0.69	0.00	4.31	1.62	0.8E	0.53	3.09	0.58	0.0E	0.00	0.11	0.00	0.00	11.0E
FULLERTON KNOWLTON	10.88	0.00	0.00	0.75	0.00	2.48	2.51	0.98	0.72	2.92	0.46	0.06	0.00	0.21	0.00	0.00	10.34
FULLERTON PUMP PLANT	11.30	0.00	0.00	0.55	0.00	4.24	1.50	0.72	0.59	3.11	0.53	0.06	0.00	0.08	0.04	0.00	10.87
FULLERTON A P	10.44	0.00	0.00	0.47	0.00	2.84	2.50	0.63	0.50	2.86	0.64	0.00	0.00	0.04	0.00	0.00	10.01
FULLERTON OCFCD YARD	10.66	0.00	0.00	0.62	0.00	3.79	1.65	0.89	0.50	2.67	0.54	T	0.00	0.19	0.00	0.00	10.23
GIRARD BRANT RANCH	11.74	0.00	0.00	0.19	0.19	5.87	0.67	0.80	0.75	2.82	0.45	0.00	0.00	0.00	0.4E	0.00	11.9E
GIRARD RESEVOIR	17.06	0.00	0.00	0.17	0.00	9.03	1.30	1.36	0.71	3.77	0.68	0.04	0.00	T	0.33	0.00	17.22
GLENDALE STAPENHORST	15.31	0.00	0.00	0.43	0.00	6.94	1.33	0.99	1.12	3.81	0.59	0.08	0.02	T	T	0.00	14.88
GLENDALE-JONES	14.72	0.00	0.00	0.49	0.00	6.30	1.77	0.79	1.21	3.56	0.54	0.02	0.04	T	0.00	0.00	14.23
GLENDALE-MCINTYRE	14.70	0.00	0.00	0.36	0.00	7.49	1.27	0.84	0.89	3.19	0.56	0.05	0.05	0.01	0.00	0.00	14.35
GLENDORA WEST FC 185	17.59	0.00	0.00	1.78	0.00	5.87	1.87	1.48	1.71	3.72	0.92	0.06	0.18	0.03	0.03	T	15.87
GLENDORA-ENGLEWLD RC	17.75	0.00	T	2.07	0.00	6.10	1.89	1.55	1.02	4.03	0.66	0.16	0.27	0.02	T	0.05	15.75
GLENDORA-MCICO	16.10	0.00	T	1.75	0.00	5.73	1.79	1.15	1.51	3.67	0.33	0.01	0.16	0.02	0.01	0.00	14.38
GLENDORA-WARREN	--	--	--	--	0.00	5.14	1.76	1.14	1.17	3.52	0.67	0.00	0.14	0.04	0.00	0.00	13.58
GRIFFITH PK NURSERY	13.94	0.00	0.00	0.10	0.00	6.52	1.32	0.87	0.68	3.97	0.48	0.00	0.00	0.00	0.16	0.00	14.00
GRIFFITH FERN DELL	13.88	0.00	0.00	0.25	0.00	6.42	1.31	0.77	0.80	3.94	0.39	0.00	0.00	0.00	0.1E	0.00	13.7E
GRIFFITH LIT CN	14.37	0.00	0.00	0.66	0.00	6.43	1.27	0.81	0.79	3.94	0.47	0.00	0.00	0.00	0.1E	0.00	13.8E
GRIFFITH LWR MINERAL	15.1E	0.00	0.00	0.32	0.00	6.91	1.40	0.81	0.85	4.28	0.60	0.0E	0.00	0.00	0.0E	0.00	14.9E
GRIFFITH LOWER SPRG	15.26	0.00	0.00	0.49	0.00	7.11	1.33	0.72	0.75	4.36	0.50	0.00	0.00	0.00	0.22	0.00	14.99
GUFFY CAMP	26.5E	2.62	2.7E	1.1E	0.00	6.86	4.25	2.50	2.75	2.48	1.02	0.25	0.00	1.13	0.00	0.00	21.24
HAINES CANYON LOWER	19.91	0.00	0.00	0.70	0.00	10.15	1.45	1.65	2.02	2.90	0.87	0.17	T	0.00	0.32	0.00	19.53
HAINES CANYON UPPER	23.47	0.00	0.00	0.70	0.00	12.51	1.62	1.87	2.33	3.35	0.94	0.15	T	0.00	0.04	0.00	22.81
HAMILTON BOWL LONG B	9.94	0.00	0.00	0.64	0.00	5.26	0.94	0.47	0.29	2.00	0.34	0.00	0.00	T	0.00	0.00	9.30
HANSEN DAM	15.75	0.00	0.00	1.49	0.00	8.01	0.90	1.30	1.04	2.38	0.59	0.04	0.00	0.00	0.28	0.00	14.54
HEADWORKS PUMP PLT	14.47	0.00	0.00	0.53	0.00	6.36	1.94	0.80	0.82	3.46	0.56	0.00	0.00	0.00	0.06	0.00	14.00
MENNINGER FLATS	18.23	0.01	0.00	0.48	0.00	7.99	1.60	1.65	1.48	2.98	0.82	0.62	0.60	0.01	0.20	T	17.95
MIDDEN SPRINGS	17.0E	0.00	0.0E	0.8E	0.00	8.81	1.16	1.64	1.35	2.20	1.03	0.00	0.00	0.69	0.06	0.02	16.96
HIGHLAND PK-LINDSAY	14.77	0.00	0.00	0.37	0.00	7.22	1.42	0.96	0.62	3.74	0.44	0.00	0.00	T	0.00	0.00	14.40
HILLCREST COUNTRY CB	21.17	0.00	0.00	0.55	0.00	10.47	2.59	0.98	0.58	5.38	0.62	0.00	0.00	0.00	0.20	0.00	20.82
HOEGEES FC 60A	22.74	0.00	0.00	0.20	0.00	10.22	2.04	2.76	1.54	4.23	1.24	0.32	0.19	T	0.31	0.02	22.87
HOLIDAY HILL	17.91	1.25	1.55	0.61	0.00	4.72	2.35	1.62	2.12	3.00	0.69	0.00	0.00	0.93	0.14	0.00	15.57
HOLLYWOOD DAM	15.68	0.00	0.00	0.16	0.00	6.84	2.37	0.82	1.01	3.91	0.57	T	T	0.00	0.09	0.00	15.61
INGLEWOOD FS	14.10	0.00	0.00	0.38	0.00	6.47	1.56	0.76	0.43	4.01	0.49	T	0.00	0.01	0.00	0.00	13.73
IRON MOUNTAIN	25.57	0.00	0.43	0.39	0.00	11.87	2.36	2.51	2.22	3.95	1.81	0.03	0.00	0.0E	0.4E	0.00	25.2E
KAGEL CANYON P S	16.23	0.00	0.00	1.53	0.00	7.23	1.53	1.36	1.29	2.71	0.58	0.00	0.00	0.00	0.15	0.00	14.85
KENTER CANYON	19.37	0.00	0.00	1.68	0.00	7.24	2.78	1.17	0.70	5.15	0.65	0.00	0.00	0.00	0.2E	0.00	17.9E
LA CANADA	18.66	0.00	0.00	0.11	0.00	10.33	1.45	1.50	1.18	3.25	0.84	0.00	0.00	0.02	0.01	0.00	18.58
LA CANADA ARROY SECO	18.46	0.00	0.00	0.11	0.00	10.76	1.47	1.20	1.00	3.06	0.79	0.04	0.03	0.00	0.06	0.00	18.41
LA CRESCENTA FC 251	18.1E	0.00	0.00	0.4E	0.00	9.36	1.30	1.22	1.54	3.31	0.97	0.00	0.00	T	0.00	0.00	17.70
LA CRESC CO RD DEPT	19.42	0.00	0.00	0.41	0.00	9.21	2.23	1.46	1.91	3.35	0.85	0.00	0.00	0.00	0.00	0.00	19.01
LA CRESC GREG 0.9ENE	20.80	T	0.00	0.91	0.00	10.23	1.30	1.33	2.17	3.53	0.91	0.24	0.18	T	0.05	0.04	19.98
LA FRESA S C E CO	12.20	0.00	0.00	0.59	0.00	6.03	1.29	0.88	0.46	2.54	0.41	0.00	0.00	0.10	0.00	0.00	11.71
LAGUNA BELL SS	12.3E	0.00	0.00	0.77	0.00	4.83	2.29	0.5E	0.33	2.79	0.77	0.00	T	0.22	0.01	0.00	11.8E
LA HABRA	12.11	0.00	0.00	1.00	0.00	3.82	2.28	0.85	0.53	3.02	0.61	0.00	0.00	0.16	0.00	0.00	11.27
LA HABRA MTS MW CO	13.46	0.00	0.00	0.91	0.00	3.94	2.60	0.73	0.74	3.57	0.97	0.00	T	0.12	0.00	0.00	12.67
LA MIRADA	10.10	0.00	T	0.63	0.00	3.43	1.71	0.52	0.53	2.83	0.45	T	0.00	0.04	0.00	0.00	9.51
LANKERSHIM P P	14.24	0.00	0.00	0.46	0.00	6.70	1.59	0.90									

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
LA MAC QUEEN	16.0E	0.00	0.00	0.6E	0.00	7.36	2.77	0.86	0.34	3.56	0.5E	0.00	0.00	0.00	0.2E	0.00	15.6E
LOS ANGELES HANCOCK	18.38	0.00	0.00	0.67	0.00	8.55	1.99	1.01	0.74	4.85	0.57	0.00	0.00	T	0.07	0.00	17.78
LOS ANGELES WB AP	14.50	T	0.00	0.44	T	7.47	1.05	0.84	0.44	3.77	0.49	T	T	0.04	T	0.00	14.10
L. A. CIVIC CENTER	16.58	0.00	T	1.02	0.00	8.67	1.66	0.90	0.49	3.34	0.49	0.00	0.01	0.01	0.11	0.03	15.71
LOWER FRANKLIN RES	16.64	0.00	0.00	0.36	0.00	6.72	3.21	0.91	0.52	4.45	0.47	T	0.00	0.00	0.05	0.00	16.33
LUNADA BAY	9.44	0.00	0.00	0.44	0.00	6.16	0.36	0.63	0.25	1.47	0.11	0.02	T	0.01	0.00	0.00	9.01
MADDOCK DEBRIS BAS	16.40	0.00	0.00	0.75	0.00	6.03	1.43	1.32	1.59	3.97	1.02	0.10	0.19	0.02	0.29	0.00	15.96
MANDEVILLE CANYON	19.9E	0.00	0.7E	0.62	0.00	9.27	1.90	1.24	0.9E	4.30	0.94	0.00	0.00	0.00	0.2E	0.00	18.8E
MANDEVILLE FR RD 24	17.8F	0.00	0.6E	0.44	0.00	8.06	1.91	0.92	0.73	4.40	0.74	0.00	0.00	0.00	0.2E	0.00	16.9E
MANHATTAN BEACH	10.84	0.00	0.00	0.50	0.00	4.89	0.97	1.05	0.75	2.15	0.53	0.00	0.00	0.01	0.00	0.00	10.35
MARKHAM SADDLE	21.7E	0.00	0.00	0.27	0.00	11.79	1.10	2.08	2.1E	3.17	1.05	0.13	T	T	0.05	0.00	21.5E
MAR VISTA - SCWC	17.31	0.00	T	0.59	0.00	8.11	2.46	0.75	0.40	5.00	0.00	0.00	0.00	0.00	0.09	0.00	16.81
MC CLURE DEBRIS BAS	11.90	0.00	0.00	0.52	0.00	5.23	0.88	0.96	1.60	2.09	0.52	0.10	0.00	0.00	0.08	0.00	11.46
MONROVIA F.S.	15.15	0.00	0.00	0.39	0.00	6.35	1.49	0.87	1.08	3.82	0.86	0.16	0.13	0.06	0.14	0.00	14.96
MONROVIA-SPTS	15.63	0.00	0.00	0.23	0.00	6.66	0.69	1.14	1.39	3.89	0.77	0.39	0.47	0.06	0.14	0.00	15.60
MONTANA RANCH	10.36	0.00	0.00	0.61	0.00	4.38	0.96	0.57	0.44	3.00	0.40	0.00	0.00	0.00	0.03	0.00	9.78
MONTABELLO FD	11.76	0.00	0.00	0.57	0.00	4.77	1.59	0.51	0.31	3.41	0.60	T	0.00	0.13	T	0.00	11.32
MONTEREY PARK FS	12.49	0.00	0.00	0.35	0.00	5.03	1.62	0.48	0.56	3.80	0.63	0.00	0.02	0.07	0.00	0.00	12.21
MORRIS DAM	16.90	0.00	0.00	0.57	0.00	5.99	1.77	1.66	1.51	4.14	0.96	0.17	0.13	0.03	0.01	0.00	16.37
MT DISAPPOINTMENT	28.30	0.00	0.00	1.05	0.00	13.93	2.58	3.21	2.33	3.78	1.26	0.16	T	T	0.15	0.00	27.40
MT ISLIP	34.55	0.00	0.27	1.55	0.00	12.39	5.42	2.34	5.92	4.13	2.12	0.26	0.15	1.07	0.01	0.00	33.81
MT LOWE	24.76	0.00	0.00	1.07	0.00	13.00	1.21	2.29	2.40	3.49	1.16	0.14	T	T	0.07	0.00	23.76
MT LUKENS	18.29	0.00	0.00	0.71	0.00	9.34	1.25	1.40	1.88	2.81	0.70	0.20	T	T	0.03	0.00	17.61
MT SAN ANTONIO COL	14.88	0.00	0.00	0.31	0.00	5.41	2.31	1.08	0.85	4.40	0.46	0.00	0.06	0.11	0.05	0.00	14.73
MT ST MARYS COL	19.40	0.00	0.00	1.32	0.00	7.72	2.68	1.18	0.96	4.81	0.73	0.00	0.00	0.00	0.22	0.00	18.30
MT WILSON OBSERVATOR	27.00	T	T	0.69	0.00	12.52	3.49	3.42	1.94	3.44	1.25	0.25	T	0.01	T	T	26.32
MT WILSON FC 3388	23.23	0.00	0.00	1.28	0.00	11.98	1.71	2.38	1.79	2.88	1.04	0.17	0.00	0.00	0.00	0.00	21.95
MULHOLLAND FS	16.73	0.00	0.00	0.22	0.00	8.46	1.67	0.98	0.53	4.10	0.73	0.04	0.00	0.00	0.20	0.00	16.71
NEWCOMB PASS	23.49	0.00	0.00	0.18	0.00	10.79	2.07	2.44	2.12	4.37	1.26	0.16	0.10	0.08	0.31	0.00	23.70
NICHOLS DAM BASIN	18.21	0.00	0.00	0.28	0.00	9.53	1.87	0.95	0.95	4.14	0.49	0.00	0.00	0.00	0.11	0.00	18.04
NORTH HOLLYWOOD	16.78	0.00	0.00	0.25	0.00	8.93	2.05	1.03	0.82	3.10	0.60	T	0.00	0.02	0.12	0.00	16.67
NORTHRIDGE	15.14	T	0.00	0.27	T	6.88	1.63	1.13	0.68	3.93	0.52	0.10	0.00	T	0.36	T	15.23
NORWALK	12.07	0.00	0.00	0.37	0.00	4.25	1.78	0.76	0.95	3.28	0.68	0.00	0.00	0.30	0.00	0.00	12.00
OAK GROVE	18.34	0.00	0.00	0.09	0.00	10.87	1.47	1.12	0.92	3.13	0.64	0.09	0.01	T	0.01	0.00	18.26
OAKWILDE PHILLIPS	17.03	0.00	0.00	0.21	0.00	8.34	1.22	1.62	1.85	2.92	0.68	0.19	T	T	0.21	0.00	17.03
OPIOS CAMP FC 578E	31.78	0.00	T	1.00	0.00	16.37	2.79	3.19	2.52	4.32	1.51	0.08	T	0.05	0.05	0.05	30.93
PACOIMA CANYON	19.5E	0.00	0.00	0.48	0.00	8.85	1.18	2.59	1.34	3.95	1.0E	0.1E	0.00	0.00	0.0E	0.00	19.1E
PACOIMA CYN-CITY RD	24.48	0.00	0.00	0.98	0.00	13.28	1.51	3.20	1.17	3.13	1.21	0.00	0.00	T	0.05	0.00	23.55
PACOIMA CYN DUTCH	22.05	0.00	0.00	0.26	0.00	11.02	1.32	2.55	1.54	4.18	1.05	0.13	0.00	0.00	0.08	0.00	21.87
PACOIMA RADUATZ	13.9E	0.00	0.00	1.15	0.00	6.47	0.97	1.08	1.14	2.7E	0.46	T	0.00	0.00	0.10	0.00	12.9E
PACOIMA WAREHOUSE	13.92	0.00	0.00	0.72	0.00	7.37	0.76	1.09	1.03	2.14	0.66	0.15	0.00	0.00	0.26	0.00	13.46
PACOIMA DAM FC 33A E	17.34	0.00	0.00	1.58	0.00	6.96	1.06	1.66	1.95	3.50	0.63	T	T	0.00	0.12	0.03	15.91
PALOS VERDES ESTATES	9.67	0.00	0.03	0.55	0.00	5.26	0.83	0.83	0.27	1.51	0.37	0.02	0.00	0.00	0.00	0.00	9.09
PALOS VERDES	11.50	0.00	0.04	0.54	0.00	5.45	1.13	0.95	0.43	2.61	0.35	0.00	0.00	0.00	0.00	0.00	10.92
PALOS VERDES HILLS F	11.62	0.00	0.00	0.36	0.00	5.56	1.00	1.35	0.43	2.55	0.33	0.04	0.00	T	0.00	0.00	11.26
PALOS VERDES HILLS H	14.34	0.00	0.00	0.85	0.00	6.88	1.04	1.30	0.61	3.23	0.43	0.00	0.00	0.00	0.00	0.00	13.49
PARAMOUNT-CU FS	12.43	0.00	0.00	0.66	0.00	6.41	1.39	0.54	0.33	2.60	0.50	0.00	0.00	0.10	0.35	0.00	12.22
PASADENA	16.33	0.00	0.00	0.27	0.00	8.43	1.51	1.01	0.97	3.33	0.63	0.11	0.07	0.01	0.00	0.00	16.07
PASADENA CAL TECH	15.35	0.00	0.00	0.30	0.00	7.47	1.58	0.97	0.72	3.61	0.64	0.02	0.04	0.01	0.01	T	15.07
PASADENA CHLORINE PL	20.19	0.00	0.00	0.21	0.00	10.90	1.62	1.33	1.45	3.25	0.82	0.38	0.23	0.01	0.09	0.00	20.08
PASADENA-HURLBURT FS	15.65	0.00	0.00	0.31	0.00	7.45	1.61	1.10	1.21	3.54	0.42	T	0.01	0.02	0.03	0.00	15.39
PASADENA-CITY HALL	16.33	0.00	0.00	0.27	0.00	8.43	1.51	1.01	0.97	3.33	0.63	0.11	0.07	0.01	0.00	0.00	16.07
PASADENA JOURDAN	13.20																

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
ROGERS CANYON	15.92	0.00	0.00	0.92	0.00	4.99	1.55	1.39	1.53	3.97	1.09	0.39	0.09	T	0.13	0.00	15.13
ROSCOE MERRILL	14.62	T	0.00	0.70	0.00	7.12	1.43	0.97	1.35	2.19	0.79	0.05	0.02	T	0.14	0.00	14.06
ROSEMEAD	14.96	0.00	0.00	0.43	0.00	6.25	1.87	0.65	0.53	4.52	0.68	T	0.03	0.06	T	0.00	14.59
RUBIO DEBRIS DAM	18.92	0.00	0.00	0.20	0.00	9.33	1.40	1.53	1.63	3.21	0.75	0.54	0.33	T	0.06	0.00	18.78
RUSTIC CANYON	14.95	0.00	0.00	0.66	0.00	3.02	2.83	1.05	0.64	6.10	0.65	0.00	0.00	0.00	0.3E	0.00	14.6E
SAN ANTONIO DAM	14.88	0.00	0.00	0.30	0.00	5.64	1.63	1.43	1.17	3.12	1.30	0.29	0.00	0.32	0.00	0.00	14.90
SAN DIMAS CYN E FK	20.81	0.00	0.00	0.49	0.00	8.04	1.92	1.97	2.25	3.88	1.38	0.34	0.54	0.10	0.00	0.00	20.42
SAN DIMAS DAM	16.35	0.00	0.00	0.47	0.00	6.36	1.73	1.40	1.49	3.63	1.12	0.06	0.09	0.07	0.00	T	15.95
SAN DIMAS FC 95	15.08	0.00	0.00	0.23	0.00	5.43	2.60	1.26	1.08	3.58	0.72	T	0.18	0.07	0.01	0.00	14.93
SAN DIMAS R S	--	0.00	0.00	0.4E	0.00	5.90	--	--	1.74	3.51	1.12	0.06	0.07	0.09	0.00	0.11	--
SAN DIMAS-STEVENS	15.79	0.00	0.00	0.76	0.00	6.03	1.70	1.29	0.90	3.83	1.08	T	0.20	0.07	0.00	T	15.10
SAN FERNANDU	13.07	0.00	0.00	0.95	0.00	6.34	0.97	0.74	0.96	2.69	0.42	0.00	0.00	T	0.11	T	12.23
SAN FNOO VLY STATE C	14.4E	0.00	0.00	0.45	T	7.2E	0.96	0.94	0.59	3.79	0.42	0.03	0.00	0.00	0.66	--	--
SAN FERNANDO VET MOS	16.22	0.00	0.00	1.58	0.00	6.09	1.00	1.50	1.75	3.63	0.67	0.00	0.00	0.00	0.15	T	14.79
SAN GABRIEL BRUINGTO	14.77	0.00	0.00	0.30	0.00	6.71	1.77	0.77	0.62	3.89	0.71	0.00	0.00	0.00	0.00	0.00	14.47
SAN GABRIEL C EFK TU	21.51	0.00	0.00	0.00	0.00	7.49	2.29	2.64	2.77	4.43	1.38	0.32	0.19	1.34	0.02	0.00	22.87
SAN GABRIEL CYN EFK	18.47	0.00	0.00	0.11	0.00	7.87	1.98	1.60	1.95	3.62	1.21	0.11	0.02	0.03	0.06	0.00	18.45
SAN GABRIEL CYN HELI	22.15	0.00	0.00	0.18	0.00	10.43	2.61	2.35	1.60	3.88	0.99	0.11	0.00	0.03	0.18	0.00	22.18
SAN GABRIEL CYN PH	16.21	0.00	0.00	1.50	0.00	4.67	1.60	1.46	1.33	4.07	1.00	0.28	0.30	0.02	0.18	0.02	14.93
SAN GABRIEL DAM	19.11	0.00	T	0.20	0.00	7.42	1.85	1.78	1.52	4.74	1.28	0.18	0.14	0.03	0.07	0.03	19.04
SAN GABRIEL DAM CAMP	19.06	0.00	0.00	0.22	0.00	7.56	2.13	1.66	1.67	4.32	1.26	0.12	0.12	0.10	0.06	0.00	19.00
SAN GABRIEL FIRE DPT	13.51	0.00	0.00	0.30	0.00	5.70	1.83	0.84	0.68	3.84	0.20	0.00	0.12	0.05	0.00	0.00	13.26
SAN GABRIEL NO FORK	19.33	0.00	0.00	0.06	0.00	9.01	1.90	1.74	1.91	3.40	1.09	0.11	0.11	0.08	0.19	0.00	19.54
SAN JOSE HILLS GALST	13.73	0.00	0.00	0.28	0.00	4.81	2.09	0.92	1.08	3.86	0.61	0.08	0.00	0.13	0.00	0.00	13.58
SAN MARINO-HUNTINGTO	15.14	0.00	0.00	0.21	0.00	6.83	2.38	0.92	0.74	3.47	0.59	0.00	0.00	0.08	T	0.00	15.01
SAN PEDRO RES	11.04	0.00	0.00	0.26	0.00	5.29	1.49	1.22	0.20	1.98	0.60	T	0.00	0.00	0.00	0.00	10.78
SANTA ANITA FERN LGE	20.88	0.00	T	0.25	0.00	9.44	1.89	1.80	1.55	4.29	1.27	0.20	0.19	T	0.22	0.02	20.87
SANTA ANITA CN HELIP	21.05	0.00	0.00	0.23	0.00	9.57	1.79	2.13	1.58	4.16	1.25	0.15	0.19	0.00	0.28	T	21.10
SANTA ANITA SPRING C	21.25	0.00	0.00	0.29	0.00	9.05	1.69	2.99	2.18	3.83	0.98	0.14	0.10	0.05	0.15	0.00	21.16
SANTA CLARA RIDGE	--	--	--	0.50	0.00	8.79	1.75	1.87	1.65	2.92	1.34	0.00	0.00	0.00	0.00	0.00	18.32
SANTA FE DAM	14.65	0.00	0.00	0.95	0.00	5.80	1.44	0.75	0.78	4.32	0.61	0.00	0.00	0.00	0.04	0.00	13.74
SANTA MONICA	16.80	0.00	0.00	1.15	0.00	6.31	2.42	0.82	0.40	5.22	0.47	0.01	T	0.00	0.11	T	15.76
SANTA MONICA PIER	15.42	0.00	0.00	1.04	0.00	6.35	1.94	0.80	0.42	4.47	0.39	0.01	T	T	0.14	0.00	14.52
SAWPIT CYN DEER PK	20.77	0.00	0.00	0.06	0.00	8.35	2.01	2.26	1.88	4.12	1.28	0.24	0.57	0.00	0.31	0.00	21.02
SAWPIT DAM NO 2	17.96	0.00	0.00	0.17	0.00	7.32	1.68	1.47	1.63	4.02	0.79	0.39	0.49	T	0.53	0.02	18.34
SAWTELLE	19.42	0.00	0.00	0.66	0.00	8.57	2.94	0.94	0.37	5.45	0.49	0.00	0.00	T	0.30	0.00	19.06
SAWTELLE SOLOIER HOM	14.57	0.00	T	0.54	0.00	7.19	2.17	1.11	0.69	2.39	0.48	0.00	0.00	0.00	0.34	0.00	14.37
SCHOLL DEBRIS BAS	16.61	0.00	0.00	0.36	0.00	9.01	1.56	0.89	0.72	3.48	0.48	T	0.11	0.00	0.00	0.00	16.25
SEPULVEDA AND RAYEN	14.04	0.00	0.00	0.84	0.00	7.05	1.01	1.05	1.01	2.58	0.50	T	0.00	0.00	0.20	0.00	13.40
SEPULVEDA CANYON	21.03	0.00	0.00	1.54	0.00	8.14	2.69	1.34	0.75	5.43	1.14	0.00	0.00	0.00	0.1E	0.00	19.6E
SEPULVEDA CANYON 19	19.39	0.00	0.00	1.11	0.00	8.55	2.16	1.22	0.73	4.59	1.03	0.00	0.00	0.00	0.1E	0.00	18.4E
SEPULVEDA DAM	13.97	0.00	0.00	1.27	0.00	6.67	1.14	0.61	0.47	3.01	0.70	0.10	0.00	0.00	0.32	0.00	13.02
SEPULVEDA-MULHOLLAND	16.46	0.00	0.64	0.69	0.00	6.74	1.72	0.80	0.89	4.00	0.98	0.00	0.00	0.00	0.20	0.00	15.33
SHORTCUT CYN W FORK	26.86	0.00	T	1.02	0.00	13.74	2.18	2.59	1.40	4.77	1.10	0.06	0.00	0.0E	0.12	0.00	26.0E
SIERRA MADRE DAM	16.46	0.00	0.00	0.24	0.00	6.66	2.13	1.17	1.32	3.45	0.99	0.11	0.39	T	0.03	0.00	16.25
SIERRA MADRE MM PP	16.06	0.00	0.00	0.25	0.00	6.52	2.08	1.08	1.20	3.56	0.98	0.16	0.23	T	0.14	0.00	15.95
SIERRA MADRE PEGL	13.44	0.00	0.00	0.14	0.00	5.69	1.45	0.84	0.90	3.36	0.78	0.09	0.19	0.06	0.15	0.00	13.51
SIERRA MADRE PUMP ST	14.00	0.00	0.00	0.20	0.00	5.43	2.05	0.90	0.99	3.29	0.81	0.18	0.15	T	0.06	0.00	13.86
SIERRA MADRE USFS	14.18	0.00	0.00	0.19	0.00	6.37	1.62	1.07	1.16	2.78	0.82	T	0.17	0.06	0.00	0.00	14.05
SIGNAL HILL FC 415	10.71	0.00	0.00	0.67	0.00	5.29	0.96	0.46	0.38	2.51	0.44	0.00	0.00	T	0.00	0.00	10.04
SILVER LAKE RES	14.25	0.00	0.00	0.50	0.00	6.43	1.41	0.85	0.48	4.14	0.44	0.00	0.00	0.00	0.		

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
UNIV SO CAL	14.86	0.00	0.00	0.56	0.00	7.17	1.92	0.69	0.41	3.54	0.57	0.00	0.00	0.01	T	0.00	14.31
UPPER FRANKLIN RES	17.09	0.00	0.00	0.25	0.00	8.36	1.72	0.91	0.63	4.44	0.74	0.04	0.00	0.00	0.20	0.00	17.04
UPPER STONE CYN	17.2E	0.00	0.00	1.24	0.00	7.67	1.94	0.97	0.71	3.90	0.83	0.0E	0.00	0.00	0.2E	0.00	16.2E
VAN NORMAN LK LWR DA	15.40	0.00	0.00	0.91	0.00	5.91	2.10	1.37	1.03	3.40	0.64	0.04	T	0.00	0.02	T	14.51
VAN NUYS FC 15B	14.20	0.00	0.00	1.15	0.00	6.98	1.25	0.80	0.79	2.64	0.59	0.00	0.00	0.00	0.36	0.00	13.41
VENICE F S	14.11	0.00	0.00	0.50	0.00	6.29	1.45	0.63	0.41	4.21	0.62	0.00	0.00	0.00	0.05	0.00	13.66
VERUGO MT HILLCREST	--	0.00	0.00	0.24	--	--	--	--	--	--	--	--	--	--	--	--	--
VERDUGO PUMP STA	14.43	0.00	0.00	0.92	0.00	6.67	1.21	1.27	1.29	2.29	0.77	0.01	T	T	0.30	T	13.81
VINCENT GULCH	28.6E	1.5E	3.0E	1.23	0.00	7.87	4.90	2.40	3.79	2.24	1.64	0.00	0.00	1.55	0.26	0.00	24.65
WALNUT FRUIT GROWERS	16.40	0.00	0.00	0.28	0.00	5.37	3.22	1.22	0.69	4.84	0.78	0.00	0.00	0.08	0.27	0.00	16.47
WALNUT PATROL STN	14.68	0.00	T	0.24	0.00	4.08	3.89	1.04	0.49	4.27	0.67	0.00	0.00	0.20	0.00	0.00	14.64
WALTERIA LAKE PUMP S	9.74	0.00	0.00	0.71	0.00	5.92	0.88	0.51	0.00	1.33	0.39	0.00	0.00	0.00	0.00	0.00	9.03
WATERMAN G S	24.31	0.00	0.00	1.03	0.00	12.51	1.90	2.20	2.14	3.28	1.20	0.05	0.00	0.01	0.1E	0.00	23.4E
WATERMAN MTN	23.3E	0.00	0.6E	0.1E	0.00	11.09	2.84	1.96	2.69	2.07	1.03	0.49	0.28	1.74	0.07	0.00	24.26
WEST ARCADIA	15.95	0.00	0.00	0.66	0.00	7.83	1.55	0.44	0.73	4.02	0.67	0.02	0.03	0.07	0.02	0.00	15.38
WEST AZUSA	13.30	0.00	0.00	1.12	0.00	4.49	1.82	1.25	0.95	3.01	0.56	0.00	0.10	0.10	0.30	0.00	12.58
WEST BURBANK	13.96	0.00	0.00	0.52	0.00	7.43	0.95	0.93	1.08	2.42	0.63	T	T	T	0.13	0.00	13.57
WEST COVINA KELLER R	9.5E	0.00	0.00	0.3E	0.00	5.45	2.00	0.70	0.64	0.30	T	0.14	T	0.05	0.0E	0.00	9.3E
WHITTIER CITY HALL	11.96	0.00	0.00	0.42	0.00	4.14	2.30	0.46	0.80	3.11	0.73	0.00	0.00	0.24	0.00	0.00	11.78
WHITTIER-CATE	12.11	0.00	0.00	0.44	0.00	4.71	2.22	0.59	0.39	3.20	0.56	T	0.00	0.22	0.00	0.00	11.89
WHITTIER-WOOD	12.52	0.00	0.00	0.45	0.00	4.71	2.42	0.58	0.55	3.27	0.54	0.00	0.00	0.23	T	0.00	12.30
WHITTIER NARROWS	13.81	0.00	T	0.46	0.00	5.12	2.11	0.69	0.38	4.44	0.61	0.00	T	0.10	0.02	0.00	13.47
WHITTIER NARROWS DAM	12.21	0.00	0.00	0.64	0.00	4.81	1.87	0.49	0.31	3.28	0.81	0.00	0.00	0.05	0.00	0.00	11.62
WILMINGTON-2	10.56	0.00	0.05	0.25	0.00	5.11	1.20	0.71	0.66	2.00	0.58	0.00	0.00	0.00	0.00	0.00	10.26
WILSON CANYON	19.00	0.00	0.00	0.37	0.00	9.91	1.23	1.43	1.33	3.84	0.76	0.13	0.00	0.00	0.75	0.00	19.38
WOLFSKILL CYN-UPPER	20.43	0.00	0.00	0.38	0.00	6.99	1.87	1.63	2.42	4.45	1.41	0.51	0.77	0.14	0.00	0.00	20.19
WRIGHTWOOD FIRE STA	17.35	0.60	1.72	0.66	0.00	4.04	5.53	1.06	1.60	1.43	0.71	T	0.00	0.63	T	0.00	15.00
YORBA LINDA	11.40	0.00	T	0.40	0.00	3.52	1.96	0.82	0.54	3.21	0.86	0.09	0.00	0.29	0.00	0.00	11.29
YORBA RESERVOIR	10.33	0.00	0.00	0.30	0.00	2.64	2.24	0.78	0.54	3.14	0.63	0.06	0.00	--	0.00	0.00	--
SAN PEDRO CHANNEL ISLANDS HYDROLOGIC UNIT U06																	
AVALON PLEASURE PIEK	6.1E	0.00	0.00	0.02	0.00	2.1E	1.24	0.3E	0.37	2.09	0.00	0.00	0.00	0.05	0.00	0.00	6.2E

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
MONO HYDROLOGIC UNIT W01																	
CAIN RANCH	7.46	0.47	1.08	1.91	0.03	1.40	0.77	0.29	0.35	0.40	0.26	0.50	T	1.10	0.06	0.10	5.26
ELLERY LAKE	17.86	1.10	0.88	1.74	0.32	3.36	2.10	2.52	3.32	1.38	0.34	0.48	0.32	0.86	0.80	T	15.80
GEM LAKE	13.86	0.98	0.88	1.48	0.44	3.10	0.88	1.38	1.48	1.34	0.48	1.04	0.38	1.36	0.34	0.02	12.24
MONO LAKE	8.86	1.27	0.19	1.25	T	2.04	0.88	1.28	1.23	0.69	T	0.02	0.01	1.21	0.24	0.10	7.70
OWENS HYDROLOGIC UNIT W03																	
ALABAMA HILLS	3.20	0.09	T	1.22	0.00	1.02	T	0.00	0.35	0.20	T	0.15	0.17	0.31	T	0.00	2.20
BENTON INSPECTION ST	3.75	1.32	0.46	0.24	0.00	0.49	0.54	T	0.14	0.20	0.06	0.19	0.11	0.25	0.18	0.09	2.25
BIG PINE POWER PLT 3	5.17	0.27	0.03	0.68	0.00	1.55	1.33	0.12	0.23	0.86	0.00	0.05	0.05	0.63	0.68	0.00	5.50
BISHOP CREEK INTAKE	6.74	0.20	1.06	1.28	0.02	1.34	1.54	0.32	0.28	0.36	0.16	0.06	0.12	0.75	0.29	0.00	5.24
BISHOP WB AIRPORT	1.89	0.62	0.03	0.26	0.00	0.30	0.52	0.01	0.03	0.10	0.01	0.01	T	0.70	0.39	0.00	2.07
BISHOP UNION CARBIDE	--	T	T	--	--	--	--	--	--	--	--	T	0.07	1.85	T	T	--
COTTONWOOD GTD TRT C	16.60	1.15	1.95	2.80	0.00	2.65	3.00	0.65	1.30	1.35	0.35	0.65	0.75	2.20	0.15	0.00	13.05
COTTONWOOD GATES	6.17	0.16	0.11	2.05	0.00	2.30	0.20	0.07	0.36	0.80	T	0.12	0.00	1.26	0.01	T	5.12
GLACIER LODGE	10.00	0.40	0.40	1.60	0.05	2.45	2.15	0.85	0.40	1.20	0.30	0.10	0.10	2.10	0.30	0.00	10.00
HAIWEE	6.68	1.05	0.12	0.80	0.00	2.57	0.46	0.03	0.50	0.87	T	0.04	0.24	1.27	0.21	0.00	6.19
INDEPENDENCE	--	--	0.18	0.33	0.00	0.89	0.09	0.02	0.43	0.14	0.01	0.08	0.01	0.32	T	0.00	1.99
LAKE SABRINA	10.32	0.66	0.40	1.98	0.06	1.58	2.00	0.66	0.64	0.88	0.66	0.38	0.42	2.02	0.36	0.00	9.66
LONE PINE	3.70	0.11	0.04	1.12	0.00	1.37	0.08	T	0.25	0.40	0.00	0.15	0.18	0.44	0.00	0.00	2.87
LONG VALLEY RES	4.99	0.22	0.02	0.88	0.00	1.43	0.85	0.63	0.26	0.37	0.06	0.25	0.02	3.56	0.07	0.00	7.50
L A AQUEDUCT INTAKE	2.74	0.13	0.50	0.21	0.00	0.77	0.16	0.03	0.48	0.17	0.00	0.22	0.07	1.58	0.10	0.00	3.58
MAMMOTH	22.25	1.80	0.70	2.55	0.10	3.75	2.50	2.95	2.75	2.45	1.10	1.00	0.60	1.60	0.35	0.00	19.15
NORTH HAIWEE RES	6.11	1.05	0.12	0.80	0.00	2.15	0.22	0.07	0.52	0.66	0.02	0.10	0.40	1.02	0.58	0.00	5.74
ROCK CREEK LADWP	11.95	1.05	0.85	2.20	0.00	1.40	1.65	1.30	1.15	1.30	0.60	0.35	0.10	2.15	0.35	0.00	10.35
SOUTH LAKE USWB	12.94	0.66	0.88	2.10	0.00	2.24	2.92	1.14	0.64	1.34	0.46	0.38	0.18	2.12	0.20	0.00	11.62
TINEMAHA RES	2.77	T	0.09	0.74	0.00	1.01	0.19	0.02	0.42	0.20	0.00	0.09	0.01	0.59	0.30	0.00	2.83
WHITE MOUNTAIN 2	18.9E	4.50	1.89	3.18	0.00	0.95	2.4E	0.2E	0.82	0.78	2.11	0.3E	1.62	2.47	1.36	T	13.2E
DEEP SPRINGS HYDROLOGIC UNIT W05																	
DEEP SPRINGS COLLEGE	5.60	1.12	0.35	1.85	0.00	1.53	0.30	0.00	0.37	0.00	0.05	0.03	0.00	0.95	0.64	0.00	3.87
WHITE MOUNTAIN 1	16.57	4.02	2.30	3.61	0.00	1.31	1.66	0.39	0.72	1.10	0.46	0.07	0.93	1.25	1.43	0.00	9.32
AMARGOSA HYDROLOGIC UNIT W09																	
DEATH VALLEY	2.78	0.13	0.00	0.42	0.00	0.68	0.04	0.00	1.16	T	0.09	0.00	0.26	0.04	0.02	0.00	2.29
IVANPAH HYDROLOGIC UNIT W12																	
IVANPAH COUNTY YARD	--	2.77	1.39	0.25	0.00	--	--	--	--	--	0.03	0.01	0.15	0.00	0.00	0.00	--
PANAMINT HYDROLOGIC UNIT W20																	
WILDROSE RANGER STA	--	--	--	--	0.00	1.95	0.37	T	1.71	0.62	0.39	T	0.29	0.93	0.62	0.00	6.88
SEARLES HYDROLOGIC UNIT W21																	
SOUTH TRONA	4.37	0.10	0.04	0.43	0.00	1.68	0.30	0.00	1.42	0.37	0.03	0.00	0.00	1.70	0.10	0.00	5.60
TRONA	4.52	0.03	0.08	0.35	0.00	1.89	0.30	T	1.37	0.38	0.11	T	0.01	2.93	0.21	0.00	7.20
INDIAN WELLS HYDROLOGIC UNIT W24																	
FREEMAN STATION	5.47	0.06	0.99	1.31	0.00	0.38	1.95	0.39	0.00	T	0.37	0.00	0.02	0.06	0.99	1.31	5.47
HAIWEE POWERHOUSE	4.60	0.38	0.02	0.58	0.00	2.09	0.06	0.05	0.54	0.75	0.00	0.03	0.10	1.20	0.37	0.00	5.19
INYOKERN	5.80	0.58	0.31	0.81	0.00	2.25	0.06	0.00	1.44	0.33	0.02	0.00	0.00	1.54	0.01	0.00	5.65
INYOKERN ARMITAGE	4.81	0.54	T	1.18	0.00	1.28	0.15	0.00	1.46	0.20	T	0.00	0.00	1.34	0.22	0.00	4.65
LITTLE LAKE	6.64	0.42	0.11	0.89	0.00	3.42	0.31	0.01	0.59	0.64	0.02	T	0.23	0.68	0.00	0.00	5.90
FREMONT HYDROLOGIC UNIT W25																	
CANTIL	6.41	0.10	0.61	0.64	0.00	3.39	0.30	T	0.85	0.28	0.24	0.00	T	0.25	T	0.00	5.31
RANDBURG	5.38	0.04	0.54	0.41	0.00	1.72	0.78	0.17	0.91	0.64	0.13	0.00	0.04	0.67	0.53	0.00	5.59

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
LAHONTON DRAINAGE PROVINCE W																	
ANTELOPE HYDROLOGIC UNIT W26																	
ANAVEDE LEONA VLY	11.95	0.00	0.07	1.30	0.00	5.21	1.38	1.03	0.57	1.67	0.70	0.02	0.00	0.09	2.04	0.00	12.71
ANTELOPE VLY FLD STA	--	0.00	0.2E	2.1E	--	--	--	--	--	--	--	--	--	--	--	--	--
BEAM GULCH	25.12	1.57	2.81	1.14	0.00	6.11	3.75	2.59	3.03	2.88	1.12	0.12	0.00	1.01	0.00	0.00	20.61
BELLVIEW	8.84	0.00	0.00	1.63	0.00	4.00	0.88	0.56	0.48	0.99	0.30	0.00	0.00	0.03	0.44	0.00	7.68
BURKHART RCH LEWIS	12.55	0.00	0.43	0.94	0.00	5.96	1.49	0.48	1.59	0.98	0.68	0.00	0.00	1.09	0.00	0.00	12.27
CHILAO HMS	20.97	0.00	0.10	0.74	0.00	12.10	1.27	1.69	2.01	2.18	0.87	0.01	0.00	0.17	0.19	0.00	20.49
DAWSON SADDLE	22.18	1.10	0.92	0.39	0.00	9.80	2.58	2.03	2.36	1.80	0.86	0.22	0.12	0.89	0.01	0.00	20.67
DORR CANYON	27.68	0.80	2.31	0.94	0.00	10.88	3.62	2.26	3.80	1.57	1.16	0.15	0.19	1.37	0.44	0.00	25.44
FAIRMONT	11.33	0.00	0.30	0.96	0.00	5.06	0.79	1.09	0.85	1.41	0.75	0.12	0.00	T	0.00	0.00	10.07
FAIRMONT RESERVOIR	13.92	0.00	0.30	0.89	0.00	6.87	1.64	1.09	0.85	1.41	0.75	0.12	0.00	T	0.00	0.00	12.73
FENNER CANYON	17.82	0.60	2.80	1.10	0.00	7.67	2.95	0.28	0.00	1.55	0.87	0.00	0.00	1.27	0.10	0.00	14.69
GRASSY HOLLOW	16.59	0.59	2.15	0.88	0.00	4.97	3.00	1.21	1.67	1.37	0.69	0.06	0.00	1.50	0.00	0.00	14.47
HI VISTA-CARD	5.86	0.09	0.36	0.85	0.00	2.41	0.90	0.04	0.37	0.55	0.12	0.00	0.15	0.51	0.12	0.00	5.17
HUNT CANYON	8.31	0.00	0.30	0.12	0.00	4.18	1.54	0.49	0.54	0.82	0.32	0.00	0.00	T	0.55	0.00	8.44
ISLIP SADDLES	27.39	0.00	0.89	0.52	0.00	11.09	3.37	2.97	3.79	2.81	1.44	0.25	0.26	0.80	0.06	0.00	26.84
LANCASTER	6.43	0.00	0.63	0.49	0.00	3.15	0.59	0.22	0.44	0.67	0.24	0.00	0.00	0.63	0.41	0.00	6.35
LANCASTER HMS	6.08	0.00	0.00	0.56	0.00	3.55	0.45	0.31	0.46	0.59	0.16	0.00	0.00	0.22	0.30	0.00	6.04
LEONIS VALLEY	12.06	0.00	0.04	1.25	0.00	5.63	1.30	0.84	0.66	1.48	0.75	0.11	0.00	0.01	0.25	0.00	11.03
LITTLE ROCK	6.68	0.00	0.22	0.90	0.00	3.30	0.88	0.18	0.47	0.49	0.24	0.00	0.00	0.10	0.53	0.00	6.19
LITTLE ROCK CREEK	9.03	T	0.51	0.78	0.00	4.13	1.25	0.53	0.68	0.59	0.54	0.02	0.00	0.06	0.38	0.00	8.18
MESCAL CREEK FT TEJO	6.8E	0.00	1.56	0.44	0.00	2.30	0.8E	0.16	0.85	0.37	0.28	0.00	0.00	0.00	0.00	0.00	4.8E
MOJAVE (USWB)	6.6E	0.01	T	0.67	0.00	3.78	0.62	0.26	0.53	0.43	0.32	0.0E	0.00	0.28	0.00	0.00	6.2E
MOJAVE LADW+P	6.74	0.34	T	0.66	0.00	3.72	0.58	0.19	0.38	0.45	0.42	0.00	0.00	0.15	0.00	0.00	5.89
MOJAVE 2 ESE	4.87	0.00	0.00	0.00	0.00	3.25	0.62	0.10	0.55	0.35	0.00	0.00	0.00	0.00	0.00	0.00	4.87
MT BALDY	32.50	0.29	0.82	2.22	0.00	11.24	5.91	4.27	4.03	2.51	0.81	0.40	0.00	1.75	0.05	0.00	30.97
MUNZ VALLEY RCH	9.84	0.00	0.25	1.36	0.00	5.48	0.67	0.43	0.49	0.73	0.38	0.05	0.00	0.00	0.00	0.00	8.23
PACIFIC MOUNTAIN	7.64	0.00	0.42	2.06	0.00	3.18	0.42	0.50	0.31	0.46	0.29	0.00	0.00	2.0E	0.4E	0.00	7.5E
PALMDALE	6.79	T	0.28	0.42	0.00	3.51	0.68	0.29	0.41	0.76	0.44	0.00	0.00	0.00	1.46	0.00	7.55
PALMDALE HMS	7.2E	0.00	0.05	0.49	0.00	3.39	0.9E	0.45	0.41	0.97	0.50	0.00	0.00	0.00	1.02	0.00	7.7E
PALMDALE-CIRCLE C	8.11	0.00	0.09	1.06	0.00	3.65	0.86	0.39	0.52	1.22	0.32	T	0.00	0.04	0.52	0.00	7.52
PALMDALE FAA AP	6.84	0.04	0.36	0.24	0.00	4.01	0.60	0.22	0.50	0.68	0.19	0.00	0.00	0.06	1.76	0.00	8.02
PAUL	6.9E	0.14	0.67	0.33	0.00	3.27	0.8E	0.80	0.55	0.38	0.00	0.00	0.00	1.70	0.40	0.00	7.9E
PINE CANYON G S	16.37	0.00	0.00	1.79	0.00	6.68	2.11	1.22	1.03	2.30	1.07	0.17	0.00	0.00	0.43	0.00	15.01
PIUTE BUTTE	5.69	0.36	0.37	0.32	0.00	2.27	0.90	0.09	0.37	0.64	0.22	0.00	0.15	0.23	1.46	0.00	6.33
PLEASANT VIEW	9.36	0.00	0.30	0.54	0.00	4.18	2.15	0.28	0.45	0.83	0.63	0.00	0.00	0.14	0.37	0.00	9.03
PUNCH BOWL RANCH	15.03	0.18	1.13	0.72	0.00	6.79	1.99	0.89	1.38	1.15	0.80	T	0.00	0.99	0.02	0.00	14.01
SANTIAGO CYN	11.98	T	0.92	0.68	0.00	5.56	1.51	0.62	0.83	0.99	0.83	0.04	0.00	0.38	0.50	0.00	11.26
SANTIAGO CREEK	8.48	T	0.54	0.40	0.00	4.04	1.10	0.45	0.60	0.72	0.60	0.03	0.00	0.00	0.55	0.00	8.09
SAWMILL MTN RCH	18.14	0.00	T	2.58	0.00	7.55	1.55	0.93	1.72	2.41	1.40	0.00	0.00	0.00	0.00	0.00	15.56
SYCAMORE CAMP	9.24	0.00	0.43	0.32	0.00	4.84	1.40	0.24	0.31	0.76	0.94	0.00	0.00	1.77	0.15	0.00	10.41
TABLE MOUNTAIN	17.89	1.82	2.02	0.82	0.00	4.51	2.11	2.15	1.91	1.96	0.59	T	0.00	0.90	0.00	0.00	14.13
VALYERMO R S	8.6E	0.16	0.97	0.48	0.00	4.59	1.26	0.23	0.90	0.02	0.00	0.0E	0.00	1.51	0.07	0.00	8.5E
WILLOW SPRINGS	10.78	0.34	0.09	1.68	0.00	4.56	1.33	0.30	0.83	0.82	0.70	0.13	0.00	0.39	0.00	0.00	9.06
MOJAVE HYDROLOGIC UNIT W28																	
ADELANTO	3.80	0.50	0.22	0.14	0.00	1.24	1.07	0.00	0.20	0.43	0.00	0.00	0.00	0.29	0.10	0.00	3.33
APPLE VALLEY	4.15	0.00	0.50	0.36	0.00	1.28	0.89	0.03	0.05	0.50	0.17	0.00	0.37	0.72	T	0.00	4.01
ARROWHEAD RANGER STA	--	0.00	0.00	1.53	0.00	0.00	0.00	0.16	2.33	4.61	0.00	--	--	--	--	--	--
BAKER 9 NNW	2.61	0.22	0.38	0.27	0.00	0.30	0.50	0.00	0.16	0.71	T	0.00	0.07	0.24	0.01	0.00	1.99
BARSTOW	4.73	0.41	0.04	1.27	0.00	1.13	1.00	T	0.05	0.73	0.07	0.00	0.03	0.67	0.48	0.00	4.16
BARSTOW-2	2.44	0.20	0.00	0.10	0.00	1.02	0.05	T	0.00	0.70	0.14	0.00	0.23	0.00	0.28	0.45	2.87
BARSTOW COUNTY YARD	4.37	0.18	0.26	0.28	0.00	1.03	0.92	0.00	0.00	0.70	0.10	0.00	0.90	0.75	0.28	0.00	4.68
BIG PINES PARK	23.1E	1.53	2.50	1.02	0.00	6.3E	3.70	2.18	2.66	2.25	0.95	T	0.00	0.55	0.01	0.00	18.6E
DAGGETT FAA AP	4.57	0.20	0.83	0.54	0.00	0.46	1.18	T	0.02	1.01	0.01	0.00	0.32	0.77	0.78	0.00	4.55
DUNN SIDING	5.59	1.11	0.06	1.21	0.01	0.97	1.22	T	T	0.94	0.00	0.00	0.07	0.4E	0.4E	0.00	4.1E
EL MIRAGE VISAN O F	3.54	0.29	0.54	0.08	0.00	1.38	0.56	T	0.20	0.49	0.00	0.00	T	0.12	2.59	0.00	

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER BASIN DRAINAGE PROVINCE X																	
LUCERNE HYDROLOGIC UNIT X01																	
KAISER PERMANENTE P LUCERNE VALLEY	11.61 3.4E	2.81 0.51	1.09 0.53	1.01 0.59	0.00 0.00	4.20 0.71	0.93 0.30	0.10 0.1E	0.37 0.06	0.84 0.64	0.26 0.00	0.00 0.00	0.00 0.00	0.98 0.61	0.00 0.03	0.00 0.00	7.68 2.4E
JOHNSON HYDROLOGIC UNIT X02																	
W C SHEHORN JOHNSON	5.19	0.28	1.18	1.23	0.00	0.60	0.86	0.00	0.01	1.01	0.01	0.00	0.01	1.21	0.12	0.00	3.83
EMERSON HYDROLOGIC UNIT X05																	
KEE RANCH	6.72	0.00	0.12	1.07	0.00	2.45	1.43	0.00	0.40	1.25	0.00	0.00	0.00	1.42	0.00	0.00	6.95
JOSHUA TREE HYDROLOGIC UNIT X08																	
JOSHUA TREE YUCCA VALLEY	5.31 3.90	1.28 0.00	1.15 0.38	0.89 1.06	0.00 0.00	0.54 0.86	0.05 1.50	0.06 0.10	0.05 0.00	1.09 0.00	0.20 0.00	0.00 0.00	0.00 0.00	1.52 0.74	0.00 0.00	0.10 0.00	3.61 3.20
DALE HYDROLOGIC UNIT X09																	
DALE DRY LAKE	2.29	0.00	0.59	0.71	0.00	0.00	0.40	0.00	0.22	0.37	0.00	0.00	0.00	0.10	0.00	0.00	1.09
TWENTYNINE PALMS NPS	--	1.68	2.18	1.21	--	--	0.83	T	0.21	0.80	0.00	0.00	0.00	0.00	0.00	0.00	--
TWENTY NINE PALMS C	5.94	0.57	1.99	1.12	0.00	0.20	1.13	0.00	0.08	0.85	0.00	0.00	0.00	1.01	0.00	0.00	3.27
TWENTY NINE PALMS Q	--	0.00	0.00	1.21	0.00	0.21	--	--	--	--	--	--	--	--	--	--	--
BRISTOL HYDROLOGIC UNIT X10																	
GOFFS-KOGER	--	0.82	0.78	0.43	--	--	--	--	0.22	0.56	0.00	0.00	0.00	1.04	--	--	--
MITCHELL CAVERNS	7.81	1.05	1.05	0.73	0.00	1.11	1.55	T	0.47	1.19	0.45	0.21	T	2.03	0.94	0.00	7.95
WARD HYDROLOGIC UNIT X12																	
IRON MOUNTAIN SB 114	4.17	0.23	1.69	0.65	0.00	0.21	0.94	0.00	0.13	0.32	0.00	0.00	T	0.59	T	T	2.19
PIUTE HYDROLOGIC UNIT X13																	
NEEDLES CO YD	3.08	0.00	0.31	0.35	0.00	0.59	0.84	0.00	0.43	0.47	0.00	0.09	0.00	1.79	0.04	0.00	4.25
NEEDLES FAA AP	3.19	0.20	0.10	0.77	T	0.52	0.71	T	0.43	0.32	T	T	0.14	1.55	0.01	0.00	3.68
NEEDLES PUMPING PLAN	2.84	0.20	0.28	0.00	0.00	0.34	0.95	T	0.32	0.48	T	0.01	0.26	0.83	0.52	--	--
CHEMEHUEVIS HYDROLOGIC UNIT X14																	
PARKER RESERVOIR	4.56	0.04	0.77	0.71	0.05	0.51	1.74	0.02	0.35	0.34	0.03	T	T	0.46	0.09	0.00	3.59
COLORADO HYDROLOGIC UNIT X15																	
BLYTHE	4.17	0.02	1.25	0.78	0.00	0.72	1.03	T	0.05	0.32	0.00	0.00	0.00	0.54	T	0.00	2.66
BLYTHE CAA AIRPORT	4.20	T	1.16	1.04	0.00	0.70	0.87	0.00	0.12	0.25	0.06	0.00	T	0.38	0.05	0.00	2.43
BLYTHE AIR BASE	3.52	T	0.56	1.01	0.02	0.65	0.87	0.00	0.12	0.26	0.03	0.00	0.00	0.47	0.00	0.00	2.42
BLYTHE F C STA	4.20	0.02	1.29	0.74	0.00	0.72	1.03	T	0.05	0.32	0.03	0.00	0.00	0.54	0.06	0.00	2.75
RIPLEY F.C. STA.	4.57	0.04	1.21	0.94	0.00	0.75	0.97	0.00	0.08	0.46	0.12	0.00	0.00	0.46	0.05	0.00	2.89
CHUCKWALLA HYDROLOGIC UNIT X17																	
EAGLE MOUNTAIN	2.87	T	0.88	1.19	0.00	0.36	0.35	0.00	0.06	0.00	0.03	0.00	T	2.15	0.14	0.00	3.09
HAYFIELD HYDROLOGIC UNIT X18																	
HAYFIELD PUMP PLANT	2.97	0.05	0.30	1.28	0.00	0.18	0.41	0.00	0.33	0.40	0.02	0.00	T	2.56	0.17	0.00	4.07
WHITEWATER HYDROLOGIC UNIT X19																	
BANNING	13.37	T	T	1.82	0.00	3.31	2.09	1.01	0.42	2.87	1.45	0.29	0.11	1.73	T	0.00	13.28
BERMUDA DUNES	4.52	T	1.41	1.45	0.00	0.50	0.44	0.00	0.09	0.51	0.10	0.02	0.00	0.91	0.00	0.00	2.57
CABAZON	10.48	0.02	0.34	0.86	0.00	2.28	2.30	0.95	0.22	1.80	1.36	0.35	T	1.12	0.00	0.00	10.38
CATHEDRAL CITY F.C.S	7.14	0.00	3.33	1.23	0.00	1.01	0.65	T	0.11	0.60	0.18	0.03	0.00	1.20	T	0.00	3.78
DEEP CANYON LABORATO	4.66	0.02	1.55	0.18	0.10	0.32	1.20	0.00	0.10	0.55	0.64	T	0.00	0.52	0.09	0.00	3.52
DESERT HOT SPRINGS	4.91	0.09	0.62	0.87	0.00	0.83	1.04	0.00	0.20	0.70	0.47	0.07	0.02	0.19	0.00	0.00	3.52

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
COLORADO RIVER BASIN DRAINAGE PROVINCE X																	
WHITewater HYDROLOGIC UNIT X19																	
HURLEY FLT IWIN PINE	19.28	0.07	0.33	1.88	0.00	3.89	3.68	2.12	0.53	3.66	1.56	1.56	T	0.86	0.00	0.00	17.86
IDYLLWILD R S	21.27	2.00	1.95	1.51	0.00	2.91	3.81	1.65	0.78	2.67	2.97	1.02	T	2.47	0.11	0.00	18.39
INDIO S D F	4.11	0.00	0.84	1.38	0.00	0.39	0.81	0.00	0.01	0.62	0.06	T	0.00	0.86	0.00	0.00	2.75
INDIO US DATE GARDEN	3.64	0.00	1.27	0.82	0.00	0.38	0.54	0.00	0.01	0.54	0.08	0.00	0.00	1.24	0.00	0.00	2.79
LA QUINTA	--	0.09	2.13	0.61	--	0.34	0.36	0.01	0.05	0.66	0.13	0.01	0.00	1.04	T	0.00	--
MECCA S D F	4.90	T	2.26	0.68	0.00	0.48	0.54	T	0.18	0.69	0.07	0.00	0.00	0.85	0.00	0.00	2.81
MORONGO VALLEY	7.93	0.00	0.90	1.09	0.00	1.96	1.32	0.07	0.17	1.46	0.58	0.04	0.34	2.22	0.00	0.00	8.16
NIGHTINGALE	12.5E	1.15	3.21	0.98	0.00	1.57	3.01	0.24	0.15	1.06	0.85	0.3E	0.00	0.89	0.03	0.00	8.1E
NORTH SHORE	2.86	0.00	0.78	0.30	0.00	0.22	0.73	0.00	0.25	0.56	0.02	0.00	0.30	1.56	0.00	0.00	3.34
OAK GLEN SB 174	25.67	1.55	0.70	2.62	0.63	7.50	1.90	1.75	1.24	5.54	1.32	0.63	0.29	2.97	0.24	0.00	24.01
OASIS	4.39	0.00	1.87	0.94	0.00	0.33	0.26	0.00	0.13	0.74	0.12	0.00	0.00	0.96	T	0.00	2.54
PALM DESERT	3.58	T	0.91	0.81	0.00	0.60	0.53	0.00	0.05	0.50	0.10	0.08	0.00	0.49	T	0.00	2.35
PALM SPRINGS	4.93	0.04	1.11	0.93	0.00	0.94	1.17	T	0.32	0.00	0.36	0.06	0.00	0.88	0.00	0.00	3.73
PALM SPRINGS N SDF	4.18	0.00	0.25	0.51	0.00	0.92	1.24	T	0.20	0.65	0.41	T	0.00	0.50	0.00	0.00	3.92
SNOW CREEK UPPER	9.31	0.00	0.76	0.81	0.00	1.09	2.38	0.62	0.00	1.24	1.55	0.06	0.00	1.55	0.00	0.00	9.29
THERMAL FAA AIRPORT	2.85	0.00	0.31	0.72	0.00	0.51	0.64	T	0.01	0.62	0.04	T	0.00	1.06	0.00	0.00	2.88
THERMAL AIR BASE SDF	3.83	0.00	0.29	0.99	0.00	0.41	1.34	T	0.11	0.62	0.07	T	0.00	1.17	0.00	0.00	3.72
THOUSAND PALMS	3.14	0.00	0.56	0.61	0.00	0.63	0.42	T	0.24	0.53	0.11	0.04	0.00	0.44	T	0.00	2.41
ANZA-BORREGO HYDROLOGIC UNIT X22																	
AGUA CALIENTE SPG PK	6.50	0.04	0.13	0.89	0.00	2.49	2.22	0.03	0.17	0.22	0.30	0.01	0.00	0.62	0.09	0.00	6.15
BORREGO DESERT PARK	6.56	0.14	1.85	0.28	0.00	0.82	1.99	T	0.04	0.59	0.81	0.04	0.00	0.57	0.00	0.00	4.86
BORREGO TUBB CANYON	8.54	0.89	1.06	0.30	0.00	1.80	2.27	0.01	0.20	0.80	1.21	0.00	0.00	1.93	0.00	--	--
JULIAN-BUNCH	--	--	--	--	0.02	12.80	7.94	2.11	2.75	1.38	0.33	0.08	--	--	--	--	--
MOUNT LAGUNA	22.94	0.71	0.73	2.57	0.05	4.84	8.17	0.62	0.48	1.37	2.65	0.75	0.00	0.69	1.62	0.00	21.24
OCOTILLO WELLS	--	0.04	0.98	0.30	--	--	--	--	--	--	0.44	0.00	0.00	1.26	0.00	0.00	--
IMPERIAL HYDROLOGIC UNIT X23																	
BRAWLEY 2 SW	5.62	T	1.65	1.15	0.00	1.36	0.80	T	0.01	0.65	T	0.00	0.00	1.14	T	0.00	3.96
CALEXICO 2 NE	4.40	0.07	0.08	1.59	0.00	1.22	0.86	T	0.11	0.47	0.00	0.00	0.00	1.62	T	0.00	4.28
COYOTE WELLS	6.94	0.01	0.21	1.29	0.00	1.58	0.68	T	T	3.07	0.10	0.00	0.00	1.57	1.00	0.04	8.04
EL CENTRO 2 SSW	4.43	0.00	0.00	1.47	0.00	1.69	0.77	0.00	0.00	0.50	0.00	0.00	0.00	1.05	0.00	0.00	4.01
IMPERIAL	4.43	0.00	0.21	1.31	0.00	1.50	0.77	0.00	0.06	0.58	0.00	0.00	0.00	1.31	0.00	0.00	4.22
IMPERIAL FAA AP	3.75	0.00	0.25	0.95	0.00	1.48	0.49	T	T	0.58	T	0.00	0.00	1.14	T	0.00	3.69
NILAND	3.64	0.00	0.08	1.05	0.00	1.22	0.72	0.00	0.00	0.57	0.00	0.00	0.00	3.95	0.00	0.00	6.46
AMOS-OGILBY HYDROLOGIC UNIT X26																	
GOLD ROCK RANCH	5.56	T	0.27	1.95	0.00	1.79	0.89	0.00	0.66	0.00	0.00	0.00	0.00	0.92	0.00	0.00	4.26

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SANTA ANA RIVER HYDROLOGIC UNIT Y01																	
ALISO CANYON COOK	12.08	0.00	0.00	0.00	0.00	4.33	2.11	0.83	0.40	2.95	0.96	0.50	0.00	0.06	0.00	0.00	12.14
ALTA LOMA-FORNEY	14.68	0.00	0.00	0.91	0.00	4.41	1.30	1.69	1.07	4.07	1.05	0.18	0.00	0.72	0.00	0.00	14.49
ANAHEIM AUTOMATIC	10.58	0.00	0.00	0.42	0.00	2.70	2.66	0.83	0.68	2.70	0.57	0.02	0.00	0.20	0.00	0.00	10.36
ANAHEIM CARROLL RCH	10.38	0.00	0.00	0.47	0.00	3.96	1.35	0.70	0.68	2.81	0.40	0.01	0.00	0.05	0.25	0.00	10.21
ANAHEIM WATER WORKS	10.00	0.00	0.00	0.50	0.00	2.20	2.45	0.92	0.62	2.79	0.50	0.02	0.00	0.14	0.00	0.00	9.64
ARLINGTON	8.42	0.29	0.24	0.20	0.01	1.76	1.47	0.73	0.26	2.37	0.90	0.19	0.00	0.47	0.04	0.00	8.20
ARLNGTN MKNGBRD GCCO	--	0.00	1.00	0.16	--	--	--	--	--	--	0.77	0.03	0.00	0.35	0.12	0.00	--
BEAUMONT 1 E	13.61	T	0.16	0.98	0.00	4.25	2.05	1.25	0.47	2.84	1.05	0.32	0.24	1.14	0.00	T	13.61
BEAUMONT S D F	15.05	0.04	0.08	1.65	0.00	3.40	2.67	1.49	0.58	3.08	1.56	0.32	0.18	1.18	0.63	0.00	14.49
BIG BEAR LAKE	18.95	0.55	1.07	1.33	0.00	4.59	5.08	1.31	1.25	2.10	1.57	0.10	0.00	2.00	0.63	0.00	18.63
BIG BEAR LAKE F D	18.92	0.55	1.07	1.33	0.00	4.59	5.05	1.31	1.25	2.10	1.57	0.10	0.00	2.00	0.63	0.00	18.60
BIG BEAR LAKE DAM	--	0.05	1.49	1.8E	--	--	--	9.24	0.88	7.30	--	--	--	--	--	--	--
BIG BEAR CITY	13.89	0.60	3.52	2.65	0.00	2.32	2.79	0.19	0.64	0.75	0.43	0.00	0.00	2.15	0.31	0.00	9.58
BLOOMINGTON	11.95	T	0.07	0.36	0.00	3.85	2.05	1.39	0.32	2.64	1.01	0.06	0.20	0.69	0.00	0.00	12.21
CAJALCO 1	7.23	T	0.08	0.47	0.00	2.13	1.49	0.60	0.31	1.35	0.59	0.21	0.00	0.54	T	0.00	7.22
CAJON JUNCTION	15.24	0.03	0.46	0.67	0.00	4.62	2.63	1.57	1.95	2.50	0.81	0.00	0.00	0.80	0.04	0.00	14.92
CALIMESA C D F	14.55	0.00	0.43	0.52	0.00	4.59	2.59	0.99	0.52	3.30	0.98	0.26	0.37	1.01	0.00	0.00	14.61
CHERRY VALLEY S D F	20.03	0.24	0.22	1.37	0.00	4.32	3.22	1.41	0.89	5.77	1.49	0.42	0.68	1.37	0.05	0.00	19.62
CHINO-IMBACH	--	0.00	0.25	0.07	--	3.38	2.87	1.15	0.56	3.77	0.45	--	0.03	0.45	--	--	--
CHINO FIRE STATION	--	0.00	0.05	0.06	--	3.92	--	1.31	0.66	5.09	0.45	0.01	--	0.35	0.00	0.00	--
CHINO FIRE STATION 2	16.55	0.00	T	0.25	0.00	4.93	3.27	1.20	0.62	5.37	0.89	0.02	T	0.26	0.00	0.00	16.56
CLAREMONT FIRE STA	14.42	0.00	T	0.19	0.00	5.34	1.71	1.47	1.13	3.53	0.83	0.10	0.12	0.35	0.04	0.00	14.62
CLAREMONT PUMONA COL	13.99	0.00	0.00	0.25	0.00	5.06	1.70	1.34	0.96	3.76	0.80	0.05	0.07	0.42	0.00	0.00	14.16
COLTON HWY YARDS	11.42	0.00	0.21	0.27	0.00	2.44	3.05	1.36	0.36	2.56	0.97	0.17	0.03	0.70	0.19	0.00	11.83
COLTON F. D.	9.58	0.00	0.29	0.19	0.00	2.52	2.28	1.00	0.00	2.25	0.88	0.17	0.00	0.72	0.10	0.00	9.92
CORONA	--	0.00	0.47	0.18	--	--	--	0.75	0.25	2.32	0.71	0.03	0.00	0.36	0.00	0.00	--
CORONA DEL MAR	8.21	0.00	0.00	0.46	T	2.81	1.77	0.77	0.18	1.55	0.41	0.26	T	--	0.00	0.00	--
CORONA S D F	9.76	0.00	0.61	0.11	0.00	2.35	1.49	0.62	0.36	3.12	1.04	0.06	0.00	0.43	0.00	0.00	9.47
CORONA LEMON CO 2	11.40	0.00	0.26	0.20	T	3.28	2.73	0.83	0.37	3.70	0.00	0.03	0.00	0.15	T	0.00	11.09
CORONA LEMON CO 3	11.90	0.00	0.74	0.04	0.00	3.23	2.65	0.80	0.39	2.91	1.11	0.03	0.00	0.15	T	0.00	11.27
COSTA MESA	7.96	0.00	0.00	0.24	T	2.49	1.66	0.75	0.26	1.90	0.60	0.06	0.00	--	0.00	0.00	--
COSTA MESA UODGE	8.36	0.00	0.00	0.30	0.00	2.79	1.69	0.76	0.30	1.81	0.60	0.11	0.00	0.00	0.00	0.00	8.06
CRAFTON SCHNEIDER	12.72	0.00	0.97	0.07	0.00	3.98	2.30	0.69	0.61	2.61	1.03	0.46	0.00	1.40	0.00	0.00	13.08
CRESTLINE SB 176	19.15	0.00	0.15	0.92	0.00	8.91	1.04	1.62	2.30	1.40	1.05	1.13	0.63	0.66	0.04	0.00	18.78
CRESTLINE S E	25.86	0.00	0.35	1.00	0.00	9.23	4.08	2.34	1.87	4.52	1.36	0.93	0.18	0.90	0.20	0.01	25.62
CUCAMONGA RES 2	--	--	--	--	0.00	4.08	1.85	1.40	0.59	3.91	0.96	0.07	0.00	0.17	0.00	0.00	13.03
DECLEZ	--	--	--	--	0.00	3.05	3.29	1.68	0.58	2.37	1.18	0.07	0.01	0.54	0.00	0.00	12.77
DEL ROSA COWAN	12.97	0.00	0.02	0.48	0.00	3.00	3.19	1.03	0.77	2.77	1.20	0.46	0.05	0.41	0.18	0.00	13.06
DEL ROSA RANGER	15.02	0.00	0.30	0.46	0.00	4.48	2.74	1.08	0.76	3.43	1.16	0.48	0.13	0.44	0.19	0.00	14.89
DEVORE	--	--	--	--	0.00	7.12	2.04	1.85	1.43	3.37	0.92	0.41	0.41	0.35	--	--	--
DEVORE ST. FOR.	19.47	0.00	0.02	0.40	0.00	6.53	3.61	2.02	1.95	3.77	0.83	0.14	0.20	0.37	0.00	0.00	19.42
DIAMOND BAR HORSE CP	15.51	0.00	0.00	0.01	0.00	4.34	3.31	0.92	0.39	5.76	0.73	0.05	0.00	0.44	0.07	0.00	16.01
E HIGHLAND GOLD	--	--	--	--	--	--	2.00	0.48	--	1.54	0.78	0.30	--	0.16	--	--	--
E HIGHLAND ORANGE	9.88	0.00	0.44	0.22	0.00	1.92	2.11	0.98	0.54	2.10	1.02	0.54	0.01	0.53	0.00	0.00	9.75
EDGEMONT FIRE ST SDF	10.88	T	0.67	0.30	0.00	3.29	1.73	0.89	0.46	2.47	0.88	0.19	0.00	1.05	0.00	0.00	10.96
EL CERRITO	7.69	0.00	0.55	0.05	0.00	2.68	1.46	0.76	0.17	1.42	0.54	0.06	0.00	0.21	0.00	0.00	7.30
EL TORO LOS ALISO HN	11.39	0.00	0.00	0.49	0.00	3.09	3.00	0.81	0.59	2.22	0.89	0.30	0.00	--	--	--	--
ETIWANDA	14.85	0.00	T	0.46	0.00	3.65	2.85	1.67	0.90	3.57	1.61	0.12	0.02	0.94	0.00	0.00	15.33
FONTANA HERALD NEWS	13.36	0.00	0.00	0.13	0.00	3.21	3.27	1.32	0.52	3.62	1.20	0.09	T	0.64	T	0.00	13.87
FONTANA CO YDS	--	0.00	0.00	0.00	0.00	4.14	2.48	1.32	0.47	3.43	1.14	--	0.00	0.33	0.00	0.00	--
FONTANA S N	20.76	0.00	T	0.29	0.00	8.37	3.11	1.94	1.43	4.34	0.89	0.29	0.10	2.13	T	0.00	22.60
FONTANA KAISER	--	T	T	0.19	--	--	--	1.37	0.67	3.82	1.19	0.02	0.01	0.27	0.03	0.01	--
FONTANA SEWAGE	10.95	0.00	T	0.16	0.00	3.13	2.48	1.09	0.24	3.04	0.72	0.09	0.00	0.46	0.00	--	--
FOREST FALLS	26.36	1.53	0.00	2.47	0.00	8.21	3.99	2.57	1.64	3.77							

PRECIPITATION IN INCHES

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SANTA ANA DRAINAGE PROVINCE Y																	
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02																	
BUNDY CANYON ROAD	15.89	0.06	0.64	0.19	0.00	6.27	3.70	0.73	0.56	2.71	0.74	0.29	0.00	0.33	0.00	0.00	15.33
ELSINORE	9.04	0.01	0.00	0.03	0.00	3.25	1.93	0.57	0.37	2.66	0.12	0.10	0.00	0.28	0.00	0.00	9.28
HEMET	10.41	0.15	0.93	2.35	0.00	1.65	2.40	0.63	0.39	0.91	0.89	0.11	0.00	0.65	0.00	0.00	7.63
HOMELAND IN SEC 17	9.24	0.00	T	0.67	0.00	3.40	1.74	0.52	0.42	1.42	0.88	0.13	0.06	0.44	T	0.00	9.01
JUNIPER FLATS	9.27	0.00	0.00	0.62	0.00	3.44	1.61	0.64	0.38	1.46	0.92	0.20	0.00	0.19	0.00	0.00	8.84
LAKELAND VILLAGE	11.02	0.00	0.00	0.08	0.00	4.20	2.63	0.83	0.34	1.72	1.01	0.21	0.00	0.29	0.00	0.00	11.23
LITTLE LAKE VLY VISF	11.00	0.19	0.23	2.81	0.00	2.56	2.47	0.67	0.58	0.95	0.30	0.14	0.10	0.35	0.00	0.00	8.12
PERRIS	10.06	0.00	0.02	0.60	0.00	4.61	1.06	0.50	0.45	1.79	0.90	0.13	0.00	3.65	0.00	0.00	13.09
PERRIS RES EVAP	--	0.00	T	0.03	--	--	1.53	0.45	0.20	1.79	1.05	0.05	0.00	1.90	0.00	0.00	--
QUAIL VALLEY	--	0.30	0.47	0.60	--	--	--	--	--	--	--	--	--	--	--	--	--
RAILROAD CANYON DAM	9.60	0.00	1.11	0.06	0.00	5.13	0.99	0.25	0.37	0.99	0.54	0.16	0.00	0.24	0.00	0.00	8.67
RYAN FIELD	7.70	0.11	0.09	0.87	0.00	1.63	1.72	0.46	0.53	1.24	0.91	0.14	T	0.31	0.00	0.00	6.94
SAN JACINTO	10.21	0.02	T	1.76	0.00	2.67	1.79	0.69	0.54	1.42	1.07	0.12	0.13	0.38	0.11	0.00	8.92
SAN JACINTO RS - SUF	10.13	T	0.08	2.00	0.00	2.48	1.94	0.66	0.48	1.33	0.92	0.12	0.12	0.39	0.11	0.00	8.55
SUNNYMEAD	10.60	T	0.79	0.53	0.00	3.28	1.83	0.80	0.46	1.80	0.93	0.18	0.00	1.01	0.03	0.00	10.32
WEST PORTAL RIVERSDE	10.05	0.00	0.37	1.31	0.00	2.93	1.92	0.58	0.20	1.50	1.05	0.12	0.07	2.10	0.00	0.00	10.47

See page 24 for key to terms & abbreviations

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE 2																	
SAN JUAN HYDROLOGIC UNIT Z01																	
CAPISTRANO BEACH	7.12	0.00	0.00	0.35	0.00	1.65	1.58	0.38	0.49	1.72	0.60	0.35	0.00	--	0.00	0.00	--
EL TORO	10.30	0.00	0.00	0.63	0.01	2.77	2.01	1.04	0.39	2.42	0.89	0.14	0.00	0.10	0.00	0.00	9.77
LAGUNA BEACH	7.39	0.01	0.00	0.48	0.00	1.71	1.33	0.82	0.32	1.87	0.70	0.15	0.00	0.18	T	0.00	7.08
SAN CLEMENTE POLICE	10.26	0.00	0.00	0.20	0.00	3.38	1.72	0.27	0.61	3.09	0.74	0.25	0.00	0.11	0.00	0.00	10.17
SAN JUAN CAPISTRANO	10.13	0.00	0.00	0.29	0.00	3.50	1.74	0.42	0.65	2.39	0.78	0.36	0.00	0.00	0.00	0.00	9.84
S JUAN CPSTHN SUBSTA	9.04	0.00	0.00	0.15	0.00	2.72	1.59	0.50	0.47	2.45	0.89	0.27	0.00	0.33	0.00	0.00	9.22
SAN ONOFRE	--	--	--	--	0.00	3.54	1.24	0.27	0.70	1.83	0.86	0.07	0.00	0.05	0.00	0.00	8.56
SANTIAGO PEAK	21.24	0.00	0.02	0.48	0.00	4.58	4.13	2.32	1.16	6.19	1.87	0.49	0.00	0.02	0.00	0.00	20.76
TRABUCO CANYON	--	0.00	0.05	0.12	0.00	4.39	2.38	1.10	0.71	--	--	--	--	0.00	0.00	0.00	--
SANTA MARGARITA HYDROLOGIC UNIT Z02																	
ANZA	17.4E	1.3E	2.75	4.19	0.00	2.14	3.09	0.44	0.30	1.44	1.38	0.33	0.00	0.20	0.35	0.00	9.67
HOWELL RANCH	12.25	0.00	0.12	0.09	0.00	4.83	1.92	0.87	0.43	2.59	1.05	0.35	0.00	0.12	0.00	0.00	12.16
LAKE O NEILL	--	--	--	--	0.00	2.21	1.54	0.47	0.44	1.22	0.93	0.04	0.01	0.32	0.00	0.00	7.18
MURRIETA SCS	10.13	0.00	0.14	0.54	0.00	3.14	1.75	1.00	0.52	2.14	0.75	0.15	0.00	0.18	0.00	0.07	9.70
OCEANSIDE PENDLETON	8.82	T	0.00	0.11	0.00	2.62	2.40	0.27	0.71	2.23	0.42	0.06	T	0.37	0.00	0.00	9.08
PALOMAR MTN OBSERV	24.63	0.09	0.47	0.58	0.00	6.37	8.00	1.15	0.81	4.34	2.12	0.70	T	1.65	0.00	0.04	25.18
RAINBOW CONSERVATION	14.27	T	T	0.26	0.00	4.81	3.08	0.88	0.48	3.36	1.00	0.40	T	0.27	0.00	0.00	14.28
SAGE F C STA	10.65	0.97	0.23	0.66	0.00	2.44	2.67	0.59	0.44	1.11	1.21	0.31	0.02	0.25	0.00	0.00	9.04
SAN DIEGO CANAL COT	8.42	0.00	0.02	0.60	0.00	1.83	2.63	0.55	0.26	1.53	0.78	0.22	0.00	0.27	0.00	0.00	8.07
TEMECULA F S	10.03	T	0.01	0.15	0.00	2.31	2.84	0.80	0.20	2.51	1.00	0.21	0.00	0.63	0.00	0.00	10.50
SAN LUIS REY HYDROLOGIC UNIT Z03																	
FALLBROOK FIRE STA	10.81	T	0.02	0.34	0.00	2.95	2.68	0.57	0.37	2.77	0.95	0.14	0.02	0.03	0.14	0.00	10.62
HENSHAW DAM	18.64	0.12	1.23	0.26	0.00	2.80	7.34	1.51	0.35	3.00	1.43	0.60	0.00	0.47	0.05	0.00	17.55
PUERTA LA CRUZ	14.14	0.55	2.37	1.40	0.00	1.70	3.70	0.65	0.35	1.93	1.29	0.20	0.00	--	--	--	--
RANCHITA	--	1.21	0.78	1.88	0.00	1.75	--	0.12	0.00	0.00	T	0.32	0.00	4.12	0.00	0.00	--
VISTA ID SHUP	11.03	0.18	1.01	1.30	0.00	1.80	3.53	0.52	0.21	1.55	0.80	0.13	0.00	--	--	--	--
VISTA ID 10 FT WEIR	16.08	0.30	0.67	0.90	0.00	2.45	6.25	1.00	0.35	2.10	1.56	0.50	0.00	--	--	--	--
VISTA ID V-NOTCH	15.11	0.55	1.70	0.94	0.00	2.52	4.70	0.80	0.30	2.00	1.20	0.40	0.00	--	--	--	--
VISTA ID WEST FORK	16.75	0.43	0.11	0.57	0.00	2.00	6.80	1.55	0.25	2.17	2.42	0.45	0.00	--	--	--	--
WARNER SPRINGS	13.79	0.95	3.36	1.24	0.00	1.74	2.92	0.52	0.26	1.69	0.83	0.28	0.00	1.27	1.15	0.60	11.26
CARLSBAD HYDROLOGIC UNIT Z04																	
E RES VISTA ID	10.07	0.01	0.00	0.05	0.00	2.59	2.94	0.70	0.38	2.58	0.64	0.08	0.10	0.23	0.00	0.00	10.24
ESCONDIDO	13.05	0.09	0.42	0.50	0.00	4.61	3.20	0.53	0.45	2.14	0.84	0.25	0.02	0.06	0.00	0.00	12.10
LAKE SAN MARCUS	--	--	--	--	0.00	3.44	3.10	0.55	1.03	1.71	0.92	0.10	0.15	--	--	--	--
PALOMAR AIRPORT	8.54	0.03	T	0.00	0.00	2.47	2.49	0.47	0.51	1.65	0.77	0.05	0.10	0.02	--	--	--
PECHSTEIN DAM	--	--	--	--	0.00	3.26	2.99	0.76	0.72	2.64	0.58	0.07	0.10	0.07	0.00	0.00	11.19
SAN DIEGUITO CO PARK	9.04	0.07	0.04	0.03	0.00	3.20	1.86	0.33	0.92	1.88	0.45	0.14	0.12	0.12	--	0.02	--
SAN LUIS REY S D G+E	10.15	T	0.00	0.01	T	3.07	2.76	0.26	0.49	2.97	0.45	0.08	0.06	--	--	--	--
SAN MARCOS CO RD STA	--	0.00	0.00	0.00	0.00	1.98	1.53	--	--	1.46	0.79	0.06	0.10	0.08	0.03	--	--
VISTA CO RD STATION	--	--	--	--	0.00	1.89	2.53	0.45	0.24	2.60	0.65	0.06	0.09	0.06	0.00	0.00	8.57
VISTA S D G+E	11.99	0.00	0.00	0.00	0.00	4.34	2.97	0.66	0.26	3.14	0.55	0.00	0.07	--	--	--	--
SAN DIEGUITO HYDROLOGIC UNIT Z05																	
DEL MAR S D G+E	9.64	0.07	0.01	0.05	0.00	2.71	3.32	0.31	0.48	2.03	0.57	0.08	0.01	--	--	--	--
HODGES DAM	12.11	0.07	0.37	0.00	0.00	3.93	3.40	0.73	0.30	2.29	0.68	0.29	0.05	0.10	0.00	0.00	11.77
RAMONA SPAULDING	11.21	0.18	0.14	0.08	0.02	2.58	3.74	0.73	0.48	1.66	1.09	0.46	0.05	0.20	0.00	0.00	11.01
SAN DIEGUITO DAM	10.95	0.17	0.24	0.03	0.02	3.09	2.84	0.55	0.60	2.59	0.50	0.25	0.07	0.08	0.00	0.00	10.59
SUTHERLAND DAM	12.06	0.45	0.24	0.28	0.00	2.92	3.11	1.07	0.38	2.70	0.09	0.70	0.12	0.47	0.00	0.00	11.56
VINEYARD RANCH	13.09	0.32	0.32	0.19	0.00	2.96	4.04	0.72	0.34	2.45	1.13	0.47	0.15	0.18	0.00	0.00	12.44
VISTA ID WAhNER RCH	14.66	0.44	2.53	1.77	0.00	2.24	4.05	0.82	0.30	1.25	0.94	0.32	0.00	--	--	--	--
PENASQUITA HYDROLOGIC UNIT Z06																	
MIRAMAR	7.98	0.08	0.00	0.22	0.22	1.93	1.98	0.43	0.32	1.57	1.02	0.17	0.04	0.14	T	0.00	7.82
POWAY CO RD STA	6.70	0.12	0.11	0.04	0.00	1.61	2.02	0.36	0.30	0.99	0.84	0.26	0.05	0.03	0.03	0.00	6.49
POWAY-HENSHAW	8.23	0.15	0.23	0.06	0.00	1.87	2.67	0.40	0.23	1.34	0.97	0.27	0.04	0.04	--	--	--
POWAY VALLEY	9.84	0.16	0.19	0.03	0.00	2.08	2.63	0.40	0.39	2.64	1.03	0.24	0.05	0.35	0.00	T	9.81
SAN DIEGO HYDROLOGIC UNIT Z07																	
ALPINE	11.51	0.15	0.01	0.15	0.00	3.75	3.31	0.74	0.50	1.32	0.93	0.61	0.04	0.09	0.00	0.10	11.39
BLOSSOM VALLEY	--	0.28	0.06	0.20	0.00	2.93	--	0.76	0.51	1.42	1.03	0.45	0.05	0.33	0.00	0.00	--
COUNTY OPER CENTER	--	--	--	--	0.01	2.94	1.97	0.48	0.33	1.21	0.69	0.20	0.01	0.13	0.00	0.00	7.97
CUYAMACA	30.50	0.19	0.11	2.89	0.00	4.86	13.42	1.56	0.53	2.65	2.99	1.30	0.00	1.07	0.10	0.00	28.48
EL CAJON SUGE	8.89	0.04	0.01	0.00	0.01	2.80	2.95	0.53	0.49	0.99	0.78	0.24	0.05	--	--	--	--

TABLE A-2 (Cont.)
PRECIPITATION DATA
SOUTHERN CALIFORNIA

PRECIPITATION IN INCHES

STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE 2																	
SAN DIEGO HYDROLOGIC UNIT Z07																	
EL CAPITAN DAM	10.91	0.12	0.00	0.03	0.00	3.34	3.46	0.80	0.45	1.31	0.79	0.56	0.05	0.11	0.00	0.00	10.87
FLINN SPG CO PARK	9.41	0.13	0.06	0.19	0.00	3.08	2.55	0.63	0.47	1.09	0.84	0.35	0.02	0.23	0.00	0.00	9.26
GILLESPIE FIELD	8.84	0.04	0.06	0.01	0.00	3.27	2.11	0.58	0.52	1.07	0.89	0.24	0.05	0.09	T	0.00	8.82
JULIAN WYNOLA	19.45	0.41	1.97	1.35	0.00	3.71	5.76	1.27	0.44	1.91	1.59	0.89	0.15	0.18	0.63	0.00	16.53
LAKESIDE 2 E	10.00	0.06	0.17	0.12	0.00	2.81	2.91	0.73	0.47	1.39	0.94	0.36	0.04	0.21	0.00	0.00	9.86
LINDA VISTA-RIEDY	7.46	0.10	T	0.05	0.00	2.83	1.58	0.57	0.17	1.53	0.51	0.05	0.07	0.30	0.00	0.00	7.61
MISSION SUB STA SOGE	8.37	0.30	0.30	0.01	0.03	2.80	2.12	0.55	0.19	1.31	0.58	0.16	0.02	--	--	--	--
MURRAY DAM	8.54	0.03	0.00	0.02	0.02	3.06	2.19	0.56	0.27	1.36	0.70	0.33	0.00	0.06	0.00	0.00	8.55
PEERLESS-RASP	--	0.08	0.11	0.02	--	3.09	2.70	0.69	0.50	0.16	0.86	0.24	0.07	0.13	0.00	0.00	--
RHO ARBOLEDA	11.48	0.16	0.05	0.05	0.00	4.34	3.07	0.70	0.63	1.11	0.94	0.33	0.10	0.44	0.00	0.00	11.66
SAN VICENTE RES	12.21	0.22	0.50	0.12	0.04	3.78	3.09	0.88	0.56	1.84	0.77	0.37	0.04	0.25	0.00	0.00	11.62
CORONADO HYDROLOGIC UNIT Z08																	
CABRILLO NAT MON	--	0.00	T	0.05	0.09	2.59	1.77	0.40	0.39	--	--	--	--	--	--	--	--
CHOLLAS RESERVOIR	8.32	0.04	0.01	0.09	0.09	2.38	2.21	0.32	0.58	1.87	0.63	0.07	0.03	0.08	0.00	0.00	8.26
LA MESA	9.24	0.08	0.11	0.01	0.00	3.37	2.30	0.21	0.65	1.39	0.79	0.23	0.10	0.28	0.00	0.00	9.32
POINT LOMA SDCFCO	5.78	0.00	0.01	0.05	0.00	2.07	1.41	0.46	0.21	1.17	0.34	0.06	0.00	0.12	0.00	0.00	5.84
SAN DIEGO WB AP	7.96	0.01	0.14	0.08	0.00	3.53	1.66	0.35	0.22	1.55	0.34	0.08	T	0.13	T	T	7.86
SWEETWATER HYDROLOGIC UNIT Z09																	
BONITA	10.35	0.05	T	0.06	0.00	3.80	2.24	0.55	0.53	2.28	0.84	0.00	0.00	0.17	0.00	0.00	10.41
CHULA VISTA S D G+E	10.47	0.07	T	0.00	0.04	3.31	2.20	0.60	0.59	2.90	0.65	0.08	0.03	--	--	--	--
DESCANSO R S	17.34	0.60	1.10	0.49	0.00	3.22	6.40	0.58	0.01	2.15	1.69	1.05	0.05	0.36	0.00	T	15.51
FROSTLESS ACRES	11.01	0.05	0.13	0.01	0.00	3.87	3.01	0.53	0.66	1.53	0.86	0.27	0.09	0.18	0.00	0.00	11.00
LEMON GROVE FIRE DEP	--	0.06	0.01	--	0.00	4.38	2.59	0.26	0.90	2.40	1.02	0.16	0.12	--	--	--	--
LOVELAND DAM	--	--	--	--	0.00	3.88	4.17	0.61	0.81	1.63	1.11	0.50	0.05	0.35	0.00	0.00	13.11
LYNWOOD HILLS	--	0.05	T	T	0.00	3.80	1.85	0.55	--	--	--	--	--	0.10	0.00	0.00	--
SPRING VALLEY FD	10.00	0.10	0.00	0.00	0.00	3.37	2.40	0.38	0.40	2.34	0.82	0.10	0.09	0.16	0.00	0.00	10.06
SWEETWATER DAM	10.34	0.10	0.03	0.07	0.00	3.40	2.76	0.52	0.58	1.96	0.67	0.18	0.07	0.23	0.00	0.00	10.37
OTAY HYDROLOGIC UNIT Z10																	
CHULA VISTA	10.49	0.06	T	0.05	0.00	3.66	2.09	0.40	0.56	3.15	0.46	0.02	0.04	0.16	0.00	0.00	10.54
UPPER OTAY	--	--	--	--	0.00	3.64	2.74	0.51	0.61	2.43	0.82	0.28	0.11	0.43	0.00	0.00	11.57
TIAJUANA HYDROLOGIC UNIT Z11																	
BARRETT DAM	14.30	0.36	0.08	0.20	0.00	3.73	4.93	0.31	0.69	2.03	1.42	0.51	0.04	0.27	0.00	0.00	13.93
CAMPO	14.19	0.34	0.49	0.82	0.00	3.65	4.23	0.58	0.73	2.19	0.85	0.28	0.03	1.88	0.06	0.00	14.48
MARRON VALLEY	12.42	0.14	0.00	0.00	0.00	4.11	3.75	0.26	0.82	2.30	0.82	0.22	0.00	0.18	0.00	0.00	12.46
POTRERO	15.54	0.51	0.58	0.25	0.00	3.73	5.07	0.56	0.87	2.61	0.96	0.34	0.06	0.44	0.00	0.00	14.64

TABLE A-3

AIR TEMPERATURE DATA

The definition of terms and abbreviations used in connection with this table are as follows:

Max	The highest temperature of record for the month.
Min	The lowest temperature of record for the month.
Av Max	The arithmetical average of daily maximum temperatures for the month.
Av Min	The arithmetical average of daily minimum temperatures for the month.
Avg	The arithmetical average of daily maximum and minimum temperatures for the month.
--	No record or record incomplete.
.M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.

TABLE A-3
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
CENTRAL COASTAL DRAINAGE PROVINCE T																
SAN LUIS OBISPO HYDROLOGIC UNIT T10																
WHALE ROCK UAM	MAX	80	75	88	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	52	55	54	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	68.3	66.6	72.3	78.1	68.5	59.8	62.6	63.3	65.2	66.1	66.4	66.2	64.0	68.7	71.5
	AV MIN	55.3	56.4	58.2	57.5	55.0	46.1	45.9	51.8	49.6	48.9	49.4	52.8	54.2	55.0	55.8
	AVG	61.8	61.5	65.3	67.8	61.8	53.0	54.3	57.6	57.4	57.5	57.9	59.5	59.1	61.9	63.7

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
VENTURA RIVER HYDROLOGIC UNIT U02																
CASITAS DAM	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	81.2	87.8	81.2	82.6	74.0	65.2	67.0	70.0	71.2	73.2	73.7	75.5	82.5	79.0	81.9
	AV MIN	55.7	59.1	57.8	47.5	47.0	34.1	35.1	44.4	41.6	42.9	46.6	48.8	53.7	52.1	51.7
	AVG	68.5	73.5	69.5	65.1	60.5	49.7	51.1	57.2	56.4	58.1	60.2	62.2	68.1	65.6	66.8
CASITAS RESERVOIR	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	84.9	90.3	81.8	84.4	73.9	64.1	66.0	69.4	70.6	72.7	73.8	78.1	86.1	82.9	82.7
	AV MIN	56.2	59.9	57.2	46.1	46.5	34.3	34.7	42.9	39.6	41.2	46.2	47.3	69.2	52.2	50.3
	AVG	70.6	75.1	69.5	65.3	60.2	49.2	50.4	56.2	55.1	57.0	60.0	62.7	77.7	67.6	66.5
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																
ACTION ALISO CANYON	MAX	102	103	90	--	--	--	--	74	80	--	--	102	100	100	--
	MIN	49	47	44	--	--	--	--	38	22	--	--	50	52	40	--
	AV MAX	93.0	94.6	84.6	--	--	--	--	56.4M	60.8M	--	--	89.7M	94.1M	90.2M	--
	AV MIN	57.5	59.4	51.9	--	--	--	--	40.5M	38.7M	--	--	59.4M	59.4	52.4M	--
	AVG	75.3	77.0	68.3	--	--	--	--	49.5M	49.8M	--	--	74.6M	76.8M	71.3M	--
FISH CREEK	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	--	--	--	65.0	66.0M	67.0	71.0	76.0	86.0	93.0	87.0	85.0
	AV MIN	--	--	--	--	--	--	40.0	48.0M	46.0	47.0	51.0	58.0	65.0	61.0	62.0
	AVG	--	--	--	--	--	--	52.5	57.0M	56.5	59.0	63.5	72.0	79.0	74.0	73.5
LITTLE GLEASON	MAX	--	--	--	--	--	--	61	69	69	74	84	93	--	--	91
	MIN	--	--	--	--	--	--	18	30	24	25	27	34	--	--	44
	AV MAX	--	--	--	--	--	--	47.2	53.8	54.7	55.7	68.5	79.7	--	--	83.5M
	AV MIN	--	--	--	--	--	--	31.4	37.9	33.7	35.5	42.2	51.7	--	--	50.9M
	AVG	--	--	--	--	--	--	39.3	45.9	44.2	45.6	55.4	65.7	--	--	67.2M
PYRAMID RESERVOIR	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	94.0	96.0	86.0	82.0	68.0	54.0	57.0	64.0	64.0	71.0	76.0	86.0	93.0	89.0	90.0
	AV MIN	58.0	58.0	54.0	46.0	41.0	31.0	32.0	40.0	37.0	39.0	47.0	54.0	57.0	56.0	54.0
	AVG	76.0	77.0	70.0	64.0	54.5	42.5	44.5	52.0	50.5	55.0	61.5	71.0	75.0	72.5	72.0
SAN FRANCISQUILLO 2	MAX	107	108	100	96	92	73	75	81	83	86	100	106	102	100	100
	MIN	54	56	0	44	34	28	27	36	32	30	38	41	48	45	42
	AV MAX	97.6	99.1	86.3	85.5	74.1	56.8	60.9	65.6	68.0	72.0	77.5	85.5	92.3	86.7	87.6
	AV MIN	61.1	64.3	56.3	50.9	46.3	36.0	37.5	44.8	41.0	40.6	47.4	51.8	58.2	54.4	53.4
	AVG	79.4	81.7	71.3	68.2	60.2	46.4	49.2	55.2	54.5	56.3	62.5	68.7	75.3	70.6	70.5
SAUGUS EDISON STA	MAX	107	112	100	97	95	78	80	84	89	91	105	106	106	104	107
	MIN	51	55	47	35	31	24	20	26	24	32	27	46	50	44	42
	AV MAX	99.3	102.1	88.4	86.5	74.7	60.6	63.3	68.7	70.9	76.8	80.7	88.8	96.4	91.9	91.6
	AV MIN	58.1	61.8	55.4	45.2	43.7	34.8	32.4	41.1	35.7	40.3	48.6	53.7	58.8	54.9	52.6
	AVG	78.7	82.0	71.9	65.9	59.2	47.7	47.9	54.9	53.3	58.6	64.7	71.3	77.6	73.4	72.1
WAYSIDE H R EVAP	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	93.0	84.0	63.0	68.0	73.0	79.0	80.0	81.0	91.0	98.0	93.0	--
	AV MIN	--	--	--	40.0	38.0	29.0	31.0	39.0	35.0	38.0	39.0	47.0	53.0	51.0	--
	AVG	--	--	--	66.5	61.0	46.0	49.5	56.0	57.0	59.0	60.0	69.0	75.5	72.0	--
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
ARCADIA ARBOREUM	MAX	96	109	101	104	95	78	85	85	87	91	95	95	96	97	101
	MIN	59	67	64	56	45	32	34	42	39	39	43	51	53	53	49
	AV MAX	91.2	97.7	89.8	90.7	80.6	65.7	67.4	70.2	72.8	74.7	75.4	81.1	88.3	86.6	84.5
	AV MIN	64.2	70.8	69.6	60.8	58.1	44.5	41.7	49.4	46.8	49.2M	53.3	57.4	60.9	60.4	59.2
	AVG	77.7	84.3	79.7	75.8	69.4	55.1	54.6	59.8	59.8	62.0M	64.4	69.3	74.6	73.5	71.9
ASCOT COVERED RES	MAX	91	101	99	98	90	78	81	85	88	93	93	89	96	97	98
	MIN	56	60	55	52	40	32	34	42	41	42	44	51	54	54	52
	AV MAX	84.8	87.5	83.5	82.3	73.9	62.6	67.0	68.8	72.0	72.5	73.2	77.5	84.6	84.8	82.2
	AV MIN	60.1	63.9	62.3	56.1	52.7	42.1	43.3	48.9	46.6	49.4	51.5	56.2	59.7	59.3	58.7
	AVG	72.5	75.7	72.9	69.2	63.3	52.4	55.2	58.9	59.3	61.0	62.4	66.9	72.2	72.1	70.5
AZUSA CITY PARK	MAX	95	106	94	99	90	79	81	87	88	89	96	96	99	98	102
	MIN	52	56	55	46	35	30	30	40	39	38	42	50	52	53	49
	AV MAX	89.7	93.5	84.7	84.4	75.8	63.9	67.2	71.2	73.0	74.4	75.5	81.5	89.4	86.9	85.3
	AV MIN	57.6	62.0	59.7	51.8	47.3	37.6	37.8	47.0	46.9	48.8	51.9	55.9	60.0	59.6	57.2
	AVG	73.7	77.8	72.2	68.1	61.6	50.8	52.5	59.1	60.0	61.6	63.7	68.7	74.7	73.3	71.3
BIG DALTON DAM	MAX	97	106	94	101	93	--	83	88	90	93	97	99	100	102	106
	MIN	56	57	55	49	38	--	32	41	37	37	38	49	51	51	46
	AV MAX	91.5	94.2	85.1	87.7M	76.6	--	67.1	70.3	74.0	76.4	77.8	83.2	90.9	88.6	88.8
	AV MIN	61.4	65.9	60.5	57.0	53.2	--	41.5	48.5	45.5	46.6M	50.2	55.9	62.3	59.9	59.5
	AVG	76.5	80.1	72.8	72.4M	64.9	--	54.3	59.4	59.8	61.5M	64.0	69.6	76.6	74.3	74.2
BIG SANTA ANITA DAM	MAX	92	102	93	97	89	78	79	85	85	88	92	93	95	96	101
	MIN	52	56	56	51	42	32	35	43	40	41	41	50	50	53	49
	AV MAX	87.2	90.8	81.9	83.4	72.6	62.3	64.6	67.2	69.0	70.5	71.4	76.9	85.8	84.1	83.2
	AV MIN	61.2	66.0	61.2	59.9	54.4	43.3	45.3	50.6	48.9	48.8	51.6	55.6	61.5	59.7	61.3
	AVG	74.2	78.4	71.6	71.7	63.5	52.8	55.0	58.9	59.0	59.7	61.5	66.3	73.7	71.9	72.3

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
BIG TUJUNGA DAM	MAX	106	125	99	96	93	80	80	85	85	87	100	101	102	100	102
	MIN	51	56	50	47	34	25	28	25	33	36	38	46	52	50	40
	AV MAX	96.0	100.1	86.8	87.5	74.5	60.2	64.4	68.8	69.2	72.7	78.1	86.2	94.3	88.9	89.1
	AV MIN	64.7	69.8	61.7	56.8	50.7	38.3	40.4	45.5	43.7	44.5	48.9	57.7	63.5	60.8	58.8
	AVG	80.4	85.0	74.3	72.2	62.6	49.3	52.4	57.2	56.5	58.6	63.5	72.0	78.9	74.9	74.0
CHATSORTH RESERVOIR	MAX	103	108	97	98	94	82	81	88	87	90	101	98	101	102	104
	MIN	55	61	58	50	39	31	32	41	39	38	42	52	54	51	48
	AV MAX	95.0	97.5M	87.6	86.9	76.0	63.4	66.1	70.4	72.3	75.8	78.2	84.5	92.4	89.2	87.8
	AV MIN	61.2	65.2M	62.7	56.0	51.7	42.4	42.3	47.9	46.8	48.6	52.5	56.6	61.9	58.8	59.4
	AVG	78.1	81.4M	75.2	71.5	63.9	52.9	54.2	59.2	59.6	62.2	65.4	70.6	77.2	74.0	73.6
COGSWELL DAM	MAX	104	105	93	93	86	74	75	83	80	84	97	99	100	98	99
	MIN	50	56	50	41	30	23	23	34	30	32	36	42	50	45	41
	AV MAX	95.7	97.2	85.3	84.8	70.8	56.7	61.2	66.0	66.0	70.1	74.6	83.9	91.6	87.3	86.9
	AV MIN	59.5	63.5	57.5	49.7	46.0	33.2	34.7	42.8	40.3	41.8	45.4	51.2	58.6	55.4	54.2
	AVG	77.6	80.4	71.4	67.3	58.4	45.0	48.0	54.4	53.2	56.0	60.0	67.6	75.1	71.4	70.6
COVINA GRIFFITH	MAX	--	--	--	98	86	73	77	84	90	94	--	--	--	--	--
	MIN	--	--	--	53	39	31	34	41	40	40	--	--	--	--	--
	AV MAX	--	--	--	83.6	71.0M	59.5	63.6	68.5	72.4	76.2	--	--	--	--	--
	AV MIN	--	--	--	58.7	52.5M	43.3	44.0	49.6	47.2	48.4	--	--	--	--	--
	AVG	--	--	--	71.2	61.8M	51.4	53.8	59.1	59.8	62.3	--	--	--	--	--
DEPR W P E VALLEY	MAX	--	--	--	99	90	81	82	89	89	94	100	96	102	98	103
	MIN	--	--	--	51	39	32	33	42	40	42	46	53	56	55	50
	AV MAX	--	--	--	87.0	76.0	64.8	68.0	71.2	73.2	74.9	76.4	81.1	89.2	87.0	86.5
	AV MIN	--	--	--	56.1	52.2	41.0	42.7	50.2	48.7	50.6	54.6	58.2	63.5	61.4	60.6
	AVG	--	--	--	71.6	64.1	52.9	55.4	60.7	61.0	62.8	65.5	69.7	76.4	74.2	73.6
EAGLE ROCK RES	MAX	93	103	98	96	88	77	80	84	84	88	90	89	92	95	98
	MIN	56	60	58	52	45	32	35	41	41	43	44	51	52	55	53
	AV MAX	88.7	92.3	84.5	83.5	72.7	60.9	64.9	67.7	69.1	70.7	71.5	76.2	83.5	81.7	80.9
	AV MIN	60.7	64.7	62.3	58.0	53.8	43.4	44.3	49.9	49.0	50.3	51.8	54.7	59.9	59.5	59.4
	AVG	74.7	78.5	73.4	70.8	63.3	52.2	54.6	58.8	59.1	60.5	61.7	65.5	71.7	70.6	70.2
EL CABALLERO CUN CLU	MAX	113	116	93	97	95	85	90	90	94	92	100	96	--	--	105
	MIN	51	57	55	47	34	27	28	38	35	34	40	42	--	--	45
	AV MAX	96.6	96.7	84.4	85.8	74.6	62.2	69.0	72.7	76.0	78.0	80.0	83.1	--	--	91.4
	AV MIN	58.9	61.6	59.3	51.5	48.3	37.9	37.4	44.8	42.0	43.1	45.9	51.1	--	--	55.1
	AVG	77.8	79.2	71.9	68.7	61.5	50.1	53.2	58.8	59.0	60.6	63.0	67.1	--	--	73.3
EL SEGUNDO	MAX	78	82	86	89	81	76	80	80	82	89	79	73	75	82	88
	MIN	62	66	66	58	49	40	38	48	49	50	51	52	62	63	58
	AV MAX	71.1	74.2	73.8	72.3M	69.4	62.1M	64.2M	64.9M	66.4	68.3	66.9M	68.0M	71.2M	72.9M	72.7
	AV MIN	65.6	68.7	68.1	62.4M	59.5	50.6M	50.0M	55.0M	54.9	56.3	58.8M	60.9M	64.7M	65.6M	64.8
	AVG	68.4	71.5	71.0	67.4M	64.5	56.4M	57.1M	60.0M	60.7	62.3	62.9M	64.5M	68.0M	69.3M	68.8
ENCINO RESERVOIR	MAX	100	111	96	99	92	82	82	88	88	90	102	102	105	101	104
	MIN	57	60	59	51	42	33	37	44	44	46	48	52	54	56	52
	AV MAX	93.0	96.8	85.5	86.5	74.7	63.1	66.3	70.5	71.0	73.2	76.3	82.0	91.5	87.4	86.7
	AV MIN	63.2	67.6	64.3	59.6	55.7	45.5	46.7	51.8	51.1	52.9	54.7	57.9	63.5	61.4	62.4
	AVG	78.1	82.2	74.9	73.1	65.2	54.3	56.5	61.2	61.1	63.1	65.5	70.0	77.5	74.4	74.6
GLENDALE-JONES	MAX	92	98	94	92	83	73	74	82	84	83	99	98	102	100	102
	MIN	59	63	60	53	41	34	34	43	42	43	46	57	61	60	57
	AV MAX	88.1	89.9	82.8M	80.5	71.1	61.7	65.3	69.8	72.7	74.3M	78.7M	85.4M	93.6M	90.6	88.1
	AV MIN	64.2	67.8	65.6M	56.4	53.2	41.9	42.4	50.6	49.0	50.3M	56.8M	63.1M	67.1M	65.6	65.0
	AVG	76.2	78.9	74.2M	68.5	62.2	51.8	53.9	60.2	60.9	62.3M	67.8M	74.3M	80.4M	76.1	76.6
GRIFFITH PK NURSERY	MAX	--	--	--	100	92	81	85	90	92	97	96	94	99	101	103
	MIN	--	--	--	57	47	37	40	49	47	49	50	55	58	59	57
	AV MAX	--	--	--	87.4	76.4	66.1	70.3	72.8	76.2	78.6	78.7	82.3	88.9	88.1	86.9
	AV MIN	--	--	--	61.2	58.3	48.0	50.2	55.2	53.3	54.8	56.9	60.4	63.9	62.8	64.3
	AVG	--	--	--	74.3	67.4	57.1	60.3	64.0	64.8	66.7	67.8	71.4	76.4	75.5	75.6
MENNINGER FLATS	MAX	96	102	89	92	85	75	75	80	82	84	92	91	94	92	97
	MIN	53	56	50	46	36	28	30	38	35	36	37	46	48	48	43
	AV MAX	86.9	90.1	80.2	81.1	69.8	57.8	60.2	63.7	67.0	68.7	68.5	74.8	85.4	81.6	80.1
	AV MIN	62.9	66.0	58.9	55.7	50.5	38.4	40.4	46.1	44.2	44.3	47.7	54.8	61.5	55.6	58.9
	AVG	74.9	78.1	69.6	68.4	60.2	48.1	50.3	54.9	55.6	56.5	58.1	64.8	73.5	70.1	69.5
HILLCREST COUNTRY CH	MAX	94	98	93	100	86	69	76	88	87	98	84	86	100	96	108
	MIN	49	57	57	44	36	32	29	40	40	44	46	50	56	50	49
	AV MAX	86.1	93.3	85.6M	91.7	76.5M	66.2M	64.6M	73.0	76.1	80.2	79.5	81.2	88.4	87.3	85.0M
	AV MIN	54.8	61.6	60.7	53.0	48.9M	43.7	38.3M	49.4	50.6	50.2	50.1	56.9	59.4	57.0	54.1M
	AVG	70.5	77.5	73.2M	72.4	62.7M	55.0M	51.5M	61.2	63.4	65.2	64.8	69.1	73.9	72.2	69.6M
HOLLYWOOD DAM	MAX	--	--	--	82	75	65	65	73	79	84	90	86	94	92	93
	MIN	--	--	--	54	42	34	36	43	42	43	42	53	56	56	53
	AV MAX	--	--	--	73.6	64.1	53.1	56.2	62.4	65.4	69.4	71.7	75.3	83.1M	81.0	78.1
	AV MIN	--	--	--	57.9	53.8	42.7	44.8	50.1	48.2	50.6	52.5	57.1	60.8M	59.8	60.2
	AVG	--	--	--	65.8	59.0	47.9	50.5	56.3	56.8	60.0	62.1	66.2	72.0M	70.4	69.2
INGLEWOOD FS	MAX	88	93	92	96	85	74	80	80	85	90	84	79	83	92	94
	MIN	58	62	62	53	42	34	36	46	42	46	46	54	57	59	56
	AV MAX	76.1	80.0	77.1	77.5	70.8	61.7	64.8	66.8	67.3	67.7	68.5	70.8	75.2	76.9	76.2
	AV MIN	61.4	65.6	64.7	57.4	55.2	43.7	45.5	51.2	49.1	50.9	54.0	58.1	60.5	61.6	60.6
	AVG	68.8	72.8	70.9	67.5	63.0	52.7	55.2	59.0	58.2	59.3	61.3	64.5	67.9	69.3	68.4

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
LA CRESC GREG U.9ENE	MAX	101	108	97	95	89	78	80	84	84	87	98	96	100	99	104
	MIN	58	60	57	48	39	29	33	42	37	40	40	49	53	51	49
	AV MAX	94.6	96.7	84.8	84.9	72.6	59.9	63.9	67.2	68.3	72.4M	74.2	81.0	90.2	86.9	85.1
	AV MIN	64.8	68.3	61.6	58.7	52.4	41.3	44.1	48.8	47.2	48.2M	51.3	57.1	63.2	60.0	61.0
	AVG	79.7	82.5	73.2	71.8	62.5	50.6	54.0	58.0	57.8	60.3M	62.8	69.1	76.7	73.5	73.1
LA FRESA S C E CU	MAX	91	96	96	98	89	80	84	84	88	96	92	86	88	98	100
	MIN	12	62	50	52	40	30	33	42	42	46	45	52	54	56	52
	AV MAX	79.8M	81.8	80.3M	79.7M	73.6M	65.8M	69.7	69.5M	71.1	72.5	72.2M	75.4M	80.0M	80.3	80.5M
	AV MIN	59.0M	65.1	63.9M	56.8M	55.3M	42.5M	41.8	49.6M	48.6	50.8	53.5M	58.2M	61.5M	61.6	59.7M
	AVG	69.4M	73.5	72.1M	68.3M	64.5M	54.2M	55.8	59.6M	59.9	61.7	62.9M	66.8M	70.8M	71.0	70.1M
LA MIRADA	MAX	97	103	98	99	90	79	83	87	88	96	--	95	100	102	100
	MIN	57	61	57	49	38	31	32	41	39	39	--	51	56	54	50
	AV MAX	87.8	91.7	84.3	85.7	76.2	66.0	70.3	72.8	75.0M	76.2	--	81.0	88.0	86.6	85.3
	AV MIN	62.4	65.4	63.4	53.7	51.4	38.7	39.6	48.0	46.0M	49.7	--	58.1	61.9	61.1	58.6
	AVG	75.1	78.6	73.9	69.7	63.8	52.4	55.0	60.4	60.5M	63.0	--	69.6	75.0	73.9	72.0
LA CITY COLLEGE	MAX	90	100	96	99	89	78	83	85	87	93	93	86	92	99	98
	MIN	57	61	61	52	42	33	35	44	45	47	47	53	57	58	54
	AV MAX	82.1	86.2	82.3	82.8	74.2	64.4	68.3	71.0	72.5	72.7	72.8	75.6	82.3	81.5	81.4
	AV MIN	61.8	66.0	65.2	57.4	54.4	42.9	44.1	51.2	50.4	52.9	55.6	58.7	62.3	62.0	61.5
	AVG	72.0	76.1	73.8	70.1	64.3	53.7	56.2	61.1	61.5	62.8	64.2	67.2	72.3	71.8	71.5
LOWER FRANKLIN RES	MAX	88	98	95	96	86	76	80	82	85	91	93	85	92	96	96
	MIN	55	59	59	52	41	33	34	43	40	43	44	52	55	54	52
	AV MAX	80.5	83.8	78.1	80.4	72.7	62.5	66.1	68.6	69.5	70.4	70.7	73.2	80.0	79.5	78.9
	AV MIN	60.8	64.8	63.0	57.1	53.2	43.6	43.8	49.7	47.4	49.2	52.2	56.0	59.8	59.4	60.0
	AVG	70.6	74.3	70.6	68.8	63.0	53.1	55.0	59.2	58.5	59.8	61.5	64.6	69.9	69.5	69.5
MONTANA RANCH	MAX	94	106	102	109	91	88	94	92	96	96	91	92	96	99	103
	MIN	60	64	62	53	44	34	40	49	48	50	52	58	62	61	52
	AV MAX	85.6	93.3	88.7	90.1	79.7	73.0	76.0	75.0	76.6	74.6	74.8	76.8	84.2	84.8	85.4
	AV MIN	64.8	67.9	67.0	58.6	56.5	45.9	46.7	54.5	53.7	56.8	58.8	61.9	66.2	66.7	64.0
	AVG	75.2	80.6	77.9	74.4	68.1	59.5	61.4	64.8	65.2	65.7	66.8	69.4	75.2	75.8	74.7
NORTHRIDGE	MAX	--	--	--	96	92	82	81	88	87	91	100	101	102	99	103
	MIN	--	--	--	48	35	28	29	38	38	36	42	50	55	51	47
	AV MAX	--	--	--	85.9	75.0	63.3	66.3	70.5	72.0	74.9	77.2	82.8	90.6	87.5	86.7
	AV MIN	--	--	--	55.4	50.1	42.3	41.6	48.0	44.7	47.3	53.5	56.5	62.1	59.3	58.6
	AVG	--	--	--	70.7	62.6	52.8	54.0	59.3	58.4	61.1	65.4	69.7	76.4	73.4	72.7
OPIOS CAMP FC 578E	MAX	97	99	86	82	70	62	65	70	75	78	92	96	96	94	92
	MIN	52	58	52	48	32	18	18	32	30	31	31	40	53	46	45
	AV MAX	90.1	91.0	79.8	75.4	59.6	46.3	50.0	57.3	59.0	65.1	71.3	82.8	86.5	82.6	82.5
	AV MIN	64.9	67.3	59.0	55.4	46.3	33.7	36.1	42.8	40.0	42.1	48.1	55.9	62.6	58.3	58.6
	AVG	77.5	79.2	69.4	65.4	53.0	40.0	43.1	50.1	49.5	53.6	59.7	69.4	74.6	70.5	70.6
PACOIMA DAM FC 334 E	MAX	100	108	94	98	90	80	80	85	84	89	99	97	100	98	103
	MIN	50	58	54	50	41	33	35	42	44	43	44	50	51	54	51
	AV MAX	93.9	96.2	83.6	86.4	73.2	60.6	64.1	68.4	70.1	73.4	75.7	81.1	89.6	87.1	86.1
	AV MIN	64.3	68.6	62.1	63.8	56.4	46.7	49.6	53.0	51.5	53.6	54.3	58.3	64.9	62.7	64.4
	AVG	79.1	82.4	72.9	75.1	64.8	53.7	56.9	60.7	60.8	63.5	65.0	69.7	77.3	74.9	75.3
PALOS VERDES	MAX	--	--	--	96	85	79	81	80	85	91	92	88	94	97	99
	MIN	--	--	--	48	39	27	33	44	40	40	44	50	53	49	52
	AV MAX	--	--	--	79.9M	71.5M	63.0	66.1	67.7	70.1	70.5M	71.5	74.6M	82.1	80.8	79.8
	AV MIN	--	--	--	53.7M	52.0M	40.7	42.2	49.2	47.5	48.4M	52.3	56.1M	60.3	59.0	58.4
	AVG	--	--	--	66.8M	61.8M	51.9	54.2	58.5	58.8	59.5M	61.9	65.4M	71.2	69.9	69.1
PUDDINGSTONE DAM	MAX	97	108	97	99	88	75	78	86	89	92	95	97	98	98	101
	MIN	53	56	54	47	35	28	30	39	36	33	38	49	50	50	48
	AV MAX	91.7	94.6	84.3	85.0	72.8	60.5	64.5	68.3	70.6	73.6	75.1	80.3	88.0	85.6	83.7
	AV MIN	58.1	62.1	60.4	52.7	49.1	38.4	38.8	46.1	43.8	45.2M	49.3	53.5	58.6	57.2	56.5
	AVG	74.9	78.4	72.4	68.9	61.0	49.5	51.7	57.2	57.2	59.4M	62.2	66.9	73.3	71.4	70.1
RIO MONDO SPREAD GRN	MAX	92	99	99	98	90	77	80	86	88	94	93	98	97	101	102
	MIN	53	60	60	50	39	30	36	44	41	40	40	52	54	51	53
	AV MAX	84.9M	88.1	82.4	82.1	74.9M	63.2M	66.4	68.6	72.4M	72.6	74.5	78.9	84.7M	84.8M	84.4
	AV MIN	60.2M	64.2	63.7	55.9	53.0M	42.1M	44.1	50.4	47.3M	49.6	53.3	58.0	60.0M	59.4M	58.5
	AVG	72.6M	76.2	73.1	69.0	64.0M	52.7M	55.3	59.5	59.9M	61.1	63.9	68.5	72.4M	72.1M	71.5
SAN DIMAS DAM	MAX	104	108	98	98	90	75	77	85	89	91	102	100	102	103	104
	MIN	52	56	54	50	40	31	34	43	40	38	40	51	50	54	49
	AV MAX	94.6	98.4	86.7	86.9	74.0	61.2	65.3	70.1	72.7	75.7	79.8	85.8	93.6	90.3	89.7
	AV MIN	60.6	66.8	61.6	57.6	53.8	41.4	43.8	49.9	47.1	47.7	52.1	57.7	62.5	60.9	60.4
	AVG	77.6	82.6	74.2	72.3	63.9	51.3	54.6	60.0	59.9	61.7	66.0	71.8	78.1	75.6	75.1
SAN FERNANDO VET HDS	MAX	103	110	98	98	92	80	80	90	88	92	102	104	104	104	106
	MIN	53	50	56	48	44	30	34	42	40	42	42	48	50	54	54
	AV MAX	96.9	99.3	87.0	86.7	75.0	59.3	65.1	70.4	72.6	76.6	81.2	87.5	95.1	91.4	90.1
	AV MIN	60.7	65.8	61.3	61.1	51.9	45.4	47.5	51.8	48.8	50.0	53.1	57.4	62.3	60.9	62.9
	AVG	78.8	82.6	74.2	73.9	63.5	52.4	56.3	61.1	60.7	63.3	67.2	72.5	78.7	76.2	76.5
SAN GABRIEL DAM	MAX	97	104	96	96	88	76	80	85	87	89	95	95	98	96	99
	MIN	57	57	53	49	38	31	33	41	38	40	41	50			

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LOS ANGELES DRAINAGE PROVINCE U																
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																
SAN PEDRO RES	MAX	90	101	96	96	85	78	81	83	85	88	95	88	99	94	96
	MIN	59	65	63	56	45	37	42	49	47	50	52	56	58	59	56
	AV MAX	80.5	85.2	78.7	80.7	71.3	63.5	66.2	68.3	69.5	68.9	69.6	72.6	82.4	79.0	78.6
	AV MIN	63.5	67.3	66.2	60.7	57.8	47.7	49.0	53.5	53.2	54.0	57.2	60.1	63.8	63.7	62.7
	AVG	72.0	76.3	72.5	70.7	64.6	55.6	57.6	60.9	61.4	61.5	63.4	66.4	73.1	71.4	70.7
SANTA ANITA FERN LGF	MAX	97	97	88	98	85	68	71	80	76	80	88	88	89	89	94
	MIN	53	57	54	48	37	30	33	42	38	39	40	48	55	52	47
	AV MAX	83.8	86.0	76.5	79.2M	67.9	53.8	57.3	62.0M	62.2M	63.5M	66.7M	72.8	81.7	78.3	77.3M
	AV MIN	64.0	67.3	60.1	59.2M	53.2	41.3	43.1	48.3M	46.9M	47.2M	50.1M	55.6	62.9	60.8	59.6M
	AVG	73.9	76.7	68.3	69.2M	60.6	47.6	50.2	55.2M	54.6M	55.4M	58.4M	64.2	72.3	69.6	68.5M
SIERRA MADRE PUMP ST	MAX	96	105	96	96	90	79	80	86	88	91	97	95	100	99	104
	MIN	57	61	56	50	39	32	33	42	39	41	42	52	53	53	47
	AV MAX	90.5	93.6	85.0	85.4	74.4	63.9	66.9	70.4	72.7	74.2	75.7	81.4	88.9	86.8	85.1
	AV MIN	61.9	65.9	62.7	54.7	50.3	41.4	42.4	49.2	47.2	48.6	52.6	57.2	61.1	59.7	59.0
	AVG	76.2	79.8	73.9	70.1	62.4	52.7	54.7	59.8	60.0	61.4	64.2	69.3	75.0	73.3	72.1
SILVER LAKE RES	MAX	88	97	94	94	86	76	80	90	86	--	--	--	--	94	94
	MIN	56	62	60	51	42	34	35	43	41	--	--	--	--	55	53
	AV MAX	81.5	84.2	80.0	80.6	72.3	62.4	66.2	69.4	70.4	--	--	--	--	79.2	78.5
	AV MIN	62.1	66.2	64.2	55.7	52.5	41.6	43.0	49.4	48.2	--	--	--	--	60.2	59.6
	AVG	71.8	75.2	72.1	68.2	62.4	52.0	54.6	59.4	59.3	--	--	--	--	69.7	69.1
UPPER FRANKLIN RES	MAX	95	104	96	98	98	70	72	80	--	90	96	89	94	94	96
	MIN	52	58	56	46	36	28	30	40	--	38	38	46	50	49	45
	AV MAX	88.1	90.7	81.8	83.3	72.3	57.7	61.7	86.4	--	69.9	70.0	74.6	82.4	80.2	79.3
	AV MIN	58.0	62.4	62.5	51.4	48.8	38.8	37.6	45.8	--	44.9	47.7	52.8	56.5	55.5	55.9
	AVG	73.1	76.6	72.2	67.4	60.6	48.3	49.7	56.1	--	57.4	58.9	63.7	69.5	67.9	67.6
VAN NOHMAN LK LWR DA	MAX	--	--	--	96	91	79	80	67	88	90	100	101	103	100	104
	MIN	--	--	--	49	42	32	35	46	44	44	45	52	54	56	54
	AV MAX	--	--	--	86.0	75.5	62.0	64.7	70.3	71.6	75.0	78.4	84.4	91.7	89.0	88.1
	AV MIN	--	--	--	58.6	54.1	44.5	46.0	52.0	50.1	51.6	53.9	56.9	63.0	61.0	62.0
	AVG	--	--	--	72.3	64.8	53.3	55.4	61.2	60.9	63.3	66.2	70.7	77.4	75.0	75.1
VAN NUYS FC 158	MAX	98	111	--	--	--	80	81	89	88	--	--	--	100	102	104
	MIN	58	50	--	--	--	32	32	42	40	--	--	--	56	55	50
	AV MAX	90.2	94.6	--	--	--	62.1M	66.1	69.6M	72.7M	--	--	--	89.0	87.1	87.3
	AV MIN	63.8	71.0	--	--	--	42.0M	42.0	50.1M	48.3M	--	--	--	64.1	61.5	60.5
	AVG	77.0	82.8	--	--	--	52.1M	54.1	59.9M	60.5M	--	--	--	76.6	74.3	73.9
WHITTIER NARROWS	MAX	96	102	100	99	89	79	80	85	88	97	96	92	98	98	101
	MIN	51	57	55	43	36	29	30	40	35	33	40	45	49	52	48
	AV MAX	88.4	91.3M	85.5	85.7	73.7	63.7	67.0	70.8	73.2	74.9M	77.8M	81.2	87.6	87.5M	85.3M
	AV MIN	59.1	62.9M	62.8	50.1	49.9	38.3	38.3	48.1	43.7	45.7M	51.1M	55.1	57.9	56.4M	55.3M
	AVG	73.8	77.1M	74.2	67.9	61.8	51.0	52.7	59.5	58.5	60.3M	64.5M	68.2	72.8	72.0M	70.3M

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LAHONTON DRAINAGE PROVINCE W																
IVANPAH HYDROLOGIC UNIT W12																
IVANPAH COUNTY YARD	MAX	115	111	--	98	--	--	--	--	--	93	104	114	--	105	106
	MIN	65	66	--	42	--	--	--	--	--	38	42	50	--	52	45
	AV MAX	105.6M	103.8M	--	89.0	--	--	--	--	--	77.0	85.0	103.0	--	95.0	94.0
	AV MIN	74.0M	72.8M	--	53.0	--	--	--	--	--	46.0	51.0	65.0	--	63.0	60.0
	AVG	89.8M	88.3M	--	71.0	--	--	--	--	--	61.5	68.0	84.0	--	74.0	77.0
SEARLES HYDROLOGIC UNIT W21																
SOUTH IRONA	MAX	114	114	102	98	90	70	78	86	90	94	104	113	110	109	108
	MIN	74	74	64	50	38	32	28	34	40	46	50	58	74	62	54
	AV MAX	107.5M	108.6M	96.6M	90.0	78.0	61.0	63.0	73.0	76.0	82.0	91.0	99.0	105.0	98.0	100.0
	AV MIN	79.7M	80.5M	71.3M	58.0	51.0	36.0	36.0	46.0	48.0	53.0	61.0	73.0	79.0	73.0	69.0
	AVG	93.6M	94.6M	84.0M	74.0	64.5	48.5	49.5	59.5	62.0	67.5	76.0	86.0	92.0	85.5	84.5
ANTELOPE HYDROLOGIC UNIT W26																
LANCASTER HMS	MAX	110	114	--	94	87	--	73	--	81	90	100	108	106	102	--
	MIN	58	60	--	34	30	--	17	--	26	30	37	46	55	46	--
	AV MAX	104.2M	104.7M	--	86.1M	70.5M	--	59.4M	--	68.7M	76.0M	81.0M	94.7M	101.2M	92.9M	--
	AV MIN	65.7M	65.5M	--	43.6M	41.1M	--	28.0M	--	35.5M	40.5M	48.7M	58.3M	64.1M	59.0M	--
	AVG	85.0M	85.1M	--	64.9M	55.8M	--	43.7M	--	52.1M	58.3M	64.9M	76.5M	82.7M	76.0M	--
PALMDALE HMS	MAX	109	110	107	99	92	--	74	--	82	88	100	--	104	102	--
	MIN	60	61	52	38	29	--	20	--	27	30	38	--	53	43	--
	AV MAX	103.5M	104.0M	92.4M	86.3M	75.3M	--	60.8M	--	67.7M	74.9M	82.2M	--	96.2M	90.0M	--
	AV MIN	64.4M	66.2M	58.0M	45.9M	41.7M	--	29.8M	--	35.6M	40.1M	46.9M	--	65.8M	54.2M	--
	AVG	84.0M	85.1M	75.2M	66.1M	58.5M	--	45.3M	--	51.7M	57.5M	64.6M	--	81.0M	74.1M	--
PIUTE BUTTE	MAX	110	110	100	96	89	70	75	82	87	89	99	104	105	104	102
	MIN	60	59	54	42	34	24	21	27	31	32	38	46	58	51	45
	AV MAX	102.9	103.9	91.6	86.2	72.2	55.7	62.0M	69.2	69.9	74.8	82.0	91.5	97.1	92.6	93.5
	AV MIN	68.7	68.8	60.8	49.8	44.9	30.7	30.9M	42.0	39.3	43.1	51.0	58.9	67.0	62.8	58.0
	AVG	85.8	86.4	76.2	68.0	58.6	43.2	46.5M	55.6	54.6	59.0	66.5	75.2	82.1	77.7	75.8
WILLOW SPRINGS	MAX	94	94	84	81	75	65	67	74	78	76	86	94	93	92	90
	MIN	64	65	52	44	33	19	24	32	30	32	35	44	60	48	44
	AV MAX	84.2	84.6	77.4	72.0	61.1	46.7	54.0	60.6	60.0	63.0	69.0	79.9	87.5	80.6	80.9
	AV MIN	69.6	69.9	60.9	52.6	47.2	31.3	33.7	42.4	39.7	43.2	50.5	60.9	67.2	59.9	60.0
	AVG	78.9	79.6	69.2	62.3	54.2	39.0	43.9	51.5	49.9	53.1	59.8	70.4	77.4	70.3	70.5
MOJAVE HYDROLOGIC UNIT W28																
ADELANTO	MAX	112	108	100	98	90	70	73	82	86	89	101	108	108	107	104
	MIN	60	60	52	36	32	22	18	25	30	30	35	44	56	50	40
	AV MAX	102.4	102.7	91.0	87.0	73.0	53.0	59.0	69.0	69.0	74.0	88.0	96.0	98.0	95.0	94.0
	AV MIN	68.5	68.5	59.2	47.0	43.0	29.0	29.0	40.0	37.0	41.0	49.0	58.0	66.0	61.0	56.0
	AVG	85.5	85.6	75.1	67.0	58.0	41.0	44.0	54.5	53.0	57.5	68.5	77.0	82.0	76.0	75.0
APPLE VALLEY	MAX	107	107	96	--	--	--	70	81	83	85	98	104	104	101	106
	MIN	53	56	45	--	--	--	15	22	21	27	32	44	52	44	34
	AV MAX	99.9M	101.3M	89.9M	--	--	--	60.0	68.0	68.0	73.0	83.0	90.0	95.0	91.0	91.0
	AV MIN	62.1M	62.6M	55.2M	--	--	--	25.0	33.0	35.0	39.0	46.0	53.0	64.0	54.0	51.0
	AVG	81.0M	82.0M	72.6M	--	--	--	42.5	50.5	51.5	56.0	64.5	71.5	79.5	75.0	71.0
ARROWHEAD RANGER STA	MAX	92	90	90	82	80	64	70	72	75	--	--	--	--	--	--
	MIN	58	50	38	30	26	12	12	20	10	--	--	--	--	--	--
	AV MAX	81.2M	84.5M	76.8M	75.0	66.0	51.0	52.0	58.0	57.0	--	--	--	--	--	--
	AV MIN	60.9M	60.3M	49.2M	42.0	41.0	23.0	24.0	33.0	33.0	--	--	--	--	--	--
	AVG	71.1M	72.4M	63.0M	58.5	53.5	37.0	38.0	45.5	45.0	--	--	--	--	--	--
BARSTOW-2	MAX	--	--	--	96	82	72	83	86	86	98	106	116	--	--	--
	MIN	--	--	--	40	32	20	20	22	26	32	40	48	--	--	--
	AV MAX	--	--	--	87.0	78.0	50.0	64.0	72.0	72.0	79.0	86.0	100.0	--	--	--
	AV MIN	--	--	--	47.0	42.0	28.0	25.0	37.0	38.0	41.0	51.0	60.0	--	--	--
	AVG	--	--	--	67.0	60.0	39.0	44.5	54.5	55.0	60.0	68.5	80.0	--	--	--
BIG PINES PARK	MAX	--	--	--	76	72	56	62	66	66	69	81	90	90	84	84
	MIN	--	--	--	34	19	2	10	--	18	14	22	32	44	32	30
	AV MAX	--	--	--	69.8M	57.9M	41.1M	46.8M	50.1M	49.9M	57.3M	67.4	78.3M	81.1M	76.0M	75.9
	AV MIN	--	--	--	42.4M	37.6M	21.2M	25.1M	--	27.6M	30.4M	36.4	45.8M	52.3M	46.1M	46.5
	AVG	--	--	--	56.1M	47.8M	31.2M	36.0M	--	38.8M	43.9M	51.9	62.1M	66.7M	62.1M	61.2
EL MIRAGE VISAN O F	MAX	109	107	103	91	84	68	68	78	82	86	101	102	106	103	102
	MIN	56	56	47	34	27	21	14	22	27	29	35	46	51	47	35
	AV MAX	104.1	101.3	88.5	82.0	69.0	51.0	57.0	65.0	67.0	73.0	84.0	98.0	93.0	93.0	91.0
	AV MIN	65.2	64.2	56.6	42.0	39.0	27.0	25.0	38.0	35.0	39.0	49.0	58.0	60.0	56.0	52.0
	AVG	84.7	82.8	72.6	62.0	54.0	39.0	41.0	51.5	51.0	56.0	66.5	78.0	76.5	75.5	71.5
HESPERIA	MAX	110	110	98	96	88	76	72	84	86	88	100	104	106	110	104
	MIN	60	60	54	42	36	22	22	30	30	34	38	40	58	52	42
	AV MAX	100.5	102.7	90.7	86.0	75.0	55.0	59.0	70.0	70.0	75.0	82.0	92.0	97.0	94.0	93.0
	AV MIN	67.0	69.2	61.4	50.0	44.0	32.0	33.0	40.0	39.0	42.0	48.0	57.0	65.0	61.0	57.0
	AVG	83.8	86.0	76.1	68.0	59.5	43.5	46.0	55.0	54.5	58.5	65.0	74.5	81.0	77.5	75.0

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
LAHONTUN DRAINAGE PROVINCE W																
MOJAVE HYDRULOGIC UNIT W28																
HESPERIA FFS	MAX	--	--	--	--	--	63	--	80	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	18	--	29	--	--	--	--	--	--	--
	AV MAX	--	--	--	--	--	51.0	--	65.0	--	--	--	--	--	--	--
	AV MIN	--	--	--	--	--	30.0	--	39.0	--	--	--	--	--	--	--
	AVG	--	--	--	--	--	40.5	--	52.0	--	--	--	--	--	--	--
LAKE GREGORY DAM	MAX	--	--	--	73	--	60	55	67	67	70	84	86	84	83	--
	MIN	--	--	--	30	--	3	14	30	21	28	30	38	48	41	--
	AV MAX	--	--	--	63.0	51.8	35.0	45.0	51.4	51.0	54.4	61.4	72.0	77.0	71.0	73.2
	AV MIN	--	--	--	39.0	32.9	19.0	27.0	35.0	33.0	35.3	41.0	50.1	60.4	52.0	50.4
	AVG	--	--	--	51.0	42.4	27.0	36.0	43.2	42.0	44.9	51.2	61.1	68.7	61.5	61.8
PHELAN	MAX	106	100	90	92	84	78	76	--	80	83	96	--	98	98	96
	MIN	56	58	48	50	30	14	20	--	28	32	33	--	51	42	40
	AV MAX	97.0M	93.9M	84.1	77.0	70.0	54.0	61.0	--	65.0	70.0	78.0	--	91.0	85.0	88.0
	AV MIN	66.7M	66.2M	58.8	51.0	46.0	31.0	34.0	--	39.0	40.0	47.0	--	64.0	60.0	57.0
	AVG	81.9M	80.1M	71.5	64.0	58.0	42.5	47.5	--	52.0	55.0	62.5	--	77.5	72.5	72.5
PILOT ROCK EVAP	MAX	--	--	--	86	80	70	64	76	76	76	88	95	93	92	91
	MIN	--	--	--	30	22	9	17	26	24	24	28	36	41	40	30
	AV MAX	87.5	88.2	78.6	76.6	64.0	45.8	52.0	61.0	60.2	64.1	72.9	81.0	85.0	81.0	83.0
	AV MIN	54.5	55.1	47.6	38.7	35.2	23.0	26.0	35.5	33.0	34.1	40.0	47.0	56.0	51.0	46.5
	AVG	71.0	71.7	63.1	57.7	49.6	34.4	39.0	48.3	46.6	49.1	56.5	64.0	70.5	66.0	64.8
WRIGHTWOOD	MAX	--	--	--	73	69	62	53	66	68	71	85	89	89	90	84
	MIN	--	--	--	33	26	9	9	24	22	21	28	36	46	41	33
	AV MAX	--	--	--	67.0	55.0	39.0	44.0	53.0	54.0	58.0	71.0	72.0	81.0	83.0	73.0
	AV MIN	--	--	--	42.0	37.0	22.0	26.0	34.0	31.0	34.0	42.0	50.0	61.0	59.0	49.0
	AVG	--	--	--	54.5	46.0	30.5	35.0	43.5	42.5	46.0	56.5	61.0	71.0	71.0	61.0
YERMO INSPECTION STA	MAX	109	108	98	91	83	66	68	79	84	87	100	105	105	102	103
	MIN	69	72	61	46	41	25	26	33	36	38	43	50	66	56	50
	AV MAX	102.3	101.2	89.1	86.0	69.0	51.0	58.0	64.0	68.0	74.0	83.0	94.0	98.0	95.0	89.0
	AV MIN	79.9	79.6	68.6	54.0	50.0	34.0	36.0	46.0	46.0	50.0	59.0	69.0	75.0	70.0	64.0
	AVG	91.1	90.4	78.9	70.0	59.5	42.5	47.0	55.0	57.0	62.0	71.0	81.5	86.5	82.5	76.5

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
COLORADO RIVER BASIN DRAINAGE PROVINCE X																
JOSHUA TREE HYDROLOGIC UNIT X08																
YUCCA VALLEY	MAX	106	106	92	90	82	72	72	79	81	84	98	104	102	99	98
	MIN	59	62	48	40	26	18	18	22	26	34	32	38	56	41	42
	AV MAX	95.9	96.9	84.8	83.0	69.0	52.0	58.0	67.0	64.0	73.0	79.0	91.0	90.0	91.0	92.0
	AV MIN	66.9	67.2	56.9	49.0	41.0	28.0	31.0	37.0	38.0	40.0	45.0	53.0	64.0	62.0	54.0
	AVG	81.4	82.1	70.9	66.0	55.0	40.0	44.5	52.0	51.0	56.5	62.0	72.0	77.0	76.5	73.0
DALE HYDROLOGIC UNIT X09																
TWENTYNINE PALMS NPS	MAX	116	110	100	--	89	--	73	84	88	--	101	110	108	106	107
	MIN	64	63	55	--	34	--	25	33	37	--	43	40	54	56	72
	AV MAX	106.0	104.3	93.1	--	75.0	--	63.0	72.0	74.0	--	88.0	101.0	101.0	98.0	97.0
	AV MIN	73.1	71.8	63.3	--	45.0	--	33.0	43.0	43.0	--	56.0	61.0	70.0	67.0	63.0
	AVG	89.6	88.1	78.2	--	60.0	--	48.0	57.5	58.5	--	72.0	81.0	85.5	82.5	80.0
TWENTY NINE PALMS C	MAX	110	111	100	95	88	73	74	79	86	90	108	110	108	104	--
	MIN	68	68	58	50	38	22	25	30	36	40	41	54	62	60	--
	AV MAX	105.6M	104.7M	91.8M	88.0	75.0	57.0	64.0	69.0	71.0	76.0	89.0	102.0	98.0	97.0	--
	AV MIN	76.0M	75.6M	66.1M	56.0	49.0	33.0	34.0	43.0	43.0	47.0	55.0	68.0	73.0	68.0	--
	AVG	90.8M	90.2M	79.0M	72.0	62.0	45.0	49.0	56.0	57.0	61.5	72.0	85.0	85.5	82.5	--
PIUTE HYDROLOGIC UNIT X13																
NEEDLES CO YD	MAX	118	118	108	108	100	79	82	95	99	102	110	117	115	112	111
	MIN	76	76	64	52	40	32	32	38	45	46	52	60	70	60	57
	AV MAX	111.1M	110.3	102.3M	99.0	86.0	69.0	74.0	82.0	91.0	89.0	99.0	109.0	108.0	105.0	105.0
	AV MIN	80.9M	79.8	72.3M	60.0	49.0	42.0	41.0	48.0	52.0	54.0	60.0	71.0	75.0	75.0	67.0
	AVG	96.0M	95.1	87.3M	79.5	67.5	55.5	57.5	65.0	71.5	71.5	79.5	90.0	91.5	90.0	86.0
COLORADO HYDROLOGIC UNIT X15																
RIPLEY F.C. STA.	MAX	--	--	--	101	--	75	75	90	95	96	111	119	115	112	114
	MIN	--	--	--	45	--	28	26	37	38	41	47	50	61	55	51
	AV MAX	--	--	--	94.2	--	62.6	68.1M	78.5M	81.1	86.0M	96.3M	106.5	108.3	104.4	103.9
	AV MIN	--	--	--	54.4	--	36.9	35.4	47.2	47.7	49.5M	58.0	65.1	74.8	70.2	63.0
	AVG	--	--	--	74.3	--	49.8	51.8M	62.9M	64.4	67.8M	77.2M	85.8	91.6	87.3	83.5
WHITEWATER HYDROLOGIC UNIT X19																
BERMUOA DUNES	MAX	--	--	--	100	96	85	86	93	94	98	110	117	117	109	114
	MIN	--	--	--	52	42	30	32	40	44	40	52	61	65	65	57
	AV MAX	--	--	--	96.4M	84.8M	68.3M	73.7M	82.2M	82.2M	87.1M	95.4M	103.6M	105.0M	102.3M	102.5M
	AV MIN	--	--	--	60.8M	52.9M	39.2M	38.9M	51.3M	51.9M	55.5M	64.4M	73.9M	77.8M	75.4M	70.9M
	AVG	--	--	--	78.6M	68.9M	53.8M	56.3M	66.8M	67.1M	71.3M	79.9M	88.8M	91.4M	86.9M	86.7M
DESERT HOT SPRINGS	MAX	--	--	--	104	92	78	80	87	88	97	111	112	111	107	106
	MIN	--	--	--	55	41	30	35	40	43	43	49	52	67	60	51
	AV MAX	--	--	--	90.9M	77.9M	60.0M	66.7M	74.7M	74.9M	81.5M	88.7M	99.0M	101.1M	97.9M	97.3M
	AV MIN	--	--	--	62.4M	54.3	40.4M	42.5M	52.9M	51.1M	53.2M	59.7M	69.0M	74.7	71.8M	66.1M
	AVG	--	--	--	76.7M	66.1M	50.2M	54.6M	63.8M	63.0M	67.4M	74.2M	84.0M	87.9M	84.9M	81.7M
LA QUINTA	MAX	--	--	--	96	92	80	81	91	88	97	110	115	117	107	113
	MIN	--	--	--	--	38	29	28	37	44	41	49	58	68	61	58
	AV MAX	--	--	--	92.2M	79.6M	63.5M	69.4M	79.6M	78.6M	84.1M	93.4M	102.6M	103.7M	100.3M	100.6M
	AV MIN	--	--	--	--	52.0M	38.5M	38.0M	48.8M	51.2M	53.5M	60.4M	68.5M	76.1	72.6M	68.3M
	AVG	--	--	--	--	65.8M	51.0M	53.7M	64.2M	64.9M	68.8M	76.9M	85.6M	89.9M	86.5M	84.5M
MORONGO VALLEY	MAX	105	100	90	87	67	69	69	79	83	87	98	106	103	99	103
	MIN	55	61	50	42	40	19	22	30	30	34	37	45	60	48	49
	AV MAX	94.6	93.9	83.8	80.0	83.0	55.0	58.0	66.0	67.0	73.0	83.0	90.0	94.0	91.0	91.0
	AV MIN	65.2	65.4	56.0	48.0	26.0	32.0	34.0	40.0	43.0	46.0	52.0	59.0	68.0	63.0	61.0
	AVG	79.9	79.7	69.9	64.0	54.5	43.5	46.0	53.0	55.0	59.5	67.5	74.5	81.0	77.0	76.0
NORTH SHORE	MAX	--	--	--	98	91	76	82	89	89	94	104	114	110	106	109
	MIN	--	--	--	57	51	35	38	44	48	44	53	62	--	--	64
	AV MAX	--	--	--	92.2M	80.9M	63.7M	68.4M	76.4M	78.6M	84.1M	91.2M	100.6M	102.0M	100.0M	98.8M
	AV MIN	--	--	--	65.4M	57.1M	41.8M	44.0M	52.8M	52.8M	57.4M	64.5M	71.3M	--	--	72.7
	AVG	--	--	--	78.8M	69.0M	52.8M	56.2M	64.6M	65.7M	70.8M	77.9M	86.0M	--	--	85.8M
OAK GLEN SR 174	MAX	97	96	93	79	73	58	66	69	70	76	88	90	92	86	84
	MIN	57	56	52	43	23	11	22	32	26	30	32	38	53	40	42
	AV MAX	88.2	88.1M	78.4M	71.0	60.0	48.0	52.0	57.0	55.0	60.0	69.0	75.0	82.0	74.0	75.0
	AV MIN	65.6	64.6M	58.5M	53.0	45.0	32.0	36.0	40.0	38.0	40.0	47.0	47.0	62.0	56.0	57.0
	AVG	76.9	76.4M	68.5M	62.0	52.5	40.0	44.0	48.5	46.5	50.0	58.0	61.0	72.0	66.0	66.0
OASIS	MAX	--	--	--	100	92	84	84	92	94	97	111	116	117	110	116
	MIN	--	--	--	49	45	32	30	35	43	40	50	58	64	58	56
	AV MAX	--	--	--	95.7M	84.6M	67.1M	72.6M	80.9M	81.5M	87.0M	94.8M	102.4M	105.0M	102.3M	102.6M
	AV MIN	--	--	--	56.7M	50.5M	37.6M	38.0M	48.9M	49.8M	51.7M	59.9M	64.7M	73.2	64.2M	64.3M
	AVG	--	--	--	76.2M	67.6M	52.4M	55.3M	64.9M	65.7M	69.4M	77.4M	83.6M	89.1M	85.8M	83.5M

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
COLORADO RIVER BASIN DRAINAGE PROVINCE X																
WHITewater HYDROLOGIC UNIT x19																
PALM DESERT	MAX	--	--	--	98	93	87	82	92	91	95	116	117	116	108	111
	MIN	--	--	--	46	40	31	33	41	42	42	50	57	65	59	55
	AV MAX	--	--	--	93.3M	80.2M	64.1M	71.0M	80.3M	79.7M	85.6M	94.0M	103.7M	104.8M	101.3M	101.3M
	AV MIN	--	--	--	53.1M	47.0M	40.5M	40.1M	50.4M	50.0M	53.3M	60.8M	68.0M	74.1	71.1M	67.8M
	AVG	--	--	--	73.2M	63.6M	52.3M	55.6M	65.4M	64.9M	69.5M	77.4M	85.9M	89.5M	86.2M	84.6M
THOUSAND PALMS	MAX	--	--	--	103	100	84	85	97	94	100	115	120	118	114	119
	MIN	--	--	--	52	44	31	32	44	45	45	52	60	70	62	58
	AV MAX	--	--	--	99.4M	86.0M	69.1M	74.8M	83.2M	82.8M	87.9M	96.8	107.3M	108.6M	104.9M	106.1M
	AV MIN	--	--	--	63.4M	53.8M	40.0M	40.1M	52.9M	53.6M	56.9M	65.1M	76.7M	80.0	76.8M	72.9M
	AVG	--	--	--	81.4M	69.9M	54.6M	57.5M	68.1M	68.2M	72.4M	81.0M	92.0M	94.3M	90.9M	89.5M

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SANTA ANA DRAINAGE PROVINCE Y																
SANTA ANA RIVER HYDROLOGIC UNIT Y01																
ARLNGTN MKNGBRU GCCO	MAX	--	--	--	--	--	--	--	--	--	89	98	96	99	99	101
	MIN	--	--	--	--	--	--	--	--	--	38	41	51	53	57	51
	AV MAX	--	--	--	--	--	--	--	--	--	74.3	75.9	82.2	90.2	87.3	86.6
	AV MIN	--	--	--	--	--	--	--	--	--	46.8	52.2	57.1	62.1	61.1	59.6
	AVG	--	--	--	--	--	--	--	--	--	60.6	64.1	69.7	76.2	74.2	73.1
BIG BEAR CITY	MAX	95	90	80	76	70	58	62	70	69	76	90	96	90	86	86
	MIN	38	46	32	22	14	-5	0	16	12	20	18	28	38	32	24
	AV MAX	85.5M	82.9	73.3	71.0	57.0	42.0	48.0	57.0	55.0	60.0	74.0	84.0	80.0	78.0	77.0
	AV MIN	48.8M	49.6	42.4	31.0	27.0	15.0	16.0	25.0	22.0	25.0	31.0	38.0	47.0	41.0	38.0
	AVG	67.2M	66.3	57.9	51.0	42.0	28.5	32.0	41.0	38.5	42.5	52.5	61.0	63.5	59.5	57.5
BLOOMINGTON	MAX	99	103	100	91	88	76	76	85	90	92	102	102	104	99	103
	MIN	60	56	58	49	36	30	30	41	38	38	45	52	56	52	50
	AV MAX	91.4M	93.0	84.5	84.0	74.0	61.0	58.0	72.0	72.0	73.0	86.0	91.0	96.0	88.0	86.0
	AV MIN	64.5M	67.7	64.1	57.0	49.0	41.0	49.0	50.0	47.0	48.0	54.0	59.0	64.0	61.0	59.0
	AVG	78.0M	80.4	74.3	70.5	61.5	51.0	53.5	61.0	59.5	60.5	70.0	75.0	80.0	74.5	72.5
CAJON JUNCTION	MAX	102	106	100	106	86	68	78	84	86	88	100	97	100	102	100
	MIN	52	22	56	42	28	21	24	24	27	32	36	42	44	46	42
	AV MAX	94.8M	96.8M	86.4	93.0	70.0	53.0	60.0	65.0	67.0	72.0	75.0	83.0	91.0	81.0	86.0
	AV MIN	61.7M	66.0M	60.9	55.0	46.0	34.0	33.0	40.0	40.0	40.0	44.0	50.0	58.0	52.0	51.0
	AVG	78.3M	81.4M	73.7	74.0	58.0	43.5	46.5	52.5	53.5	56.0	59.5	66.5	74.5	66.5	68.5
CHINO FIRE STATION	MAX	102	115	102	104	92	78	80	90	91	95	102	102	105	105	110
	MIN	54	58	54	43	28	21	21	35	31	28	36	50	40	48	45
	AV MAX	95.6	100.2	88.7	90.0	75.0	61.0	65.0	70.0	73.0	75.0	77.0	85.0	95.0	92.0	91.0
	AV MIN	59.6	64.5	61.9	49.0	46.0	33.0	33.0	44.0	40.0	43.0	49.0	54.0	58.0	58.0	56.0
	AVG	77.6	82.4	75.3	69.5	60.5	47.0	49.0	57.0	56.5	59.0	63.0	69.5	76.5	75.0	73.5
CHINO FIRE STATION 2	MAX	98	106	100	90	74	74	78	84	88	92	100	100	102	98	104
	MIN	56	60	56	44	47	26	26	38	34	30	38	48	50	48	46
	AV MAX	92.9	95.2	84.9	83.0	88.0	57.0	66.0	71.0	74.0	77.0	79.0	85.0	93.0	89.0	88.0
	AV MIN	61.2	65.0	62.9	49.0	32.0	36.0	34.0	44.0	41.0	41.0	50.0	55.0	59.0	58.0	57.0
	AVG	77.1	80.1	73.9	66.0	60.0	46.5	50.0	57.5	57.5	59.0	64.5	70.0	76.0	73.5	72.5
COLTON F. D.	MAX	102	108	96	96	90	76	80	90	90	92	101	103	102	102	102
	MIN	58	60	58	46	33	28	30	38	38	34	42	53	54	52	50
	AV MAX	95.8	97.9	87.8	87.0	74.0	61.0	66.0	73.0	74.0	77.0	80.0	87.0	95.0	91.0	89.0
	AV MIN	63.8	67.1	63.2	52.0	48.0	39.0	39.0	46.0	45.0	46.0	53.0	58.0	65.0	62.0	59.0
	AVG	79.8	82.5	75.5	69.5	61.0	50.0	52.5	59.5	59.5	61.5	66.5	72.5	80.0	76.5	74.0
CRESTLINE S E	MAX	--	--	--	89	82	66	68	80	80	78	90	92	92	95	94
	MIN	--	--	--	42	29	12	20	32	28	28	32	38	50	44	48
	AV MAX	--	--	--	78.0	63.0	42.0	49.0	59.0	58.0	62.0	67.0	76.0	84.0	81.0	79.0
	AV MIN	--	--	--	53.0	46.0	29.0	33.0	41.0	38.0	40.0	50.0	56.0	65.0	57.0	58.0
	AVG	--	--	--	65.5	54.5	35.5	41.0	50.0	48.0	51.0	58.5	66.0	74.5	69.0	68.5
E HIGHLAND ORANGE	MAX	107	113	98	97	87	78	81	87	91	95	104	105	105	108	107
	MIN	51	55	50	43	31	23	28	41	34	32	42	49	49	47	47
	AV MAX	99.6	101.0	88.9	89.0	73.0	59.0	64.0	70.0	73.0	78.0	81.0	90.0	97.0	94.0	89.0
	AV MIN	59.0	62.1	58.5	50.0	45.0	33.0	35.0	46.0	44.0	45.0	51.0	55.0	60.0	58.0	57.0
	AVG	79.3	81.6	73.7	69.5	59.0	46.0	49.5	58.0	58.5	61.5	66.0	72.5	78.5	76.0	73.0
FONTANA HERALD NEWS	MAX	--	--	--	99	92	78	80	90	90	92	100	101	101	102	103
	MIN	--	--	--	50	36	31	32	44	38	38	44	52	56	57	48
	AV MAX	--	--	--	88.0	77.0	58.0	66.0	71.0	73.0	75.0	77.0	86.0	93.0	91.0	87.0
	AV MIN	--	--	--	57.0	51.0	41.0	46.0	52.0	47.0	45.0	53.0	58.0	63.0	69.0	56.0
	AVG	--	--	--	72.5	64.0	49.5	56.0	61.5	60.0	60.0	65.0	72.0	78.0	80.0	71.5
FONTANA S N	MAX	105	110	97	97	93	76	78	84	87	90	101	101	101	104	105
	MIN	52	57	54	46	37	28	31	50	35	35	41	47	50	51	47
	AV MAX	96.1	98.9	87.7	87.0	75.0	58.0	63.0	68.0	69.0	72.0	77.0	85.0	93.0	90.0	90.0
	AV MIN	62.0	65.9	59.6	59.0	52.0	42.0	46.0	50.0	46.0	46.0	50.0	55.0	61.0	59.0	60.0
	AVG	79.1	82.4	73.7	73.0	63.5	50.0	54.5	59.0	57.5	59.0	63.5	70.0	77.0	74.5	75.0
FOREST FALLS	MAX	92	88	78	76	70	56	52	62	66	72	86	92	90	86	88
	MIN	50	37	46	38	22	10	14	26	22	24	28	36	48	36	38
	AV MAX	82.3	79.9	71.1	68.0	56.0	71.0	44.0	47.0	51.0	56.0	65.0	76.0	78.0	72.0	74.0
	AV MIN	58.9	57.1	51.0	46.0	39.0	25.0	28.0	32.0	32.0	34.0	41.0	51.0	57.0	52.0	53.0
	AVG	70.6	68.5	61.1	57.0	47.5	48.0	36.0	39.5	41.5	45.0	53.0	63.5	67.5	62.0	63.5
LOMA LINDA	MAX	102	106	99	94	87	78	79	95	102	96	100	101	100	103	104
	MIN	58	60	56	48	34	30	30	40	37	32	42	50	54	51	50
	AV MAX	96.7	98.1M	86.3	86.0	72.0	58.0	64.0	75.0	78.0	80.0	82.0	89.0	93.0	93.0	92.0
	AV MIN	63.9	67.8M	62.1	54.0	49.0	39.0	40.0	49.0	46.0	45.0	52.0	58.0	63.0	60.0	64.0
	AVG	80.3	83.0M	74.2	70.0	60.5	48.5	52.0	62.0	62.0	62.5	67.0	73.5	78.0	76.5	78.0
MENTONE FS SB 120	MAX	118	112	108	101	96	74	76	--	--	--	105	119	104	103	--
	MIN	44	44	41	44	38	30	34	--	--	--	42	40	34	48	--
	AV MAX	104.4M	103.0	91.5M	84.0	79.0	52.0	52.0	--	--	--	82.0	100.0	97.0	92.0	--
	AV MIN	60.6M	65.2	62.1M	57.0	54.0	34.0	43.0	--	--	--	51.0	49.0	62.0	60.0	--
	AVG	82.5M	84.1	76.8M	70.5	66.5	43.0	47.5	--	--	--	66.5	74.5	79.5	76.0	--
MIKA LOMA	MAX	--	109	95	99	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	57	51	39	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	97.8M	86.9M	88.0	--	--	--	--	--	--	--	--	--	--	--
	AV MIN	--	62.8M	58.2M	47.0	--	--	--	--	--	--	--	--	--	--	--
	AVG	--	80.3M	72.6M	67.5	--	--	--	--	--	--	--	--	--	--	--

See page 43 for key to terms & abbreviations

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SANTA ANA DRAINAGE PROVINCE Y																
SANTA ANA RIVER HYDROLOGIC UNIT Y01																
MONTE VISTA	MAX	96	103	100	92	85	73	76	81	84	87	96	94	97	95	99
	MIN	59	62	59	49	38	30	34	40	40	37	44	54	54	55	51
	AV MAX	89.2	92.5	84.6	82.0	71.0	60.0	93.0	69.0	71.0	74.0	77.0	81.0	88.0	85.0	84.0
	AV MIN	64.0	68.4	65.7	56.0	51.0	41.0	41.0	49.0	48.0	49.0	53.0	56.0	63.0	62.0	61.0
	AVG	76.6	80.5	75.2	69.0	61.0	50.5	67.0	59.0	59.5	61.5	65.0	68.5	75.5	73.5	72.5
NUVIEW	MAX	--	--	--	98	94	80	84	90	88	92	102	102	102	104	103
	MIN	--	--	--	42	30	30	24	36	32	29	42	50	55	50	46
	AV MAX	--	--	--	89.7	80.3	66.1	69.5M	73.1	74.3M	76.8M	81.9	89.2M	95.6M	93.5M	92.5M
	AV MIN	--	--	--	51.9	48.4	37.6	37.9	46.8	41.2M	46.9	54.2	57.0M	64.1M	64.3M	59.1
	AVG	--	--	--	70.8	64.4	51.9	53.7M	60.0	57.8M	61.9M	68.1	73.1M	79.9M	78.9M	75.8M
PATTON	MAX	105	111	99	102	96	79	86	84	91	94	103	104	105	105	106
	MIN	53	54	44	45	33	25	28	35	32	31	40	47	54	46	48
	AV MAX	99.9M	101.5M	91.5M	89.0	87.0	66.0	71.0	72.0	75.0	78.0	81.0	90.0	96.0	94.0	95.0
	AV MIN	59.8M	62.7M	59.5M	50.0	52.0	36.0	37.0	43.0	42.0	44.0	50.0	54.0	56.0	57.0	56.0
	AVG	79.9M	82.1M	75.5M	69.5	69.5	51.0	54.0	57.5	58.5	61.0	65.5	72.0	76.0	75.5	75.5
REDLANDS ROTH	MAX	106	110	96	97	91	81	82	90	90	92	103	104	102	102	105
	MIN	54	57	55	45	34	22	30	36	35	34	40	45	51	48	48
	AV MAX	98.4	99.9	88.2	93.0	77.0	62.0	67.0	72.0	73.0	76.0	80.0	88.0	97.0	92.0	90.0
	AV MIN	61.1	64.7	60.3	51.0	48.0	37.0	37.0	46.0	43.0	44.0	51.0	55.0	60.0	58.0	57.0
	AVG	79.8	82.3	74.3	72.0	62.5	49.5	52.0	59.0	58.0	60.0	65.5	71.5	78.5	75.0	73.5
RIVERSIDE C.F.C.*W.C	MAX	--	--	--	98	92	78	--	--	--	91	102	100	102	102	106
	MIN	--	--	--	42	31	28	--	--	--	33	39	46	49	47	44
	AV MAX	--	--	--	87.8	77.8	62.2	--	--	--	76.0	79.2	86.1	93.8	91.1	90.3
	AV MIN	--	--	--	46.8	45.1	36.5	--	--	--	43.4	50.5	54.2	59.5	57.5	54.8
	AVG	--	--	--	67.3	61.5	49.4	--	--	--	59.7	64.9	70.2	76.7	74.3	72.6
SAN ANTONIO MTS	MAX	--	102	94	--	--	--	80	86	88	92	99	94	94	99	102
	MIN	--	62	58	--	--	--	33	39	42	40	44	22	54	54	52
	AV MAX	--	91.7M	83.0	--	--	--	66.0	71.0	72.0	78.0	73.0	82.0	87.0	84.0	85.0
	AV MIN	--	69.3M	63.2	--	--	--	43.0	50.0	49.0	49.0	53.0	59.0	68.0	63.0	60.0
	AVG	--	80.5M	73.1	--	--	--	54.5	60.5	60.5	63.5	63.0	70.5	77.5	73.5	72.5
SAN BERNARDINO CO FC	MAX	--	--	--	--	92	80	81	89	89	91	103	107	101	103	104
	MIN	--	--	--	--	34	29	28	39	38	35	50	54	54	50	49
	AV MAX	--	--	--	--	78.0	63.0	70.0	71.0	74.0	75.0	80.0	86.0	94.0	96.0	90.0
	AV MIN	--	--	--	--	49.0	39.0	40.0	47.0	46.0	45.0	54.0	58.0	63.0	64.0	59.0
	AVG	--	--	--	--	63.5	51.0	55.0	59.0	60.0	60.0	67.0	72.0	78.5	80.0	74.5
UPLAND CHAPPEL	MAX	93	105	98	99	86	80	81	90	92	92	96	87	93	--	102
	MIN	54	56	54	47	37	27	30	36	36	34	39	48	49	--	46
	AV MAX	88.4M	91.5	81.6	82.0	72.0	60.0	65.0	67.0	72.0	73.0	71.0	76.0	80.0	--	81.0
	AV MIN	62.2M	64.6	59.7	53.0	49.0	38.0	38.0	46.0	44.0	45.0	49.0	53.0	58.0	--	55.0
	AVG	75.3M	78.1	70.7	67.5	60.5	49.0	51.5	56.5	58.0	59.0	60.0	64.5	69.0	--	68.0
YUCAIPA FFS	MAX	104	103	91	88	82	70	70	--	81	--	98	100	98	--	104
	MIN	56	60	52	44	32	20	28	--	37	--	38	46	56	--	42
	AV MAX	94.6M	95.5	84.1	79.0	69.0	54.0	59.0	--	68.0	--	77.0	83.0	92.0	--	81.0
	AV MIN	65.5M	67.6	60.0	55.0	48.0	35.0	38.0	--	43.0	--	49.0	55.0	66.0	--	60.0
	AVG	80.1M	81.6	72.1	67.0	58.5	44.5	48.5	--	55.5	--	63.0	69.0	79.0	--	70.5
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02																
LITTLE LAKE VLY VISF	MAX	--	--	--	95	89	73	77	84	85	89	100	101	102	100	104
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	86.5M	73.6	58.6	63.5	68.8	69.2	71.6	77.7	86.3	93.1	89.5	88.4
	AV MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AVG	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PERRIS RES EVAP	MAX	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	96.9	98.5	86.7	87.6	--	60.1	64.0	73.0	73.0	75.5	80.4	89.0	95.0	92.0	90.0
	AV MIN	58.2	61.7	55.8	42.8	--	32.8	31.0	41.5	37.7	40.9	49.2	52.0	60.0	58.0	53.0
	AVG	77.6	80.1	71.3	65.2	--	46.5	47.5	57.3	55.4	58.2	64.8	70.5	77.5	75.0	71.5
SAN JACINTO RS - SDF	MAX	--	--	--	97	88	75	--	--	--	94	107	105	--	107	106
	MIN	--	--	--	41	34	22	--	--	--	31	43	43	--	30	45
	AV MAX	--	--	--	87.6M	74.5M	59.2M	--	--	--	78.7M	82.9M	89.6M	--	94.9M	93.9M
	AV MIN	--	--	--	47.3M	44.9M	33.2M	--	--	--	43.7M	50.2M	53.3M	--	55.6M	53.8M
	AVG	--	--	--	67.5M	59.7M	46.2M	--	--	--	61.2M	66.6M	71.5M	--	75.3M	73.9M

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SAN DIEGO DRAINAGE PROVINCE 2																
SANTA MARGARITA HYDROLOGIC UNIT 202																
HOWELL HANCH	MAX	--	--	--	--	--	--	--	--	--	--	--	106	106	105	106
	MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AV MAX	--	--	--	--	--	--	--	--	--	--	--	88.1M	99.0M	93.3M	89.1
	AV MIN	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	AVG	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CARLSBAD HYDROLOGIC UNIT 204																
LAKE WUHLFORD	MAX	94	108	97	100	100	81	82	87	86	88	92	100	102	99	103
	MIN	51	57	53	45	36	29	29	38	36	34	40	47	47	46	46
	AV MAX	88.8	92.8	84.6	87.1	78.6	64.0	68.8	71.1	72.2	71.9	75.0	81.8	89.2	87.4	88.6
	AV MIN	58.8	61.9	58.7	51.3	46.4	37.8	37.8	45.1	42.1	44.2	48.5	51.9	58.1	56.0	55.4
	AVG	73.8	77.4	71.7	69.2	62.5	50.9	53.3	58.1	57.2	58.1	61.8	66.9	73.7	71.7	72.0
SAN DIEGUITO HYDROLOGIC UNIT 205																
HODGES DAM	MAX	92	98	98	104	92	78	82	86	90	96	86	92	96	94	100
	MIN	55	60	57	40	38	32	28	36	34	36	42	48	46	48	42
	AV MAX	82.0	85.0	82.4	83.9	76.3	64.5	68.5	69.5	70.9	70.5	72.5	75.9	82.2	82.2	82.2
	AV MIN	60.6	63.9	62.8	50.0	48.4	37.8	35.6	43.8	41.7	45.8	49.8	54.8	59.1	57.1	56.2
	AVG	71.3	74.5	72.6	67.0	62.4	51.2	52.1	56.7	56.3	58.2	61.2	65.4	70.7	69.7	69.2
SAN DIEGUITO DAM	MAX	--	--	--	103	85	76	78	78	84	86	82	84	89	91	--
	MIN	--	--	--	41	42	32	34	42	40	42	46	51	50	54	--
	AV MAX	--	--	--	79.1	72.1	61.5	64.9	65.7	66.7	67.4	68.9	71.5	77.7	77.9	--
	AV MIN	--	--	--	52.8	52.1	42.5	41.3	47.0	46.0	48.4	52.5	55.3	60.4	59.8	--
	AVG	--	--	--	66.0	62.1	52.0	53.1	56.4	56.4	57.9	60.7	63.4	69.1	68.9	--
SUTHERLAND DAM	MAX	96	104	92	92	88	76	78	84	84	84	96	98	100	95	100
	MIN	52	56	48	42	34	28	24	32	30	30	38	42	48	42	40
	AV MAX	88.9	92.2	82.5	83.2	73.8	58.3	63.8	67.7	67.9	68.6	72.6	81.5M	88.7	85.4	84.8
	AV MIN	59.9	63.3	55.9	49.4	44.2	35.0	34.6	42.2	39.4	40.5	46.7	49.9M	58.8	55.3	52.4
	AVG	74.4	77.8	69.2	66.3	59.0	46.7	49.3	55.0	53.7	54.6	59.7	65.7M	73.8	70.4	68.6
PENASQUITA HYDROLOGIC UNIT 206																
MIHAMAR	MAX	92	98	96	96	90	80	84	83	87	89	88	94	98	96	96
	MIN	56	64	60	56	47	32	37	42	45	46	49	53	58	52	56
	AV MAX	82.6	85.7	81.9	82.8	76.2	65.7	69.0	70.0	71.5	71.2	73.2	76.2	83.4	82.9	82.1
	AV MIN	62.4	67.1	65.4	60.1	56.0	46.6	47.0	50.5	51.6	53.1	55.2	58.5	63.5	62.7	62.5
	AVG	72.5	76.4	73.7	71.5	66.1	56.2	58.0	60.3	61.6	62.2	64.2	67.4	73.5	72.8	72.3
SAN DIEGO HYDROLOGIC UNIT 207																
MURRAY DAM	MAX	96	96	94	89	80	70	74	78	80	85	88	95	103	94	96
	MIN	56	62	60	40	44	35	38	42	42	42	48	52	55	54	54
	AV MAX	82.9	86.8	81.4	77.2	69.1	59.3	61.9	65.8	66.7	69.0	72.3	77.2	84.9M	85.6	78.9
	AV MIN	61.4	65.0	63.8	56.4	53.4	42.5	44.6	49.5	47.7	50.7	53.2	56.7	62.2M	62.3	61.6
	AVG	72.2	75.9	72.6	66.8	61.3	50.9	53.3	57.7	57.2	59.9	62.8	67.0	73.6M	74.0	70.3
SAN VICENTE RES	MAX	96	108	96	100	90	79	84	92	92	92	98	110	110	102	107
	MIN	50	58	54	42	36	28	28	40	40	40	46	50	50	52	48
	AV MAX	90.4M	93.7M	85.3M	87.4	76.0M	63.5M	69.9M	74.9M	75.4M	76.6M	79.8M	85.6M	92.8M	90.7M	91.3M
	AV MIN	57.0	61.7M	60.7	49.4	46.8	35.9	36.4	47.6	45.1	47.8	52.9	56.3	61.7	59.2	59.6
	AVG	73.7M	77.7M	73.0M	68.4	61.4M	49.7M	53.2M	61.3M	60.3M	62.2M	66.4M	71.0M	77.3M	75.0M	75.5M
CORONADO HYDROLOGIC UNIT 208																
CHOLLAS RESERVOIR	MAX	94	100	96	96	--	78	82	82	86	89	98	94	98	92	--
	MIN	55	63	62	54	37	27	40	47	44	46	50	54	56	58	--
	AV MAX	82.8M	84.4M	82.9M	82.4M	--	58.7M	67.9M	68.9M	70.9M	70.9M	71.2M	74.5M	82.2M	81.5M	--
	AV MIN	62.3M	67.9M	66.8M	59.4M	48.9M	41.7M	48.6M	52.3M	51.4M	53.3M	56.2M	59.3M	65.8M	64.8M	--
	AVG	72.6M	76.2M	74.9M	70.9M	--	50.2M	58.3M	60.6M	61.2M	62.1M	63.7M	66.9M	74.0M	73.2M	--
OTAY HYDROLOGIC UNIT 210																
LOWER OTAY RESERVOIR	MAX	95	102	98	100	91	78	80	85	88	90	88	98	100	94	98
	MIN	58	62	57	50	46	36	36	39	40	43	42	48	52	56	52
	AV MAX	84.6	88.7	84.7	84.0	76.2	62.8	69.3	71.9	72.4	74.9	73.7	80.2	84.6	82.7	83.5
	AV MIN	61.8	65.1	63.6	58.8	52.6	43.8	43.6	49.0	48.1	49.7	52.0	56.2	61.6	61.9	61.1
	AVG	73.2	76.9	74.2	70.4	64.4	53.3	56.5	60.5	60.3	62.3	62.9	68.2	73.1	72.3	72.3

TABLE A-3 (Cont.)
AIR TEMPERATURE DATA
SOUTHERN CALIFORNIA

TEMPERATURE IN DEGREES FAHRENHEIT

STATION NAME		1967						1968								
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
SAN DIEGO DRAINAGE PROVINCE 2																
TIAJUANA HYDROLOGIC UNIT 211																
MORENO DAM	MAX	100	104	94	90	86	70	77	82	80	82	96	98	97	99	98
	MIN	42	49	42	32	28	20	15	26	22	23	30	36	40	32	30
	AV MAX	92.9	95.3	84.5	82.3	72.0	53.6	60.3	66.1	64.7	66.5	73.2	82.1	89.4	86.0	85.8
	AV MIN	56.3	59.2	49.7	39.8	36.0	28.9	27.2	35.5	32.3	34.1	39.7	43.5	53.9	48.3	45.2
	AVG	74.6	77.3	67.1	61.1	54.0	41.3	43.8	50.8	48.5	50.3	56.5	62.8	71.7	67.2	65.5

TABLE A-4

EVAPORATION DATA

The definition of terms and the abbreviations used in connection with this table are as follows:

Evap	The total amount of water evaporated from the pan for the month.
Wind	The amount of movement of air over the pan in miles for the month.
Temp-Max	Arithmetical average of daily maximum water temperature for the month.
Temp-Min	Arithmetical average of daily minimum water temperature for the month.
--	No Record.
E	Wholly or partially estimated.
M	One or more days of record missing; if average value is entered, less than ten days of record is missing.
RB	Record begins.
RE	Record ends.

Wind and water temperature data are not available at all evaporation stations.

TABLE A-4 EVAPORATION DATA SOUTHERN CALIFORNIA

EVAPORATION IN INCHES		WIND IN TOTAL MILES						AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									TOTAL OCT. 1 THROUGH SEPT. 30
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
CENTRAL COASTAL DRAINAGE PROVINCE T																	
SALINAS HYDROLOGIC UNIT T09																	
NACIMIENTO DAM																	
EVAP	72.31E	11.25	10.77	7.37	5.48	2.54	1.36E	1.71E	1.83	4.35	6.57	8.36	10.72E	11.76	10.33	8.05	73.06E
SAN LUIS OBISPO HYDROLOGIC UNIT T10																	
WHALE ROCK DAM																	
EVAP	--	--	--	--	9.10	4.52	6.63	6.05	3.46	5.46	6.22	6.63	6.54	6.26	6.51	7.29	74.67
SANTA MARIA-CUYAMA HYDROLOGIC UNIT T12																	
TWITCHELL DAM																	
EVAP	69.11E	8.64	8.66	6.77	7.33	3.35E	2.78	2.13	3.06	5.31	6.57	6.58	7.93	9.49	8.63	7.84E	71.00E
WIND	18557	1626	1581	1352	1797	1411	1652	670	1147	1806	1840	1892	1783	1828	1887	1922E	19635E
TEMP-MAX		88.8	88.0	85.5	80.2	71.2	60.7	60.1	68.7	71.4	77.3	76.7	82.8	85.3	86.6	83.3	
TEMP-MIN		59.7	60.6	61.1	54.2	50.9	41.0	41.8	51.5	46.0	47.3	51.5	54.3	57.3	56.9	55.2	
SANTA YNEZ HYDROLOGIC UNIT T14																	
CACHUMA DAM																	
EVAP	72.27	9.61	9.13	6.79	6.40	3.55	2.11	2.40	2.66	5.22	6.53	8.32	9.55	9.78	9.53	7.99	74.04
WIND	15362	968	925	942	1187	1158	1245	1195	1288	1758	1583	1741	1372	1140	1381	1191	16239
TEMP-MAX		89.2	89.2	82.5	75.0	65.9	52.9	54.6	61.3	67.3	73.5	77.3	83.5	86.4	83.4	80.7	
TEMP-MIN		59.5	60.3	58.7	50.5	48.5	37.7	38.6	46.0	43.5	46.3	49.8	53.8	57.7	55.8	53.7	

TABLE A-4 (Cont.)
EVAPORATION DATA
SOUTHERN CALIFORNIA

EVAPORATION IN INCHES		WIND IN TOTAL MILES						AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT										
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968										TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.		
LOS ANGELES DRAINAGE PROVINCE U																		
VENTURA RIVER HYDROLOGIC UNIT U02																		
CASITAS DAM																		
EVAP	56.96	7.44	8.18	4.89	5.23	2.94	1.72	1.96	1.99	4.62	5.56	5.82	6.61	7.71	7.79	6.29	58.24	
WIND	8650	1116	1026	701	674	510	552	464	493	783	798	513	1020	1072	1039	782	8700	
CASITAS RESERVOIR																		
EVAP	57.70	7.98	8.43	5.33	5.74	2.44	1.42	1.70	1.84	4.14	5.42	6.02	7.24	8.18	7.53	6.28	57.95	
WIND	12379	1250	1366	1084	1062	758	852	579	595	1087	1215	1367	1164	1419	1344	1022	12464	
SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT U03																		
BOUQUET CANYON F124																		
EVAP	80.84	11.83	11.60	8.45	8.72	4.02	2.67	3.41	2.36	4.75	6.80	7.06	9.17	10.86	9.78	7.95	77.55	
FISH CREEK																		
EVAP	--	12.46	12.84	--	9.36	6.12	2.79	4.13	4.05	5.90	8.42	7.65	8.00	1.38	1.39	10.26	69.45	
TEMP-MAX	--	--	--	--	--	--	--	59.0	64.0M	71.0	78.0	84.0	89.0	93.0	88.0	86.0		
TEMP-MIN	--	--	--	--	--	--	--	41.0	48.0M	47.0	50.0	56.0	61.0	66.0	62.0	59.0		
NEWHALL SOLEDAD 32C																		
EVAP	--	--	--	--	5.06	3.71	--	--	--	--	--	6.73	8.06	8.69	7.49	6.55	--	
PINE CANYON PAT STN																		
EVAP	68.49E	10.68	9.55	6.72	6.75	3.45E	2.77E	2.18	2.12	3.38	5.19	6.62	9.08	9.58	9.57	8.75	69.44E	
PYRAMID RESERVOIR																		
EVAP	65.44	7.80	8.68	6.49	6.00	2.12	2.49	3.06	2.20	4.08	6.10	7.20	9.02	1.03	8.89	7.80	59.99	
WIND	--	--	--	--	1230	1208	1664	1367	--	1420	1118	1452	1573	1375	1352	1171	--	
TEMP-MAX	--	--	91.0	84.0	77.0	63.0	50.0	52.0	61.0	66.0	75.0	81.0	89.0	92.0	89.0	85.0		
TEMP-MIN	--	--	56.0	53.0	42.0	39.0	29.0	30.0	37.0	35.0	37.0	44.0	52.0	56.0	52.0	51.0		
WAYSIDE H R EVAP																		
EVAP	--	--	--	--	8.00	4.20	3.88	5.25	2.97	6.49	8.12	8.66	9.23	10.99	10.75	11.06	89.60	
WIND	--	--	--	--	1169	666	1932	1308	837	1344	1376	1421	1190	1237	1322	1223	15025	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																		
ARCADIA ARBOREUM																		
EVAP	46.20	6.63	6.68	4.73	4.01	2.34	2.06	1.68	1.50	3.36	4.18	4.18	4.85	6.38	6.31	5.12	45.97	
BALDWIN PARK																		
EVAP	--	8.06	8.60	8.71	--	--	1.83	1.65	1.58	3.32	4.82	5.26	5.90	8.31	6.77	5.53	--	
BIG DALTON DAM																		
EVAP	54.20	7.70	7.78	4.38	5.93	2.95	2.39	2.19	1.74	3.46	4.72	5.08	5.88	7.42	7.07	6.12	54.95	
BIG SANTA ANITA DAM																		
EVAP	70.35E	7.61E	8.15	5.93	9.01	5.15	4.19	4.91	3.47	5.93	5.81	4.23	5.36	7.83	7.51	7.80	71.20	
BIG TUJUNGA DAM																		
EVAP	79.65	9.90	10.70	7.47	9.83	4.69	3.90	3.55	2.89	5.30	6.12	6.62	8.68	9.70	9.22	8.85	79.35	
CHATSWORTH RESERVOIR																		
EVAP	78.70	8.89	10.23	6.68	9.01	3.60	5.59	4.75	2.46	5.61	6.76	7.62	7.50	9.54	8.94	8.40	79.78	
COGSWELL DAM																		
EVAP	67.58E	9.80	10.11	6.97	6.75E	3.26E	2.21E	2.18	2.23	4.27	5.70	6.44	7.66	9.18	8.86	7.80	66.54E	
DESCANSO GARDENS																		
EVAP	54.21E	7.41	7.26	5.12	5.71	2.75E	2.12	2.24	1.53	4.10	5.43	4.96	5.58	6.75	6.39	5.72	53.28E	
EAGLE ROCK RES																		
EVAP	69.45	8.70	9.25	5.84	6.68	3.70	3.15	3.68	3.17	5.93	6.61	6.36	6.38	8.66	8.21	7.10	69.63	
ENCINO RESERVOIR																		
EVAP	71.50	9.00	9.44	6.72	7.21	3.67	3.21	3.13	2.48	5.13	6.68	7.17	7.66	9.30	8.91	8.05	72.60	

See page 57 for key to terms & abbreviations

TABLE A-4 (Cont.)
EVAPORATION DATA
SOUTHERN CALIFORNIA

EVAPORATION IN INCHES				WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
LOS ANGELES DRAINAGE PROVINCE U																	
LOS ANGELES-SAN GABRIEL RIV. HYDROLOGIC UNIT U05																	
FULLERTON A P																	
EVAP	66.51	8.79	8.55	5.01	5.01	3.55	2.93	2.97	2.47	6.85	7.27	6.48	6.63	8.83	8.43	6.87	68.29
LA FRESA S C E CO																	
EVAP	48.42	6.20	5.83	4.69	3.98	2.29	2.07	1.36	1.30	3.57	5.20	5.95	5.98	6.35	6.03	6.03	50.11
LOWER FRANKLIN RES																	
EVAP	70.69	8.23	9.04	6.66	6.92	4.12	3.57	3.71	2.73	5.54	6.39	6.84	6.94	8.40	8.49	7.29	70.94
MORRIS DAM																	
EVAP	58.95	8.62	8.56	5.57	6.13	2.87	2.16	2.09	1.81	4.02	5.14	5.62	6.36	8.39	7.82	6.80	59.21
OPIOS CAMP FC 578E																	
EVAP	44.71E	8.25	7.73	4.37	3.76	0.89E	0.98	0.89	0.67	1.88	3.53	5.16	6.60	7.19	6.19	5.60	43.34E
PACOIMA DAM FC 33A E																	
EVAP	74.59	7.70	8.88	6.06	9.49	5.19	4.79	4.86	3.21	5.85	6.38	6.00	6.18	7.73	7.45	7.21	74.34
PALOS VERDES																	
EVAP	51.52	6.60	7.37	5.02	4.53	2.66	1.74	1.65	1.63	3.93	5.36	5.71	5.32	6.26	7.06	5.61	51.46
PUDDINGSTONE DAM																	
EVAP	62.98E	8.57	8.91	5.91	6.35	3.23E	2.75	2.78	2.02	4.36	5.30	5.94	6.86	9.22	8.78	7.44	65.03E
RIO MONDO SPREAD GHN																	
EVAP	57.17	6.57	7.05	5.18	5.20	3.14	2.44	3.12	2.29	4.40	5.00	5.98	6.20	7.54	6.90	5.90	58.11
SAN DIMAS DAM																	
EVAP	52.59E	7.69	7.87	4.84	5.51	2.67E	1.87	1.75	1.61	3.49	4.34	5.03	5.92	7.57	7.05	5.90	52.71E
SAN GABRIEL DAM																	
EVAP	72.32	9.43	9.70	6.36	8.16	4.62	3.35	3.80	2.78	5.19	5.96	5.97	7.00	8.72	8.43	8.27	72.25
SILVER LAKE RES																	
EVAP	60.11	7.46	7.82	5.51	4.85	2.63	2.33	2.54	2.08	5.09	6.12	6.70	6.98	8.19	7.82	6.26	61.59
STONE CANYON RES																	
EVAP	66.45	7.69	8.38	5.74	6.90	3.52	3.91	3.91	2.60	5.43	5.78	6.39	6.20	7.55	7.66	6.72	66.57
VAN NORMAN LK LWR DA																	
EVAP	76.18	8.52	7.49	6.07	8.62	3.82	5.18	5.38	3.12	6.39	7.30	7.37	6.92	8.94	9.11	8.73	80.88
VERDUGO PUMP SIA																	
EVAP	--	--	--	--	11.35	5.21	4.83	5.52	4.48	8.13	8.70	8.03	8.43	10.77	10.06	10.09	95.60

TABLE A-4 (Cont.)
EVAPORATION DATA
SOUTHERN CALIFORNIA

EVAPORATION IN INCHES				WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968								TOTAL OCT. 1 THROUGH SEPT. 30	
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.
LAHONTON DRAINAGE PROVINCE W																	
AMARGOSA HYDROLOGIC UNIT W09																	
DEATH VALLEY																	
EVAP	158.94	23.24	22.47	15.45	12.67	3.57	4.79	4.72	4.80	11.76	15.46	18.85	21.16	23.66	21.61	17.35	160.40
WIND	25994	2392	2327	2282	2151	1012	2310	1442	1096	2643	3100	2652	2587	2704	2783	2056	26536
TEMP-MAX		104.5	104.0	96.5	86.1	74.1	58.7	61.4	75.2	80.6	85.9	94.1	100.7	102.6	98.2	95.6	
TEMP-MIN		75.6	75.9	70.7	58.5	54.2	40.6	40.5	53.6	52.7	55.9	62.7	69.3	74.6	71.2	67.6	
ANTELOPE HYDROLOGIC UNIT W26																	
FAIRMONT RESERVOIR																	
EVAP	106.88	17.25	15.47	9.76	9.46	4.28	2.07	2.75	5.12	5.66	8.36	11.40	15.30	17.71	14.90	12.73	109.74
MOJAVE (USWB)																	
EVAP	--	18.52	16.26	10.89	9.64	4.99	--	--	--	--	--	--	18.42	16.43E	14.72	13.78	--
WIND	--	3295	2603	2395	2327	1513	2252	--	--	--	--	--	--	--	--	2856	--
TEMP-MAX		94.8	95.0	85.4	78.9	67.5	--	--	--	--	--	--	88.2	91.5	87.7	85.4	
TEMP-MIN		62.8	63.5	59.0	49.5	46.7	--	--	--	--	--	--	56.7	61.6	57.3	54.9	
MOJAVE HYDROLOGIC UNIT W28																	
LAKE GREGORY DAM																	
EVAP	--	--	--	--	6.40	3.32	--	--	--	4.03	6.78	5.08	8.69	10.20	10.75	8.04	--
WIND	--	--	--	--	2500	2195	3008	2666	1957	3121	2957E	2794E	2445	2514	2650	2417	31224E
PILOT ROCK EVAP																	
EVAP	69.05	10.62	9.69	6.16	6.38	3.30	0.84	2.04	2.43	4.72	6.02	7.66	9.19	10.04	9.10	8.25	69.97
WIND	--	1475	1339	1248	--	1381	1630	1764	1484	2050	2078	1907	1728	1673E	1698	1542	--
TEMP-MAX		66.8	66.9	59.1	--	--	--	--	--	--	--	--	--	--	--	--	
TEMP-MIN		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

TABLE A-4 (Cont.)
EVAPORATION DATA
SOUTHERN CALIFORNIA

		EVAPORATION IN INCHES						WIND IN TOTAL MILES				AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968								TOTAL OCT. 1 THROUGH SEPT. 30					
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.		SEPT.				
COLORADO RIVER BASIN DRAINAGE PROVINCE X																					
WHITewater HYDROLOGIC UNIT X19																					
INDIO US DATE GARDEN																					
EVAP	97.52E	13.45	11.96	8.77	7.24	3.22	2.05	2.74	4.30	7.39E	9.48	12.66	14.26	13.16	11.96	10.61	99.07E				
WIND	7533	432	341	434	245	67	244	379	540	888	1110	1553	1300	899	972	841	9038				
TEMP-MAX		106.7	106.3	98.0	89.5	79.1	67.9	64.7	78.8	82.3	89.1	95.0	102.2	103.4	101.8	98.1					
TEMP-MIN		76.5	77.4	71.4	61.3	55.4	41.8	42.9	53.3	54.4	56.6	62.0	67.5	73.7	70.7	54.9					
SANTA ANA DRAINAGE PROVINCE Y																					
SANTA ANA RIVER HYDROLOGIC UNIT Y01																					
IRVINE CO AUTOMATIC																					
EVAP	58.34	6.94	7.46	6.28	5.16	2.55	2.46	2.60	2.16	4.56	5.91	5.98	6.28	8.24	7.65	5.33	58.88				
LAKE MATHEWS 1																					
EVAP	--	--	--	--	4.70	2.28	2.75	4.70	2.36	4.44	5.49	6.88	7.70	9.78	9.16	8.35	68.59				
PRADO DAM EVAP STA																					
EVAP	75.71	10.68	10.60	7.97	6.95	2.66	3.97	3.47	2.55	4.63	6.53	7.53	7.97	7.98	9.77	8.76	72.77				
RIVERSIDE CITRUS EXP																					
EVAP	78.41E	11.22	10.60	6.83	7.13E	3.30	2.80	3.13	3.18	6.34E	7.29	7.70E	8.89	12.09E	10.90	9.14	81.89E				
WIND	14995E	1170	1001	1145E	1043	1051	1421	1132	925	1539	1594	1523	1391	2236E	2433	1942	18230E				
TEMP-MAX		--	--	--	--	--	--	--	--	--	--	--	--	--	87.1	83.9					
TEMP-MIN		--	--	--	--	--	--	--	--	--	--	--	--	--	62.5	60.4					
VILLA PARK DAM																					
EVAP	59.03	7.89	7.58	4.87	6.23	2.65	3.04	2.84	2.00	4.33	5.34	5.58	6.62	7.42	7.88	6.71	60.70				
SAN JACINTO VALLEY HYDROLOGIC UNIT Y02																					
BEAUMONT PUMPING PL																					
EVAP	--	11.83	10.70	7.90E	7.72	3.03E	--	--	3.34E	4.35	6.25E	6.39	7.58E	9.69E	7.95	7.46	--				
WIND	--	396	532	396	515	312	--	406	352E	592	526	624	499	520	631	635	--				
TEMP-MAX		92.7	92.4	--	--	72.4	52.8	--	64.1	67.7	74.6	79.6	88.5	92.6	90.8	86.8					
TEMP-MIN		57.8	57.9	--	--	44.1	36.3	--	44.6	41.4	44.2	47.9	49.5	56.9	54.9	53.4					
PERRIS RES EVAP																					
EVAP	--	12.68	12.92	7.99	9.56	--	6.57	3.25	3.81	5.82	8.09	10.21	11.92	13.03	12.40	9.98	--				
WIND	--	1110	1405	--	--	--	--	2052	1624	2216	2411	2843	2496	2536	2625	2299	--				

See page 57 for key to terms & abbreviations

TABLE A-4 (Cont.)
EVAPORATION DATA
SOUTHERN CALIFORNIA

EVAPORATION IN INCHES		WIND IN TOTAL MILES						AVERAGE WATER TEMPERATURE IN DEGREES FAHRENHEIT									
STATION NAME	TOTAL JULY 1 THROUGH JUNE 30	1967						1968									TOTAL OCT. 1 THROUGH SEPT. 30
		JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
SAN DIEGO DRAINAGE PROVINCE Z																	
SAN JUAN HYDROLOGIC UNIT Z01																	
EL TORO																	
EVAP	70.65	9.50	8.47	6.21	6.72	3.22	2.37	2.83	2.61	6.35	7.25	6.07	9.05	8.82	9.59	7.78	72.66
SAN DIEGUITO HYDROLOGIC UNIT Z05																	
HODGES DAM																	
EVAP	65.50	8.70	8.52	6.23	6.49	3.36	2.22	2.65	2.39	4.43	5.87	7.22	7.42	9.08	8.85	7.10	67.08
SAN DIEGUITO DAM																	
EVAP	59.36	7.87	7.80	5.68	5.70	2.83	2.19	2.38	1.82	4.20	5.92	6.51	6.46	7.86	7.83	6.62	60.32
SUTHERLAND DAM																	
EVAP	72.44	9.47	9.77	6.11	8.00	3.75	3.27	3.62	3.19	4.57	5.32	6.87	8.50	9.83	9.53	7.89	74.34
PENASQUITA HYDROLOGIC UNIT Z06																	
MIRAMAR																	
EVAP	76.15	10.34	10.75	7.15	7.38	3.43	3.01	3.74	2.88	5.44	6.66	7.24	8.13	9.60	9.95	8.41	75.87
SAN DIEGO HYDROLOGIC UNIT Z07																	
EL CAPITAN DAM																	
EVAP	84.49	10.72	11.29	8.18	9.36	4.28	2.56	3.55	3.26	5.77	7.10	8.41	10.01	11.01	11.29	9.96	86.56
MURRAY DAM																	
EVAP	57.20	7.71	7.32	5.56	5.64	2.78	1.70	2.47	2.09	4.18	5.02	5.87	6.86	7.38	7.45	6.13	57.57
SAN VICENTE RES																	
EVAP	63.10	8.40	8.45	6.28	6.70	3.29	1.88	2.27	2.54	4.54	5.44	6.30	7.01	8.38	8.09	7.42	63.86
OTAY HYDROLOGIC UNIT Z10																	
CHULA VISTA																	
EVAP	65.45	7.44	7.30	6.28	5.62	3.63	2.98	3.20	2.82	5.35	7.05	7.10	6.68	7.56	7.97E	6.72	66.68E
WIND	30815	3157	3090	2988	2072	2003	2052	1687	1688	2540	3093	3368	3077	3045	3069E	2973	30667E
TEMP-MAX		--	--	83.1	79.8	71.3	60.8	63.2	67.6	73.3	76.2	78.2	78.0	85.1	84.8	82.8	
TEMP-MIN		--	--	65.2	54.9	53.5	42.9	41.9	50.5	48.4	50.8	54.7	59.3	63.2	62.0	61.0	
LOWER OTAY RESERVOIR																	
EVAP	59.52	7.94	8.08	6.67	5.63	2.70	1.75	2.23	1.99	3.34	6.08	6.55	6.56	7.98	8.00	7.05	59.86
TIAJUANA HYDROLOGIC UNIT Z11																	
BARRETT DAM																	
EVAP	58.64	8.76	8.82	5.52	6.45	2.56	1.40	1.79	2.07	3.04	4.74	5.97	7.52	8.17	8.02	6.93	58.66
MORENO DAM																	
EVAP	57.49	8.38	7.20	5.08	5.33	2.08	2.03	1.74	1.88	3.43	4.67	6.65	9.02	9.18	7.92	7.10	61.03

See page 57 for key to terms & abbreviations

Appendix B
SURFACE WATER MEASUREMENTS

THE UNIVERSITY OF CHICAGO
PRESS

Appendix B

SURFACE WATER MEASUREMENTS

This appendix presents surface water data for Southern California from October 1, 1967 through September 30, 1968. These data consist of summary tables of annual unimpaired runoff from major streams (Table B-1), daily mean discharge (Table B-2), diversions from the Colorado River (Figure B-1), imported water (Figure B-2), and monthly water content of major reservoirs (Table B-3).

Each station in this appendix has been assigned an identification number.

TABLE B-1 - ANNUAL UNIMPAIRED RUNOFF
AT SELECTED STATIONS

Unimpaired runoff is defined as the flow that occurs naturally at a point in a stream if there were: (1) no upstream controls such as dams or reservoirs; (2) no artificial diversions or accretions; and, (3) no change in ground water storage resulting from development. The computed natural, or unimpaired, runoff values are considered to be the flows that would occur if no impairments were upstream from the measurement points.

TABLE B-1
ANNUAL UNIMPAIRED RUNOFF AT SELECTED STATIONS
 In percent of average

Water Year	Owens R. below Long Valley	Big Rock Cr. near Valyermo	Sespe Cr. near Fillmore**	Arroyo Seco near Pasadena	Santa Ana R. near Mentone	Murrieta Cr. at Temecula	Arroyo Grande at Arroyo Grande
Average Annual Runoff*	141,680	11,662	72,613	5,653	55,860	7,401	15,494
1915-16	145	293	198	299	447	815	281
1916-17	147	111	101	99	126	74	188
1917-18	121	117	270	99	151	55	316
1918-19	120	33	40	27	68	51	27
1919-20	104	161	56	64	145	58	84
1920-21	106	104	45	56	93	39	20
1921-22	141	334	344	449	341	279	240
1922-23	119	115	55	56	113	60	33
1923-24	77	36	14	15	65	43	7
1924-25	82	25	15	19	51	51	14
1925-26	87	105	149	109	86	38	148
1926-27	107	137	143	120	202	357	190
1927-28	80	47	27	22	35	46	55
1928-29	70	33	26	24	47	27	21
1929-30	71	53	25	28	62	30	14
1930-31	52	37	23	26	39	37	5
1931-32	97	135	114	94	154	178	210
1932-33	82	51	44	48	47	13	37
1933-34	66	41	72	52	39	6	47
1934-35	91	153	115	159	83	27	10
1935-36	99	43	73	64	67	32	71
1936-37	113	194	236	211	270	294	254
1937-38	174	283	329	387	345	426	334
1938-39	105	91	63	83	106	67	57
1939-40	102	74	45	70	75	87	62
1940-41	117	312	517	446	188	423	423
1941-42	124	60	58	44	76	21	138
1942-43	114	264	235	376	138	424	295
1943-44	92	207	197	243	93	101	100
1944-45	118	90	75	103	115	64	78
1945-46	109	125	89	88	88	38	35
1946-47	88	138	62	105	62	18	22
1947-48	79	40	11	21	40	9	11
1948-49	72	36	13	22	55	9	17
1949-50	78	29	23	27	42	8	32
1950-51	86	12	5	10	26	6	25
1951-52	128	150	207	204	140	332	237
1952-53	89	41	31	26	47	17	64
1953-54	88	60	46	54	92	44	46
1954-55	94	51	24	23	47	13	28
1955-56	121	41	41	38	33	8	112
1956-57	99	38	33	21	45	13	21
1957-58	127	215	312	200	155	192	302
1958-59	90	44	44	28	35	9	37
1959-60	75	18	18	14	34	6	28
1960-61	63	15	12	14	21	4	13
1961-62	101	122	247	117	71	18	124
1962-63	112	29	23	32	25	24	37
1963-64	72	25	19	25	32	4	15
1964-65	104	33	36	39	43	5	36
1965-66	87	211	217	258	118	73	33
1966-67	148	171	216	301	200	25	239
1967-68	92	71	33	93	62	5	24

*Average unimpaired runoff in acre-feet computed from the 50-year period October 1915 through September 1965.

**Data prior to October 1927 from D.W.R. Bulletin No. 1. Listed as "Sespe Creek near Sespe."

TABLE B-2

DAILY MEAN DISCHARGE

The discharge figures in this table have been rounded off as follows:

1. Daily flows - second-feet

0.0	- 9.9	nearest	Tenth
10	- 999	"	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

2. Monthly means - second-feet

0.0	- 99.9	nearest	Tenth
100	- 9,999	"	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred

3. Yearly totals - acre-feet

0.0	- 9,999	nearest	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred
1,000,000	- 9,999,999	"	Thousand

TABLE B-2
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	V-9-2200	WEST FORK MOJAVE RIVER BELOW CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	3.6 E	2.8	62	20	25	17	25	3.2	1.0	0.8			1
2	3.9 E	2.9	30	20	20	13	40	5.3	0.9	0.2			2
3	4.2	2.8	21	20	19	9.8	24	5.8	0.9	0.2			3
4	4.5	2.9	16	17	19	8.7	16	4.6	0.9	0.2			4
5	4.7	2.9	14	14	19	8.2	13	3.9	0.9	0.2			5
6	3.2	3.2	13	13	18	8.2	12	5.1	0.8	0.2			6
7	2.2	2.8	11	12	16	13	11	4.7	0.8	0.5			7
8	2.0	3.5	7.6	12	14	14.3	10	3.6	0.8	0.3			8
9	1.1	2.5	7.4	12	24	66	10	3.4	0.8	0.1			9
10	0.0	3.1	8.0	13	31	44	9.1	3.4	0.8	0.1			10
11	0.0	3.5	7.3	13	27	33	8.4	3.5	0.8	0.1			11
12	0.0	2.9	5.2	12	21	25	8.3	7.1	0.7	0.0			12
13	0.0	3.7	6.3	11	43	31	9.8	11	0.7	0.0	N	N	13
14	0.0	3.3	6.1	11	64	30	9.0	7.6	0.6	0.0			14
15	0.0	2.7	6.8	10	47	22	7.1	4.5	0.4	0.0	O	O	15
16	0.0	1.7	9.1	9.9	35	21	7.6	3.4	0.4	0.0			16
17	0.0	0.9	13	9.8	28	39	7.5	2.8	0.4	0.0	F	F	17
18	0.2	0.0	47	9.4	24	26	7.1	2.6	0.3	0.0			18
19	0.6	106	44	9.7	21	20	7.8	2.6	0.3	0.0			19
20	0.2	161	29	10	20	17	7.6	2.8	0.3	0.0	L	L	20
21	0.0	37	19	10	18	17	7.4	2.7	0.2	0.0	O	O	21
22	0.1	26	13	11	16	20	6.9	2.6	0.2	0.0			22
23	0.8	19	13	11	15	22	6.8	2.6	0.2	0.0	W	W	23
24	2.2	15	12	11	14	19	6.6	2.4	0.2	0.0			24
25	2.8	12	14	9.8	13	13	5.6	2.3	0.2	0.0			25
26	2.9	12	17	9.3	12	12	6.5	4.5	0.2	0.0			26
27	3.0	14	19	52	11	12	5.3	2.5	0.2	0.0			27
28	3.0	17	20	43	14	11	4.6	2.0	0.2	0.0			28
29	2.9	17	23	32	19	10	3.9	2.0	0.4	0.0			29
30	2.8	98	24	27		10	2.2	1.4	1.5	0.0			30
31	2.8		22	27		9.6		1.1		0.0			31
MEAN	1.7	19.4	18.1	16.3	22.9	24.2	10.2	3.8	0.6	0.1			MEAN
MAX.	4.7	161	62	52	64	143	40	11	1.5	0.8			MAX.
MIN.	0.0	0.0	5.2	9.3	11	8.2	2.2	1.1	0.2	0.0			MIN.
AC. FT.	107	1152	1114	1000	1319	1490	607	231	33	6			AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
9.8	471	6.65	11	20	0245	0.0					7,059

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.S.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 18.4'	117° 18.9'	NE32 3N 4W	10200	10.90	12/29/65	Jan. 61-Date	Jan. 61-Date	1/61	Date	3159.2	USGS
Station is located 2 miles NE of Cedar Springs on left bank of West Fork of Mojave River at State Highway 118 Crossing. Drainage area is 34.5 square miles.											

TABLE B-2 (Cont.)
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	V-9-2250	EAST FORK OF WEST FORK MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.1 E	1.1	33	7.0	8.5	5.9	11	3.6	2.1	1.0	0.4	0.1	1
2	1.1 E	1.1	13	6.7	8.2	5.9	16	3.5	2.0	0.9	0.4	0.0	2
3	1.1	1.1	7.3	6.6	8.3	5.6	8.5	3.4	2.0	0.9	0.4	0.1	3
4	1.1	1.1	5.2	6.3	8.2	5.5	6.5	3.4	2.0	0.8	0.3	0.1	4
5	1.1	1.1	4.8	6.1	8.0	5.4	6.1	3.5	2.2	0.7	0.3	0.1	5
6	1.1	1.2	4.5	5.9	7.7	5.6	5.9	3.5	2.3	0.7	0.2	0.1	6
7	1.1	1.2	4.4	5.8	7.5	6.9	5.8	3.4	2.5	0.9	0.2	0.0	7
8	1.1	1.2	4.2	5.6	7.4	7.3	5.6	3.4	2.5	1.1	0.1	0.0	8
9	1.0	1.2	3.9	5.6	8.3	33	5.4	3.4	2.4	0.9	0.1	0.0	9
10	1.0	1.3	3.7	5.4	9.2	21	5.3	3.3	2.2	0.7	0.1	0.0	10
11	1.0	1.3	3.7	6.0	8.7	16	5.1	3.4	2.0	0.7	0.1	0.0	11
12	1.0	1.3	3.6	6.5	8.2	13	5.0	4.1	1.9	0.6	0.1	0.0	12
13	0.9	1.2	3.6	6.3	15	12	4.9	4.0	1.8	0.6	0.1	0.0	13
14	0.9	1.2	3.5	6.0	21	13	4.8	3.7	1.8	0.5	0.1	0.0	14
15	0.9	1.3	3.6	5.2	16	11	4.7	3.5	1.7	0.6	0.1	0.1	15
16	1.0	1.3	5.0	4.9	14	9.7	4.8	3.3	1.6	0.6	0.2	0.1	16
17	1.0	1.3	6.5	4.8	12	14	4.8	3.2	1.5	0.5	0.3	0.0	17
18	1.0	1.3	15	4.7	11	12	4.7	3.1	1.4	0.4	0.3	0.0	18
19	1.0	20	15	4.7	9.8	10	4.6	3.0	1.3	0.3	0.3	0.0	19
20	1.1	30	11	4.7	9.2	9.2	4.5	2.9	1.3	0.3	0.4	0.1	20
21	1.4	8.2	8.1	5.0	8.6	8.5	4.5	3.0	1.2	0.2	0.5	0.1	21
22	3.4	5.1	6.9	6.2	8.1	8.1	4.3	3.1	1.1	0.2	0.4	0.1	22
23	1.7	4.0	6.3	5.9	7.7	7.8	4.2	3.0	1.1	0.2	0.3	0.1	23
24	1.3	3.7	6.0	5.7	7.4	7.4	4.1	2.9	1.1	0.1	0.2	0.1	24
25	1.2	3.6	6.4	5.4	7.1	7.2	4.1	2.8	1.0	0.1	0.2	0.1	25
26	1.2	3.5	7.2	5.8	6.8	7.0	4.0	2.6	1.0	0.1	0.2	0.1	26
27	1.2	4.2	8.0	21	6.4	6.8	3.9	2.6	0.9	0.3	0.2	0.1	27
28	1.2	4.2	8.4	16	6.3	6.6	3.8	2.4	1.0	0.6	0.1	0.1	28
29	1.1	3.7	8.1	11	6.1	6.4	3.7	2.4	1.1	0.8	0.1	0.1	29
30	1.1	40	7.8	9.7	6.1	6.1	3.6	2.3	1.1	0.6	0.1	0.1	30
31	1.1		7.2	9.0	5.9	5.9		2.3		0.5	0.1		31
MEAN	1.2	5.1	7.6	7.0	9.4	11.8	5.5	3.2	1.6	0.6	0.2	0.1	MEAN
MAX.	3.4	40	33	21	21	73	16	4.1	2.5	1.1	0.5	0.1	MAX.
MIN.	0.9	1.1	3.5	4.7	6.1	5.4	3.6	2.3	0.9	0.1	0.1	0.0	MIN.
AC. FT.	72	302	465	427	539	723	325	194	97	35	13	3	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
4.4	145	4.23	3	8	0545	0.0					3,195

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.S.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 16.3'	117° 17.5'	SW10 2N 4W	5110	7.10	12/29/65	March 61-Date	March 61-Date	3/61	Date	3580.3	USGS
<p>Station is located 2.2 miles east of Cedar Springs on the right bank of the East Fork of the West Fork of Mojave River.</p> <p>Drainage area is 11.5 square miles.</p>											

TABLE B-2 (Cont.)
DAILY MEAN DISCHARGE
 (IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	V-9-2300	WEST FORK MOJAVE RIVER ABOVE CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.9E	0.8	6.1	3.0	2.4	2.3	2.6E	1.1	0.8	0.3	0.1		1
2	0.9E	0.8	3.9	2.9	2.1	2.3	2.8E	1.9	0.7	0.2	0.0		2
3	0.8	0.8	3.1	2.8	2.4	2.2	2.8E	1.6	0.7	0.2	0.0		3
4	0.9	0.8	2.7	2.9	2.4	2.1	2.8E	1.6	0.7	0.2	0.0		4
5	0.9	0.8	2.4	3.1	2.4	1.9	2.8E	1.7	0.9	0.2	0.0		5
6	0.9	0.9	2.2	2.9	2.4	1.9	2.8E	1.6	0.9	0.2	0.0		6
7	0.8	0.9	2.1	2.9	2.4	2.2	2.8E	1.4	1.0	0.3	0.0		7
8	0.8	0.9	2.0	2.8	2.3	13	2.8E	1.4	1.0	0.3	0.0	N	8
9	0.8	0.9	2.0	2.8	2.7	6.5	2.8E	1.4	0.9	0.2	0.0		9
10	0.8	0.9	2.0	2.8	3.4	5.0	2.8E	1.3	0.8	0.2	0.0	O	10
11	0.8	0.9	1.9	2.8	3.1	4.3	2.6E	1.4	0.8	0.1	0.0		11
12	0.7	0.9	1.9	2.8	2.8	3.9	2.6E	1.5	0.7	0.1	0.0		12
13	0.7	0.9	1.7	2.7	4.5	4.4	2.6E	1.6	0.7	0.1	0.0		13
14	0.7	0.9	1.7	2.6	9.0	4.2	2.6E	1.4	0.6	0.1	0.0		14
15	0.7	1.4	1.8	2.6	6.3	3.8	2.6E	1.4	0.6	0.1	0.0		15
16	0.8	1.8	1.8	2.6	5.2	3.7	2.6E	1.3	0.5	0.1	0.0		16
17	0.8	1.8	1.8	2.5	4.8	4.5	2.5	1.3	0.5	0.1	0.0		17
18	0.8	2.0	4.5	2.4	4.3	4.0	2.2	1.2	0.5	0.1	0.0	F	18
19	0.7	15	4.0	2.4	3.8	3.8	2.4	1.2	0.4	0.1	0.0		19
20	0.7	31	2.9	2.4	3.5	3.6	2.4	1.1	0.4	0.1	0.1	L	20
21	0.8	4.7	2.6	2.4	3.2	3.4	2.4	1.2	0.4	0.0	0.1	O	21
22	0.8	2.7	2.4	2.3	3.0	3.2	2.3	1.2	0.4	0.0	0.1		22
23	0.8	2.1	2.3	2.3	2.9	3.3	2.2	1.2	0.4	0.0	0.0	W	23
24	0.8	1.8	2.5	2.3	2.8	3.2	2.2	1.1	0.4	0.0	0.0		24
25	0.8	1.6	3.1	2.2	2.7	3.2	2.2	1.1	0.3	0.0	0.0		25
26	0.8	1.6	3.6	2.5	2.6	3.1	2.6	1.0	0.3	0.0	0.0		26
27	0.8	1.5	4.0	5.4	2.6	2.9	2.1	1.0	0.3	0.0	0.0		27
28	0.8	1.6	3.9	4.0	2.4	2.8	2.0	0.9	0.3	0.2	0.0		28
29	0.8	1.5	3.7	3.2	2.4	3.0	2.0	0.9	0.4	0.2	0.0		29
30	0.8	11	3.5	2.9	2.9	2.9	2.0	0.9	0.3	0.1	0.0		30
31	0.8		3.2	2.9	2.8	2.8		0.8		0.1	0.0		31
MEAN	0.8	3.2	2.8	2.8	3.3	3.7	2.5	1.3	0.6	0.1	0.0		MEAN
MAX.	0.9	31	6.1	5.4	9.0	13	2.8	1.9	1.0	0.3	0.1		MAX.
MIN.	0.7	0.8	1.7	2.3	2.1	1.9	2.0	0.8	0.3	0.0	0.0		MIN.
AC. FT.	49	188	172	172	192	224	147	78	35	7.5	1.6		AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.8	163	3.03	11	20	0015	0.0					1,267

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 17.1'	117° 22.5'	SW2 2N 5W	612	5.68	11/22/65	Feb. 61-Date	Feb. 61-Date	2/61	Date	3552.3	USGS
Station is located 2.6 miles west of Cedar Springs on the left bank of the West Fork of Mojave River. Drainage area is 3.2 square miles.											

TABLE B-2 (Cont)
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	V-9-2902	LAS FLORES DIVERSION FROM WEST FORK MOJAVE RIVER BELOW CEDAR SPRINGS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1				0.0	0.7	0.0	0.0	7.7	5.6	1.4	0.2E	0.2E	1
2				0.0	5.3	0.0	0.0	8.0	5.2	1.3	0.2E	0.2E	2
3				0.0	7.2	0.0	0.0	7.8	5.8	1.4	0.2E	0.2E	3
4				3.1	6.5	0.0	0.0	7.4	5.6	1.4	0.2E	0.2E	4
5				4.8	5.9	0.0	2.1	7.3	4.8	1.3	0.2E	0.2E	5
6				4.4	5.2	0.0	7.7	7.7	5.8	1.2	0.2E	0.2E	6
7				3.9	7.3	0.0	8.0	7.7	5.8	1.6	0.2E	0.2E	7
8				3.6	8.4	0.0	8.2	7.7	6.1	2.3	0.2E	0.2E	8
9	N	N	N	3.2	5.4	3.8	8.1	7.6	6.0	1.6	0.2E	0.2E	9
10	O	O	O	3.9	3.0	3.3	8.5	7.5	5.2	1.1	0.2E	0.2E	10
11				7.1	2.4	4.8	8.5	7.6	4.7	0.8	0.2E	0.2E	11
12				7.5	6.9	6.8	8.2	7.6	4.1	0.7	0.2E	0.2E	12
13				7.2	4.6	5.7	8.1	7.8	3.7	0.6	0.2E	0.2E	13
14				6.8	0.4	4.6	8.1	8.0	4.0	0.6	0.2E	0.2E	14
15				6.3	1.8	7.8	7.8	7.8	3.5	0.5	0.2E	0.2E	15
16	F	F	F	5.8	7.2	7.5	7.4	8.1	3.2	0.0	0.2E	0.2E	16
17	L	L	L	5.5	0.0	1.1	7.8	8.2	3.1	0.0	0.2E	0.2E	17
18				5.8	0.0	5.1	7.6	8.1	2.6	0.0	0.2E	0.2E	18
19	O	O	O	4.7	0.0	7.9	8.0	7.8	3.4	0.0	0.2E	0.2E	19
20	W	W	W	3.9	0.0	7.9	8.0	7.7	2.8	0.0	0.2E	0.2E	20
21				3.9	0.0	7.8	7.8	7.8	2.0	0.2E	0.2E	0.2E	21
22				4.7	0.0	5.7	7.8	8.0	1.9	0.2E	0.2E	0.2E	22
23				4.7	0.0	4.4	7.9	7.8	2.1	0.2E	0.2E	0.2E	23
24				4.7	0.0	4.9	7.9	7.7	2.3	0.2E	0.2E	0.2E	24
25				6.1	0.0	7.4	7.6	7.6	1.6	0.2E	0.2E	0.2E	25
26				7.8	0.0	7.6	7.5	7.5	1.3	0.2E	0.2E	0.2E	26
27				2.2	0.0	7.5	8.1	7.4	1.2	0.2E	0.2E	0.2E	27
28				0.0	0.0	7.6	7.1	7.4	1.2	0.2E	0.2E	0.2E	28
29				0.0	0.0	7.6	7.7	5.6	1.7	0.2E	0.2E	0.2E	29
30				0.8		7.4	7.3	5.2	1.8	0.2E	0.2E	0.2E	30
31				1.0		7.6		5.1		0.2E	0.2E		31
MEAN				4.0	2.7	4.6	6.6	7.5	3.6	0.6	0.2	0.2	MEAN
MAX.				7.8	8.4	7.9	8.5	8.2	6.1	2.3	0.2	0.2	MAX.
MIN.				0.0	0.0	0.0	0.0	5.1	1.2	0.0	0.2	0.2	MIN.
AC. FT.				244	155	281	394	461	314	39	12	12	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
N - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
2.5	9.1	3.48	4	10	1145	0.0					1,912

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.S.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 17.2'	117° 19.6'	SW5 2N 4W	9.1	3.48	4-10-68	March 61-Date	March 61-Date	3/61	Date	3247.3	USGS
Station is located 0.5 miles NE of Cedar Springs on right bank of the West Fork of Mojave River.											

TABLE B-2 (Cont.)
DAILY MEAN DISCHARGE
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-2-3750	PIRU CREEK ABOVE FRENCHMAN'S FLAT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	4.1	4.1	4.4	14 E	15	13	37	9.5	2.9	0.2	0.1	0.1	1
2	3.6	4.0	4.2	14 E	15	14	26	9.3	2.5	0.2	0.0	0.1	2
3	3.7	3.8	3.5	15 E	15	14	20	8.8	2.3	0.2	0.0	0.1	3
4	3.9	3.4	3.0	15 E	15	14	16	9.5	2.2	0.2	0.1	0.1	4
5	3.8	3.6	2.5	15 E	15	14	14	9.5	3.2	0.2	0.0	0.1	5
6	3.4	3.2	2.1	15 E	15	15	13	9.3	3.8	0.1	0.1	0.1	6
7	3.3	3.3	1.7	14	14	29	12	9.3	3.9	0.2	0.1	0.1	7
8	3.2	3.4	4.9 E	14	13	70	11	10	4.3	0.1	0.0	0.1	8
9	3.1	3.4	5.5 E	15	14	57	11	11	3.6	0.2	0.1	0.1	9
10	3.2	3.4	6.1 E	15	16	44	9.7	11	2.7	0.1	0.2	0.1	10
11	3.1	3.2	6.8 E	15	15	44	7.6	11	2.1	0.2	0.2	0.0	11
12	3.1	3.0	7.6 E	15	15	46	9.0	11	1.8	0.1	0.1	0.0	12
13	3.3	3.1	8.4 E	16	23	51	9.6	9.7	1.6	0.1	0.0	0.0	13
14	3.4	3.1	9.3 E	15	22	47	9.2	8.1	1.3	0.1	0.1	0.0	14
15	3.4	3.3	10 E	15	20	41	9.0	7.5	1.1	0.3	0.1	0.0	15
16	3.0	3.7	11 E	15	19	37	9.6	7.1	1.1	0.1	0.1	0.0	16
17	2.9	3.5	12 E	15	20	33	9.8	7.1	0.8	0.1	0.1	0.0	17
18	2.9	3.9	14 E	15	23	29	8.9	6.3	0.9	0.1	0.1	0.0	18
19	3.1	3.8	14 E	15	22	29	9.2	5.8	0.6	0.1	0.0	0.1	19
20	3.1	1.36	15 E	15	19	28	9.4	5.5	0.4	0.1	0.0	0.2	20
21	3.2	3.74	15 E	15	18	26	8.9	6.1	0.4	0.1	0.0	0.2	21
22	3.4	2.88	15 E	15	17	25	9.0	5.9	0.3	0.1	0.2	0.2	22
23	3.4	1.32	15 E	15	17	26	9.3	5.6	0.3	0.1	0.3	0.2	23
24	3.4	5.5	16 E	14	16	26	9.9	5.2	0.3	0.0	0.4	0.2	24
25	3.4	3.7	16 E	14	14	26	9.8	4.7	0.3	0.0	0.3	0.2	25
26	3.3	3.6	16 E	14	14	26	11	4.5	0.3	0.0	0.3	0.2	26
27	2.9	3.5	16 E	14	14	26	11	4.0	0.3	0.0	0.2	0.2	27
28	3.5	3.2	14 E	15	14	26	11	4.2	0.2	0.0	0.2	0.3	28
29	3.9	3.0	14 E	15	14	26	10	4.0	0.2	0.0	0.2	0.3	29
30	3.8	3.3	14 E	15	28	28	9.8	3.6	0.2	0.0	0.1	0.4	30
31	3.9		14 E	15	29	29		3.1		0.0	0.1		31
MEAN	3.4	42.9	16.1	14.6	16.6	30.9	12.0	7.3	1.5	0.1	0.1	0.1	MEAN
MAX.	4.1	374	44	16	23	57	37	11	4.3	0.2	0.4	0.4	MAX.
MIN.	2.9	3.0	4.9	14	13	13	7.6	3.1	0.2	0.0	0.0	0.3	MIN.
AC. FT.	207	2554	992	897	954	1900	716	450	91	6.8	8.0	7.5	AC. FT.

E - ESTIMATED
NR - NO RECORD
* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW
- E AND *

MEAN
DISCHARGE
12.1

MAXIMUM
DISCHARGE
557
GAGE HT.
2.22
MO. DAY TIME
11 21 1900

MINIMUM
DISCHARGE
0.0
GAGE HT.
MO. DAY TIME

TOTAL
ACRE FEET
8,783

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.S. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 37.8'	118° 44.8'	NW11 6N 18W	10,160	6.34	11-24-65	Dec. 63-Date	Dec. 63-Date	12/63	Date	0.50	Local
Station is located 13 miles north of Castaic on Golden State Highway Route 99, (Interstate 5), on the right embankment of the highway (east embankment) at the beginning of a concrete flume.											

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-2-3770	CANADA DE LOS ALAMOS BELOW APPLE CANYON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.3	1.5	1.6	1.8	1.7	1.6	2.0	1.4	1.2	0.8	1.0	0.9	1
2	1.3	1.5	1.6	1.8	1.7	2.3	1.7	1.4	1.2	0.8	1.0	0.9	2
3	1.3	1.4	1.6	1.7	1.7	1.6	1.6	1.5	1.2	0.7	1.0	1.0	3
4	1.4	1.5	1.6	1.7	1.7	1.6	1.5	1.5	1.3	0.7	1.0	1.1	4
5	1.4	1.5	1.6	1.8	1.7	1.6	1.5	1.6	1.5	0.7	1.0	1.1	5
6	1.3	1.5	1.6	1.8	1.7	1.6	1.5	1.6	1.6	0.8	1.0	1.0	6
7	1.3	1.5	1.6	1.8	1.7	2.7	1.4	1.6	1.6	1.0	1.1	1.0	7
8	1.3	1.5	1.6	1.8	1.7	2.2	1.4	1.6	1.6	1.1	1.0	1.0	8
9	1.3	1.6	1.6	1.8	2.0	1.9	1.4	1.6	1.6	1.0	1.0	1.0	9
10	1.3	1.6	1.6	1.8	1.8	1.7	1.4	1.6	1.4	0.8	1.0	1.0	10
11	1.2	1.5	1.7	1.8	1.6	1.7	1.4	1.6	1.3	0.7	1.0	1.0	11
12	1.3	1.5	1.7	1.7	1.7	1.7	1.5	1.8	1.3	0.7	1.1	1.1	12
13	1.3	1.5	1.9	1.7	2.6	2.2	1.6	1.8	1.2	0.8	1.2	1.0	13
14	1.3	1.5	1.9	1.7	1.7	1.8	1.5	1.8	1.1	0.9	1.1	1.1	14
15	1.2	1.6	1.9	1.7	1.6	1.7	1.5	1.7	1.1	1.0	1.1	1.2	15
16	1.2	1.7	1.8	1.7	1.6	1.7	1.6	1.7	1.1	1.0	1.2	1.2	16
17	1.2	1.6	1.9	1.7	1.7	1.7	1.5	1.6	1.8	1.0	1.3	1.2	17
18	1.3	1.8	3.2	1.6	1.6	1.7	1.5	1.5	1.1	0.9	1.1	1.2	18
19	1.4	4.5	2.4	1.6	1.6	1.7	1.5	1.5	1.1	0.8	1.1	1.4	19
20	1.4	7.9	1.9	1.6	1.6	1.7	1.6	1.5	1.1	0.8	1.2	1.5	20
21	1.4	10	1.9	1.7	1.6	1.6	1.5	1.6	0.9	0.8	1.3	1.4	21
22	1.5	3.2	1.8	1.7	1.5	1.7	1.5	1.6	0.9	0.8	1.2	1.4	22
23	1.5	1.3	1.7	1.6	1.6	1.7	1.5	1.7	0.8	0.8	1.1	1.4	23
24	1.5	3.3	1.9	1.7	1.6	1.7	1.6	1.6	1.0	0.8	1.0	1.3	24
25	1.5	1.1	1.9	1.7	1.6	1.6	1.6	1.6	0.8	0.9	1.0	1.3	25
26	1.5	1.4	1.8	1.7	1.6	1.6	1.5	1.5	1.0	0.8	1.1	1.2	26
27	1.5	1.6	1.8	2.7	1.6	1.6	1.4	1.4	0.8	0.9	1.1	1.2	27
28	1.5	1.5	1.8	2.1	1.6	1.6	1.3	1.4	0.7	1.2	1.0	1.2	28
29	1.5	1.3	1.8	1.8	1.6	1.6	1.3	1.4	0.7	1.2	1.0	1.4	29
30	1.5	2.4	1.8	1.7	1.6	1.6	1.4	1.4	0.8	1.1	1.0	1.5	30
31	1.5		1.8	1.8		1.6		1.3		1.0	0.9		31
MEAN	1.4	2.3	1.8	1.8	1.7	1.8	1.5	1.6	1.2	0.9	1.1	1.2	MEAN
MAX.	1.5	10	3.2	2.7	2.6	2.7	2.0	1.8	1.8	1.2	1.3	1.5	MAX.
MIN.	1.2	1.1	1.6	1.6	1.5	1.6	1.3	1.3	0.7	0.7	0.9	0.9	MIN.
AC. FT.	84	134	112	109	97	108	89	96	69	54	65	70	AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.5	39	1.36	11	20	0530	0.7	0.67	07	12		1,087

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34°40'44"	118°47'01"	SW22 7N 18W	200	1.91	11-16-65	Mar. 65-date	Mar. 65-date	3/65	Date	0.40	Local
Station is located 0.5 miles south of the intersection of Apple Canyon and Canada de los Alamos and 200 feet west of U.S. Highway 99 (Interstate 5).											

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE
 (IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-3-2330	ELIZABETH LAKE CANYON CREEK ABOVE CASTAIC CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.8	0.8	26	8.7	10	7.2	15	3.4	1.0	0.1			1
2	1.7	0.9	19	8.5	10	7.1	15	3.4	0.9	0.0			2
3	1.8	1.1	16	8.0	9.7	6.7	10	3.3	1.1	0.0			3
4	1.9	1.2	14	8.0	9.4	6.5	8.4	3.5	1.1	0.0			4
5	1.9	1.5	12	8.0	9.0	6.7	7.2	3.6	1.7	0.0			5
6	1.8	1.6	12	7.8	9.1	6.9	6.8	3.4	1.7	0.0			6
7	1.5	1.5	11	7.8	9.0	13	6.6	3.2	1.5	0.0			7
8	1.3	1.5	11	7.7	8.9	35	6.3	3.2	1.8	0.0			8
9	1.2	1.4	10	7.6	10	20	6.0	3.2	1.8	0.0			9
10	0.9	1.5	9.8	7.8	10	15	5.4	3.1	1.4	0.0			10
11	0.8	1.5	9.6	7.9	9.2	13	5.3	3.1	0.9	0.0			11
12	0.8	1.4	9.0	7.3	9.0	12	5.8	5.8	0.7	0.0			12
13	0.8	1.4	9.6	7.2	12	15	5.8	3.9	0.6	0.0			13
14	0.8	1.4	10	7.2	11	13	5.6	3.5	0.4	0.0			14
15	0.7	1.5	10	7.1	10	12	6.0	3.1	0.3	0.0			15
16	0.6	1.8	10	7.0	9.9	11	6.5	2.8	0.3	0.0			16
17	0.6	2.7	9.5	7.4	11	10	6.4	2.5	0.2	0.0			17
18	0.6	5.0	19	7.4	10	9.4	5.9	2.2	0.2	0.0			18
19	0.6	42	17	7.4	9.3	8.6	5.6	2.0	0.1	0.0			19
20	0.6	26	14	7.8	9.1	8.2	5.5	2.0	0.1	0.0			20
21	0.8	40	12	7.8	8.8	8.4	5.4	2.3	0.0	0.0			21
22	1.2	34	11	7.7	8.6	8.5	4.9	2.4	0.0	0.0			22
23	1.2	17	10	8.0	8.1	8.5	4.8	2.2	0.0	0.0			23
24	1.2	12	10	8.2	8.1	8.3	4.5	2.0	0.0	0.0			24
25	1.2	10	10	8.5	7.9	8.6	4.4	1.7	0.0	0.0			25
26	1.3	8.9	9.9	8.5	7.5	8.7	4.3	1.4	0.1	0.0			26
27	1.2	8.1	9.6	17	7.4	8.9	4.0	1.2	0.1	0.0			27
28	1.4	9.2	9.6	14	7.3	8.7	3.5	1.1	0.2	0.0			28
29	1.4	8.3	9.3	11	7.3	8.9	3.5	1.1	0.3	0.0			29
30	1.3	71	8.9	10		9.0	3.5	1.3	0.2	0.0			30
31	1.0		8.7	11		9.0		1.4		0.0			31
MEAN	1.2	10.6	11.9	8.6	9.2	10.7	6.3	2.1	0.6	0.0			MEAN
MAX.	1.9	71	26	17	12	35	15	5.8	1.8	0.1			MAX.
MIN.	0.6	0.8	8.7	7.0	7.3	6.5	3.5	1.1	0.0	0.0			MIN.
AC. FT.	71	628	733	528	529	659	372	162	37	0.3			AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
5.1	241	1.82	11	30	1000	0.0					3,719

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 33.7'	118° 34.2'	SW34 6N 16W	3127	6.36'	12/29/65	Jan. 62-Date	Jan. 62-Date	1/62	1/63	1.82	Local
								2/63	6/65	2.15	Local
								7/65	11/66	0.35'	Local
								12/66	Date	0.14'	Local
Station is located 3.9 miles north of intersection of Castaic Canyon Road and Elizabeth Lake Canyon Road on left bank of stream at Canyon Christian Camp.											
Drainage area is 45.7 square miles.											

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	2-3-2340	NECKTIE CANYON CREEK ABOVE CASTAIC CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	1.9	0.5	0.2	0.2	0.7	0.1	0.2				1
2		0.0	6.2	0.5	0.2	0.2	0.2	0.0	0.1				2
3		0.0	3.0	0.5	0.2	0.2	0.1	0.0	0.0				3
4		0.0	1.0	0.5	0.2	0.2	0.2	0.0	0.0				4
5	N	0.0	0.6	0.5	0.2	0.2	0.2	0.0	0.0	N	N	N	5
6	O									O	O	O	6
7		0.0	0.6	0.4	0.2	0.2	0.2	0.0	0.0				7
8	F	0.0	0.5	0.4	0.2	5.8	0.2	0.0	0.0				8
9		0.0	0.4	0.4	0.2	2.1	0.1	0.0	0.0				9
10	L	0.0	0.4	0.4	0.4	1.3	0.1	0.0	0.0	F	F	F	10
11		0.0	0.3	0.3	0.4	1.2	0.1	0.0	0.0				11
12	O	0.0	0.3	0.3	0.3	1.0	0.2	8.5	0.0	L	L	L	12
13	W	0.0	0.2	0.2	0.4	0.8	0.2	3.5	0.0	O	O	O	13
14		0.0	0.2	0.2	2.6	0.4	0.2	0.9	0.0				14
15		0.0	0.3	0.2	3.2	0.2	0.2	0.2	0.0	W	W	W	15
16		0.0	0.8	0.2	0.7	0.2	0.2	0.2	0.0				16
17		0.0	1.2	0.2	0.6	0.2	0.2	0.1	0.0				17
18		0.2	9.2	0.1	0.5	0.1	0.1	0.2	0.0				18
19		6.0	9.3	0.1	0.4	0.1	0.1	0.2	0.0				19
20		3.2	6.6	0.1	0.6	0.2	0.1	0.2	0.0				20
21		13	1.2	0.1	0.7	0.2	0.1	0.2	0.0				21
22		4.0	0.6	0.1	0.6	0.2	0.1	0.3	0.0				22
23		0.3	0.6	0.1	0.5	0.2	0.1	0.3	0.0				23
24		0.3	0.6	0.1	0.5	0.2	0.1	0.3	0.0				24
25		0.3	0.6	0.1	0.5	0.1	0.1	0.3	0.0				25
26		0.3	0.5	0.2	0.5	0.1	0.1	0.3	0.0				26
27		0.3	0.5	1.0	0.5	0.1	0.1	0.4	0.0				27
28		0.3	0.5	0.4	0.4	0.1	0.1	0.3	0.0				28
29		0.2	0.5	0.3	0.3	0.1	0.1	0.2	0.0				29
30		21	0.5	0.3		0.1	0.1	0.0	0.0				30
31			0.5	0.2		0.1		0.5	0.0				31
MEAN		1.6	1.6	0.3	0.6	0.6	0.2	0.6	0.0				MEAN
MAX.		21	9.3	1.0	3.2	5.8	0.7	8.5	0.2				MAX.
MIN.		0.0	0.2	0.1	0.2	0.1	0.1	0.0	0.0				MIN.
AC. FT.		96	99	18	33	35	9	35	0.7				AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *

MEAN DISCHARGE
0.46

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
138	2.03	11	30	0915

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
0.0				

TOTAL ACRE FEET
326

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CF5	GAGE HT.	DATE			FROM	TO		
34°33'37.5"	118°36'51"	SE31 6N 17W	138.47	2.03'	11/30/67	Feb. 67-date	Feb. 67-date	2/67	date	0.14'	Local
Station is located bottom of Necktie Canyon 2.0 miles northeast (upstream) of confluence of Necktie Canyon Creek and Castaic Canyon Creek.											

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-3-2345	ELDERBERRY CANYON CREEK ABOVE CASTAIC CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	1.8	0.0 E	0.1	0.0	0.0						1
2		0.0	0.6	0.0 E	0.1	0.0	0.1						2
3		0.0	0.3	0.0 E	0.1	0.0	0.0						3
4		0.0	0.2	0.0 E	0.1	0.0	0.0						4
5		0.0	0.2	0.0 E	0.0	0.0	0.0						5
6		0.0	0.1	0.0 E	0.0	0.0	0.0						6
7		0.0	0.1	0.0 E	0.0	0.5	0.0						7
8	N	0.0	0.1	0.0 E	0.0	5.1	0.0	N	N	N	N	N	8
9		0.0	0.0	0.0 E	0.0	1.1	0.0						9
10	O	0.0	0.0	0.1	0.2	0.5	0.0	O	O	O	O	O	10
11		0.0	0.0	0.1	0.1	0.3	0.0						11
12		0.0	0.0	0.1	0.1	0.2	0.0						12
13		0.0	0.0	0.1	0.8	0.3	0.0						13
14		0.0	0.0	0.1	1.0	0.3	0.0						14
15	F	0.0	0.0	0.1	0.5	0.2	0.0	F	F	F	F	F	15
16	L	0.0	0.0	0.1	0.4	0.1	0.0	L	L	L	L	L	16
17		0.0	0.0	0.0	0.4	0.1	0.0						17
18	O	0.0	0.7	0.0	0.4	0.1	0.0	O	O	O	O	O	18
19		0.0	0.5	0.0	0.3	0.1	0.0						19
20	W	0.3	0.3	0.0	0.2	0.0	0.0	W	W	W	W	W	20
21		5.0	0.2	0.0	0.2	0.0	0.0						21
22		2.7	0.2	0.0	0.1	0.0	0.0						22
23		0.2	0.2	0.0	0.1	0.0	0.0						23
24		0.1	0.2	0.0	0.1	0.0	0.0						24
25		0.0	0.2	0.0	0.1	0.0	0.0						25
26		0.0	0.2	0.0	0.0	0.0	0.0						26
27		0.0	0.1	0.1	0.0	0.0	0.0						27
28		0.1	0.1	0.5	0.0	0.0	0.0						28
29		0.0	0.1	0.2	0.0	0.0	0.0						29
30		11	0.1 E	0.1	0.0	0.0	0.0						30
31			0.1 E	0.1	0.0	0.0	0.0						31
MEAN		0.6	0.2	0.1	0.2	0.3	0.0						MEAN
MAX.		11	1.8	0.5	1.0	5.1	0.1						MAX.
MIN.		0.0	0.0	0.0	0.0	0.0	0.0						MIN.
AC. FT.		38	13	3.5	10	18	0.2						AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 H - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
0.1	44	2.49	11	30	0945	0.0					83

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 34' 16"	118° 37' 31"	NE36 6N 17W	77.7	2.85	12/06/66	Oct. 66-Date	Oct. 66-Date	10/66	Date	0.75'	Local
Station is located 0.5 miles northeast of the old Castaic Canyon Road in Elderberry Canyon.											

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-3-2360	CASTAIC CREEK ABOVE OORDOVA RANCH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			17	3.3	3.3	3.4	7.7	0.8	NR				1
2			9.5	3.1	3.1	3.2	7.3	0.8	NR				2
3			6.8	3.0	3.0	3.1	5.1	0.8	NR				3
4			5.1	3.0	2.9	2.9	4.2	0.9	NR				4
5			4.2	3.0	2.8	2.8	3.9	1.2	NR				5
6			3.8	2.9	2.8	2.5	3.6	1.1	NR				6
7			3.5	2.9	2.7	9.8	3.4	1.0	0.0				7
8			3.2	2.7	2.4	27	3.0	1.1	0.0				8
9			2.8	2.6	3.4	13	2.8	1.0	0.0				9
10		N	2.8	2.9	3.6	8.8	2.6	1.0	0.0				10
11		O	2.6	3.2	3.2	6.8	2.4	1.1	0.0				11
12	N		2.5	2.9	3.2	6.0	2.6	1.7	0.0	N	N	N	12
13			2.3	2.8	6.1	8.4	2.6	1.6	0.0				13
14	O	R	2.0	2.8	7.4	7.5	2.3	1.4	0.0	O	O	O	14
15			2.0	2.6	5.8	6.0	2.3	1.1	0.0				15
16	F	E	2.0	2.6	5.1	5.3	2.5	0.8	0.0	F	F	F	16
17		C	2.0	2.6	5.7	4.7	2.6	0.7	0.0				17
18	L		6.2	2.6	5.2	4.8	2.5	0.5	0.0	L	L	L	18
19		O	7.0	2.6	4.7	4.7	2.3	0.4	0.0				19
20	O	R	5.0	2.6	4.5	4.3	2.2	0.3	0.0	O	O	O	20
21	W		4.3	2.6	4.2	4.2	2.1	0.3	0.0	W	W	W	21
22		D	4.0	2.5	4.5	4.0	1.9	0.3	0.0				22
23			3.9	2.3	4.2	3.8	1.8	0.3	0.0				23
24			3.7	2.4	4.0	3.5	1.7	0.3	0.0				24
25			3.7	2.4	3.9	3.4	1.5	0.2	0.0				25
26			3.6	2.6	3.9	3.5	1.4	0.1	0.0				26
27			3.4	4.7	3.9	3.4	1.3	0.1	0.0				27
28			3.4	5.1	3.7	3.0	1.1	0.1	0.0				28
29			3.2	4.0	3.4	2.9	1.1	0.1	0.0				29
30			3.2	3.6		2.8	1.0	0.1	0.0				30
31			3.3	3.5		2.7		0.0	0.0				31
MEAN			4.2	3.0	4.0	5.6	2.8	0.7					MEAN
MAX.			17	5.1	7.4	27	7.7	1.7	NR				MAX.
MIN.			2.0	2.3	2.4	2.5	1.0	0.0	0.0				MIN.
AC. FT.			261	183	231	341	164	41					AC. FT.

E - ESTIMATED

NR - NO RECORD

* - DISCHARGE MEASUREMENT OR
OBSERVATION OF NO FLOW

- E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 36.7'	118° 39.8'	NE22 6N 17W	4960	4.53	12/29/65	Jan. 62-Date	Jan. 62-Date	1/62	2/62	2.10	Local
								3/62	2/63	1.53	Local
								2/63	9/65	2.23	Local
								10/65	5/66	2.05	Local
								6/66	10/66	0.03	Local
								11/66	Date	0.19	Local
Station is located 6.7 miles west of Elizabeth Lake Canyon Road on Castaic Canyon Road on left bank.											
Drainage area is 65.0 square miles.											

TABLE B-2(Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-3-2370	FISH CREEK ABOVE CASTAIG CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	13	2.6	2.7	3.1	3.8	1.0	0.1				1
2		0.0	9.3	2.8	2.5	2.9	4.9	1.0	0.1				2
3		0.0	7.4	2.6	2.4	2.9	3.3	1.0	0.1				3
4		0.0	6.3	2.5	2.3	2.6	3.0	1.0	0.1				4
5		0.0	5.4	2.6	2.1	2.4	2.7	1.3	0.1				5
6		0.0	5.1	2.2	2.1	2.3	2.5	1.2	0.1				6
7		0.0	4.1	2.2	2.2	5.6	2.3	1.1	0.1				7
8		0.0	3.8	2.1	2.3	21	2.2	0.9 E	0.1				8
9		0.0	2.8	2.3	2.4	13	2.0	0.9 E	0.1				9
10		0.0	2.7	2.4	2.9	9.5	1.8	0.9 E	0.2				10
11		0.0	2.6	2.4	3.4	7.5	1.7	0.9 E	0.1				11
12	N	0.0	2.3	2.0	4.1	6.6	1.9	0.8 E	0.0	N	N	N	12
13		0.0	1.9	2.0	5.0	7.0	1.9	0.8 E	0.0				13
14	O	0.0	1.3	1.9	7.9 E	6.8	1.7	0.7 E	0.0	O	O	O	14
15		0.0	1.0	1.9	7.4 E	5.5	1.8	0.7 E	0.0				15
16	F	0.0	1.2	1.7	6.7 E	4.9	1.9	0.7	0.0	F	F	F	16
17		0.0	1.1	1.9	5.1	4.7	2.1	0.6	0.0				17
18	L	0.0	4.1	1.8	5.2	4.2	1.9	0.4	0.0	L	L	L	18
19		1.1	5.5	1.7	4.5	4.3	2.0	0.4	0.0				19
20	O	3.5	4.7	1.6	4.2	5.0	1.8	0.4	0.0	O	O	O	20
21	W	12	4.0	1.6	4.3	4.9	1.6	0.6	0.0	W	W	W	21
22		22	3.7	1.7	4.0	4.4	1.7	0.6	0.0				22
23		9.5	4.0	1.6	3.8	4.1	1.6	0.5	0.0				23
24		6.5	4.6	1.7	3.9	3.7	1.5	0.5	0.0				24
25		3.8	5.0	1.7	3.7	3.6	1.3	0.3	0.0				25
26		2.2	5.2	1.8	3.6	3.2	1.3	0.2	0.0				26
27		1.6	4.4	3.3	3.5	2.9	1.3	0.2	0.0				27
28		1.4	4.2	4.1	3.4	2.6	1.1	0.2	0.0				28
29		1.0	3.6	3.0	3.3	2.4	1.1	0.1	0.0				29
30		21	3.0	2.8		2.3	1.1	0.2	0.0				30
31			2.6	2.8		2.1		0.1					31
MEAN		2.8	4.2	2.2	3.8	5.1	2.0	0.7	0.0				MEAN
MAX.		22	13	4.1	7.9	21	4.9	1.3	0.2				MAX.
MIN.		0.0	1.0	1.6	2.1	2.1	1.1	0.1	0.0				MIN.
AC. FT.		169	257	137	220	312	121	40	2				AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.7	51	1.83	11	30	1130	0.0					1,258

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S.B.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 36' 09"	118° 40' 20"	6N/17W-22A	4,500	---	1/25/69	June 65-Date	June 65-Date	6/65 9/66	Date	3.08 0.70	Local Local

TABLE B-2 (Cont.)

DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	Z-3-2385	CATAIC CREEK ABOVE FISH CREEK


DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1		0.0	2.9	0.9	0.9	1.0	2.7	0.1					1
2		0.0	2.1	0.9	0.9	0.9	1.8	0.1					2
3		0.0	1.8	0.9	0.8	0.9	1.1	0.1					3
4		0.0	1.5	0.8	0.8	0.9	1.0	0.1					4
5		0.0	1.4	0.9	0.8	0.8	0.9	0.2					5
6		0.0	1.3	0.8	0.8	0.8	0.9	0.1					6
7		0.0	1.3	0.8	0.8	3.9	0.8	0.1					7
8		0.0	1.1	0.8	0.8	7.8	0.7	0.1					8
9		0.0	1.0	0.8	1.2	2.3	0.7	0.1					9
10		0.0	0.9	0.8	1.2	1.7	0.6	0.1					10
11		0.0	0.9	0.9	1.1	1.5	0.5	0.1					11
12	N	0.0	0.8	0.8	1.1	1.4	0.6	0.2	N	N	N	N	12
13		0.0	0.8	0.8	2.0	2.1	0.6	0.2					13
14	O	0.0	0.9	0.8	1.5	1.7	0.5	0.1	O	O	O	O	14
15		0.0	0.7	0.8	1.3	1.5	0.5	0.1					15
16	F	0.0	0.7	0.8	1.3	1.4	0.6	0.1	F	F	F	F	16
17		0.0	0.7	0.8	1.5	1.3	0.6	0.0					17
18	L	0.0	2.1	0.8	1.3	1.2	0.6	0.0	L	L	L	L	18
19		0.9	2.0	0.8	1.2	1.2	0.6	0.0					19
20	O	22	1.5	0.7	1.2	1.0	0.5	0.0	O	O	O	O	20
21	W	28	1.3	0.7	1.2	1.0	0.5	0.0	W	W	W	W	21
22		12	1.2	0.7	1.1	1.0	0.4	0.0					22
23		2.4	1.1	0.6	1.1	0.9	0.4	0.0					23
24		1.3	1.1	0.7	1.0	0.8	0.3	0.0					24
25		0.9	1.1	0.8	1.0	0.8	0.3	0.0					25
26		0.7	1.0	0.8	1.0	0.8	0.2	0.0					26
27		0.6	1.0	1.4	1.0	0.7	0.2	0.0					27
28		0.9	1.0	1.4	1.0	0.7	0.2	0.0					28
29		0.7	0.8	1.1	1.0	0.6	0.2	0.0					29
30		14	0.9	1.0		0.6	0.1	0.0					30
31			0.9	1.0		0.7		0.0					31
MEAN		2.8	1.2	0.9	1.1	1.4	0.7	0.1					MEAN
MAX.		28	2.9	1.4	2.0	7.8	2.7	0.2					MAX.
MIN.		0.0	0.7	0.6	0.8	0.6	0.1	0.0					MIN.
AC. FT.		165	74	52	63	87	38	4					AC. FT.

E - ESTIMATED
 NR - NO RECORD
 * - DISCHARGE MEASUREMENT OR
 OBSERVATION OF NO FLOW
 # - E AND *


MEAN	MAXIMUM	MINIMUM	TOTAL
DISCHARGE 0.7	DISCHARGE 160 GAGE HT. 2.62 MO. DAY TIME 11 20 0800	DISCHARGE 0.0 GAGE HT. MO. DAY TIME	ACRE FEET 483

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. S. B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
34° 37'05"	111° 39' 33"	6N/17W-14D	12,000	16 ±	1/21/69	1/68 to 1/69	1/68 to 1/69	1/68	1/69	0.29	Local

Figure B-1



NET DIVERSIONS OF WATER TO CALIFORNIA FROM THE COLORADO RIVER



HISTORICAL IMPORTATIONS OF WATER TO COASTAL SOUTHERN CALIFORNIA

TABLE B - 3

**MONTHLY WATER CONTENT OF SELECTED SURFACE RESERVOIRS
IN OR SUPPLYING WATER TO SOUTHERN CALIFORNIA
OCTOBER 1, 1967 TO SEPTEMBER 30, 1968**

Drainage province and stream	Reservoir	Active capacity in acre-feet	Water in storage on first day of month, in acre-feet											
			October	November	December	January	February	March	April	May	June	July	August	September
Central Coastal														
Old Creek	Whale Rock	40,000	18,977	18,830	18,719	18,719	18,682	18,719	18,830	18,756	18,572	18,354	17,958	17,568
Santa Ynez River	Gibraltar	14,777	12,300	11,585	11,797	11,939	12,040	12,398	13,541	13,464	12,977	12,103	11,104	10,094
Santa Ynez River	Cachuma	204,900	191,622	188,809	187,527	187,062	186,513	186,455	188,110	185,706	181,270	176,044	170,558	165,257
Cuyama River	Twitchell	250,000	38,697	30,850	23,451	16,049	8,738	3,247	0	0	0	0	0	0
Los Angeles														
Matilija Creek	Matilija	3,200	868	334	358	450	938	1,064	1,600	1,677	1,677	1,612	1,470	1,327
Coyote Creek	Casitas	248,000	133,123	132,064	132,369	132,315	131,885	131,635	132,459	131,351	129,419	127,296	125,061	122,549
Piru Creek	Lake Piru	100,000	25,788	24,799	29,237	31,296	32,784	34,373	36,865	36,330	34,336	31,919	29,272	26,491
Bouquet Creek	Bouquet Canyon	35,510	25,950	23,603	20,693	25,015	29,169	31,567	33,969	33,542	32,525	31,157	30,440	27,860
San Gabriel River	San Gabriel	43,830	4,408	3,064	7,632	6,084	7,049	10,657	10,547	9,275	5,860	5,250	1,591	917
Lahontan														
Rush Creek	Grant Lake	47,530	46,001	46,870	45,785	45,785	45,030	46,329	45,461	39,762	37,620	36,914	31,350	23,983
Owens River	Lake Crowley	183,470	164,140	163,160	158,797	152,156	150,292	152,156	154,981	151,689	150,757	157,838	154,035	150,757
Owens River	Haiwee	58,530	45,175	37,657	45,904	50,845	49,958	50,288	50,520	52,306	53,934	52,528	48,884	51,120
Colorado River Basin														
Colorado River	Lake Mead	27,207,000	14,375*	14,219*	14,122*	14,338*	14,566*	14,614*	14,640*	14,780*	14,887*	14,996*	15,052*	15,065*
Colorado River	Lake Mojave	1,810,000	1,402*	1,439*	1,628*	1,734*	1,691*	1,637*	1,669*	1,694*	1,762*	1,652*	1,556*	1,429*
Colorado River	Lake Havasu	619,000	560*	547*	547*	544*	547*	541*	555*	597*	606*	612*	595*	566*
Santa Ana River														
Bear Creek	Bear Valley	72,170	41,672	40,875	41,274	42,469	42,967	44,063	45,258	46,054	45,333	44,262	43,465	42,469
San Jacinto River	Lake Hemet	13,400	7,874	6,965	6,748	7,051	7,268	7,462	7,657	7,917	7,917	7,809	7,462	7,138
San Jacinto River	Railroad Canyon**	14,700	4,702	4,260	4,830	4,907	4,808	4,777	4,916	4,731	4,163	5,055	6,622	5,892
Cajalco Creek	Lake Mathews**	182,000	171,529	159,918	172,128	161,233	162,790	174,655	175,823	171,931	161,851	144,593	122,217	111,806
Santiago Creek	Santiago**	25,000	20,030	18,905	18,315	18,150	17,405	16,365	16,485	15,410	13,545	13,585	13,915	12,300
San Diego														
Temecula Creek	Vail	49,500	12,966	12,752	12,786	12,976	13,009	13,090	13,166	13,118	12,786	12,365	11,830	11,870
San Luis Rey River	Lake Henshaw	194,320	9,353	8,787	7,979	8,797	8,569	7,596	6,940	6,993	6,291	5,542	3,988	3,759
Santa Ysabel Creek	Sutherland	29,700	2,087	2,031	2,058	2,484	2,600	2,040	2,170	2,272	2,304	2,259	2,190	2,113
San Dieguito River	Lake Hodges**	33,550	4,710	3,834	3,368	3,391	2,989	2,740	2,502	1,735	1,081	511	149	138
San Vicente Creek	San Vicente Lake**	90,230	72,195	71,883	72,994	71,525	68,049	66,879	65,941	67,143	68,771	67,407	64,175	58,905
Roulter Creek	Cuyamaca	11,600	0	0	0	213	454	493	555	639	598	560	533	497
Quail Canyon Creek	Lake Jennings**	10,503	6,444	6,444	6,675	6,337	6,390	6,258	6,499	6,512	6,526	6,689	6,703	6,634
San Diego River	El Capitan Lake**	112,800	17,214	16,309	18,542	19,351	19,635	22,175	21,486	19,431	18,014	17,359	14,932	13,860
Sweetwater River	Lake Loveland	25,250	545	543	560	764	918	1,042	1,177	1,298	1,317	1,296	1,272	1,243
Sweetwater River	Sweetwater (Main)**	27,150	2,324	2,034	2,140	2,366	2,439	2,634	3,130	3,303	3,254	3,146	2,963	2,743
Otay River	Lower Otay Lake**	56,520	7,965	7,058	6,423	6,847	6,744	6,330	6,292	5,805	5,092	4,602	4,518	4,402
Cottonwood Creek	Morena	50,210	1,298	1,249	1,269	1,341	1,355	1,368	1,394	1,368	1,325	1,261	1,203	1,137
Cottonwood Creek	Barrett	44,750	1,612	1,573	1,591	1,105	844	892	806	852	841	813	783	748

*In 1,000 acre-feet

**Includes imported Colorado River water

Appendix C GROUND WATER MEASUREMENTS

Appendix C GROUND WATER MEASUREMENTS

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16


Appendix C

GROUND WATER MEASUREMENTS

This appendix contains ground water level measurements (Table C-1) for approximately 8,000 wells for the period October 1, 1967, through September 30, 1968. It also contains hydrographs of selected wells (Figure C-7) and a tabulation of ground water replenishment (Table C-2).


Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the *Areal Designation* and the *State Well Numbering System* as described below.

The *Areal Designation System* comprises a series of major drainage provinces which are further subdivided into hydrologic units, hydrologic subunits, and hydrologic subareas. A coding system of the form U-04.A2 has been developed as follows:



Figures C-1 through C-6 show the location and code number of each hydrologic subdivision in each drainage province, as well as the location of wells for which hydrographs are shown in Figure C-7.

The *State Well Numbering System* is based on township, range, and section subdivisions of the Public Land Survey. The number of a well, assigned in accordance with this system, is referred to as the *State Well Number*, as illustrated below:



This number identifies and locates the well. In the example, the well is in Township 39 North, Range 13 East, Tract K of Section 8, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as shown:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract K.

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
CENTRAL COASTAL DRAINAGE PROVINCE

T-09.00	SALINAS HYDROLOGIC UNIT
T-09.H0	Paso Robles Hydrologic Subunit
T-09.I0	Pozo Hydrologic Subunit
T-10.00	SAN LUIS OBISPO HYDROLOGIC UNIT
T-10.A0	Cambria Hydrologic Subunit
T-10.A1	San Carpofo Hydrologic Subarea
T-10.A2	Arroyo De La Cruz Hydrologic Subarea
T-10.A3	San Simeon Hydrologic Subarea
T-10.A4	Santa Rosa Hydrologic Subarea
T-10.A5	Villa Hydrologic Subarea
T-10.A6	Cayucos Hydrologic Subarea
T-10.A7	Old Hydrologic Subarea
T-10.A8	Toro Hydrologic Subarea
T-10.B0	San Luis Obispo Hydrologic Subunit
T-10.B1	Morro Hydrologic Subarea
T-10.B2	Chorro Hydrologic Subarea
T-10.B3	Los Osos Hydrologic Subarea
T-10.B4	San Luis Obispo Creek Hydrologic Subarea
T-10.B5	Point San Luis Hydrologic Subarea
T-10.B6	Pismo Hydrologic Subarea
T-10.C0	Arroyo Grande Hydrologic Subunit
T-10.C1	Arroyo Grande Hydrologic Subarea
T-10.C2	Nipomo Mesa Hydrologic Subarea
T-11.00	CARRIZO PLAIN HYDROLOGIC UNIT
T-12.00	SANTA MARIA-CUYAMA HYDROLOGIC UNIT
T-12.A0	Santa Maria Hydrologic Subunit
T-12.B0	Sisquoc Hydrologic Subunit
T-12.C0	Cuyama Valley Hydrologic Subunit
T-13.00	SAN ANTONIO HYDROLOGIC UNIT
T-14.00	SANTA YNEZ HYDROLOGIC UNIT
T-14.A0	Lompoc Hydrologic Subunit
T-14.B0	Santa Rita Hydrologic Subunit
T-14.C0	Buellton Hydrologic Subunit
T-14.D0	Santa Ynez Hydrologic Subunit
T-14.E0	Headwater Hydrologic Subunit
T-15.00	SANTA BARBARA HYDROLOGIC UNIT
T-15.A0	Arguello Hydrologic Subunit
T-15.C0	South Coast Hydrologic Subunit
T-15.C1	Goleta Hydrologic Subarea
T-15.C2	Santa Barbara Hydrologic Subarea
T-15.C3	Montecito Hydrologic Subarea
T-15.C4	Carpinteria Hydrologic Subarea



AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LOS ANGELES DRAINAGE PROVINCE

U-01.00	RINCON CREEK HYDROLOGIC UNIT	U-04.C0	Point Dume Hydrologic Subunit
U-02.00	VENTURA RIVER HYDROLOGIC UNIT	U-04.C1	Corral Canyon Hydrologic Subarea
U-02.A0	Lower Ventura River Hydrologic Subunit	U-04.C2	Solstice Canyon Hydrologic Subarea
U-02.B0	Upper Ventura River Hydrologic Subunit	U-04.C3	Latigo Canyon Hydrologic Subarea
U-02.C0	Ojai Hydrologic Subunit	U-04.C4	Escondido Canyon Hydrologic Subarea
U-02.C1	Upper Ojai Hydrologic Subarea	U-04.C5	Ramera Canyon Hydrologic Subarea
U-02.C2	Ojai Hydrologic Subarea	U-04.C6	Zuma Canyon Hydrologic Subarea
U-03.00	SANTA CLARA-CALLEGUAS HYDROLOGIC UNIT	U-04.C7	Trancas Canyon Hydrologic Subarea
U-03.A0	Oxnard Plain Hydrologic Subunit	U-04.D0	Camarillo Hydrologic Subunit
U-03.A1	Oxnard Hydrologic Subarea	U-04.D1	Encinal Canyon Hydrologic Subarea
U-03.A2	Pleasant Valley Hydrologic Subarea	U-04.D2	Los Alisos Canyon Hydrologic Subarea
U-03.B0	Santa Paula Hydrologic Subunit	U-04.D3	Nicholas Canyon Hydrologic Subarea
U-03.B1	Santa Paula Hydrologic Subarea	U-04.D4	Arroyo Sequit Hydrologic Subarea
U-03.B2	Sisar Hydrologic Subarea	U-04.D5	Little Sycamore Canyon Hydrologic Subarea
U-03.C0	Sespe Hydrologic Subunit	U-04.D6	Deer Canyon Hydrologic Subarea
U-03.C1	Fillmore Hydrologic Subarea	U-04.D7	Big Sycamore Canyon Hydrologic Subarea
U-03.C2	Sespe Hydrologic Subarea	U-04.D8	La Jolla Valley Hydrologic Subarea
U-03.D0	Piru Hydrologic Subunit	U-05.00	LOS ANGELES-SAN GABRIEL RIVER HYDROLOGIC UNIT
U-03.D1	Piru Hydrologic Subarea	U-05.A0	Coastal Plain of Los Angeles County Hydrologic Subunit
U-03.D2	Upper Piru Hydrologic Subarea	U-05.A1	Palos Verdes Hydrologic Subarea
U-03.D3	Hungry Valley Hydrologic Subarea	U-05.A2	West Coast Hydrologic Subarea
U-03.D4	Stauffer Hydrologic Subarea	U-05.A3	Santa Monica Hydrologic Subarea
U-03.E0	Upper Santa Clara River Hydrologic Subunit	U-05.A4	Hollywood Hydrologic Subarea
U-03.E1	Eastern Hydrologic Subarea	U-05.A5	Central Hydrologic Subarea
U-03.E2	Bouquet Hydrologic Subarea	U-05.B0	San Fernando Hydrologic Subunit
U-03.E3	Mint Canyon Hydrologic Subarea	U-05.B1	San Fernando Hydrologic Subarea
U-03.E4	Sierra Pelona Hydrologic Subarea	U-05.B2	Sylmar Hydrologic Subarea
U-03.E5	Acton Hydrologic Subarea	U-05.B3	Tujunga Hydrologic Subarea
U-03.F0	Calleguas-Conejo Hydrologic Subunit	U-05.B4	Verdugo Hydrologic Subarea
U-03.F1	West Las Posas Hydrologic Subarea	U-05.B5	Eagle Rock Hydrologic Subarea
U-03.F2	East Las Posas Hydrologic Subarea	U-05.C0	Raymond Hydrologic Subunit
U-03.F3	Arroyo Santa Rosa Hydrologic Subarea	U-05.C1	Pasadena Hydrologic Subarea
U-03.F4	Conejo Valley Hydrologic Subarea	U-05.C2	Monk Hill Hydrologic Subarea
U-03.F5	Tierra Rejada Valley Hydrologic Subarea	U-05.C3	Santa Anita Hydrologic Subarea
U-03.F6	Gillibrand Hydrologic Subarea	U-05.D0	San Gabriel Valley Hydrologic Subunit
U-03.F7	Simi Valley Hydrologic Subarea	U-05.D1	Main San Gabriel Hydrologic Subarea
U-03.F8	Thousand Oaks Hydrologic Subarea	U-05.D2	Lower Canyon Hydrologic Subarea
U-04.00	MALIBU HYDROLOGIC UNIT	U-05.D3	Upper Canyon Hydrologic Subarea
U-04.A0	Topanga Hydrologic Subunit	U-05.D4	Foothill Hydrologic Subarea
U-04.A1	Topanga Canyon Hydrologic Subarea	U-05.E0	Spadra Hydrologic Subunit
U-04.A2	Tuna Canyon Hydrologic Subarea	U-05.E1	Spadra Hydrologic Subarea
U-04.A3	Pena Canyon Hydrologic Subarea	U-05.E2	Pomona Hydrologic Subarea
U-04.A4	Piedra Gorda Canyon Hydrologic Subarea	U-05.E3	Live Oak Hydrologic Subarea
U-04.A5	Las Flores Canyon Hydrologic Subarea	U-05.F0	Anaheim Hydrologic Subunit
U-04.A6	Carbon Canyon Hydrologic Subarea	U-05.F1	Anaheim Hydrologic Subarea
U-04.B0	Malibu Creek Hydrologic Subunit	U-05.F2	La Habra Hydrologic Subarea
U-04.B1	Malibu Creek Hydrologic Subarea	U-05.F3	Yorba Linda Hydrologic Subarea
U-04.B2	Las Virgenes Canyon Hydrologic Subarea		
U-04.B3	Lindero Canyon Hydrologic Subarea		
U-04.B4	Triunfo Canyon Hydrologic Subarea		
U-04.B5	Russell Valley Hydrologic Subarea		
U-04.B6	Sherwood Hydrologic Subarea		



AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
LAHONTAN DRAINAGE PROVINCE

W-01.00	MONO HYDROLOGIC UNIT	W-20.00	PANAMINT HYDROLOGIC UNIT
W-02.00	ADOBE HYDROLOGIC UNIT	W-20.A0	Wingate Pass Hydrologic Subunit
W-03.00	OWENS HYDROLOGIC UNIT	W-20.B0	Wild Rose Hydrologic Subunit
W-03.A0	Long Hydrologic Subunit	W-20.B1	White Sage Hydrologic Subarea
W-03.B0	Upper Owens Hydrologic Subunit	W-20.B2	Wild Rose Hydrologic Subarea
W-03.C0	Lower Owens Hydrologic Subunit	W-20.C0	Lee Flat Hydrologic Subunit
W-03.D0	Centennial Hydrologic Subunit	W-20.D0	Santa Rosa Flat Hydrologic Subunit
W-04.00	FISH LAKE HYDROLOGIC UNIT	W-20.D1	Santa Rosa Flat Hydrologic Subarea
W-05.00	DEEP SPRINGS HYDROLOGIC UNIT	W-20.D2	Rainbow Hydrologic Subarea
W-06.00	EUREKA HYDROLOGIC UNIT	W-20.D3	Silver Dollar Hydrologic Subarea
W-06.A0	Marble Bath Hydrologic Subunit	W-20.E0	Darwin Hydrologic Subunit
W-06.B0	Eureka Hydrologic Subunit	W-20.F0	Panamint Hydrologic Subunit
W-07.00	SALINE HYDROLOGIC UNIT	W-20.G0	Brown Hydrologic Subunit
W-07.A0	Saline Hydrologic Subunit	W-20.H0	Robbers Hydrologic Subunit
W-07.B0	Cameo Hydrologic Subunit	W-21.00	SEARLES HYDROLOGIC UNIT
W-08.00	RACE TRACK HYDROLOGIC UNIT	W-21.A0	Searles Hydrologic Subunit
W-08.A0	Race Track Hydrologic Subunit	W-21.B0	Salt Wells Hydrologic Subunit
W-08.B0	Hidden Valley Hydrologic Subunit	W-21.C0	Pilot Knob Hydrologic Subunit
W-08.C0	Ulida Hydrologic Subunit	W-22.00	COSO HYDROLOGIC UNIT
W-08.D0	Sand Flat Hydrologic Subunit	W-22.A0	Wild Horse Hydrologic Subunit
W-09.00	AMARGOSA HYDROLOGIC UNIT	W-22.B0	Coso Hydrologic Subunit
W-09.A0	Death Valley Hydrologic Subunit	W-23.00	UPPER CACTUS HYDROLOGIC UNIT
W-09.A1	Death Valley Hydrologic Subarea	W-24.00	INDIAN WELLS HYDROLOGIC UNIT
W-09.A2	Harrisburgh Hydrologic Subarea	W-24.A0	Rose Hydrologic Subunit
W-09.A3	Wingate Wash Hydrologic Subarea	W-24.B0	Indian Wells Hydrologic Subunit
W-09.B0	Valjean Hydrologic Subunit	W-25.00	FREMONT HYDROLOGIC UNIT
W-09.B1	Avawatz Hydrologic Subarea	W-25.A0	Dove Springs Hydrologic Subunit
W-09.B2	Red Pass Hydrologic Subarea	W-25.B0	Kelso Landis Hydrologic Subunit
W-09.B3	Valjean Hydrologic Subarea	W-25.C0	East Tehachapi Hydrologic Subunit
W-09.B4	Shadow Hydrologic Subarea	W-25.D0	Koehn Hydrologic Subunit
W-09.C0	Fumace Creek Hydrologic Subunit	W-26.00	ANTELOPE HYDROLOGIC UNIT
W-09.C1	Fumace Creek Hydrologic Subarea	W-26.A0	Antelope Hydrologic Subunit
W-09.C2	Greenwater Hydrologic Subarea	W-26.A1	Chafee Hydrologic Subarea
W-09.D0	Amargosa Hydrologic Subunit	W-26.A2	Gloster Hydrologic Subarea
W-09.D1	Calico Hydrologic Subarea	W-26.A3	Willow Springs Hydrologic Subarea
W-09.D2	Amargosa Hydrologic Subarea	W-26.A4	Neenach Hydrologic Subarea
W-09.D3	Chicago Hydrologic Subarea	W-26.A5	Lancaster Hydrologic Subarea
W-09.D4	California Hydrologic Subarea	W-26.A6	North Muroc Hydrologic Subarea
W-10.00	PAHRUMP HYDROLOGIC UNIT	W-26.A7	Buttes Hydrologic Subarea
W-11.00	MESQUITE HYDROLOGIC UNIT	W-26.A8	Rock Creek Hydrologic Subarea
W-12.00	IVANPAH HYDROLOGIC UNIT	W-27.00	CUDDEBACK HYDROLOGIC UNIT
W-13.00	OWLSHEAD HYDROLOGIC UNIT	W-28.00	MOJAVE HYDROLOGIC UNIT
W-13.A0	Lost Lake Hydrologic Subunit	W-28.A0	El Mirage Hydrologic Subunit
W-13.B0	Owlshead Hydrologic Subunit	W-28.B0	Upper Mojave Hydrologic Subunit
W-14.00	LEACH HYDROLOGIC UNIT	W-28.C0	Middle Mojave Hydrologic Subunit
W-15.00	NELSON HYDROLOGIC UNIT	W-28.D0	Harper Hydrologic Subunit
W-15.A0	McLean Hydrologic Subunit	W-28.D1	Grass Valley Hydrologic Subarea
W-15.B0	Nelson Hydrologic Subunit	W-28.D2	Harper Hydrologic Subarea
W-16.00	BICYCLE HYDROLOGIC UNIT	W-28.E0	Lower Mojave Hydrologic Subunit
W-17.00	GOLDSTONE HYDROLOGIC UNIT	W-28.F0	Troy Hydrologic Subunit
W-18.00	COYOTE HYDROLOGIC UNIT	W-28.F1	Kane Wash Hydrologic Subarea
W-19.00	SUPERIOR HYDROLOGIC UNIT	W-28.F2	Troy Hydrologic Subarea
		W-28.G0	Afton Hydrologic Subunit
		W-28.G1	Caves Hydrologic Subarea
		W-28.G2	Cronese Hydrologic Subarea
		W-28.G3	Langford Hydrologic Subarea
		W-28.H0	Baker Hydrologic Subunit
		W-28.H1	Silver Lake Hydrologic Subarea
		W-28.H2	Soda Lake Hydrologic Subarea
		W-28.I0	Kelso Hydrologic Subunit
		W-29.00	BROADWELL HYDROLOGIC UNIT



NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS LAHONTAN DRAINAGE PROVINCE (W)

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
COLORADO RIVER BASIN DRAINAGE PROVINCE


X-1.00	LUCERNE HYDROLOGIC UNIT	X-19.00	WHITEWATER HYDROLOGIC UNIT
X-2.00	JOHNSON HYDROLOGIC UNIT	X-19.A0	Morongo Hydrologic Subunit
X-3.00	BESSEMER HYDROLOGIC UNIT	X-19.B0	Shavers Hydrologic Subunit
X-4.00	MEANS HYDROLOGIC UNIT	X-19.C0	San Gorgonio Hydrologic Subunit
X-5.00	EMERSON HYDROLOGIC UNIT	X-19.C1	Beaumont Hydrologic Subarea
X-6.00	LAVIC HYDROLOGIC UNIT	X-19.C2	San Gorgonio Hydrologic Subarea
X-7.00	DEADMAN HYDROLOGIC UNIT	X-19.D0	Coachella Hydrologic Subunit
X-8.00	JOSHUA TREE HYDROLOGIC UNIT	X-19.D1	Gamet Hill Hydrologic Subarea
X-8.A0	Warren Hydrologic Subunit	X-19.D2	Mission Creek Hydrologic Subarea
X-8.B0	Copper Mountain Hydrologic Subunit	X-19.D3	Miracle Hill Hydrologic Subarea
X-9.00	DALE HYDROLOGIC UNIT	X-19.D4	Sky Valley Hydrologic Subarea
X-9.A0	Twentynine Palms Hydrologic Subunit	X-19.D5	Fargo Canyon Hydrologic Subarea
X-9.B0	Dale Hydrologic Subunit	X-19.D6	Thousand Palms Hydrologic Subarea
X-10.00	BRISTOL HYDROLOGIC UNIT	X-19.D7	Indio Hydrologic Subarea
X-10.A0	Bristol Hydrologic Subunit	X-20.00	CLARK HYDROLOGIC UNIT
X-10.B0	Fenner Hydrologic Subunit	X-21.00	WEST SALTON SEA HYDROLOGIC UNIT
X-11.00	CADIZ HYDROLOGIC UNIT	X-22.00	ANZA-BORREGO HYDROLOGIC UNIT
X-12.00	WARD HYDROLOGIC UNIT	X-22.A0	Borrego Hydrologic Subunit
X-13.00	PIUTE HYDROLOGIC UNIT	X-22.A1	Terwilliger Hydrologic Subarea
X-13.A0	Lanfair Hydrologic Subunit	X-22.A2	Collins Hydrologic Subarea
X-13.B0	Piute Hydrologic Subunit	X-22.A3	Borrego Hydrologic Subarea
X-13.C0	Needles Hydrologic Subunit	X-22.B0	Ocotillo-Lower San Felipe Hydrologic Subunit
X-14.00	CHEMEHUEVIS HYDROLOGIC UNIT	X-22.C0	Mescal Bajada Hydrologic Subunit
X-15.00	COLORADO HYDROLOGIC UNIT	X-22.D0	San Felipe Hydrologic Subunit
X-15.A0	Vidal Hydrologic Subunit	X-22.E0	Mason Hydrologic Subunit
X-15.B0	Big Wash Hydrologic Subunit	X-22.F0	Vallecito-Carrizo Hydrologic Subunit
X-15.C0	Quien Sabe Hydrologic Subunit	X-22.F1	Carrizo Hydrologic Subarea
X-15.D0	Palo Verde Hydrologic Subunit	X-22.F2	Vallecito Hydrologic Subarea
X-15.E0	Arroyo Seco Hydrologic Subunit	X-22.F3	Canebrake Hydrologic Subarea
X-16.00	RICE HYDROLOGIC UNIT	X-22.G0	Jacumba Hydrologic Subunit
X-17.00	CHUCKWALLA HYDROLOGIC UNIT	X-22.G1	McCain Hydrologic Subarea
X-17.A0	Ford Hydrologic Subunit	X-22.G2	Jacumba Hydrologic Subarea
X-17.B0	Palen Hydrologic Subunit	X-23.00	IMPERIAL HYDROLOGIC UNIT
X-17.C0	Pinto Hydrologic Subunit	X-23.A0	Imperial Hydrologic Subunit
X-17.D0	Pleasant Hydrologic Subunit	X-23.B0	Coyote Wells Hydrologic Subunit
X-18.00	HAYFIELD HYDROLOGIC UNIT	X-24.00	DAVIES HYDROLOGIC UNIT
		X-25.00	EAST SALTON SEA HYDROLOGIC UNIT
		X-26.00	AMOS-OGILBY HYDROLOGIC UNIT
		X-27.00	YUMA HYDROLOGIC UNIT



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
COLORADO RIVER BASIN DRAINAGE PROVINCE (X)**

AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS
SANTA ANA DRAINAGE PROVINCE

Y-01.00	SANTA ANA RIVER HYDROLOGIC UNIT
Y-01.A0	Lower Santa Ana River Hydrologic Subunit
Y-01.A1	East Coastal Plain Hydrologic Subarea
Y-01.A2	Santiago Hydrologic Subarea
Y-01.A3	Santa Ana Narrows Hydrologic Subarea
Y-01.B0	Middle Santa Ana River Hydrologic Subunit
Y-01.B1	Chino Hydrologic Subarea
Y-01.B2	Harrison Hydrologic Subarea
Y-01.B3	Claremont Heights Hydrologic Subarea
Y-01.B4	Cucamonga Hydrologic Subarea
Y-01.B5	Temescal Hydrologic Subarea
Y-01.B6	Arlington Hydrologic Subarea
Y-01.B7	Riverside Hydrologic Subarea
Y-01.C0	Lake Methews Hydrologic Subunit
Y-01.C1	Coldwater Hydrologic Subarea
Y-01.C2	Bedford Hydrologic Subarea
Y-01.C3	Cajalco Hydrologic Subarea
Y-01.C4	Lee Lake Hydrologic Subarea
Y-01.C5	Terra Cotta Hydrologic Subarea
Y-01.D0	Colton-Rialto Hydrologic Subunit
Y-01.D1	Upper Lytle Hydrologic Subarea
Y-01.D2	Lower Lytle Hydrologic Subarea
Y-01.D3	Upper Colton-Rialto Hydrologic Subarea
Y-01.D4	Colton-Rialto Hydrologic Subarea
Y-01.D5	Reche Hydrologic Subarea
Y-01.E0	Upper Santa Ana River Hydrologic Subunit
Y-01.E1	Cajon Hydrologic Subarea
Y-01.E2	Bunker Hill Hydrologic Subarea
Y-01.E3	Redlands Hydrologic Subarea
Y-01.E4	Mentone Hydrologic Subarea
Y-01.E5	Reservoir Hydrologic Subarea
Y-01.E6	Crafton Hydrologic Subarea
Y-01.E7	Santa Ana Canyon Hydrologic Subarea
Y-01.E8	Mill Creek Hydrologic Subarea
Y-01.E9	Sycamore Hydrologic Subarea
Y-01.F0	San Timoteo Hydrologic Subunit
Y-01.F1	Yucaipa Hydrologic Subarea
Y-01.F2	San Timoteo Hydrologic Subarea
Y-01.F3	Cherry Valley Hydrologic Subarea
Y-01.F4	Chicken Hill Hydrologic Subarea
Y-01.F5	Gateway Hydrologic Subarea
Y-01.F6	Oak Glen Hydrologic Subarea
Y-01.F7	South Mesa Hydrologic Subarea
Y-01.F8	Triple Falls Creek Hydrologic Subarea
Y-01.F9	Nobie Creek Hydrologic Subarea
Y-01.G0	San Bernardino Mountain Hydrologic Subunit
Y-01.G1	Bear Valley Hydrologic Subarea
Y-01.G2	Seven Oaks Hydrologic Subarea
Y-01.G3	Baldwin Hydrologic Subarea
Y-02.00	SAN JACINTO VALLEY HYDROLOGIC UNIT
Y-02.A0	Perris Hydrologic Subunit
Y-02.A1	Perris Valley Hydrologic Subarea
Y-02.A2	Menifee Hydrologic Subarea
Y-02.A3	Winchester Hydrologic Subarea
Y-02.A4	Lakeview Hydrologic Subarea
Y-02.A5	Hemet Hydrologic Subarea
Y-02.B0	San Jacinto Hydrologic Subunit
Y-02.B1	San Jacinto Hydrologic Subarea
Y-02.B2	Hemet Lake Hydrologic Subarea
Y-02.B3	Bautista Hydrologic Subarea
Y-02.C0	Elsinore Hydrologic Subunit
Y-02.C1	Elsinore Hydrologic Subarea
Y-02.C2	Railroad Hydrologic Subarea



**AREAL DESIGNATIONS
HYDROLOGIC UNITS SUBUNITS AND SUBAREAS**

SAN DIEGO DRAINAGE PROVINCE

Z-01.00 SAN JUAN HYDROLOGIC UNIT		Z-05.D0 Santa Maria Valley Hydrologic Subunit	
Z-01.A0	Laguna Hydrologic Subunit	Z-05.D1	Ramona Hydrologic Subarea
Z-01.A1	San Joaquin Hydrologic Subarea	Z-05.D2	Lower Hatfield Hydrologic Subarea
Z-01.A2	Laguna Hydrologic Subarea	Z-05.D3	Wash Hollow Hydrologic Subarea
Z-01.A3	Aliso Hydrologic Subarea	Z-05.D4	Upper Hatfield Hydrologic Subarea
Z-01.A4	Dana Point Hydrologic Subarea	Z-05.D5	Ballena Hydrologic Subarea
Z-01.B0	San Juan Hydrologic Subunit	Z-05.D6	East Santa Teresa Hydrologic Subarea
Z-01.C0	San Clemente Hydrologic Subunit	Z-05.D7	West Santa Teresa Hydrologic Subarea
Z-01.D0	San Mateo Hydrologic Subunit	Z-05.E0	Santa Ysabel Hydrologic Subunit
Z-01.E0	San Onofre Hydrologic Subunit	Z-05.E1	Boden Hydrologic Subarea
Z-01.E1	San Onofre Hydrologic Subarea	Z-05.E2	Pamo Hydrologic Subarea
Z-01.E2	Las Pulgas Hydrologic Subarea	Z-05.E3	Sutherland Hydrologic Subarea
Z-01.E3	Stuart Hydrologic Subarea	Z-05.E4	Santa Ysabel Hydrologic Subarea
Z-02.00 SANTA MARGARITA HYDROLOGIC UNIT		Z-06.00 PENASQUITOS HYDROLOGIC UNIT	
Z-02.A0	Ysidora Hydrologic Subunit	Z-06.A0	Soledad Hydrologic Subunit
Z-02.A1	Ysidora Hydrologic Subarea	Z-06.B0	Poway Hydrologic Subunit
Z-02.A2	Chappo Hydrologic Subarea	Z-06.C0	Scripps Hydrologic Subunit
Z-02.A3	Upper Ysidora Hydrologic Subarea	Z-06.D0	Miramar Hydrologic Subunit
Z-02.B0	De Luz Hydrologic Subunit	Z-06.E0	Tecolote Hydrologic Subunit
Z-02.B1	De Luz Hydrologic Subarea	Z-07.00 SAN DIEGO HYDROLOGIC UNIT	
Z-02.B2	Gavilan Hydrologic Subarea	Z-07.A0	Lower San Diego Hydrologic Subunit
Z-02.B3	Vallecitos Hydrologic Subarea	Z-07.A1	Mission San Diego Hydrologic Subarea
Z-02.C0	Murrieta Hydrologic Subunit	Z-07.A2	Santee Hydrologic Subarea
Z-02.C1	Wildomar Hydrologic Subarea	Z-07.A3	El Cajon Hydrologic Subarea
Z-02.C2	Murrieta Hydrologic Subarea	Z-07.A4	Coches Hydrologic Subarea
Z-02.C3	French Hydrologic Subarea	Z-07.A5	El Monte Hydrologic Subarea
Z-02.C4	Lower Domenigoni Hydrologic Subarea	Z-07.B0	San Vicente Hydrologic Subunit
Z-02.C5	Domenigoni Hydrologic Subarea	Z-07.B1	San Vicente Hydrologic Subarea
Z-02.C6	Diamond Hydrologic Subarea	Z-07.B2	Kimball Hydrologic Subarea
Z-02.D0	Auld Hydrologic Subunit	Z-07.B3	Gower Hydrologic Subarea
Z-02.D1	Auld Hydrologic Subarea	Z-07.B4	Barona Hydrologic Subarea
Z-02.D2	Gertrudis Hydrologic Subarea	Z-07.C0	El Capitan Hydrologic Subunit
Z-02.D3	Lower Tucalota Hydrologic Subarea	Z-07.C1	El Capitan Hydrologic Subarea
Z-02.D4	Tucalota Hydrologic Subarea	Z-07.C2	Glen Oaks Hydrologic Subarea
Z-02.E0	Pechanga Hydrologic Subunit	Z-07.C3	Alpine Hydrologic Subarea
Z-02.E1	Pauba Hydrologic Subarea	Z-07.D0	Cuyamaca Hydrologic Subunit
Z-02.E2	Pechanga Hydrologic Subarea	Z-07.D1	Inaja Hydrologic Subarea
Z-02.F0	Wilson Hydrologic Subunit	Z-07.D2	Spencer Hydrologic Subarea
Z-02.F1	Lancaster Valley Hydrologic Subarea	Z-07.D3	Cuyamaca Hydrologic Subarea
Z-02.F2	Lewis Hydrologic Subarea	Z-08.00 CORONADO HYDROLOGIC UNIT	
Z-02.F3	Wilson Hydrologic Subarea	Z-08.A0	Point Loma Hydrologic Subunit
Z-02.G0	Anza Hydrologic Subunit	Z-08.B0	San Diego Mesa Hydrologic Subunit
Z-02.G1	Lower Coahuila Hydrologic Subarea	Z-08.B1	Lindbergh Hydrologic Subarea
Z-02.G2	Upper Coahuila Hydrologic Subarea	Z-08.B2	Chollas Hydrologic Subarea
Z-02.G3	Anza Hydrologic Subarea	Z-08.C0	Paradise Hydrologic Subunit
Z-02.G4	Burnt Hydrologic Subarea	Z-08.C1	El Toyon Hydrologic Subarea
Z-02.H0	Aguanga Hydrologic Subunit	Z-08.C2	Paradise Hydrologic Subarea
Z-02.H1	Vail Hydrologic Subarea	Z-09.00 SWEETWATER HYDROLOGIC UNIT	
Z-02.H2	Devils Hole Hydrologic Subarea	Z-09.A0	Lower Sweetwater Hydrologic Subunit
Z-02.H3	Redec Hydrologic Subarea	Z-09.A1	Telegraph Hydrologic Subarea
Z-02.H4	Aguanga Hydrologic Subarea	Z-09.A2	Sweetwater Hydrologic Subarea
Z-02.I0	Oakgrove Hydrologic Subunit	Z-09.B0	Middle Sweetwater Hydrologic Subunit
Z-02.I1	Lower Culp Hydrologic Subarea	Z-09.B1	Jamacha Hydrologic Subarea
Z-02.I2	Oakgrove Hydrologic Subarea	Z-09.B2	Hillsdale Hydrologic Subarea
Z-02.I3	Dodge Hydrologic Subarea	Z-09.B3	Dehesa Hydrologic Subarea
Z-02.I4	Chihuahuia Hydrologic Subarea	Z-09.B4	Galloway Hydrologic Subarea
Z-03.00 SAN LUIS REY HYDROLOGIC UNIT		Z-09.B5	Sequan Hydrologic Subarea
Z-03.A0	Bonsall Hydrologic Subunit	Z-09.B6	Alpine Heights Hydrologic Subarea
Z-03.A1	Mission Hydrologic Subarea	Z-09.C0	Upper Sweetwater Hydrologic Subunit
Z-03.A2	Bonsall Hydrologic Subarea	Z-09.C1	Loveland Hydrologic Subarea
Z-03.A3	Moosa Hydrologic Subarea	Z-09.C2	Japatul Hydrologic Subarea
Z-03.A4	Valley Center Hydrologic Subarea	Z-09.C3	Viejas Hydrologic Subarea
Z-03.A5	Woods Hydrologic Subarea	Z-09.C4	Descanso Hydrologic Subarea
Z-03.A6	Rincon Hydrologic Subarea	Z-09.C5	Garnet Hydrologic Subarea
Z-03.B0	Monserate Hydrologic Subunit	Z-10.00 OTAY HYDROLOGIC UNIT	
Z-03.B1	Pala Hydrologic Subarea	Z-10.A0	Coronado Hydrologic Subunit
Z-03.B2	Pauma Hydrologic Subarea	Z-10.B0	Otay Hydrologic Subunit
Z-03.B3	San Luis Rey Hydrologic Subarea	Z-10.C0	Dulzura Hydrologic Subunit
Z-03.C0	Warner Hydrologic Subunit	Z-10.C1	Savage Hydrologic Subarea
Z-03.C1	Warner Hydrologic Subarea	Z-10.C2	Proctor Hydrologic Subarea
Z-03.C2	Combs Hydrologic Subarea	Z-10.C3	Jamul Hydrologic Subarea
Z-04.00 CARLSBAD HYDROLOGIC UNIT		Z-10.C4	Lee Hydrologic Subarea
Z-04.A0	Loma Alta Hydrologic Subunit	Z-10.C5	Lyon Hydrologic Subarea
Z-04.B0	Vista Hydrologic Subunit	Z-10.C6	Dulzura Hydrologic Subarea
Z-04.B1	Carlsbad Hydrologic Subarea	Z-10.C7	Engineer Springs Hydrologic Subarea
Z-04.B2	Vista Hydrologic Subarea	Z-11.00 TIA JUANA HYDROLOGIC UNIT	
Z-04.C0	Agua Hedionda Hydrologic Subunit	Z-11.A0	Tia Juana Hydrologic Subunit
Z-04.C1	Agua Hedionda Hydrologic Subarea	Z-11.A1	Tia Juana Hydrologic Subarea
Z-04.C2	Buena Hydrologic Subarea	Z-11.A2	San Ysidro Hydrologic Subarea
Z-04.D0	Encinas Hydrologic Subunit	Z-11.B0	Potrero Hydrologic Subunit
Z-04.E0	San Marcos Hydrologic Subunit	Z-11.B1	Marron Hydrologic Subarea
Z-04.E1	Batiquitos Hydrologic Subarea	Z-11.B2	Bee Canyon Hydrologic Subarea
Z-04.E2	San Marcos Hydrologic Subarea	Z-11.B3	Barrett Hydrologic Subarea
Z-04.E3	Twin Oaks Hydrologic Subarea	Z-11.B4	Round Potrero Hydrologic Subarea
Z-04.F0	Escondido Hydrologic Subunit	Z-11.B5	Potrero Hydrologic Subarea
Z-04.F1	San Elijo Hydrologic Subarea	Z-11.C0	Barrett Lake Hydrologic Subunit
Z-04.F2	Escondido Hydrologic Subarea	Z-11.D0	Monument Hydrologic Subunit
Z-04.F3	Lake Wohlford Hydrologic Subarea	Z-11.D1	Pine Hydrologic Subarea
Z-05.00 SAN DIEGUITO HYDROLOGIC UNIT		Z-11.D2	Monument Hydrologic Subarea
Z-05.A0	San Dieguito Hydrologic Subunit	Z-11.E0	Morena Hydrologic Subunit
Z-05.A1	San Dieguito Hydrologic Subarea	Z-11.F0	Cottonwood Hydrologic Subunit
Z-05.A2	La Jolla Hydrologic Subarea	Z-11.G0	Cameron Hydrologic Subunit
Z-05.B0	Hodges Hydrologic Subunit	Z-11.H0	Campo Hydrologic Subunit
Z-05.B1	Hodges Hydrologic Subarea	Z-11.H1	Tecate Hydrologic Subarea
Z-05.B2	Green Hydrologic Subarea	Z-11.H2	Campo Hydrologic Subarea
Z-05.B3	Felicita Hydrologic Subarea	Z-11.H3	Clover Flat Hydrologic Subarea
Z-05.B4	Bear Hydrologic Subarea	Z-11.H4	Hill Hydrologic Subarea
Z-05.C0	San Pasqual Hydrologic Subunit	Z-11.H5	Hipass Hydrologic Subarea
Z-05.C1	Highland Hydrologic Subarea		
Z-05.C2	San Pasqual Hydrologic Subarea		
Z-05.C3	Reed Hydrologic Subarea		
Z-05.C4	Hidden Hydrologic Subarea		
Z-05.C5	Guejito Hydrologic Subarea		
Z-05.C6	Vineyard Hydrologic Subarea		


Figure C-6



**NAMES AND AREAL CODE NUMBERS OF HYDROLOGIC AREAS
SAN DIEGO DRAINAGE PROVINCE (Z)**


PASO ROBLES HYDROLOGIC SUBUNIT (T-09.HO)

WELL 26S/12E-9M2, M.D.B. & M.



ARROYO GRANDE HYDROLOGIC SUBUNIT (T-10.CO)


WELL 32S/13E-28G1, 28Q2, M.D.B. & M.




SANTA MARIA HYDROLOGIC SUBUNIT (T-12.AO)

WELLS 10N/34W-14E3, 14E2, 14E5, S.B. B. & M.

GROUND SURFACE ELEV. 221'



WELL 10N/35W-7F1, S. B. B. & M.



NOTE: LOCATION OF WELL SHOWN ON PAGE 6


YEAR

FLUCTUATION OF WATER LEVEL IN WELLS

CUYAMA VALLEY HYDROLOGIC SUBUNIT (T-12.CO)

WELLS 10N/25W-30F1, 30P1, S. B. B. & M.


GROUND SURFACE ELEV. 2340'



LOMPOC HYDROLOGIC SUBUNIT (T-14.A0)

WELLS 7N/35W-26J3, 26J4, S. B. B. & M.


GROUND SURFACE



SANTA YNEZ HYDROLOGIC SUBUNIT (T-14.D0)

WELL 6N/30W-6A1, S.B.B.&M.

GROUND SURFACE ELEV. 665'



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 89

FLUCTUATION OF WATER LEVEL IN WELLS

D A T U M


U. S. G. S.

F E E T


I N

E L E V A T I O N

SOUTH COAST HYDROLOGIC SUBUNIT (T-15.CO)
WELLS 4N/28W-17H11,17R2, S.B.B.&M.



WELL 4N/25W-27Q2, S.B.B.&M.
GROUND SURFACE ELEV. 127'




NOTE: LOCATION OF WELLS
SHOWN ON PAGE 89


FLUCTUATION OF WATER LEVEL IN WELLS

OXNARD PLAIN HYDROLOGIC SUBUNIT (U-03.A0)


WELL IN/22W- 3F4,3F3,3F1, S.B.B.&M.




WELL IN/22W-23J1, 23Q1, S.B.B. & M.



WELL 2N/21W-6P1, S.B.B. & M.




WELLS 2N/22W-23D1, 23H3, 23G1, S.B.B. & M.




NOTE: LOCATION OF WELLS SHOWN ON PAGE 91

FLUCTUATION OF WATER LEVEL IN WELLS


COASTAL PLAIN OF LOS ANGELES COUNTY HYDROLOGIC SUBUNIT (U-05.A0)
WELLS 4S/13W-21H3, 21H2, S.B.B. & M.



WELLS 3S/14W-29N1, 29D3, S.B.B. & M.




WELL 2S/13W-10A1, S.B.B. & M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 91

WELLS 2S/11W-18M2, 18K3, 18C3, S.B.B. & M.




FLUCTUATION OF WATER LEVEL IN WELLS

SAN FERNANDO HYDROLOGIC SUBUNIT (U-05.B0)

WELL IN/15W-6N1, S.B.B.&M.


GROUND SURFACE ELEVATION 743'



RAYMOND HYDROLOGIC SUBUNIT(U-05.CO)


WELL IN/12W-20B1, S.B.B.&M.

GROUND SURFACE ELEVATION 917'



WELLS IN/11W-21C4, 21C6, S.B.B.&M.

GROUND SURFACE ELEVATION, C4-675', C6-705'



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 91


FLUCTUATION OF WATER LEVEL IN WELLS

D A T U M

SAN GABRIEL VALLEY HYDROLOGIC SUBUNIT (U-05.D0)

WELLS 1S/10W-18A1,7R2, S.B.B.&M.

GROUND SURFACE ELEVATION 397'




E L E V A T I O N

ANAHEIM HYDROLOGIC SUBUNIT (U-05.F0)

WELL 3S/10W-27N1, S.B.B.&M

GROUND SURFACE ELEV. 176'



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 91


FLUCTUATION OF WATER LEVEL IN WELLS

ANTELOPE HYDROLOGIC SUBUNIT (W-26.A0)

WELL 11N/13W-29MI, S.B.B. & M.

GROUND SURFACE ELEV. 3391'


D A T U M



WELLS 7N/11W-24CI, 7N/10W-19DI, S. B. B. & M.

GROUND SURFACE ELEV. 2446'


U. S. G. S.
F E E T
I N



WELL 7N/12W-15F1, 15F2, S.B.B. & M.

GROUND SURFACE ELEV. 15F1 2348', 15F2 2354'

E L E V A T I O N



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 93


YEAR

FLUCTUATION OF WATER LEVEL IN WELLS


DATUM
U.S.G.S.
FEET
IN
ELEVATION

UPPER MOJAVE HYDROLOGIC SUBUNIT (W-28.B0)

WELLS 4N/3W-6A1,6D1,6D2,S.B.B.&M.




WELL 7N/4W-30C1,S.B.B.&M




MIDDLE MOJAVE HYDROLOGIC SUBUNIT (W-28.CO)

WELL 10N/2W-19P1,S.B.B.&M.




LOWER MOJAVE HYDROLOGIC SUBUNIT (W-28.E0)

WELL 9N/1E-13E2,S.B.B.&M.



WELLS 9N/3E-12G1,9N/4E-7M2,S.B.B.&M



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 93

YEAR


FLUCTUATION OF WATER LEVEL IN WELLS

COACHELLA HYDROLOGIC SUBUNIT (X-19.DO)

WELL 4S/5E-17LI S.B.B.&M.

GROUND SURFACE ELEV. 375'

D A T U M




U.S.G.S.

WELL 5S/7E-21F2 S.B.B.&M.

GROUND SURFACE ELEV. 40'

F E E T




I N

BORREGO HYDROLOGIC SUBUNIT (X-22.AO)

WELL 10S/6E-21AI S.B.B.&M.

GROUND SURFACE ELEV. 640'

E L E V A T I O N



Y E A R


NOTE: LOCATION OF WELLS
SHOWN ON PAGE 95

FLUCTUATION OF WATER LEVEL IN WELLS

LOWER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—OI.AO)

WELLS 4S/10W-22L1, 15B2, 22L2, 27C2, S.B.B.&M.


GROUND SURFACE ELEV. 129'



MIDDLE SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y—OI.BO)


WELL 2S/8W-4PI, S.B.B.&M.

GROUND SURFACE



WELL 1S/5W-16C1, S.B.B.&M.

GROUND SURFACE ELEV. 1227'




NOTE: LOCATION OF WELLS SHOWN ON PAGE 97


FLUCTUATION OF WATER LEVEL IN WELLS

UPPER SANTA ANA RIVER HYDROLOGIC SUBUNIT (Y-01.E0)

WELL IN/4W-35LI, S.B.B. & M.




WELLS 1S/3W-17C1, 17C3, S.B.B. & M.



PERRIS HYDROLOGIC SUBUNIT (Y-02.A0)

WELL 4S/2W-3PI, S.B.B. & M.




NOTE: LOCATION OF WELLS SHOWN ON PAGE 97

FLUCTUATION OF WATER LEVEL IN WELLS

D A T U M
U. S. G. S.
F E E T
I N
E L E V A T I O N


MURRIETA HYDROLOGIC SUBUNIT (Z-02.C0)

WELLS 7S/3W-17P4, 17P7 & 17P8, S.B.B.&M.




BONSALL HYDROLOGIC SUBUNIT (Z-03.A0)

WELL 11S/4W-9E1, S.B.B.&M.




WELL 10S/3W-11G1, S.B.B.&M.



TIA JUANA HYDROLOGIC SUBUNIT (Z-11.A0)

WELLS 19S/2W-4A13, 4A6, 5J1, S.B.B.&M.



NOTE: LOCATION OF WELLS
SHOWN ON PAGE 99

FLUCTUATION OF WATER LEVEL IN WELLS

TABLE C-1

GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number — Refer to the explanation at the beginning of Appendix C.

Ground Surface Elevation — The numbers in this column are the elevation in feet above mean sea level (USGS Datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date — The date shown in the column is the date when the well was visited to obtain a measurements. Where 00 appears in the date, day of measurement is unknown.

Ground Surface to Water Surface — This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be followed by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

- | | |
|--------------------------------------|--|
| (1) Pumping | (6) Other |
| (2) Nearby pump operating | (7) Recharge operation at or near well |
| (3) Casing leaking or wet | (8) Oil in casing |
| (4) Pumped recently | (9) Caved or deepened |
| (5) Air or pressure gage measurement | |

When no measurement was obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

- | | |
|-------------------------------|-------------------------------|
| (1) Pumping | (6) Well has been destroyed |
| (2) Pump house locked | (7) Special |
| (3) Tape hung up | (8) Casing leaking or wet |
| (4) Cannot get tape in casing | (9) Temporarily inaccessible |
| (5) Unable to locate well | (0) Measurements discontinued |

The words *flow* and *dry* are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation — This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data — Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

Agency code	Agency name	Agency code	Agency name
5005	United States Bureau of Reclamation	4402	Ramona Municipal Water District
5010	United States Geological Survey	5404	Santa Maria Valley Water Conservation District
5015	United States International Boundary and Water Commission	4405	Vista Irrigation District
5050	State Department of Water Resources	5408	Fallbrook Public Utilities District
5051	Patton State Hospital	5411	United Water Conservation District
5061	State Department of Water Resources, Watermaster Service, West Coast Basin	4412	Metropolitan Water District of Southern California
5062	State Department of Water Resources, Watermaster Service, Raymond Basin	5420	Helix Irrigation District
5100	San Bernardino County Flood Control District	4700	Palm Springs Water Company
1101	Los Angeles County Flood Control District	4701	Corona Foothill Mutual Lemon Company
5102	Orange County Flood Control District	4702	Cucamonga County Water District
4103	Riverside County Flood Control and Water Conservation District	5703	California-American Water Company
4104	East San Bernardino County Water District	5704	Mr. E. J. Ebersole
5117	San Luis Obispo County Flood Control and Water Conservation District	4706	Fontana Union Water Company
5121	Ventura County Flood Control District	5708	Vail Company
4124	West San Bernardino County Water District	4709	Irvine Company
5131	Coachella Valley County Water District	5710	Green Mutual Water Company
1200	City of Los Angeles Department of Water and Power	5711	Escondido Mutual Water Company
4201	City of Colton Water Department	5713	W. P. Rowe & Son
5202	City of Oceanside Water Department	4715	Santa Ana Valley Irrigation Company
5203	City of Redlands Water Department	5716	South Elsinore Mutual Water Company
5204	City of Riverside Water Department	5717	Temescal Water Company
5205	Carlsbad Municipal Water District	5718	A. A. Webb & Associates
4206	City of Long Beach Water Department	3719	West End Consolidated Water Company
4209	City of Oxnard Water Department	5720	Riverside Water Company
4210	City of Anaheim Water Department	5721	Francis Mutual Water Company
2225	Santa Paula Water Works, LTD.	5723	Pine Valley Mutual Water Company
4228	City of Ontario Water Department	5724	Del Dios Mutual Water Company
5229	City of San Diego Water Department	1733	San Gabriel Valley Protective Association
3230	City of San Bernardino Water Department	4742	Yorba Linda County Water District
4235	City of Upland Water Department	4748	San Antonio Water Company
5272	City of Corona Water Department	4750	San Luis Rey Heights Mutual Water Company
3400	San Bernardino Valley Water Conservation District	2753	Limoneira Company
5401	Beaumont Irrigation District	4776	Southern California Water Company
		5783	Riverside Highland Water Company
		4785	California Portland Cement Company
		3347	Gage Canal Company
		4850	Kaiser Steel Corporation

TABLE C-1
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SALINAS HYDRO UNIT						T-09.00					
PASO ROBLES HYDRO SUBUNIT			T-09.H0			PASO ROBLES HYDRO SUBUNIT			T-09.H0		
235/14E-35F01M	1490.0	10-19-67 4-11-68	55.3(1) 35.3	1434.7 1454.7	5117	26S/13E-10D01M (CONT.)	800.0	9-20-68	32.3	767.7	5117
24S/11E-25N01M	603.3	3-29-68	(1)		5117	26S/13E-34B01M	1005.0	10-27-67 4-10-68	159.3 157.2	845.7 847.8	5117
24S/11E-35D01M	570.6	3-29-68	(1)		5117	26S/14E-16L01M	1018.0	4-11-68	(9)		5117
24S/11E-35J01M	616.8	10-18-67 4-05-68	61.7 77.6(6)	555.1 539.2	5117	26S/14E-17L01M	949.0	4-11-68	134.0(1)	815.0	5117
24S/12E-17L01M	790.0	4-08-68	(8)		5117	26S/14E-18J01M	979.5	10-20-67 4-10-68	67.2 58.5(4)	912.3 921.0	5117
24S/12E-23G01M	1160.0	4-08-68	103.5	1056.5	5117	26S/14E-18Q01M	870.0	10-20-67 4-10-68	33.8 44.9(1)	836.2 825.1	5117
24S/15E-27L01M	1212.0	10-19-67	70.3	1141.7	5117	26S/14E-24B01M	1000.0	10-20-67 4-11-68	74.6 147.4(1)	925.4 852.6	5117
24S/15E-33C01M	1225.0	10-19-67 4-11-68	38.3 35.2	1186.7 1189.8	5117	26S/15E-02B01M	1115.0	10-20-67 4-11-68	30.8 30.6	1084.2 1084.4	5117
25S/11E-35G01M	880.0	10-18-67 4-08-68	48.3(4) 47.5	831.7 832.5	5117	26S/15E-02N01M	1092.5	10-20-67 4-11-68	123.7(4) 84.7	968.8 1007.8	5117
25S/12E-08G01M	585.0	10-18-67 5-08-68	36.3 25.1	548.7 559.9	5117	26S/15E-16P02M	1050.0	10-20-67 4-18-68	53.0 38.4	997.0 1011.6	5117
25S/12E-17J01M	640.0	10-18-67 5-08-68	70.5 68.5(6)	569.5 571.5	5117	26S/15E-20F01M	1057.7	10-20-67 4-18-68	101.7 81.6(1)	956.0 976.1	5117
25S/12E-17R01M	640.0	10-18-67 4-08-68	63.5 52.4	576.5 587.6	5117	26S/15E-21P01M	1071.5	10-20-67 4-18-68	66.7 49.0	1004.8 1022.5	5117
25S/12E-26D01M	714.0	4-08-68	56.0(1)	658.0	5117	26S/15E-28D01M	1075.0	10-20-67 4-18-68	78.5 53.5	996.5 1021.5	5117
25S/12E-26K01M	749.0	10-31-67 4-08-68	111.4 122.3(1)	637.6 626.7	5117	27S/12E-02D01M	810.0	10-13-67 3-29-68	160.0 (4)	650.0	5117
25S/12E-28N01M	639.0	10-27-67 4-09-68	16.9 14.1(2)	622.1 624.9	5117	27S/12E-02E01M	799.0	10-13-67 3-29-68	126.0 93.5	673.0 705.5	5117
25S/13E-11E01M	1185.0	10-19-67 4-09-68	59.9 60.4	1125.1 1124.6	5117	27S/12E-03J01M	785.0	10-16-67 4-04-68	152.0(1) 110.0	633.0 675.0	5117
25S/13E-19R01M	915.0	10-19-67 4-09-68	176.9 176.7	738.1 738.3	5117	27S/12E-04F04M	700.0	10-16-67 4-04-68	31.0(1) 12.6	669.0 687.4	5117
25S/15E-02C01M	1165.0	10-19-67 4-11-68	19.7 2.9	1145.3 1162.1	5117	27S/12E-16G01M	720.0	4-04-68	(9)		5117
25S/16E-17L01M	1165.0	10-19-67 4-11-68	29.4 30.3	1135.6 1134.7	5117	27S/12E-21B01M	745.0	4-04-68	9.6	735.4	5117
25S/16E-30M01M	1218.0	10-19-67 4-11-68	69.7 68.3	1148.3 1149.7	5117	27S/12E-21C01M	740.0	4-04-68	(9)		5117
26S/12E-04N01M	675.0	10-18-67 4-08-68	46.9 44.3	628.1 630.7	5117	27S/12E-21N01M	748.0	10-16-67	17.7	730.3	5117
26S/12E-09M02M	668.0	10-18-67 4-08-68	14.0 8.9	654.0 659.1	5117	27S/12E-22M01M	850.0	10-16-67 4-04-68	204.5(1) 113.4	645.5 736.6	5117
26S/12E-11O01M	761.0	10-16-67	149.4	611.6	5117	27S/12E-29P04M	750.0	10-11-67 4-09-68	12.3 8.9	737.7 741.1	5117
26S/12E-11K01M	775.0	10-16-67 4-05-68	145.0 133.0(3)	630.0 642.0	5117	27S/12E-34P01M	840.0	4-09-68	11.7	828.3	5117
26S/12E-15N01M	770.0	10-31-67 4-05-68 9-17-68	187.5 136.5 203.0(4)	582.5 633.5 567.0	5117	27S/13E-09K01M	885.0	10-27-67 4-10-68	FLOW FLOW		5117
26S/12E-21O02M	661.0	10-27-67 4-05-68	10.3(1) 1.8	650.7 659.2	5117	27S/13E-24N01M	1030.0	10-19-67 4-10-68	19.0 19.1	1011.0 1010.9	5117
26S/12E-21L01M	683.0	10-25-67 4-05-68	16.7(1) 11.9	666.3 671.1	5117	27S/13E-28F01M	1072.0	10-19-67 4-10-68	94.0 86.5	978.0 985.5	5117
26S/12E-26D01M	829.0	10-16-67 4-05-68 9-26-68	218.5 206.7(3) 242.0	610.5 622.3 587.0	5117	27S/13E-32B01M	1105.0	10-19-67	56.7	1048.3	5117
26S/12E-26E01M	840.0	10-16-67 9-26-68	203.4 205.0	636.6 635.0	5117	27S/16E-07P01M	1224.5	10-28-67 4-17-68	64.0 69.7	1160.5 1154.8	5117
26S/12E-27M02M	834.0	10-16-67 5-05-68 9-26-68	229.0 188.0(3) 181.7	605.0 646.0 652.3	5117	27S/16E-21E01M	1260.0	4-17-68	76.3	1183.7	5117
26S/12E-35M01M	818.0	10-16-67	(3)		5117	27S/16E-35Q01M	1281.0	10-28-67 4-17-68	(4) 13.6		5117
26S/13E-05F01M	739.0	10-19-67 4-09-68	18.0 16.8	721.0 722.2	5117	28S/12E-04J02M	792.0	10-12-67	12.0	780.0	5117
26S/13E-07Q01M	799.0	10-16-67 4-05-68 9-19-68	114.3 106.3 117.0	684.7 692.7 682.0	5117	28S/12E-10G01M	825.0	10-11-67	(8)		5117
26S/13E-10D01M	800.0	10-19-67 4-09-68	27.8 14.1	772.2 785.9	5117	28S/12E-10R01M	816.0	10-12-67	24.7	791.3	5117
						28S/12E-10R02M	805.0	10-12-67	23.5	781.5	5117
						28S/12E-11N06M	820.0	10-12-67	22.0	798.0	5117
						28S/12E-14G01M	824.6	10-11-67 4-03-68	1.2 -4.2	823.4 828.8	5117
						28S/12E-14K01M	845.0	10-12-67	17.0	828.0	5117

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SALINAS HYDRO UNIT						T-09.00					
PASO ROBLES HYDRO SUBUNIT			T-09.H0			POZO HYDRO SUBUNIT			T-09.I0		
28S/12E-25R01M	877.0	10-11-67	14.7	862.3	5117	30S/15E-21C01M	1465.0	11-04-67 4-19-68	15.6 10.5	1449.4 1454.5	5117
28S/13E-04K01M	1199.5	10-19-67 4-10-68 9-30-68	55.2 59.9 63.5	1144.3 1139.6 1136.0	5117						
28S/13E-04K02M	1195.0	10-19-67 4-10-68 9-30-68	80.3 81.7 84.3	1114.7 1113.3 1110.7	5117						
28S/13E-04K03M	1185.0	10-19-67 4-10-68 9-30-68	(4) 177.9 (3)	1007.1	5117						
28S/13E-12M01M	1150.0	10-19-67 4-10-68 9-30-68	24.0(1) 12.4 17.8	1126.0 1137.6 1132.2	5117						
28S/13E-14J01M	1190.0	10-19-67 4-10-68 9-30-68	73.3 54.1 100.8	1116.7 1135.9 1089.2	5117						
28S/13E-31K01M	884.0	10-11-67 4-03-68	13.1 9.6	870.9 874.4	5117						
28S/14E-19B01M	1190.0	10-19-67 4-10-68 9-30-68	8.1 9.5 13.9	1181.9 1180.5 1176.1	5117						
28S/16E-14O01M	1440.0	10-28-67 11-07-67 4-17-68	53.0(1) 50.0(3) 51.2(3)	1387.0 1390.0 1388.8	5117						
28S/16E-23M01M	1440.0	10-28-67 4-17-68	DRY 48.7	1391.3	5117						
28S/16E-35F01M	1474.0	10-28-67 4-17-68	29.0 29.0	1445.0 1445.0	5117						
29S/13E-05F03M	916.1	10-11-67 4-03-68	16.9 15.2	899.2 900.9	5117						
29S/13E-05K02M	928.0	10-11-67 4-03-68	10.7 8.6	917.3 919.4	5117						
29S/13E-06A01M	920.0	10-11-67 4-03-68	68.8 41.2	851.2 878.8	5117						
29S/13E-08L01M	950.0	10-11-67 4-03-68	18.8 13.3	931.2 936.7	5117						
29S/13E-08M01M	945.0	10-11-67 4-03-68	36.5(4) 8.4	908.5 936.6	5117						
29S/13E-08N01M	934.8	10-11-67 4-03-68	8.2 4.7	926.6 930.1	5117						
29S/13E-19H01M	1002.0	10-11-67 4-03-68	22.7(1) 3.7	979.3 998.3	5117						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT						T-10.00					
CAMBRIA HYDRO SUBUNIT			T-10.A0			SAN LUIS OBISPO HYDRO SUBUNIT			T-10.B0		
SAN SIMEON HYDRO SUBAREA			T-10.A3			MORRO HYDRO SUBAREA			T-10.B1		
27S/08E-06G01M	20.0	10-21-67	11.8	8.2	5117	29S/10E-24N01M	18.8	10-20-67 4-02-68	8.0 6.0	10.8 12.8	5117
27S/08E-09L01M	30.0	10-21-67 3-28-68	12.8 11.7	17.2 18.3	5117	29S/10E-25C01M	29.0	10-16-67 3-25-68	24.0 21.0	5.0 8.0	5117
SANTA ROSA HYDRO SUBAREA			T-10.A4			29S/10E-25C02M	20.0	10-16-67 3-25-68	14.0 12.0	6.0 8.0	5117
27S/08E-21R03M	13.0	10-21-67 3-28-68	4.2(1) 5.5(4)	8.8 7.5	5117	29S/10E-25C03M	20.0	10-16-67 3-25-68	17.0 14.0	3.0 6.0	5117
27S/08E-24J01M	82.0	10-21-67 3-28-68	23.7 (4)	58.3	5117	29S/10E-25D02M	20.0	10-20-67 4-03-68	14.6 17.0	5.4 3.0	5117
27S/08E-26C04M	50.0	10-21-67 3-01-68	23.0 21.5	27.0 28.5	5117	29S/11E-17A01M	210.0	10-21-67 4-03-68	16.7(3) 16.4	193.3 193.6	5117
27S/08E-26C05M	40.0	10-21-67 3-01-68	17.6(1) 17.0	22.4 23.0	5117	29S/11E-17A02M	219.0	10-21-67 4-03-68	26.2 26.2	192.8 192.8	5117
27S/08E-26D01M	32.5	10-21-67 3-01-68	23.9 14.8	8.6 17.7	5117	29S/11E-17A03M	219.0	10-21-67 4-03-68	26.5 26.3	192.5 192.7	5117
VILLA HYDRO SUBAREA			T-10.A5			29S/11E-19B02M	120.0	10-20-67 4-02-68	30.8 29.8	89.2 90.2	5117
28S/09E-23E02M	70.0	10-21-67 3-28-68	19.0 19.4	51.0 50.6	5117	29S/11E-19P01M	78.1	10-20-67 4-03-68	43.3 38.5	34.8 39.6	5117
OLD HYDRO SUBAREA			T-10.A7			29S/11E-30D01M	61.5	10-20-67 4-03-68	36.1(1) 25.0	25.4 36.5	5117
28S/10E-34N03M	47.0	10-21-67 4-02-68	19.0 19.7	28.0 27.3	5117	CHORRO HYDRO SUBAREA			T-10.B2		
29S/10E-03C05M	35.0	10-21-67 4-02-68	10.2(2) 34.6(2)	24.8 .4	5117	29S/11E-32J01M	32.0	10-16-67 4-25-68	10.5 12.5	21.5 19.5	5117
29S/10E-03C07M	35.0	10-21-67 4-02-68	20.4(1) 14.6(2)	14.6 20.4	5117	29S/11E-32J02M	34.6	10-20-67 4-03-68	21.2 18.9	13.4 15.7	5117
TORO HYDRO SUBAREA			T-10.A8			29S/11E-32J04M	36.0	10-16-67 4-25-68	15.0 17.0	21.0 19.0	5117
29S/10E-01P01M	130.0	10-21-67 4-02-68	8.9 8.0(3)	121.1 122.0	5117	29S/11E-32M01M	12.0	10-10-67 10-20-67	19.8 (1)	-7.8	5117
29S/10E-11H01M	50.0	10-21-67	(7)		5117	30S/11E-03D01M	75.0	10-16-67 3-25-68	21.0 20.0	54.0 55.0	5117
						LOS OSOS HYDRO SUBAREA			T-10.B3		
						30S/10E-13G01M	20.0	10-19-67 4-03-68	17.8 17.3	2.2 2.7	5117
						30S/11E-07K01M	50.0	10-19-67 4-03-68	41.3 41.9	8.7 8.1	5117
						30S/11E-07Q01M	44.5	10-19-67 4-03-68	24.7(1) 25.2	19.8 19.3	5117
						30S/11E-17H01M	24.0	10-19-67 4-03-68	46.7(1) 13.4	-22.7 10.6	5117
						30S/11E-18H01M	120.0	10-19-67 5-02-68	123.0(1) 99.4	-3.0 20.6	5117
						30S/11E-18K01M	122.0	5-02-68	144.0	-22.0	5117
						30S/11E-18K02M	104.5	10-19-67 5-02-68	117.6 113.1	-13.1 -8.6	5117
						30S/11E-18Q01M	129.5	10-19-67 4-03-68	71.2(4) 38.5(3)	58.3 91.0	5117
						30S/11E-21E01M	76.9	10-19-67 4-03-68	23.9 20.3	53.0 56.6	5117
						SAN LUIS OBISPO CR HYDRO SUBAREA			T-10.B4		
						30S/12E-32J01M	128.7	4-03-68	8.6(1)	120.1	5117
						31S/12E-03P02M	125.0	10-17-67 4-04-68	5.3 5.2	119.7 119.8	5117
						31S/12E-10F03M	115.0	10-17-67 4-04-68	2.4 1.4	112.6 113.6	5117
						31S/12E-12E03M	165.0	10-17-67 4-04-68	19.2 17.1	145.8 147.9	5117

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT						T-10.00					
SAN LUIS OBISPO HYDRO SUBUNIT			T-10.80			ARROYO GRANDE HYDRO SUBUNIT			T-10.C0		
SAN LUIS OBISPO CR HYDRO SUBAREA			T-10.84			ARROYO GRANDE HYDRO SUBAREA			T-10.C1		
31S/12E-14C01M	135.0	4-04-68	12.9	122.1	5117	32S/13E-33M02M	47.7	11-16-67	27.7(6)	20.0	5117
31S/12E-15R01M	125.0	10-17-67	14.5	110.5	5117	12N/35W-27N02S	170.0	10-05-67	12.1	157.9	5117
		4-04-68	11.7	113.3				4-11-68	21.3(2)	148.7	
31S/12E-28C01M	45.0	4-04-68	9.9	35.1	5117	12N/35W-29L01S	40.0	11-16-67	31.9(1)	8.1	5117
31S/12E-32C01M	45.0	4-04-68	13.1	31.9	5117			4-16-68	35.9(1)	4.1	
31S/12E-32D01M	42.0	4-04-68	15.2	26.8	5117	12N/35W-29N01S	35.0	11-16-67	13.7(1)	21.3	5117
31S/12E-32D02M	42.0	4-04-68	19.4	22.6	5117			4-16-68	18.7(2)	16.3	
31S/12E-33E02M	27.0	4-04-68	7.5	19.5	5117	12N/35W-30K02S	27.5	10-10-67	25.5	2.0	5117
								4-16-68	27.5(1)	.0	
PISMO HYDRO SUBAREA						12N/35W-34C03S	158.0	4-11-68	22.7	135.3	5117
						12N/35W-34G03S	187.9	10-05-67	26.2	161.7	5117
31S/13E-16N01M	324.5	10-17-67	24.4	300.1	5117			4-11-68	25.3	162.6	
		4-04-68	27.3	297.2		12N/35W-34G06S	198.0	10-05-67	23.7	174.3	5117
31S/13E-19H01M	262.0	10-17-67	13.2	248.8	5117			4-11-68	23.6	174.4	
		4-04-68	12.6	249.4		12N/35W-35K02S	245.0	4-11-68	87.5	157.5	5117
31S/13E-27D03M	300.0	10-26-67	12.5	287.5	5117	31S/14E-31N02M	340.0	10-04-67	49.0	291.0	5117
		4-04-68	9.8	290.2				4-09-68	54.7(1)	285.3	
31S/13E-29C01M	255.0	10-26-67	17.6	237.4	5117			9-28-68	48.0(1)	292.0	
		4-04-68	8.6	246.4		31S/14E-32G03M	365.5	11-09-67	57.0	308.5	5117
								4-09-68	24.0	341.5	
								9-28-68	39.3	326.2	
						32S/13E-01G01M	305.0	10-05-67	22.8	282.2	5117
								4-09-68	22.6	282.4	
						32S/13E-12C03M	271.0	10-05-67	26.4	244.6	5117
								4-09-68	21.4	249.6	
								9-28-68	23.6	247.4	
						32S/13E-12C04M	260.0	11-09-67	26.5	233.5	5117
								4-09-68	24.3	235.7	
								9-28-68	27.0	233.0	
						32S/13E-12F04M	250.0	10-05-67	23.0	227.0	5117
								4-09-68	39.2(1)	210.8	
								9-28-68	38.9(1)	211.1	
						32S/13E-12N01M	231.0	10-05-67	23.5	207.5	5117
								4-09-68	23.6	207.4	
								9-28-68	25.6	205.4	
						32S/13E-12Q03M	237.5	11-09-67	24.7	212.8	5117
								4-09-68	26.9(2)	210.6	
						32S/13E-13C02M	248.5	10-05-67	69.5(1)	179.0	5117
								4-09-68	77.2(1)	171.3	
								9-28-68	93.5(1)	155.0	
						32S/13E-13D02M	223.5	11-09-67	20.0	203.5	5117
								4-09-68	20.0	203.5	
								9-28-68	22.2	201.3	
						32S/13E-14Q02M	174.0	10-05-67	67.5	106.5	5117
						32S/13E-14R02M	197.6	10-05-67	78.3	119.3	5117
								4-11-68	73.0(4)	124.6	
						32S/13E-20N02M	74.6	10-04-67	72.3	2.3	5117
						32S/13E-22Q01M	128.0	4-11-68	27.9	100.1	5117
						32S/13E-23F01M	161.2	10-05-67	13.1	148.1	5117
								4-11-68	13.6	147.6	
						32S/13E-27D03M	103.4	10-05-67	44.6	58.8	5117
								11-10-67	45.0	58.4	
								4-11-68	42.7	60.7	
						32S/13E-28Q02M	72.9	10-05-67	43.0	29.9	5117
								11-14-67	43.5	29.4	
								4-11-68	74.3(1)	-1.4	
								4-25-68	49.8(4)	23.1	
						32S/13E-28Q04M	75.0	10-05-67	41.7	33.3	5117
								11-14-67	43.2(2)	31.8	
								4-11-68	46.9(2)	28.1	
						32S/13E-29B01M	81.4	10-04-67	95.8(1)	-14.4	5117
								4-18-68	96.9(1)	-15.5	
						32S/13E-29C02M	71.6	10-04-67	77.4	-5.8	5117
								4-18-68	83.6(1)	-12.0	
						32S/13E-29D04M	54.0	10-04-67	51.0	3.0	5117
								4-18-68	(1)		
						32S/13E-29E02M	50.5	10-04-67	(2)		5117

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS OBISPO HYDRO UNIT						T-10.00					
ARROYO GRANDE HYDRO SUBUNIT			T-10.C0			ARROYO GRANDE HYDRO SUBUNIT			T-10.C0		
ARROYO GRANDE HYDRO SUBAREA			T-10.C1			NIPOMO MESA HYDRO SUBAREA			T-10.C2		
32S/13E-29E02M (CONT.)	50.5	4-18-68	51.1(2)	-0.6	5117	11N/35W-07R01S	100.0	11-12-67 3-11-68 4-24-68	165.0(1) 88.2(1) 97.9(1)	-65.0 11.8 2.1	5010 5117
32S/13E-29G02M	86.0	4-12-68	82.7	3.3	5117	11N/35W-09G01S	200.0	11-12-67 3-12-68	(1) 226.2	-28.2	5010
32S/13E-29G07M	80.0	10-04-67 4-18-68	76.2 75.5	3.8 4.5	5117	11N/35W-09K04S	182.0	11-14-67 3-12-68	152.2 142.5	29.8 39.5	5010
32S/13E-29G13M	82.0	4-18-68	(1)		5117	11N/35W-09P01S	165.0	11-13-67	149.3	15.7	5010
32S/13E-29J02M	82.6	10-04-67 4-18-68	80.1 81.6	2.5 1.0	5117	11N/35W-10R01S	277.0	11-09-67 3-12-68 4-25-68	176.4 179.2 180.0(1)	100.6 97.8 97.0	5010 5117
32S/13E-29L04M	61.0	4-18-68	56.2	4.8	5117	11N/35W-11B01S	385.0	3-12-68	318.0	67.0	5010
32S/13E-29L06M	71.0	10-04-67 4-18-68	70.0 69.1	1.0 1.9	5117	11N/35W-11C01S	267.0	11-09-67 3-12-68	198.5 196.9	68.5 70.1	5010
32S/13E-29M04M	61.2	10-04-67 4-18-68	53.2 51.8	8.0 9.4	5117	11N/35W-11J01S	360.0	11-09-67 3-12-68	257.9 260.9	102.1 99.1	5010
32S/13E-29N01M	79.0	10-04-67 4-24-68 4-25-68	76.2 (9) 89.1(1)	2.8 -10.1	5117	11N/35W-12E01S	377.0	11-09-67 3-12-68	(4) (4)		5010
32S/13E-29R02M	94.0	10-04-67 4-18-68	83.8 84.9	10.2 9.1	5117	11N/35W-13C01S	345.0	11-09-67 3-12-68	271.2 273.4	73.8 71.6	5010
32S/13E-30J08M	42.0	4-24-68	41.0	1.0	5117	11N/35W-13D01S	325.0	11-09-67 3-12-68	(1) (4)		5010
32S/13E-30K11M	29.2	4-24-68	27.5	1.7	5117	11N/35W-13E02S	305.0	11-09-67 3-12-68	248.1(2) 248.5	56.9 56.5	5010
32S/13E-30K14M	41.0	4-18-68	37.8	3.2	5117	11N/35W-13E03S	305.0	11-09-67 3-12-68	237.8(2) 247.8	67.2 57.2	5010
32S/13E-30L02M	15.0	10-04-67 4-24-68	13.9 13.3	1.1 1.7	5117	11N/35W-22C01S	238.0	3-12-68	211.1	26.9	5010
32S/13E-30P02M	28.3	10-04-67 4-18-68	25.2 24.2(2)	3.1 4.1	5117	11N/35W-23B01S	275.0	11-09-67 3-12-68	265.0 253.5	10.0 21.5	5010
32S/13E-30R02M	46.5	10-04-67 4-18-68	44.6 45.2(2)	1.9 1.3	5117	12N/35W-29R01S	230.0	10-10-67 4-24-68	111.5 114.3	118.5 115.7	5117
32S/13E-31A02M	51.0	4-24-68	(1)		5117						
32S/13E-32B03M	70.0	4-24-68	64.4	5.6	5117						
32S/13E-32D03M	81.4	10-04-67 4-13-68	80.8 76.6	.6 4.8	5117						
32S/13E-32K01M	39.0	10-10-67 4-16-68	29.6 29.6	9.4 9.4	5117						
32S/13E-32L07M	20.0	4-24-68	(3)		5117						
32S/13E-33C03M	63.0	11-16-67 4-18-68	66.0(1) (1)	-3.0	5117						
32S/13E-33E03M	53.2	11-16-67 4-18-68	31.5 32.9	21.7 20.3	5117						
32S/13E-33F01M	48.0	11-16-67 4-24-68	28.2 37.2(1)	19.8 10.8	5117						
32S/13E-33K01M	51.8	10-05-67	34.4	17.4	5117						
32S/13E-33L02M	42.1	11-16-67 4-16-68	23.2 26.4(2)	18.9 15.7	5117						
32S/13E-33M02M	47.7	4-24-68	33.7	14.0	5117						
32S/14E-19A01M	289.9	10-05-67 4-11-68	7.0 21.5(1)	282.9 268.4	5117						
32S/14E-19D01M	275.0	10-04-67 4-11-68	21.0 (1)	254.0	5117						
NIPOMO MESA HYDRO SUBAREA					T-10.C2						
11N/34W-17N03S	370.0	11-08-67 3-11-68	159.6 156.8	210.4 213.2	5010						
11N/34W-18D01S	365.0	10-10-67 4-28-68	296.7 290.0	68.3 75.0	5117						
11N/34W-18K02S	360.0	11-08-67 3-11-68	277.3 279.6	82.7 80.4	5010						
11N/34W-19D01S	305.0	11-08-67 3-11-68	273.8 265.0	31.2 40.0	5010						
11N/34W-28F01S	316.0	11-07-67 3-11-68	213.5 211.7	102.5 104.3	5010						
11N/35W-05L01S	108.0	10-10-67 4-24-68	112.4 106.7(4)	-4.4 1.3	5117						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CARRIZO PLAIN HYDRO UNIT						T-11.00					
29S/17E-13R01M	2038.0	10-28-67 4-19-68	42.5(4) 42.8(1)	1995.5 1995.2	5117						
29S/18E-28G01M	2022.0	10-28-67 4-19-68	65.0 62.3	1957.0 1959.7	5117						
29S/18E-28K01M	2020.0	10-28-67 4-19-68	32.0 32.3	1988.0 1987.7	5117						
29S/18E-28L01M	2020.0	4-19-68	31.1	1988.9	5117						
30S/18E-02N01M	1984.0	10-28-67 4-19-68	30.5(1) 20.3	1953.5 1963.7	5117						
30S/18E-12N01M	1970.0	10-28-67 4-19-68	14.4 12.2	1955.6 1957.8	5117						
30S/19E-29M02M	1943.0	10-28-67 4-19-68	20.8 10.8	1922.2 1932.2	5117						
32S/21E-18A01M	1954.5	11-04-67 4-19-68	55.5 90.4(1)	1899.0 1864.1	5117						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12-00					
SANTA MARIA HYDRO SUBUNIT			T-12-A0			SANTA MARIA HYDRO SUBUNIT			T-12-A0		
09N/33W-05A01S	436.0	3-14-68	(4)		5010	10N/33W-20L01S (CDNT.)	294.0	5-28-68 6-24-68 7-26-68 8-28-68 9-27-68	80.7 81.9 84.2 86.3 87.4	213.3 212.1 209.8 207.7 206.6	5010
09N/33W-05D01S	450.0	11-16-67 3-14-68	(1) (0)		5010	10N/33W-21F04S	308.0	11-06-67 3-12-68	56.5 39.2	251.5 268.8	5010
09N/33W-06G01S	445.0	3-14-68	347.1	97.9	5010	10N/33W-21F05S	312.0	11-06-67 3-12-68	62.3 44.3	249.7 267.7	5010
09N/33W-08A01S	725.0	11-16-67 3-19-68	531.9 513.2	193.1 211.8	5010	10N/33W-21R01S	319.0	11-06-67 3-12-68	37.3(1) (1)	281.7	5010
09N/33W-08L01S	700.0	11-16-67 3-19-68	580.7 571.7	119.3 128.3	5010	10N/33W-27G01S	338.0	10-01-67 1-01-68 4-01-68 7-01-68	33.6 44.1 43.2 54.9	304.4 293.9 294.8 283.1	5010
09N/33W-15D02S	597.0	11-14-67 3-14-68	DRY DRY		5010	10N/33W-27K02S	344.0	11-06-67 3-19-68	(1) (1)		5010
09N/33W-18D02S	530.0	3-11-68	(4)		5010	10N/33W-27R01S	352.0	11-06-67 3-19-68	49.7 47.4	302.3 304.6	5010
09N/33W-24L01S	531.0	11-14-67 3-14-68	(1) (1)		5010	10N/33W-28A01S	325.0	10-01-67 11-06-67 11-28-67 12-26-67 1-01-68 1-26-68 2-26-68 3-27-68 4-01-68 4-26-68 5-28-68 6-24-68 7-01-68 7-26-68 8-28-68 9-27-68	49.3 46.2 43.2 38.6 41.2 38.4(2) 33.5 35.9(2) 33.7 37.9(2) 41.3(2) 42.4 46.9 50.5(2) 54.6(2) 56.5(2)	275.7 278.8 281.8 286.4 283.8 286.6 291.5 289.1 291.3 287.1 283.7 282.6 278.1 274.5 270.4 268.5	5010
09N/33W-28M01S	903.0	11-15-67 3-13-68	268.6 271.4	634.4 631.6	5010	10N/33W-28F01S	316.0	11-07-67 3-19-68	155.2 113.3	160.8 202.7	5010
09N/34W-02A01S	320.0	11-01-67 3-12-68	224.1 225.3	95.9 94.7	5010	10N/33W-29F01S	315.0	11-07-67 3-19-68	208.7 210.5	106.3 104.5	5010
09N/34W-03A02S	270.0	11-01-67 3-12-68	226.0(4) 229.4	44.0 40.6	5010	10N/33W-30G01S	320.0	10-01-67 1-01-68 4-01-68 7-01-68	232.0 216.5 110.2 217.3	88.0 103.5 209.8 102.7	5010
09N/34W-03F01S	265.0	11-01-67 3-12-68	226.0 (1)	39.0	5010	10N/33W-30H01S	310.0	10-01-67 1-01-68 4-01-68 7-01-68	219.0 206.1 197.5 203.8	91.0 103.9 112.5 106.2	5010
09N/34W-03N01S	258.0	11-01-67 3-12-68	184.5 184.8	73.5 73.2	5010	10N/33W-30M01S	310.0	1-01-68 4-01-68	220.3 213.1	89.7 96.9	5010
09N/34W-04M01S	218.0	3-12-68	(4)		5010	10N/33W-30R01S	335.0	10-01-67 1-01-68 4-01-68 7-01-68	218.8 207.9 200.2 200.3	116.2 127.1 134.8 134.7	5010
09N/34W-06C01S	132.0	11-01-67 3-11-68	99.1 92.3	32.9 39.7	5010	10N/33W-33H01S	402.0	11-06-67 3-19-68	261.4 257.6	140.6 144.4	5010
09N/34W-06K02S	161.0	11-01-67 3-11-68	98.7(2) 98.3	62.3 62.7	5010	10N/33W-35C01S	348.0	3-19-68	35.5	312.5	5010
09N/34W-08H01S	222.0	11-01-67 3-11-68	151.8 151.2	70.2 70.8	5010	10N/34W-02R01S	230.0	10-01-67 10-26-67 1-01-68 3-12-68 4-01-68 7-01-68	89.3 88.5 94.9 105.9 101.6 107.9	140.7 141.5 135.1 124.1 128.4 122.1	5010
09N/34W-09R01S	275.0	11-01-67 3-11-68	217.2 (1)	57.8	5010	10N/34W-04R01S	192.0	11-02-67 3-12-68	141.8 126.5	50.2 65.5	5010
09N/34W-14H01S	425.0	11-01-67 3-11-68	321.0 (4)	104.0	5010	10N/34W-06N01S	152.0	10-01-67 11-01-67 1-01-68 3-11-68 4-01-68 7-01-68	122.5 122.9(4) 116.0 (1) 111.3 116.3	29.5 29.1 36.0 40.7 35.7	5010
09N/34W-15Q01S	430.0	11-01-67 3-11-68	365.0 359.5	65.0 70.5	5010	10N/34W-09L02S	189.0	10-01-67 1-01-68 4-01-68 7-01-68	151.3 144.7 139.5 139.5	37.7 44.3 49.5 49.5	5010
10N/33W-07M01S	255.0	10-26-67 3-12-68	(1) 77.1		5010	10N/34W-12P01S	244.0	10-26-67 3-12-68	118.2 118.8	125.8 125.2	5010
10N/33W-07P01S	260.0	10-26-67 3-12-68	100.4 77.7	159.6 182.3	5010	10N/34W-12P02S	245.0	10-26-67	(1)		5010
10N/33W-07R01S	270.0	10-26-67 3-12-68	79.4 53.6	190.6 216.4	5010						
10N/33W-16N01S	292.0	3-12-68	17.7	274.3	5010						
10N/33W-16N02S	292.0	11-06-67 3-12-68	36.5 19.6	255.5 272.4	5010						
10N/33W-17J02S	287.0	11-06-67 3-12-68	39.2 19.1	247.8 267.9	5010						
10N/33W-18G01S	273.0	10-01-67 1-01-68 4-01-68 7-01-68	93.6 80.0 70.1 77.7	179.4 193.0 202.9 195.3	5010						
10N/33W-19B01S	275.0	10-01-67 11-07-67 1-01-68 3-13-68 4-01-68	156.5 114.5 104.8 90.3 88.0	118.5 160.5 170.2 184.7 187.0	5010						
10N/33W-19K01S	280.0	11-07-67 3-13-68	157.2 155.1	122.8 124.9	5010						
10N/33W-20H01S	300.0	11-07-67 3-12-68	78.2 63.4	221.8 236.6	5010						
10N/33W-20L01S	294.0	11-07-67 11-30-67 12-26-67 1-26-68 2-26-68 3-27-68 4-26-68	140.6 133.3 122.0 106.6 95.1 86.2 82.1	153.4 160.7 172.0 187.4 198.9 207.8 211.9	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
SANTA MARIA HYDRO SUBUNIT			T-12.A0			SANTA MARIA HYDRO SUBUNIT			T-12.A0		
10N/34W-12P02S (CONT.)	245.0	3-12-68	107.7	137.3	5010	10N/35W-09N03S (CONT.)	87.0	3-08-68	17.2(2)	69.8	5010
10N/34W-13C01S	249.0	10-27-67 3-12-68	125.0 125.6	124.0 123.4	5010	10N/35W-09N04S	87.0	11-02-67 3-08-68	44.0 38.1(2)	43.0 48.9	5010
10N/34W-13G01S	253.0	10-27-67 3-12-68	125.0 109.9	120.0 143.1	5010	10N/35W-11E02S	122.0	11-02-67 3-11-68	98.6 99.6	23.4 22.4	5010
10N/34W-13J01S	260.0	10-27-67 3-13-68	(1) 104.3		5010	10N/35W-12M01S	138.0	10-01-67 1-01-68 4-01-68 7-01-68	111.4 101.4 99.0 102.2	26.6 36.6 39.0 35.8	5010
10N/34W-14E05S	221.0	10-26-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-24-68 5-27-68 6-24-68 7-24-68 8-26-68 9-24-68	168.6 164.9 160.2 156.4 153.2 150.8 150.6 150.0 148.8 150.1 150.7 153.5	52.4 56.1 60.8 64.6 67.8 70.2 70.4 71.0 72.2 70.9 70.3 67.5	5010	10N/35W-14L01S	102.0	11-14-67 3-12-68	47.7 (1)	54.3	5010
10N/34W-20M01S	182.0	11-02-67 3-12-68	144.2 142.0	37.8 40.0	5010	10N/35W-18F01S	49.0	11-02-67 3-11-68	(1) 19.9		5010
10N/34W-20M03S	182.0	11-02-67 3-12-68	143.6 141.8	38.4 40.2	5010	10N/35W-21B01S	94.0	10-01-67 11-02-67 11-29-67 12-27-67 1-01-68 1-29-68 2-28-68 3-29-68 4-01-68 4-29-68 5-28-68 6-26-68 7-01-68 7-24-68 8-29-68 9-27-68	65.1 68.7(4) 53.2 54.5 51.3 58.2 50.8 (1) 51.4 (1) (1) 68.3 55.6 (1) (1) (1)	28.9 25.3 40.8 39.5 42.7 35.8 43.2	5010
10N/34W-22R01S	217.0	10-01-67 1-01-68 4-01-68 7-01-68	175.7 171.8 165.8 166.1	41.3 45.2 51.2 50.9	5010	10N/35W-23M02S	125.0	11-14-67 3-12-68	89.3 84.1	35.7 40.9	5010
10N/34W-23M01S	242.0	10-01-67 10-27-67 1-01-68 3-19-68 4-01-68 7-01-68	180.0 (1) 171.2 165.4 164.0 174.1	62.0 70.8 76.6 78.0 67.9	5010	10N/35W-24B01S	144.0	10-01-67 11-14-67 1-01-68 3-12-68 4-01-68 7-01-68	124.6 (1) 109.4 105.8 106.5 114.0	19.4 34.6 38.2 37.5 30.0	5010
10N/34W-24K02S	244.0	10-01-67 1-01-68 4-01-68 7-01-68	176.5 162.8 154.3 176.2	67.5 81.2 89.7 67.8	5010	10N/36W-01M01S	150.0	11-08-67 3-12-68	(1) (1)		5010
10N/34W-24K03S	245.0	10-01-67 1-01-68 4-01-68 7-01-68	178.3 154.5 143.8 167.4	66.7 90.5 101.2 77.6	5010	10N/36W-02G01S	15.0	11-08-67 11-29-67 12-27-67 1-29-68 2-28-68 3-29-68 4-29-68 5-28-68 6-27-68 7-26-68 8-29-68 9-27-68	9.5 6.8 5.8 5.4 4.5 6.9 9.9 11.0 11.3 11.9 11.5 10.8	5.5 8.2 9.2 9.6 10.5 8.1 5.1 4.0 3.7 3.1 3.5 4.2	5010
10N/34W-26M02S	260.0	11-02-67 3-13-68	(1) 211.8		5010	10N/36W-02G02S	15.0	11-08-67 11-29-67 12-27-67 1-29-68 2-28-68 3-29-68 4-29-68 5-28-68 6-27-68 7-26-68 8-29-68 9-27-68	11.3 11.1 10.8 10.7 10.7 10.6 10.8 11.0 11.2 11.3 11.5 11.6	3.7 3.9 4.2 4.3 4.3 4.4 4.2 4.0 3.8 3.7 3.5 3.4	5010
10N/34W-31D01S	184.0	3-11-68	(4)		5010	10N/36W-12K02S	30.0	11-13-67	(6)		5010
10N/34W-31F02S	182.0	11-02-67 3-11-68	145.9(4) 140.9	36.1 41.1	5010	10N/36W-12K03S	30.0	11-13-67	(6)		5010
10N/34W-31L02S	175.0	11-02-67 3-11-68	130.9 131.1	44.1 43.9	5010	10N/36W-12P01S	28.0	11-13-67 3-12-68	6.3 3.2	21.7 24.8	5010
10N/34W-34G02S	263.0	11-02-67 3-12-68	212.7 204.8	50.3 58.2	5010	10N/36W-14M01S	160.0	11-13-67 3-12-68	108.2 104.8	51.8 55.2	5010
10N/35W-06A01S	72.0	11-08-67 3-12-68	15.0 14.3	57.0 57.7	5010	11N/34W-27D01S	295.0	3-11-68	132.0	163.0	5010
10N/35W-06A02S	72.0	11-08-67 3-12-68	15.2 14.6	56.8 57.4	5010	11N/34W-27G02S	255.0	11-08-67 3-11-68	81.4 88.4	173.6 166.6	5010
10N/35W-06A03S	72.0	11-08-67 3-12-68	40.8 31.8	31.2 40.2	5010	11N/34W-27P01S	287.0	11-07-67 3-11-68	142.9 155.5	144.1 131.5	5010
10N/35W-07F01S	48.0	10-01-67 11-02-67 1-01-68 3-11-68 4-01-68 7-01-68	31.2 30.9 22.5 21.3 23.2 31.9	16.8 17.1 25.5 26.7 24.8 16.1	5010	11N/34W-29R01S	171.0	11-08-67 3-11-68	111.8(2) 108.8	59.2 62.2	5010
10N/35W-07G03S	53.0	11-02-67	43.0(2)	10.0	5010	11N/34W-30D02S	145.0	11-08-67	117.5	27.5	5010
10N/35W-09F01S	88.0	10-01-67 11-02-67 1-01-68 3-11-68 4-01-68 7-01-68	67.4 68.9 57.0 55.0 56.5 61.3	20.6 19.1 31.0 33.0 31.5 26.7	5010						
10N/35W-09N01S	87.0	10-01-67 1-01-68 4-01-68 7-01-68	62.3 51.5 51.7 64.7	24.7 35.5 35.3 22.3	5010						
10N/35W-09N03S	87.0	11-02-67	16.2	70.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
SANTA MARIA HYDRO SUBUNIT			T-12.00			SANTA MARIA HYDRO SUBUNIT			T-12.00		
11N/34W-30002S (CONT.)	145.0	3-11-68	115.7	29.3	5010	11N/36W-13K03S (CONT.)	25.0	9-27-68	20.3	4.7	5010
11N/34W-30001S	148.0	10-01-67	112.0	36.0	5010	11N/36W-13K04S	25.0	11-08-67	21.2	3.8	5010
		1-01-68	110.2	37.8				11-29-67	20.9	4.1	
		4-01-68	106.8	41.2				12-27-67	20.7	4.3	
		7-01-68	109.5	38.5				1-29-68	20.7	4.3	
11N/34W-34J02S	210.0	11-07-67	59.0	151.0	5010			2-28-68	20.5	4.5	
		3-11-68	73.5	136.5				3-29-68	20.8	4.2	
11N/35W-18M01S	24.0	11-13-67	16.0	8.0	5010			4-29-68	21.5	3.5	
		3-11-68	11.8	12.2				5-28-68	21.7	3.3	
11N/35W-19C01S	37.0	11-08-67	20.3	16.7	5010			6-27-68	21.7	3.3	
		3-11-68	14.9	22.1				7-26-68	22.0	3.0	
11N/35W-19C02S	37.0	11-08-67	8.5	28.5	5010	11N/36W-13K05S	25.0	8-29-68	21.9	3.1	
		3-11-68	8.7	28.3				9-27-68	21.7	3.3	
11N/35W-20E01S	49.0	10-01-67	32.0	17.0	5010			11-08-67	22.5	2.5	5010
		11-08-67	28.5	20.5				11-29-67	20.6	4.4	
		11-29-67	24.6	24.4				12-27-67	19.5	5.5	
		12-27-67	22.8	26.2				1-29-68	19.1	5.9	
		1-01-68	23.0	26.0				2-28-68	18.2	6.8	
		1-29-68	22.6	26.4				3-29-68	19.4	5.6	
		2-28-68	20.9	28.1				4-29-68	22.9	2.1	
		3-29-68	23.1	25.9				5-28-68	24.1	.9	
		4-01-68	24.1	24.9				6-27-68	24.5	.5	
		4-29-68	29.1	19.9				7-26-68	25.4	-4	
		5-28-68	(1)			11N/36W-13K06S	25.0	8-29-68	25.7	-7	
		6-27-68	(1)					9-27-68	24.2	.8	
		7-01-68	35.0	14.0				11-08-67	22.8	2.2	5010
		7-26-68	(1)					11-29-67	20.8	4.2	
		8-29-68	34.3	14.7				12-27-67	19.8	5.2	
		9-27-68	32.0	17.0							
11N/35W-20K03S	53.0	11-08-67	6.8	46.2	5010						
		3-11-68	5.4	47.6							
11N/35W-21K01S	80.0	11-09-67	(1)		5010						
11N/35W-25M01S	135.0	11-08-67	74.6	60.4	5010						
		3-11-68	73.0	62.0							
11N/35W-26M02S	106.0	11-08-67	95.7(2)	10.3	5010						
		3-11-68	73.3	32.7							
11N/35W-28F02S	80.0	11-08-67	27.2	52.8	5010						
		3-11-68	26.4	53.6							
11N/35W-28M01S	77.0	10-01-67	63.5	13.5	5010						
		1-01-68	50.2	26.8							
		4-01-68	49.3	27.7							
		7-01-68	64.0	13.0							
11N/35W-29D01S	60.0	11-08-67	50.0	10.0	5010						
		3-11-68	43.2	16.8							
11N/35W-33C04S	80.0	11-08-67	DRY		5010						
		3-11-68	DRY								
11N/35W-33G01S	91.0	10-01-67	79.4	11.6	5010						
		11-08-67	69.3	21.7							
		1-01-68	61.1	29.9							
		3-11-68	57.5	33.5							
		4-01-68	59.0	32.0							
		7-01-68	69.9	21.1							
11N/35W-35A01S	123.0	10-01-67	94.5	28.5	5010						
		1-01-68	89.3	33.7							
		4-01-68	85.5	37.5							
		7-01-68	91.0	32.0							
11N/36W-13K02S	25.0	11-08-67	20.2	4.8	5010						
		11-29-67	19.7	5.3							
		12-27-67	19.9	5.1							
		1-29-68	19.8	5.2							
		2-28-68	19.9	5.1							
		3-29-68	20.1	4.9							
		4-29-68	20.2	4.8							
		5-28-68	20.2	4.8							
		6-27-68	20.0	5.0							
		7-26-68	20.2	4.8							
		8-29-68	20.0	5.0							
		9-27-68	19.9	5.1							
11N/36W-13K03S	25.0	11-08-67	20.5	4.5	5010						
		11-29-67	20.1	4.9							
		12-27-67	20.1	4.9							
		1-29-68	20.1	4.9							
		2-28-68	20.2	4.8							
		3-29-68	20.3	4.7							
		4-29-68	20.5	4.5							
		5-28-68	20.6	4.4							
		6-27-68	20.4	4.6							
		7-26-68	20.6	4.4							
		8-29-68	20.4	4.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARIA-CUYAMA HYDRO UNIT						T-12.00					
SISQUOC HYDRO SUBUNIT						T-12.00					
09N/32W-06D01S	433.0	10-27-67 3-18-68	80.7 78.7	352.3 354.3	5010	07N/24W-13C02S	3418.0	10-30-67 3-07-68	25.5(1) 21.6	3392.5 3396.4	5010
09N/32W-06G01S	505.0	10-27-67 3-18-68	177.9 (0)	327.1	5010	08N/24W-08L01S	3050.0	10-30-67 11-28-67 12-26-67 1-25-68 2-26-68 3-27-68 4-24-68 5-27-68 6-24-68 7-24-68 8-26-68 9-23-68	121.0 120.5 120.2 119.2 119.3 119.1 119.3 119.6 120.1 120.8 121.8 122.7	2929.0 2929.5 2929.8 2930.8 2930.7 2930.9 2930.7 2930.4 2929.9 2929.2 2928.2 2927.3	5010
09N/32W-06G02S	505.0	4-26-68	168.5	336.5	5010	09N/24W-33M01S	3049.0	10-30-67 3-07-68	189.6 185.8	2859.4 2863.2	5010
09N/32W-07A01S	470.0	10-27-67 3-18-68	118.1 120.0	351.9 350.0	5010	09N/25W-13B01S	2681.0	10-30-67 3-07-68	105.8 105.7	2575.2 2575.3	5010
09N/32W-07N01S	422.0	10-01-67 10-26-67 1-01-68 3-13-68 4-01-68 7-01-68	72.7 77.0 73.4 76.4 73.2 75.8	349.3 345.0 348.6 345.6 348.8 346.2	5010	09N/26W-01F02S	2603.0	11-03-67 3-07-68	291.9 (4)	2311.1	5010
09N/32W-07Q01S	421.0	10-26-67 3-13-68	47.8 50.5	373.2 370.5	5010	09N/26W-04J01S	2575.0	11-03-67 3-18-68	300.5 302.3	2274.5 2272.7	5010
09N/32W-08G01S	525.0	10-27-67 3-18-68	136.6 140.6	388.4 384.4	5010	10N/25W-08P01S	2293.0	11-02-67 3-07-68	89.6 86.3	2203.4 2206.7	5010
09N/32W-08N01S	420.0	10-26-67 3-13-68	36.5 44.2	383.5 375.8	5010	10N/25W-24E01S	2475.0	11-02-67 11-28-67 12-26-67 1-25-68 2-26-68 3-27-68 4-24-68 5-27-68 6-24-68 7-24-68 8-26-68 9-23-68	297.2 304.1 298.4 297.4 292.6 293.6 294.9 294.5 294.8 303.8 296.3 297.5	2177.8 2170.9 2176.6 2177.6 2182.4 2181.4 2180.1 2180.5 2180.2 2171.2 2178.7 2177.5	5010
09N/32W-09P03S	500.0	10-27-67 3-12-68	52.9 52.8	447.1 447.2	5010	10N/25W-30P01S	2340.0	11-02-67 3-07-68	165.1 164.3(2)	2174.9 2175.7	5010
09N/32W-16L01S	468.0	10-27-67 3-13-68	(1) 22.7	445.3	5010	10N/26W-04R01S	2110.0	11-03-67 3-18-68	47.8 44.3	2062.2 2065.7	5010
09N/32W-17G01S	447.0	10-27-67 3-13-68	34.9 36.0	412.1 411.0	5010	10N/26W-16Q01S	2205.0	11-03-67 3-18-68	70.6 68.0	2134.4 2137.0	5010
09N/32W-18H01S	443.0	10-26-67 3-13-68	(1) 48.3	394.7	5010	10N/26W-22A01S	2219.0	11-03-67 3-18-68	56.5 56.8	2162.5 2162.2	5010
09N/32W-19A01S	728.0	10-26-67 3-13-68	(1) 356.8	371.2	5010	10N/26W-27N01S	2362.0	11-03-67 3-07-68	156.4 154.3	2205.6 2207.7	5010
09N/32W-20E01S	630.0	10-26-67 3-13-68	250.4 249.9	387.6 388.1	5010	10N/27W-11A03S	1978.0	11-03-67 11-28-67 12-26-67 1-25-68 2-26-68 3-27-68 4-23-68 5-27-68 6-24-68 7-24-68 8-26-68 9-23-68	54.0 35.7 32.9 31.1 51.0(2) 53.8(2) 56.3(2) 40.4 55.7(2) 55.8(2) 56.9(2) 57.9(2)	1924.0 1942.3 1945.1 1946.9 1927.0 1924.2 1921.7 1937.6 1922.3 1922.2 1921.1 1920.1	5010
09N/32W-22D01S	490.0	10-27-67 3-13-68	15.2 19.0	474.8 471.0	5010	10N/27W-11C01S	1963.0	11-03-67 3-18-68	(1) 37.1	1925.9	5010
09N/32W-23K01S	532.0	10-27-67 3-13-68	13.5 17.9	518.5 514.1	5010	10N/27W-12R01S	2045.0	3-18-68	77.0	1968.0	5010
09N/32W-32K01S	725.0	11-14-67 3-14-68	57.3 57.0	667.7 668.0	5010	10N/32W-19E01S	380.0	3-18-68	6.3	373.7	5010
09N/32W-32K02S	720.0	11-13-67 3-14-68	(1) 37.6	682.4	5010	10N/32W-19E02S	380.0	11-06-67 3-18-68	7.7 8.9	372.3 371.1	5010
09N/32W-33H01S	745.0	11-14-67 3-14-68	64.0 63.9	681.0 681.1	5010	10N/32W-19M01S	380.0	11-06-67 3-18-68	5.7 6.2	374.3 373.8	5010
09N/33W-02A01S	378.7	10-01-67 11-14-67	78.7 (6)	300.0	5010	10N/33W-36A01S	372.0	11-06-67 3-18-68	11.9 12.7	360.1 359.3	5010
09N/33W-02H09S	280.0	1-01-68 2-26-68 3-13-68 4-01-68 7-01-68	71.8 73.5 70.5 68.3 74.8	208.2 206.5 209.5 211.7 205.2	5010						
09N/33W-12C01S	399.0	10-26-67	(1)		5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN ANTONIO HYDRO UNIT						T-13.00					
08N/32W-30H07S	563.0	11-16-67 3-20-68	30.3(4) 24.1	532.7 538.9	5010						
08N/32W-35001S	745.0	11-16-67 3-20-68	169.9 169.2	575.1 575.8	5010						
08N/33W-20001S	408.0	11-16-67 11-29-67 12-27-67 1-29-68 2-28-68 3-29-68 4-29-68 5-28-68 6-26-68 7-26-68 8-29-68 9-27-68	35.0 32.1 32.3 32.7 32.7 33.0 36.1 37.9(2) 38.0 36.9 53.8 35.4	373.0 375.9 375.7 375.3 375.3 375.0 371.9 370.1 370.0 371.1 354.2 372.6	5010						
08N/33W-20R01S	408.0	3-20-68	34.9	373.1	5010						
08N/34W-04N01S	460.0	11-07-67 3-20-68 3-20-68	138.1 138.2 138.2	321.9 321.8 321.8	5010						
08N/34W-07Q01S	280.0	11-07-67 3-20-68 3-20-68	3.8 3.3 3.3	276.2 276.7 276.7	5010						
08N/34W-16G01S	291.0	11-07-67 3-20-68 3-20-68	.1 -3.9 -3.9	290.9 294.9 294.9	5010						
08N/34W-16G02S	320.0	11-07-67 3-20-68 3-20-68	20.4 15.3 15.3	299.6 304.7 304.7	5010						
08N/34W-16J01S	320.0	11-07-67 3-20-68 3-20-68	15.4(4) 8.7 8.7	304.6 311.3 311.3	5010						
08N/34W-23801S	315.0	11-16-67 3-20-68	25.5 27.5	289.5 287.5	5010						
08N/35W-10J01S	118.0	11-07-67 3-20-68 3-20-68	9.6 9.4 9.4	108.4 108.6 108.6	5010						
08N/35W-16E01S	50.0	11-07-67 3-20-68 3-20-68	3.8 2.4 2.4	46.2 47.6 47.6	5010						
09N/34W-32P01S	480.0	11-07-67 3-20-68 3-20-68	19.8 24.4(1) 24.4(1)	460.2 455.6 455.6	5010						
09N/35W-18L01S	80.0	11-08-67 3-20-68 3-20-68	72.3 73.0 73.0	7.7 7.0 7.0	5010						
09N/35W-20J01S	100.0	11-08-67	(0)		5010						
09N/35W-20J02S	95.0	11-08-67 3-20-68 3-20-68	13.1 12.9 12.9	81.9 82.1 82.1	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
LOMPDC HYDRO SUBUNIT			T-14.A0			LOMPDC HYDRO SUBUNIT			T-14.A0		
06N/34W-04G03S	100.0	10-25-67 3-07-68	(6) 54.0	46.0	5010	07N/34W-22Q04S (CONT.)	82.7	3-20-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	19.8 19.7 19.7 19.7 19.7 19.7 19.9	62.9 63.0 63.0 63.0 63.0 63.0 62.8	5005 5005
06N/34W-06C02S	99.8	10-25-67 3-11-68	63.5 62.5	36.3 37.3	5010						
07N/33W-17N02S	360.0	10-24-67 3-19-68	270.0 269.4	90.0 90.6	5010	07N/34W-22Q05S	69.5	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	5.2 6.0 6.8 7.3 7.2 6.6 6.1 5.9 6.0 6.2 6.6 7.4	64.3 63.5 62.7 62.2 62.3 62.9 63.4 63.6 63.5 63.3 62.9 62.1	5005
07N/33W-19D01S	275.0	10-24-67 3-19-68	200.7 199.8	74.3 75.2	5010						
07N/33W-30C01S	235.2	10-27-67 3-07-68	164.9 165.0	70.3 70.2	5010						
07N/34W-09H05S	300.0	10-27-67 3-07-68	245.8 244.3	54.2 55.7	5010						
07N/34W-09H06S	300.0	10-27-67 3-07-68	246.3 245.9	53.7 54.1	5010						
07N/34W-12E01S	385.8	10-27-67 3-07-68	DRY (0)		5010	07N/34W-22Q06S	69.6	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-21-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	6.4 7.1 7.6 7.8 6.7 4.7 4.6 5.2 5.7 6.6 7.4 8.5	63.2 62.5 62.0 61.8 62.9 64.9 65.0 64.4 63.9 63.0 62.2 61.1	5005
07N/34W-14F03S	268.0	10-27-67 3-07-68	(1) (1)		5010						
07N/34W-15D01S	190.0	10-27-67 3-07-68	120.7 119.3	69.3 70.7	5010						
07N/34W-15E01S	190.0	10-27-67 3-07-68	123.5 122.0	66.5 68.0	5010						
07N/34W-19J03S	60.0	11-07-67 3-21-68	31.1 35.1	28.9 24.9	5010	07N/34W-23Q02S	112.0	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	48.9 48.7 48.5 48.4 48.3 55.0(2) 55.3(2) 55.3(2) 50.2 52.5 51.9 58.6(2)	63.1 63.3 63.5 63.6 63.7 57.0 56.7 56.7 61.8 59.5 60.1 53.4	5005
07N/34W-20K04S	75.0	11-07-67 3-21-68	33.9 34.5	41.1 40.5	5010						
07N/34W-20M02S	70.0	11-09-67 3-21-68	36.3 36.5	33.7 33.5	5010						
07N/34W-20N02S	50.0	10-26-67 3-07-68	13.5 13.3	36.5 36.7	5010						
07N/34W-20N03S	62.0	10-26-67 3-07-68	21.4 20.9	40.6 41.1	5010	07N/34W-24N01S	130.4	10-27-67 3-07-68	68.8(4) 67.0(4)	61.6 63.4	5010
07N/34W-21E01S	82.0	10-26-67 11-07-67 11-30-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	30.0 30.1 29.6 28.8 28.8 28.5 28.3 28.5 29.2 29.9 30.7 31.2 31.5	52.0 51.9 52.4 53.2 53.2 53.5 53.7 53.5 52.8 52.1 51.3 50.8 50.5	5010	07N/34W-25D01S	127.0	10-18-67 11-17-67 12-21-67 1-17-68 2-15-68 3-21-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	(1) 65.4 64.9 64.0 63.8 64.4 65.9 (1) 67.3(4) (1) (1) 68.6	61.6 62.1 63.0 63.2 62.6 61.1 59.7 58.4	5005
07N/34W-22F02S	89.9	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	39.5 39.3 41.1 39.2 39.3 38.4 40.3(4) 40.1 42.1(1) 42.2 40.4 40.6	50.4 50.6 48.8 50.7 50.6 51.5 49.6 49.8 47.8 47.7 49.5 49.3	5005	07N/34W-25F01S	136.6	10-18-67 11-17-67 12-21-67 1-17-68 2-15-68 3-21-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	74.9 74.2 73.4 73.1 73.5 74.0 79.0 75.6 75.5 78.4 78.4 77.5	61.7 62.4 63.2 63.5 63.1 62.6 57.6 61.0 61.1 58.2 58.2 59.1	5005
07N/34W-22J06S	90.0	10-27-67 3-11-68	37.2 37.4	52.8 52.6	5010	07N/34W-26C03S	104.0	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	39.1 39.3 39.5 39.7 39.8 40.1 39.9 39.9 39.7 40.0 40.0 40.3	64.9 64.7 64.5 64.3 64.2 63.9 64.1 64.1 64.3 64.0 64.0 63.7	5005
07N/34W-22L01S	93.0	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	33.1 33.6 34.8 34.1 33.7 33.3 33.7 34.3 34.9 35.5 36.2 37.1	59.9 59.4 58.2 58.9 59.3 59.7 59.3 58.7 58.1 57.5 56.8 55.9	5005	07N/34W-26H02S	109.9	10-17-67 11-17-67 12-21-67 1-18-68 2-15-68 3-20-68 4-18-68 5-17-68 6-19-68	46.7 52.3 54.6 51.0 45.3 46.0 47.9 48.1 48.8	63.2 57.6 55.3 58.9 64.6 63.9 62.0 61.8 61.1	5005
07N/34W-22Q04S	82.7	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-11-68	18.8 (9) 19.8 19.8 19.8 19.7	63.9 62.9 62.9 62.9 63.0	5005 5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
LOMPOC HYDRO SUBUNIT			T-14.A0			LOMPOC HYDRO SUBUNIT			T-14.A0		
07N/34W-26H02S (CONT.)	109.9	7-25-68 8-14-68 9-19-68	53.2 53.6 53.3	56.7 56.3 56.6	5005	07N/34W-30L08S (CONT.)	59.0	3-11-68	24.2	34.8	5010
07N/34W-26H03S	112.9	10-17-67 10-27-67 11-17-67 12-20-67 1-17-68 2-15-68 3-11-68 3-19-68 4-18-68 5-17-68 6-19-68 7-21-68 8-14-68 9-17-68	52.3 51.2 51.9 51.3 51.1 50.8 49.7 50.9 52.5 51.4 51.8 52.8 53.3 53.3	60.6 61.7 61.0 61.6 61.8 62.1 63.2 62.0 60.4 61.5 61.1 60.1 59.6 59.6	5005 5010 5005 5010 5005	07N/34W-31C02S	64.7	10-25-67 3-11-68	27.6 31.9	37.1 32.8	5010
						07N/34W-31C03S	64.6	10-25-67 3-11-68	DRY DRY		5010
						07N/34W-31C04S	64.6	10-25-67 3-11-68	23.4 22.8	41.2 41.8	5010
						07N/34W-31P03S	70.0	10-25-67 3-11-68	40.2 39.3	29.8 30.7	5010
						07N/34W-32001S	80.0	10-25-67	39.3	40.7	5010
07N/34W-26P01S	91.8	10-18-67 11-17-67 12-21-67 1-18-68 2-15-68 3-21-68 4-18-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	26.0 DRY DRY 26.0 20.2 18.4 18.4 22.3 DRY DRY DRY DRY	65.8 65.8 71.6 73.4 73.4 69.5	5005	07N/34W-34001S	107.0	10-17-67 11-17-67 12-21-67 1-17-68 2-15-68 3-20-68 4-19-68 5-16-68 6-19-68 7-23-68 8-14-68 9-19-68	51.6 51.7 56.8 51.9(0) 56.8(0) 57.8 54.3 51.6 51.5 54.2 56.5 57.7	55.4 55.3 50.2 55.1 50.2 49.2 52.7 55.4 55.5 52.8 50.5 49.3	5005
07N/34W-26Q02S	112.1	10-18-67 11-17-67 12-21-67 1-18-68 2-15-68 3-20-68 4-18-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	44.3 45.2 46.1 46.4 45.2 44.3(2) 45.6(2) 45.8 46.5 47.4 48.5 49.2	67.8 66.9 66.0 65.7 66.9 67.8 66.5 66.3 65.6 64.7 63.6 62.9	5005	07N/34W-35F02S	100.3	10-27-67 3-11-68	27.6 24.5	72.7 75.8	5010
						07N/34W-35F16S	119.5	10-26-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-31-68 8-26-68 9-27-68	51.4(2) 52.2 51.6 47.0 45.2 45.1 45.8 47.2 50.1 61.6(1) 55.0 56.1	68.1 67.3 67.9 72.5 74.3 74.4 73.7 72.3 69.4 57.9 64.5 63.4	5010
07N/34W-26Q04S	91.0	10-18-67 11-17-67 12-21-67 1-18-68 2-15-68 3-20-68 4-18-68 5-17-68 6-19-68 7-25-68 8-14-68 9-19-68	26.0 25.5 25.8 (1) 24.1 (1) (1) 32.1 (1) (1) (1) (1) 33.0	65.0 65.5 65.2 66.9 58.9 58.0	5005	07N/34W-35F20S	119.5	10-26-67 3-11-68	28.3 31.7	91.2 87.8	5010
						07N/35W-17K01S	10.0	10-25-67 11-06-67 3-11-68	2.1 1.9 .9	7.9 8.1 9.1	5010
						07N/35W-17M01S	9.7	10-25-67 11-07-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-31-68 8-26-68 9-27-68	2.7 2.5 2.2 2.0 1.6 1.7 3.1 2.1 2.3 2.5 2.7 2.6 2.9	7.0 7.2 7.5 7.7 8.1 8.0 6.6 7.6 7.4 7.2 7.0 6.9 6.8	5010
07N/34W-27A06S	80.0	10-27-67 3-11-68	14.3 12.3	65.7 67.7	5010	07N/35W-18H01S	5.8	10-25-67 3-11-68	1.4 .9	4.4 4.9	5010
07N/34W-27F04S	96.7	10-17-67 10-27-67 11-17-67 12-21-67 1-17-68 2-15-68 3-11-68 3-20-68 4-19-68 5-17-68 6-19-68 7-23-68 8-14-68 9-19-68	44.2 (1) 43.5 44.1 (1) 42.9 41.6 44.2 41.9 42.6 (1) 47.6 (1) 49.9	52.5 53.2 52.6 53.8 55.1 52.5 54.8 54.1 49.1 46.8	5005 5010 5005 5010 5005	07N/35W-18H02S	7.2	10-25-67 11-07-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	2.4 2.2 .0 1.7 1.2 1.4 2.8 2.0 2.3 2.4 2.6 2.7 2.6	4.8 5.0 7.2 5.5 6.0 5.8 4.4 5.2 4.9 4.8 4.6 4.5 4.6	5010
07N/34W-29E04S	67.7	10-26-67 3-07-68	33.8 32.6	33.9 35.1	5010	07N/35W-18J02S	7.3	10-25-67 11-07-67 3-11-68	3.4 3.3 2.9	3.9 4.0 4.4	5010
07N/34W-29E05S	67.7	10-26-67 3-07-68	DRY DRY		5010	07N/35W-20J01S	19.0	11-06-67 3-19-68	7.8 6.3	11.2 12.7	5010
07N/34W-29E06S	65.0	10-26-67 3-07-68	29.0 29.9	36.0 35.1	5010	07N/35W-21L04S	20.0	11-06-67 3-19-68	7.5 5.8	12.5 14.2	5010
07N/34W-29H01S	78.0	10-26-67 3-07-68	29.5 31.0	48.5 47.0	5010	07N/35W-22F03S	20.0	11-07-67 3-20-68	9.7 8.7	10.3 11.3	5010
07N/34W-29R01S	77.0	10-26-67 3-07-68	35.0 35.5	42.0 41.5	5010	07N/35W-22J01S	31.7	10-25-67	10.1	21.6	5010
07N/34W-30L03S	58.7	10-26-67 3-11-68	25.1 23.8	33.6 34.9	5010						
07N/34W-30L04S	59.0	10-26-67 3-11-68	24.2 20.6	34.8 38.4	5010						
07N/34W-30L08S	59.0	10-26-67	24.8	34.2	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
LOMPOC HYDRO SUBUNIT			T-14.A0			LOMPOC HYDRO SUBUNIT			T-14.A0		
07N/35W-22J01S (CONT.)	31.7	3-11-68	11.0	20.7	5010	07N/35W-33R01S	216.0	11-06-67 11-20-67 12-26-67 1-26-68 2-26-68 3-28-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	117.2 116.4 115.2 114.7 113.0 114.8 115.4 116.0 110.4 110.5 118.9 118.5	90.0 99.6 100.8 101.3 102.2 101.2 100.6 99.2 97.6 97.5 97.1 97.5	5010
07N/35W-22L01S	30.0	11-07-67 3-20-68	12.5 12.2	17.5 17.8	5010						
07N/35W-22H01S	28.8	11-07-67 3-20-68	5.6 6.1	23.2 22.7	5010						
07N/35W-22N02S	24.0	11-07-67 3-19-68	5.4 5.5	18.6 18.5	5010						
07N/35W-23E02S	36.1	10-25-67 3-11-68	12.8 (1)	23.3	5010	07N/35W-35A03S	45.7	10-25-67	17.5	28.2	5010
07N/35W-23E04S	36.9	10-25-67 3-11-68	15.6 15.3	21.3 21.6	5010	07N/35W-35002S	70.0	11-07-67 3-20-68	16.2 15.6	53.8 54.4	5010
07N/35W-23J05S	43.0	10-26-67 3-11-68	14.5 (1)	28.5	5010	07N/35W-36J03S	58.8	10-25-67 11-20-67 12-26-67	24.8 24.7 23.5	34.0 34.1 35.3	5010
07N/35W-24H01S	48.0	11-07-67 3-21-68	17.1 19.3	30.9 28.7	5010						
07N/35W-24J01S	59.4	10-26-67 3-11-68	27.5 25.6	31.9 33.0	5010						
07N/35W-24K02S	51.0	10-26-67 3-11-68	22.0 22.3	29.0 28.7	5010						
07N/35W-24K04S	51.1	10-26-67 3-11-68	20.8 23.2	30.3 27.9	5010						
07N/35W-25F05S	46.9	10-26-67 3-11-68	15.7 25.2	31.2 21.7	5010						
07N/35W-25F06S	47.7	10-26-67 3-11-68	12.6 12.0	35.1 35.7	5010						
07N/35W-25F07S	46.9	10-26-67 3-11-68	12.6 11.5	34.3 35.4	5010						
07N/35W-26F01S	36.8	10-26-67 3-11-68	9.7 13.1 (6)	27.1 23.7	5010						
07N/35W-26J04S	40.8	10-26-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-24-68 5-27-68 6-24-68 7-24-68 8-26-68 9-24-68	11.6 9.8 8.8 6.3 11.3 34.1 (2) 19.1 14.4 16.5 27.6 16.7 15.8	29.2 31.0 32.0 34.5 29.5 6.7 21.7 26.4 24.3 13.2 24.1 25.0	5010						
07N/35W-27C03S	28.4	10-25-67 11-07-67 3-11-68	6.6 6.6 6.8	21.8 21.8 21.6	5010						
07N/35W-27F01S	27.6	11-07-67 3-19-68	7.2 7.4	20.4 20.2	5010						
07N/35W-27H01S	27.0	11-07-67	5.8	21.2	5010						
07N/35W-27P01S	260.0	11-06-67 3-19-68	223.6 223.5	36.4 36.5	5010						
07N/35W-28K02S	89.0	11-06-67 3-19-68	18.2 18.2	70.8 70.8	5010						
07N/35W-28R01S	120.0	11-06-67 11-28-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	62.1 62.1 61.9 61.7 61.6 62.6 62.1 64.9 62.5 61.7 62.8 62.7	57.9 57.9 58.1 58.3 58.4 57.4 57.9 55.1 57.5 58.3 57.2 57.3	5010						
07N/35W-30G01S	130.0	11-06-67 3-19-68	97.4 97.3	32.6 32.7	5010						
07N/35W-33J01S	177.0	11-06-67 3-19-68	129.0 (2) 126.5 (2)	48.0 50.5	5010						
07N/35W-33J02S	177.0	11-06-67 3-19-68	176.4 (1) 170.3 (1)	.6 6.7	5010						
07N/35W-33J03S	220.0	11-06-67 3-19-68	344.8 (2) 148.9 (2)	-124.8 71.1	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA RITA HYDRO SUBUNIT						SANTA RITA HYDRO SUBUNIT					
T-14.80						T-14.80					
06N/33W-11H01S	215.0	9-17-68	13.8	201.2	5005	06N/33W-06D03S (CONT.)	150.0	6-18-68 7-23-68 8-14-68 9-17-68	(9) 14.4 14.9 15.3	135.6 135.1 134.7	5005
06N/32W-06K01S	383.5	10-24-67 3-14-68	24.7 24.6	358.8 358.9	5010	06N/33W-06F01S	147.9	10-18-67 11-17-67 12-20-67 1-18-68 2-15-68 3-21-68 4-18-68 5-17-68 6-18-68 7-25-68 8-15-68 9-17-68	14.7 15.7 15.3 15.0 14.8 14.7 14.5 15.1 15.2 (9) 15.4 15.5	133.2 132.2 132.6 132.9 133.1 133.2 133.4 132.8 132.7	5005
06N/32W-07Q03S	232.1	10-17-67 11-16-67 12-20-67 1-17-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-14-68 9-17-68	9.1 8.9 (9) 8.4 8.3 8.1 8.0 8.0 8.7 8.4 8.7 7.8	223.0 223.2 223.7 223.8 224.0 224.1 224.1 223.4 223.7 223.4 224.3	5005	06N/33W-07A01S	180.0	10-17-67 11-17-67 12-20-67 1-17-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-14-68 9-17-68	49.3 49.3 (9) 47.4 47.3 (5) 47.3 48.4 49.0 49.9 50.2 51.0	130.7 130.7 132.6 132.7 132.7 131.6 131.0 130.1 129.8 129.0	5005
06N/32W-08N03S	246.1	10-17-67 11-16-67 12-20-67 1-16-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-15-68 9-17-68	18.8 (1) (9) 14.9 (9) 14.6 17.5 14.9 15.8 16.9 (1) 21.6	227.3 231.2 231.5 228.6 231.2 230.3 229.2 224.5	5005	06N/33W-07C01S	151.6	10-18-67 11-17-67 12-20-67 1-18-68 2-15-68 3-21-68 4-18-68 5-17-68 6-18-68 7-25-68 8-15-68 9-17-68	11.6 11.7 11.3 10.5 10.0 10.0 9.9 10.5 11.2 (9) 11.9 12.3	140.0 139.9 140.3 141.1 141.6 141.6 141.7 141.1 140.4	5005
06N/32W-16G02S	273.6	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	(1) 19.9 17.7 (9) (9) (9) 16.9 (1) 19.1 (1) 27.3 27.8	253.7 255.9 256.7 254.5 246.3 245.8	5005	06N/33W-08E03S	153.2	10-17-67 11-17-67 12-20-67 1-17-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-14-68 9-17-68	4.7 4.5 3.7 3.1 3.2 3.2 3.2 4.5 5.5 6.7 7.0 9.1	148.5 148.7 149.5 150.1 150.0 150.0 148.7 147.7 146.5 146.2 144.1	5005
06N/32W-16K01S	260.2	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	15.2 14.3 9.1 8.9 8.8 8.8 8.6 9.1 9.7 12.3 14.0 15.2	245.0 245.9 251.1 251.3 251.4 251.4 251.6 251.1 250.5 247.9 246.2 245.0	5005	06N/33W-08G02S	198.4	10-18-67 11-17-67 12-20-67 1-18-68 2-15-68 3-21-68 4-18-68 5-17-68 6-18-68 7-25-68 8-15-68 9-17-68	48.9 45.1 45.1 45.3 45.2 45.2(4) 45.0 45.7 46.1 49.1(4) 48.5 49.2	149.5 153.3 153.3 153.1 153.2 153.2 153.4 152.7 152.3 149.3 149.9 149.2	5005
06N/32W-16P03S	293.1	10-26-67 3-12-68	52.4 44.5	240.7 248.6	5010	06N/33W-08G06S	159.0	10-17-67 11-17-67 12-20-67 1-17-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-21-68 8-14-68 9-17-68	6.8 6.6 14.0 6.0 5.8 5.7 5.5 6.4 6.8 8.1 8.3 9.7	152.2 152.4 145.0 153.0 153.2 153.3 152.6 152.2 150.9 150.7 149.3	5005
06N/32W-17J02S	256.0	10-17-67 11-15-67 12-20-67 1-16-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-14-68 9-17-68	14.1 16.9 14.1 11.2 11.9 11.0 10.5 10.1 (1) (1) (1) 17.8	241.9 239.1 241.9 244.8 244.1 245.0 245.5 245.9 238.2	5005	06N/33W-08J01S	200.5	10-26-67 3-12-68	44.5 42.1	156.0 158.4	5010
06N/32W-17L01S	249.4	10-17-67 11-15-67 12-20-67 1-16-68 2-14-68 3-19-68 4-18-68 5-16-68 6-18-68 7-23-68 8-14-68 9-17-68	18.6 17.6 17.2 16.3 15.5 14.1 14.6 13.8 14.4 16.4 18.1 17.7	230.8 231.8 232.2 233.1 233.9 235.3 234.8 235.6 235.0 233.0 231.3 231.7	5005	06N/33W-09D02S	213.8	10-18-67 11-17-67 12-20-67 1-18-68 2-15-68 3-21-68 4-18-68 5-17-68 6-18-68 7-25-68 8-15-68 9-17-68	57.1 57.3 57.2 57.8 56.5(1) 56.2(1) 56.2 56.7(1) 57.2(1) 59.1(1) 59.2 59.3	156.7 156.5 156.6 156.0 157.3 157.6 157.6 157.1 156.6 154.7 154.6 154.5	5005
06N/32W-18H01S	267.0	10-26-67 3-12-68	38.4 35.9	228.6 231.1	5010						
06N/33W-06D03S	150.0	10-17-67 11-17-67 12-20-67 1-17-68 2-14-68 3-19-68 4-18-68 5-16-68	14.4 14.9 (9) (9) (9) (9) (9) (9)	135.6 135.1 	5005						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA RITA HYDRO SUBUNIT			T-14.80			SANTA RITA HYDRO SUBUNIT			T-14.80		
06N/33W-09J02S	196.8	10-17-67	19.6	177.2	5005	06N/34W-01K01S (CONT.)	122.1	2-15-68	(9)		5005
		11-17-67	(1)					3-21-68	(9)		
		12-20-67	18.3	178.5				4-18-68	(9)		
		1-17-68	17.7	179.1				5-17-68	(9)		
		2-14-68	17.5	179.3				6-18-68	(9)		
		3-19-68	17.9(2)	178.9				7-25-68	16.3	105.8	
		4-18-68	17.4	179.4				8-15-68	17.4	104.7	
		5-16-68	(1)					9-19-68	18.8	103.3	
		6-18-68	(1)			06N/34W-01P01S	150.3	10-26-67	36.8	113.5	5010
		7-23-68	(1)					3-12-68	38.0	112.3	
		8-14-68	(1)			06N/34W-12A02S	118.2	10-18-67	1.7	116.5	5005
		9-17-68	21.9	174.9				11-17-67	(9)		
06N/33W-09P01S	203.0	10-26-67	42.0	161.0	5010			12-20-67	(9)		
		11-30-67	41.6	161.4				1-18-68	.8	117.4	
		12-26-67	41.0	162.0				2-15-68	.4	117.8	
		1-26-68	40.0	163.0				3-21-68	(9)		
		2-26-68	41.0(2)	162.0				4-18-68	(9)		
		3-27-68	41.9(2)	161.1				5-17-68	.7	117.5	
		4-25-68	44.2(2)	158.8				6-18-68	1.4	116.8	
		5-27-68	43.2	159.8				7-25-68	3.0	115.2	
		6-24-68	45.2	157.8				8-15-68	3.3	114.9	
		7-30-68	45.2	157.8				9-19-68	4.0	114.2	
		8-26-68	46.2	156.8		06N/34W-12C01S	153.4	10-17-67	38.1	115.3	5005
		9-27-68	45.5	157.5				11-17-67	37.9	115.5	
06N/33W-10K01S	230.0	10-17-67	46.1	183.9	5005			12-20-67	36.8	116.6	
		11-17-67	45.7	184.3				1-17-68	36.2	117.2	
		12-20-67	(9)					2-14-68	35.9	117.5	
		1-17-68	44.6	185.4				3-19-68	36.0	117.4	
		2-14-68	44.4	185.6				4-18-68	46.2(2)	107.2	
		3-19-68	44.2	185.8				5-16-68	47.4(2)	106.0	
		4-18-68	44.1	185.9				6-19-68	38.4	115.0	
		5-16-68	44.6	185.4				7-23-68	50.5(2)	102.9	
		6-18-68	45.1	184.9				8-14-68	42.7	110.7	
		7-23-68	45.7	184.3				9-17-68	40.8	112.6	
		8-14-68	46.4	183.6		06N/34W-12J01S	128.4	10-17-67	12.4	116.0	5005
		9-17-68	47.1	182.9				11-17-67	12.5	115.9	
06N/33W-11M01S	215.0	10-17-67	11.5	203.5	5005			12-20-67	(9)		
		11-16-67	11.5	203.5				1-17-68	(9)		
		12-20-67	9.1	205.9				2-14-68	12.8	115.6	
		1-17-68	9.0	206.0				3-19-68	12.8	115.6	
		2-14-68	8.9	206.1				4-18-68	12.7	115.7	
		3-19-68	8.7	206.3				5-16-68	12.8	115.6	
		4-18-68	8.7	206.3				6-18-68	12.9	115.5	
		5-16-68	9.2	205.8				7-23-68	13.2	115.2	
		6-18-68	10.6	204.4				8-14-68	13.5	114.9	
		7-23-68	11.6	203.4				9-17-68	14.1	114.3	
		8-14-68	12.8	202.2		07N/32W-18C02S	850.0	10-24-67	58.9	791.1	5010
06N/33W-11M01S	203.8	10-26-67	10.3	193.5	5010			3-19-68	58.2	791.8	
		3-12-68	8.9(1)	194.9		07N/32W-31M01S	450.0	10-24-67	61.4	388.6	5010
06N/33W-12L01S	223.6	10-17-67	17.8	205.8	5005			3-14-68	86.2(1)	363.8	
		11-16-67	17.2	206.4		07N/33W-13E01S	838.0	10-24-67	86.5	751.5	5010
		12-20-67	(9)					3-19-68	89.2	748.8	
		1-17-68	15.9	207.7		07N/33W-21C01S	453.0	10-24-67	381.4	71.6	5010
		2-14-68	15.8	207.8				3-19-68	384.5	68.5	
		3-19-68	15.6	208.0		07N/33W-21N01S	360.0	10-24-67	285.7	74.3	5010
		4-18-68	15.5	208.1				3-19-68	279.6	80.4	
		5-16-68	16.1	207.5		07N/33W-27D01S	400.0	10-24-67	(1)		5010
		6-18-68	17.5	206.1				3-19-68	(1)		
		7-23-68	20.8	202.8		07N/33W-27G01S	450.0	3-19-68	(1)		5010
		8-14-68	21.5	202.1							
		9-17-68	21.6	202.0		07N/33W-27J01S	458.2	10-24-67	21.6	436.6	5010
06N/33W-12P01S	226.0	10-17-67	18.1	207.9	5005			3-19-68	21.4	436.8	
		11-16-67	16.5	209.5		07N/33W-36J01S	495.0	10-24-67	145.2	349.8	5010
		12-20-67	(9)					3-14-68	143.7	351.3	
		1-17-68	15.8	210.2		07N/33W-36J02S	478.0	10-24-67	66.4	411.6	5010
		2-14-68	15.6	210.4				3-14-68	67.4	410.6	
		3-19-68	15.6	210.4		07N/33W-36J03S	490.0	10-24-67	132.7	357.3	5010
		4-18-68	15.5	210.5				3-14-68	129.4	360.6	
		5-16-68	15.9	210.1		07N/34W-35K09S	101.0	10-18-67	28.2	72.8	5005
		6-18-68	18.1	207.9				11-17-67	30.4	70.6	
		7-23-68	20.0	206.0				12-20-67	29.0	72.0	
		8-14-68	21.0	205.0				1-18-68	24.6	76.4	
		9-17-68	22.2	203.8				2-15-68	26.0	75.0	
06N/33W-14D01S	229.2	10-17-67	7.6	221.6	5005			3-20-68	24.9	76.1	
		11-16-67	7.7	221.5				4-18-68	24.1	76.9	
		12-20-67	7.8	221.4				5-16-68	24.5	76.5	
		1-17-68	7.8	221.4				6-19-68	27.9	73.1	
		2-14-68	7.8	221.4				7-25-68	31.4	69.6	
		3-19-68	6.9	222.3				8-14-68	32.5	68.5	
		4-18-68	5.5	223.7				9-19-68	33.5	67.5	
		5-16-68	6.0	223.2							
		6-18-68	5.9	223.3							
		7-23-68	6.1	223.1							
		8-14-68	6.3	222.9							
		9-17-68	7.4	221.8							
06N/34W-01K01S	122.1	10-18-67	13.5	108.6	5005						
		11-17-67	(9)								
		12-20-67	(9)								
		1-18-68	(9)								

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
BUELLTON HYDRO SUBUNIT			T-14.C0			BUELLTON HYDRO SUBUNIT			T-14.C0		
06N/31W-03A01S	760.0	10-25-67 3-18-68	156.9 156.0	603.1 604.0	5010	06N/31W-21G03S	373.9	10-16-67	(5)		5005
06N/31W-04A01S	615.0	10-23-67	83.2	531.8	5010	06N/32W-02Q01S	359.4	10-24-67 3-14-68	58.8 59.2	300.6 300.2	5010
06N/31W-06F01S	425.0	10-24-67 3-14-68	89.7 86.5	335.3 338.5	5010	06N/32W-09A02S	308.0	10-24-67 3-14-68	38.4 35.0	269.6 273.0	5010
06N/31W-07M01S	351.9	10-24-67 3-19-68	36.7 36.4	315.2 315.5	5010	06N/32W-09G01S	305.0	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	38.4 38.7 38.1 36.4 32.6 32.2 32.2 36.2 37.1 37.0 38.9 (1)	266.6 266.3 266.9 268.6 272.4 272.8 272.8 268.8 267.9 268.0 266.1	5005
06N/31W-10F01S	540.0	10-23-67 3-14-68	67.7 67.7	472.3 472.3	5010	06N/32W-09J01S	276.1	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	(1) (1) 9.1 8.8 8.7 8.6 8.3 (1) 10.9 (1) (1) (1)	267.0 267.3 267.4 267.5 267.8	5005
06N/31W-16N02S	366.2	10-23-67 3-14-68	20.6 14.6	345.6 351.6	5010						
06N/31W-17O01S	340.8	10-16-67 11-14-67 12-18-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	12.0 (1) 12.9 12.2 11.8 11.3 11.5 12.1 13.3(4) 15.6(4) 16.4 (1)	328.8 327.9 328.6 329.0 329.5 329.3 328.7 327.5 325.2 324.4	5005						
06N/31W-17F01S	362.9	10-23-67 3-14-68	28.0 26.0	334.9 336.9	5010						
06N/31W-17R01S	364.8	10-16-67 11-14-67 12-18-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	26.4 29.1 25.3 21.6 18.3 18.2 (1) (1) (1) (1) (1) (1) 31.1	338.4 335.7 339.5 343.2 346.5 346.6	5005						
06N/31W-18G01S	334.7	10-16-67 11-14-67 12-19-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-17-68	14.4 13.7 14.9 13.3 12.6 12.3 (1) 14.4 (1) (1) (1) (1)	320.3 321.0 319.8 321.4 322.1 322.4 320.3	5005						
06N/31W-18H02S	345.0	10-16-67 11-14-67 12-19-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	15.6 13.3 (9) 14.0 (9) 14.6 (1) 14.2 (1) 17.8 (1) 18.9	329.4 331.7 331.0 330.4 330.8 327.2 326.1	5005						
06N/31W-18R01S	344.3	10-16-67 11-14-67 12-19-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	15.6 13.2 10.4 12.3 11.2 12.1 (1) 16.1 13.5 (1) (1) (1)	328.7 331.1 333.9 332.0 333.1 332.2 328.2 330.8	5005						
06N/31W-21O01S	362.0	10-16-67 11-14-67 12-18-67 1-16-68 2-13-68 3-18-68 4-17-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	16.6 18.0 10.4 9.5 8.7 9.3 9.3 9.3 21.1 18.3 19.4 19.7	345.4 344.0 351.6 352.5 353.3 352.7 352.7 352.7 340.9 343.7 342.6 342.3	5005	06N/32W-10C02S	286.3	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	12.8 12.5 11.6 11.2 10.9 10.7 12.4 14.2(2) 16.6(2) 16.6 16.6	273.5 273.8 274.7 275.1 275.4 275.6 273.9 272.1 269.7 269.7 269.7	5005
						06N/32W-10J01S	317.2	10-17-67 11-15-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	33.3 34.6 33.5 32.8 35.8(2) 32.5(2) 36.3 36.9 (1) (1) (1) 35.0(1)	283.9 282.6 283.7 284.4 281.4 284.7 280.9 280.3	5005
						06N/32W-11D01S	298.0	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	14.3 10.7 11.0 10.2 10.5 10.4 11.2 11.4 13.3(4) 14.4(4) (1) 14.4	283.7 287.3 287.0 287.8 287.5 287.6 286.8 286.6 284.7 283.6	5005
						06N/32W-11G03S	301.0	10-17-67 10-26-67 11-15-67 12-19-67 1-16-68 2-13-68 3-12-68 3-18-68 4-17-68 5-16-68 6-17-68 7-20-68 8-13-68 9-17-68	8.8 8.8 8.7 8.3 8.3 8.3 8.3 8.3 8.7 9.2 10.3 11.0 11.3	292.2 292.2 292.3 292.7 292.7 292.7 292.7 292.7 292.3 291.8 290.7 290.0 289.7	5005 5010 5005
						06N/32W-11H02S	305.0	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-18-68 4-17-68 5-16-68 6-17-68	9.1 9.1 9.0 8.8 9.0 9.1 9.0 9.2 9.5	295.9 295.9 296.0 296.2 296.0 295.9 296.0 295.8 295.5	5005

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
BUELLTON HYDRO SUBUNIT						SANTA YNEZ HYDRO SUBUNIT					
T-14.00						T-14.00					
06N/32W-11H02S (CONT.)	305.0	7-23-60 8-13-68 9-17-68	10.1 10.5 11.3	294.9 294.5 293.7	5005	06N/29W-05A01S	1190.0	10-19-67 3-20-68	24.0 19.2	1166.0 1170.8	5010
06N/32W-11L02S	300.4	10-17-67 11-15-67 12-19-67 1-16-68 2-13-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	4.4 5.7 5.7 (1) 5.1(8) 5.1 (1) (1) (1) 6.9 (1) 10.5(8) 9.0	296.0 294.7 294.7 295.3 295.3 293.5 289.9 291.4	5005	06N/29W-06F01S	840.0	10-19-67 3-18-68	18.6 12.1	821.4 827.9	5010
06N/32W-12N01S	318.0	10-17-67 11-15-67 12-19-67 1-16-68 2-14-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	10.9 9.8 (9) 9.3 9.1 9.2 9.8 9.4 10.7 13.2 (1) 15.7	307.1 308.2 308.7 308.9 308.8 308.2 308.6 307.3 304.8 302.3	5005	06N/29W-08P01S	910.0	10-19-67 3-20-68	236.9 238.4	673.1 671.6	5010
06N/32W-12O01S	317.6	10-17-67 11-14-67 12-19-67 1-16-68 2-13-68 3-18-68 4-17-68 5-16-68 6-17-68 7-23-68 8-13-68 9-17-68	10.5 12.1 12.2 (5) (5) 9.9 11.7 10.5 11.0 13.0 14.6 14.3	307.1 305.5 305.4 307.7 305.9 307.1 306.6 304.6 303.0 303.3	5005	06N/29W-08P02S	910.0	10-19-67 3-20-68	227.7 227.2	682.3 682.8	5010
06N/32W-13G01S	317.9	10-17-67 11-15-67 12-19-67 1-16-68 2-14-68 3-19-68 4-17-68 5-16-68 6-18-68 7-23-68 8-13-68 9-17-68	9.5 9.4 9.3 9.0 8.6 8.5 9.3 9.2 10.2 11.6 12.2 12.3	308.4 308.5 308.6 308.9 309.3 309.4 308.6 308.7 307.7 306.3 305.7 305.6	5005	06N/30W-01R03S	760.0	10-19-67 3-18-68	18.5 16.4	741.5 743.6	5010
07N/31W-34H01S	650.0	10-23-67 3-19-68	136.0 143.5(1)	514.0 506.5	5010	06N/30W-02H01S	695.0	3-18-68	115.5	579.5	5010
07N/32W-07801S	1030.0	10-24-67 3-19-68	48.8 49.8	981.2 980.2	5010	06N/30W-03A01S	720.0	10-20-67 11-27-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	136.3 140.4 133.2 125.1 138.2 135.0 135.6 138.4 150.4(1) 151.0 152.4(1) 150.1	583.7 579.6 586.8 594.9 581.8 585.0 584.4 581.6 569.6 569.0 567.6 569.9	5010
						06N/30W-06A01S	665.2	10-20-67 11-27-67 12-26-67 1-26-68 2-26-68 3-27-68 4-25-68 5-27-68 6-24-68 7-30-68 8-26-68 9-27-68	118.6 118.5 116.0 114.0 112.6 112.5 116.7 126.7(2) 129.9(1) 139.5(1) 132.2(1) 129.5	546.6 546.7 549.2 551.2 552.6 552.7 548.5 538.5 535.3 525.7 533.0 535.7	5010
						06N/30W-07G05S	600.0	10-20-67 3-21-68	54.6 51.7	545.4 548.3	5010
						06N/30W-07G06S	600.0	10-20-67 3-21-68	55.2 50.6	544.8 549.4	5010
						06N/30W-09N01S	660.0	10-20-67 3-18-68	39.7 35.4	620.3 624.6	5010
						06N/30W-11K01S	652.0	10-19-67 3-20-68	49.7 49.6	602.3 602.4	5010
						06N/30W-14N01S	513.5	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	3.9 4.5 4.2 4.2 3.7 3.9 3.2 3.6 3.3 3.3 3.5 3.9	509.6 509.0 509.3 509.3 509.0 509.6 510.3 509.9 510.2 510.2 510.0 509.6	5005
						06N/30W-14R02S	538.9	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	12.5 13.8 11.6 11.7 11.3 11.6 11.5 11.6 11.5 11.6 11.2 11.7	526.4 525.1 527.3 527.2 527.6 527.3 527.4 527.3 527.4 527.3 527.7 527.2	5005
						06N/30W-14R03S	533.3	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68	(9) (5) (5) (5) (5) (5)		5005

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA YNEZ HYDRO SUBUNIT						SANTA YNEZ HYDRO SUBUNIT					
T-14.00						T-14.00					
06N/30W-14R03S (CONT.)	533.3	4-16-68 5-14-68	(6) (6)		5005	06N/30W-22E01S (CONT.)	499.0	3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	7.2 6.3 6.9 6.9 6.8 6.9 7.0	491.8 492.7 492.1 492.1 492.2 492.1 492.0	5005
06N/30W-19Q02S	458.3	10-16-67 11-13-67 12-18-67 1-15-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	(1) 6.8 5.4 5.5 5.3 5.5 5.3 (1) (1) (1) (1) (1)	451.5 452.9 452.8 453.0 452.8 453.0	5005	06N/30W-22G01S	513.5	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	8.0 8.0 7.4 7.6 7.1 7.3 6.7 7.0 7.0 6.9 7.0 7.0	505.5 505.5 506.1 505.9 506.4 506.2 506.8 506.5 506.5 506.6 506.5 506.5	5005
06N/30W-20H01S	476.3	10-16-67 11-13-67 12-19-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	(1) 13.3 (1) 9.2 10.3 9.3 7.2 9.5 9.4 (1) 10.4 (1)	463.0 467.1 466.0 467.0 469.1 466.8 466.9 465.9	5005	06N/30W-24E01S	541.1	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 7-22-68 8-13-68 9-16-68	(9) 7.6 2.9 3.6 2.8 3.0 3.7 4.9 6.1 3.8 4.1	533.5 538.2 537.5 538.3 538.1 537.4 536.2 535.0 537.3 537.0	5005
06N/30W-20H02S	476.4	10-16-67 11-13-67 12-19-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	12.0 11.8 10.0 10.0 10.6 9.8 9.7 10.1 9.8 11.0 10.8 14.3	464.4 464.6 466.4 466.4 465.8 466.6 466.7 466.3 466.6 465.4 465.6 462.1	5005	06N/30W-29D03S	457.6	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	10.0 10.9 6.8 6.4 5.7 6.3 5.7 5.8 6.8 8.1 9.6 12.6	447.6 446.7 450.8 451.2 451.9 451.3 451.9 451.8 450.8 449.5 448.0 445.0	5005
06N/30W-20H04S	478.3	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	6.7 8.0 7.3 7.1 7.0 7.0 6.9 7.0 7.1 7.2 8.5	471.6 470.3 471.0 471.2 471.3 471.3 471.4 471.3 471.2 471.1 469.8	5005	06N/30W-29E01S	465.0	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-19-68 8-13-68 9-16-68	19.2 19.8 16.6 15.8 15.4 15.7 15.4 12.9 13.4 14.0 15.9 18.8	445.8 445.2 448.4 449.2 449.6 449.3 449.6 452.1 451.6 451.0 449.1 446.2	5005
06N/30W-20H05S	476.0	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	12.2 (1) 12.0 12.0 11.9 11.9 11.7 (1) 12.0 12.1 14.0 14.2	463.8 464.0 464.0 464.1 464.1 464.3 464.0 463.9 462.0 461.8	5005	06N/31W-01P02S	620.0	10-23-67 3-21-68	57.1 51.8	562.9 568.2	5010
06N/30W-21B02S	498.7	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	13.3 16.5 15.3 14.9 13.5 14.4 13.2 (1) (1) (1) (1) (1)	485.4 482.2 483.4 483.8 485.2 484.3 485.5	5005	06N/31W-01P03S	640.0	10-23-67 3-21-68	85.9 80.8	554.1 559.2	5010
06N/30W-21E01S	490.7	10-16-67 11-13-67 1-14-68 2-12-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	15.9 17.8 16.2 16.1 16.3 15.9 16.2 16.4 16.5 16.4 17.9	474.8 472.9 474.5 474.6 474.4 474.8 474.5 474.3 474.2 474.3 472.8	5005	06N/31W-02K01S	627.0	10-23-67 3-18-68	50.1 45.8	576.9 581.2	5010
06N/30W-22E01S	499.0	10-16-67 11-13-67 12-18-67 1-14-68 2-12-68	7.3 7.4 6.7 7.0 6.6	491.7 491.6 492.3 492.0 492.4	5005	06N/31W-11Q04S	558.5	10-23-67 3-18-68	53.2 46.0	505.3 512.5	5010
						06N/31W-13Q01S	608.0	10-23-67 3-21-68	118.9 118.9	489.1 489.1	5010
						06N/31W-15A05S	502.0	10-23-67 3-18-68	13.4 13.1	488.6 488.9	5010
						06N/31W-22F01S	400.0	10-16-67 11-14-67 12-18-67 1-15-68 2-13-68 3-18-68 4-16-68 5-14-68 6-17-68 7-22-68 8-13-68 9-16-68	9.6 10.2 7.4 7.6 8.4 8.8 7.8 8.8 10.3 11.4 12.7	390.4 389.8 392.6 392.4 391.6 391.2 391.6 392.2 391.2 389.7 388.6 387.3	5005
						06N/31W-23N01S	401.9	10-16-67 11-14-67 12-18-67 1-15-68 2-13-68 3-18-68 4-16-68 5-14-68	(5) (5) (5) (5) (5) (5) (6) (6)		5005

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA YNEZ HYDRO UNIT						T-14.00					
SANTA YNEZ HYDRO SUBUNIT						T-14.00					
06N/31W-24J015	428.4	10-16-67	4.7	423.7	5005	06N/29W-09J015	803.0	10-19-67	40.5(4)	762.5	5010
		11-13-67	3.9	424.5				3-20-68	12.4	790.6	
		12-18-67	3.2	425.2		07N/29W-29H015	1050.0	10-19-67	(1)		5010
		1-15-68	3.1	425.3				3-18-68	49.2	1000.8	
		2-12-68	2.9	425.5		07N/29W-29R025	1050.0	10-19-67	38.6	1011.4	5010
		3-18-68	3.3	425.1				3-18-68	51.2(1)	998.8	
		4-16-68	3.0	425.4							
		5-14-68	3.1	425.3							
		6-17-68	4.2	424.2							
		7-22-68	4.1	424.3							
		8-13-68	6.9	421.5							
		9-16-68	7.0	421.4							
06N/31W-24L015	423.9	10-16-67	14.2	409.7	5005						
		11-13-67	13.9	410.0							
		12-18-67	13.3	410.6							
		2-12-68	13.1	410.8							
		3-18-68	13.1	410.8							
		4-16-68	12.9	411.0							
		5-14-68	13.6	410.3							
		6-17-68	14.5	409.4							
		7-22-68	16.4	407.5							
		8-13-68	17.7	406.2							
		9-16-68	17.9	406.0							
07N/29W-28D015	1130.0	10-19-67	56.8	1073.2	5010						
		3-18-68	44.9	1085.1							
07N/30W-16B015	1077.0	10-20-67	28.7	1048.3	5010						
		3-20-68	23.6	1053.4							
07N/30W-19H015	1120.0	10-20-67	189.1	930.9	5010						
		3-21-68	189.3	930.7							
07N/30W-19P015	920.0	10-20-67	83.5	836.5	5010						
		3-21-68	81.8	838.2							
07N/30W-22E015	920.0	10-20-67	(1)		5010						
		3-20-68	9.0(1)	911.0							
07N/30W-24O015	1190.0	10-19-67	51.2	1138.8	5010						
		3-18-68	49.5	1140.5							
07N/30W-27Q015	789.0	10-20-67	35.1	753.9	5010						
		3-20-68	34.8	754.2							
07N/30W-29D015	910.0	10-20-67	104.2	805.8	5010						
		3-21-68	95.1	814.9							
		4-01-68	46.5	863.5							
07N/30W-29N025	820.3	10-20-67	278.6	541.7	5010						
		3-21-68	280.5	539.8							
07N/30W-30H015	795.0	10-20-67	178.7	616.3	5010						
		3-21-68	171.8	623.2							
07N/30W-33H025	746.3	10-20-67	201.3	545.0	5010						
		3-19-68	207.1	539.2							
07N/30W-35R015	880.0	10-19-67	223.8	656.2	5010						
		3-18-68	223.5	656.5							
07N/31W-22A035	865.0	10-23-67	63.3	801.7	5010						
		3-18-68	57.9	807.1							
07N/31W-23P015	821.8	10-20-67	70.0	751.8	5010						
		11-27-67	64.5	757.3							
		12-26-67	59.7	762.1							
		1-26-68	61.6	760.2							
		2-26-68	51.7	770.1							
		3-27-68	51.4	770.4							
		4-25-68	45.9	775.9							
		5-27-68	44.8	777.0							
		6-24-68	48.0	773.8							
		7-30-68	53.1	768.7							
		8-26-68	52.9	768.9							
		9-27-68	54.0	767.8							
07N/31W-25L015	806.0	10-23-67	168.5	637.5	5010						
		3-18-68	160.8	645.2							
07N/31W-26G055	788.0	10-20-67	59.8	728.2	5010						
		3-18-68	47.5	740.5							
07N/31W-26P015	743.0	10-20-67	30.9	712.1	5010						
		3-18-68	23.6	719.4							
07N/31W-35K015	683.0	10-23-67	100.5	582.5	5010						
		3-18-68	81.4	601.6							
07N/31W-36L025	720.6	10-23-67	127.3	593.3	5010						
		3-21-68	108.8	611.8							
08N/30W-30F015	1380.0	10-23-67	17.3	1362.7	5010						
08N/31W-25O015	1220.0	10-23-67	40.2	1179.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA BARBARA HYDRO UNIT						T-15.00					
ARGUELLO HYDRO SUBUNIT			T-15.A0			SOUTH COAST HYDRO SUBUNIT			T-15.C0		
						GOLETA HYDRO SUBAREA			T-15.C1		
04N/30W-01B02S	230.0	10-20-67	72.4	157.6	5010	04N/27W-06Q09S	320.0	10-20-67	211.6	108.4	5010
		11-29-67	70.7	159.3				3-20-68	209.1	110.9	
		12-27-67	69.0	161.0							
		1-29-68	67.7	162.3		04N/28W-02N02S	177.6	10-19-67	40.6	137.0	5010
		2-27-68	67.1	162.9				3-20-68	34.1	143.5	
		3-28-68	66.0	164.0							
		4-23-68	65.6	164.4		04N/28W-02P03S	170.0	3-20-68	(1)		5010
		5-28-68	81.8(2)	148.2				4-08-68	44.8	125.2	
		6-25-68	69.4	160.6							
		7-25-68	84.8(2)	145.2		04N/28W-03E02S	116.7	10-19-67	(6)		5010
		8-28-68	68.6	161.4							
		9-26-68	88.9(2)	141.1		04N/28W-03M03S	118.4	10-19-67	94.9	23.5	5010
05N/29W-31C01S	400.0	10-20-67	55.3	344.7	5010			3-20-68	74.0	44.4	
		3-18-68	54.3	345.7		04N/28W-03R07S	128.0	10-19-67	98.0	30.0	5010
05N/30W-19E01S	330.0	10-20-67	55.4	274.6	5010			3-20-68	95.3	32.7	
		3-18-68	8.5	321.5		04N/28W-05N03S	83.4	10-19-67	20.8	62.6	5010
05N/30W-28R01S	350.0	10-20-67	30.9	319.1	5010			3-20-68	19.6	63.8	
		3-18-68	28.7	321.3		04N/28W-05R04S	57.2	10-19-67	26.7	30.5	5010
05N/30W-30N02S	85.0	10-20-67	21.1	63.9	5010			3-20-68	26.1	31.1	
		3-18-68	14.3	70.7		04N/28W-08N03S	28.0	10-19-67	13.6	14.4	5010
05N/31W-26G01S	170.0	10-20-67	(1)		5010			3-20-68	11.0	17.0	
		3-18-68	37.0	133.0		04N/28W-09A03S	84.1	10-19-67	42.7	41.4	5010
05N/31W-35B01S	80.0	10-20-67	8.3	71.7	5010			3-20-68	41.6	42.5	
		3-18-68	7.2	72.8		04N/28W-09L02S	53.0	10-19-67	38.3	14.7	5010
05N/31W-36K01S	250.0	10-20-67	65.5	184.5	5010			3-20-68	39.8	13.2	
		3-18-68	64.2	185.8		04N/28W-11K04S	67.0	10-19-67	83.6	-16.6	5010
05N/32W-34H01S	115.0	1-29-68	35.4	79.6	5010			3-20-68	82.5	-15.5	
		2-27-68	27.8	87.2		04N/28W-12B01S	203.0	10-19-67	100.9	102.1	5010
		3-28-68	27.7	87.3				3-20-68	97.5	105.5	
		4-26-68	27.5	87.5							
		5-28-68	53.4	61.6		04N/28W-12P05S	100.0	10-19-67	164.0	-64.0	5010
		6-25-68	41.1	73.9				11-29-67	157.5	-57.5	
		7-25-68	37.4	77.6				12-27-67	157.1	-57.1	
		8-28-68	36.3	78.7				1-26-68	150.7	-50.7	
		9-26-68	35.1	79.9				2-27-68	146.0	-46.0	
05N/32W-35E01S	110.0	10-20-67	(4)		5010			3-28-68	145.5	-45.5	
								4-23-68	145.8	-45.8	
05N/32W-35F01S	118.0	10-20-67	118.3(1)	-0.3	5010			5-28-68	149.7	-49.7	
		3-18-68	(1)					6-25-68	151.0	-51.0	
06N/35W-02D01S	289.0	11-07-67	213.1	75.9	5010			7-25-68	159.5	-59.5	
		3-20-68	213.1	75.9				8-28-68	157.6	-57.6	
06N/35W-31M01S	74.0	11-06-67	61.4	12.6	5010			9-26-68	159.2	-59.2	
06N/36W-26C01S	170.0	11-06-67	109.9(1)	60.1	5010	04N/28W-14C01S	40.0	10-19-67	48.9	-8.9	5010
								3-20-68	48.0	-8.0	
06N/36W-26E01S	150.0	11-06-67	126.0	24.0	5010	04N/28W-16J02S	26.0	10-19-67	62.2	-36.2	5010
06N/36W-26G01S	330.0	11-06-67	108.6	221.4	5010			3-20-68	61.1	-35.1	
07N/35W-31J01S	160.0	11-07-67	55.9	104.1	5010	04N/28W-16J05S	25.0	10-19-67	6.9	18.1	5010
		3-19-68	54.1	105.9				3-20-68	5.5	19.5	
07N/35W-31M02S	200.0	11-06-67	11.6	188.4	5010	04N/28W-16L01S	22.0	10-19-67	39.0	-17.0	5010
		3-19-68	11.3	188.7				11-29-67	39.1	-17.1	
07N/35W-32N01S	175.0	11-07-67	6.4	168.6	5010			12-27-67	34.7	-12.7	
		3-19-68	5.9	169.1				1-29-68	33.8	-11.8	
								2-27-68	33.3	-11.3	
								3-28-68	32.8	-10.8	
								4-23-68	32.7	-10.7	
								5-28-68	39.8	-17.8	
								6-25-68	42.6	-20.6	
								7-25-68	43.8	-21.8	
								8-28-68	44.5	-22.5	
								9-26-68	48.9	-26.9	
						04N/28W-17R01S	4.9	10-19-67	3.8	1.1	5010
								3-20-68	2.2	2.7	
						04N/28W-17R02S	7.9	10-19-67	16.8	-8.9	5010
								3-20-68	13.9	-6.0	
						04N/28W-18F02S	90.0	10-19-67	-5.0	95.0	5010
								3-20-68	-5.0	95.0	
						04N/29W-01E01S	180.0	10-19-67	5.9	174.1	5010
								3-20-68	5.5	174.5	
						04N/29W-12D03S	100.0	10-19-67	16.2	83.8	5010
								3-20-68	14.8	85.2	
						04N/29W-13G03S	41.0	10-19-67	25.0	16.0	5010
								3-20-68	24.2	16.8	
						04N/29W-14A03S	51.0	10-19-67	37.1	13.9	5010
								3-20-68	36.3	14.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA BARBARA HYDRO UNIT						T-15.00					
SOUTH COAST HYDRO SUBUNIT			T-15.C0			SOUTH COAST HYDRO SUBUNIT			T-15.C0		
SANTA BARBARA HYDRO SUBAREA			T-15.C2			CARPINTERIA HYDRO SUBAREA			T-15.C4		
04N/27W-08E02S	250.0	10-20-67 3-20-68	126.4 123.9	123.6 126.1	5010	04N/25W-29D01S	17.0	10-18-67 11-27-67 12-27-67 1-26-68 2-27-68 3-28-68 4-25-68 5-28-68 6-25-68 7-25-68 8-28-68 9-26-68	6.4 6.5 3.7 2.4 .3 FLOW FLOW FLOW 5.3 6.1 9.4 9.4	10.6 10.5 13.3 14.6 16.7	5010
04N/27W-13R01S	35.0	10-17-67 3-18-68	42.0 38.1	-7.0 -3.1	5010						
04N/27W-14001S	30.0	10-17-67 3-18-68	(1) (1)		5010						
04N/27W-21801S	68.0	10-17-67 3-18-68	80.6 69.9	-12.6 -1.9	5010					11.7 10.9 7.6 7.6	
04N/27W-24D02S	12.0	10-16-67 3-19-68	(1) 43.0		5010	04N/25W-29L01S	18.0	10-18-67 3-19-68	.1 -1.6	17.9 19.6	5010
MONTECITO HYDRO SUBAREA			T-15.C3			04N/25W-29R01S	32.0	10-17-67 3-19-68	40.3 32.9	-8.3 -.9	5010
04N/26W-08P03S	210.0	10-17-67 3-19-68	17.8 11.0	192.2 199.0	5010	04N/25W-30D01S	7.4	10-18-67 3-19-68	-.5 -1.1	7.9 8.5	5010
04N/26W-17N01S	75.0	10-17-67 3-18-68	88.5 74.5	-13.5 .5	5010	04N/25W-35A03S	147.0	10-17-67 3-19-68	34.4 30.3	112.6 116.7	5010
CARPINTERIA HYDRO SUBAREA			T-15.C4			04N/25W-35M05S	215.0	10-17-67	162.7	52.3	5010
04N/25W-19F04S	106.0	10-16-67 3-19-68	79.4 76.7	26.6 29.3	5010	04N/26W-23A02S	63.0	10-16-67 3-19-68	48.8 45.6	14.2 17.4	5010
04N/25W-19J05S	55.0	10-16-67 3-19-68	43.5 36.7	11.5 18.3	5010						
04N/25W-20L04S	111.0	10-16-67 11-27-67 12-27-67 1-26-68 2-27-68 3-28-68 4-25-68 5-28-68 6-25-68 7-25-68 8-28-68 9-25-68	100.1 97.7 92.2 88.3 84.2 82.1 88.0 91.2 94.5 109.7 107.7(2) 111.6(2)	10.9 13.3 18.8 22.7 26.8 28.9 23.0 19.8 16.5 1.3 3.3 -.6	5010						
04N/25W-21N03S	59.0	10-16-67 3-19-68	43.3 32.3	15.7 26.7	5010						
04N/25W-21R01S	127.0	10-17-67 3-19-68	83.7 78.3	43.3 48.7	5010						
04N/25W-22R01S	211.0	10-17-67 3-19-68	52.5 32.8	158.5 178.2	5010						
04N/25W-25L01S	227.0	10-17-67 3-19-68	12.4 10.6	214.6 216.4	5010						
04N/25W-26A01S	420.0	10-17-67 3-19-68	240.4 236.3	179.6 183.7	5010						
04N/25W-26C02S	432.0	10-17-67 3-18-68	251.2 262.3	180.8 169.7	5010						
04N/25W-27Q02S	127.0	10-17-67 3-19-68	100.5 97.2	26.5 29.8	5010						
04N/25W-27R02S	132.0	10-17-67 11-27-67 12-27-67 1-26-68 2-27-68 3-28-68 4-25-68 5-28-68 6-25-68 7-25-68 8-28-68 9-25-68	126.9 128.5 123.7 121.1 119.3 (4) 115.7 (1) 123.4 (1) (1) (4)	5.1 3.5 8.3 10.9 12.7 16.3 8.6	5010						
04N/25W-28J01S	89.0	10-16-67 11-27-67 12-27-67 1-26-68 2-27-68 3-28-68 4-25-68 5-28-68 6-25-68 7-25-68 8-28-68 9-25-68	78.0 77.0 74.3 72.4 71.0 69.3 67.9 71.3 (1) 76.7 79.7 (1)	11.0 12.0 14.7 16.6 18.0 19.7 21.1 17.7 12.3 9.3	5010						
04N/25W-28M01S	57.0	10-16-67 3-19-68	45.5 34.7	11.5 22.3	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT						U-02.00					
UPPER VENTURA RIVER HYDRO SUBUNIT			U-02.80			UPPER VENTURA RIVER HYDRO SUBUNIT			U-02.80		
03N/23W-05801S	291.9	11-08-67 2-26-68 5-10-68 8-13-68	31.9(4) 31.2(4) 32.9(4) 34.5(4)	260.0 260.7 259.0 257.4	5121	04N/23W-29L01S	372.0	11-08-67 2-26-68 5-10-68 8-13-68	12.0 12.0 10.7 21.3	360.0 360.0 361.3 350.7	5121
03N/23W-06K01S	298.8	11-08-67 2-26-68 5-10-68 8-13-68	17.7 14.4 14.6 16.3	281.1 284.4 284.2 282.5	5121	04N/23W-32J02S	315.1	11-08-67 2-26-68 5-10-68 8-13-68	7.9 8.1 8.3 9.0(1)	307.2 307.0 306.8 306.1	5121
03N/23W-08802S	246.2	2-26-68 5-10-68 8-13-68	11.8 11.9 (1)	234.4 234.3	5121	04N/24W-13J04S	625.8	11-09-67 2-26-68 5-13-68 8-13-68	7.9 7.5 7.8 11.9	617.9 618.3 618.0 613.9	5121
03N/23W-08807S	239.6	11-08-67 2-26-68 5-10-68 8-13-68	14.2 13.4 13.1 18.0	225.4 226.2 226.5 221.6	5121	04N/24W-13N01S	640.4	11-09-67 2-26-68 5-13-68 8-13-68	FLOW FLOW FLOW -0.6		5121
04N/23W-03M01S	759.4	11-09-67 2-26-68 5-13-68 8-14-68	95.6 95.8 95.8 96.6	663.8 663.6 663.6 662.8	5121	05N/23W-33803S	816.8	11-09-67 2-26-68 5-13-68 8-14-68	(7) 5.6 7.4 15.1		5121
04N/23W-04G01S	726.5	11-09-67 2-26-68 5-13-68 8-14-68	20.5 18.3 20.1 25.9	706.0 708.2 706.4 700.6	5121						
04N/23W-09801S	658.1	11-08-67 2-26-68 5-13-68 8-14-68	37.9 36.8 37.8 54.8	620.2 621.3 620.3 603.3	5121						
04N/23W-11001S	780.9	11-09-67 2-26-68 8-14-68	45.6 48.1 47.2	735.3 732.8 733.7	5121						
04N/23W-14G01S	579.6	11-09-67 2-26-68 5-14-68 8-14-68	10.3 10.2 12.2(1) 10.5	569.3 569.4 567.4 569.1	5121						
04N/23W-15A02S	679.9	11-09-67 2-26-68 5-14-68 8-14-68	117.3 (1) 114.1 121.2	562.6 565.8 558.7	5121						
04N/23W-15D01S	634.3	5-14-68 8-14-68	105.4(4) 118.7	528.9 515.6	5121						
04N/23W-16C04S	557.3	10-01-67 11-01-67 2-01-68 5-13-68 8-14-68	31.4 37.4 34.4 30.3 43.1	525.9 519.9 522.9 527.0 514.2	5121						
04N/23W-16P01S	619.1	11-09-67 2-26-68 5-13-68 8-14-68	61.7 70.2 66.3 74.4	557.4 548.9 552.8 544.7	5121						
04N/23W-18G01S	673.1	11-09-67 2-26-68 5-13-68 8-14-68	28.7 29.4 28.8 30.7	644.4 643.7 644.3 642.4	5121						
04N/23W-20A01S	488.5	11-08-67 2-26-68 5-10-68 8-13-68	12.8 10.6 13.3 26.3	475.7 477.9 475.2 462.2	5121						
04N/23W-20J02S	456.1	11-08-67 2-26-68 5-10-68 5-10-68 8-13-68	21.5(4) 19.9(4) 22.1(1) 21.4(4) 36.1	434.6 436.2 434.0 434.7 420.0	5121						
04N/23W-20Q02S	425.6	11-08-67 2-26-68 5-10-68 8-13-68	10.6 7.8 11.2(4) 24.3(1)	415.0 417.8 414.4 401.3	5121						
04N/23W-22801S	498.5	11-09-67 2-26-68 5-14-68 8-14-68	14.1 14.1 14.2 14.3	484.4 484.4 484.3 484.2	5121						
04N/23W-29F02S	394.1	11-08-67 2-26-68 5-10-68 8-13-68	21.2 20.7 19.1 34.4	372.9 373.4 375.0 359.7	5121						
04N/23W-29H03S	435.1	11-08-67 2-26-68 5-10-68 8-13-68	56.0 55.7 50.7 62.8	379.1 379.4 384.4 372.3	5121						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
VENTURA RIVER HYDRO UNIT						U-02.00					
OJAI HYDRO SUBUNIT			U-02.C0								
UPPER OJAI HYDRO SUBAREA			U-02.C1								
04N/22W-09002S	1270.8	11-09-67	18.3	1260.5	5121						
		2-28-68	18.5	1260.3							
		5-14-68	19.0	1259.8							
		8-15-68	20.8	1258.0							
04N/22W-10K02S	1324.9	11-09-67	16.9	1308.0	5121						
		2-27-68	16.8	1308.1							
		5-14-68	29.0(1)	1295.9							
		8-15-68	17.5	1307.4							
04N/22W-11P02S	1418.9	11-09-67	13.9	1405.0	5121						
		2-27-68	11.5	1407.4							
		5-14-68	11.8	1407.1							
		8-15-68	15.0	1403.9							
04N/22W-17G01S	1246.9	11-09-67	85.4	1161.5	5121						
		2-27-68	65.4	1181.5							
		5-14-68	70.5	1176.4							
		8-15-68	86.9	1160.0							
OJAI HYDRO SUBAREA			U-02.C2								
04N/22W-04001S	1040.0	11-09-67	79.3	960.7	5121						
		2-27-68	77.8	962.2							
		5-14-68	77.6	962.4							
		8-15-68	89.0	951.0							
04N/22W-05H04S	949.3	11-13-67	163.1	786.2	5121						
		2-27-68	155.5	793.8							
		5-14-68	(1)								
		8-15-68	(1)								
04N/22W-05L08S	890.7	11-13-67	110.6	780.1	5121						
		2-27-68	102.2	788.5							
		5-14-68	118.6(4)	772.1							
		8-15-68	145.1	745.6							
04N/22W-05H01S	842.4	11-13-67	70.9	771.5	5121						
		2-27-68	58.9	783.5							
		5-14-68	73.6	768.8							
		8-15-68	(1)								
04N/22W-06D05S	851.4	11-13-67	72.4(1)	779.0	5121						
		2-27-68	59.1	792.3							
		5-15-68	69.5	781.9							
		8-15-68	102.9(4)	748.5							
04N/22W-06K03S	801.1	11-13-67	50.0	751.1	5121						
		2-27-68	25.3	775.8							
		5-14-68	47.3(2)	753.8							
		8-15-68	(1)								
04N/22W-06N01S	794.4	11-13-67	29.6	764.8	5121						
		2-27-68	17.6	776.8							
		5-15-68	27.5	766.9							
		8-15-68	55.6	738.8							
04N/22W-07A01S	796.9	11-09-67	38.6	758.3	5121						
		2-27-68	25.9	771.0							
		5-14-68	(1)								
		8-14-68	79.1	717.8							
04N/22W-07B05S	786.0	11-09-67	25.1	760.9	5121						
		2-27-68	24.0	762.0							
		5-14-68	(1)								
		8-14-68	40.3	745.7							
04N/22W-07C05S	763.4	11-09-67	7.3	756.1	5121						
		1-25-68	-0.4	763.8							
		2-27-68	FLOW								
		5-14-68	14.7	748.7							
04N/22W-08B03S	872.3	11-09-67	88.4	783.9	5121						
		2-27-68	85.3	787.0							
		5-14-68	98.9(2)	773.4							
		8-15-68	119.9(2)	752.4							
05N/22W-32P01S	975.1	11-13-67	197.4	777.7	5121						
		2-27-68	185.6	789.5							
		5-14-68	196.4	778.7							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
01S/21W-08L01S	10.0	11-16-67	52.0	-42.0	5121	01N/21W-32L01S (CONT.)	9.6	5-10-68	22.5	-12.9	5121
		2-29-68	35.1	-25.1				9-06-68	32.0	-22.4	
		5-10-68	32.1	-22.1		01N/21W-32Q01S	9.5	11-16-67	52.6	-43.1	5121
		9-06-68	57.7	-47.7				2-29-68	33.0	-23.5	
01S/21W-08L02S	10.0	11-16-67	19.4	-9.4	5121			5-10-68	33.0	-23.5	
		2-28-68	21.9	-11.9				9-06-68	62.5	-53.0	
		5-10-68	34.7	-24.7		01N/22W-01A01S	53.6	12-07-67	71.3(1)	-17.7	5121
		9-06-68	18.8	-8.8				2-26-68	65.4	-11.8	
01N/22W-01P01S	51.7	12-09-67	49.7	2.0	5411			5-16-68	82.2	-28.6	
01N/21W-07H01S	39.6	11-01-67	79.3(1)	-39.7	5121	01N/22W-01P01S	51.7	10-07-67	63.8	-12.1	5411
		2-27-68	63.7	-24.1				10-14-67	64.0	-12.3	
		5-10-68	72.2	-32.6				10-21-67	63.8	-12.1	
		9-10-68	65.7	-26.1				10-28-67	62.2	-10.5	
01N/21W-19A01S	21.8	10-07-67	53.8	-31.2	5411			11-04-67	63.4	-11.7	
		10-14-67	55.4	-33.6				11-11-67	63.4	-11.7	
		10-21-67	60.1	-38.3				11-18-67	59.7	-8.0	
		10-28-67	61.2	-39.4				11-25-67	52.4	-7.7	
		11-04-67	57.2	-35.4				12-02-67	49.9	1.8	
		11-11-67	53.9	-32.1				12-16-67	48.4	3.3	
		11-18-67	53.6	-31.8				12-23-67	45.3	6.4	
		11-25-67	40.7	-18.9				12-30-67	45.8	5.9	
		12-02-67	37.2	-15.4				1-06-68	46.7	5.0	
		12-09-67	34.7	-12.9				1-13-68	45.0	6.7	
		12-16-67	35.2	-13.4				1-20-68	49.3	2.4	
		12-23-67	31.2	-9.4				1-27-68	47.3	4.4	
		12-30-67	31.8	-10.0				2-03-68	43.0	8.7	
		1-06-68	37.9	-16.1				2-10-68	46.0	5.7	
		1-13-68	36.4	-14.6				2-17-68	40.1	11.6	
		1-20-68	35.6	-13.8				2-24-68	37.9	13.8	
		1-27-68	35.2	-13.4				3-02-68	40.8	10.9	
		2-03-68	34.5	-12.7				3-09-68	37.4	14.3	
		2-10-68	32.5	-10.7				3-16-68	34.5	17.2	
		2-17-68	30.2	-8.4				3-31-68	37.1	14.6	
		2-24-68	28.0	-6.2				4-27-68	48.2	3.5	
		3-02-68	28.9	-7.1				6-01-68	47.5	4.2	
		3-09-68	27.8	-6.0				6-27-68	45.2	6.5	
		3-31-68	33.1	-11.3				7-30-68	54.6	-2.9	
		4-28-68	40.8	-19.0				8-29-68	59.5	-7.8	
		6-01-68	52.3	-30.5				9-27-68	63.6	-11.9	
		6-26-68	48.4	-26.6		01N/22W-02E01S	58.8	12-13-67	59.9	-1.1	5121
		7-30-68	56.8	-35.0				2-26-68	55.1	3.7	
		8-29-68	62.1	-40.3				5-16-68	75.6(1)	-16.8	
		9-27-68	66.7	-44.9		01N/22W-03F01S	55.7	10-03-67	80.6(1)	-24.9	4209
01N/21W-20N01S	18.0	5-10-68	41.4	-23.4	5121			11-07-67	82.6(1)	-26.9	
		9-10-68	44.9	-26.9				12-05-67	78.6(1)	-22.9	
01N/21W-21B04S	15.0	11-16-67	31.5	-16.5	5121			1-03-68	73.6(1)	-17.9	
		2-21-68	16.7	-1.7				2-27-68	50.7	5.0	5411
		5-21-68	44.0	-29.0				2-28-68	70.6(1)	-14.9	4209
		8-29-68	26.7(5)	-11.7				3-26-68	72.7(1)	-17.0	5411
01N/21W-21N01S	15.2	10-26-67	145.1	-129.9	5121			3-26-68	66.6(1)	-10.9	4209
		2-27-68	151.5	-136.3				4-09-68	69.6(1)	-13.9	
		5-10-68	70.8	-55.6				4-30-68	78.7(1)	-23.0	5411
		9-10-68	75.8	-60.6				5-08-68	73.6(1)	-17.9	4209
01N/21W-28N01S	12.0	10-26-67	39.6(4)	-27.6	5121			5-28-68	79.7(1)	-24.0	5411
		2-27-68	31.7	-19.7				6-13-68	72.6(1)	-16.9	4209
		5-10-68	27.4	-15.4				6-26-68	76.7(1)	-21.0	5411
		9-10-68	31.6	-19.6				7-17-68	70.6(1)	-14.9	4209
01N/21W-29B02S	17.9	10-26-67	(1)		5121			7-28-68	79.7(1)	-24.0	5411
		2-27-68	50.7	-32.8				8-06-68	75.6(1)	-19.9	4209
		5-10-68	52.2	-34.3				8-30-68	86.7(1)	-31.0	5411
		9-10-68	66.7	-48.8				9-05-68	79.6(1)	-23.9	4209
01N/21W-31L01S	8.6	11-16-67	66.0	-57.4	5121	01N/22W-03K14S	52.0	10-03-67	65.0	-13.0	4209
		2-29-68	42.8	-33.4				11-07-67	62.0	-10.0	
		5-10-68	38.0	-29.4				2-28-68	43.0	9.0	
		9-01-68	68.0	-59.4				3-26-68	43.0	9.0	
01N/21W-32A01S	10.0	11-16-67	66.5	-56.5	5121			4-09-68	45.0	7.0	
		2-29-68	42.5	-32.5				5-08-68	50.0	2.0	
		5-10-68	48.5	-30.5		01N/22W-04F04S	47.1	10-03-67	92.6(1)	-45.5	4209
		9-01-68	75.0	-65.0				11-07-67	93.6(1)	-46.5	
01N/21W-32A02S	12.8	11-16-67	58.9	-46.1	5121			12-05-67	49.6	-2.5	
		3-01-68	59.3	-46.5				1-03-68	43.6	3.5	
		5-10-68	55.4	-42.6				2-28-68	34.6	12.5	
01N/21W-32B01S	10.0	11-16-67	30.5	-20.5	5121			3-26-68	32.6	14.5	
		3-01-68	26.5	-16.5				4-09-68	79.6(1)	-32.5	
		5-10-68	25.5	-15.5				5-08-68	82.6(1)	-35.5	
		9-06-68	33.0	-23.0				6-13-68	86.6(1)	-39.5	
01N/21W-32K01S	10.1	11-16-67	62.0	-51.9	5121			7-17-68	86.6(1)	-39.5	
		2-28-68	43.0	-32.9				8-06-68	86.6(1)	-39.5	
		5-10-68	39.0	-28.9				9-05-68	92.6(1)	-45.5	
		9-01-68	72.5	-62.4		01N/22W-05B03S	32.0	10-03-67	46.0	-14.0	4209
01N/21W-32L01S	9.6	11-16-67	29.1	-19.5	5121			11-07-67	91.0(1)	-59.0	
		2-29-68	18.2	-8.6				12-05-67	56.0(1)	-24.0	
								1-03-68	33.0	-1.0	
								2-28-68	27.0	5.0	
								3-26-68	24.0	8.0	
								4-09-68	25.0	7.0	
								5-08-68	29.0	3.0	
								6-13-68	36.0	-4.0	
								7-17-68	35.0	-3.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
01N/22W-05G03S (CONT.)	32.0	8-06-68	36.0	-4.0	4209	01N/22W-11D025 (CONT.)	51.0	11-18-67	62.5	-11.5	5411
								11-25-67	62.0	-11.0	
01N/22W-05K01S	30.0	11-08-67	48.0(5)	-18.0	5121			12-02-67	61.2	-10.2	
		2-21-68	27.0(5)	3.0				12-09-67	60.5	-9.5	
		5-21-68	44.0(5)	-14.0				12-16-67	59.5	-8.5	
		8-28-68	37.0(5)	-7.0				12-23-67	58.0	-7.0	
01N/22W-05H01S	28.4	11-08-67	41.1	-12.7	5121			12-30-67	57.0	-6.0	
		2-21-68	(1)					1-06-68	56.1	-5.1	
		5-21-68	50.1(4)	-21.7				1-13-68	55.3	-4.3	
		8-28-68	30.0	-1.6				1-20-68	54.6	-3.6	
01N/22W-06J01S	20.0	10-28-67	11.8	8.2	5411			1-27-68	54.2	-3.2	
		11-24-67	8.3	11.7				2-03-68	53.1	-2.1	
		12-29-67	7.1	12.9				2-10-68	52.5	-1.5	
		1-26-68	9.3	10.7				2-17-68	51.8	-0.8	
		2-22-68	5.3	14.7				2-24-68	50.9	.1	
		3-31-68	4.1	15.9				3-02-68	49.9	1.1	
		4-28-68	7.7	12.3				3-09-68	49.1	1.9	
		6-01-68	6.3	13.7				3-16-68	48.1	2.9	
		6-26-68	5.1	14.9				3-23-68	46.8	4.2	
		7-30-68	5.9	14.1				3-30-68	46.1	4.9	
		8-29-68	8.3	11.7				4-06-68	45.6	5.4	
		9-26-68	10.8	9.2				4-13-68	45.4	5.6	
01N/22W-06J02S	23.0	11-08-67	9.5	13.5	5121			4-20-68	45.0	6.0	
		2-21-68	6.8	16.2				4-27-68	45.4	5.6	
		5-21-68	10.7	12.3				5-04-68	45.9	5.1	
		8-23-68	9.2	13.8				5-11-68	46.9	4.1	
01N/22W-06H01S	13.1	8-23-68	8.3	4.8	5121			5-18-68	47.4	3.6	
01N/22W-07A02S	18.2	11-16-67	(7)		5121			5-25-68	48.2	2.8	
		5-21-68	(7)					6-01-68	48.4	2.6	
01N/22W-07J01S	11.1	11-16-67	20.8	-9.7	5121			6-13-68	47.3	3.7	
		2-21-68	2.8	8.3				6-20-68	47.0	4.0	
		5-21-68	11.8	-7				6-27-68	47.3	3.7	
		8-29-68	14.1	-3.0				7-03-68	47.1	3.9	
01N/22W-08B03S	30.2	11-08-67	13.2	17.0	5121			7-10-68	46.9	4.1	
		2-21-68	10.2	20.0				7-17-68	46.9	4.1	
		8-29-68	12.5	17.7				7-24-68	47.1	3.9	
01N/22W-08B01S	18.1	10-01-67	31.7	-13.6	5411			7-31-68	47.2	3.8	
		10-28-67	29.8	-11.7				8-07-68	47.4	3.6	
		11-24-67	24.8	-6.7		01N/22W-13D025	41.7	11-16-67	71.7	-30.0	5121
		12-29-67	18.4	-3				2-27-68	68.0	-26.3	
		1-26-68	22.7	-4.6				5-10-68	55.1	-13.4	
		2-22-68	15.0	3.1				9-10-68	70.5	-28.8	
		3-31-68	12.7	5.4		01N/22W-13K03S	37.0	11-16-67	69.0	-32.0	5121
		4-28-68	22.9	-4.8				2-27-68	69.0	-32.0	
		6-01-68	(1)					5-10-68	60.0	-23.0	
		6-26-68	12.5	5.8				9-10-68	70.0	-33.0	
		7-30-68	14.8	3.3		01N/22W-14D01S	36.1	10-01-67	58.9	-14.8	5411
		8-29-68	21.7	-3.6				10-28-67	54.8	-18.7	
		9-26-68	27.3	-9.2				11-24-67	44.9	-8.8	
01N/22W-09C03S	30.7	11-16-67	6.4	24.3	5121			12-29-67	38.0	-1.9	
		2-21-68	8.7	22.0				1-26-68	39.2	-3.1	
		5-21-68	4.2	26.5				2-22-68	32.8	3.3	
		8-29-68	7.0	23.7				3-31-68	31.5	4.6	
01N/22W-09H01S	38.8	10-03-67	51.6	-12.8	4209			4-28-68	41.2	-5.1	
		11-07-67	51.6	-12.8				6-01-68	43.6	-7.5	
		12-05-67	44.6	-5.8				6-26-68	39.6	-3.5	
		1-03-68	41.6	-2.8				7-30-68	41.6	-5.5	
		2-28-68	34.6	4.2				8-29-68	53.7	-17.6	
		3-26-68	32.6	6.2				9-27-68	(1)		
		4-09-68	74.6(1)	-35.8		01N/22W-14K01S	32.9	11-16-67	53.9(5)	-21.0	5121
		5-08-68	41.6	-2.8				2-29-68	49.9(5)	-17.0	
		6-13-68	39.6	-8				5-09-68	60.9(1)	-28.0	
		7-17-68	34.6	4.2				8-29-68	83.9(1)	-51.0	
		8-06-68	40.6	-1.8							
		9-05-68	45.6	-6.8		01N/22W-14R02S	32.9	10-28-67	61.1	-28.2	5411
01N/22W-10H01S	46.0	11-01-67	82.1(1)	-36.1	5121			11-24-67	46.9	-14.0	
		2-27-68	82.7	-16.7				12-29-67	40.9	-8.0	
		5-10-68	89.4(4)	-43.4				1-26-68	43.0	-10.1	
		9-10-68	57.5	-11.5				2-22-68	35.6	-2.7	
01N/22W-11A01S	48.8	11-01-67	79.0(1)	-30.2	5121			3-31-68	36.3	-3.4	
		2-27-68	72.7	-23.9				4-28-68	46.1	-13.2	
		5-10-68	82.2	-33.4				6-01-68	52.5	-19.6	
		9-10-68	(1)					6-26-68	43.9	-11.0	
01N/22W-11D01S	53.0	11-02-67	81.5(1)	-28.5	5121			7-30-68	44.9	-12.0	
		2-27-68	70.2	-17.2				8-29-68	59.6	-26.7	
		5-10-68	80.5	-27.5		01N/22W-15B03S	36.6	10-03-67	64.6	-28.0	4209
		9-10-68	60.0	-7.8				11-07-67	54.6	-18.0	
01N/22W-11D02S	51.0	10-07-67	62.9	-11.9	5411			12-05-67	44.6	-8.0	
		10-14-67	62.9	-11.9				1-03-68	42.6	-6.8	
		10-21-67	62.9	-11.9				2-28-68	36.6	.0	
		10-28-67	62.8	-11.8				3-26-68	34.6	2.0	
		11-04-67	62.8	-11.8				4-09-68	101.6(1)	-65.0	
		11-11-67	62.7	-11.7				5-08-68	46.6	-10.0	
								6-13-68	46.6	-10.0	
								7-17-68	38.6	-2.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
01N/22W-15B03S (CONT.)	36.6	8-06-68 9-05-68	46.6 52.6	-10.0 -16.0	4209	01N/22W-20N02S (CONT.)	8.4	8-14-68 8-21-68 6-28-68 9-04-68 9-11-68 9-17-68 9-24-68	6.4 7.9 8.0 9.2 8.5 10.4 7.6	2.0 .5 .4 -.8 -.1 -2.0 .8	5411
01N/22W-15C01S	31.9	11-16-67 2-28-68 8-09-68 8-29-68	44.9 41.4 44.4 41.5	-13.0 -9.5 -12.5 -9.6	5121						
01N/22W-17M03S	9.0	10-28-67 11-24-67 12-30-67 1-26-68 2-22-68 3-31-68 4-28-68 6-01-68 6-26-68 7-30-68 8-29-68 9-29-68	19.5 15.6 9.9 14.2 7.7 5.5 14.4 11.8 3.7 5.7 12.0 18.0	-10.5 -6.6 -.9 -5.2 1.3 3.5 -5.4 -2.8 5.3 3.3 -3.0 -9.0	5411	01N/22W-21L02S	11.4	11-16-67 2-29-68 5-09-68 8-29-68	25.2 27.3 23.3 17.8	-13.8 -15.9 -11.9 -6.4	5121
						01N/22W-22M05S	16.4	11-16-67 2-28-68 5-09-68 9-05-68	35.8 36.1 36.1 27.9	-19.4 -19.7 -19.7 -11.5	5121
						01N/22W-23Q01S	18.8	11-16-67 2-28-68 5-09-68 9-05-68	42.6 40.8 42.3 41.0	-23.8 -22.0 -23.5 -22.2	5121
01N/22W-18C01S	11.5	11-16-67 2-21-68 5-21-68 8-29-68	10.0 (5) 10.8 11.5	1.5 .7 .0	5121	01N/22W-25C02S	18.3	11-16-67 2-29-68 9-05-68	(1) 46.9 (1)	 -28.6 	5121
01N/22W-20E01S	10.7	10-01-67 10-28-67 11-24-67 12-29-67 1-26-68 2-22-68 3-31-68 4-28-68 6-01-68 6-26-68 7-30-68 8-29-68 9-26-68	27.5 23.8 22.7 18.3 16.3 17.2 11.6 14.4 17.1 14.8 10.5 11.1 13.2	-16.8 -13.1 -12.0 -7.6 -5.6 -6.5 -.9 -3.7 -6.4 -4.1 .2 -.4 -2.5	5411	01N/22W-26A01S	19.8	11-16-67 2-29-68 5-09-68 9-05-68	48.0 40.5 .0 (1) 49.2	-28.2 -20.7 19.8 -29.4	5121
						01N/22W-26K01S	13.9	11-16-67 2-28-68 5-09-68 9-05-68	38.7 37.1 38.7 39.9	-24.8 -23.2 -24.8 -26.0	5121
						01N/22W-27A02S	15.9	11-16-67 2-28-68 5-09-68 9-05-68	38.4 37.3 42.4 34.2	-22.5 -21.4 -26.5 -18.3	5121
01N/22W-20E02S	11.4	10-01-67 10-28-67 11-24-67 12-29-67 1-26-68 2-22-68 3-31-68 4-28-68 6-01-68 6-26-68 7-30-68 8-29-68 9-26-68	24.7 24.4 23.0 19.1 15.8 13.8 10.0 12.6 13.0 13.6 14.0 17.6 20.8	-13.3 -13.0 -11.6 -7.7 -4.4 -2.4 1.4 -1.2 -1.6 -2.2 -2.6 -6.2 -9.4	5411	01N/22W-27R02S	5.9	11-16-67 2-28-68 5-09-68 9-05-68	40.4 28.8 39.8 (5)	-34.5 -22.9 -33.9 	5121
						01N/22W-29A04S	5.6	11-16-67 2-29-68 5-10-68 8-29-68	14.9 33.3 27.3 7.6	-9.3 -27.7 -21.7 -2.0	5121
						01N/22W-36B02S	10.8	11-16-67 2-28-68 5-09-68 9-05-68	60.8 50.8 (1) (1)	-50.0 -40.0 	5121
01N/22W-20N02S	8.4	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-25-67 11-28-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 4-27-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68 7-10-68 7-17-68 7-24-68 7-31-68 8-07-68	14.7 15.7 15.4 13.5 14.1 14.8 12.3 14.5 12.2 10.9 10.8 9.1 10.4 7.9 9.2 8.3 10.7 8.6 9.7 7.8 7.9 7.1 7.1 4.1 5.4 4.8 5.9 7.1 7.0 7.7 9.4 9.3 9.9 9.1 8.6 7.9 7.0 5.5 5.3 4.2 4.9 4.8 5.4 6.2	-6.3 -7.3 -7.0 -5.1 -5.7 -6.4 -3.9 -6.1 -3.8 -2.5 -2.4 -.7 -2.0 .5 -.8 .1 -2.3 -.2 -1.3 .6 .5 1.3 1.3 4.3 3.0 3.6 2.5 1.3 1.4 .7 -1.0 -.9 -1.5 -.7 -.2 .5 1.4 2.9 3.1 4.2 3.5 3.6 3.0 2.2	5411	01N/23W-01K01S	11.9	11-08-67 2-21-68 5-21-68 8-23-68	7.3 6.1 7.6 7.3	4.6 5.8 4.3 4.6	5121
						02N/21W-06F01S	148.4	10-07-67 10-14-67 10-15-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 4-27-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68 7-10-68 7-17-68 7-24-68 7-31-68 8-28-68	21.3 (7) (7) 21.5 21.4 23.7 23.5 23.8 24.3 25.6 27.6 24.9 25.3 25.5 25.8 25.7 25.8 25.7 25.4 25.3 25.1 25.1 25.1 25.1 25.0 25.2 25.3 24.9 25.0 38.4 46.8 53.6 57.4 59.9	127.1 126.9 127.0 124.7 124.9 124.6 124.1 122.8 120.8 123.5 123.1 122.9 122.6 122.7 122.6 122.7 123.0 123.1 123.3 123.3 123.3 123.4 123.2 123.1 123.5 123.6 123.4	5411
						02N/21W-06L01S	149.0	10-28-67 11-25-67 12-30-67 1-26-68 2-22-68	38.4 46.8 53.6 57.4 59.9	110.6 102.2 95.4 91.6 89.1	5411

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
02N/21W-06L01S (CONT.)	149.0	3-31-68 55.3 4-27-68 56.1 5-30-68 60.7 6-27-68 65.3 7-30-68 71.7 8-28-68 76.1	93.7 92.9 88.3 83.7 77.3 72.9	5411		02N/21W-29L02S (CONT.)	73.3	9-17-68 62.3 9-24-68 61.2	11.0 12.1	5411	
02N/21W-06P01S	150.1	10-28-67 44.9 11-25-67 54.0 12-30-67 60.0 1-26-68 63.4 2-22-68 65.0 3-31-68 59.1 4-27-68 60.4 5-30-68 65.6 6-27-68 75.1 7-30-68 85.6 8-28-68 84.4	105.2 96.1 90.1 86.7 85.1 91.0 89.7 84.5 75.0 64.5 65.7	5411		02N/21W-29L03S	77.0	10-01-67 84.6 10-28-67 86.5 11-24-67 86.0 12-29-67 81.6 1-26-68 82.5 2-22-68 78.3 3-31-68 78.0 4-28-68 86.5 6-01-68 95.6 6-26-68 85.1 7-30-68 102.4 8-29-68 91.1	-7.6 -9.5 -9.0 -4.6 -5.5 -1.3 -1.0 -9.5 -18.6 -8.1 -25.4 -14.1	5411	
02N/21W-07P02S	140.9	11-15-67 (1) 2-21-68 84.4 5-16-68 113.3	56.5 27.6	5121		02N/21W-29P03S	66.0	11-17-67 88.6 2-28-68 79.2 5-22-68 64.3	-22.6 -13.2 1.7	5121	
02N/21W-17M02S	111.9	12-13-67 57.9(1) 2-26-68 75.5(5) 5-16-68 103.9(5)	54.0 36.4 8.0	5121		02N/21W-31P03S	57.3	11-17-67 157.5(1) 2-28-68 111.0 5-22-68 167.9(1)	-100.2 -53.7 -110.6	5121	
02N/21W-18A01S	118.4	12-07-67 72.4 2-26-68 85.2 5-16-68 81.4	46.0 33.2 37.0	5121		02N/22W-08N01S	203.8	11-07-67 181.1 2-21-68 170.2 5-23-68 173.3 8-22-68 177.0	22.7 33.6 30.5 26.8	5121	
02N/21W-18R01S	108.2	10-01-67 57.6 10-28-67 61.3 11-25-67 58.8 12-29-67 54.4 1-26-68 53.1 2-22-68 51.7 3-31-68 54.3 4-28-68 50.6 6-01-68 55.1 6-26-68 (1) 7-30-68 (1) 8-29-68 (1)	50.6 46.9 49.4 53.8 55.1 56.5 53.9 57.6 53.1	5411		02N/22W-08N03S	191.9	11-07-67 (1) 2-21-68 162.9 8-22-68 (7)	29.0	5121	
02N/21W-19L01S	89.7	11-17-67 93.6(1) 2-26-68 95.6 5-16-68 (1)	-3.9 -5.9	5121		02N/22W-08P01S	214.6	11-07-67 194.9(5) 2-20-68 177.9(5) 5-23-68 181.9(5) 8-22-68 189.9(5)	19.7 36.7 32.7 24.7	5121	
02N/21W-29L02S	73.3	10-07-67 60.1 10-14-67 59.8 10-21-67 62.6 10-28-67 64.2 11-04-67 63.6 11-11-67 62.2 11-18-67 59.9 11-25-67 57.9 12-02-67 56.7 12-09-67 55.4 12-16-67 54.3 12-23-67 53.0 12-30-67 52.4 1-06-68 52.4 1-13-68 51.1 1-20-68 50.7 1-27-68 52.0 2-03-68 50.0 2-10-68 47.9 2-17-68 47.3 2-24-68 45.3 3-02-68 45.2 3-09-68 45.2 3-16-68 43.0 3-23-68 42.0 3-30-68 43.6 4-06-68 41.8 4-13-68 44.2 4-20-68 43.0 4-27-68 46.0 4-30-68 47.8 5-04-68 48.0 5-11-68 57.5 5-18-68 55.9 5-25-68 54.2 6-01-68 48.3 6-13-68 48.6 6-20-68 53.4 6-27-68 56.7 7-03-68 50.6 7-10-68 49.5 7-17-68 51.9 7-24-68 54.5 7-31-68 56.6 8-07-68 56.8 8-14-68 59.4 8-21-68 58.8 8-28-68 59.4 9-04-68 61.1 9-11-68 61.2	13.2 13.5 10.7 9.1 9.7 11.1 13.4 15.4 16.6 17.9 19.0 20.3 20.9 20.9 22.2 22.6 21.3 23.3 25.4 26.0 28.0 28.1 28.1 30.3 31.3 29.7 31.5 29.1 30.3 27.3 25.5 25.3 15.8 17.4 19.1 25.0 24.7 19.9 16.6 22.7 23.8 21.4 18.8 16.7 16.5 13.9 14.5 13.9 12.2 12.1	5411		02N/22W-09J01S	238.5	11-07-67 178.8 2-20-68 170.5 5-23-68 173.7 8-22-68 175.4	59.7 68.0 64.8 63.1	5121	
						02N/22W-09K03S	243.9	11-07-67 210.9(5) 2-20-68 207.9(5) 5-23-68 211.9(5) 8-22-68 (7)	33.0 36.0 32.0	5121	
						02N/22W-09K04S	246.6	10-28-67 212.9 11-24-67 213.0 12-29-67 208.7 1-26-68 206.0 2-22-68 203.9 3-31-68 201.9 4-28-68 204.1 5-30-68 205.6 6-26-68 205.0 7-30-68 205.6 8-29-68 209.0 9-26-68 212.2	33.7 33.6 37.9 40.6 42.7 44.7 42.5 41.0 41.6 41.0 37.6 34.4	5411	
						02N/22W-12B01S	141.0	10-28-67 33.3 11-25-67 36.9 12-29-67 40.8 1-26-68 44.0 2-22-68 47.2 3-31-68 49.0 4-27-68 49.7 5-30-68 51.2 6-27-68 53.3 7-30-68 56.7 8-28-68 60.7 9-26-68 64.5	107.7 104.1 100.2 97.0 93.8 92.0 91.3 89.8 87.7 84.3 80.3 76.5	5411	
						02N/22W-12E01S	128.0	10-02-67 52.0 10-28-67 60.9 11-24-67 60.2 12-29-67 62.0 1-26-68 67.6 2-22-68 67.9 4-28-68 63.1 6-02-68 67.4 6-26-68 (1) 7-30-68 (1) 8-29-68 (1) 9-26-68 (1)	76.0 67.1 67.8 66.0 60.4 60.1 64.9 60.6	5411	
						02N/22W-12J01S	137.8	12-29-67 59.5 1-26-68 62.5 2-22-68 56.4 3-31-68 55.5 4-27-68 (1) 5-30-68 70.5 6-27-68 (1) 7-30-68 (1) 8-29-68 89.6	78.3 75.3 81.4 82.3 67.3 48.2	5411	
						02N/22W-12L03S	129.0	11-17-67 134.9(1)	-5.9	5121	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00						
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1			
02N/22W-12L035 (CONT.)	129.0	2-21-68 5-16-68	(4) (4)		5121	02N/22W-14P025 (CONT.)	108.0	12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-29-68 9-04-68 9-26-68	89.0(5) 94.0(5) 63.0(5) 90.0(5) 110.0(1) 75.0(5) 80.0(5) 138.0(1) 90.0(5) 87.2 88.0	19.0 14.0 45.0 18.0 -2.0 33.0 28.0 -30.0 18.0 20.8 20.0	5411	
02N/22W-12R015	135.1	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 4-27-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68 7-10-68 7-17-68 7-24-68 7-31-68 8-07-68 8-14-68 8-21-68 8-28-68 9-04-68 9-11-68 9-17-68 9-24-68	44.7 48.3 51.9 55.0 57.4 59.2 60.9 61.5 61.6 60.8 62.4 63.1 63.9 65.1 62.6 64.0 65.4 66.4 67.0 67.7 64.4 63.8 65.8 61.9 59.9 60.6 61.7 61.0 59.6 63.1 63.4 63.6 65.2 64.6 66.2 68.0 69.3 70.6 71.7 73.3 74.8 76.0 77.3 78.7 77.7 78.9 80.2 81.4 82.6 86.2 87.4	90.4 86.8 83.2 80.1 77.7 75.9 74.2 73.6 73.5 74.3 72.7 72.0 71.2 70.0 72.5 71.1 69.7 68.7 68.1 67.4 70.7 71.3 69.3 73.2 75.2 74.5 73.4 74.1 75.5 72.0 71.7 71.5 69.9 70.5 68.9 67.1 65.8 64.5 63.4 61.8 60.3 59.1 57.8 56.4 57.4 56.2 54.9 53.7 52.5 48.9 47.7		5411	02N/22W-18N015	80.0	11-08-67 2-21-68 5-23-68 8-22-68	70.5 62.6 (1) 67.6	9.5 17.4 12.4	5121
						02N/22W-20M055	41.0	10-01-67 10-28-67 11-24-67 12-29-67 1-26-68 2-22-68 3-31-68 4-28-68 6-01-68 6-26-68 7-30-68 8-29-68 9-26-68	47.6 45.3 42.2 30.4 30.4 23.6 25.6 27.2 34.6 33.1 38.9 47.3 42.8	-6.6 -4.3 -1.2 10.6 10.6 17.4 15.4 13.8 6.4 7.9 2.1 -6.3 -1.8	5411	
						02N/22W-21Q015	68.5	11-08-67 2-21-68 5-21-68 8-23-68	70.9(1) 52.3(1) (1) 62.9(1)	-2.4 16.2 5.6	5121	
						02N/22W-21R035	70.0	10-03-67 11-07-67 12-05-67 1-03-68 2-28-68 3-26-68 4-09-68 5-08-68 6-13-68 7-17-68 8-06-68 9-05-68	67.0 69.0 64.0 58.0 50.0 47.0 45.0 48.0 49.0 54.0 56.0 61.0	3.0 1.0 6.0 12.0 20.0 23.0 25.0 22.0 21.0 16.0 14.0 9.0	4209	
						02N/22W-22M015	109.4	11-15-67 2-21-68 5-16-68 9-26-68	(1) 70.3 113.8 87.3	 39.1 -4.4 22.1	5121	
						02N/22W-22M035	78.2	11-15-67 2-21-68	76.6 58.8	1.6 19.4	5121	
						02N/22W-22R015	92.2	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 4-27-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68 7-10-68 7-17-68	78.6 78.6 79.6 79.8 80.6 81.0 81.4 79.9 78.2 76.1 74.0 71.7 69.3 67.2 66.2 65.4 64.4 63.2 62.1 61.0 59.6 58.9 57.9 56.5 55.2 54.7 53.5 53.8 54.8 55.6 56.8 58.7 60.3 63.0 63.8 64.6 64.6 65.2 66.4 67.0 67.8	13.6 13.6 12.6 12.4 11.6 11.2 10.8 12.3 14.0 16.1 18.2 20.5 22.9 25.0 26.0 26.8 27.8 29.0 30.1 31.2 32.6 33.3 34.3 35.7 37.0 37.5 38.7 38.4 37.4 36.6 35.4 33.5 31.9 29.2 28.4 27.6 27.6 27.0 25.8 25.2 24.4	5411	
02N/22W-13A025	131.0	11-15-67 2-21-68 5-16-68	108.5 124.0 (1)	22.5 7.0	5121							
02N/22W-13G025	127.8	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-27-68 5-30-68 6-26-68 7-30-68 8-29-68	69.2(5) 69.2(5) 85.2(5) 87.2(5) 72.2(5) 73.2(5) 74.2(5) 74.2(5) 75.2(5) 75.2(5) 76.2(5) 75.2(5) 76.2(5) 75.2(5) 75.2(5) 75.2(5) 76.2(5) 75.2(5) 75.2(5) 75.2(5) 74.2(5) 74.2(5) 73.2(5) 72.2(5) 74.2(5) 71.2(5) 82.2(5) 73.2(5) 76.2(5) 82.2(5) 87.2(5)	58.6 58.6 42.6 40.6 55.6 54.6 53.6 53.6 52.6 52.6 51.6 52.6 51.6 52.6 52.6 51.6 47.6 52.6 52.6 53.6 53.6 54.6 55.6 53.6 56.6 45.6 54.6 51.6 45.6 40.6		5411						
02N/22W-14G015	113.4	11-15-67 2-21-68 5-16-68	118.0(1) 82.8 105.8	-4.6 30.6 7.6	5121							
02N/22W-14P025	108.0	10-28-67 11-24-67	84.7 101.0(5)	23.3 7.0	5411							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA																								
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03-00																													
OXNARD PLAIN HYDRO SUBUNIT			U-03-A0			OXNARD PLAIN HYDRO SUBUNIT			U-03-A0																										
OXNARD HYDRO SUBAREA			U-03-A1			OXNARD HYDRO SUBAREA			U-03-A1																										
02N/22W-22R01S (CONT.)	92.2	7-24-68 7-31-68 8-07-68 8-14-68 8-21-68 8-28-68 9-04-68 9-11-68 9-17-68 9-24-68	68.6 69.2 70.2 71.2 72.4 73.7 74.5 75.5 76.1 77.4	23.6 23.0 22.0 21.0 19.8 18.5 17.7 16.7 16.1 14.8	5411	02N/22W-23001S (CONT.)	106.5	7-10-68 7-17-68 7-24-68 7-31-68 8-07-68 8-14-68 8-21-68 8-28-68 9-04-68 9-11-68 9-17-68 9-24-68	77.0 77.9 98.0(1) 80.1 78.7 93.0(1) 95.0(1) 96.0(1) 85.4 96.0(1) 88.2 98.0(5)	29.5 28.6 16.5 26.4 27.8 13.5 11.5 10.5 21.1 10.5 18.3 8.5	5411																								
02N/22W-23B01S	109.0	10-28-67 11-25-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-29-68 9-26-68	90.1 87.5(5) 118.5(1) 123.5(1) 67.5(5) 63.5(5) 139.5(1) (1) 87.5(1) 98.5(1) 95.8 (1)	18.9 21.5 -9.5 -14.5 41.5 45.5 -30.5 21.5 10.5 13.2	5411	02N/22W-23602S	107.0	10-28-67 11-24-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-29-68 9-04-68 9-26-68	84.7 82.7 65.8 63.6 (1) 59.1 66.8 74.4 77.2 (1) (1) 87.4 (1)	22.3 24.3 41.2 43.4 47.9 40.2 32.6 29.8 19.6	5411																								
02N/22W-23B02S	108.0	10-28-67 6-01-68 11-25-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-27-68 7-30-68 8-29-68 9-04-68 9-26-68	85.0 (1) 84.0(5) 70.0(5) 65.0(5) 70.0(5) (1) (1) (1) (1) (1) (1) 88.3(5) 110.0(1)	23.0 24.0 38.0 43.0 38.0 19.7 -2.0	5411	02N/22W-23K01S	105.0	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68 1-20-68 1-27-68 2-03-68 2-10-68 2-17-68 2-24-68 3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 4-27-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68 7-10-68 7-17-68 7-24-68 7-31-68 8-07-68 8-14-68 8-21-68 8-28-68 9-04-68 9-11-68 9-17-68 9-24-68	79.0 80.6 86.1 83.6 86.0 84.4 85.8 83.9 73.0 66.7 62.8 60.4 58.4 57.7 60.9 56.9 57.1 53.8 53.4 41.7 50.2 48.1 50.2 42.9 45.8 (1) 43.9 48.5 48.8 51.0 57.5 68.7 63.9 (1) 70.5 70.3 71.5 72.9 74.7 (1) 75.7 77.0 77.4 80.8 80.3 (1) 83.4 82.8 85.1 86.0 (1)	26.8 24.4 18.9 21.4 19.8 20.6 19.2 21.1 32.0 38.3 42.2 44.6 46.6 47.3 44.1 48.1 47.9 51.2 51.6 63.3 54.8 56.9 54.8 62.1 59.2 61.1 56.5 56.2 54.0 47.5 44.3 41.1 34.5 34.7 33.5 32.1 30.3 29.3 28.0 27.6 25.0 24.7 21.6 22.2 19.9 19.0	5411																								
02N/22W-23C01S	107.0	10-28-67 11-25-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-29-68 9-04-68 9-26-68	98.0 85.0(5) 89.0(1) 65.0(5) 61.0(1) 95.0(1) 108.0(1) 75.0(5) 79.0(5) 132.0(1) 134.0(5) 88.9(5) 99.9(5)	9.0 22.0 18.0 42.0 46.0 12.0 -1.0 32.0 28.0 -25.0 -27.0 18.1 7.1	5411	02N/22W-23C02S	107.0	10-28-67 11-25-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-28-68 9-04-68 9-26-68	(1) 88.0(5) (1) 65.0(5) (1) (1) 64.0(5) (1) (1) (1) 105.1(5) 91.7(5) 92.2(5)	19.0 42.0 43.0 1.9 15.3 14.8	5411	02N/22W-23C03S	107.0	10-28-67 11-25-67 12-30-67 1-27-68 2-22-68 3-31-68 4-28-68 6-01-68 6-27-68 7-30-68 8-29-68 9-04-68 9-26-68	(1) 169.1(5) 103.4 (1) (1) (1) (1) (1) (1) 134.6 (1) 165.4 252.1(1)	-62.1 3.6 -27.6 -58.4 -145.1	5411	02N/22W-23G01S	106.5	3-02-68 3-09-68 3-16-68 3-23-68 3-30-68 4-06-68 4-13-68 4-20-68 5-04-68 5-11-68 5-18-68 5-25-68 6-01-68 6-13-68 6-20-68 6-27-68 7-03-68	55.9 142.0(1) 142.0(1) 145.0(1) 146.0(1) 53.7 157.0(1) 57.7 59.0 64.5 151.0(1) 100.0(1) 102.0(1) 74.7 73.0 74.1 75.7 76.2	50.6 -35.5 -35.5 -38.5 -39.5 52.8 -50.5 48.8 47.5 42.0 -44.5 6.5 4.5 31.8 33.5 32.4 30.8 30.3	5411	02N/22W-23001S	101.6	12-13-67 2-21-68 5-16-68	84.4(1) 87.9 96.7(4)	17.2 13.7 4.9	5121	02N/22W-25N02S	76.2	10-07-67 10-14-67 10-21-67 10-28-67 11-04-67 11-11-67 11-18-67 11-25-67 12-02-67 12-09-67 12-16-67 12-23-67 12-30-67 1-06-68 1-13-68	63.6 62.6 65.0 65.7 66.4 65.1 63.0 60.9 59.8 58.4 57.1 55.5 54.4 53.2 51.8	12.6 13.6 11.2 10.5 9.8 11.1 13.2 15.3 16.4 17.8 19.1 20.7 21.8 23.0 24.4	5411

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			OXNARD HYDRO SUBAREA			U-03.A1		
02N/22W-25N02S (CONT.)	76.2	1-20-68	51.8	24.4	5411	02N/22W-33N01S (CONT.)	49.0	4-06-68	33.6	15.4	5411
		1-27-68	51.8	24.4				4-13-68	37.2	11.8	
		2-03-68	48.8	27.4				4-20-68	40.0	9.0	
		2-10-68	48.7	27.5				4-27-68	41.9	7.1	
		2-17-68	46.5	29.7				5-04-68	42.3	6.7	
		2-24-68	44.7	31.5				5-11-68	41.3	7.7	
		3-02-68	45.4	30.8				5-18-68	42.1	6.9	
		3-09-68	44.2	32.0				5-25-68	42.7	6.3	
		3-16-68	42.8	33.4				6-01-68	40.9	8.1	
		3-23-68	42.2	34.0				6-13-68	39.0	10.0	
		3-30-68	44.0	32.2				6-20-68	36.8	12.2	
		4-06-68	42.2	34.0				6-27-68	36.6	12.4	
		4-13-68	41.4	34.8				7-03-68	36.1	12.9	
		4-20-68	42.0	34.2				7-10-68	35.9	13.1	
		4-27-68	44.3	31.9				7-17-68	37.7	11.3	
		5-04-68	44.8	31.4				7-24-68	38.8	10.2	
		5-11-68	47.4	28.8				7-31-68	40.5	8.5	
		5-18-68	48.3	27.9				8-07-68	42.3	6.7	
		5-25-68	49.6	26.6				8-14-68	43.1	5.9	
		6-01-68	49.8	26.4				8-21-68	45.0	4.0	
		6-13-68	49.6	26.6				8-28-68	46.8	2.2	
		6-20-68	50.8	25.4				9-04-68	47.7	1.3	
		6-27-68	51.5	24.7				9-11-68	48.3	.7	
		7-03-68	50.7	25.5				9-17-68	50.3	-1.3	
		7-10-68	51.0	25.2				9-24-68	50.3	-1.3	
		7-17-68	51.5	24.7							
		7-24-68	52.6	23.6		02N/22W-34M01S	66.0	10-03-67	64.7	1.3	4209
		7-31-68	54.4	21.8				11-07-67	65.7	.3	
		8-07-68	57.0	19.2				12-05-67	60.7	5.3	
		8-14-68	57.3	18.9				2-28-68	48.7	17.3	
		8-21-68	58.6	17.6				3-26-68	45.7	20.3	
		8-28-68	60.6	15.6				4-09-68	45.7	20.3	
		9-04-68	61.7	14.5				5-08-68	51.7	14.3	
		9-11-68	61.6	14.6				6-13-68	53.7	12.3	
		9-17-68	66.1	10.1				7-17-68	50.7	15.3	
		9-24-68	66.0	10.2				8-06-68	53.7	12.3	
								9-05-68	59.7	6.3	
02N/22W-25Q04S	71.1	11-17-67	84.4(1)	-13.3	5121	02N/22W-35C01S	75.2	12-07-67	77.2(1)	-2.0	5121
		2-26-68	60.4	10.7				2-26-68	73.4	1.8	
		5-16-68	83.4(4)	-12.3				5-16-68	68.3(1)	6.9	
02N/22W-27L01S	76.0	12-13-67	(7)		5121	02N/22W-36M02S	67.0	10-07-67	59.6	7.4	5411
02N/22W-27N03S	77.2	11-08-67	75.6	1.6	5121			10-14-67	60.1	6.9	
		2-21-68	59.6	17.6				10-21-67	61.7	5.3	
		5-21-68	(1)					10-28-67	61.2	5.8	
		8-23-68	65.6	11.6				11-04-67	62.4	4.6	
02N/22W-28L01S	66.4	11-08-67	66.2	.2	5121			11-12-67	62.1	4.9	
		2-21-68	48.1	18.3				11-18-67	60.6	6.4	
		5-21-68	94.5	-28.1				11-25-67	57.6	9.4	
		8-23-68	57.5	8.9				12-02-67	55.4	11.6	
02N/22W-31A01S	41.7	11-08-67	54.4	-12.7	5121			12-09-67	53.6	13.4	
		2-21-68	31.4	10.3				12-16-67	52.3	14.7	
		5-21-68	60.4	-18.7				12-23-67	50.8	16.2	
		8-23-68	43.9	-2.2				12-30-67	49.8	17.2	
02N/22W-31C01S	33.4	11-08-67	46.8	-13.4	5121			1-06-68	49.9	17.1	
		2-21-68	24.4	9.0				1-13-68	49.0	18.0	
		5-21-68	52.5	-19.1				1-20-68	48.8	18.2	
		8-23-68	35.6	-2.2				1-27-68	49.0	18.0	
02N/22W-32C03S	49.0	11-08-67	20.3	28.7	5121			2-03-68	47.5	19.5	
		2-21-68	16.3	32.7				2-10-68	46.6	20.4	
		5-21-68	23.3	25.7				2-17-68	43.5	23.5	
		8-23-68	18.1	30.9				2-24-68	41.9	25.1	
02N/22W-32Q02S	39.6	11-08-67	5.0	34.6	5121			3-02-68	41.7	25.3	
		5-21-68	9.4	30.2				3-09-68	41.4	25.6	
		8-23-68	11.9	27.7				3-16-68	39.0	28.0	
02N/22W-33N01S	49.0	10-07-67	55.2	-6.2	5411			3-23-68	38.0	29.0	
		10-14-67	54.8	-5.8				3-30-68	39.1	27.9	
		10-21-67	55.9	-6.9				4-06-68	38.3	28.7	
		10-28-67	55.2	-6.2				4-13-68	39.5	27.5	
		11-04-67	55.3	-6.3				4-20-68	40.6	26.4	
		11-11-67	55.5	-6.5				4-27-68	42.9	24.1	
		11-18-67	55.6	-6.6				5-04-68	44.5	22.5	
		11-25-67	52.3	-3.3				5-11-68	46.9	20.1	
		12-02-67	47.1	1.9				5-18-68	47.8	19.2	
		12-09-67	44.7	4.3				5-25-68	49.0	18.0	
		12-16-67	46.3	2.7				6-01-68	48.2	18.8	
		12-23-67	43.0	6.0				6-13-68	47.7	19.3	
		12-30-67	41.9	7.1				6-20-68	48.3	18.7	
		1-06-68	42.3	6.7				6-27-68	48.7	18.3	
		1-13-68	41.3	7.7				7-03-68	47.9	19.1	
		1-20-68	43.3	5.7				7-10-68	48.0	19.0	
		1-27-68	43.2	5.8				7-17-68	49.8	17.2	
		2-03-68	42.0	7.0				7-24-68	51.9	15.1	
		2-10-68	40.9	8.1				7-31-68	53.3	13.7	
		2-17-68	38.2	10.8				8-07-68	53.4	13.6	
		2-24-68	36.3	12.7				8-14-68	55.3	11.7	
		3-02-68	37.4	11.6				8-21-68	56.4	10.6	
		3-09-68	34.6	14.4				8-28-68	58.1	8.9	
		3-16-68	31.9	17.1				9-04-68	59.4	7.6	
		3-23-68	32.1	16.9				9-11-68	59.7	7.3	
		3-30-68	34.7	14.3				9-17-68	60.1	6.5	
								9-24-68	60.2	6.8	
						02N/23W-13F01S	61.4	11-08-67	59.2	2.2	5121
								2-21-68	47.8	13.6	
								5-23-68	(1)		
								8-23-68	(1)		

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			OXNARD PLAIN HYDRO SUBUNIT			U-03.A0		
OXNARD HYDRO SUBAREA			U-03.A1			PLEASANT VALLEY HYDRO SUBAREA			U-03.A2		
02N/23W-13K02S	64.1	11-07-67	59.3	4.8	5121	01N/21W-02P01S (CONT.)	66.6	9-20-68	148.6	-82.0	5121
		2-21-68	49.0	15.1		01N/21W-10F01S	38.2	11-02-67	95.6	-57.4	5121
		5-23-68	(9)					2-27-68	69.7	-31.5	
		8-22-68	(9)					5-10-68	78.6	-40.4	
02N/23W-14K01S	32.1	10-28-67	32.2	-0.1	5411			9-26-68	64.1	-25.9	
		11-24-67	25.9	6.2		01N/21W-12E01S	65.0	11-01-67	98.5	-33.5	5121
		12-29-67	24.8	7.3				2-27-68	75.8	-10.8	
		1-26-68	23.2	8.9				5-10-68	98.8	-33.8	
		2-22-68	22.7	9.4				9-13-68	72.3	-7.3	
		3-31-68	21.2	10.9		01N/21W-12F03S	75.0	11-02-67	104.0(1)	-29.0	5121
		4-27-68	21.3	10.8				2-27-68	108.9	-33.9	
		6-01-68	26.5	5.6				5-10-68	94.0	-19.0	
		6-26-68	28.5	3.6				9-13-68	79.5	-4.5	
		7-30-68	(1)			01N/21W-14C01S	46.7	12-13-67	152.5(1)	-105.8	5121
		8-29-68	31.5	.6				2-27-68	189.5(5)	-142.8	
		9-26-68	28.8	3.3				5-10-68	159.5(1)	-112.8	
02N/23W-24G01S	27.1	10-28-67	16.5	10.6	5411			9-20-68	131.5(5)	-84.8	
		11-24-67	15.2	11.9		01N/21W-14H01S	51.8	11-01-67	107.8(2)	-56.0	5121
		12-29-67	9.1	18.0				2-27-68	97.2	-45.4	
		1-26-68	7.9	19.2				5-10-68	104.7(2)	-52.9	
		2-22-68	5.7	21.4				9-13-68	79.5	-27.7	
		3-31-68	5.5	21.6		01N/21W-15Q02S	23.7	10-28-67	92.2	-68.5	5411
		4-28-68	8.3	18.8				11-24-67	81.2	-57.5	
		6-01-68	13.8	13.3				12-29-67	76.0	-52.3	
		6-26-68	10.3	16.8				1-26-68	79.9	-56.2	
		7-30-68	15.6	11.5				2-22-68	64.1	-40.4	
		8-29-68	15.0	12.1				3-31-68	59.9	-36.2	
		9-26-68	17.8	9.3				4-28-68	62.1	-38.4	
02N/23W-25M01S	13.7	11-08-67	(1)		5121			6-01-68	81.3	-57.6	
		2-21-68	5.2	8.5		01N/21W-16A02S	27.8	6-26-68	72.8	-49.1	
		5-21-68	46.6	-32.9				7-30-68	99.0	-75.3	
		8-23-68	(1)					8-29-68	106.9	-83.2	
02N/23W-35H01S	10.6	10-01-67	(1)		5411			9-27-68	98.7	-75.0	
		10-28-67	20.5	-9.9		01N/21W-16A02S	27.8	12-07-67	104.8	-77.0	5121
		11-24-67	12.1	-1.5				2-27-68	89.9	-62.1	
		12-29-67	(1)					5-10-68	(1)		
		1-26-68	11.7	-1.1				9-20-68	104.0	-76.2	
		2-22-68	(1)			01N/21W-22H01S	23.3	11-01-67	71.8(4)	-48.5	5121
		3-31-68	1.4	9.2				2-27-68	53.2	-29.9	
		4-28-68	13.4	-2.8				5-10-68	49.8	-26.5	
		6-01-68	10.7	-0.1				9-13-68	39.8	-16.5	
		6-26-68	2.6	8.0		02N/20W-20E02S	220.6	11-17-67	293.6(1)	-73.0	5121
		7-30-68	7.2	3.4				2-28-68	260.1	-39.5	
		8-29-68	14.1	-3.5				5-22-68	265.0	-44.4	
		9-26-68	22.2	-11.6		02N/20W-28G02S	170.0	12-12-67	159.5	10.5	5121
02N/23W-36C03S	22.8	11-08-67	13.5	9.3	5121			3-01-68	158.7	11.3	
		2-21-68	12.5	10.3				5-15-68	158.3	11.7	
		5-21-68	11.3	11.5				8-14-68	160.2	9.8	
		8-23-68	10.8	12.0		02N/20W-30C01S	189.1	11-17-67	284.4(1)	-95.3	5121
02N/23W-36N01S	12.5	11-08-67	8.6	3.9	5121			2-28-68	246.3	-57.2	
		2-21-68	7.3	5.2				5-22-68	254.2	-65.1	
		5-21-68	8.1	4.4		02N/20W-30H01S	189.3	12-13-67	324.7(1)	-135.4	5121
		8-23-68	7.2	5.3				2-28-68	265.7(1)	-76.4	
02N/23W-36R01S	22.8	11-08-67	11.1	11.7	5121			5-22-68	259.7(5)	-70.4	
		2-21-68	9.6	13.2		02N/20W-31B01S	155.3	11-17-67	195.5(1)	-40.2	5121
		5-21-68	9.8	13.0				2-28-68	186.2	-30.9	
		8-23-68	9.1	13.7		02N/21W-23R02S	172.0	12-13-67	219.4(1)	-47.4	5121
PLEASANT VALLEY HYDRO SUBAREA								2-28-68	137.4(1)	34.6	
01N/20W-06A01S	119.6	11-02-67	68.2	51.4	5121			5-22-68	144.4(1)	27.6	
		2-28-68	64.8	54.8		02N/21W-25B01S	176.3	12-13-67	263.8(5)	-87.5	5121
		5-10-68	69.3	50.3				2-28-68	260.8(5)	-84.5	
		9-26-68	60.8	58.8				5-22-68	270.8(5)	-94.5	
01N/20W-06C01S	124.5	11-09-67	135.8	-11.3	5121	02N/21W-26G01S	134.0	12-13-67	220.8(5)	-86.8	5121
		2-28-68	129.7	-5.2				2-28-68	(7)		
		5-10-68	149.2	-24.7				5-22-68	234.8(5)	-100.8	
		9-26-68	139.6	-15.1		02N/21W-27G01S	129.1	11-17-67	(1)		5121
01N/21W-01A01S	117.2	11-09-67	202.0	-84.8	5121			2-28-68	246.9	-117.8	
		2-28-68	191.0	-73.8				5-22-68	260.7(1)	-131.6	
		5-10-68	(1)			02N/21W-34D03S	89.2	11-17-67	195.7(4)	-106.5	5121
		9-26-68	(2)					2-28-68	167.3	-78.1	
01N/21W-02J01S	90.1	11-02-67	109.3	-19.2	5121			5-22-68	178.1	-88.9	
		2-27-68	109.5	-19.4		02N/21W-34J01S	82.0	11-17-67	169.5	-87.5	5121
		5-10-68	115.0	-24.9				2-28-68	149.5	-67.5	
		9-26-68	107.0(2)	-16.9		02N/21W-34L01S	85.1	10-28-67	193.6	-108.5	5411
01N/21W-02J02S	90.0	11-02-67	(1)		5121			11-24-67	163.5	-78.4	
		2-27-68	163.9	-73.9				12-29-67	157.9	-72.8	
		5-10-68	175.4	-85.4				1-26-68	(1)		
		9-26-68	(1)								
01N/21W-02P01S	66.6	12-13-67	120.1	-53.5	5121						
		2-27-68	142.1	-75.5							
		5-10-68	(1)								

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
OXNARD PLAIN HYDRO SUBUNIT			U-03.A0			SANTA PAULA HYDRO SUBUNIT			U-03.B0		
PLEASANT VALLEY HYDRO SUBAREA			U-03.A2			SANTA PAULA HYDRO SUBAREA			U-03.B1		
02N/21W-34L01S (CONT.)	85.1	2-22-68	(1)		5411	02N/22W-01E02S	162.0	11-07-67	8.2	153.8	5121
		3-31-68	145.1	-60.0				2-20-68	FLOW		
		4-28-68	168.6	-83.5				5-17-68	1.5	160.5	
		6-01-68	172.0	-86.9				8-22-68	11.5	150.5	
		6-26-68	169.0	-83.9							
		7-30-68	(1)			02N/22W-02C01S	177.4	11-07-67	31.5	145.9	5121
		8-29-68	210.2	-125.1				2-20-68	21.3	156.1	
		9-26-68	(1)					5-17-68	(1)		
								8-22-68	(1)		
02N/21W-36G02S	136.0	11-17-67	(1)		5121	02N/22W-02R02S	128.2	11-07-67	59.4	68.8	5121
		2-28-68	219.1	-83.1				2-20-68	60.1(2)	68.1	
02N/21W-36N01S	110.1	11-02-67	179.0(4)	-68.9	5121			5-17-68	(1)		
		2-28-68	181.4	-71.3				8-22-68	78.2	50.0	
		5-10-68	187.0	-76.9		02N/22W-03E01S	301.3	11-07-67	178.4(1)	122.9	5121
		9-26-68	187.0	-76.9				2-20-68	153.4(5)	147.9	
								5-17-68	157.4(5)	143.9	
								8-22-68	(1)		
						02N/22W-03K01S	247.0	11-07-67	112.2	134.8	5121
								2-20-68	104.4	142.6	
								5-17-68	107.3	139.7	
								8-22-68	114.6	132.4	
						02N/22W-03M02S	291.9	11-07-67	204.2	87.7	5121
								2-20-68	185.2	106.7	
								5-17-68	182.8	109.1	
								8-22-68	194.1	97.8	
						02N/22W-03R02S	214.2	11-07-67	95.8	118.4	5121
								2-20-68	89.5	124.7	
								5-23-68	92.2	122.0	
								8-22-68	100.0	114.2	
						02N/22W-10C02S	238.6	11-07-67	(1)		5121
								2-20-68	124.2	114.4	
								5-22-68	(8)		
								8-22-68	140.7	97.9	
						02N/22W-11A01S	129.5	11-07-67	66.1(5)	63.4	5121
								2-20-68	65.1(2)	64.4	
								5-17-68	68.1(2)	61.4	
								8-22-68	83.1	46.4	
						02N/22W-11A02S	133.1	11-07-67	66.5(5)	66.6	5121
								2-20-68	67.5(2)	65.6	
								5-17-68	84.5(1)	48.6	
								8-22-68	94.5(1)	38.6	
						02N/22W-12A01S	148.9	10-07-67	28.2	120.7	5411
								10-14-67	37.8	111.1	
								10-21-67	43.8	105.1	
								10-28-67	46.8	102.1	
								11-04-67	50.2	98.7	
								11-11-67	51.8	97.1	
								11-18-67	53.9	95.0	
								11-25-67	52.6	96.3	
								12-02-67	55.5	93.4	
								12-09-67	54.2	94.7	
								12-16-67	58.0	90.9	
								12-23-67	57.4	91.5	
								12-30-67	60.5	88.4	
								3-09-68	65.3	83.6	
								1-06-68	62.8	86.1	
								1-13-68	57.1	91.8	
								1-20-68	61.8	87.1	
								1-27-68	64.5	84.4	
								2-03-68	65.0	83.9	
								2-10-68	66.7	82.2	
								2-17-68	65.4	83.5	
								2-24-68	56.1	92.8	
								3-02-68	61.0	87.9	
								3-16-68	50.3	98.6	
								3-23-68	50.1	98.8	
								3-30-68	57.0	91.9	
								4-06-68	56.2	92.7	
								4-13-68	54.5	94.4	
								4-20-68	57.0	91.9	
								4-27-68	60.8	88.1	
								5-04-68	58.8	90.1	
								5-11-68	60.5	88.4	
								5-18-68	61.8	87.1	
								5-25-68	64.3	84.6	
								6-01-68	66.9	82.0	
								6-13-68	67.2	81.7	
								6-20-68	69.3	79.6	
								6-27-68	72.0	76.9	
								7-03-68	73.8	75.1	
								7-10-68	73.6	75.3	
								7-17-68	76.6	72.3	
								7-24-68	78.5	70.4	
								7-31-68	80.0	68.9	
								8-07-68	81.6	67.3	
								8-14-68	83.0	65.9	
								8-21-68	84.2	64.7	
								8-28-68	85.5	63.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SANTA PAULA HYDRO SUBUNIT			U-03.00			SANTA PAULA HYDRO SUBUNIT			U-03.00		
SANTA PAULA HYDRO SUBAREA			U-03.01			SANTA PAULA HYDRO SUBAREA			U-03.01		
02N/22W-12A01S (CONT.)	148.9	9-04-68 86.5 9-11-68 87.4 9-17-68 88.4 9-24-68 89.3	62.4 61.5 60.5 59.6	5411		03N/21W-11E03S (CONT.)	315.0	7-07-68 126.8(1) 8-08-68 118.5(1) 9-11-68 108.7(1)	188.2 196.5 206.3	2225	
03N/21W-02Q01S	347.6	10-26-67 (1) 11-09-67 117.4 12-05-67 104.5 1-03-68 103.7 2-02-68 104.2 2-15-68 98.4 3-04-68 103.8 4-04-68 104.6 5-14-68 116.7 5-17-68 105.5 8-10-68 119.8 8-15-68 111.7	230.2 243.1 243.9 243.4 249.2 243.8 243.0 230.9 242.1 227.8 235.9	5121 2225 5121 2225 5121 2225 5121		03N/21W-11F03S	306.0	10-11-67 74.5 11-08-67 76.3 12-01-67 78.0 1-03-68 72.1 2-02-68 70.1 3-04-68 68.1 4-04-68 70.6 5-12-68 71.6 6-12-68 91.6(1) 7-07-68 95.3(1) 8-08-68 89.3 9-11-68 92.5	231.5 229.7 228.0 233.9 235.9 237.9 235.4 234.4 214.4 210.7 216.7 213.5	2225	
03N/21W-03R02S	369.0	10-11-67 158.5 11-08-67 162.5 12-01-67 163.8 1-03-68 161.5 2-02-68 146.5 3-04-68 144.5 4-04-68 143.6 5-11-68 163.5 7-17-68 167.1 9-11-68 173.8	210.5 206.5 205.2 207.5 222.5 224.5 225.4 205.5 201.9 195.2	2225		03N/21W-11P01S	251.0	10-28-67 19.1 11-24-67 17.4 12-29-67 18.1 1-26-68 14.1 2-22-68 14.0 3-30-68 13.1 4-27-68 13.3 5-30-68 16.0 8-26-68 18.4 7-30-68 20.2 8-28-68 21.3	231.9 233.6 232.9 236.9 237.0 237.9 237.7 235.0 232.6 230.8 229.7	5411	
03N/21W-09K02S	361.6	11-03-67 (1) 2-15-68 149.5 5-17-68 156.5 8-15-68 168.0	212.1 205.1 193.6	5121		03N/21W-12D03S	301.9	8-15-68 54.3	247.6	5121	
03N/21W-09R03S	295.0	10-07-67 147.6(1) 11-07-67 96.5 12-01-67 91.9 1-02-68 83.5 2-02-68 82.3 3-04-68 87.2 4-05-68 79.8 5-05-68 163.2(1) 6-12-68 177.9(1) 7-07-68 150.1(1) 8-10-68 102.5 9-13-68 157.2(1)	147.4 198.5 203.1 211.5 212.7 207.8 215.2 131.8 117.1 136.9 192.5 137.8	2225		03N/21W-12E01S	278.0	10-11-67 47.4(1) 11-09-67 47.0(1) 12-04-67 14.9 1-03-68 13.3 2-02-68 12.9 3-04-68 12.8 4-04-68 12.1 5-12-68 21.8 6-12-68 46.0 7-07-68 44.7 8-10-68 49.9(1) 9-15-68 51.6(1)	230.6 231.0 263.1 264.7 265.1 265.2 265.9 256.2 232.0 233.3 228.1 226.4	2225	
03N/21W-09R04S	292.0	10-07-67 92.2 11-07-67 93.2 12-01-67 85.4 1-02-68 79.5 2-02-68 79.5 3-04-68 77.3 4-05-68 76.3 5-05-68 95.3(1) 6-12-68 100.9(1) 7-07-68 93.4 8-08-68 103.7(1) 9-11-68 109.5(1)	199.8 198.8 206.6 212.5 212.5 214.7 215.7 196.7 191.1 198.6 188.3 182.5	2225		03N/21W-12E04S	276.0	10-11-67 56.1(1) 11-09-67 58.4(1) 12-04-67 11.6 1-03-68 10.0 2-02-68 9.6 3-04-68 9.3 4-04-68 9.7 5-12-68 44.5(1) 6-12-68 52.3(1) 7-07-68 20.8(1) 8-10-68 60.3(1) 9-15-68 64.4(1)	219.9 217.6 264.4 266.0 266.4 266.7 266.3 231.5 223.7 255.2 215.7 211.6	2225	
03N/21W-10A01S	356.0	10-11-67 153.0 11-08-67 144.9 12-01-67 161.6(1) 1-03-68 134.2 2-02-68 130.2 3-04-68 128.3 4-04-68 129.0 5-12-68 137.0 6-12-68 180.6(1) 7-07-68 144.6 8-08-68 (1) 9-11-68 179.9	203.0 211.1 194.4 221.8 225.8 227.7 227.0 219.0 175.4 211.4 188.3 182.5	2225		03N/21W-12F03S	277.0	10-11-67 25.8 11-09-67 24.7 12-04-67 9.9 1-03-68 8.2 2-02-68 7.9 3-04-68 7.7 4-04-68 7.5 5-12-68 16.6 6-12-68 24.7 7-07-68 55.4(1) 8-10-68 27.6 9-13-68 51.5(1)	251.2 252.3 267.1 268.8 269.1 269.3 269.5 260.4 252.3 221.6 249.4 225.5	2225	
03N/21W-10E01S	365.6	11-03-67 (4) 2-15-68 (4)		5121		03N/21W-15C03S	242.2	10-08-67 45.6 11-07-67 49.4 12-01-67 34.4 1-03-68 28.9 2-02-68 28.3 3-04-68 26.9 4-05-68 25.3 5-05-68 83.2(1) 6-15-68 44.3 7-07-68 41.1 8-08-68 44.5 9-11-68 61.3(1)	196.6 192.8 207.8 213.3 213.9 215.3 216.9 159.0 197.9 201.1 197.7 160.9	2225	
03N/21W-11002S	329.9	10-11-67 106.1 11-08-67 106.9 12-01-67 100.6 1-03-68 95.7 2-02-68 95.0 3-04-68 94.1 4-04-68 93.1 5-12-68 107.0 6-12-68 106.1 7-07-68 106.0 8-08-68 141.0(1) 9-11-68 137.0(1)	223.8 223.0 229.3 234.2 234.9 235.8 236.8 222.9 223.8 223.9 188.9 192.9	2225		03N/21W-15C04S	241.4	10-08-67 45.7 11-07-67 48.9(1) 12-01-67 32.8 1-03-68 27.0 2-02-68 38.6(1) 3-04-68 38.3 4-05-68 21.8 5-05-68 29.9 6-15-68 39.9 7-07-68 38.3 8-10-68 57.3(1) 9-11-68 57.8(1)	195.7 192.5 208.6 214.4 202.8 203.1 219.6 211.5 201.5 203.1 184.1 183.6	2225	
03N/21W-11E03S	315.0	10-11-67 87.8 11-08-67 85.8 12-01-67 86.9 1-03-68 84.9 2-02-68 77.8 3-04-68 76.9 4-04-68 75.8 5-12-68 85.2 6-12-68 85.8	227.2 229.2 228.1 238.1 237.2 238.1 239.2 229.8 229.2	2225		03N/21W-16G01S	244.1	10-07-67 58.2 11-07-67 56.0	185.9 188.1	2225	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SANTA PAULA HYDRO SUBUNIT			U-03.80			SANTA PAULA HYDRO SUBUNIT			U-03.80		
SANTA PAULA HYDRO SUBAREA			U-03.81			SANTA PAULA HYDRO SUBAREA			U-03.81		
03N/21W-16G01S (CONT.)	244.1	12-01-67	44.0	200.1	2225	03N/21W-21B01S (CONT.)	220.8	6-26-68	24.8	196.0	5411
		1-03-68	40.0	204.1				7-29-68	26.8	194.0	
		2-02-68	43.2(1)	200.9				8-28-68	29.1	191.7	
		3-04-68	42.9(1)	201.2				9-26-68	30.7	190.1	
		4-05-68	36.8	207.3							
		5-12-68	46.9(1)	197.2		03N/21W-29B01S	192.0	10-28-67	(1)		5411
		6-15-68	53.2(1)	190.9				11-24-67	11.8	180.2	
		7-18-68	56.4(1)	187.7				12-29-67	10.6	181.4	
		8-08-68	57.6(1)	186.5				1-26-68	9.8	182.2	
		9-11-68	64.1(1)	180.0				2-22-68	(1)		
								3-30-68	6.7	185.3	
								4-27-68	7.4	184.6	
								5-30-68	9.4	182.6	
								6-26-68	11.5	180.5	
								7-29-68	13.3	178.7	
								8-28-68	(1)		
03N/21W-16K01S	232.0	10-07-67	38.3	193.7	2225	03N/21W-30F01S	220.7	11-03-67	77.0(1)	143.7	5121
		11-07-67	62.1(1)	169.9				2-15-68	46.2	174.5	
		12-01-67	32.0	200.0				5-17-68	77.0(1)	143.7	
		1-02-68	27.3	204.7				8-22-68	57.6	163.1	
		2-02-68	27.0	205.0							
		3-04-68	25.5	206.5		03N/21W-31B01S	174.7	10-28-67	(1)		5411
		4-05-68	24.2	207.8				11-24-67	15.1	159.6	
		5-05-68	31.3	200.7				12-29-67	12.7	162.0	
		6-15-68	37.4	194.6				1-26-68	13.6	161.1	
		7-07-68	37.3	194.7				2-22-68	11.1	163.6	
		8-10-68	41.7	190.3				3-30-68	11.0	162.9	
		9-13-68	75.7(1)	156.3				4-27-68	12.3	162.4	
03N/21W-16K02S	228.0	10-07-67	36.0	192.0	2225			5-30-68	15.6	159.1	
		11-07-67	36.5	191.5				6-26-68	(1)		
		12-01-67	27.7	200.3				7-29-68	17.9	156.8	
		1-02-68	23.3	204.7				8-28-68	17.8	156.9	
		2-02-68	23.8	204.2		03N/22W-34R01S	266.2	11-07-67	118.6	147.6	5121
		3-04-68	22.1	205.9				2-20-68	106.7	159.5	
		4-05-68	20.8	207.2				5-17-68	111.7	154.5	
		5-05-68	26.7	201.3				8-22-68	117.3	148.9	
		6-15-68	32.9	195.1		03N/22W-36K02S	180.6	11-03-67	26.0	154.6	5121
		7-07-68	34.8	193.2				2-15-68	16.5	164.1	
		8-10-68	42.5	185.5				5-17-68	22.3	158.3	
		9-13-68	41.5	186.5				8-22-68	27.0	153.6	
03N/21W-16K03S	228.7	10-07-67	33.0	195.7	2225	SISAR HYDRO SUBAREA					U-03.82
		11-07-67	104.4(1)	124.3		04N/22W-12F01S	1616.0	11-09-67	129.7	1486.3	5121
		12-01-67	28.3	200.4				2-27-68	134.1	1481.9	
		1-02-68	23.9	204.8				5-14-68	134.6	1481.4	
		2-02-68	33.1	195.6				8-15-68	138.8	1477.2	
		3-04-68	21.9	206.8							
		4-05-68	21.0	207.7							
		5-05-68	26.8	201.9							
		6-15-68	33.1	195.6							
		7-07-68	33.9	194.8							
		8-10-68	45.8	182.9							
		9-13-68	105.2(1)	123.5							
03N/21W-17Q01S	284.0	11-03-67	94.3	189.7	5121						
		2-15-68	83.5	200.5							
		5-17-68	89.8	194.2							
		8-15-68	100.8	183.2							
03N/21W-19G01S	248.0	10-07-67	76.2	171.8	2225						
		11-07-67	79.5	168.5							
		12-01-67	65.5	182.5							
		1-02-68	62.2	185.8							
		2-02-68	61.7	186.3							
		3-04-68	62.4	185.6							
		4-05-68	59.3	188.7							
		5-05-68	62.6	185.4							
		6-15-68	74.0	174.0							
		7-07-68	70.4	177.6							
		8-10-68	161.9	86.1							
		9-13-68	83.4	164.6							
03N/21W-19H06S	248.0	10-08-67	74.5	173.5	2225						
		11-07-67	172.0(1)	76.0							
		12-01-67	65.8	182.2							
		1-02-68	74.8	173.2							
		2-02-68	61.5	186.5							
		3-04-68	61.3	186.7							
		4-05-68	59.7	188.3							
		5-05-68	67.8	180.2							
		6-15-68	74.7	173.3							
		7-07-68	71.0	177.0							
		8-10-68	167.5(1)	80.5							
		9-13-68	162.0(1)	86.0							
03N/21W-19R01S	235.9	11-03-67	55.3	180.6	5121						
		2-15-68	45.9	190.0							
		5-17-68	(1)								
		8-22-68	54.9	181.0							
03N/21W-20J02S	203.3	11-03-67	(4)		5121						
		2-15-68	(4)								
		8-22-68	(4)								
03N/21W-21B01S	220.8	10-28-67	25.9	194.9	5411						
		11-24-67	23.7	197.1							
		12-29-67	19.9	200.9							
		1-26-68	18.9	201.9							
		2-22-68	17.3	203.5							
		3-30-68	16.5	204.3							
		4-27-68	17.7	203.1							
		5-30-68	22.5	198.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SESPE HYDRO SUBUNIT			U-03.C0			SESPE HYDRO SUBUNIT			U-03.C0		
FILLMORE HYDRO SUBAREA			U-03.C1			FILLMORE HYDRO SUBAREA			U-03.C1		
03N/19W-05001S	465.6	12-29-67	63.3	402.3	5411	03N/21W-12801S	279.0	1-27-68	6.4	272.6	5411
		1-26-68	62.8	402.8		(CONT.)		2-03-68	6.3	272.7	
		2-22-68	63.5	402.1				2-10-68	6.3	272.7	
		3-30-68	63.8	401.8				2-17-68	6.0	273.0	
		4-27-68	64.0	401.6				2-24-68	5.9	273.1	
		5-30-68	66.0	399.6				3-02-68	5.9	273.1	
		6-26-68	67.9	397.7				3-09-68	5.3	273.7	
		7-30-68	69.5	396.1				3-16-68	5.4	273.6	
		8-28-68	71.6	394.0				3-23-68	5.4	273.6	
								3-30-68	5.1	273.9	
03N/19W-06002S	433.3	10-24-67	49.5	383.8	5121			4-06-68	5.5	273.5	
		2-14-68	46.1	387.2				4-13-68	5.6	273.4	
		5-15-68	49.4	383.9				4-20-68	5.6	273.4	
		8-09-68	53.3	380.0				4-27-68	5.8	273.2	
03N/20W-01C04S	404.2	10-24-67	29.5	374.7	5121			5-04-68	6.0	273.0	
		2-14-68	29.2	375.0				5-11-68	6.3	272.7	
		5-15-68	50.6(1)	353.6				5-18-68	6.6	272.4	
		8-09-68	34.6	369.6				5-25-68	6.8	272.2	
03N/20W-02A01S	375.6	10-28-67	20.1	355.5	5411			6-01-68	7.1	271.9	
		11-24-67	19.5	356.1				6-13-68	7.8	271.2	
		12-29-67	17.6	358.0				6-20-68	7.8	271.2	
		1-26-68	17.8	357.8				6-27-68	7.9	271.1	
		2-22-68	17.8	357.8				7-03-68	8.2	270.8	
		3-30-68	17.8	357.8				7-10-68	8.5	270.5	
		4-27-68	18.9	356.7				7-17-68	8.7	270.3	
		5-30-68	20.8	354.8				7-24-68	8.9	270.1	
		6-26-68	21.9	353.7				7-31-68	8.9	270.1	
		7-30-68	22.9	352.7				8-07-68	9.2	269.8	
		8-28-68	25.5	350.1				8-14-68	9.4	269.6	
03N/20W-03001S	345.5	10-26-67	.4	345.1	5121			8-21-68	9.6	269.4	
		2-14-68	FLOW					8-28-68	9.8	269.2	
		5-15-68	FLOW					9-04-68	10.0	269.0	
		8-15-68	4.8	340.7				9-11-68	10.1	268.9	
		8-15-68	4.8	340.7				9-17-68	10.1(2)	268.9	
								9-24-68	10.2	268.8	
03N/20W-03N01S	341.8	10-28-67	15.7	326.1	5411	04N/19W-30001S	437.6	10-24-67	(1)		5121
		11-24-67	13.4	328.4				2-14-68	37.8	399.8	
		12-29-67	11.5	330.3				5-15-68	40.2	397.4	
		1-26-68	11.5	330.3				8-15-68	44.3	393.3	
		2-22-68	11.0	330.8		04N/19W-30J01S	447.6	10-24-67	(1)		5121
		3-30-68	12.2	329.6				2-08-68	45.1	402.5	
		4-27-68	11.9	329.9				5-15-68	47.6	400.0	
		5-30-68	(1)					8-09-68	52.3	395.3	
		6-26-68	15.5	326.3		04N/19W-30R01S	441.9	10-24-67	27.5	414.4	5121
		7-30-68	(1)					2-14-68	26.8	415.1	
		8-28-68	18.0	323.8				5-15-68	30.1	411.8	
								8-09-68	36.3	405.6	
03N/20W-05001S	437.8	10-26-67	(1)		5121	04N/19W-31E01S	417.8	10-27-67	11.9	405.9	5411
		2-15-68	130.3	307.5				11-24-67	12.5	405.3	
		5-17-68	(1)					12-29-67	11.8	406.0	
		8-15-68	157.9	279.9				1-26-68	13.4	404.4	
03N/20W-08A01S	319.6	10-28-67	13.1	306.5	5411			2-22-68	14.8	403.0	
		11-24-67	9.8	309.8				3-30-68	14.1	403.7	
		12-29-67	9.3	310.3				4-27-68	15.3	402.5	
		1-26-68	10.0	309.6				5-30-68	18.4	399.4	
		2-22-68	9.3	310.3				6-26-68	20.6	397.2	
		3-30-68	9.3	310.3				7-30-68	23.0	394.8	
		4-27-68	11.4	308.2				8-28-68	24.8	393.0	
		5-30-68	11.5	308.1				9-26-68	26.8	391.0	
		6-26-68	12.3	307.3		04N/19W-32A02S	468.0	10-07-67	3.2	464.8	5411
		7-30-68	13.3	306.3				10-14-67	3.4	464.6	
		8-28-68	13.8	305.8				10-21-67	3.1	464.9	
03N/20W-10002S	336.3	10-24-67	(1)		5121			10-28-67	3.8	464.2	
		2-14-68	10.0	326.3				11-04-67	4.1	463.9	
		5-16-68	10.0	326.3				11-11-67	4.1	463.9	
		8-09-68	13.2	323.1				11-20-67	3.3	464.7	
03N/20W-11C01S	397.4	10-24-67	47.8	349.6	5121			11-27-67	2.8	465.2	
		2-14-68	44.1	353.3				12-04-67	2.2	465.8	
		5-15-68	44.8	352.6				12-11-67	2.7	465.3	
03N/21W-01N01S	320.3	10-26-67	69.4	250.9	5121			12-18-67	2.8	465.2	
		2-15-68	51.4	268.9				12-22-67	2.9	465.1	
		5-17-68	(1)					12-29-67	3.0	465.0	
		8-15-68	(1)					1-02-68	3.0	465.0	
03N/21W-12801S	279.0	10-07-67	8.8	270.2	5411			1-08-68	3.1	464.9	
		10-14-67	8.4	270.6				1-15-68	3.2	464.8	
		10-21-67	8.7	270.3				1-22-68	3.3	464.7	
		10-28-67	9.0	270.0				1-29-68	3.4	464.6	
		11-04-67	9.2	269.8				2-05-68	3.3	464.7	
		11-11-67	9.2	269.8				2-12-68	3.5	464.5	
		11-18-67	9.3	269.7				2-19-68	3.5	464.5	
		11-25-67	8.5	270.5				2-26-68	3.6	464.4	
		12-02-67	8.1	270.9				3-04-68	3.7	464.3	
		12-09-67	7.9	271.1				3-11-68	3.3	464.7	
		12-16-67	7.8	271.2				3-18-68	3.5	464.5	
		12-23-67	7.6	271.4				3-25-68	3.6	464.4	
		12-30-67	7.4	271.6				3-30-68	3.7	464.3	
		1-06-68	7.3	271.7				4-06-68	4.0	464.0	
		1-13-68	6.7	272.3				4-13-68	3.8	464.2	
		1-20-68	6.4	272.6				4-20-68	3.9	464.1	
								4-27-68	4.3	463.7	
								5-04-68	5.2	462.8	
								5-11-68	5.1	462.9	
								5-18-68	5.6	462.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
SESPE HYDRO SUBUNIT			U-03.C0			PIRU HYDRO SUBUNIT			U-03.00		
FILLMORE HYDRO SUBAREA			U-03.C1			PIRU HYDRO SUBAREA			U-03.01		
04N/19W-32A02S (CONT.)	468.0	5-25-68	6.1	461.9	5411	04N/18W-19R01S	654.9	10-13-67	101.9	553.0	5121
		6-01-68	6.0	462.0				2-08-68	110.5	544.4	
		6-13-68	6.4	461.6				5-09-68	119.9(1)	535.0	
		6-20-68	6.6	461.4				8-08-68	124.5	530.4	
		6-27-68	6.7	461.3		04N/18W-20R01S	659.7	10-13-67	93.9	565.8	5121
		7-03-68	6.7	461.3				1-31-68	107.9	551.8	
		7-10-68	7.1	460.9				5-09-68	103.0	556.7	
		7-17-68	7.7	460.3				8-08-68	107.9	551.8	
		7-24-68	7.9	460.1		04N/18W-27R01S	729.9	10-13-67	98.9	631.0	5121
		7-31-68	8.1	459.9				1-31-68	88.7	641.2	
		8-07-68	8.0	460.0				5-09-68	87.9	642.0	
		8-14-68	8.2	459.8				8-08-68	117.2	612.7	
		8-21-68	8.5	459.5		04N/18W-27R02S	713.0	10-28-67	86.4	626.6	5411
		8-28-68	8.6	459.4				11-24-67	91.3	621.7	
		9-04-68	8.4	459.6				12-29-67	78.2	634.8	
		9-11-68	8.9	459.1				1-26-68	69.8	643.2	
		9-17-68	9.1	458.9				2-22-68	64.2	648.8	
		9-24-68	9.4	458.6				3-30-68	60.0	653.0	
04N/19W-32J02S	466.6	10-13-67	5.8	460.8	5121			4-27-68	66.1	646.9	
		2-08-68	5.8	460.8				5-30-68	81.2	631.8	
		8-08-68	9.8	456.8				6-26-68	91.0	622.0	
04N/19W-32H02S	447.3	10-24-67	-19.0	468.3	5121			7-30-68	99.7	613.3	
		2-07-68	-32.8	432.3				8-28-68	107.0	606.0	
		5-10-68	-30.5	430.0		04N/18W-28C02S	676.0	10-13-67	113.6	562.4	5121
		8-08-68	-29.5	429.0				1-31-68	119.2	556.8	
04N/19W-33D01S	473.2	10-13-67	1.6(6)	471.6	5121			5-09-68	134.6(1)	541.4	
		2-08-68	.9	472.3				8-08-68	(1)		
		5-10-68	2.8	470.4		04N/18W-29K01S	640.5	10-13-67	103.5(1)	537.0	5121
		8-08-68	7.0	466.2				2-07-68	105.5(1)	535.0	
04N/19W-33O03S	474.3	10-13-67	FLOW		5121			5-09-68	94.0	546.5	
		2-08-68	FLOW					8-08-68	(1)		
		5-10-68	.4	473.9		04N/18W-29P02S	646.1	10-13-67	85.2	560.9	5121
		8-08-68	(1)					2-07-68	94.4	551.7	
04N/19W-33O04S	474.3	10-13-67	FLOW		5121			5-09-68	95.5	550.6	
		2-08-68	FLOW					8-08-68	99.6	546.5	
		5-10-68	.3	474.0		04N/18W-30G02S	627.3	10-27-67	79.8	547.5	5411
		8-08-68	(1)					11-24-67	82.7	544.6	
04N/20W-26A02S	430.7	10-24-67	47.1	383.6	5121			12-29-67	85.4	541.9	
		2-14-68	42.0	388.7				1-26-68	85.6	541.7	
		5-15-68	45.0	385.7				2-22-68	86.6	540.7	
		8-15-68	54.2	376.5				3-30-68	88.1	539.2	
04N/20W-26D01S	538.6	10-24-67	(1)		5121			4-27-68	89.1	538.2	
		2-14-68	153.1	385.5				5-30-68	89.7	537.6	
		5-15-68	(1)					6-26-68	91.0	536.3	
		8-15-68	(1)					7-30-68	92.4	534.9	
04N/20W-26L01S	428.0	10-27-67	47.7	380.3	5411			8-28-68	94.7	532.6	
		11-24-67	46.1	381.9				9-27-68	98.7	528.6	
		12-29-67	43.9	384.1		04N/18W-30K01S	626.1	10-27-67	78.1	548.0	5411
		1-26-68	44.3	383.7				11-24-67	80.9	545.2	
		2-22-68	44.2	383.8				12-29-67	82.5	543.6	
		3-30-68	43.7	384.3				1-26-68	83.1	543.0	
		4-27-68	45.5	382.5				2-22-68	84.8	541.3	
		5-30-68	48.0	380.0				3-30-68	86.2	539.9	
		6-26-68	49.8	378.2				4-27-68	87.3	538.8	
		7-30-68	51.7	376.3				5-30-68	88.0	538.1	
		8-28-68	53.4	374.6				6-26-68	89.2	536.9	
		9-26-68	55.3	372.7				7-30-68	89.9	536.2	
04N/20W-27N01S	527.3	10-24-67	146.9	380.4	5121			8-28-68	91.6	534.5	
		2-14-68	140.5	386.8		04N/18W-31C01S	607.0	10-27-67	58.3	548.7	5411
		5-15-68	144.1	383.2				11-24-67	61.9	545.1	
		8-15-68	152.1	375.2				12-29-67	63.5	543.5	
04N/20W-31P01S	520.0	10-26-67	248.0(5)	272.0	5121			1-26-68	65.2	541.8	
		2-15-68	226.0(5)	294.0				2-22-68	67.5	539.5	
		5-17-68	(1)					3-30-68	69.0	538.0	
		8-15-68	(1)					4-27-68	69.8	537.2	
04N/20W-33C03S	526.0	10-26-67	157.5	368.5	5121			5-30-68	71.4	535.6	
		2-14-68	150.6	375.4				6-26-68	71.7	535.3	
		5-15-68	149.9	376.1				7-30-68	73.7	533.3	
		8-15-68	(1)					8-28-68	75.2	531.8	
04N/20W-36O04S	401.0	10-24-67	16.4	384.6	5121			9-26-68	79.4	527.6	
		2-14-68	16.0	385.0		04N/19W-25C02S	610.4	10-13-67	79.5	530.9	5121
		5-15-68	16.7	384.3				2-08-68	83.3	527.1	
		8-15-68	22.2	378.8				5-09-68	95.8	514.6	
								8-08-68	95.0	515.4	
						04N/19W-25K02S	593.7	10-13-67	52.6	541.1	5121
								2-08-68	60.0	533.7	
								5-09-68	68.6	525.1	
								8-08-68	(1)		
						04N/19W-25L04S	581.7	10-27-67	(1)		5411
								11-24-67	47.5	534.2	
								12-29-67	47.8	533.9	
								1-26-68	(1)		
								2-22-68	51.4	530.3	
								3-30-68	54.4	527.3	
								4-27-68	57.0	524.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
PIRU HYDRO SUBUNIT			U-03.00			PIRU HYDRO SUBUNIT			U-03.00		
PIRU HYDRO SUBAREA			U-03.01			HUNGRY VALLEY HYDRO SUBAREA			U-03.03		
04N/19W-25L04S (CONT.)	581.7	5-30-68 6-26-68 7-30-68 8-28-68	50.1 (1) (1) (1)	523.6	5411	08N/19W-12M015	3826.5	11-06-67 4-08-68	FLOW FLOW		1101
04N/19W-26P01S	565.0	10-13-67 2-08-68 5-10-68 8-08-68	40.0 43.7 53.0 (1)	525.0 521.3 512.0	5121	08N/19W-12M02S	3826.0	11-06-67 4-08-68	.0 .0	3826.0 3826.0	1101
04N/19W-34D04S	507.4	10-13-67 2-08-68 5-10-68 8-08-68	13.5 13.9 25.4 (1) (1)	493.9 493.5 482.0	5121						
04N/19W-34K01S	522.0	10-13-67 2-08-68 5-10-68 8-08-68	14.3 18.9 23.3 29.6	508.5 503.9 499.5 493.2	5121						
04N/19W-34M02S	501.2	10-28-67 11-24-67 12-29-67 1-26-68 2-22-68 3-30-68 4-27-68 5-30-68 6-26-68 7-30-68 8-28-68	(1) 7.1 7.7 8.3 8.8 9.1 10.1 (1) 15.3 (1) 19.4		5411						
				494.1 493.5 492.9 492.4 492.1 491.1 485.9 481.8							
04N/19W-35L02S	540.1	10-27-67 11-24-67 12-29-67 1-26-68 2-22-68 3-30-68 4-27-68 5-30-68 6-26-68 7-30-68 8-28-68	20.2 20.7 24.2 24.6 25.0 25.9 27.7 31.0 32.4 34.6 37.6	519.9 519.4 515.9 515.5 515.1 514.2 512.4 509.1 507.7 505.5 502.5	5411						
05N/18W-33G02S	1066.0	11-01-67 12-04-67 1-04-68 1-29-68 3-01-68 6-06-68 6-24-68 7-29-68 9-02-68 9-30-68	27.7 26.0 29.5 (1) 26.4 27.8 26.0 26.8 27.9 28.7 29.5	1038.3 1040.0 1036.5 1039.6 1038.2 1040.0 1039.2 1038.1 1037.3 1036.5	5411						
UPPER PIRU HYDRO SUBAREA					U-03.02						
05N/18W-15P01S	1042.0	10-30-67 12-04-67 1-02-68 1-29-68 3-01-68 7-29-68 9-02-68 9-30-68	14.3 13.7 13.0 12.6 14.1 17.0 18.3 18.9	1027.7 1028.3 1029.0 1029.4 1027.9 1025.0 1023.7 1023.1	5411						
HUNGRY VALLEY HYDRO SUBAREA					U-03.03						
08N/18W-17J01S	3430.0	10-30-67 11-06-67 1-05-68 2-07-68 3-07-68 4-03-68 4-08-68 4-30-68 5-29-68 7-03-68 8-05-68 9-12-68	60.6 73.5 50.6 49.5 48.7 47.9 68.0 46.7 45.9 45.1 47.6 44.3	3369.4 3356.5 3379.4 3380.5 3381.3 3382.1 3362.0 3383.3 3384.1 3384.9 3382.4 3385.7	5050 1101 5050						
08N/18W-22B01S	3325.0	11-15-67 1-05-68 2-07-68 3-07-68 4-03-68 4-30-68 5-29-68 7-03-68 8-05-68 9-12-68	59.8 58.6 58.7 58.8 58.5 58.9 58.8 58.7 61.7 67.6	3265.2 3266.4 3266.3 3266.2 3266.5 3266.1 3266.2 3266.3 3263.3 3257.4	5050						
08N/19W-12L01S	3780.0	11-06-67 4-08-68	FLOW FLOW		1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			EASTERN HYDRO SUBAREA			U-03.E1		
03N/15W-05D02S	1467.0	10-29-67 3-25-68	13.9 19.7	1453.1 1447.3	1101	04N/15W-11B01S	1690.0	1-02-68 3-05-68 3-26-68 5-07-68 7-10-68 9-24-68	52.2 53.4 49.6 50.2 (2) 52.6	1637.8 1636.6 1640.4 1639.8 1637.4	1101
03N/15W-05H01S	1525.0	10-29-67 3-25-68	13.1 15.7	1511.9 1509.3	1101	04N/15W-11B02S	1703.0	10-25-67 3-26-68	52.7 57.2	1650.3 1645.8	1101
03N/15W-06A01S	1447.0	10-29-67 3-25-68	8.8 12.4	1438.2 1434.6	1101	04N/15W-11F01S	1651.0	10-24-67 1-02-68 3-05-68 3-25-68	40.7 41.0 41.5 41.0	1610.3 1610.0 1609.5 1610.0	1101
03N/16W-01H01S	1310.5	11-13-67 3-26-68	72.5 72.2	1238.0 1238.3	1101	04N/15W-11F04S	1655.0	10-24-67 3-25-68	38.1 37.9	1616.9 1617.1	1101
03N/16W-02J01S	1318.0	11-13-67 3-26-68	85.1 90.9	1232.9 1227.1	1101	04N/15W-11N01S	1609.0	10-24-67 3-25-68	(1) 46.8	1562.2	1101
03N/16W-03H02S	1300.0	10-28-67 3-26-68	94.9 89.6	1205.1 1210.4	1101	04N/15W-11N03S	1621.0	10-24-67 3-25-68	51.3 48.1	1569.7 1572.9	1101
03N/16W-03R01S	1325.0	10-28-67	(3)		1101	04N/15W-13P01S	1573.0	10-24-67 1-02-68 3-05-68 3-26-68 5-07-68 9-24-68	11.2 11.9 12.8 12.0 61.4 17.3	1561.8 1561.1 1560.2 1561.0 1511.6 1555.7	1101
03N/16W-04A02S	1273.0	10-28-67	(4)		1101	04N/15W-13P03S	1573.0	3-25-68	9.3	1563.7	1101
03N/16W-11A01S	1388.0	11-13-67 3-26-68	59.1 65.7	1328.9 1322.3	1101	04N/15W-13Q01S	1590.0	10-24-67 3-25-68	8.4 5.8	1581.6 1584.2	1101
03N/16W-11A02S	1400.0	3-26-68	(2)		1101	04N/15W-13Q02S	1592.0	10-24-67 3-25-68	11.1 7.8	1580.9 1584.2	1101
03N/16W-11D02S	1377.0	10-28-67 3-26-68	34.8 17.1	1342.2 1359.9	1101	04N/15W-14J01S	1558.0	10-24-67 3-25-68	9.2 7.9	1548.8 1550.1	1101
03N/16W-11H02S	1430.0	11-13-67 3-26-68	149.7 160.3	1280.3 1269.7	1101	04N/15W-14R01S	1554.0	10-24-67 3-25-68	(1) 11.2	1542.8	1101
03N/16W-12A03S	1400.0	11-13-67 3-25-68	9.9 6.1	1390.1 1393.9	1101	04N/15W-15A01S	1600.0	10-24-67 3-25-68	81.1 (1)	1518.9	1101
03N/16W-13A01S	1600.0	11-13-67 3-26-68	91.3 (1)	1508.7	1101	04N/15W-15G01S	1575.0	10-24-67 3-25-68	56.8 52.9	1518.2 1522.1	1101
04N/14W-17E01S	1690.0	10-24-67 3-25-68	34.7 33.5	1655.3 1656.5	1101	04N/15W-15G02S	1573.0	10-25-67	52.0	1521.0	1101
04N/14W-17E02S	1690.0	10-24-67	(9)		1101	04N/15W-15L01S	1535.0	3-25-68	64.6	1470.4	1101
04N/14W-17H01S	1725.0	10-24-67 3-25-68	(1) (1)		1101	04N/15W-15N02S	1505.0	10-24-67 3-25-68	65.6 56.8	1439.4 1448.2	1101
04N/14W-18F01S	1632.0	10-24-67 3-25-68	15.9 (6) 14.7	1616.1 1617.3	1101	04N/15W-16N01S	1377.0	10-25-67 3-26-68	84.3 83.0	1292.7 1294.0	1101
04N/14W-18H01S	1675.0	10-24-67 3-25-68	16.9 17.5	1658.1 1657.5	1101	04N/15W-19D01S	1275.0	10-24-67 1-02-68 3-05-68 3-25-68 5-07-68 9-24-68	101.6 102.7 104.0 93.6 93.3 88.8	1173.4 1172.3 1171.0 1181.4 1181.7 1186.2	1101
04N/14W-31E01S	2075.0	11-13-67 3-25-68	FLOW 4.1	2070.9	1101	04N/15W-20D01S	1318.0	10-25-67 3-26-68	116.3 90.2	1201.7 1227.8	1101
04N/14W-31E02S	2076.0	3-25-68	68.3	2007.7	1101	04N/15W-20F01S	1348.0	1-02-68 2-06-68 3-26-68 5-07-68 9-24-68	DRY 89.6 82.0 80.2 (3)	1258.4 1266.0 1267.8	1101
04N/15W-01A02S	1851.0	10-25-67 3-26-68	42.7 51.8	1808.3 1799.2	1101	04N/15W-20R01S	1385.0	10-25-67 3-26-68	62.9 50.2	1322.1 1334.8	1101
04N/15W-01B02S	1825.0	10-25-67 3-26-68	43.9 48.9	1781.1 1776.1	1101	04N/15W-20R02S	1387.5	10-25-67 3-26-68	47.5 36.1	1340.0 1351.4	1101
04N/15W-01C02S	1825.0	10-25-67	(9)		1101	04N/15W-21A01S	1460.5	10-24-67 3-25-68	55.2 38.7	1405.3 1421.8	1101
04N/15W-01C03S	1825.0	10-25-67 3-26-68	189.5 (1) 181.5	1635.5 1643.5	1101	04N/15W-21G01S	1441.0	10-24-67 3-25-68	37.1 22.3	1403.9 1418.7	1101
04N/15W-01E01S	1775.0	10-25-67 3-26-68	(9) (9)		1101	04N/15W-21J01S	1431.0	10-24-67 3-25-68	19.9 11.5	1411.1 1419.5	1101
04N/15W-02J01S	1730.0	10-25-67 3-26-68	41.4 44.7	1688.6 1685.3	1101	04N/15W-21J02S	1440.0	10-24-67 3-25-68	25.2 11.6	1414.8 1428.4	1101
04N/15W-02J02S	1735.0	10-25-67 3-26-68	41.9 38.4	1693.1 1696.6	1101	04N/15W-21M01S	1390.0	10-25-67 3-26-68	29.7 (1)	1360.3	1101
04N/15W-05B01S	1482.0	10-26-67 3-27-68	18.4 20.4	1463.6 1461.6	1101						
04N/15W-05C01S	1437.0	10-26-67 3-27-68	10.4 10.7	1426.6 1426.3	1101						
04N/15W-06F01S	1374.0	10-26-67 3-27-68	8.8 9.6	1365.2 1364.4	1101						
04N/15W-06H01S	1420.0	10-26-67 3-27-68	4.8 6.5	1415.2 1413.5	1101						
04N/15W-06K01S	1396.0	10-26-67 3-27-68	3.2 2.2	1392.8 1393.8	1101						
04N/15W-06P02S	1353.0	10-26-67 2-13-68 3-27-68	20.5 (0) (1)	1332.5	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00						
UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0			
			U-03.E1						U-03.E1			
04N/15W-21M04S	1393.0	3-26-68	12.0	1381.0	1101	04N/15W-36M01S	2075.0	11-13-67 3-25-68	36.5 40.3	2038.5 2034.7	1101	
04N/15W-21Q02S	1414.0	10-24-67 3-25-68	24.8 6.5	1389.2 1407.5	1101	04N/16W-01B01S	1377.0	10-26-67 3-27-68	65.1 64.2	1311.9 1312.8	1101	
04N/15W-22E04S	1446.0	10-24-67	(9)		1101	04N/16W-01K01S	1333.0	10-26-67 3-27-68	70.3 70.1	1262.7 1262.9	1101	
04N/15W-22F02S	1457.0	10-24-67 1-02-68 2-06-68 3-05-68 3-26-68 5-07-68 7-10-68 9-24-68	17.5 17.0 9.1 11.1 7.6 8.8 12.0 15.9	1439.5 1440.0 1447.9 1445.9 1449.4 1448.2 1445.0 1441.1	1101	04N/16W-01P03S	1329.0	10-25-67 3-27-68	76.5 82.0	1252.5 1247.0	1101	
04N/15W-22L01S	1464.0	10-24-67 3-25-68	(1) (1)		1101	04N/16W-01Q01S	1330.0	10-25-67 3-27-68	93.1(1) 81.5	1236.9 1248.5	1101	
04N/15W-23802S	1530.0	10-24-67 3-25-68	1.3 (1)	1528.7	1101	04N/16W-02M01S	1330.0	10-25-67 3-26-68	83.4 85.0	1246.6 1245.0	1101	
04N/15W-23803S	1550.0	10-24-67 3-25-68	25.1 23.9	1524.9 1526.1	1101	04N/16W-04H01S	1218.4	10-15-67 12-15-67 1-15-68 6-11-68	37.4 35.4 32.4 (0)	1181.0 1183.0 1186.0	1101	
04N/15W-23C01S	1515.0	10-24-67 3-25-68	(2) (2)		1101	04N/16W-06A01S	1063.0	11-01-67 3-28-68	(1) (1)		1101	
04N/15W-23E01S	1515.0	10-24-67 3-25-68	11.2 10.6	1503.8 1504.4	1101	04N/16W-06J04S	1043.4	11-01-67 3-28-68	6.1 (1)	1037.3	1101	
04N/15W-23F01S	1528.5	10-24-67 3-25-68	11.0 11.3	1517.5 1517.2	1101	04N/16W-07Q01S	1027.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 4-25-68 5-25-68	26.2 15.2 14.2 13.2 13.2 35.2(1) 60.2(1)	1000.8 1011.8 1012.8 1013.8 1013.8 991.8 966.8	1101	
04N/15W-23F02S	1553.0	10-24-67 3-25-68	(9) (9)		1101	04N/16W-09H01S	1158.0	2-13-68 3-25-68 4-25-68	(0) 22.0 21.0		1136.0 1137.0	1101
04N/15W-23F03S	1550.0	10-24-67 3-25-68	12.5 14.7	1537.5 1535.3	1101	04N/16W-09H02S	1155.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 8-15-68	36.5 31.5 32.5 26.5 24.5 24.5 23.5 28.5	1118.5 1123.5 1122.5 1128.5 1130.5 1130.5 1131.5 1126.5	1101	
04N/15W-23K03S	1570.0	10-24-67 3-25-68	3.3 9.2	1566.7 1560.8	1101	04N/16W-12C03S	1030.2	10-15-67 12-15-67 1-15-68 2-15-68	15.7 13.7 12.7 12.7	1014.5 1016.5 1017.5 1017.5	1101	
04N/15W-23Q01S	1588.0	3-25-68	9.6	1578.4	1101	04N/16W-12K01S	1281.0	3-27-68	51.8	1229.2	1101	
04N/15W-24C01S	1580.0	10-24-67 3-25-68	12.9 12.9	1567.1 1567.1	1101	04N/16W-12K02S	1280.0	10-26-67 3-27-68	63.1 48.4	1216.9 1231.6	1101	
04N/15W-26G01S	1640.0	10-24-67 3-25-68	4.5 14.6	1635.5 1625.4	1101	04N/16W-12M01S	1265.0	10-26-67 3-26-68	62.3 47.2	1202.7 1217.8	1101	
04N/15W-26K01S	1678.0	10-24-67 3-25-68	16.9 38.1(1)	1661.1 1639.9	1101	04N/16W-12N01S	1245.0	10-25-67 3-26-68	59.7 46.6	1185.3 1198.4	1101	
04N/15W-26R02S	1686.0	10-24-67 1-02-68 3-05-68 3-25-68 5-07-68 7-10-68 9-23-68	11.9 15.3 17.4 25.4 27.5 30.7 34.3	1674.1 1670.7 1668.6 1660.6 1658.5 1655.3 1651.7	1101	04N/16W-12N02S	1253.0	10-25-67 3-26-68	(1) 47.4	1205.6	1101	
04N/15W-26R04S	1715.0	11-13-67 3-25-68	37.5 41.2	1677.5 1673.8	1101	04N/16W-13D01S	1240.0	10-25-67 3-26-68	62.9 (2)	1177.1	1101	
04N/15W-31G01S	1506.5	10-29-67 3-25-68	2.9 5.3	1503.6 1501.2	1101	04N/16W-14E02S	1179.0	11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68 8-15-68	96.2 70.2 70.2 68.2 73.2 77.2 77.2 70.2	1082.8 1108.8 1108.8 1110.8 1105.8 1101.8 1101.8 1108.8	1101	
04N/15W-31N02S	1375.0	10-29-67 3-25-68	33.3 29.6	1341.7 1345.4	1101	04N/16W-14H01S	1223.0	10-25-67 3-26-68	67.6 (2)	1155.4	1101	
04N/15W-31P02S	1385.8	11-02-67 1-02-68 3-05-68 3-25-68 5-07-68 7-10-68 9-23-68	32.5 35.9 37.8 37.1 37.3 37.3 39.7	1353.3 1349.9 1348.0 1348.7 1348.5 1348.5 1346.1	1101	04N/16W-15Q01S	1152.9	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68 8-15-68	81.0(1) 70.0 69.0 71.0 63.0 64.0 65.0 66.0 71.0	1071.9 1082.9 1083.9 1081.9 1089.9 1088.9 1087.9 1086.9 1081.9	1101	
04N/15W-35J02S	1779.0	11-13-67 3-25-68	34.5 40.7	1744.5 1738.3	1101	04N/16W-15Q03S	1153.0	10-15-67 11-15-67 12-15-67 1-15-68	89.0(1) 69.0 67.0 84.0	1064.0 1084.0 1086.0 1069.0	1101	
04N/15W-35R01S	1812.5	11-13-67 3-25-68	52.3 58.8	1760.2 1753.7	1101							
04N/15W-35R02S	1800.0	11-13-67 3-25-68	44.7 54.2	1755.3 1745.8	1101							
04N/15W-36C01S	1776.0	3-25-68	36.1	1739.9	1101							
04N/15W-36E01S	1770.0	3-25-68	48.3	1721.7	1101							
04N/15W-36F01S	1809.0	11-13-67 3-25-68	66.6 72.1	1742.4 1736.9	1101							
04N/15W-36F03S	1821.0	3-25-68	60.7	1760.3	1101							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			EASTERN HYDRO SUBAREA			U-03.E1		
04N/16W-15Q03S (CONT.)	1153.0	2-25-68 3-25-68 4-25-68 5-25-68 8-15-68	63.0 64.0 78.0(1) 62.0 70.0	1090.0 1089.0 1075.0 1091.0 1083.0	1101	04N/16W-22Q02S (CONT.)	1128.0	2-25-68 3-25-68 4-25-68 5-25-68	63.3 62.3 63.3 104.3(1)	1064.7 1065.7 1064.7 1023.7	1101
04N/16W-15R01S	1155.0	10-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68	63.5 62.5 58.5 55.5 53.5 52.5 54.5	1091.5 1092.5 1096.5 1099.5 1101.5 1102.5 1100.5	1101	04N/16W-22D03S	1138.0	12-15-67 1-15-68 2-25-68 3-25-68 4-25-68	71.3 76.3 75.3 76.3 75.3	1066.7 1061.7 1062.7 1061.7 1062.7	1101
04N/16W-16D01S	1096.0	11-15-67 12-15-67 1-15-68 2-25-68 4-25-68 5-25-68 8-15-68	48.7 47.7 44.7 18.7 47.7 49.7 56.7	1047.3 1048.3 1051.3 1077.3 1048.3 1046.3 1039.3	1101	04N/16W-22M01S	1148.0	11-15-67 12-15-67 1-15-68 6-11-68 8-15-68	90.5 88.5 86.5 (0) 151.5	1057.5 1059.5 1061.5 996.5	1101
04N/16W-16Q01S	1116.5	10-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68 8-15-68	68.5 62.5 59.5 57.5 55.5 56.5 59.5 68.5	1048.0 1054.0 1057.0 1059.0 1061.0 1060.0 1057.0 1048.0	1101	04N/16W-22R08S	1164.8	10-26-67	96.8	1068.0	1101
04N/16W-16Q03S	1115.8	10-26-67 1-02-68 3-05-68 3-25-68 5-07-68 7-10-68 9-24-68	69.0 65.5 65.2 (1) 72.1 76.1 71.1	1046.8 1050.3 1050.6 1043.7 1039.7 1044.7	1101	04N/16W-23G01S	1195.0	10-25-67 3-26-68	80.0 66.7	1115.0 1128.3	1101
04N/16W-17A02S	1091.0	2-13-68	(0)		1101	04N/16W-23H01S	1194.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68	76.6 76.6 68.6 65.6 63.6 60.6 65.6 63.6	1117.4 1126.4 1125.4 1128.4 1130.4 1133.4 1128.4 1130.4	1101
04N/16W-17A03S	1090.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68	51.7 44.7 42.7 40.7 42.7 50.7 56.7(1) 78.7(1)	1038.3 1045.3 1047.3 1049.3 1047.3 1039.3 1033.3 1011.3	1101	04N/16W-24A05S	1260.0	12-15-67 1-15-68 2-25-68 3-25-68 4-25-68 5-25-68	86.1 86.1 79.1 81.1 89.1(1) 94.1	1173.9 1173.9 1180.9 1178.9 1170.9 1165.9	1101
04N/16W-17A05S	1089.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 4-25-68 5-25-68 8-15-68	50.7 45.7 43.7 40.7 74.7(1) 37.7 49.7 60.7	1038.3 1043.3 1045.3 1048.3 1014.3 1051.3 1039.3 1028.3	1101	04N/16W-24B02S	1243.0	10-15-67 11-15-67 12-15-67 1-15-68 2-25-68 3-25-68 5-25-68	94.5 91.5 75.5 80.5 76.5 76.5 75.5	1148.5 1151.5 1167.5 1162.5 1166.5 1166.5 1167.5	1101
04N/16W-18A01S	1042.7	11-02-67	(6)		1101	04N/16W-27H05S	1187.2	11-15-67 12-15-67 1-15-68 6-11-68	122.0 119.0 129.0 (0)	1065.2 1068.2 1058.2	1101
04N/16W-18F04S	1023.0	11-15-67 12-15-67 1-15-68 6-11-68	8.7 7.7 8.7 (0)	1014.3 1015.3 1014.3	1101	04N/16W-27J01S	1188.0	1-02-68 3-05-68 3-25-68 5-07-68	126.0 126.0 129.0 129.6	1062.0 1062.0 1059.0 1058.4	1101
04N/16W-18J02S	1042.0	11-01-67	(5)		1101	04N/16W-28A01S	1169.5	10-26-67 3-27-68	110.0 105.5	1059.5 1064.0	1101
04N/16W-20B02S	1091.0	10-26-67 3-27-68	48.4 41.5	1042.6 1049.5	1101	04N/16W-32Q01S	1350.0	11-02-67 1-02-68 2-13-68 3-05-68 3-25-68 5-07-68	66.8 69.6 70.6 71.3 69.6 72.2	1283.2 1280.4 1279.4 1278.7 1280.4 1277.8	1101
04N/16W-21H02S	1133.0	10-02-67 10-26-67 12-05-67 1-02-68 2-06-68 3-05-68 3-25-68 5-07-68 7-10-68 8-14-68 9-24-68 9-24-68	84.3 87.8 78.3 74.5 71.0 70.1 73.1 77.2 81.0 81.6 (1) 78.4	1048.7 1045.2 1054.7 1058.5 1062.0 1062.9 1059.9 1055.8 1052.0 1051.4 1054.6	1101	04N/16W-34J01S	1230.6	12-05-67 3-26-68	(2) 131.1	 1099.5	1101
04N/16W-22A01S	1155.0	10-26-67 3-27-68	102.5 (7)	1052.5	1101	04N/16W-34J02S	1231.0	3-26-68	174.1	1056.9	1101
04N/16W-22C07S	1130.0	11-15-67 12-15-67 2-25-68 3-25-68 4-25-68 5-25-68 8-15-68	44.0 73.0 64.0 65.0 68.0 70.0 85.0	1086.0 1057.0 1066.0 1065.0 1062.0 1060.0 1045.0	1101	04N/16W-35B01S	1245.0	10-28-67	DRY		1101
04N/16W-22Q02S	1128.0	10-15-67 11-15-67 12-15-67	79.3 69.3 67.3	1048.7 1058.7 1060.7	1101	04N/16W-35L01S	1249.0	10-28-67 3-26-68	147.8 161.3(4)	1101.2 1087.7	1101
						04N/16W-35M02S	1236.5	10-28-67 3-26-68	202.1 (1)	1034.4	1101
						04N/16W-36E02S	1295.0	10-28-67	DRY		1101
						04N/16W-36M03S	1300.0	10-28-67	DRY		1101
						04N/16W-36M04S	1284.0	10-28-67 3-26-68	(1) (1)		1101
						04N/16W-36P02S	1315.0	10-28-67	DRY		1101
						04N/16W-36Q01S	1330.0	10-28-67 3-26-68	107.2 109.9	1222.8 1220.1	1101
						04N/16W-36R01S	1350.0	10-29-67 3-26-68	88.3 89.5	1261.7 1260.5	1101
						04N/17W-01A01S	1066.2	10-09-67 11-08-67 12-04-67 1-09-68	20.8 22.4 14.3 13.8	1045.4 1043.8 1051.9 1052.4	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			EASTERN HYDRO SUBAREA			U-03.E1		
04N/17W-01A01S (CONT.)	1066.2	2-06-68 14.1 3-01-68 14.4 4-02-68 14.4 5-14-68 16.2(4) 6-06-68 17.1(4) 7-09-68 18.3(4) 7-31-68 19.8(4) 9-19-68 22.3(4)	1052.1 1051.8 1051.8 1050.0 1049.1 1047.9 1046.4 1043.9	5050		04N/17W-14Q02S (CONT.)	958.0	11-15-67 18.2 12-15-67 16.2 2-15-68 18.2 4-15-68 15.2	939.8 941.8 939.8 942.8	1101	
04N/17W-01C01S	1060.0	11-01-67 (1) 3-28-68 (1)		1101		04N/17W-15N01S	996.0	10-28-67 FLOW 3-26-68 FLOW 9-17-68 FLOW		1101	
04N/17W-01J01S	1056.0	10-09-67 19.2(4) 11-08-67 19.6(4) 12-04-67 14.8 1-09-68 14.3 2-06-68 14.3 3-01-68 14.5 4-02-68 (1) 5-14-68 16.0(4) 6-06-68 17.8(4) 7-09-68 20.7(4) 7-31-68 21.2(4) 9-19-68 24.8(4)	1036.8 1036.4 1041.2 1041.7 1041.7 1041.5 1040.0 1038.2 1035.3 1034.8 1031.2	5050		04N/17W-21C02S	1010.0	10-28-67 15.0 3-25-68 23.5	995.0 986.5	1101	
04N/17W-02M01S	1200.0	10-28-67 (2)		1101		04N/17W-22E01S	897.6	10-15-67 13.0(1) 12-15-67 1.0 1-15-68 .0 2-15-68 3.0 5-15-68 5.0	884.6 896.6 897.6 894.6 892.6	1101	
04N/17W-12B02S	1043.0	10-09-67 21.6 11-08-67 18.4 12-04-67 15.2 1-09-68 14.4 2-06-68 13.7 3-01-68 14.5 4-02-68 15.9(4) 5-14-68 16.9 6-06-68 20.9(4) 7-09-68 23.2(4) 7-31-68 26.8(4) 9-19-68 28.3	1021.4 1024.6 1027.8 1028.6 1029.3 1028.5 1027.1 1026.1 1022.1 1019.8 1016.2 1014.7	5050		04N/17W-22E02S	900.0	10-15-67 7.0 11-15-67 5.0 12-15-67 3.0 1-15-68 2.0 2-15-68 5.0 5-15-68 4.0	893.0 895.0 897.0 898.0 895.0 896.0	1101	
04N/17W-12B03S	1028.5	1-15-68 12.5 2-15-68 12.5	1016.0 1016.0	1101		04N/17W-22E03S	899.9	10-15-67 9.0 11-15-67 5.0 12-15-67 4.0 1-15-68 4.0 2-15-68 22.0(1) 5-15-68 21.0	890.9 894.9 895.9 895.9 877.9 878.9	1101	
04N/17W-12G01S	1020.6	11-01-67 21.7 3-28-68 21.3	998.9 999.3	1101		04N/17W-23D01S	949.7	10-15-67 18.0 11-15-67 18.0 12-15-67 17.0 2-15-68 17.0 4-15-68 31.0(1) 5-15-68 28.0	931.7 931.7 932.7 932.7 918.7 921.7	1101	
04N/17W-12P01S	991.9	10-15-67 15.0 11-15-67 11.0 12-15-67 10.0 1-15-68 11.0 2-15-68 12.0 4-15-68 11.0 5-15-68 15.0	976.9 980.9 981.9 980.9 979.9 980.9 976.9	1101		04N/17W-28E01S	865.8	10-02-67 15.0 11-02-67 15.0 12-05-67 15.2 1-02-68 15.9 2-06-68 14.9 3-05-68 14.8 3-25-68 15.6 5-02-68 15.1 7-10-68 14.2 8-14-68 15.4 9-23-68 15.2	850.8 850.8 850.6 849.9 850.9 851.0 850.2 850.7 851.6 850.4 850.6	1101	
04N/17W-12R01S	1012.0	12-15-67 19.0 2-25-68 19.0 5-25-68 21.0	993.0 993.0 991.0	1101		04N/17W-28L01S	969.8	10-28-67 -0.1 3-26-68 1.2	969.9 968.6	1101	
04N/17W-13C01S	988.0	10-15-67 12.6 11-15-67 9.6 12-15-67 9.6 1-15-68 9.6 2-25-68 12.6 4-25-68 10.6 5-25-68 12.6	975.4 978.4 978.4 978.4 975.4 977.4 975.4	1101		04N/17W-28L02S	971.5	10-28-67 .9 3-26-68 2.4	970.6 969.1	1101	
04N/17W-13C02S	983.8	10-09-67 13.5 11-02-67 13.2 11-14-67 13.2 11-27-67 12.5 1-02-68 13.8 1-08-68 12.8 2-01-68 13.1 3-01-68 13.2 3-05-68 14.2 3-25-68 16.4 3-27-68 13.4 5-07-68 16.0 5-10-68 14.8 5-14-68 14.7 6-07-68 15.5 7-09-68 15.7 7-10-68 15.5 7-26-68 15.9 9-10-68 16.6 9-23-68 16.3	970.3 970.6 970.6 971.3 970.0 971.0 970.7 970.6 969.6 967.4 970.4 967.8 969.0 969.1 968.3 968.1 968.3 967.9 967.2 967.5	5050 1101 5050 1101 5050 1101 1101 5050 5050 1101 1101 1101 1101 1101 1101 1101 1101 1101 1101 1101		05N/14W-29P01S	2265.0	10-25-67 46.5 3-26-68 45.5	2218.5 2219.5	1101	
04N/17W-13E01S	985.0	10-28-67 23.0 3-26-68 24.1	962.0 960.9	1101		05N/14W-30R01S	2190.0	10-25-67 347.5(5) 3-26-68 351.5(5)	1842.5 1838.5	1101	
04N/17W-13J01S	1038.0	11-15-67 89.0 1-15-68 89.0 5-25-68 58.0	949.0 949.0 980.0	1101		05N/14W-30R02S	2040.0	10-25-67 73.5 3-26-68 80.1	1966.5 1959.9	1101	
04N/17W-14Q01S	961.9	2-13-68 (0) 5-15-68 (2)		1101		05N/14W-31C02S	1953.0	10-25-67 56.7 1-02-68 58.2 3-05-68 59.5 3-26-68 64.5 5-07-68 62.8 7-10-68 64.6 9-24-68 58.6	1896.3 1894.8 1893.5 1888.5 1890.2 1888.4 1894.4	1101	
04N/17W-14Q02S	958.0	10-15-67 51.2(1)	906.8	1101		05N/14W-31F04S	1950.0	10-25-67 49.9 3-26-68 62.1	1900.1 1887.9	1101	
						05N/14W-31L01S	1920.0	10-25-67 49.6 3-26-68 (9)	1870.4	1101	
						05N/15W-21001S	1628.0	10-26-67 (2) 3-27-68 38.7	1589.3	1101	
						05N/15W-28F01S	1600.0	10-26-67 23.6 3-27-68 (3)	1576.4	1101	
						05N/15W-28G01S	1625.0	10-26-67 33.5 3-27-68 62.6	1591.5 1562.4	1101	
						05N/15W-32R02S	1492.0	10-26-67 9.6 3-27-68 11.2	1482.4 1480.8	1101	
						05N/15W-33D02S	1552.0	10-26-67 18.5 1-02-68 17.8 3-05-68 17.0 3-25-68 30.5 5-07-68 36.0 7-10-68 38.0	1533.5 1534.2 1535.0 1521.5 1516.0 1514.0	1101	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT EASTERN HYDRO SUBAREA			U-03.E0		
			U-03.E1						U-03.E1		
05N/15W-33002S (CONT.)	1552.0	9-24-68	35.6	1516.4	1101	05N/17W-24801S (CONT.)	1172.5	1-08-68	(1)		5050
								2-01-68	33.3	1139.2	
								3-14-68	36.9	1135.6	
05N/15W-33E01S	1529.0	10-26-67	(9)		1101			3-27-68	38.1(4)	1134.4	
		3-27-68	(9)					3-28-68	(1)		1101
								4-26-68	37.8	1134.7	5050
05N/15W-33E03S	1531.0	10-26-67	(9)		1101			5-13-68	40.2	1132.3	
		3-27-68	(9)					6-07-68	40.2	1132.3	
05N/15W-33E04S	1513.0	10-26-67	11.0	1502.0	1101			6-29-68	57.8(6)	1114.7	
		3-27-68	15.7	1497.3				9-16-68	62.5	1110.0	
05N/15W-33E05S	1528.0	10-26-67	13.6	1514.4	1101	05N/17W-24H01S	1170.0	10-26-67	34.6	1135.4	1101
		3-27-68	21.4	1506.6				3-27-68	(3)		
05N/15W-33E06S	1495.0	10-26-67	25.2	1469.8	1101	05N/17W-25801S	1145.0	10-06-67	26.7(2)	1118.3	5050
		3-27-68	28.7	1466.3				11-14-67	28.2(2)	1116.8	
05N/15W-33K01S	1610.0	10-26-67	89.4	1520.6	1101			11-27-67	26.8(2)	1118.2	
		3-27-68	88.1	1521.9				1-08-68	25.7	1119.3	
05N/16W-19E01S	1167.0	10-06-67	29.9	1137.1	5050			2-01-68	26.6	1118.4	
		11-14-67	(7)					3-01-68	25.7	1119.3	
		11-27-67	39.0(6)	1128.0				3-27-68	27.7	1117.3	
		1-08-68	35.5	1131.5				5-10-68	28.9	1116.1	
		2-01-68	36.9	1130.1				6-07-68	30.2(2)	1114.8	
		3-01-68	(3)					7-09-68	32.0(2)	1113.0	
		3-27-68	(3)					7-29-68	31.9(2)	1113.1	
								9-10-68	37.5(2)	1107.5	
05N/16W-19E02S	1160.0	10-06-67	22.3	1137.7	5050	05N/17W-25802S	1140.0	10-06-67	(1)		5050
		11-14-67	26.1	1133.9				11-14-67	(1)		
		11-27-67	23.8	1136.2				11-27-67	(1)		
		1-08-68	19.8	1140.2				1-08-68	20.7	1119.3	
		2-01-68	23.8	1136.2				2-01-68	22.0	1118.0	
		3-01-68	26.3	1133.7				3-01-68	22.9(2)	1117.1	
		3-27-68	27.0	1133.0				4-05-68	22.7	1117.3	
05N/16W-19H01S	1158.0	10-26-67	25.2	1132.8	1101			5-10-68	(1)		
		10-26-67	25.2	1132.8				6-07-68	(1)		
		3-27-68	27.4	1130.6				7-09-68	(1)		
05N/16W-34P01S	1233.0	10-25-67	18.2	1214.8	1101			7-29-68	(1)		
		3-26-68	14.0	1219.0				9-10-68	(1)		
05N/16W-34P02S	1235.0	10-25-67	18.8	1216.2	1101	05N/17W-25804S	1136.0	10-06-67	16.4(2)	1119.6	5050
		1-02-68	18.2	1216.8				11-14-67	18.1(2)	1117.9	
		3-05-68	16.6	1218.4				11-27-67	16.2(2)	1119.8	
		3-25-68	17.6	1217.4				1-08-68	15.3(2)	1120.7	
		5-07-68	18.8	1216.2				2-01-68	16.4	1119.6	
		7-10-68	20.0	1215.0				3-01-68	17.6(2)	1118.4	
		9-24-68	22.3	1212.7				4-05-68	17.1	1118.9	
05N/16W-36802S	1474.0	10-26-67	22.6	1451.4	1101			5-13-68	19.0(2)	1117.0	
		3-27-68	22.9	1451.1				6-07-68	20.1(2)	1115.9	
05N/17W-12001S	1205.0	10-06-67	31.6	1253.4	5050			7-09-68	22.0(2)	1114.0	
		11-14-67	30.8	1254.2				7-29-68	24.1(2)	1111.9	
		11-27-67	30.5	1254.5				9-10-68	27.8(2)	1108.2	
		1-08-68	31.1	1253.9		05N/17W-25805S	1134.0	10-06-67	13.1(2)	1120.9	5050
		2-05-68	26.5	1258.5				11-14-67	14.7(2)	1119.3	
		3-07-68	31.6	1253.4				11-27-67	12.6(2)	1121.4	
		3-27-68	30.8	1254.2				1-08-68	12.2(2)	1121.8	
		5-10-68	31.4	1253.6				2-01-68	13.2	1120.8	
		6-07-68	31.8	1253.2				3-01-68	14.3(2)	1119.7	
		7-10-68	31.9	1253.1				4-05-68	13.9	1120.1	
		8-01-68	32.0	1253.0				5-13-68	15.8(2)	1118.2	
		9-16-68	31.9	1253.1				6-07-68	16.8(2)	1117.2	
05N/17W-12002S	1300.0	10-06-67	37.9	1262.1	5050			7-09-68	18.7(2)	1115.3	
		11-27-67	37.9	1262.1				7-29-68	21.1(2)	1112.9	
		1-08-68	38.4	1261.6				9-10-68	24.4(2)	1109.6	
		2-05-68	38.7	1261.3		05N/17W-25808S	1150.0	10-26-67	29.0	1121.0	1101
		3-07-68	39.6	1260.4				3-27-68	29.5	1120.5	
		3-27-68	39.1	1260.9		05N/17W-25601S	1136.0	10-26-67	(2)		1101
		5-10-68	38.9	1261.1				3-27-68	(2)		
		6-07-68	39.1	1260.9		05N/17W-25603S	1129.5	10-26-67	16.2	1113.3	1101
		7-10-68	39.2	1260.8				1-02-68	18.1	1111.4	
		8-01-68	39.3	1260.7				3-05-68	19.6	1109.9	
		9-16-68	39.3	1260.7				3-25-68	20.3	1109.2	
05N/17W-12K01S	1200.0	10-06-67	(1)		5050			5-07-68	17.0	1112.5	
		11-14-67	-42.8	1242.8				7-10-68	20.0	1109.5	
		11-27-67	(1)					9-24-68	27.3	1102.2	
		1-08-68	(1)			05N/17W-25604S	1135.0	10-06-67	20.5(4)	1114.5	5050
		1-26-68	-33.8	1233.8				10-26-67	18.0	1117.0	1101
		2-05-68	-35.9	1235.9				11-14-67	22.5(4)	1112.5	5050
		3-07-68	(1)					11-27-67	20.2(4)	1114.8	
		3-27-68	(1)					1-08-68	18.7	1116.3	
		5-10-68	(1)					2-01-68	19.7	1115.3	
		6-07-68	(1)					3-01-68	20.5	1114.5	
		7-08-68	(1)					3-27-68	20.7	1114.3	1101
		8-01-68	-25.3	1225.3				3-27-68	20.1	1114.9	5050
		9-16-68	-24.5	1224.5				5-10-68	21.6(4)	1113.4	
05N/17W-24801S	1172.5	10-06-67	32.4	1140.1	5050			6-07-68	22.5	1112.5	
		11-01-67	34.4	1138.1	1101			7-09-68	24.2	1110.8	
		11-14-67	(1)		5050			7-29-68	26.0(4)	1109.0	
		11-27-67	33.2	1139.3				9-10-68	29.4	1105.6	
						05N/17W-25H02S	1235.0	10-28-67	(6)		1101
						05N/17W-36A03S	1109.0	10-09-67	12.4	1096.6	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0			UPPER SANTA CLARA R HYDRO SUBUNIT			U-03.E0		
EASTERN HYDRO SUBAREA			U-03.E1			SIERRA PELONA HYDRO SUBAREA			U-03.E4		
05N/17W-36A03S (CONT.)	1109.0	11-01-67	15.2	1093.8	1101	05N/14W-13C01S	2825.0	11-02-67	70.2	2754.8	1101
		11-08-67	13.9	1095.1				4-16-68	69.3	2755.7	
		12-04-67	10.9	1098.1		05N/14W-14A01S	2825.0	11-02-67	37.8	2787.2	1101
		1-09-68	10.9	1098.1				4-16-68	36.5	2788.5	
		2-06-68	11.9	1097.1		05N/14W-14A02S	2820.0	4-16-68	28.2	2791.8	1101
		3-01-68	12.0	1097.0		05N/14W-14A03S	2850.0	4-16-68	(4)		1101
		4-02-68	11.1	1097.9		05N/14W-14F02S	2705.0	11-02-67	26.9	2678.1	1101
		5-14-68	11.6	1097.4				4-16-68	28.4	2676.6	
		6-06-68	11.7	1097.3		05N/14W-22J01S	2575.0	11-02-67	95.6	2479.4	1101
		7-09-68	13.9	1095.1				3-28-68	(9)		
		7-31-68	(9)			05N/14W-23E01S	2570.0	11-02-67	82.7	2487.3	1101
		9-17-68	(9)					3-28-68	114.2(4)	2455.8	
05N/17W-36G02S	1092.0	10-06-67	16.6	1075.4	5050	05N/14W-23N01S	2550.0	3-28-68	(9)		1101
		11-14-67	16.8	1075.2		05N/14W-23N02S	2525.0	11-02-67	54.0	2471.0	1101
		11-27-67	15.2	1076.8				3-28-68	54.9	2470.1	
		1-09-68	15.0	1077.0		05N/14W-24C01S	2666.7	11-02-67	137.4(11)	2529.3	1101
		2-14-68	14.7	1077.3				3-28-68	136.5	2530.2	
		3-01-68	15.2	1076.8		05N/14W-25D01S	2659.0	11-02-67	27.8	2631.2	1101
		4-02-68	15.2	1076.8				3-28-68	25.2	2633.8	
		5-10-68	15.5	1076.5		05N/14W-25D03S	2659.0	3-28-68	25.0	2634.0	1101
		6-06-68	15.4	1076.6		05N/14W-26D02S	2500.0	11-02-67	38.3	2461.7	1101
		7-09-68	16.3	1075.7				3-28-68	40.6	2459.4	
		7-31-68	17.7	1074.3		05N/14W-26E01S	2483.0	11-02-67	30.3	2452.7	1101
		9-19-68	22.1	1069.9				3-28-68	34.6	2448.4	
05N/17W-36G03S	1090.0	11-01-67	5.5	1084.5	1101	05N/14W-26E02S	2490.0	11-02-67	(11)		1101
		3-28-68	12.6	1077.4				3-28-68	31.9	2458.1	
05N/17W-36G04S	1090.0	10-06-67	9.5	1080.5	5050	05N/14W-26E03S	2480.0	11-02-67	23.3	2456.7	1101
		11-14-67	9.7	1080.3				3-28-68	23.4	2456.6	
		11-27-67	7.9	1082.1		05N/14W-26G01S	2565.0	11-02-67	3.5	2561.5	1101
		1-08-68	7.4	1082.6		05N/14W-27H01S	2500.5	11-02-67	40.0	2460.5	1101
		2-01-68	7.6	1082.4				3-28-68	38.5	2462.0	
		3-01-68	7.7	1082.3		05N/14W-27J01S	2461.0	11-02-67	(9)		1101
		3-27-68	7.5	1082.5		05N/14W-27K01S	2478.0	11-02-67	25.3	2452.7	1101
		5-10-68	7.8	1082.2				3-28-68	21.2	2456.8	
		6-07-68	8.3	1081.7		ACTON HYDRO SUBAREA			U-03.E5		
		7-09-68	8.8	1081.2		03N/15W-01A01S	1282.0	4-09-68	14.2	1267.8	1101
		7-26-68	8.8	1081.2		04N/12W-02E02S	3520.0	11-02-67	153.2	3366.8	1101
		9-10-68	13.4	1076.6				4-08-68	153.6	3366.4	
05N/17W-36H03S	1109.0	10-09-67	23.4	1085.6	5050	04N/12W-11G01S	3735.0	11-02-67	58.7	3676.3	1101
		11-08-67	23.8	1085.2				4-16-68	59.4	3675.6	
		12-04-67	21.8	1087.2							
		1-09-68	22.3	1086.7							
		2-06-68	22.0	1087.0							
		3-01-68	22.3	1086.7							
		4-02-68	22.4(4)	1086.6							
		5-14-68	22.5(4)	1086.5							
		6-06-68	22.4	1086.6							
		7-09-68	24.9(4)	1084.1							
		7-31-68	25.4(4)	1083.6							
		9-19-68	29.9(4)	1079.1							
05N/17W-36H04S	1086.2	11-01-67	7.5	1078.7	1101						
		3-28-68	(1)								
05N/17W-36H05S	1099.6	11-01-67	(1)		1101						
		3-28-68	(1)								
05N/17W-36J01S	1088.2	11-01-67	8.0	1080.2	1101						
		3-28-68	(1)								
05N/17W-36J02S	1088.1	10-09-67	9.6(4)	1078.5	5050						
		11-08-67	12.1(4)	1076.0							
		12-04-67	5.7	1082.4							
		1-09-68	7.7(4)	1080.4							
		2-06-68	7.5(4)	1080.6							
		3-01-68	7.8	1080.3							
		4-02-68	(1)								
		5-14-68	6.4(4)	1081.7							
		6-06-68	6.6	1081.5							
		7-09-68	8.6(4)	1079.5							
		7-31-68	10.0(4)	1078.1							
		9-19-68	14.7(4)	1073.4							
06N/17W-22A01S	1640.0	11-14-67	22.2	1617.8	5050						
		11-27-67	19.7	1620.3							
		1-08-68	10.9	1629.1							
		2-05-68	11.0	1629.0							
		3-07-68	10.1	1629.9							
		4-05-68	8.8	1631.2							
		5-10-68	9.8	1630.2							
		6-07-68	11.7	1628.3							
		7-10-68	15.6	1624.4							
		8-01-68	17.9	1622.1							
		9-10-68	22.9	1617.1							
08N/18W-28B01S	3215.0	11-15-67	70.9	3144.1	5050						
		1-05-68	63.8	3151.2							
		2-07-68	63.8	3151.2							
		3-07-68	63.3	3151.7							
		4-30-68	63.3	3151.7							
		5-29-68	64.0	3151.0							
		7-03-68	65.7	3149.3							
		8-05-68	64.3	3150.7							
		9-12-68	65.1	3149.9							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT			U-03.F0			CALLEGUAS-CONEJO HYDRO SUBUNIT			U-03.F0		
WEST LAS POSAS HYDRO SUBAREA			U-03.F1			EAST LAS POSAS HYDRO SUBAREA			U-03.F2		
02N/21W-11J01S	385.8	11-07-67	359.9	25.9	5121	02N/20W-16C01S	291.6	11-14-67	217.4	74.2	5121
		2-21-68	339.1	46.7				2-28-68	196.9	94.7	
		5-14-68	(1)					5-14-68	210.4	81.2	
		8-13-68	356.4	29.4				8-13-68	229.0	62.6	
02N/21W-12F01S	404.6	11-07-67	308.1	96.5	5121	03N/19W-30E03S	860.0	5-14-68	(7)		5121
		2-21-68	310.4	94.2				8-13-68	(7)		
		5-14-68	325.8(2)	78.8		03N/19W-30P01S	761.2	11-14-67	61.8	699.4	5121
		8-13-68	352.2(2)	52.4				2-28-68	60.8	700.4	
02N/21W-15A01S	308.5	11-07-67	329.5	-21.0	5121			5-14-68	61.3	699.9	
		2-21-68	324.2	-15.7				5-14-68	61.3	699.9	
		5-14-68	339.5	-31.0				8-13-68	61.9	699.3	
		8-13-68	358.1	-49.6		03N/19W-33P03S	731.5	11-14-67	306.7	424.8	5121
02N/21W-15M03S	263.0	11-07-67	268.7	-5.7	5121			2-28-68	293.0	438.5	
		2-21-68	268.1	-5.1				2-29-68	304.0(1)	427.5	
		5-14-68	(1)					5-14-68	293.8	437.7	
		8-13-68	287.6	-24.6				5-14-68	293.8	437.7	
02N/21W-16J01S	259.4	11-07-67	(9)		5121			8-13-68	(1)		
		2-21-68	84.5	174.9		ARROYO SANTA ROSA HYDRO SUBAREA			U-03.F3		
		5-14-68	81.5	177.9		02N/19W-20L01S	304.5	5-15-68	(2)		5121
		8-13-68	82.5	176.9				8-14-68	(2)		
02N/21W-20Q03S	112.1	12-13-67	113.4(1)	-1.3	5121	02N/19W-20N01S	305.5	12-12-67	(5)		5121
		2-26-68	111.4(5)	.7				3-01-68	173.9	131.6	
		5-16-68	114.4(4)	-2.3				5-15-68	(1)		
EAST LAS POSAS HYDRO SUBAREA			U-03.F2					8-14-68	206.9	98.6	
02N/19W-03A05S	579.6	11-17-67	2.2	577.4	5121	02N/19W-21C02S	489.6	12-12-67	140.8	348.8	5121
		2-29-68	1.2	578.4				3-01-68	140.5	349.1	
		5-14-68	.9	578.7				5-15-68	136.6	353.0	
		8-13-68	.8	578.8				8-14-68	139.0	350.6	
02N/19W-04K01S	526.7	11-17-67	144.6	382.1	5121	02N/20W-22H01S	281.6	12-12-67	219.1	62.5	5121
		2-29-68	137.6	389.1				3-01-68	213.4	68.2	
		5-14-68	134.1	392.6				5-15-68	213.2	68.4	
		8-13-68	131.2	395.5				8-14-68	214.7	66.9	
02N/19W-05M01S	477.6	11-14-67	272.3	205.3	5121	02N/20W-23R01S	234.6	12-12-67	95.8	138.8	5121
		2-28-68	251.7	225.9				3-01-68	88.0	146.6	
		5-14-68	250.4	227.2				5-15-68	(1)		
		8-13-68	249.5	228.1				8-14-68	92.5	142.1	
02N/19W-06E01S	615.0	11-14-67	(1)		5121	02N/20W-25L01S	235.2	12-12-67	(9)		5121
		2-28-68	356.1	258.9				3-01-68	53.7	181.5	
		5-14-68	368.1	246.9				5-15-68	54.4	180.8	
		8-13-68	(1)					8-14-68	60.8	174.4	
02N/19W-06N03S	442.8	11-14-67	88.8	354.0	5121	02N/20W-26B03S	205.5	12-12-67	68.8	136.7	5121
		2-28-68	87.0	355.8				3-01-68	60.5	145.0	
		5-14-68	89.0	353.8				5-15-68	57.1	148.4	
		8-13-68	90.5	352.3				8-14-68	60.0	145.5	
02N/19W-07A03S	457.0	2-28-68	110.6	346.4	5121	CONEJO VALLEY HYDRO SUBAREA			U-03.F4		
		5-14-68	112.8	344.2		01N/19W-07K08S	653.1	12-13-67	9.6	643.5	5121
		8-13-68	101.2	355.8				3-14-68	12.1	641.0	
02N/19W-08G03S	491.4	11-14-67	(1)		5121			8-30-68	(5)		
		2-28-68	(3)			01N/19W-07K16S	634.6	12-13-67	(4)		5121
		5-14-68	(3)					3-06-68	(4)		
		8-13-68	(1)					8-15-68	(4)		
02N/20W-01Q01S	451.7	11-14-67	96.0	355.7	5121	01N/19W-18B06S	711.1	12-13-67	4.0	707.1	5121
		2-28-68	(9)					3-06-68	3.9	707.2	
		5-14-68	92.8	358.9				5-21-68	44.3	666.8	
		8-13-68	93.9	357.8				8-15-68	(6)		
02N/20W-06B01S	557.1	11-07-67	156.7	400.4	5121	01N/20W-03J01S	762.9	12-13-67	61.1	701.8	5121
		2-28-68	151.0	406.1				3-06-68	60.4	702.5	
		5-14-68	152.0	405.1				5-21-68	(1)		
		8-13-68	152.3	404.8				8-15-68	(1)		
02N/20W-08H01S	429.9	11-14-67	423.9	6.0	5121	02N/19W-33C02S	778.4	12-13-67	52.7	725.7	5121
		2-28-68	(9)					3-14-68	50.7	727.7	
		5-14-68	(7)			TIERRA REJADA VALLEY HYDRO SUBAREA			U-03.F5		
		8-14-68	464.3(1)	-34.4		02N/19W-10R01S	618.6	12-11-67	218.8	399.8	5121
02N/20W-10G01S	415.1	11-14-67	(3)		5121			3-01-68	218.0	400.6	
		2-29-68	292.6(5)	122.5				5-15-68	(9)		
		5-14-68	(1)					8-14-68	(9)		
		8-14-68	310.0	105.1		02N/19W-11J02S	717.2	5-15-68	(7)		5121
02N/20W-12G02S	420.0	11-14-67	92.6	327.4	5121			8-14-68	(3)		
		2-28-68	87.4	332.6		02N/19W-14D01S	618.4	12-11-67	230.0	388.4	5121
		5-14-68	88.0	332.0				3-01-68	223.7	394.7	
		8-13-68	85.1	334.9				5-15-68	(9)		
02N/20W-12J01S	428.7	11-14-67	239.5	189.2	5121						
		2-28-68	218.0	210.7							
		5-14-68	217.0	211.7							
		8-13-68	215.8	212.9							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA CLARA-CALLEGUAS HYDRO UNIT						U-03.00					
CALLEGUAS-CONEJO HYDRO SUBUNIT						U-03.F0					
TIERRA REJADA VALLEY HYDRO SUBAREA						U-03.F5					
02N/19W-14D01S (CONT.)	618.4	8-14-68	(6)		5121						
02N/19W-14P01S	677.4	12-12-67	36.3	641.1	5121						
		3-01-68	31.8	645.6							
		5-15-68	(1)								
		8-14-68	(9)								
02N/19W-15J02S	627.7	12-12-67	236.5	391.2	5121						
		3-01-68	220.0	407.7							
		5-15-68	(1)								
		8-14-68	(1)								
SIMI VALLEY HYDRO SUBAREA						U-03.F7					
02N/17W-09E01S	1027.0	5-15-68	(3)		5121						
		8-14-68	(3)								
02N/17W-09N05S	1047.8	5-15-68	16.8	1031.0	5121						
		8-14-68	19.4	1028.4							
02N/18W-01M01S	993.6	5-15-68	278.3(2)	715.3	5121						
		8-14-68	(4)								
02N/18W-07F04S	753.4	12-11-67	67.0	686.4	5121						
		3-01-68	64.1	689.3							
		5-15-68	64.0	689.4							
		8-14-68	64.7	688.7							
02N/18W-08C02S	746.4	5-15-68	(5)		5121						
		8-14-68	(5)								
02N/18W-09M01S	770.7	5-15-68	78.5	692.2	5121						
		8-14-68	78.2	692.5							
02N/18W-13C01S	939.2	2-29-68	(5)		5121						
		8-14-68	(5)								
02N/18W-14C03S	883.2	5-15-68	64.4	818.8	5121						
		8-14-68	66.9	816.3							
02N/18W-15G02S	868.6	5-15-68	94.2	774.4	5121						
		8-14-68	93.7	774.9							
THOUSAND OAKS HYDRO SUBAREA						U-03.F8					
01N/19W-01K01S	1244.2	3-14-68	36.3	1207.9	5121						
		5-16-68	(1)								
01N/19W-02C01S	890.5	12-14-67	27.3	863.2	5121						
		3-14-68	24.9	865.6							
		3-14-68	24.9	865.6							
		8-30-68	(7)								
01N/19W-02L01S	945.2	12-14-67	75.3	869.9	5121						
		3-14-68	76.4	868.8							
		8-30-68	76.9	868.3							
01N/19W-09M02S	764.0	12-13-67	255.2	508.8	5121						
		3-14-68	(7)								
		8-30-68	(7)								
01N/19W-11Q01S	902.6	12-14-67	38.5	864.1	5121						
		3-14-68	39.4	863.2							
		8-30-68	40.5	862.1							
01N/19W-13B01S	996.1	3-14-68	57.6	938.5	5121						
		5-15-68	49.9	946.2							
01N/19W-14K04S	907.9	12-20-67	49.1	858.8	5121						
		3-14-68	48.3	859.6							
01N/19W-15A02S	816.5	12-14-67	49.9	766.6	5121						
		3-14-68	47.1	769.4							
01N/19W-15E01S	902.6	12-13-67	21.0	881.6	5121						
		3-06-68	24.8	877.8							
		5-21-68	25.0	877.6							
		5-21-68	25.0	877.6							
		8-15-68	26.7	875.9							
02N/18W-31K01S	1148.5	12-14-67	(9)		5121						
		3-14-68	(5)								
		3-14-68	(5)								
02N/19W-35J01S	1001.4	12-14-67	94.4	907.0	5121						
		3-14-68	96.1	905.3							
		3-14-68	96.1	905.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
TOPANGA HYDRO SUBUNIT			U-04.A0			MALIBU CREEK HYDRO SUBUNIT			U-04.B0		
TOPANGA CANYON HYDRO SUBAREA			U-04.A1			MALIBU CREEK HYDRO SUBAREA			U-04.B1		
01S/16W-18L02S	921.0	11-14-67 4-16-68	71.0 65.9	850.0 855.1	1101	01S/17W-29E01S	80.0	11-15-67 4-17-68	11.2 10.8	68.8 69.2	1101
01S/16W-29Q01S	60.0	11-14-67 4-16-68	11.4 7.3	48.6 52.7	1101	01S/17W-29N01S	59.4	11-15-67 4-17-68	31.0 29.1	28.4 30.3	1101
01S/16W-29Q02S	60.0	11-14-67 4-16-68	8.6 3.4	51.4 56.6	1101	01S/17W-29N02S	63.8	11-15-67 4-17-68	25.6 24.2	38.2 39.6	1101
01S/16W-32G01S	17.5	11-14-67 4-16-68	14.8(1) 10.4(1)	2.7 7.1	1101	01S/17W-29P01S	35.0	11-15-67 4-17-68	25.4 24.9	9.6 10.1	1101
01S/16W-32G02S	16.0	11-14-67 4-16-68	11.4(2) 7.4(2)	4.6 8.6	1101	01S/17W-32F01S	19.7	11-15-67 4-17-68	16.2 15.7	3.5 4.0	1101
PIEDRA GONDA CANYON HYDRO SUBAREA			U-04.A4			01S/17W-32F02S	21.9	11-15-67 4-17-68	17.6 17.0	4.3 4.9	1101
01S/17W-36D01S	825.0	11-14-67 4-16-68	366.7 365.8	458.3 459.2	1101	01S/17W-32F03S	16.3	11-15-67 4-17-68	13.3 12.7	3.0 3.6	1101
01S/17W-36H02S	250.0	11-14-67 4-16-68	37.7 36.4	212.3 213.6	1101	01S/17W-32G01S	12.5	11-14-67 4-17-68	10.7 9.9	1.8 2.6	1101
LAS FLORES CANYON HYDRO SUBAREA			U-04.A5			01S/17W-32L04S	16.0	11-15-67 4-17-68	13.0 12.2	3.0 3.8	1101
01S/17W-26E01S	325.0	11-14-67 4-16-68	FLOW FLOW		1101	01S/17W-32L05S	15.0	11-14-67 11-15-67 4-17-68	15.0 14.3 14.5	.0 .7 .5	1101
						LAS VIRGENES CANYON HYDRO SUBAREA			U-04.B2		
						01N/17W-30P02S	703.0	11-15-67 4-16-68	34.4 31.5	668.6 671.5	1101
						01N/17W-31C01S	703.0	11-15-67 4-16-68	35.7 31.8	667.3 671.2	1101
						01N/18W-24J01S	1119.4	11-15-67 4-16-68	143.8 140.9	975.6 978.5	1101
						01N/18W-24J02S	1106.4	11-15-67 4-16-68	135.2 132.0	971.2 974.4	1101
						LINDERO CANYON HYDRO SUBAREA			U-04.B3		
						01N/18W-10D01S	1340.0	5-16-68	(9)		5121
						01N/18W-17B01S	1350.0	5-16-68	(5)		5121
						01N/18W-17F01S	1065.8	3-14-68 5-16-68	(9) (9)		5121
						01N/18W-17H01S	1400.0	5-16-68	104.0	1296.0	5121
						RUSSELL VALLEY HYDRO SUBAREA			U-04.B5		
						01N/19W-24H01S	904.7	12-13-67 3-06-68 5-21-68 8-15-68	36.1 35.5 34.7 36.4	868.6 869.2 870.0 868.3	5121
						SHERWOOD HYDRO SUBAREA			U-04.B6		
						01N/19W-19L02S	1082.0	12-20-67 3-06-68 5-21-68 5-21-68 8-15-68	47.5 51.3 (7) (9) (9)	1034.5 1030.7	5121
						01N/19W-28A01S	963.3	12-13-67 3-06-68 5-21-68 8-15-68	3.7 3.6 4.7 16.0	959.6 959.7 958.6 947.3	5121
						01N/19W-30A01S	998.2	12-13-67 3-06-68 5-21-68 8-15-68	2.9 2.0 (1) (1)	995.3 996.2	5121
						01N/20W-24H02S	1126.0	12-20-67 3-06-68 5-21-68 8-15-68	(1) (1) 50.1 51.4		5121
						01N/20W-25E02S	1203.4	12-20-67 3-06-68 5-21-68	66.4 70.7 89.7	1137.0 1132.7 1113.7	5121

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
MALIBU CREEK HYDRO SUBUNIT			U-04.80			POINT DUME HYDRO SUBUNIT			U-04.C0		
SHERWOOD HYDRO SUBAREA			U-04.86			RAMERA CANYON HYDRO SUBAREA			U-04.C5		
01N/20W-25E02S	1203.4	8-15-68	(9)	5121		01S/18W-32P01S	120.0	11-14-67 4-16-68	25.1 15.6	94.9 104.4	1101
						01S/18W-32P02S	135.0	11-14-67 4-16-68	20.7 18.3	114.3 116.7	1101
						01S/18W-34M01S	125.0	11-14-67 4-16-68	45.0 45.1	80.0 79.9	1101
						02S/18W-05B01S	100.0	11-14-67 4-16-68	20.3 15.9	79.7 84.1	1101
						02S/18W-05C01S	125.0	11-14-67 4-16-68	36.3 28.7	88.7 96.3	1101
						02S/18W-05C02S	100.0	11-14-67 4-16-68	5.6 4.7	94.4 95.3	1101
						02S/18W-05C03S	100.0	11-14-67 4-16-68	DRY 7.4		1101
						02S/18W-05C04S	100.0	11-14-67 4-16-68	24.8 10.5	75.2 89.5	1101
						02S/18W-05C05S	125.0	11-14-67 4-16-68	23.7 12.2	101.3 112.8	1101
						02S/18W-05E01S	200.0	11-14-67 4-16-68	68.5 67.6	131.5 132.4	1101
						ZUMA CANYON HYDRO SUBAREA			U-04.C6		
						01S/18W-31N01S	90.0	11-15-67 4-17-68	54.3 44.2	35.7 45.8	1101
						02S/18W-06E01S	66.6	11-15-67 4-17-68	34.2 32.0	32.4 34.6	1101
						02S/18W-06E02S	66.0	11-15-67 4-17-68	38.0 36.0	28.0 30.0	1101
						02S/18W-06M01S	54.0	11-15-67 4-17-68	27.9 31.0	26.1 23.0	1101
						02S/18W-06M02S	45.0	11-15-67 4-17-68	22.7(4) 24.1(4)	22.3 20.9	1101
						TRANCAS CANYON HYDRO SUBAREA			U-04.C7		
						01S/19W-29P01S	275.0	11-15-67 4-17-68	9.9 7.4	265.1 267.6	1101
						01S/19W-29001S	690.0	11-15-67 4-17-68	254.2 253.9	435.8 436.1	1101
						01S/19W-35P01S	25.0	11-15-67 4-17-68	21.8 13.3	3.2 11.7	1101
						01S/19W-35002S	23.0	11-15-67 4-17-68	15.9 8.7	7.1 14.3	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MALIBU HYDRO UNIT						U-04.00					
CAMARILLO HYDRO SUBUNIT						U-04.00					
NICHOLAS CANYON HYDRO SUBAREA						U-04.03					
01S/19W-30P01S	225.0	11-14-67	3.3	221.7	1101						
		4-16-68	4.4	220.6							
ARROYO SEQUIT HYDRO SUBAREA						U-04.04					
01S/20W-25E01S	54.0	11-14-67	22.5(4)	31.5	1101						
		4-16-68	10.0	44.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
02S/14W-19K02S	57.0	10-17-67	92.5	-35.5	5050	02S/14W-27M01S (CONT.)	155.0	9-30-68	225.3(6)	-70.3	5061
		11-06-67	93.0	-36.0	1101						
		4-09-68	88.0(2)	-31.0	5050	02S/14W-27P02S	162.0	11-06-67	245.5	-83.5	1101
		4-15-68	91.3(2)	-34.3	1101			4-10-68	238.2	-76.2	
		5-06-68	90.4(2)	-33.4		02S/14W-28E01S	108.0	10-02-67	194.2(1)	-86.2	5061
		8-05-68	91.2	-34.2				10-02-67	194.2(1)	-86.2	
		9-03-68	90.9	-33.9				11-02-67	197.2(1)	-89.2	
02S/14W-19K03S	57.0	10-17-67	93.3	-36.3	5050			12-01-67	190.2(1)	-82.2	
		11-06-67	98.3	-41.3	1101			1-02-68	173.2(5)	-65.2	
		4-09-68	102.3(5)	-45.3	5050			2-05-68	175.7(5)	-67.7	
		4-15-68	103.5(4)	-46.5	1101			2-05-68	187.2(1)	-79.2	
		5-06-68	97.1	-40.1				3-04-68	182.2(5)	-74.2	
		8-05-68	97.2	-40.2				3-04-68	195.2(1)	-87.2	
		9-03-68	94.5	-37.5				4-02-68	174.6	-66.6	5050
02S/14W-19M02S	30.0	11-06-67	51.6	-21.6	1101			4-02-68	174.1(5)	-66.1	5061
		4-15-68	51.6	-21.6				4-02-68	194.2(1)	-86.2	
02S/14W-19M03S	30.0	11-06-67	DRY		1101			5-02-68	184.2(5)	-76.2	
		4-15-68	39.7	-9.7				5-02-68	195.2(1)	-87.2	
02S/14W-19P01S	37.0	11-06-67	DRY		1101			6-03-68	185.2(5)	-77.2	
		4-15-68	DRY					6-03-68	197.2(1)	-89.2	
02S/14W-19P02S	34.0	11-06-67	DRY		1101			7-01-68	187.2(5)	-79.2	
		4-15-68	DRY					7-01-68	198.2(1)	-90.2	
02S/14W-19P03S	34.0	11-06-67	DRY		1101			7-31-68	185.2(5)	-77.2	
		4-15-68	DRY					7-31-68	198.2(1)	-90.2	
02S/14W-19Q01S	48.9	10-17-67	85.9	-37.0	5050	02S/14W-28F01S	116.0	9-04-68	181.2(5)	-73.2	
		11-06-67	86.3	-37.4	1101			9-04-68	194.2(1)	-86.2	
		4-09-68	116.2	-67.3	5050						
		4-15-68	85.9	-37.0	1101						
02S/14W-22N06S	159.2	10-02-67	151.4(5)	7.8	5061						
		10-17-67	151.0	8.2	5050						
		11-02-67	146.4(5)	12.8	5061						
		12-01-67	150.9(5)	8.3							
		12-29-67	151.9(5)	7.3							
		2-01-68	151.9(5)	7.3							
		3-01-68	151.9(5)	7.3							
		4-02-68	156.6	2.6	5050						
		4-02-68	152.5(6)	6.7	5061						
		5-02-68	151.9(5)	7.3							
		5-31-68	150.9(5)	8.3							
		6-30-68	149.9(5)	9.3							
		7-31-68	149.5(5)	9.7							
		9-03-68	149.9(5)	9.3							
02S/14W-22N08S	157.9	10-02-67	211.5(5)	-53.6	5061	02S/14W-28L01S	124.0	10-02-67	178.9(5)	-54.9	5061
		10-17-67	209.1	-51.2	5050			10-17-67	184.0	-60.0	5050
		11-02-67	209.0(6)	-51.1	5061			11-02-67	183.9(5)	-59.9	5061
		12-01-67	212.0(6)	-54.1				12-01-67	178.9(5)	-54.9	
		12-29-67	210.5(5)	-52.6				1-02-68	174.9(5)	-50.9	
		2-01-68	210.5(5)	-52.6				2-02-68	175.9(5)	-51.9	
		3-01-68	209.5(5)	-51.6				3-01-68	181.9	-57.9	
		4-01-68	207.4	-49.5	5050			4-01-68	184.7	-60.7	5050
		4-01-68	207.1(6)	-49.2	5061			4-01-68	184.7(6)	-60.7	5061
		5-02-68	209.5(5)	-51.6				5-02-68	181.9(5)	-57.9	
		5-31-68	208.5(5)	-50.6				5-31-68	181.9(5)	-57.9	
		6-30-68	209.1(5)	-51.2				7-07-68	181.9(6)	-57.9	
		7-31-68	209.1(5)	-51.2				7-31-68	183.9(5)	-59.9	
		9-03-68	209.5(5)	-51.6				9-03-68	184.5(5)	-60.5	
		9-30-68	208.5(5)	-50.6							
02S/14W-22N09S	151.0	10-02-67	191.6(5)	-40.6	5061	02S/14W-28M01S	100.0	10-02-67	157.9(5)	-57.9	5061
		10-17-67	190.2	-39.2	5050			10-17-67	166.9	-66.9	5050
		11-02-67	190.1(6)	-39.1	5061			11-02-67	250.9(1)	-150.9	5061
		12-01-67	193.1(5)	-42.1				12-01-67	260.9(1)	-160.9	
		12-29-67	190.1(5)	-39.1				1-02-68	258.9(1)	-158.9	
		2-01-68	191.6(5)	-40.6				2-05-68	156.9(5)	-56.9	
		3-01-68	191.6(5)	-40.6				2-05-68	256.9(1)	-156.9	
		4-01-68	187.7	-36.7	5050			3-05-68	255.4(1)	-155.4	
		4-01-68	188.8(6)	-37.8	5061			3-05-68	163.9(5)	-63.9	
		5-02-68	191.1(5)	-40.1				4-01-68	161.6	-61.6	5050
		5-31-68	190.6(5)	-39.6				4-02-68	161.2(5)	-61.2	5061
		6-30-68	191.2(5)	-40.2				4-02-68	250.9(1)	-150.9	
		7-31-68	191.2(5)	-40.2				5-02-68	161.9(5)	-61.9	
		9-03-68	192.6(5)	-41.6				5-02-68	246.9(1)	-146.9	
		9-30-68	191.6(5)	-40.6				6-05-68	163.5(5)	-63.5	
02S/14W-27M01S	155.0	10-05-67	244.7(6)	-89.7	5061			6-05-68	251.9(1)	-151.9	
		10-05-67	244.7(6)	-89.7				7-08-68	163.9(5)	-63.9	
		11-02-67	227.7(6)	-72.7				7-08-68	252.9(1)	-152.9	
		12-04-67	226.7(6)	-71.7				7-31-68	163.9(5)	-63.9	
		1-03-68	225.7(6)	-70.7				7-31-68	249.9(1)	-149.9	
		2-02-68	227.2(6)	-72.2				9-05-68	164.9(5)	-64.9	
		3-01-68	226.7(6)	-71.7				9-05-68	240.9(1)	-140.9	
		4-03-68	225.4	-70.4	5050	02S/14W-28M02S	95.0	10-02-67	166.8(1)	-71.8	5061
		4-03-68	226.7(6)	-71.7	5061			10-23-67	151.8	-56.8	5050
		5-02-68	227.3(6)	-72.3				11-02-67	171.8(1)	-76.8	5061
		6-03-68	226.7(6)	-71.7				12-01-67	163.8(1)	-68.8	
		6-30-68	226.3(6)	-71.3				1-02-68	160.8(1)	-65.8	
		7-31-68	222.7(6)	-67.7				2-05-68	162.3(1)	-67.3	
		9-03-68	223.7(6)	-68.7				2-05-68	147.8(5)	-52.8	
								3-05-68	149.8(5)	-54.8	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
02S/14W-28H02S (CONT.)	95.0	3-05-68	167.8(1)	-72.8	5061	02S/14W-34C01S (CONT.)	142.0	4-03-68	222.9	-80.9	5050
		4-02-68	151.9	-56.9	5050						
		4-02-68	151.5(5)	-56.5	5061						
		4-02-68	169.8(1)	-74.8		02S/14W-34C02S	147.0	10-05-67	237.3	-90.3	5050
		5-02-68	169.4(1)	-74.4				10-05-67	229.4(6)	-82.4	5061
		5-02-68	152.8(5)	-57.8				11-02-67	246.6(6)	-99.6	
		6-03-68	172.8(1)	-77.8				12-04-67	236.1(6)	-89.1	
		6-03-68	154.8(5)	-59.8				1-03-68	229.1(6)	-82.1	
		7-01-68	172.8(1)	-77.8				2-02-68	231.1(6)	-84.1	
		7-01-68	154.8(5)	-59.8				3-01-68	231.1(6)	-84.1	
		7-31-68	153.8(5)	-58.8				4-03-68	229.1	-82.1	5050
		7-31-68	173.8(1)	-78.8				4-03-68	231.1(6)	-84.1	5061
		9-04-68	156.8(5)	-61.8				5-02-68	236.1(6)	-89.1	
		9-04-68	173.8(1)	-78.8				5-31-68	241.7(6)	-94.7	
								7-01-68	243.7(6)	-96.7	
02S/14W-29H01S	90.0	10-02-67	207.7(1)	-117.7	5061			7-31-68	245.1(6)	-98.1	
		10-17-67	146.1	-56.1	5050			9-03-68	243.1(6)	-96.1	
		11-02-67	146.7(5)	-56.7	5061			9-30-68	238.7(6)	-91.7	
		12-01-67	145.7(5)	-55.7		02S/14W-34F01S	152.0	10-19-67	236.7(5)	-84.7	5050
		1-02-68	141.7(5)	-51.7				4-04-68	233.2(5)	-81.2	
		2-05-68	144.7(5)	-54.7							
		3-01-68	146.7(5)	-56.7		02S/14W-34L02S	137.0	10-19-67	241.5(4)	-104.5	5050
		4-01-68	146.2	-56.2	5050			4-04-68	204.0(5)	-67.0	
		4-01-68	146.9(6)	-56.9	5061						
		5-02-68	147.7(5)	-57.7		02S/15W-34F01S	60.8	10-26-67	58.5	2.3	1101
		5-31-68	147.7(5)	-57.7				11-07-67	63.3	-2.5	
		6-30-68	147.7(5)	-57.7				4-15-68	62.1	-1.3	
		7-31-68	147.7(5)	-57.7							
		9-03-68	149.3(5)	-59.3		03S/13W-18G02S	131.2	10-18-67	206.8	-75.6	5050
								4-04-68	204.9	-73.7	
02S/14W-32C02S	102.0	10-02-67	142.4(5)	-40.4	5061	03S/13W-19A01S	109.6	10-18-67	153.5	-43.9	5050
		10-17-67	149.6	-47.6	5050			4-01-68	150.1	-40.5	
		11-02-67	168.4(1)	-66.4	5061	03S/13W-19A03S	121.0	10-19-67	173.2	-52.2	5050
		11-02-67	144.9(5)	-42.9				4-01-68	170.0	-49.0	
		12-04-67	169.4(1)	-67.4		03S/13W-19D01S	70.0	11-10-67	110.5	-40.5	1101
		12-04-67	143.4(5)	-41.4				4-15-68	109.4	-39.4	
		1-02-68	168.4(1)	-66.4		03S/13W-19D02S	81.0	11-10-67	117.4	-36.4	1101
		1-02-68	141.4(5)	-39.4				4-15-68	116.4	-35.4	
		2-05-68	141.4(5)	-39.4		03S/13W-19J03S	72.3	11-13-67	114.0	-41.7	1101
		2-05-68	168.4(1)	-66.4				4-16-68	112.9	-40.6	
		3-04-68	139.4(5)	-37.4				4-16-68	112.9	-40.6	
		3-04-68	167.4(1)	-65.4		03S/13W-19N01S	46.6	10-18-67	85.4	-38.8	5050
		4-01-68	146.3	-44.3	5050			4-04-68	84.1	-37.5	
		4-02-68	145.8(5)	-43.8	5061	03S/13W-19Q03S	48.0	10-18-67	93.9	-45.9	5050
		4-02-68	170.4(1)	-68.4				4-04-68	88.7	-40.7	
		5-02-68	149.4(5)	-47.4		03S/13W-19N01S	46.6	10-18-67	85.4	-38.8	5050
		5-02-68	172.4(1)	-70.4				4-04-68	84.1	-37.5	
		6-05-68	175.0(1)	-73.0		03S/13W-19Q03S	48.0	10-18-67	93.9	-45.9	5050
		6-05-68	150.4(5)	-48.4				4-04-68	88.7	-40.7	
		6-30-68	151.4(5)	-49.4		03S/13W-20C01S	104.2	10-19-67	149.2	-45.0	5050
		6-30-68	178.4(1)	-76.4				4-01-68	146.7	-42.5	
		7-31-68	148.0(5)	-46.0		03S/13W-29A02S	67.0	10-18-67	111.2	-44.2	5050
		7-31-68	176.4(1)	-74.4				4-01-68	110.1	-43.1	
		9-03-68	150.4(5)	-48.4		03S/13W-29A03S	70.7	11-13-67	(7)		1101
		9-03-68	175.4(1)	-73.4				4-16-68	(7)		
02S/14W-32F01S	99.0	10-02-67	160.7(1)	-61.7	5061			4-17-68	(6)		
		10-02-67	160.7(1)	-61.7		03S/13W-29C01S	57.8	11-13-67	98.5(8)	-40.7	1101
		11-02-67	166.7(1)	-67.7				4-16-68	96.8(8)	-39.0	
		11-02-67	145.7(5)	-46.7		03S/13W-29D06S	49.0	10-25-67	118.0	-69.0	5050
		12-04-67	167.7(1)	-68.7				4-01-68	116.7(1)	-67.7	
		12-04-67	139.7(5)	-40.7		03S/13W-29D07S	49.0	10-25-67	121.5	-72.5	5050
		1-02-68	167.2(1)	-68.2				4-01-68	127.8	-78.8	
		1-02-68	144.7(5)	-45.7		03S/13W-29E03S	44.0	10-18-67	64.1	-20.1	5050
		2-05-68	143.7(5)	-44.7				4-01-68	63.9	-19.9	
		2-05-68	163.7(1)	-64.7		03S/13W-29N02S	38.0	10-18-67	112.2	-74.2	5050
		3-04-68	143.7(5)	-44.7				4-01-68	110.7	-72.7	
		3-04-68	165.7(1)	-66.7		03S/13W-30H02S	41.2	11-08-67	77.7	-36.5	1101
		4-02-68	145.5	-46.5	5050			4-16-68	77.3	-36.1	
		4-02-68	146.3(5)	-47.3	5061			4-16-68	77.3	-36.1	
		4-02-68	164.7(1)	-65.7		03S/13W-30J01S	36.2	10-24-67	108.4	-72.2	5050
		5-02-68	145.2(5)	-46.2				4-01-68	105.8	-69.6	
		5-02-68	162.7(1)	-63.7		03S/13W-30J05S	35.0	10-18-67	75.8	-40.8	5050
		6-05-68	147.7(5)	-48.7				4-01-68	71.3	-36.3	
		6-05-68	169.7(1)	-70.7		03S/13W-30K01S	39.5	10-18-67	76.1	-36.6	5050
		6-30-68	146.7(5)	-47.7				4-04-68	80.8	-41.3	
		6-30-68	174.7(1)	-75.7		03S/13W-30Q07S	30.5	11-08-67	68.1	-37.6	1101
		8-01-68	150.3(5)	-51.3				4-15-68	67.1	-36.6	
		8-01-68	167.7(1)	-68.7		03S/13W-31B07S	26.0	10-18-67	76.4	-50.4	5050
		9-03-68	172.3(1)	-73.3				4-01-68	75.2	-49.2	
		9-03-68	148.7(5)	-49.7				4-16-68	73.7	-47.7	1101
02S/14W-32F02S	96.0	10-02-67	139.4(5)	-43.4	5061						
		10-17-67	142.6	-46.6	5050						
		11-02-67	142.4(5)	-46.4	5061						
		12-04-67	140.4(5)	-44.4							
		1-02-68	140.4(5)	-44.4							
		2-05-68	141.4(6)	-45.4							
		3-01-68	139.4(6)	-43.4							
		4-01-68	140.4	-44.4	5050						
		4-01-68	140.2(6)	-44.2	5061						
		5-02-68	141.4(6)	-45.4							
		5-31-68	142.4(6)	-46.4							
		6-30-68	140.0(6)	-44.0							
		7-31-68	140.4(6)	-44.4							
		9-03-68	141.0(6)	-45.0							
02S/14W-34C01S	142.0	10-19-67	229.6	-87.6	5050						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
03S/13W-31H07S (CONT.)	26.0	4-16-68	73.7	-47.7	1101	03S/14W-03K01S (CONT.)	76.0	5-15-68	144.9(5)	-68.9	1101
03S/13W-31C02S	27.0	10-18-67	96.9	-69.9	5050			5-28-68	258.0(1)	-182.0	
		4-04-68	89.3	-62.3				6-21-68	145.9(5)	-69.9	1101
03S/13W-31H01S	26.0	10-19-67	100.5	-74.5	5050			6-28-68	143.0(5)	-67.0	5061
		4-01-68	99.0	-73.0				6-28-68	259.0(1)	-183.0	
03S/13W-31K01S	20.0	10-19-67	22.4	-2.4	5050			7-15-68	142.9(5)	-66.9	1101
		4-04-68	24.3	-4.3				7-28-68	142.0(5)	-66.0	5061
03S/13W-31K02S	15.0	10-19-67	19.1(1)	-4.1	5050			7-28-68	257.0(1)	-181.0	
		4-04-68	16.7	-1.7				8-21-68	148.5	-72.5	1101
03S/13W-31M01S	35.0	10-18-67	114.5(1)	-79.5	5050	03S/14W-03K02S	76.0	8-21-68	147.0(5)	-71.0	5061
		4-04-68	117.1(1)	-82.1				8-28-68	260.0(1)	-184.0	
03S/13W-32C01S	34.9	10-23-67	70.9	-36.0	5050			9-21-68	139.9(5)	-63.9	1101
		11-13-67	70.1	-35.2	1101			9-28-68	140.0(5)	-64.0	5061
		4-02-68	70.5	-35.6	5050			9-28-68	260.0(1)	-184.0	
		4-16-68	70.3	-35.4	1101						
03S/13W-32E02S	25.0	10-23-67	75.0	-50.0	5050						
		4-02-68	74.5	-49.5							
03S/13W-32F02S	46.0	10-23-67	115.2	-69.2	5050						
		4-02-68	114.9	-68.9							
03S/13W-35A05S	27.3	11-08-67	61.8	-34.5	1101						
		4-15-68	60.0	-32.7							
03S/14W-02D01S	136.0	10-04-67	257.4(5)	-121.4	5061						
		10-17-67	220.9	-84.9	5050						
		11-02-67	226.9(6)	-90.9	5061						
		12-04-67	218.4(5)	-82.4							
		1-02-68	216.4(5)	-80.4							
		2-02-68	214.4(5)	-78.4							
		3-01-68	214.4(5)	-78.4							
		4-02-68	209.9	-73.9	5050						
		4-02-68	210.3(6)	-74.3	5061						
		5-02-68	214.9(5)	-78.9							
		5-31-68	252.4(5)	-116.4							
		7-01-68	253.0(5)	-117.0							
		8-01-68	253.4(5)	-117.4							
		9-03-68	228.0(5)	-92.0							
		9-30-68	217.1(6)	-81.1							
03S/14W-03M01S	91.0	10-05-67	318.3(1)	-227.3	5061						
		10-17-67	199.5	-108.5	5050						
		11-02-67	289.3(1)	-198.3	5061						
		11-02-67	191.3(5)	-100.3							
		12-04-67	277.3(1)	-186.3							
		12-04-67	181.3(5)	-90.3							
		1-02-68	270.3(1)	-179.3							
		1-02-68	177.3(5)	-86.3							
		2-02-68	263.3(1)	-172.3							
		2-02-68	174.3(5)	-83.3							
		3-01-68	178.3(5)	-87.3							
		3-01-68	269.3(1)	-178.3							
		4-02-68	173.9	-82.9	5050						
		4-02-68	174.0(5)	-83.0	5061						
		4-02-68	260.3(1)	-169.3							
		5-02-68	177.3(5)	-86.3							
		5-02-68	262.3(1)	-171.3							
		6-05-68	209.3(5)	-118.3							
		6-05-68	299.3(1)	-208.3							
		7-01-68	302.3(1)	-211.3							
		7-01-68	204.3(5)	-113.3							
		8-02-68	220.9(5)	-129.9							
		8-02-68	321.3(1)	-230.3							
		9-03-68	188.3(5)	-97.3							
		9-30-68	177.3(6)	-86.3							
03S/14W-03K01S	76.0	10-12-67	144.0	-68.0	5050	03S/14W-03K03S	76.0	10-28-67	195.0(1)	-119.0	5061
		10-15-67	145.9(5)	-69.9	1101			11-14-67	195.0(1)	-119.0	
		10-28-67	250.0(1)	-174.0	5061			12-21-67	195.0(1)	-119.0	
		10-28-67	150.0(5)	-74.0				1-28-68	195.0(1)	-119.0	
		11-07-67	147.9(5)	-71.9	1101			2-28-68	190.0(1)	-114.0	
		11-14-67	249.0(1)	-173.0	5061			2-28-68	(9)		
		11-14-67	148.0(5)	-72.0				3-28-68	195.0(1)	-119.0	
		12-07-67	149.9(5)	-73.9	1101			3-28-68	(9)		
		12-21-67	251.0(1)	-175.0	5061			4-03-68	(1)		5050
		12-21-67	148.0(5)	-72.0				4-28-68	196.0(1)	-120.0	5061
		1-07-68	144.9(5)	-68.9	1101			4-28-68	(9)		
		1-07-68	145.0(5)	-69.0	5061			5-28-68	192.0(1)	-116.0	
		1-07-68	251.0(1)	-175.0				6-28-68	194.0(1)	-118.0	
		2-28-68	259.0(1)	-183.0				7-28-68	195.0(1)	-119.0	
		2-28-68	140.0(5)	-64.0				8-28-68	192.0(1)	-116.0	
		2-30-68	141.5	-65.5	1101			9-21-68	195.0(1)	-119.0	
		3-21-68	141.9(5)	-65.9				9-28-68	(9)		
		3-28-68	143.0(5)	-67.0	5061	03S/14W-04N01S	74.0	10-16-67	161.0(5)	-87.0	5050
		3-28-68	255.0(1)	-179.0				10-21-67	161.0(5)	-87.0	1101
		4-03-68	139.3	-63.3	5050			10-21-67	278.0(1)	-204.0	5061
		4-15-68	143.9(5)	-67.9	1101			10-21-67	162.0(5)	-88.0	
		4-21-68	140.0(5)	-64.0	5061			11-07-67	156.0(5)	-82.0	1101
		4-28-68	257.0(1)	-181.0				11-07-67	157.0(5)	-83.0	5061
		5-14-68	145.0(5)	-69.0				11-14-67	275.0(1)	-201.0	
								12-21-67	151.0(5)	-77.0	1101
								12-21-67	279.0(1)	-205.0	5061
								12-21-67	152.0(5)	-78.0	
								1-15-68	147.0(5)	-73.0	1101
								1-28-68	148.0(5)	-74.0	5061
								1-28-68	279.0(1)	-205.0	
								2-15-68	149.0(5)	-75.0	1101
								2-28-68	147.0(5)	-73.0	5061
								2-28-68	270.0(1)	-196.0	
								3-15-68	142.0(5)	-68.0	1101
								3-28-68	147.0(5)	-73.0	5061
								3-28-68	280.0(1)	-206.0	
								4-03-68	145.7	-71.7	5050
								4-15-68	146.0(5)	-72.0	1101
								4-28-68	147.0(5)	-73.0	5061
								4-28-68	281.0(1)	-207.0	
								5-21-68	151.0(5)	-77.0	1101
								5-21-68	152.0(5)	-78.0	5061
								5-28-68	277.0(1)	-203.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA						COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA					
U-05.A0						U-05.A0					
U-05.A2						U-05.A2					
03S/14W-04N01S (CONT.)	74.0	6-15-68	150.0(5)	-76.0	1101	03S/14W-07Q04S (CONT.)	100.0	11-01-67	169.7	-69.7	5061
		6-28-68	154.0(5)	-80.0				12-01-67	160.8	-60.8	5061
		6-28-68	279.0(1)	-205.0				1-01-68	164.8	-64.8	
		7-15-68	154.0(5)	-80.0	1101			2-01-68	165.8	-65.8	
		7-28-68	154.0(5)	-80.0	5061			3-01-68	166.4	-66.4	
		7-28-68	275.0(1)	-201.0				4-01-68	160.6	-60.6	5050
		8-21-68	153.0(5)	-79.0	1101			4-01-68	165.8	-65.8	5061
		8-21-68	154.0(5)	-80.0	5061			5-01-68	161.4	-61.4	
		8-28-68	279.0(1)	-205.0				6-01-68	159.8	-59.8	
		9-21-68	150.0(5)	-76.0	1101			7-01-68	158.4	-58.4	
		9-28-68	151.0(5)	-77.0	5061			8-01-68	154.8	-54.8	
		9-28-68	278.0(1)	-204.0				9-01-68	158.8	-58.8	
03S/14W-04N02S	74.0	10-03-67	162.3	-88.3	1101	03S/14W-07Q05S	98.0	10-01-67	160.3	-62.3	5061
		10-19-67	160.0	-86.0	5050			10-18-67	161.3	-63.3	5050
		10-21-67	248.0(1)	-174.0	5061			11-01-67	161.3	-63.3	5061
		10-21-67	162.0(5)	-88.0				12-01-67	161.3	-63.3	
		11-06-67	158.9	-84.9	1101			1-01-68	162.9	-64.9	
		11-07-67	156.0(5)	-82.0	5061			2-01-68	161.9	-63.9	
		11-14-67	249.0(1)	-175.0				3-01-68	160.3	-62.3	
		12-04-67	155.1	-81.1	1101			4-01-68	153.6	-55.6	5050
		12-21-67	249.0(1)	-175.0	5061			4-01-68	160.9	-62.9	5061
		12-21-67	153.0(5)	-79.0				5-01-68	149.3	-51.3	
		1-03-68	(1)		1101			6-01-68	148.9	-50.9	
		1-06-68	150.0	-76.0				7-01-68	145.9	-47.9	
		1-28-68	148.0(5)	-74.0	5061			8-01-68	143.3	-45.3	
		1-28-68	248.0(1)	-174.0				9-01-68	152.3	-54.3	
		2-05-68	(1)		1101	03S/14W-07Q06S	97.0	10-01-67	167.0	-70.0	5061
		2-06-68	147.0	-73.0				11-01-67	168.4	-71.4	
		2-28-68	149.0(5)	-75.0	5061			12-01-67	165.0	-68.0	
		2-28-68	238.0(1)	-164.0				1-01-68	161.4	-64.4	
		3-02-68	145.2	-71.2	1101			2-01-68	161.4	-64.4	
		3-02-68	145.2	-71.2				3-01-68	160.4	-63.4	
		3-28-68	144.0(5)	-70.0	5061			4-01-68	159.0	-62.0	
		3-28-68	248.0(1)	-174.0				5-01-68	155.0	-58.0	
		4-01-68	(1)		1101			6-01-68	152.4	-55.4	
		4-02-68	147.8	-73.8				7-01-68	149.4	-52.4	
		4-03-68	147.6	-73.6	5050			8-01-68	144.4	-47.4	
		4-28-68	252.0(1)	-178.0	5061			9-01-68	159.4	-62.4	
		4-28-68	150.0(5)	-76.0		03S/14W-08Q03S	94.0	10-18-67	148.4	-54.4	5050
		5-06-68	147.9	-73.9	1101			10-30-67	151.4	-57.4	5061
		5-21-68	145.0(5)	-71.0	5061			11-30-67	151.4	-57.4	
		5-28-68	255.0(1)	-181.0				12-30-67	151.4	-57.4	
		6-03-68	(1)		1101			1-30-68	151.4	-57.4	
		6-07-68	154.6	-80.6				2-29-68	151.4	-57.4	
		6-28-68	156.0(5)	-82.0	5061			3-29-68	151.4	-57.4	
		6-28-68	250.0(1)	-176.0				4-04-68	142.3	-48.3	5050
		7-02-68	157.0	-83.0	1101			5-03-68	151.4	-57.4	5061
		7-28-68	158.0(5)	-84.0	5061			5-29-68	151.4	-57.4	
		7-28-68	252.0(1)	-178.0				6-30-68	152.4	-58.4	
		8-05-68	157.7	-83.7	1101			7-30-68	140.4	-46.4	
		8-28-68	257.0(1)	-183.0	5061			9-01-68	140.4	-46.4	
		8-28-68	160.0(5)	-86.0		03S/14W-09N03S	79.8	10-23-67	132.5	-52.7	5050
		9-03-68	157.1	-83.1	1101			4-04-68	126.4	-46.6	
		9-28-68	155.0(5)	-81.0	5061	03S/14W-09N04S	80.1	10-23-67	134.1	-54.0	5050
		9-28-68	254.0(1)	-180.0				4-04-68	127.2	-47.1	
03S/14W-07K02S	97.0	10-01-67	164.5	-67.5	5061			5-31-68	138.5(5)	-58.4	5061
		10-18-67	165.9	-68.9	5050			6-28-68	139.5(5)	-59.4	
		11-01-67	165.9	-68.9	5061			7-31-68	139.5(5)	-59.4	
		12-01-67	164.1	-67.1				8-30-68	139.5(5)	-59.4	
		1-01-68	159.5	-62.5				9-30-68	139.5(5)	-59.4	
03S/14W-07K04S	96.0	10-01-67	163.0	-67.0	5061	03S/14W-09P01S	81.2	10-23-67	136.1	-54.9	5050
		10-23-67	164.6(2)	-68.6	5050			10-31-67	132.2(5)	-51.0	5061
		11-01-67	164.6	-68.6	5061			11-20-67	126.2(5)	-45.0	
		12-01-67	161.0	-65.0				12-29-67	124.2(5)	-43.0	
		1-01-68	157.0	-61.0				1-30-68	124.2(5)	-43.0	
		2-01-68	159.0	-63.0				2-29-68	126.2(5)	-45.0	
		3-01-68	158.6	-62.6				3-11-68	126.2(5)	-45.0	
		4-01-68	159.0	-63.0	5050			4-04-68	129.5	-48.3	5050
		4-01-68	159.0	-63.0	5061			4-04-68	129.5	-48.3	5061
		5-01-68	152.0	-56.0				5-31-68	123.2(5)	-42.0	
		6-01-68	151.6	-55.6				6-28-68	126.2(5)	-45.0	
		7-01-68	151.0	-55.0				7-31-68	126.2(5)	-45.0	
		8-01-68	148.6	-52.6				8-30-68	124.2(5)	-43.0	
		9-01-68	157.0	-61.0				9-30-68	123.2(5)	-42.0	
03S/14W-07K05S	98.3	10-01-67	165.1	-66.8	5061	03S/14W-09P03S	70.0	10-23-67	(6)		5050
		10-25-67	165.1	-66.8	5050			12-29-67	(7)		5061
		11-01-67	167.3	-69.0	5061			1-30-68	(7)		
		12-01-67	165.5	-67.2				2-29-68	(7)		
		1-01-68	161.1	-62.8				3-11-68	(7)		
		2-01-68	161.1	-62.8							
		3-01-68	160.1	-61.8							
		4-01-68	160.5	-62.2	5050						
		4-01-68	160.5	-62.2	5061						
		5-01-68	156.1	-57.8		03S/14W-09Q03S	66.0	10-23-67	121.1	-55.1	5050
		6-01-68	156.5	-58.2				10-31-67	116.3(5)	-50.3	5061
		7-01-68	152.5	-54.2				11-20-67	120.3(5)	-54.3	
		8-01-68	148.5	-50.2				12-29-67	(7)		
		9-01-68	159.1	-60.8				1-30-68	118.3(5)	-52.3	
								2-29-68	121.3(5)	-55.3	
03S/14W-07Q03S	97.0	10-18-67	170.6(2)	-73.6	5050			3-11-68	121.3(5)	-55.3	
		4-01-68	160.8(2)	-63.8				4-04-68	115.7	-49.7	5050
03S/14W-07Q04S	100.0	10-01-67	170.4	-70.4	5061			4-04-68	115.7	-49.7	5061
		10-25-67	169.7(2)	-69.7	5050			5-31-68	119.3(5)	-53.3	
								6-28-68	120.3(5)	-54.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
03S/14W-090035 (CONT.)	66.0	7-31-68	118.3(5)	-52.3	5061	03S/14W-138025	127.0	10-14-67	228.5	-101.5	5050
		8-30-68	118.3(5)	-52.3				10-21-67	230.0(5)	-103.0	1101
		9-30-68	119.3(5)	-53.3				10-28-67	300.0(1)	-173.0	5061
03S/14W-10601S	61.0	10-04-67	114.3(5)	-53.3	5061			10-28-67	230.0(5)	-103.0	
		10-17-67	113.7	-52.7	5050			11-14-67	301.0(1)	-174.0	
		11-02-67	113.8(5)	-52.8	5061			11-14-67	232.0(5)	-105.0	
		12-04-67	113.3(5)	-52.3				11-15-67	230.0(5)	-103.0	1101
		1-02-68	112.3(5)	-51.3				12-14-67	300.0(1)	-173.0	5061
		2-02-68	110.3(5)	-49.3				12-14-67	228.0(5)	-101.0	
		3-01-68	110.3(5)	-49.3				12-15-67	227.0(5)	-100.0	1101
		4-01-68	110.0	-49.0	5050			1-21-68	223.0(5)	-96.0	
		4-01-68	110.0(6)	-49.0	5061			1-28-68	227.0(5)	-100.0	5061
		5-02-68	110.3(5)	-49.3				1-28-68	298.0(1)	-171.0	
		5-31-68	113.3(5)	-52.3				2-15-68	223.0(5)	-96.0	1101
		6-30-68	110.9(5)	-49.9				2-28-68	221.0(5)	-94.0	5061
		8-01-68	112.3(5)	-51.3				2-28-68	293.0(1)	-166.0	
		9-03-68	113.9(5)	-52.9				3-07-68	225.0(5)	-98.0	1101
		9-30-68	110.3(5)	-49.3				3-21-68	224.0(5)	-97.0	5061
03S/14W-10602S	62.0	10-03-67	224.6(1)	-162.6	5061			3-21-68	297.0(1)	-170.0	
		10-03-67	144.6(5)	-82.6				3-27-68	224.5	-97.5	5050
		10-23-67	(1)		5050			4-07-68	224.0(5)	-97.0	1101
		11-02-67	227.6(1)	-165.6	5061			4-28-68	227.0(5)	-100.0	5061
		12-04-67	137.6(5)	-75.6				4-28-68	299.0(1)	-172.0	
		1-02-68	135.6(5)	-73.6				5-07-68	222.0(5)	-95.0	1101
		2-02-68	132.6(5)	-70.6				5-21-68	216.0(5)	-89.0	5061
		3-01-68	131.6(5)	-69.6				5-21-68	295.0(1)	-168.0	
		4-01-68	131.5(6)	-69.5				6-01-68	216.5(5)	-89.5	1101
		4-02-68	132.4	-70.4	5050			6-28-68	213.0(5)	-86.0	5061
		5-02-68	134.1(5)	-72.1	5061			6-28-68	295.0(1)	-168.0	
		6-05-68	235.6(1)	-173.6				7-15-68	219.0(5)	-92.0	1101
		6-30-68	221.6(1)	-159.6				7-28-68	222.0(5)	-95.0	5061
		6-30-68	(5)					7-28-68	296.0(1)	-169.0	
		8-01-68	234.6(1)	-172.6				8-07-68	219.0(5)	-92.0	1101
		8-01-68	(5)					8-28-68	219.0(5)	-92.0	5061
		9-03-68	247.6(1)	-105.6				8-28-68	293.0(1)	-166.0	
		9-03-68	(5)					9-21-68	215.0(5)	-88.0	1101
		9-30-68	223.6(1)	-161.6				9-21-68	216.0(5)	-89.0	5061
		9-30-68	137.6(5)	-75.6				9-21-68	295.0(1)	-168.0	
03S/14W-11001S	116.0	10-03-67	161.1	-45.1	1101	03S/14W-13J035	83.0	10-07-67	175.7(5)	-92.7	5050
		10-17-67	(9)		5050			10-15-67	176.7(5)	-93.7	1101
		10-31-67	163.0	-47.0				10-28-67	243.7(1)	-160.7	5061
		11-04-67	161.0	-45.0	1101			10-28-67	178.7(5)	-95.7	
		12-02-67	161.1	-45.1				11-14-67	245.7(1)	-162.7	
		1-03-68	160.8	-44.8				11-14-67	180.7(5)	-97.7	
		2-03-68	160.2	-44.2				11-15-67	181.5	-98.5	1101
		3-02-68	160.0	-44.0				12-21-67	178.7(5)	-95.7	
		4-01-68	159.9	-43.9				12-21-67	237.7(1)	-154.7	5061
		4-04-68	160.8	-44.8	5050			12-21-67	178.7(5)	-95.7	
		5-06-68	159.8	-43.8	1101			1-07-68	173.7(5)	-90.7	1101
		6-03-68	159.7	-43.7				1-28-68	172.7(5)	-89.7	5061
		7-02-68	159.5	-43.5				1-28-68	236.7(1)	-153.7	
		8-05-68	159.3	-43.3				2-15-68	171.7(5)	-88.7	1101
		9-03-68	159.2	-43.2				2-28-68	170.7(5)	-87.7	5061
03S/14W-11602S	150.0	10-21-67	256.2	-106.2	1101			2-28-68	236.7(1)	-153.7	
		10-21-67	358.8(1)	-208.8	5061			3-15-68	172.7(5)	-89.7	1101
		10-21-67	255.8(5)	-105.8				3-28-68	166.8	-83.8	5050
		11-14-67	344.8(1)	-194.8				3-28-68	170.7(5)	-87.7	5061
		11-14-67	254.8(5)	-104.8				3-28-68	237.7(1)	-154.7	
		11-15-67	255.2	-105.2	1101			4-14-68	252.7(1)	-169.7	
		12-15-67	250.9(5)	-100.9				4-21-68	167.7(5)	-84.7	1101
		12-21-67	343.8(1)	-193.8	5061			4-28-68	165.7(5)	-82.7	5061
		12-21-67	251.8(5)	-101.8				5-07-68	164.7(5)	-81.7	1101
		1-15-68	249.9(5)	-99.9	1101			5-21-68	163.7(5)	-80.7	5061
		1-28-68	249.8(5)	-99.8	5061			5-21-68	255.7(1)	-172.7	
		1-28-68	342.8(1)	-192.8				6-01-68	163.7(5)	-80.7	1101
		2-21-68	247.9(5)	-97.9	1101			6-28-68	(9)		5061
		2-28-68	247.8(5)	-97.8	5061			7-15-68	163.7(5)	-80.7	1101
		2-28-68	345.8(1)	-195.8				7-28-68	(9)		5061
		3-21-68	241.9(5)	-91.9	1101			8-07-68	164.5	-81.5	1101
		3-28-68	247.1	-97.1	5050			8-07-68	163.7(5)	-80.7	5061
		3-28-68	246.8(5)	-96.8	5061			9-21-68	164.7(5)	-81.7	1101
		3-28-68	330.8(1)	-180.8				9-21-68	164.7(5)	-81.7	5061
		4-15-68	249.9(5)	-99.9	1101			9-21-68	(9)		
		4-28-68	248.8(5)	-98.8	5061	03S/14W-13J045	82.0	10-07-67	169.9	-87.9	5050
		4-28-68	328.8(1)	-178.8				10-28-67	236.5(1)	-154.5	5061
		5-07-68	246.9(5)	-96.9	1101			10-28-67	180.5(5)	-98.5	
		5-28-68	244.8(5)	-94.8	5061			11-14-67	246.5(1)	-164.5	
		5-28-68	327.8(1)	-177.8				11-14-67	185.5(5)	-103.5	
		6-01-68	243.9(5)	-93.9	1101			12-21-67	243.5(1)	-161.5	
		6-28-68	245.8(5)	-95.8	5061			12-21-67	182.5(5)	-100.5	
		6-28-68	324.8(1)	-174.8				1-28-68	174.5(5)	-92.5	
		7-07-68	239.9(5)	-89.9	1101			1-28-68	244.5(1)	-162.5	
		7-28-68	245.8(5)	-95.8	5061			2-28-68	171.5(5)	-89.5	
		7-28-68	327.8(1)	-177.8				2-28-68	244.5(1)	-162.5	
		8-21-68	245.8(5)	-95.8				3-28-68	169.9	-87.9	5050
		8-23-68	151.7	-1.7	1101			3-28-68	177.5(5)	-95.5	5061
		8-28-68	329.8(1)	-179.8	5061			3-28-68	248.5(1)	-166.5	
		9-03-68	153.1	-3.1	1101			4-28-68	168.5(5)	-86.5	
		9-07-68	243.9(5)	-93.9				4-28-68	(9)		
		9-28-68	245.8(5)	-95.8	5061			5-21-68	165.5(5)	-83.5	
		9-28-68	327.8(1)	-177.8				5-21-68	256.5(1)	-174.5	
03S/14W-11J02S	160.0	10-17-67	250.2	-90.2	5050			6-28-68	(9)		
		4-04-68	245.5	-85.5				7-28-68	(9)		
								8-07-68	166.5(5)	-84.5	
								9-21-68	165.5(5)	-83.5	

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
03S/14W-13J04S (CONT.)	82.0	9-21-68	(9)		5061	03S/14W-17G02S (CONT.)	87.0	6-30-68	154.1	-67.1	5061
								7-30-68	224.1(1)	-137.1	
								7-30-68	134.1	-47.1	
								9-01-68	224.1(1)	-137.1	
								9-01-68	134.1	-47.1	
03S/14W-14A01S	84.0	10-07-67	129.7(5)	-45.7	5050	03S/14W-18B01S	93.7	10-18-67	104.6	-10.9	5050
		10-15-67	129.7(5)	-45.7	1101			3-11-68	102.9	-9.2	1101
		10-21-67	149.2(1)	-65.2	5061			4-01-68	105.2	-11.5	5050
		10-21-67	134.7(5)	-50.7							
		11-01-67	134.7(5)	-50.7	1101						
		12-15-67	134.7(5)	-50.7							
		12-21-67	152.7(1)	-68.7	5061						
		1-15-68	136.7(5)	-52.7	1101	03S/14W-18C01S	102.0	10-18-67	107.2	-5.2	5050
		1-21-68	165.7(5)	-81.7	5061			11-15-67	107.2	-5.2	1101
		1-21-68	153.7(1)	-69.7				4-01-68	111.0	-9.0	5050
		2-14-68	134.7(5)	-50.7							
		2-14-68	151.7(1)	-67.7							
		2-15-68	134.7(5)	-50.7	1101						
		3-07-68	135.7(5)	-51.7		03S/14W-18H01S	96.0	11-06-67	115.3	-19.3	1101
		3-28-68	136.7(5)	-52.7	5050			4-10-68	(6)		
		3-28-68	136.7(5)	-52.7	5061						
		3-28-68	152.7(1)	-68.7							
		4-21-68	136.7(5)	-52.7	1101	03S/14W-18K01S	93.0	10-18-67	96.3	-3.3	5050
		4-28-68	152.7(1)	-68.7	5061			10-25-67	97.0	-4.0	1101
		4-28-68	129.7(5)	-45.7				11-22-67	95.9	-2.9	
		5-01-68	129.7(5)	-45.7	1101			12-27-67	96.1	-3.1	
		5-28-68	127.7(5)	-43.7	5061			1-24-68	95.4	-2.4	
		5-28-68	142.7(1)	-58.7				2-28-68	95.7	-2.7	
		6-01-68	137.7(5)	-53.7	1101			3-27-68	99.3	-6.3	
		6-28-68	125.7(5)	-41.7	5061			4-01-68	100.5	-7.5	5050
		6-28-68	139.7(1)	-55.7				8-28-68	97.0	-4.0	1101
		7-01-68	125.7(5)	-41.7	1101			9-25-68	99.4	-6.4	
		7-28-68	127.7(5)	-43.7	5061						
		7-28-68	141.7(1)	-57.7		03S/14W-18N04S	110.0	10-03-67	127.4(1)	-17.4	5061
		8-01-68	130.1	-46.1	1101			10-03-67	108.3	1.7	
		8-28-68	(9)		5061			10-18-67	116.2	-6.2	5050
		9-15-68	127.7(5)	-43.7	1101			11-02-67	108.2	1.8	5061
		9-28-68	(9)		5061			12-01-67	128.5(1)	-18.5	
								12-01-67	107.8	2.2	
								1-02-68	108.5	1.5	
								2-02-68	107.3	2.7	
								3-04-68	107.8	2.2	
								4-01-68	121.8	-11.8	5050
								4-01-68	114.1	-4.1	5061
								5-01-68	114.1	-4.1	
								6-03-68	113.9	-3.9	
								6-03-68	132.6(1)	-22.6	
								7-02-68	108.3	1.7	
								8-05-68	109.3	.7	
								8-05-68	129.1(1)	-19.1	
								9-09-68	109.6	.4	
								9-09-68	129.7(1)	-19.7	
								9-30-68	115.0	-5.0	
								9-30-68	134.4(1)	-24.4	
						03S/14W-18N05S	112.0	10-03-67	110.2(7)	1.8	5061
								10-18-67	109.9	2.1	5050
								11-02-67	128.5(1)	-16.5	5061
								11-02-67	109.6	2.4	
								12-01-67	143.3(1)	-31.3	
								12-01-67	143.3(1)	-31.3	
								1-02-68	136.7(1)	-24.7	
								1-02-68	109.9	2.1	
								2-02-68	108.7	3.3	
								2-02-68	145.3(1)	-33.3	
								3-04-68	109.2	2.8	
								3-04-68	147.1(1)	-35.1	
								4-01-68	115.8	-3.8	5050
								4-01-68	115.8	-3.8	5061
								4-01-68	143.0(1)	-31.0	
								5-01-68	115.8	-3.8	
								5-01-68	153.2(1)	-41.2	
								6-03-68	115.5	-3.5	
								6-03-68	126.0(1)	-14.0	
								7-02-68	109.6	2.4	
								7-02-68	138.9(1)	-26.9	
								8-05-68	110.6	1.4	
								8-05-68	123.7(1)	-11.7	
								9-09-68	111.2	.8	
								9-09-68	160.5(1)	-48.5	
								9-30-68	116.4	-4.4	
								9-30-68	129.1(1)	-17.1	
03S/14W-15B01S	52.0	11-06-67	106.1	-54.1	1101	03S/14W-19K01S	72.3	11-06-67	71.5	.8	1101
		4-10-68	103.8	-51.8				4-12-68	71.5(8)	.8	
03S/14W-15K01S	50.0	10-17-67	(9)		5050			9-17-68	(6)		
		10-31-67	37.5	12.5							
		4-01-68	37.6	12.4							
03S/14W-17F02S	90.0	11-06-67	118.2	-28.2	1101	03S/14W-20J02S	65.0	10-17-67	(6)		5050
		2-14-68	117.1	-27.1							
		4-10-68	116.8	-26.8		03S/14W-20P01S	73.8	10-18-67	85.4	-11.6	5050
								4-01-68	81.2	-7.4	
03S/14W-17G02S	87.0	10-25-67	139.0	-52.0	5050	03S/14W-21B01S	63.0	1-16-68	(0)		5010
		10-30-67	208.1(1)	-121.1	5061						
		10-30-67	135.1	-48.1		03S/14W-21B02S	64.0	10-03-67	112.2	-48.2	1101
		11-30-67	135.1	-48.1				10-19-67	114.3	-50.3	5050
		12-30-67	135.1	-48.1				11-06-67	114.1	-50.1	1101
		1-30-68	134.1	-47.1				12-04-67	112.7	-48.7	
		2-29-68	134.1	-47.1				1-03-68	109.9	-45.9	
		3-29-68	134.1	-47.1				2-05-68	111.1	-47.1	
		4-04-68	132.3	-45.3	5050			3-04-68	111.4	-47.4	
		5-03-68	154.1	-67.1	5061			4-01-68	111.1	-47.1	
		5-29-68	154.1	-67.1				4-03-68	108.4	-44.4	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
035/14W-218025 (CONT.)	64.0	5-06-68	108.1	-44.1	1101	035/14W-22A025 (CONT.)	50.0	12-21-67	114.0(5)	-64.0	5061
		6-03-68	108.8	-44.8	1101			1-15-68	106.4(5)	-56.4	1101
		7-02-68	109.0	-45.0				1-28-68	111.0(5)	-61.0	5061
		8-05-68	109.0	-45.0				1-28-68	214.0(1)	-164.0	
		9-03-68	109.5	-45.5				2-21-68	105.4(5)	-55.4	1101
035/14W-21M015	62.0	10-15-67	108.0	-46.0	1101			2-28-68	114.0(5)	-64.0	5061
		10-17-67	107.0	-45.0	5050			2-28-68	223.0(1)	-173.0	
		10-28-67	194.0(1)	-132.0	5061			3-15-68	105.4(5)	-55.4	1101
		10-28-67	110.0(5)	-48.0				3-28-68	109.3	-59.3	5050
		11-07-67	106.4(5)	-44.4	1101			3-28-68	110.0(5)	-60.0	5061
		11-07-67	106.4	-44.4				3-28-68	230.0(1)	-180.0	
		11-07-67	107.0(5)	-45.0	5061			4-07-68	102.4(5)	-52.4	1101
		11-14-67	189.0(1)	-127.0				4-28-68	111.0(5)	-61.0	5061
		12-07-67	192.0(1)	-130.0				4-28-68	237.0(1)	-187.0	
		12-07-67	108.0(5)	-46.0				5-07-68	102.4(5)	-52.4	1101
		12-15-67	109.0	-47.0	1101			5-28-68	109.0(5)	-59.0	5061
		1-15-68	109.4(5)	-47.4				5-28-68	240.0(1)	-190.0	
		1-28-68	103.0(5)	-41.0	5061			6-01-68	103.4(5)	-53.4	1101
		1-28-68	186.0(1)	-124.0				6-28-68	113.0(5)	-63.0	5061
		2-15-68	104.4(5)	-42.4	1101			6-28-68	247.0(1)	-197.0	
		2-28-68	105.0(5)	-43.0	5061			7-15-68	104.4(5)	-54.4	1101
		2-28-68	186.0(1)	-124.0				7-28-68	105.0(5)	-55.0	5061
		3-15-68	104.4(5)	-42.4	1101			7-28-68	239.0(1)	-189.0	
		3-28-68	105.0(5)	-43.0	5050			8-01-68	99.4(5)	-49.4	1101
		3-28-68	105.0(5)	-43.0	5061			8-21-68	104.7	-54.7	
		3-28-68	188.0(1)	-126.0				8-21-68	108.0(5)	-58.0	5061
		4-14-68	104.4	-42.4	1101			8-28-68	255.0(1)	-205.0	
		4-14-68	189.0(1)	-127.0	5061			9-21-68	104.4(5)	-54.4	1101
		4-15-68	104.4(5)	-42.4	1101			9-28-68	110.0(5)	-60.0	5061
		4-28-68	103.0(5)	-41.0	5061			9-28-68	250.0(1)	-200.0	
		5-07-68	100.4(5)	-38.4	1101	035/14W-22K015	50.0	10-01-67	124.0(5)	-74.0	1101
		5-28-68	102.0(5)	-40.0	5061			10-02-67	133.5(1)	-83.5	5061
		5-28-68	192.0(1)	-130.0				10-02-67	124.5(5)	-74.5	
		6-01-68	101.4(5)	-39.4	1101			10-17-67	99.1(4)	-49.1	5050
		6-28-68	103.0(5)	-41.0	5061			10-30-67	129.5(1)	-79.5	5061
		6-28-68	189.0(1)	-127.0				10-30-67	120.5(5)	-70.5	
		7-15-68	102.4(5)	-40.4	1101			11-27-67	122.0(5)	-72.0	1101
		7-28-68	101.0(5)	-39.0	5061			11-27-67	131.5(1)	-81.5	5061
		7-28-68	187.0(1)	-125.0				11-27-67	122.5(5)	-72.5	
		8-15-68	100.4(5)	-38.4	1101			1-02-68	119.0(5)	-69.0	1101
		8-28-68	103.0(5)	-41.0	5061			1-02-68	130.5(1)	-80.5	5061
		8-28-68	187.0(1)	-125.0				1-02-68	119.5(5)	-69.5	
		9-15-68	104.4(5)	-42.4	1101			1-29-68	108.5(5)	-58.5	
		9-28-68	105.0(5)	-43.0	5061			1-29-68	119.5(5)	-69.5	
		9-28-68	184.0(1)	-122.0				2-26-68	111.0(5)	-61.0	1101
035/14W-21R025	52.0	10-17-67	95.6	-43.6	5050			2-26-68	111.5(5)	-61.5	5061
		4-01-68	92.6	-40.6				2-26-68	122.5(1)	-72.5	
035/14W-22A015	48.0	10-07-67	105.0(5)	-57.0	1101			4-01-68	95.9	-45.9	5050
		10-19-67	101.4	-53.4	5050			4-01-68	112.5(5)	-62.5	5061
		10-21-67	236.0(1)	-188.0	5061			4-01-68	123.5(1)	-73.5	
		10-21-67	107.0(5)	-59.0				4-29-68	102.0(5)	-52.0	1101
		11-07-67	106.0(5)	-58.0	1101			4-29-68	102.5(5)	-52.5	5061
		11-07-67	108.0(5)	-60.0	5061			4-29-68	124.5(1)	-74.5	
		11-14-67	240.0(1)	-192.0				6-03-68	99.0(5)	-49.0	1101
		12-07-67	106.0(5)	-58.0	1101			6-03-68	124.5(1)	-74.5	5061
		12-21-67	236.0(1)	-188.0	5061			6-03-68	99.5(5)	-49.5	
		12-21-67	106.0(5)	-58.0				7-01-68	122.5(1)	-72.5	
		1-15-68	103.0(5)	-55.0	1101			7-01-68	103.5(5)	-53.5	
		1-28-68	104.0(5)	-56.0	5061			7-29-68	100.0(5)	-50.0	1101
		1-28-68	227.0(1)	-179.0				7-29-68	100.5(5)	-50.5	5061
		2-21-68	103.0(5)	-55.0	1101			7-29-68	122.5(1)	-72.5	
		2-28-68	108.0(5)	-60.0	5061			9-03-68	99.0(5)	-49.0	1101
		2-28-68	236.0(1)	-188.0				9-03-68	124.5(1)	-74.5	5061
		3-07-68	107.0(5)	-59.0	1101			9-03-68	99.5(5)	-49.5	
		3-28-68	102.4	-54.4	5050			9-30-68	103.0(5)	-53.0	1101
		3-28-68	104.0(5)	-56.0	5061			9-30-68	103.5(1)	-53.5	5061
		3-28-68	238.0(1)	-190.0				9-30-68	121.5(5)	-71.5	
		4-07-68	101.0(5)	-53.0	1101	035/14W-22L015	51.0	10-19-67	98.2	-47.2	5050
		4-28-68	106.0(5)	-58.0	5061			10-21-67	102.0(5)	-51.0	1101
		4-28-68	242.0(1)	-194.0				10-28-67	129.2(1)	-78.2	5061
		5-07-68	100.0(5)	-52.0	1101			10-28-67	102.2(5)	-51.2	
		5-28-68	105.0(5)	-57.0	5061			11-07-67	99.0(5)	-48.0	1101
		5-28-68	235.0(1)	-187.0				11-07-67	98.2(5)	-47.2	5061
		6-01-68	104.0(5)	-56.0	1101			11-14-67	124.2(1)	-73.2	
		6-28-68	103.0(5)	-55.0	5061			12-21-67	100.0(5)	-49.0	1101
		6-28-68	234.0(1)	-186.0				12-21-67	122.2(1)	-71.2	5061
		7-07-68	100.0(5)	-52.0	1101			12-21-67	99.2(5)	-48.2	
		7-28-68	110.0(5)	-62.0	5061			1-15-68	100.0(5)	-49.0	1101
		7-28-68	210.0(1)	-162.0				1-28-68	96.2(5)	-45.2	5061
		8-21-68	101.0	-53.0	1101			1-28-68	119.2(1)	-68.2	
		8-21-68	103.5(5)	-55.5	5061			2-07-68	100.0(5)	-49.0	1101
		8-28-68	220.0(1)	-172.0				2-28-68	98.2(5)	-47.2	5061
		9-21-68	100.0(5)	-52.0	1101			2-28-68	122.2(1)	-71.2	
		9-28-68	102.0(5)	-54.0	5061			3-15-68	97.0(5)	-46.0	1101
		9-28-68	208.0(1)	-160.0				3-28-68	123.2(1)	-72.2	5061
035/14W-22A025	50.0	10-15-67	109.4(5)	-59.4	1101			3-28-68	99.2(5)	-48.2	
		10-19-67	111.4	-61.4	5050			4-03-68	96.2	-45.2	5050
		10-21-67	202.0(1)	-152.0	5061			4-07-68	99.0(5)	-48.0	1101
		10-21-67	115.0(5)	-65.0				4-28-68	95.2(5)	-44.2	5061
		11-07-67	109.4(5)	-59.4	1101			4-28-68	122.2(1)	-71.2	
		11-07-67	115.0(5)	-65.0	5061			5-01-68	96.0(5)	-45.0	1101
		11-14-67	205.0(1)	-155.0				5-28-68	95.2(5)	-44.2	5061
		12-15-67	108.4(5)	-58.4	1101			5-28-68	121.2(1)	-70.2	
		12-21-67	210.0(1)	-160.0	5061			6-01-68	96.0(5)	-45.0	1101
								6-28-68	94.2(5)	-43.2	5061
								6-28-68	120.2(1)	-69.2	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
035/14W-22L015 (CONT.)	51.0	7-21-68	95.0(5)	-44.0	1101	035/14W-25K045	34.0	10-17-67 (1)			5050
		7-28-68	94.2(5)	-43.2				4-01-68	66.7	-32.7	
		7-28-68	120.2(1)	-69.2		035/14W-25K065	30.0	11-08-67	66.6	-36.6	1101
		8-15-68	96.0(5)	-45.0	1101			4-15-68	65.3	-35.3	
		8-28-68	95.2(5)	-44.2	5061	035/14W-25L015	34.0	10-17-67	25.2	8.8	5050
		8-28-68	122.2(1)	-71.2				4-01-68	24.7	9.3	
		9-15-68	96.0(5)	-45.0	1101	035/14W-25N025	39.2	10-17-67	74.2	-35.0	5050
		9-28-68	96.2(5)	-45.2	5061			4-01-68	72.3	-33.1	
		9-28-68	121.2(1)	-70.2		035/14W-25P045	25.0	10-00-67 (9)			5061
035/14W-220015	45.0	10-02-67	156.9(1)	-111.9	5061			10-19-67	100.2	-75.2	5050
		10-02-67	98.9(5)	-53.9				1-07-68	104.5	-79.5	1101
		10-17-67	91.2	-46.2	5050			1-23-68 (0)			
		10-30-67	94.5(5)	-49.5	1101			1-28-68	103.0(5)	-78.0	5061
		10-30-67	151.9(1)	-106.9	5061			1-28-68	125.0(1)	-100.0	
		10-30-67	93.9(5)	-48.9				2-15-68	103.0(5)	-78.0	1101
		11-27-67	96.5(5)	-51.5	1101			2-28-68	101.0(5)	-76.0	5061
		11-27-67	153.9(1)	-108.9	5061			2-28-68	123.0(1)	-98.0	
		11-27-67	95.9(5)	-50.9				3-15-68	101.0(5)	-76.0	1101
		1-02-68	87.5(5)	-42.5	1101			3-21-68	102.0(5)	-77.0	5061
		1-02-68	144.9(1)	-99.9	5061			3-21-68	122.0(1)	-97.0	
		1-02-68	86.9(5)	-41.9				3-28-68	102.0(5)	-77.0	5050
		1-29-68	100.9(5)	-55.9				4-07-68	104.0(5)	-79.0	1101
		1-29-68	158.9(5)	-113.9				4-28-68	102.0(5)	-77.0	5061
		2-26-68	102.5(5)	-57.5	1101			4-28-68	129.0(1)	-104.0	
		2-26-68	101.9(5)	-56.9	5061			5-07-68	100.0(5)	-75.0	1101
		2-26-68	158.9(1)	-113.9				5-07-68	126.0(1)	-101.0	5061
		4-01-68	88.5	-43.5	5050			5-07-68	100.0(5)	-75.0	
		4-01-68	101.9(5)	-56.9	5061			6-28-68	101.0(5)	-76.0	
		4-01-68	159.9(1)	-114.9				6-28-68	122.0(1)	-97.0	
		4-29-68	107.5(5)	-62.5	1101			7-15-68	101.0(5)	-76.0	1101
		4-29-68	106.9(5)	-61.9	5061			7-28-68	101.0(5)	-76.0	5061
		4-29-68	143.9(1)	-98.9				7-28-68	126.0(1)	-101.0	
		6-03-68	106.5(5)	-61.5	1101			8-15-68	101.0(5)	-76.0	1101
		6-03-68	105.9(5)	-60.9	5061			8-28-68	102.0(5)	-77.0	5061
		6-03-68	138.9(1)	-93.9				8-28-68	125.0(1)	-100.0	
		7-01-68	104.9(5)	-59.9				9-21-68	100.0(5)	-75.0	1101
		7-01-68	139.9(1)	-94.9				9-28-68	124.0(1)	-99.0	5061
		7-29-68	104.5(5)	-59.5	1101			9-28-68	100.0(5)	-75.0	
		7-29-68	103.9(5)	-58.9	5061	035/14W-25Q025	20.6	11-08-67	6.4	14.2	1101
		7-29-68	137.9(1)	-92.9				4-15-68	6.6	14.0	
		9-03-68	109.5(5)	-64.5	1101	035/14W-27C015	45.0	10-18-67	81.7	-36.7	5050
		9-03-68	108.9(5)	-63.9	5061			4-01-68	79.8	-34.8	
		9-03-68	138.9(1)	-93.9		035/14W-27Q055	56.3	10-17-67	89.0	-32.7	5050
		9-30-68	107.5(5)	-62.5	1101			4-01-68	86.5	-30.2	
		9-30-68	106.9(1)	-61.9	5061	035/14W-29D035	88.0	10-26-67	97.1	-9.1	5050
		9-30-68	141.9(5)	-96.9				11-14-67	97.4	-9.4	1101
035/14W-22R025	52.0	10-02-67	136.5(1)	-84.5	5061			4-01-68	94.8	-6.8	5050
		10-02-67	110.5(5)	-58.5		035/14W-29F015	77.3	10-24-67	92.8	-15.5	5050
		10-17-67	87.9	-35.9	5050			10-30-67	90.0(5)	-12.7	1101
		10-30-67	106.0(5)	-54.0	1101			11-28-67	106.0(1)	-28.7	
		10-30-67	132.5(1)	-80.5	5061			12-30-67	90.0(5)	-12.7	
		10-30-67	106.5(5)	-54.5				1-31-68	105.0(1)	-27.7	
		11-27-67	105.0(5)	-53.0	1101			2-29-68	91.0(5)	-13.7	
		11-27-67	131.5(1)	-79.5	5061			3-28-68	90.6	-13.3	5050
		11-27-67	105.5(5)	-53.5				4-30-68	90.0(5)	-12.7	1101
		1-02-68	102.0(5)	-50.0	1101			5-31-68	108.0(1)	-30.7	
		1-02-68	128.5(1)	-76.5	5061			6-28-68	91.0(5)	-13.7	
		1-02-68	102.5(5)	-50.5				7-31-68	108.0(1)	-30.7	
		1-29-68	104.5(5)	-52.5				8-30-68	91.0(5)	-13.7	
		1-29-68	130.5(5)	-78.5				9-30-68	108.0(1)	-30.7	
		2-26-68	101.0(5)	-49.0	1101	035/14W-29J015	95.0	10-24-67	111.3	-16.3	5050
		2-26-68	101.5(5)	-49.5	5061			10-30-67	109.6	-14.6	1101
		2-26-68	127.5(1)	-75.5				2-29-68	102.7(5)	-7.7	
		4-01-68	85.8	-33.8	5050			4-02-68	107.8	-12.8	5050
		4-01-68	136.5(1)	-84.5	5061			4-30-68	100.7(5)	-5.7	1101
		4-01-68	110.5(5)	-58.5				5-31-68	121.7(1)	-26.7	
		4-29-68	100.0(5)	-48.0	1101			6-28-68	102.7(5)	-7.7	
		4-29-68	132.5(1)	-80.5	5061			7-31-68	122.7(1)	-27.7	
		4-29-68	100.5(5)	-48.5				8-30-68	100.7(5)	-5.7	
		6-03-68	101.0(5)	-49.0	1101			9-30-68	123.7(1)	-28.7	
		6-03-68	101.5(5)	-49.5	5061	035/14W-29M015	114.2	10-24-67	122.9	-8.7	5050
		6-03-68	131.5(1)	-79.5				12-05-67 (0)			1101
		7-01-68	130.5(1)	-78.5				1-15-68	121.5	-7.3	
		7-01-68	100.5(5)	-48.5				1-15-68	121.5	-7.3	
		7-29-68	100.0(5)	-48.0	1101			4-02-68	120.1	-5.9	5050
		7-29-68	130.5(1)	-78.5	5061			6-24-68 (0)			1101
		7-29-68	100.5(5)	-48.5		035/14W-29N015	112.8	10-24-67	120.4	-7.6	5050
		9-02-68	97.0(5)	-45.0	1101			10-30-67	120.0(5)	-7.2	1101
		9-03-68	97.5(5)	-45.5	5061			11-28-67	120.0(5)	-7.2	
		9-03-68	124.5(1)	-72.5				12-30-67	120.0(5)	-7.2	
		9-30-68	100.0(5)	-48.0	1101			1-31-68	120.0(5)	-7.2	
		9-30-68	127.5(5)	-75.5	5061			2-29-68	120.0(5)	-7.2	
		9-30-68	100.5(1)	-48.5				4-02-68	117.6	-4.8	5050
035/14W-23R025	49.9	11-08-67	85.3	-35.4	1101			4-30-68	120.0(5)	-7.2	1101
		4-15-68 (4)						5-31-68	120.0(5)	-7.2	
		4-29-68	83.8	-33.9				6-28-68	120.0(5)	-7.2	
035/14W-24F055	55.0	11-08-67	92.1	-37.1	1101						
		4-15-68	90.7	-35.7							
035/14W-25F035	38.7	10-17-67	75.3	-36.6	5050						
		11-08-67	74.9	-36.2	1101						
		4-01-68	73.8	-35.1	5050						
		4-15-68	73.7	-35.0	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		
			U-05.A2						U-05.A2		
035/14W-29N01S (CONT.)	112.8	7-31-68 8-30-68 9-30-68	90.0(5) 90.0(5) 90.0(5)	22.8 22.8 22.8	1101	035/14W-31E02S (CONT.)	96.9	1-31-68 2-28-68 3-27-68 7-30-68 8-28-68 9-26-68	85.4 85.3 86.1 86.5 86.3 96.6	11.5 11.6 10.8 10.4 10.6 .3	1101
035/14W-30D01S	154.0	10-03-67 10-18-67 11-06-67 12-05-67 1-02-68 2-05-68 3-04-68 4-01-68 4-09-68 5-06-68 6-05-68 7-08-68 8-05-68 9-03-68	149.3 (5) 150.8 148.3 148.0 147.8 147.3 148.6 150.2 149.0 154.6 148.3 147.6 148.5	4.7 (5) 3.2 5.7 6.0 6.2 6.7 5.4 3.8 5.0 -4.6 5.7 6.4 5.5	1101 5050 1101	035/14W-31L03S	169.0	10-19-67 10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 4-03-68 4-03-68 7-24-68 8-28-68 9-26-68	154.5(6) 158.4 159.4 159.2 158.6 158.3 157.4 157.5 (9) 158.0 157.6 168.4	14.5 10.6 9.6 9.8 10.4 10.7 11.6 11.5 11.0 11.4 .6	5050 1101
035/14W-30D02S	116.7	11-15-67 11-15-67 4-02-68	116.5 116.9 116.5	.2 -4.2 .2	1101 5050	035/14W-31L04S	161.0	11-07-67 2-08-68	152.2 150.8	8.8 10.2	1101
035/14W-30E01S	156.5	11-14-67	151.5	5.0	1101	035/14W-32A01S	94.9	11-28-67 12-30-67 1-31-68 2-29-68 4-02-68 4-30-68 5-31-68 6-28-68 7-31-68 8-30-68 9-30-68	169.3(5) 112.3(5) 173.3(4) 112.3(5) 104.3 112.3(5) 169.3(1) 112.3(5) 169.3(1) 110.3(5) 167.3(1)	-74.4 -17.4 -78.4 -17.4 -9.4 -17.4 -74.4 -17.4 -74.4 -15.4 -72.4	1101
035/14W-30F02S	180.0	11-14-67	181.6	-1.6	1101	035/14W-32P02S	90.0	10-03-67 10-18-67 11-06-67 12-05-67 1-02-68 1-02-68 2-05-68 2-05-68 3-04-68 3-04-68 4-01-68 4-01-68 4-01-68 5-06-68 5-06-68 6-06-68 7-08-68 8-05-68 9-03-68	95.4 94.7 94.8 93.1 93.6 93.6 93.3 93.3 92.8 92.8 92.9 92.9 (7) 93.6 93.6 93.7 93.7 93.8 94.0	-5.4 -4.7 -4.8 -3.1 -3.6 -3.6 -3.3 -3.3 -2.8 -2.8 -2.9 -2.9 -3.6 -3.6 -3.7 -3.7 -3.8 -4.0	1101 5050 1101
035/14W-30G01S	126.0	10-26-67 11-14-67 4-01-68	128.3 129.3 128.6	-2.3 -3.3 -2.6	5050 1101 5050	035/14W-33E01S	120.0	10-18-67	136.7	-16.7	5050
035/14W-30H02S	126.0	10-25-67 10-26-67 11-15-67 12-27-67 1-24-68 1-24-68 2-29-68 2-29-68 3-27-68 3-27-68 4-01-68 8-28-68 9-25-68	133.3 134.2 133.2 133.2 131.1 131.1 131.0 131.0 131.5 131.5 131.8 132.2 133.5	-7.3 -8.2 -7.2 -7.2 -5.1 -5.1 -5.0 -5.0 -5.5 -5.5 -5.8 -6.2 -7.5	1101 5050 1101	035/14W-33L01S	90.0	10-18-67 4-01-68	105.8 102.6	-15.8 -12.6	5050
035/14W-30H02S	175.6	10-18-67 10-25-67 11-22-67 12-26-67 1-24-68 2-28-68 3-27-68 4-02-68 8-28-68 9-25-68	170.5 170.1 169.7 169.0 169.4 168.9 169.5 170.6 169.6 174.8	5.1 5.5 5.9 6.6 6.2 6.7 6.1 5.0 6.0 .8	5050 1101	035/14W-33P02S	84.0	10-18-67 10-25-67	(5) (6)		5050
035/14W-30H03S	226.0	10-18-67 10-25-67 11-22-67 12-27-67 1-24-68 2-28-68 3-27-68 4-02-68 8-28-68 9-25-68	218.1 217.7 217.6 217.5 217.0 216.5 217.2 217.7 216.3 221.8	7.9 8.3 8.4 8.5 9.0 9.5 8.8 8.3 9.7 4.2	5050 1101	035/14W-34B02S	65.0	10-17-67 4-01-68	94.8 92.0	-29.8 -27.0	5050
035/14W-30N01S	182.1	10-19-67 11-14-67 4-02-68	175.5 175.8 174.3	6.6 6.3 7.8	5050 1101 5050	035/14W-34N04S	70.0	10-18-67 4-01-68	96.1 92.8	-26.1 -22.8	5050
035/14W-31A03S	92.3	11-08-67 4-01-68 4-12-68	94.7 92.7 95.0	-2.4 -4 -2.7	1101 5050 1101	035/14W-35B03S	46.0	10-17-67 4-01-68	77.3 75.5	-31.3 -29.5	5050
035/14W-31A04S	92.0	10-18-67 11-07-67 11-08-67 2-09-68 4-01-68 4-12-68	95.2 95.6 95.4 93.7 92.9 94.8	-3.2 -3.6 -3.4 -1.7 -4.9 -2.8	5050 1101	035/15W-01L01S	115.0	10-03-67 4-01-68	120.2 128.8	-5.2 -13.8	5050
035/14W-31A05S	125.0	10-18-67 4-10-68	118.3 118.3	6.7 6.7	5050	035/15W-02P01S	75.0	11-07-67 4-12-68	74.8 74.3	.2 .7	1101
035/14W-31A06S	93.0	4-01-68	94.1	-1.1	5050	035/15W-02P02S	77.5	11-07-67 4-12-68	75.4 74.8	2.1 2.7	1101
035/14W-31A07S	105.0	10-18-67	(6)		5050	035/15W-03A01S	71.5	11-07-67 11-15-67 4-12-68	67.5 67.6 66.6	4.0 3.9 4.9	1101
035/14W-31O01S	117.8	10-19-67 11-15-67 12-26-67 4-02-68 4-03-68	109.4 109.6 109.1 (9) 108.7	8.4 8.2 8.7 9.1	5050 1101 5050	035/15W-03B01S	71.3	10-18-67 4-01-68	67.5 66.9	3.8 4.4	5050
035/14W-31E02S	96.9	10-25-67 11-29-67 12-27-67	86.9 86.2 85.9	10.0 10.7 11.0	1101	035/15W-03B02S	77.6	10-18-67 11-07-67 4-01-68 4-12-68	72.0 72.1 71.4 71.3	5.6 5.5 6.2 6.3	5050 1101 5050 1101
						035/15W-03B03S	77.7	11-07-67 4-12-68	DRY DRY		1101
						035/15W-03H01S	66.8	11-07-67 4-12-68	DRY 60.8		1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2	COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0		U-05.A2
035/15W-03H02S	58.1	10-18-67	52.5	5.6	5050	035/15W-13R06S (CONT.)	149.0	7-31-68	146.3	2.7	1101
		10-26-67	53.5	4.6	1101			8-28-68	146.1	2.9	
		11-15-67	53.4	4.7				9-26-68	151.5	-2.5	
		4-01-68	51.5	6.6	5050	035/15W-13R07S	155.7	11-15-67	151.3	4.4	1101
		4-12-68	50.4	7.7	1101	035/15W-13R08S	155.7	10-25-67	151.8	3.9	1101
035/15W-11M05S	30.0	10-18-67	26.7	3.3	5050			10-26-67	151.7	4.0	5050
		11-15-67	26.6	3.4	1101			11-15-67	151.6	4.1	1101
		1-12-68	26.2	3.8				12-27-67	151.3	4.4	
		4-01-68	26.5	3.5	5050			1-24-68	150.8	4.9	
035/15W-11M06S	31.0	10-18-67	30.3	.7	5050			2-28-68	151.2	4.5	
		11-15-67	30.3	.7	1101			3-27-68	158.5	-2.8	
		1-12-68	30.4	.6				4-01-68	159.2	-3.5	5050
		4-01-68	30.5	.5	5050			7-30-68	153.2	2.5	1101
035/15W-11M07S	39.2	1-12-68	37.0	2.2	1101			9-25-68	158.5	-2.8	
035/15W-11M12S	61.6	1-16-68	59.3	2.3	1101	035/15W-13R09S	155.7	10-02-67	152.0	3.7	1101
035/15W-11M15S	77.3	10-18-67	(5)		5050			11-15-67	152.0	3.7	
		10-25-67	75.6	1.7		035/15W-14J01S	154.9	10-27-67	150.9	4.0	5050
		11-15-67	75.7	1.6	1101			11-06-67	151.3	3.6	1101
		1-12-68	75.0	2.3				4-01-68	151.4	3.5	5050
		4-01-68	76.1	1.2	5050	035/15W-24K01S	123.3	10-18-67	165.2	-41.9	5050
035/15W-11M01S	106.2	10-18-67	103.1	3.1	5050			11-14-67	119.7	3.6	1101
		11-15-67	103.1	3.1	1101			4-02-68	114.2	9.1	5050
		4-01-68	104.0	2.2	5050	035/15W-24M01S	93.0	10-18-67	83.4	9.6	5050
035/15W-12B01S	109.3	10-18-67	108.3	1.0	5050			10-25-67	86.2	6.8	1101
		4-01-68	115.8	-6.5				11-29-67	83.5	9.5	
035/15W-12G01S	112.6	10-18-67	(9)		5050			12-27-67	83.9	9.1	
		10-25-67	113.5	-.9				1-31-68	83.1	9.9	
		4-01-68	113.4	-.8				2-28-68	82.8	10.2	
035/15W-12G02S	107.6	10-18-67	107.8	-.2	5050			3-27-68	83.4	9.6	
		4-01-68	107.9	-.3				4-02-68	83.9	9.1	5050
035/15W-12H02S	126.2	10-18-67	132.3	-6.1	5050			7-30-68	83.1	9.9	1101
		11-15-67	131.4	-5.2	1101			8-28-68	82.5	10.5	
		4-01-68	133.4	-7.2	5050			9-26-68	86.7	6.3	
035/15W-12H03S	129.9	10-18-67	134.7	-4.8	5050	035/15W-24N01S	120.6	10-25-67	113.1	7.5	1101
		11-15-67	136.0	-6.1	1101			11-29-67	110.6	10.0	
		4-01-68	135.6	-5.7	5050			12-27-67	110.5	10.1	
035/15W-13A04S	122.1	10-26-67	76.9(7)	45.2	5050			1-31-68	110.2	10.4	
		3-01-68	(7)		5061			2-29-68	110.3	10.3	
		4-01-68	125.9	-3.8	5050			3-27-68	110.5	10.1	
035/15W-13H02S	104.3	10-23-67	31.9(7)	72.4	5050			7-30-68	110.4	10.2	
		3-01-68	(7)		5061			8-28-68	109.9	10.7	
		4-01-68	109.5	-5.2	5050			9-30-68	114.2	6.4	
035/15W-13H03S	103.0	10-23-67	31.1(7)	71.9	5050	035/15W-24P01S	119.9	10-18-67	109.8	10.1	5050
		3-01-68	(7)		5061			10-25-67	112.4	7.5	1101
		4-01-68	108.0	-5.0	5050			11-29-67	109.3	10.6	
035/15W-13H04S	103.8	11-15-67	101.8	2.0	1101			12-27-67	109.1	10.8	
		1-24-68	101.5	2.3				1-31-68	109.1	10.8	
035/15W-13H05S	103.8	11-15-67	99.7	4.1	1101			2-28-68	108.4	11.5	
		1-24-68	101.3	2.5				3-27-68	109.1	10.8	
035/15W-13H06S	103.8	11-15-67	100.8	3.0	1101			4-02-68	109.1	10.8	5050
		2-14-68	100.1	3.7				7-30-68	108.3	11.6	1101
035/15W-13H07S	103.8	11-15-67	100.9	2.9	1101			8-28-68	108.2	11.7	
		2-14-68	100.2	3.6				9-26-68	113.1	6.8	
035/15W-13P01S	112.0	10-25-67	106.4	5.6	1101	035/15W-24P02S	162.9	10-18-67	154.0	8.9	5050
		10-26-67	106.6	5.4	5050			11-14-67	154.1	8.8	1101
		11-15-67	106.0	6.0	1101			4-02-68	153.4	9.5	5050
		12-06-67	105.6	6.4		035/15W-25B01S	182.7	11-14-67	173.6	9.1	1101
		1-24-68	105.2	6.8				11-14-67	119.6	6.9	1101
		2-28-68	105.0	7.0				4-02-68	119.8	6.7	5050
		3-27-68	106.6	5.4		035/15W-25B03S	161.4	11-14-67	152.2	9.2	1101
		4-01-68	107.5	4.5	5050			10-25-67	105.2	7.7	1101
		8-28-68	104.7	7.3	1101			11-29-67	103.6	9.3	
		9-25-68	107.6	4.4				12-28-67	103.4	9.5	
035/15W-13R02S	153.2	10-23-67	92.1(7)	61.1	5050			1-31-68	103.1	9.8	
		3-01-68	(7)		5061			2-28-68	102.7	10.2	
		4-01-68	157.5	-4.3	5050			3-27-68	103.5	9.4	
035/15W-13R03S	133.9	10-26-67	24.3(7)	109.6	5050			7-30-68	102.4	10.5	
		4-01-68	137.9	-4.0				8-28-68	102.4	10.5	
035/15W-13R06S	149.0	10-23-67	149.8	-.8	5050	035/15W-25C03S	112.9	9-26-68	106.2	6.7	
		3-01-68	(7)		5061			10-18-67	127.5	9.3	5050
		4-01-68	156.3	-7.3	5050			11-14-67	127.5	9.3	1101
		4-24-68	150.8	-1.8	1101			12-01-67	125.0	11.8	
		5-29-68	151.9	-2.9				2-13-68	125.6	11.2	
		6-26-68	145.5	3.5				4-02-68	127.3(3)	9.5	5050
		7-10-68	149.4	-.4		035/15W-25C05S	103.8	11-14-67	97.4	6.4	1101
								3-14-68	93.6	10.2	
								4-02-68	97.1	6.7	5050
						035/15W-25O01S	82.7	10-04-67	77.8	4.9	1101
								10-19-67	(5)		5050
								11-14-67	78.1	4.6	1101
								4-09-68	77.8	4.9	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CD HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CD HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
03S/15W-25002S	22.6	11-14-67	19.2	3.4	1101	03S/15W-25M01S	23.9	3-11-68	20.1	3.8	1101
		3-14-68	19.3	3.3	1101	(CONT.)		4-08-68	(5)		5050
		4-04-68	19.2	3.4	5050	03S/15W-25P01S	73.0	10-18-67	(5)		5050
03S/15W-25F01S	106.0	10-25-67	96.2	9.8	1101			10-25-67	69.1	3.9	1101
		11-29-67	95.2	10.8				10-26-67	69.4	3.6	5050
		12-27-67	94.8	11.2				11-03-67	69.1	3.9	1101
		1-31-68	94.5	11.5				12-27-67	68.9	4.1	
		2-28-68	93.9	12.1				1-24-68	69.0	4.0	
		3-27-68	96.2	9.8				2-28-68	68.5	4.5	
		7-30-68	94.3	11.7				3-27-68	68.9	4.1	
		8-28-68	93.7	12.3				4-03-68	69.2	3.8	5050
		9-26-68	100.8	5.2				8-28-68	68.8	4.2	1101
								9-25-68	68.8	4.2	
03S/15W-25F04S	99.0	10-25-67	89.2	9.8	1101	03S/15W-25P02S	14.0	10-18-67	(5)		5050
		11-29-67	88.0	11.0				4-09-68	(5)		
		12-27-67	88.0	11.0				6-13-68	11.0	3.0	
		1-31-68	87.4	11.6		03S/15W-25Q03S	72.5	10-18-67	61.7	10.8	5050
		2-28-68	87.0	12.0				10-25-67	61.5	11.0	1101
		3-27-68	89.2	9.8				11-03-67	64.2	8.3	
		7-30-68	87.4	11.6				12-27-67	62.7	9.8	
		8-28-68	86.8	12.2				1-24-68	64.1	8.4	
		9-26-68	93.0	6.0				2-28-68	62.1	10.4	
03S/15W-25G03S	90.0	10-25-67	82.3	7.7	1101			3-27-68	62.8	9.7	
		11-29-67	82.2	7.8				4-03-68	63.0	9.5	5050
		12-27-67	81.8	8.2				8-28-68	61.3	11.2	1101
		1-31-68	81.0	9.0				9-25-68	67.2	5.3	
		2-28-68	81.0	9.0		03S/15W-25R01S	137.8	10-25-67	127.6	10.2	1101
		3-27-68	82.3	7.7				11-03-67	129.6	8.2	
		7-30-68	81.0	9.0				12-27-67	128.4	9.4	
		8-28-68	81.2	8.8				1-24-68	127.9	9.9	
		9-26-68	86.0	4.0				2-28-68	127.2	10.6	
03S/15W-25G04S	90.2	10-25-67	81.5	8.7	1101			3-27-68	128.0	9.8	
		11-29-67	81.0	9.2				8-28-68	126.5	11.3	
		12-27-67	81.0	9.2				9-25-68	134.9	2.9	
		1-31-68	80.0	10.2		03S/15W-25R02S	178.0	10-18-67	169.4	8.6	5050
		2-28-68	79.6	10.6				10-25-67	169.1	8.9	1101
		3-27-68	81.2	9.0				11-03-67	170.2	7.8	
		7-30-68	80.1	10.1				12-27-67	169.2	8.8	
		8-28-68	80.0	10.2				1-24-68	168.7	9.3	
		9-26-68	84.7	5.5				2-28-68	167.9	10.1	
03S/15W-25G06S	115.3	11-15-67	106.2	9.1	1101			3-27-68	168.9	9.1	
03S/15W-25G07S	145.4	11-15-67	136.6	8.8	1101			4-03-68	169.3	8.7	5050
03S/15W-25G08S	73.7	11-15-67	64.6	9.1	1101			8-28-68	167.7	10.3	1101
03S/15W-25G09S	86.0	10-18-67	76.3	9.7	5050			9-25-68	174.1	3.9	
		10-19-67	(5)			03S/15W-25R04S	70.6	10-19-67	61.9	8.7	5050
		10-25-67	76.5	9.5	1101			10-25-67	59.8	10.8	1101
		11-29-67	76.2	9.8				11-29-67	60.7	9.9	
		12-27-67	75.9	10.1				12-27-67	59.9	10.7	
		1-31-68	76.2	9.8				1-31-68	59.1	11.5	
		2-28-68	74.8	11.2				2-28-68	58.4	12.2	
		3-27-68	76.4	9.6				3-27-68	58.8	11.8	
		4-04-68	79.7	6.3	5050			4-03-68	58.8	11.8	5050
		7-30-68	75.5	10.5	1101			7-30-68	56.9	13.7	1101
		8-28-68	75.0	11.0				8-28-68	56.3	14.3	
		9-26-68	80.2	5.8				9-26-68	66.2	4.4	
03S/15W-25G10S	146.5	11-14-67	138.1	8.4	1101	03S/15W-36A02S	64.2	10-19-67	55.7	8.5	5050
03S/15W-25H03S	209.1	11-15-67	200.7	8.4	1101			10-25-67	55.6	8.6	1101
		4-02-68	200.6	8.5	5050			11-29-67	55.5	8.7	
03S/15W-25K03S	90.0	10-25-67	79.9	10.1	1101			12-27-67	55.2	9.0	
		11-29-67	79.9	10.1				1-31-68	54.7	9.5	
		12-27-67	79.5	10.5				2-28-68	54.3	9.9	
		1-31-68	78.9	11.1				3-27-68	55.0	9.2	
		2-28-68	78.5	11.5				4-02-68	54.8	9.4	5050
		3-27-68	79.2	10.8				7-30-68	54.0	10.2	1101
		7-30-68	79.1	10.9				8-28-68	53.9	10.3	
		8-28-68	78.6	11.4		03S/15W-36H03S	58.2	10-25-67	49.9	8.3	1101
		9-26-68	84.4	5.6				11-29-67	49.6	8.6	
03S/15W-25K07S	135.4	11-14-67	126.8	8.6	1101			12-27-67	49.3	8.9	
03S/15W-25K14S	71.0	10-25-67	60.9	10.1	1101			1-31-68	48.8	9.4	
		11-29-67	61.6	9.4				2-28-68	48.5	9.7	
		12-27-67	61.2	9.8				3-27-68	49.2	9.0	
		1-31-68	60.7	10.3				7-30-68	48.4	9.8	
		2-28-68	60.3	10.7				8-28-68	48.4	9.8	
		3-27-68	61.5	9.5				9-26-68	55.6	2.6	
		7-30-68	60.4	10.6		04S/12W-30R01S	15.6	10-19-67	96.0	-80.4	5050
		8-28-68	60.1	10.9				11-14-67	95.8	-80.2	1101
		9-26-68	66.3	4.7				4-01-68	94.5	-78.9	5050
03S/15W-25L01S	73.4	11-07-67	63.0	10.4	1101	04S/12W-31C01S	26.1	11-14-67	50.8	-24.7	1101
03S/15W-25L02S	94.4	11-14-67	85.7	8.7	1101	04S/12W-31M01S	36.3	11-16-67	61.3	-25.0	1101
		2-08-68	85.6	8.8				10-07-67	43.6	-5.6	4206
		4-02-68	85.8	8.6	5050			10-19-67	43.7	-5.7	5050
03S/15W-25M01S	23.9	10-19-67	(5)		5050			10-27-67	43.7	-5.7	4206
		11-14-67	22.4	1.5	1101			11-22-67	44.5	-6.5	
								12-08-67	43.6	-5.6	
								12-29-67	43.7	-5.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/12W-32G01S (CONT.)	38.0	1-19-68 2-09-68 3-22-68 4-01-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	44.7 43.8 43.6 43.7 44.0 43.9 44.0 44.0 43.9 44.2	-6.7 -5.8 -5.6 -5.7 -6.0 -5.9 -6.0 -6.0 -5.9 -6.2	4206 5050 4206	04S/13W-10E03S (CONT.)	26.0	11-03-67 12-08-67 12-08-67 12-08-67 12-08-67 4-03-68 4-25-68 4-25-68 5-06-68 5-06-68 6-06-68 7-06-68 8-06-68 9-06-68	238.1(1) 242.1(1) 242.1(1) 242.1(1) 242.1(1) 234.9(1) 236.1(1) 236.1(1) 98.1(5) 98.1 (7) (7) (7) (7)	-212.1 -216.1 -216.1 -216.1 -216.1 -208.9 -210.1 -210.1 -72.1 -72.1 	5061 5050 5061
04S/13W-02P01S	38.7	10-17-67 11-15-67 4-02-68 4-16-68	73.6 73.3 74.7 73.4	-34.9 -34.6 -36.0 -34.7	5050 1101 5050 1101	04S/13W-10F02S	27.0	10-03-67 11-02-67 12-01-67 1-02-68 2-01-68 3-01-68 4-01-68 5-02-68 6-03-68 7-01-68 8-01-68 9-03-68	125.8 123.8 123.8 125.8 123.8 123.8 123.8 125.8 130.8 133.8 124.8 130.8	-98.8 -96.8 -96.8 -98.8 -96.8 -96.8 -96.8 -98.8 -103.8 -106.8 -97.8 -103.8	5061
04S/13W-02P03S	43.0	10-17-67 4-02-68	73.8 74.7	-30.8 -31.7	5050	04S/13W-10H01S	31.9	10-07-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	65.3 65.2 65.2 65.3 65.5 65.7 65.7 65.5 65.8 65.9 66.0 66.0 66.1 66.1	-33.4 -33.3 -33.3 -33.4 -33.6 -33.8 -33.8 -33.6 -33.9 -34.0 -34.1 -34.1 -34.2	4206
04S/13W-04H01S	15.0	10-17-67 10-30-67 11-13-67 4-02-68 4-16-68	(1) 74.4 (1) 76.4 73.3	-59.4 -61.4 -58.3	5050 1101 5050 1101	04S/13W-10J08S	30.0	10-23-67 11-15-67 4-01-68 4-16-68	80.4 80.4 82.3 80.2	-50.4 -50.4 -52.3 -50.2	5050 1101 5050 1101
04S/13W-05L01S	13.8	10-17-67 11-17-67 12-05-67 1-03-68 2-05-68 3-05-68 4-01-68 4-03-68 5-06-68 6-06-68 7-08-68 8-05-68 9-03-68	92.3 92.3(8) 91.6(8) 92.0(8) 91.6(8) 90.3(8) 90.5(8) 91.4 91.5 92.7 94.7 88.1 94.2	-78.5 -78.5 -77.8 -78.2 -77.8 -76.5 -76.7 -77.6 -77.7 -78.9 -80.9 -74.3 -80.4	5050 1101	04S/13W-10J09S	30.0	11-15-67 4-16-68	DRY DRY		1101
04S/13W-06Q01S	22.0	10-17-67 4-03-68	52.6 51.2	-30.6 -29.2	5050	04S/13W-10L01S	28.0	11-15-67 4-16-68	16.2 16.2	11.8 11.8	1101
04S/13W-07H01S	20.3	10-03-67 10-18-67 10-30-67 12-05-67 1-03-68 2-05-68 2-05-68 3-04-68 3-04-68 4-01-68 4-01-68 4-09-68 5-06-68 5-06-68 6-06-68 6-10-68 7-08-68 8-05-68 9-03-68	91.4(8) (7) 92.1 (9) 92.2(8) 92.1(8) 92.1(8) 91.0(8) 91.0(8) 91.0(8) 91.0(8) 90.4 91.8(8) 91.8(8) (5) 93.0(8) 94.7(8) 94.2(8) 94.8(8)	-71.1 -71.8 -71.9 -71.8 -71.8 -70.7 -70.7 -70.7 -70.7 -70.1 -71.5 -71.5 -72.7 -74.4 -73.9 -74.5	1101 5050 1101	04S/13W-11E02S	31.0	10-23-67 4-02-68 4-01-68	69.2 69.7 67.3 68.0	-34.2 -34.7 -36.3 -37.0	5050 5050
04S/13W-07L01S	30.0	10-31-67 4-03-68	101.4(1) 100.0	-71.4 -70.0	5050	04S/13W-11K01S	34.6	11-15-67 4-16-68	68.0 68.4	-33.4 -33.8	1101
04S/13W-08G02S	8.9	11-14-67 1-08-68 4-22-68	50.8 51.5 52.0	-41.9 -42.6 -43.1	1101	04S/13W-11K03S	34.0	10-23-67 11-15-67 4-03-68 4-29-68	68.3 66.6(8) 67.3 66.5(8)	-34.3 -32.6 -33.3 -32.5	5050 1101 5050 1101
04S/13W-08R01S	12.1	11-14-67 4-22-68	23.1 22.7	-11.0 -10.6	1101	04S/13W-11R01S	32.5	11-15-67 4-29-68	DRY DRY		1101
04S/13W-09A01S	23.8	10-10-67 12-08-67 12-08-67	(9) (7) (7)		5061	04S/13W-14A06S	5.0	10-05-67 11-07-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 7-09-68 9-04-68	31.1 31.4 31.5 31.9 32.1 32.3 32.4 32.6 DRY DRY DRY DRY	-26.1 -26.4 -26.5 -26.9 -27.1 -27.3 -27.4 -27.6	1101
04S/13W-09E02S	16.0	10-23-67 4-03-68	79.1 78.5	-63.1 -62.5	5050	04S/13W-14H02S	33.0	10-05-67 11-07-67 12-06-67 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 7-09-68 9-04-68	DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY		1101
04S/13W-09H01S	23.0	10-10-67 11-03-67 12-08-67 12-08-67 12-08-67 12-08-67 4-25-68	162.2(1) 172.2(1) 172.2(1) 172.2(1) 172.2(1) 172.2(1) 170.2(1)	-139.2 -149.2 -149.2 -149.2 -149.2 -149.2 -147.2	5061	04S/13W-14H05S	33.0	10-05-67 11-07-67	DRY DRY		1101
04S/13W-10A01S	33.0	10-23-67 4-02-68	69.5 70.0	-36.5 -37.0	5050						
04S/13W-10B02S	30.0	10-23-67 4-02-68	.1 64.2	29.9 -34.2	5050						
04S/13W-10E02S	25.0	10-23-67 4-03-68	74.1 73.5	-49.1 -48.5	5050						
04S/13W-10E03S	26.0	10-10-67 10-10-67	238.1(1) 238.1(1)	-212.1 -212.1	5050 5061						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/13W-14H05S (CONT.)	33.0	12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 7-09-68 8-06-68 9-04-68	DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY		1101	04S/13W-19J02S (CONT.)	44.3	4-04-68 5-06-68 6-06-68 7-08-68 8-09-68 9-03-68	107.1 107.4 109.2 110.3 109.2 111.5	-62.0 -63.1 -64.9 -66.0 -64.9 -67.2	5050
04S/13W-14J05S	41.0	11-07-67 4-29-68	DRY DRY		1101	04S/13W-19J06S	40.0	10-17-67 10-31-67 4-09-68	(1) 102.4 101.2	-62.4 -61.2	5050
04S/13W-14L01S	29.6	10-16-67 10-30-67 11-27-67 12-26-67 1-22-68 2-19-68 3-25-68 4-01-68 4-22-68 5-20-68 6-24-68 7-22-68 8-19-68 9-23-68	64.6 63.7 63.7 63.8 63.8 63.9 63.8 64.9 64.0 64.1 64.3 64.2 64.1 64.7	-35.0 -34.1 -34.1 -34.2 -34.2 -34.3 -34.2 -35.3 -34.4 -34.5 -34.7 -34.6 -34.5 -35.1	5050 5010	04S/13W-20K01S	37.0	10-19-67 4-04-68	108.2 107.3	-71.2 -70.3	5050
04S/13W-14Q08S	25.9	11-15-67 4-23-68	21.6 19.1	4.3 6.8	1101	04S/13W-20R01S	46.7	10-19-67 4-04-68	116.4 115.2	-69.7 -68.5	5050
04S/13W-15C01S	24.0	10-19-67 4-02-68	127.5(4) 130.0	-103.5 -106.0	5050	04S/13W-21A01S	16.0	11-14-67 4-22-68	37.4 40.6	-21.4 -24.6	1101
04S/13W-15D01S	21.0	10-19-67	(6)		5050	04S/13W-21H02S	35.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	125.3 127.6 128.6 128.1 124.6 124.6 126.2 128.1 134.3 132.7 130.2 127.4	-90.3 -92.6 -93.6 -93.1 -89.6 -89.6 -91.2 -93.1 -99.3 -97.7 -95.2 -92.4	5061
04S/13W-15N01S	20.0	10-30-67 11-30-67 12-29-67 1-31-68 2-29-68 4-01-68 4-30-68 5-24-68 7-01-68 8-05-68 8-30-68 9-27-68	164.8 164.8 165.8 165.8 164.8 165.8 166.8 169.8 171.8 152.8 151.8 149.8	-144.8 -144.8 -145.8 -145.8 -144.8 -145.8 -146.8 -149.8 -151.8 -132.8 -131.8 -129.8	5061	04S/13W-21H03S	35.0	11-14-67 4-22-68	126.8(8) 124.0	-91.8 -89.0	1101
04S/13W-15O01S	22.0	10-24-67 11-14-67 4-03-68 4-16-68	65.6 56.3 66.2 57.0	-43.6 -34.3 -44.2 -35.0	5050 1101 5050 1101	04S/13W-21H05S	21.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	113.3 114.3 115.7 114.8 113.1 113.5 115.0 115.5 122.8 121.3 118.5 115.5	-92.3 -93.3 -94.7 -93.8 -92.1 -92.5 -94.0 -94.5 -101.8 -100.3 -97.5 -94.5	5061
04S/13W-15O05S	25.0	11-14-67 4-16-68	70.5 70.5	-45.5 -45.5	1101	04S/13W-21H06S	20.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	112.2 113.3 114.5 113.8 111.4 111.7 113.3 114.7 120.6 119.0 119.2 114.6	-92.2 -93.3 -94.5 -93.8 -91.4 -91.7 -93.3 -94.7 -100.6 -99.0 -99.2 -94.6	5061
04S/13W-15R03S	20.0	10-24-67 4-03-68	58.7 59.8	-38.7 -39.8	5050	04S/13W-21J02S	34.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	125.9 122.6 117.5 116.3 123.9 126.4 127.2 129.4 136.4 122.7 120.3 114.7	-91.9 -88.6 -83.5 -82.3 -89.9 -92.4 -93.2 -95.4 -102.4 -88.7 -86.3 -80.7	5061
04S/13W-16F02S	16.3	11-14-67 4-22-68	43.7 44.4	-27.4 -28.1	1101	04S/13W-21R01S	31.0	10-02-67 10-02-67 11-01-67 11-01-67 12-07-67 12-07-67 1-05-68 1-05-68 2-05-68 2-05-68 2-05-68 2-05-68 4-25-68 4-25-68 4-25-68 6-07-68 6-07-68 7-07-68 8-07-68 9-07-68	153.5(1) 125.5(5) 151.5(1) 124.5(5) 154.5(1) 126.5(5) 155.5(1) 127.5(5) 126.5(5) 155.5(1) 126.5(5) 155.5(1) 127.5(5) 156.5(1) 156.5(1) 161.5(1) 128.5(5) (7) (7) (7)	-122.5 -94.5 -120.5 -93.5 -123.5 -95.5 -124.5 -96.5 -95.5 -124.5 -95.5 -124.5 -96.5 -125.5 -125.5 -130.5 -97.5	5061
04S/13W-17D01S	27.0	10-03-67 10-24-67 4-02-68	105.4 119.4(1) 108.4	-78.4 -92.4 -81.4	5050	04S/13W-22C03S	29.0	11-14-67 4-22-68	(3) (3)		1101
04S/13W-19B01S	40.0	10-17-67 4-03-68	102.8 103.3	-62.8 -63.3	5050						
04S/13W-19B02S	39.5	10-02-67 10-17-67 11-01-67 12-01-67 1-02-68 2-01-68 3-04-68 4-01-68 4-03-68 5-01-68 6-03-68 7-01-68 8-01-68 9-03-68	103.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5) 101.4 101.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5) 103.4(5)	-63.9 -63.9 -63.9 -63.9 -63.9 -63.9 -63.9 -63.9 -61.9 -61.9 -63.9 -63.9 -63.9 -63.9 -63.9	5061 5050 5061	04S/13W-19J02S	44.3	10-03-67 10-17-67 11-06-67 12-05-67 1-03-68 2-05-68 3-04-68 4-01-68	108.3 108.8 108.4 108.3 108.4 108.3 107.3 107.6	-64.0 -64.5 -64.1 -64.0 -64.1 -64.0 -63.0 -63.3	1101 5050 1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/13W-22C055	18.2	11-14-67 4-22-68	56.8 57.6	-38.6 -39.4	1101	04S/13W-22Q055	15.9	10-18-67 11-15-67 1-04-68 4-01-68	53.4 58.5 58.2 58.1	-37.5 -42.6 -42.3 -42.2	5050 1101 5050
04S/13W-22E015	20.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	112.7 113.2 114.6 113.9 111.6 112.2 113.4 115.5 120.8 119.9 118.0 114.6	-92.7 -93.2 -94.6 -93.9 -91.6 -92.2 -93.4 -95.5 -100.8 -99.9 -98.0 -94.6	5061	04S/13W-22R045	18.0	10-24-67 11-14-67 4-04-68 4-22-68	57.0 57.8 57.9 58.4	-39.0 -39.8 -39.9 -40.4	5050 1101 5050 1101
04S/13W-22F015	20.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 8-30-68 9-30-68	112.5 114.8 115.0 114.1 111.1 112.1 113.4 116.2 121.3 119.9 116.9 114.8	-92.5 -94.8 -95.0 -94.1 -91.1 -92.1 -93.4 -96.2 -101.3 -99.9 -96.9 -94.8	5061	04S/13W-23A025	35.7	10-23-67 11-16-67 12-20-67 4-01-68	69.9 69.8 65.6 70.5	-34.2 -34.1 -29.9 -34.8	5050 1101 5050
04S/13W-22F025	21.9	10-24-67 4-03-68	121.7 121.7(1)	-99.8 -99.8	5050	04S/13W-23B025	24.5	10-02-67 10-09-67 10-16-67 10-16-67 10-23-67 10-30-67 10-30-67 11-06-67 11-13-67 11-20-67 11-27-67 12-04-67 12-11-67 12-18-67 12-26-67 1-02-68 1-08-68 1-15-68 1-22-68 1-22-68 1-29-68 2-05-68 2-12-68 2-19-68 2-26-68 3-04-68 3-11-68 3-18-68 3-25-68 4-01-68 4-01-68 4-08-68 4-15-68 4-22-68 4-29-68 5-06-68 5-13-68 5-20-68 5-27-68 6-03-68 6-10-68 6-17-68 6-24-68 7-01-68 7-08-68 7-15-68 7-22-68 7-29-68 8-05-68 8-12-68 8-19-68 8-26-68 9-02-68 9-09-68 9-16-68 9-23-68 9-30-68	118.5 119.1 119.9 120.5 119.7 117.8 117.2 118.4 119.5 119.7 119.1 118.9 118.6 119.3 120.0 119.2 119.0 119.1 120.1 119.5 119.1 119.4 118.6 114.6 115.9 117.5 9.9 9.8 114.4 117.0 117.6 116.2 117.9 118.9 119.1 120.0 120.9 120.6 121.7 121.4 122.4 124.6 125.5 125.8 124.6 124.8 124.5 124.4 124.9 125.1 124.1 123.2 121.1 120.3 120.7 120.2 120.3	-94.0 -94.6 -95.4 -96.0 -95.2 -93.3 -92.7 -93.9 -95.0 -95.2 -94.6 -94.4 -94.1 -94.8 -95.5 -94.7 -94.5 -94.6 -95.6 -95.0 -94.6 -94.9 -94.1 -90.1 -91.4 -93.0 14.6 14.7 -89.9 -92.5 -93.1 -91.7 -93.4 -94.4 -94.6 -95.5 -96.4 -96.1 -97.2 -96.9 -97.9 -100.1 -101.0 -101.3 -100.1 -100.3 -100.0 -99.9 -100.4 -100.6 -99.6 -98.7 -96.6 -95.8 -96.2 -95.7 -95.8	4206 5050 4206 1101 4206
04S/13W-22F035	21.1	11-13-67 4-23-68	51.8 52.1	-30.7 -31.0	1101	04S/13W-23G025	23.2	10-30-67 11-27-67 12-26-67 1-22-68 2-19-68 3-25-68 4-22-68 5-20-68 6-24-68 7-22-68 8-19-68 9-23-68	118.0 119.9 120.8 120.3 115.3 115.1 119.6 121.4 126.2 125.2 124.9 121.0	-94.8 -96.7 -97.6 -97.1 -92.1 -91.9 -96.4 -98.2 -103.0 -102.0 -101.7 -97.8	5010
04S/13W-22G015	28.0	11-14-67 4-22-68	66.7 67.2	-38.7 -39.2	1101	04S/13W-23H045	35.6	11-07-67 4-29-68 6-03-68	DRY DRY DRY		1101
04S/13W-22G055	18.7	11-14-67 11-15-67 3-05-68 4-22-68	59.9 60.0 61.3 60.3(8)	-41.2 -41.3 -42.6 -41.6	1101	04S/13W-23N035	17.4	10-23-67 11-14-67 3-11-68 4-01-68	111.3 112.3 109.8 108.9	-93.9 -94.9 -92.4 -91.5	5050 1101 5050
04S/13W-22K025	17.7	11-14-67 4-22-68	DRY DRY		1101	04S/13W-23N045	17.5	10-23-67 11-14-67 3-11-68	55.3 55.3 56.4	-37.8 -37.8 -38.9	5050 1101
04S/13W-22K055	19.7	10-19-67 11-14-67 4-02-68 4-22-68	114.8 115.5(8) 111.8 114.3(8)	-95.1 -95.8 -92.1 -94.6	5050 1101 5050 1101						
04S/13W-22K145	17.1	11-14-67 4-23-68	35.2 38.2	-18.1 -21.1	1101						
04S/13W-22K155	17.3	11-14-67 4-23-68	55.4 56.3	-38.1 -39.0	1101						
04S/13W-22K165	17.0	11-14-67 4-23-68	30.2 30.0	-13.2 -13.0	1101						
04S/13W-22K195	16.3	11-14-67 4-23-68	37.2 41.3	-20.9 -25.0	1101						
04S/13W-22K205	15.8	11-14-67 4-23-68	DRY DRY		1101						
04S/13W-22K215	16.0	11-14-67 4-23-68	42.5 45.6	-26.5 -29.6	1101						
04S/13W-22K305	16.0	11-14-67 4-23-68	60.4 60.9	-44.4 -44.9	1101						
04S/13W-22P015	16.0	10-01-67 10-24-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 4-04-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	110.5 110.7 108.0 110.0 110.1 110.3 109.0 107.0 108.4 110.0 112.0 118.0 114.9 111.5	-94.5 -94.7 -92.0 -94.0 -94.1 -94.3 -93.0 -91.0 -92.4 -94.0 -96.0 -102.0 -98.9 -95.5	5061 5050 5061						
04S/13W-22Q035	15.3	10-18-67 11-15-67 1-03-68 4-01-68	110.6 109.1 108.6 107.0	-95.3 -93.8 -93.3 -91.7	5050 1101 5050						
04S/13W-22Q045	15.5	10-18-67 11-15-67 1-03-68 4-01-68	110.2 109.4 108.0 107.2	-94.7 -93.9 -92.5 -91.7	5050 1101 5050						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2			
04S/13W-23N04S (CONT.)	17.5	4-01-68	56.0	-38.5	5050	04S/13W-27K03S (CONT.)	13.8	3-04-68 4-01-68	65.9 65.5	-52.1 -51.7	1101 5050	
04S/13W-23N05S	17.4	11-14-67 3-11-68	59.5 59.2	-42.1 -41.8	1101	04S/13W-27M01S	30.4	10-04-67 11-01-67 12-01-67 2-05-68 3-05-68 3-05-68 3-29-68 3-29-68 5-01-68 5-01-68 6-03-68 6-03-68 7-01-68 7-01-68 8-01-68 8-01-68 9-01-68 9-01-68	125.6(5) 123.6(5) (9) (7) 127.0(5) 142.1(1) 124.9(5) 134.1(1) 126.0(5) 136.4(1) 128.0(5) 137.5(1) 131.8(5) 143.3(1) 129.5(5) (9) (1) (5)	-95.2 -93.2 -96.6 -111.7 -94.5 -103.7 -95.6 -106.0 -97.6 -107.1 -101.4 -112.9 -99.1	5061	
04S/13W-23Q02S	19.3	11-15-67 4-23-68	DRY DRY		1101							
04S/13W-24N04S	19.0	11-15-67 4-23-68	DRY DRY		1101							
04S/13W-25F01S	13.1	10-19-67 11-14-67 12-21-67 4-01-68	45.6 46.6 45.7 46.3(6)	-32.5 -33.5 -32.6 -33.2	5050 1101 5050							
04S/13W-26A02S	32.0	10-19-67 11-14-67 4-01-68	128.0 127.8 129.3	-96.0 -95.8 -97.3	5050 1101 5050							
04S/13W-26A03S	32.3	11-14-67	68.3	-36.0	1101	04S/13W-27M03S	31.2	10-04-67 10-04-67 11-01-67 11-01-67 12-01-67 12-01-67 1-03-68 1-03-68 2-05-68 2-05-68 3-05-68 3-05-68 3-29-68 3-29-68 5-01-68 5-01-68 6-03-68 6-03-68 7-01-68 7-01-68 8-01-68 8-01-68 9-01-68 9-01-68	133.4(1) 125.8(5) 135.2(1) 125.5(5) 142.5(1) 129.1(5) 143.8(1) 127.9(5) 127.6(5) 146.3(1) 129.5(5) 149.1(1) 129.5(5) 153.0(1) 126.5(5) 155.3(1) 131.1(5) 155.3(1) 138.0(5) 155.3(1) 124.1(5) (9) 120.9(5) (1)	-102.2 -94.6 -104.0 -94.3 -111.3 -97.9 -112.6 -96.7 -96.4 -115.1 -98.3 -117.9 -98.3 -121.8 -95.3 -124.1 -99.9 -124.1 -106.8 -124.1 -92.9 -89.7	5061	
04S/13W-26A04S	31.8	10-19-67 11-14-67 4-01-68	67.1 67.3 68.2	-35.3 -35.5 -36.4	5050 1101 5050							
04S/13W-26F05S	12.5	10-20-67 10-23-67 11-14-67 4-01-68	109.1 108.1 108.2 104.8	-96.6 -95.6 -95.7 -92.3	1101 5050 1101 5050							
04S/13W-26F06S	12.9	10-20-67 11-14-67	55.5 56.8	-42.6 -43.9	1101							
04S/13W-26F07S	12.8	10-19-67 10-20-67 11-14-67 4-01-68	49.6 49.5 48.5 50.3	-36.8 -36.7 -35.7 -37.5	5050 1101 5050							
04S/13W-26P02S	10.3	10-07-67 10-23-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-01-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	46.2 46.0 46.1 46.6 46.7 46.5 47.0 47.5 46.7 47.6 47.7 48.0 47.8 48.2 48.2 48.3	-35.9 -35.7 -35.8 -36.3 -36.4 -36.2 -36.7 -37.2 -36.4 -37.3 -37.4 -37.7 -37.5 -37.9 -37.9 -38.0	4206 5050 4206 5050 4206		04S/13W-27M04S	32.7	10-05-67 10-05-67 11-01-67 11-01-67 12-01-67 2-05-68 2-05-68 3-05-68 3-05-68 3-29-68 5-01-68 5-01-68 6-03-68 6-03-68 7-01-68 7-01-68 8-01-68 8-01-68 9-01-68 9-01-68	164.7(1) 132.3(5) 131.9(5) 163.5(1) (9) 124.0(5) 159.0(1) 124.5(5) 162.4(1) 124.5(5) 123.7(5) 161.3(1) 124.6(5) 164.8(1) 164.8(1) 129.0(5) 126.6(5) 163.7(1) 125.7(5) 158.4(1)	-132.0 -99.6 -99.2 -130.8 -91.3 -126.3 -91.8 -129.7 -91.8 -91.0 -128.6 -91.9 -132.1 -132.1 -96.3 -93.9 -131.0 -93.0 -125.7	5061
04S/13W-26R01S	27.3	11-14-67	64.9	-37.6	1101							
04S/13W-26R02S	28.0	10-19-67 11-14-67 4-01-68	123.7 123.4 119.4	-95.7 -95.4 -91.4	5050 1101 5050							
04S/13W-26R03S	27.4	10-19-67 11-14-67 4-01-68	63.2 62.5 64.5	-35.8 -35.1 -37.1	5050 1101 5050							
04S/13W-27E01S	39.2	10-23-67 11-15-67 4-02-68	130.3 130.3 127.4	-91.1 -91.1 -88.2	5050 1101 5050	04S/13W-27N01S	30.0	2-05-68 3-05-68 3-29-68	(7) (7) (7)		5061	
04S/13W-27E02S	39.0	10-23-67 11-15-67 4-02-68	91.6 93.5 91.7	-52.6 -54.5 -52.7	5050 1101 5050	04S/13W-27P02S	10.8	10-18-67 11-16-67 2-02-68 4-01-68	103.2 103.1 102.6 100.2	-92.4 -92.3 -91.8 -89.4	5050 1101 5050	
04S/13W-27H01S	14.0	10-07-67 10-23-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-01-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	53.9 53.6 53.5 54.0 54.2 54.2 54.6 54.6 54.7 54.5 54.9 55.2 54.8 55.6 55.7 55.2	-39.9 -39.6 -39.5 -40.0 -40.2 -40.2 -40.6 -40.6 -40.7 -40.5 -40.9 -41.2 -40.8 -41.6 -41.7 -41.2	4206 5050 4206 5050 4206		04S/13W-27P03S	10.5	10-18-67 11-16-67 2-02-68 4-01-68	66.6 66.8 66.1 66.3	-56.1 -56.3 -55.6 -55.8	5050 1101 5050
						04S/13W-27P04S	10.7	11-16-67 2-02-68	61.1 42.3	-50.4 -31.6	1101	
						04S/13W-27Q01S	9.2	11-14-67 11-15-67 3-04-68 4-23-68	54.3 50.7 55.9 56.1(8)	-45.1 -41.5 -46.7 -46.9	1101	
						04S/13W-28N01S	45.7	10-04-67 10-19-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-02-68	96.6 97.0 96.6 96.6 96.8 96.7 96.7 97.2	-50.9 -51.3 -50.9 -50.9 -51.1 -51.0 -51.0 -51.5	1101 5050 1101	
04S/13W-27K02S	9.0	10-18-67 11-15-67 4-01-68	103.2 102.5 99.6	-94.2 -93.5 -90.6	5050 1101 5050							
04S/13W-27K03S	13.8	10-18-67 11-15-67	65.6 66.3	-51.8 -52.5	5050 1101							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2			COASTAL PL OF LA CO HYDRO SUBUNIT WEST COAST HYDRO SUBAREA			U-05.A0 U-05.A2								
045/13W-28N01S (CONT.)	45.7	5-06-68 6-05-68 7-09-68 7-09-68 8-06-68 9-04-68	96.7 98.3 97.1 97.1 97.2 97.4	-51.0 -52.6 -51.4 -51.4 -51.5 -51.7	1101 1101	045/13W-30G03S (CONT.)	26.0	9-30-68	91.9(5)	-65.9	5061						
045/13W-28N02S	45.0	10-19-67 11-07-67 4-02-68 4-17-68 4-17-68	75.5 96.7 95.6 96.7 96.7	-30.5 -51.7 -50.6 -51.7 -51.7	5050 1101 5050 1101	045/13W-30K01S	36.0	10-17-67 10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-03-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	101.7 100.4 101.4(5) 120.4(1) 100.4(5) 100.5(5) 99.4(5) 101.4 100.4(5) 100.4(5) 127.4(1) 101.4(5) 129.4(5) 101.4(5)	-65.7 -64.4 -65.4 -84.4 -64.4 -64.5 -63.4 -65.4 -64.4 -64.4 -91.4 -65.4 -93.4 -65.4	5050 5061 5050 5061						
045/13W-28N04S	37.0	10-19-67 10-19-67 11-16-67 4-02-68	120.4 117.9 119.8 115.6	-83.4 -80.9 -82.8 -78.6	1101 5050 1101 5050	045/13W-30P01S	19.6	10-25-67	(6)		5050						
045/13W-28N06S	37.7	10-19-67 10-19-67	97.5 97.9	-59.8 -60.2	1101 5050	045/13W-30P03S	19.3	10-25-67	(6)		5050						
045/13W-28N05S	37.3	11-16-67	100.4	-63.1	1101	045/13W-31E02S	19.0	10-17-67 10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-03-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	83.9 86.7 86.1 83.2 82.9 82.0 80.8 86.1 81.9 81.5 84.5 82.7 81.9 81.2	-64.9 -67.7 -67.1 -64.2 -63.9 -63.0 -61.8 -67.1 -62.9 -62.5 -65.5 -63.7 -62.9 -62.2	5050 5061						
045/13W-28Q01S	26.1	11-14-67 4-17-68	69.1(8) 69.0	-43.0 -42.9	1101	045/13W-31E04S	22.0	10-04-67 10-17-67 10-31-67 11-02-67 11-15-67 12-06-67 12-31-67 1-04-68 1-31-68 2-29-68 3-05-68 3-31-68 4-03-68 4-05-68 4-30-68 5-03-68 5-31-68 6-07-68 6-30-68 7-03-68 7-31-68 8-02-68 8-31-68 9-04-68 9-30-68	87.3 87.5 90.6 86.4 87.4 86.9 87.1 86.9 86.7 85.8 85.7 85.6 86.8 85.4 85.6 85.7 85.0 87.4 88.1 88.5 86.0 87.2 85.4 90.1 84.6	-65.3 -65.5 -68.6 -64.4 -65.4 -64.9 -65.1 -64.9 -64.7 -63.8 -63.7 -63.6 -64.8 -63.4 -63.6 -63.7 -63.0 -65.4 -66.1 -66.5 -64.0 -65.2 -63.4 -68.1 -62.6	1200 5050 5061 1200 1101 1200 5061 1200 5061 1200 1200 5061 5061 1200 5061 1200 5061 1200 5061 1200 5061 1200 5061 1200 5061						
045/13W-29E03S	41.0	10-17-67 4-02-68	101.0 92.6	-60.0 -51.6	5050	045/13W-31J01S	21.6	10-17-67 11-16-67 2-05-68 4-02-68	88.8 92.0 87.5 86.7	-67.2 -70.4 -65.9 -65.1	5050 1101						
045/13W-29H01S	40.3	10-16-67 11-16-67	124.1 125.1	-83.8 -84.8	1101	045/13W-31J02S	21.4	11-16-67 2-05-68	88.9 86.0	-67.5 -64.6	1101						
045/13W-29H02S	40.6	10-16-67 10-17-67 11-16-67 4-02-68	111.6 110.1 111.9 109.0	-71.0 -69.5 -71.3 -68.4	1101 5050 1101 5050	045/13W-31J03S	21.4	10-17-67 11-16-67 2-05-68 4-10-68	58.2 57.9 57.4 34.7	-36.8 -36.5 -36.0 -13.3	5050 1101 5050						
045/13W-29H03S	40.2	10-17-67 12-21-67 4-02-68	114.5 114.8 112.3	-74.3 -74.6 -72.1	5050 1101 5050	045/13W-31N01S	43.4	10-17-67 11-16-67 4-02-68	107.9 109.0 105.6	-64.5 -65.6 -62.2	5050 1101 5050						
045/13W-30A05S	35.0	10-17-67 11-01-67 11-30-67 12-31-67 2-06-68 2-29-68 4-02-68 5-03-68 5-31-68 7-09-68 8-01-68 9-03-68	105.5 107.5 103.5 103.5 103.5 102.5 110.4 102.5 103.5 103.5 102.5 102.5	-70.5 -72.5 -68.5 -68.5 -68.5 -67.5 -75.4 -67.5 -68.5 -68.5 -67.5 -67.5	5050 5061 5050 5061 5050 5050 5050 5061 5061 5061 5061 5061	045/13W-31P01S	44.7	10-01-67 11-01-67 11-07-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 4-01-68 4-15-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	151.0 151.0 151.0(1) 151.0 150.0 150.0 168.0 145.0(1) 145.0 145.0(1) 141.0 140.0 143.0 143.0 151.0	-106.3 -106.3 -106.3 -106.3 -105.3 -105.3 -123.3 -100.3 -100.3 -100.3 -96.3 -95.3 -98.3 -98.3 -106.3	5061 5061 1101 5061						
045/13W-30G01S	37.0	10-04-67 10-17-67 10-31-67 11-02-67 11-30-67 12-06-67 12-31-67 1-04-68 1-31-68 2-29-68 3-05-68 3-31-68 4-03-68 4-05-68 4-30-68 5-03-68 5-31-68 6-07-68 6-30-68 7-03-68 7-31-68 8-02-68 8-31-68 9-04-68 9-30-68	102.2 105.6 101.5 102.9 102.5(5) 101.8 115.5(1) 102.1 102.5(5) 102.5(5) 101.8 101.5(5) 99.9 100.4 100.5(5) 100.7 116.5(1) (1) 104.5(5) (1) 102.5(5) 102.5 119.5(5) (1) 102.5(5)	-65.2 -68.6 -64.5 -65.9 -65.5 -64.8 -78.5 -65.1 -65.5 -65.5 -64.8 -64.5 -62.9 -63.4 -63.5 -63.7 -79.5 1200 5061 1200 5061 1200 5061 1200 5061	1200 5050 5061 1101 5061 1200 5061 1200 5061 5061 1200 5061 5050 1200 5061 1200 5061 5061 5061 5061 5061 5061 5061 5061 5061	045/13W-30G03S	26.0	10-17-67 10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-03-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68	91.3 89.9 91.9(5) 106.9(1) 91.9(5) 91.9(5) 90.9(5) 88.9 89.9(5) 89.9(5) 93.9(5) 91.9(5) 96.9(5)	-65.3 -63.9 -65.9 -80.9 -65.9 -65.9 -64.9 -62.9 -63.9 -63.9 -67.9 -65.9 -70.9	5050 5061 5050 5061 5050 5061 5050 5061	045/13W-34A01S	6.8	10-18-67 11-15-67	100.8 100.5	-94.0 -93.7	5050 1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/13W-34A01S (CONT.)	6.8	12-29-67 4-01-68	101.8 100.7	-95.0 -93.9	1101 5050	04S/14W-01F02S (CONT.)	51.0	4-04-68 5-01-68 6-01-68 7-01-68 8-01-68	124.8 120.2 120.0 120.7 120.4	-73.8 -69.2 -69.0 -69.7 -69.4	5050
04S/13W-34A02S	6.7	10-18-67 11-15-67 1-02-68 4-01-68	49.8 48.8 50.7 50.9	-43.1 -42.1 -44.0 -44.2	5050 1101 5050	04S/14W-01F03S	50.8	10-01-67 10-17-67 11-01-67 12-01-67 1-03-68 2-01-68 3-01-68 4-01-68 4-04-68 5-01-68 6-01-68 8-01-68	122.4 123.6 123.5 122.2 120.8 120.6 121.2 121.4 122.2 121.2 121.0 123.0	-71.6 -72.8 -72.7 -71.4 -70.0 -69.8 -70.4 -70.6 -71.4 -70.4 -70.2 -72.2	5061 5050 5061
04S/13W-34A03S	6.9	10-18-67 11-15-67 12-29-67 4-01-68	54.6 54.3 54.6 55.1	-47.7 -47.4 -47.7 -48.2	5050 1101 5050	04S/14W-01P01S	46.0	10-17-67 11-13-67 4-04-68 4-15-68	116.3 116.5(8) (6) 114.8(8)	-70.3 -70.5 -68.8	5050 1101 5050 1101
04S/13W-34A04S	8.3	10-30-67 11-15-67	50.0 52.2	-41.7 -43.9	1101	04S/14W-03L02S	74.0	10-31-67 10-31-67 11-30-67 12-29-67 1-31-68 3-05-68 3-29-68 4-16-68 4-30-68 5-29-68 6-27-68 7-31-68 8-30-68 9-27-68	106.3 106.0(2) 104.7(2) 104.0(2) 103.5(2) 101.0(2) 103.2(2) 103.2(2) 102.8(2) 103.1(2) 104.5(2) 105.0(2) 106.5(2) 105.3(2)	-32.3 -32.0 -30.7 -30.0 -29.5 -27.0 -29.2 -29.2 -28.8 -29.1 -30.5 -31.0 -32.5 -31.3	5050 5061
04S/13W-34M01S	3.4	10-18-67 11-15-67 12-27-67 4-02-68	82.5 83.0 83.0 79.8	-79.1 -79.6 -79.6 -76.4	5050 1101 5050	04S/14W-03L03S	76.0	10-31-67 10-31-67 11-30-67 12-29-67 1-31-68 3-05-68 3-29-68 4-16-68 4-30-68 5-29-68 6-27-68 7-31-68 8-30-68 9-27-68	107.7 107.2(2) 107.2(2) 105.8(2) 104.9(2) 101.5(2) 103.3(2) 103.3(2) 103.4(2) 104.1(2) 105.5(2) 105.8(2) 108.0(2) 106.7(2)	-31.7 -31.2 -31.2 -29.8 -28.9 -25.5 -27.3 -27.3 -27.4 -28.1 -29.5 -29.8 -32.0 -30.7	5050 5061
04S/13W-34M02S	3.6	10-18-67 11-15-67 2-02-68 4-02-68	46.5 47.2 51.5 48.0	-42.9 -43.6 -47.9 -44.4	5050 1101 5050	04S/14W-03L05S	75.0	10-31-67	(7)		5050
04S/13W-34M03S	4.6	11-15-67 12-27-67	58.3 58.2	-53.7 -53.6	1101	04S/14W-05F01S	92.0	10-19-67 11-03-67 1-22-68 1-22-68 3-12-68 3-12-68 4-03-68	95.4 95.2 93.7 93.7 93.1 93.1 93.5	-3.4 -3.2 -1.7 -1.7 -1.1 -1.1 -1.5	5050 1101
04S/13W-35B01S	9.4	10-07-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-11-68 5-24-68 6-14-68 8-16-68 9-27-68	47.4 47.0 46.9 47.3 47.4 47.5 50.1 47.7 48.3 48.6 48.6 48.5 48.7	-38.0 -37.6 -37.5 -37.9 -38.0 -38.1 -40.7 -38.3 -38.9 -39.2 -39.2 -39.1 -39.3	4206	04S/14W-05N05S	146.5	10-25-67 11-29-67 12-27-67 1-31-68 2-29-68 3-27-68 7-30-68 8-28-68 9-26-68	135.7 134.8 134.2 133.5 133.4 134.9 134.6 134.6 142.7	10.8 11.7 12.3 13.0 13.1 11.6 11.9 11.9 3.8	1101
04S/13W-35B02S	6.7	10-19-67 11-14-67 4-01-68	100.8 100.8 98.1	-94.1 -94.1 -91.4	5050 1101 5050	04S/14W-05N06S	145.7	10-25-67 11-30-67 12-27-67 1-31-68 2-29-68 3-27-68 7-30-68 8-28-68 9-26-68	145.3 143.8 143.5 143.3 142.9 143.2 143.7 144.0 148.3	.4 1.9 2.2 2.4 2.8 2.5 2.0 1.7 -2.6	1101
04S/13W-35B03S	6.7	10-19-67 11-14-67 4-01-68	48.2 48.5 49.6	-41.5 -41.8 -42.9	5050 1101 5050	04S/14W-06G02S	174.8	11-13-67 2-08-68	163.1 161.5	11.7 13.3	1101
04S/13W-35B04S	6.7	10-19-67 11-14-67 4-01-68	44.2 44.5 45.7	-37.5 -37.8 -39.0	5050 1101 5050	04S/14W-06G05S	163.0	10-19-67 10-25-67 11-29-67 12-29-67 1-31-68 2-28-68 3-27-68 4-03-68 7-30-68 8-28-68 9-26-68	147.8 151.6 150.7 150.3 149.5 149.4 150.4 151.1 150.6 150.3 162.6	15.2 11.4 12.3 12.7 13.5 13.6 12.6 11.9 12.4 12.7 .4	5050 1101
04S/13W-35F01S	9.0	10-23-67 4-01-68	43.8 37.3(2)	-34.8 -28.3	5050						
04S/13W-35J01S	22.7	11-14-67 3-05-68	62.2 62.1	-39.5 -39.4	1101						
04S/13W-35J02S	22.7	10-19-67 11-14-67 3-05-68 4-01-68	55.6 56.0 58.3 58.2	-32.9 -33.3 -35.6 -35.5	5050 1101 5050						
04S/13W-35M04S	10.1	10-18-67 11-14-67 3-06-68 4-02-68	52.7 53.9 62.5 54.4	-42.6 -43.8 -52.4 -44.3	5050 1101 5050						
04S/13W-35M05S	10.1	10-18-67 11-14-67 3-06-68 4-02-68	50.2 50.3 58.5 50.4	-40.1 -40.2 -48.4 -40.3	5050 1101 5050						
04S/13W-35M06S	10.1	11-14-67 3-06-68	47.7 57.4	-37.6 -47.3	1101						
04S/13W-35M07S	9.6	11-14-67 3-06-68	43.4 49.8	-33.8 -40.2	1101						
04S/13W-36E01S	10.3	10-19-67 4-01-68	(9) (9)		5050						
04S/14W-01F02S	51.0	10-01-67 10-17-67 11-01-67 12-01-67 1-03-68 2-01-68 3-01-68 4-01-68	122.4 123.0 122.8 120.8 121.0 121.2 120.8 120.4	-71.4 -72.0 -71.8 -69.8 -70.0 -70.2 -69.8 -69.4	5061 5050 5061						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
045/14W-06H01S	181.0	10-04-67	172.7	8.3	1101	045/14W-07P01S (CONT.)	47.0	11-13-67	39.1	7.9	1101
		10-19-67	172.4	8.6	5050			4-03-68	40.1	6.9	
		11-13-67	171.9	9.1	1101	045/14W-07P02S	73.7	11-16-67	69.2	4.5	1101
		12-20-67	171.2	9.8							
		3-21-68	171.4	9.6		045/14W-07P03S	73.6	10-23-67	65.2	8.4	5050
		4-03-68	171.7	9.3	5050			11-17-67	64.5	9.1	1101
045/14W-06J04S	161.0	10-25-67	149.4	11.6	1101			4-03-68	64.8	8.8	5050
		11-29-67	148.3	12.7		045/14W-08B01S	97.0	10-05-67	96.6	.4	1101
		12-27-67	147.7	13.3				11-14-67	95.7	1.3	
		1-31-68	147.2	13.8				1-22-68	94.4	2.6	
		2-29-68	146.7	14.3				3-22-68	93.8	3.2	
		3-27-68	148.8	12.2		045/14W-08D02S	124.4	10-19-67	111.7	12.7	5050
		7-30-68	148.0	13.0				10-27-67	114.2	10.2	1101
		8-28-68	147.6	13.4				11-24-67	113.4	11.0	
		9-26-68	158.6	2.4				12-28-67	112.9	11.5	
045/14W-06J06S	139.4	10-25-67	128.2	11.2	1101			1-25-68	112.5	11.9	
		11-29-67	127.2	12.2				2-29-68	112.0	12.4	
		12-29-67	126.9	12.5				3-28-68	113.0	11.4	
		1-31-68	126.2	13.2				4-03-68	111.0	13.4	5050
		2-29-68	125.7	13.7				7-25-68	113.3	11.1	1101
		3-27-68	127.6	11.8				8-29-68	113.1	11.3	
		7-24-68	127.3	12.1				9-26-68	117.3	7.1	
		8-28-68	126.6	12.8		045/14W-08D06S	147.9	10-27-67	137.3	10.6	1101
		9-26-68	136.7	2.7				11-24-67	136.4	11.5	
045/14W-06J07S	139.4	10-27-67	139.1	.3	1101			12-28-67	136.3	11.6	
		11-24-67	138.3	1.1				1-25-68	135.9	12.0	
		12-29-67	137.9	1.5				2-29-68	135.5	12.4	
		1-31-68	137.3	2.1				3-28-68	136.1	11.8	
		2-29-68	136.8	2.6				7-25-68	137.1	10.8	
		3-27-68	137.3	2.1				8-29-68	136.8	11.1	
		7-24-68	138.2	1.2				9-27-68	139.8	6.1	
		8-29-68	138.4	1.0		045/14W-08D11S	138.2	10-26-67	127.8	10.4	1101
		9-26-68	142.4	-3.0				11-30-67	126.6	11.6	
045/14W-06J09S	161.8	10-25-67	150.5	11.3	1101			12-28-67	126.9	11.3	
		11-29-67	149.5	12.3				1-25-68	126.6	11.6	
		12-27-67	148.8	13.0				2-29-68	126.1	12.1	
		1-31-68	148.1	13.7				3-28-68	127.0	11.2	
		2-29-68	148.0	13.8				7-31-68	127.5	10.7	
		3-27-68	149.9	11.9				8-29-68	127.0	11.2	
		7-30-68	149.2	12.6				9-27-68	130.7	7.5	
		8-28-68	148.9	12.9		045/14W-08D12S	139.7	10-26-67	139.2	.5	1101
		9-26-68	159.1	2.7				11-30-67	138.0	1.7	
045/14W-06L01S	71.3	10-19-67	62.8	8.5	5050			12-28-67	137.6	2.1	
		11-13-67	62.8	8.5	1101			1-25-68	137.7	2.0	
		11-15-67	62.8	8.5	5050			2-29-68	137.3	2.4	
		2-08-68	61.1	10.2	1101			3-28-68	137.6	2.1	
		4-03-68	62.4	8.9	5050			7-31-68	138.5	1.2	
045/14W-07C03S	62.2	10-19-67	57.6	4.6	5050			8-29-68	138.5	1.2	
		11-15-67	55.8	6.4	1101			9-27-68	140.8	-1.1	
		4-05-68	57.1	5.1	5050	045/14W-08D13S	149.6	10-26-67	139.3	10.3	1101
045/14W-07D01S	13.8	10-19-67	13.3	.5	5050			11-30-67	137.8	11.8	
		11-15-67	13.6	.2	1101			12-28-67	137.8	11.8	
		4-03-68	13.3	.5	5050			1-25-68	137.4	12.2	
045/14W-07F01S	65.0	10-23-67	58.2	6.8	5050			2-29-68	137.0	12.6	
		10-27-67	58.0	7.0	1101			3-28-68	137.8	11.8	
		11-13-67	57.6	7.4				7-31-68	138.7	10.9	
		12-28-67	57.1	7.9				8-29-68	138.4	11.2	
		1-26-68	57.8	7.2				9-27-68	141.6	8.0	
		2-29-68	56.4	8.6		045/14W-08D14S	146.6	10-26-67	134.7	11.9	1101
		3-29-68	56.9	8.1				11-30-67	133.4	13.2	
		4-03-68	57.5	7.5	5050			12-28-67	133.2	13.4	
		7-30-68	57.1	7.9	1101			1-25-68	132.8	13.8	
		8-29-68	57.2	7.8				2-29-68	132.3	14.3	
		9-25-68	59.3	5.7				3-28-68	133.2	13.4	
045/14W-07J07S	143.0	3-19-68	141.6	1.4	1101			7-31-68	134.3	12.3	
045/14W-07J08S	143.0	10-27-67	133.0	10.0	1101			8-29-68	134.0	12.6	
		11-17-67	132.4	10.6				9-27-68	137.3	9.3	
		12-28-67	131.8	11.2		045/14W-08D15S	146.4	10-27-67	145.2	1.2	1101
		1-25-68	131.5	11.5				11-24-67	144.3	2.1	
		2-29-68	131.0	12.0				12-28-67	144.2	2.2	
		3-29-68	131.5	11.5				1-25-68	143.8	2.6	
		8-29-68	132.2	10.8				2-29-68	143.4	3.0	
		9-25-68	133.7	9.3				3-28-68	143.4	3.0	
045/14W-07K02S	87.0	10-23-67	80.1	6.9	5050			7-25-68	144.8	1.6	
		10-27-67	79.5	7.5	1101			8-29-68	144.7	1.7	
		11-17-67	79.2	7.8				9-27-68	149.5	-3.1	
		12-28-67	78.6	8.4		045/14W-08D16S	137.0	10-26-67	126.3	10.7	1101
		1-26-68	78.3	8.7				11-30-67	125.0	12.0	
		2-29-68	77.9	9.1				12-28-67	125.0	12.0	
		3-29-68	78.4	8.6				1-25-68	124.8	12.2	
		4-03-68	79.3	7.7	5050			2-29-68	124.1	12.9	
		7-30-68	78.7	8.3	1101			3-28-68	124.9	12.1	
		8-29-68	78.7	8.3				7-31-68	125.6	11.4	
		9-25-68	80.9	6.1				8-29-68	125.2	11.8	
045/14W-07P01S	47.0	10-23-67	39.1	7.9	5050			9-27-68	130.3	6.7	
						045/14W-08D17S	138.1	10-26-67	137.6	.5	1101
								11-30-67	136.4	1.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
045/14W-080175 (CONT.)	136.1	12-27-67	136.1	2.0	1101	045/14W-08F015	110.0	10-19-67	112.5	-2.5	5050
		1-25-68	135.9	2.2				11-24-67	111.4	-1.4	1101
		2-29-68	135.4	2.7				1-25-68	112.5	-2.5	5050
		3-28-68	135.6	2.5				4-03-68	110.9	-.9	
		7-31-68	136.6	1.5		045/14W-08F045	113.9	10-17-67	118.0	-4.1	1101
		8-29-68	136.7	1.4				11-24-67	117.5	-3.6	
		9-27-68	141.6	-3.5				12-26-67	115.6	-1.7	
045/14W-08E035	135.7	10-19-67	122.2	13.5	5050			1-22-68	116.1	-2.2	
		10-27-67	124.9	10.8	1101			2-20-68	115.5	-1.6	
		11-09-67	124.4	11.3		045/14W-08F055	113.9	10-17-67	117.1	-3.2	1101
		12-28-67	123.7	12.0				11-24-67	115.9	-2.0	
		1-26-68	123.4	12.3				12-26-67	116.5	-2.6	
		2-29-68	122.9	12.8				1-22-68	116.3	-2.4	
		3-28-68	123.5	12.2				2-20-68	116.9	-3.0	
		4-03-68	120.7	15.0	5050			3-15-68	116.4	-2.5	
		7-30-68	124.6	11.1	1101	045/14W-08F065	113.9	10-27-67	116.6	-2.7	1101
		8-29-68	124.5	11.2				11-24-67	116.5	-2.6	
		9-25-68	126.4	9.3				12-28-67	115.4	-1.5	
045/14W-08E045	142.4	10-26-67	132.6	9.8	1101			1-25-68	114.9	-1.0	
		11-30-67	134.3	8.1				2-29-68	114.8	-.9	
		12-28-67	130.6	11.8				3-29-68	114.5	-.6	
		1-25-68	131.1	11.3				7-30-68	114.9	-1.0	
		2-29-68	129.7	12.7				8-29-68	115.9	-2.0	
		3-28-68	130.3	12.1				9-25-68	118.6	-4.7	
		7-31-68	131.8	10.6		045/14W-08G015	97.0	10-19-67	103.0	-6.0	5050
		8-29-68	131.5	10.9				10-27-67	102.6	-5.6	1101
		9-27-68	134.4	8.0				11-07-67	102.6	-5.6	
045/14W-08E055	147.3	10-26-67	136.6	10.7	1101			12-28-67	101.5	-4.5	
		11-30-67	135.5	11.8				1-26-68	101.0	-4.0	
		12-28-67	135.1	12.2				2-29-68	100.4	-3.4	
		1-25-68	134.8	12.5				3-29-68	100.4	-3.4	
		2-29-68	134.6	12.7				4-03-68	100.9	-3.9	5050
		3-28-68	135.5	11.8				7-30-68	101.5	-4.5	1101
		7-29-68	136.1	11.2				8-29-68	101.8	-4.8	
		8-29-68	136.1	11.2				9-25-68	103.9	-6.9	
		9-27-68	139.0	8.3		045/14W-08M035	139.0	10-26-67	128.7	10.3	1101
045/14W-08E155	143.3	10-26-67	132.1	11.2	1101			11-30-67	127.9	11.1	
		11-30-67	130.3	13.0				12-28-67	127.3	11.7	
		12-28-67	131.0	12.3				1-25-68	126.9	12.1	
		1-25-68	130.7	12.6				2-29-68	126.6	12.4	
		2-29-68	130.1	13.2				3-28-68	126.7	12.3	
		3-28-68	133.0	10.3				7-31-68	126.8	12.2	
		7-31-68	131.9	11.4				8-29-68	127.6	11.4	
		8-29-68	131.5	11.8				9-12-68	127.3	11.7	
		9-27-68	134.9	8.4		045/14W-08M045	138.8	10-26-67	139.6	-.8	1101
045/14W-08E165	142.3	10-26-67	131.7	10.6	1101			11-30-67	138.6	.2	
		11-30-67	130.0	12.3				12-28-67	138.5	.3	
		12-28-67	129.8	12.5				1-25-68	138.3	.5	
		1-25-68	129.4	12.9				7-31-68	139.3	-.5	
		2-29-68	128.9	13.4		045/14W-08M065	144.3	10-26-67	134.1	10.2	1101
		3-28-68	129.6	12.7				11-30-67	133.7	10.6	
		7-31-68	131.3	11.0				12-28-67	132.9	11.4	
		8-29-68	131.0	11.3				1-25-68	132.6	11.7	
		9-27-68	133.9	8.4				1-25-68	132.6	11.7	
045/14W-08E175	143.0	10-26-67	143.5	-.5	1101			2-29-68	132.0	12.3	
		11-30-67	142.4	.6				2-29-68	132.0	12.3	
		12-28-67	142.1	.9				3-28-68	132.7	11.6	
		1-25-68	142.0	1.0				3-28-68	132.7	11.6	
		2-29-68	141.6	1.4				7-31-68	133.5	10.8	
		3-28-68	141.6	1.4				8-29-68	133.0	11.3	
		7-31-68	142.9	.1				9-27-68	136.0	8.3	
		9-27-68	148.3	-5.3		045/14W-08M075	152.5	10-26-67	141.9	10.6	1101
045/14W-08E185	150.0	10-26-67	139.8	10.2	1101			11-30-67	141.7	10.8	
		11-30-67	138.5	11.5				12-28-67	141.0	11.5	
		12-28-67	138.4	11.6				1-25-68	141.5	11.0	
		1-25-68	138.1	11.9				2-29-68	140.7	11.8	
		2-29-68	137.6	12.4				3-28-68	142.6	9.9	
		3-28-68	138.2	11.8				7-31-68	141.7	10.8	
		7-31-68	139.3	10.7				8-29-68	141.3	11.2	
		8-29-68	139.0	11.0				9-27-68	146.1	6.4	
		9-27-68	141.5	8.5		045/14W-08M115	144.3	10-26-67	134.5	9.8	1101
045/14W-08E195	154.3	10-26-67	143.8	10.5	1101			11-30-67	133.4	10.9	
		11-30-67	142.1	12.2				12-28-67	133.2	11.1	
		12-28-67	142.6	11.7				1-25-68	132.9	11.4	
		1-25-68	142.4	11.9				2-29-68	132.5	11.8	
		2-29-68	141.9	12.4				3-28-68	132.9	11.4	
		3-28-68	142.5	11.8				7-31-68	133.7	10.6	
		7-31-68	143.5	10.8				8-29-68	133.5	10.8	
		8-29-68	143.2	11.1				9-27-68	135.0	9.3	
		9-27-68	145.9	8.4		045/14W-08M125	137.1	10-26-67	139.0	-1.9	1101
045/14W-08E205	154.6	10-26-67	156.0	-1.4	1101			11-30-67	137.7	-.6	
		11-30-67	154.8	-.2				12-28-67	137.4	-.3	
		12-28-67	154.5	.1				2-29-68	136.5	.6	
		1-25-68	154.1	.5				3-28-68	136.7	.4	
		2-29-68	153.6	1.0				7-31-68	138.1	-1.0	
		3-28-68	153.7	.9				8-29-68	138.0	-.9	
		7-31-68	155.3	-.7				9-27-68	142.4	-5.3	
		8-29-68	155.3	-.7							
		9-27-68	160.0	-5.4							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-08M13S	137.0	10-26-67	125.5	11.5	1101	04S/14W-11F01S (CONT.)	68.0	5-27-68	103.8(5)	-35.8	5061
		11-30-67	124.4	12.6				6-02-68	99.8(5)	-31.8	
		12-28-67	124.0	13.0				6-16-68	101.8(5)	-33.8	
		1-25-68	123.6	13.4				6-23-68	98.8(5)	-30.8	
		2-29-68	123.1	13.9				7-14-68	99.8	-31.8	
		3-28-68	124.0	13.0				7-21-68	99.8	-31.8	
		7-31-68	124.4	12.6				8-05-68	101.8(5)	-33.8	
		8-29-68	124.1	12.9				8-25-68	99.8(5)	-31.8	
		9-27-68	128.6	8.4				9-15-68	99.8	-31.8	
								9-29-68	95.8	-27.8	
04S/14W-08N03S	158.0	10-26-67	146.1	11.9	1101	04S/14W-11L01S	69.8	10-17-67	106.3(2)	-36.5	5050
		11-30-67	145.1	12.9				4-05-68	103.6	-33.8	
		12-28-67	144.8	13.2		04S/14W-12Q02S	18.0	11-13-67	62.1	-44.1	1101
		1-25-68	144.3	13.7				4-15-68	61.3	-43.3	
		2-29-68	143.6	14.4		04S/14W-16F01S	81.0	10-24-67	92.3	-11.3	5050
		3-28-68	144.9	13.1				4-02-68	89.4	-8.4	
		7-25-68	144.6	13.4		04S/14W-16L02S	80.0	10-19-67	101.5	-21.5	5050
		8-29-68	144.3	13.7				4-08-68	102.4	-22.4	
		9-27-68	152.2	5.8		04S/14W-16L04S	76.5	10-01-67	184.0(1)	-107.5	5061
04S/14W-08N04S	160.0	10-27-67	161.7	-1.7	1101			10-01-67	93.0(5)	-16.5	
		11-24-67	160.9	-0.9				10-19-67	91.9(5)	-15.4	5050
		12-28-67	160.8	-0.8				11-01-67	184.0(1)	-107.5	5061
		1-25-68	160.4	-0.4				11-01-67	96.0(5)	-19.5	
		3-28-68	160.1	-0.1				12-01-67	184.0(1)	-107.5	
		7-25-68	161.3	-1.3				12-01-67	93.0(5)	-16.5	
		8-29-68	161.4	-1.4				1-01-68	184.0(1)	-107.5	
		9-27-68	165.4	-5.4				1-01-68	93.0(5)	-16.5	
04S/14W-08N05S	140.0	10-23-67	125.4	14.6	5050			2-01-68	90.0(5)	-13.5	
		10-27-67	124.9	15.1	1101			2-01-68	184.0(1)	-107.5	
		11-24-67	124.1	15.9				3-01-68	89.0(5)	-12.5	
		12-28-67	123.6	16.4				3-01-68	179.0(1)	-102.5	
		1-25-68	123.4	16.6				4-01-68	174.0(1)	-97.5	
		2-29-68	122.8	17.2				4-01-68	89.0(5)	-12.5	
		3-28-68	124.3	15.7				4-08-68	88.9(5)	-12.4	5050
		4-04-68	124.5	15.5	5050			5-01-68	173.0(1)	-96.5	5061
		7-25-68	124.4	15.6	1101			5-01-68	89.0(5)	-12.5	
		8-29-68	124.0	16.0				6-01-68	174.0(1)	-97.5	
		9-27-68	133.9	6.1				6-01-68	89.0(5)	-12.5	
04S/14W-08P01S	108.0	11-14-67	116.6	-8.6	1101			7-01-68	91.0(5)	-14.5	
		12-20-67	114.8	-6.8				7-01-68	164.0(1)	-87.5	
		3-21-68	114.0	-6.0				8-01-68	90.0(5)	-13.5	
04S/14W-08P02S	108.0	10-23-67	112.7	-4.7	5050			8-01-68	154.0(1)	-77.5	
		11-14-67	112.4	-4.4	1101			9-01-68	90.0(5)	-13.5	
		1-02-68	111.3	-3.3				9-01-68	155.0(1)	-78.5	
		3-13-68	110.5	-2.5		04S/14W-16Q01S	77.0	10-19-67	91.5	-14.5	5050
		4-04-68	111.0	-3.0	5050			4-09-68	90.2	-13.2	
04S/14W-09Q01S	106.0	10-19-67	125.5	-19.5	5050	04S/14W-17001S	156.4	10-23-67	153.6	2.8	5050
		4-08-68	133.3	-27.3				10-26-67	155.7	.7	1101
04S/14W-10D02S	107.0	10-19-67	133.3	-26.3	5050			11-30-67	155.2	1.2	
		4-08-68	153.2	-46.2				12-28-67	155.0	1.4	
04S/14W-10J01S	93.0	10-01-67	122.0(6)	-29.0	5061			1-25-68	154.6	1.8	
		10-17-67	121.3(2)	-28.3	5050			2-29-68	154.2	2.2	
		11-01-67	122.0(6)	-29.0	5061			3-28-68	154.4	2.0	
		12-01-67	122.0	-29.0				4-04-68	152.1	4.3	5050
		1-01-68	122.0	-29.0				7-25-68	155.5	.9	1101
		2-01-68	122.0	-29.0				8-29-68	155.6	.8	
		3-01-68	122.0	-29.0				9-27-68	160.6	-4.2	
		4-01-68	122.0	-29.0		04S/14W-17002S	156.4	10-23-67	136.5	19.9	5050
		4-08-68	119.9	-26.9	5050			10-26-67	138.9	17.5	1101
		5-01-68	122.0	-29.0	5061			11-30-67	138.4	18.0	
		6-01-68	122.0	-29.0				12-28-67	137.9	18.5	
		7-01-68	122.0	-29.0				1-25-68	137.6	18.8	
		8-01-68	122.0	-29.0				2-29-68	137.0	19.4	
		9-01-68	122.0	-29.0				3-28-68	138.8	17.6	
04S/14W-10K01S	105.0	10-19-67	137.1	-32.1	5050			4-04-68	136.6	19.8	5050
		4-08-68	136.1	-31.1				7-25-68	138.8	17.6	1101
04S/14W-11F01S	68.0	10-08-67	107.8(5)	-39.8	5050			8-29-68	138.6	17.8	
		10-22-67	102.8(5)	-34.8				9-27-68	148.3	8.1	
		10-29-67	107.8(5)	-39.8		04S/14W-17004S	129.2	11-13-67	134.6	-5.4	1101
		11-18-67	99.8(5)	-31.8	5061			1-19-68	133.5	-4.3	
		11-28-67	98.8(5)	-30.8		04S/14W-17005S	129.3	10-23-67	117.0	12.3	5050
		12-10-67	99.8(5)	-31.8				11-13-67	119.0	10.3	1101
		12-24-67	97.8(5)	-29.8				11-15-67	119.0	10.3	5050
		12-29-67	99.8(5)	-31.8				1-19-68	117.8	11.5	1101
		1-07-68	100.8(5)	-32.8				4-04-68	116.5	12.8	5050
		1-14-68	99.8(5)	-31.8		04S/14W-17006S	129.1	11-13-67	119.3	9.8	1101
		1-21-68	95.8(5)	-27.8				1-19-68	118.1	11.0	
		2-06-68	105.8(5)	-37.8		04S/14W-17D10S	146.0	10-26-67	130.4	15.6	1101
		2-11-68	95.8(5)	-27.8				11-30-67	129.7	16.3	
		2-18-68	97.8(5)	-29.8				12-28-67	129.2	16.8	
		2-25-68	99.8(5)	-31.8				1-25-68	128.9	17.1	
		3-03-68	98.8(5)	-30.8				2-29-68	128.1	17.9	
		3-10-68	103.8(5)	-35.8				3-28-68	130.0	16.0	
		3-17-68	101.8(5)	-33.8				7-25-68	129.9	16.1	
		3-31-68	100.8(5)	-32.8	5050			8-29-68	129.5	16.5	
		3-31-68	100.8(5)	-32.8	5061			9-27-68	139.9	6.1	
		4-19-68	103.8(5)	-35.8							
		4-28-68	103.8(5)	-35.8							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-17E03S	137.2	10-26-67	137.8	-0.6	1101	04S/14W-17M02S (CONT.)	97.0	3-28-68	80.8	16.2	1101
		11-30-67	136.7	.5				7-31-68	81.0	16.0	
		12-28-67	136.3	.9				8-29-68	80.4	16.6	
		1-25-68	135.9	1.3				9-27-68	92.0	5.0	
		3-13-68	135.6	1.6		04S/14W-17N02S	88.0	10-27-67	89.3	-1.3	1101
04S/14W-17E04S	137.5	10-26-67	121.4	16.1	1101			11-29-67	88.7	-.7	
		11-30-67	120.7	16.8				12-28-67	88.4	-.4	
		12-28-67	120.3	17.2				1-25-68	87.9	.1	
		1-25-68	120.0	17.5				2-29-68	87.7	.3	
		2-29-68	119.2	18.3				3-28-68	87.6	.4	
		3-28-68	121.3	16.2				7-25-68	89.1	-1.1	
		7-31-68	121.0	16.5				8-29-68	89.0	-1.0	
		8-29-68	121.0	16.5				9-27-68	93.6	-5.6	
		9-27-68	125.8	11.7		04S/14W-17N03S	95.0	10-26-67	83.2	11.8	1101
04S/14W-17E05S	137.4	10-26-67	131.6	5.8	1101			11-30-67	82.5	12.5	
		11-30-67	131.4	6.0				12-28-67	82.2	12.8	
		12-28-67	131.0	6.4				1-25-68	81.9	13.1	
		1-25-68	130.6	6.8				2-29-68	82.0	13.0	
		2-29-68	130.3	7.1				3-28-68	81.9	13.1	
		3-28-68	130.2	7.2				7-31-68	85.6	9.4	
		7-31-68	130.4	7.0				8-29-68	85.2	9.8	
		8-29-68	130.9	6.5				9-27-68	94.1	.9	
		9-27-68	132.3	5.1		04S/14W-17P01S	75.0	11-14-67	78.3	-3.3	1101
04S/14W-17E06S	112.0	10-26-67	95.6	16.4	1101			12-20-67	77.2	-2.2	
		11-30-67	95.0	17.0				3-20-68	76.3	-1.3	
		12-28-67	94.5	17.5		04S/14W-17P02S	74.0	10-23-67	(7)		5050
		1-25-68	94.4	17.6				10-26-67	(4)		
		2-29-68	93.6	18.4				4-08-68	73.8	.2	
		3-28-68	95.7	16.3		04S/14W-18A01S	147.9	11-09-67	154.8	-6.9	1101
		7-31-68	95.6	16.4		04S/14W-18A02S	147.7	11-09-67	135.6	12.1	1101
		8-29-68	95.1	16.9		04S/14W-18A03S	147.7	11-09-67	133.7	14.0	1101
		9-27-68	106.6	5.4		04S/14W-18B01S	87.0	10-23-67	77.0	10.0	5050
04S/14W-17E07S	115.0	10-26-67	115.3	-.3	1101			11-10-67	77.3	9.7	1101
		11-30-67	114.3	.7				4-04-68	77.0	10.0	5050
		12-28-67	114.3	.7		04S/14W-18F01S	14.0	10-23-67	11.1	2.9	5050
		1-25-68	113.4	1.6				10-27-67	12.1	1.9	1101
		2-29-68	112.9	2.1				11-10-67	11.8	2.2	
		3-28-68	113.1	1.9				12-28-67	14.3	-.3	
		7-31-68	114.7	.3				1-26-68	12.2	1.8	
		8-29-68	114.6	.4				2-29-68	12.1	1.9	
		9-27-68	120.3	-5.3				3-29-68	12.0	2.0	
04S/14W-17F01S	180.5	11-17-67	184.8	-4.3	1101			4-04-68	13.1	.9	5050
		3-14-68	184.3	-3.8				7-30-68	10.7	3.3	1101
04S/14W-17F02S	180.5	10-23-67	179.0	1.5	5050			8-29-68	10.1	3.9	
		10-27-67	181.3	-.8	1101			9-25-68	10.9	3.1	
		11-17-67	180.7	-.2		04S/14W-18H01S	147.3	11-13-67	147.9	-.6	1101
		12-28-67	180.2	.3				2-09-68	146.2	1.1	
		1-26-68	179.6	.9		04S/14W-18H02S	147.2	10-23-67	132.2	15.0	5050
		2-29-68	179.2	1.3				10-27-67	134.9	12.3	1101
		3-28-68	179.6	.9				11-13-67	134.1	13.1	
		4-04-68	177.2	3.3	5050			12-28-67	133.8	13.4	
		7-30-68	180.6	-.1	1101			1-26-68	133.3	13.9	
		8-29-68	180.7	-.2				2-29-68	132.4	14.8	
		9-25-68	185.4	-4.9				3-28-68	134.0	13.2	
04S/14W-17H01S	96.0	10-24-67	102.7	-6.7	5050			4-04-68	131.8	15.4	5050
		10-30-67	99.6(5)	-3.6	1101			7-30-68	133.7	13.5	1101
		11-28-67	99.6(5)	-3.6				8-29-68	133.3	13.9	
		11-28-67	95.0	1.0				9-25-68	142.5	4.7	
		12-30-67	98.6(5)	-2.6		04S/14W-18H03S	146.6	11-13-67	133.6	13.0	1101
		1-31-68	100.6(5)	-4.6				2-09-68	132.6	14.0	
		2-29-68	98.6(5)	-2.6		04S/14W-18H04S	132.0	11-13-67	130.7	1.3	1101
		4-02-68	100.1	-4.1	5050	04S/14W-18H05S	132.0	11-13-67	118.7	13.3	1101
		4-30-68	98.6(5)	-2.6	1101	04S/14W-18H06S	132.0	11-13-67	119.1	12.9	1101
		5-31-68	98.6(5)	-2.6		04S/14W-18J01S	133.0	10-23-67	122.0	11.0	5050
		6-28-68	99.6(5)	-3.6				11-17-67	121.6	11.4	1101
		7-31-68	98.6(5)	-2.6				4-09-68	122.7	10.3	5050
		8-31-68	99.6(5)	-3.6		04S/14W-18J02S	133.0	10-23-67	137.1	-4.1	5050
		9-30-68	102.6(5)	-6.6				11-14-67	136.6	-3.6	1101
04S/14W-17H02S	92.0	10-24-67	102.6	-10.6	5050			4-09-68	134.8	-1.8	5050
		10-30-67	98.5(5)	-6.5	1101	04S/14W-18K01S	73.0	10-23-67	70.4	2.6	5050
		11-28-67	112.5(1)	-20.5				11-17-67	65.9	7.1	1101
		11-28-67	91.0	1.0				4-04-68	70.4	2.6	5050
		4-02-68	99.8	-7.8	5050	04S/14W-18P01S	47.5	11-14-67	42.9	4.6	1101
04S/14W-17H01S	115.0	10-26-67	99.7	15.3	1101			4-04-68	43.9	3.6	5050
		11-30-67	99.1	15.9		04S/14W-18Q01S	100.0	10-18-67	89.2	10.8	1101
		12-28-67	98.6	16.4				11-17-67	89.1	10.9	
		1-25-68	98.4	16.6				3-15-68	88.9	11.1	
		2-29-68	97.5	17.5				4-09-68	90.6	9.4	5050
		3-28-68	99.4	15.6							
		7-31-68	99.1	15.9							
		8-29-68	98.5	16.5							
		9-27-68	110.0	5.0							
04S/14W-17M02S	97.0	10-26-67	80.3	16.7	1101						
		11-30-67	79.6	17.4							
		12-28-67	79.2	17.8							
		1-25-68	79.5	17.5							
		2-29-68	78.5	18.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-180025	101.0	10-18-67 11-17-67 3-13-68	97.6 97.9 96.7	3.4 3.1 4.3	1101	04S/14W-21H03S (CONT.)	73.0	3-11-68 3-18-68 3-25-68 4-01-68 4-09-68 5-06-68 6-06-68 7-08-68 8-05-68 9-03-68	89.8 89.6 89.5 89.6 89.5 89.4 90.6 90.3 90.5 90.4	-16.8 -16.6 -16.5 -16.6 -16.5 -16.4 -17.6 -17.3 -17.5 -17.4	1101 5050 1101
04S/14W-180035	103.0	10-18-67 10-23-67 11-17-67 3-15-68 4-09-68	97.6 96.0 97.4 95.4 95.7	5.4 7.0 5.6 7.6 7.3	1101 5050 1101 5050	04S/14W-21L025	70.9	10-23-67 4-09-68	85.2 82.6	-14.3 -11.7	5050
04S/14W-200025	116.5	10-23-67 11-14-67 4-09-68	123.4 120.3 122.0	-6.9 -3.8 -5.5	5050 1101 5050	04S/14W-21N015	101.3	10-19-67 4-09-68	118.3 115.5	-17.0 -14.2	5050
04S/14W-200035	116.4	10-23-67 11-14-67 4-09-68	106.7 108.0 106.9	9.7 8.4 9.5	5050 1101 5050	04S/14W-22D015	82.0	10-03-67 10-19-67 11-06-67 12-05-67 1-02-68 2-05-68 3-04-68 4-01-68 4-05-68 5-06-68 6-05-68 7-08-68 8-05-68 9-03-68	106.0 105.9 105.4 105.0 104.6 104.0 103.4 103.1 103.0 102.9 103.2 104.0 104.0 105.4	-24.0 -23.9 -23.4 -23.0 -22.6 -22.0 -21.4 -21.1 -21.0 -20.9 -21.2 -22.0 -23.4	1101 5050 1101
04S/14W-200055	116.5	11-14-67	113.9	2.6	1101	04S/14W-22N015	79.0	10-17-67 4-05-68	102.7 (5)	-23.7	5050
04S/14W-20D065	125.0	10-23-67 4-09-68	114.3 113.4	10.7 11.6	5050	04S/14W-22P03S	81.6	10-17-67	(6)		5050
04S/14W-20D075	120.0	10-26-67 11-30-67 12-28-67 1-25-68 2-29-68 3-28-68 7-31-68 8-29-68 9-27-68	123.3 122.5 122.7 122.2 121.7 121.9 123.0 122.9 127.7	-3.3 -2.5 -2.7 -2.2 -1.7 -1.9 -3.0 -2.9 -7.7	1101	04S/14W-22Q015	75.0	10-17-67 4-05-68	107.8 105.5	-32.8 -30.5	5050
04S/14W-20D085	145.0	10-23-67 10-26-67 11-30-67 12-28-67 1-25-68 2-29-68 3-28-68 4-09-68 7-31-68 8-29-68 9-27-68	136.3 136.0 135.2 134.9 134.5 133.9 134.4 135.0 137.3 136.8 143.0	8.7 9.0 9.8 10.1 10.5 11.1 10.6 10.0 7.7 8.2 2.0	5050 1101	04S/14W-23N02S	113.1	10-30-67 10-31-67 11-30-67 12-30-67 1-30-68 2-29-68 3-29-68 4-09-68 5-03-68 5-29-68 6-30-68 7-30-68 9-01-68	168.5 161.4 168.5 168.5 168.5 168.5 168.5 159.5 168.5 168.5 167.5 167.5 167.5	-55.4 -48.3 -55.4 -55.4 -55.4 -55.4 -55.4 -46.4 -55.4 -55.4 -54.4 -54.4	5061 5050 5061
04S/14W-20E015	157.0	10-26-67 11-22-67 12-28-67 1-25-68 2-29-68 3-28-68 7-31-68 8-29-68 9-27-68	161.1 156.3 156.8 157.8 158.0 158.0 158.5 158.8 159.0	-4.1 .7 .2 -.8 -1.0 -1.0 -1.5 -1.8 -2.0	1101	04S/14W-24A015	58.0	10-19-67 4-09-68	116.7 117.0	-58.7 -59.0	5050
04S/14W-20E025	199.0	10-26-67 11-30-67 12-28-67 1-25-68 2-29-68 3-28-68 7-31-68 8-29-68 9-27-68	191.6 190.9 190.7 190.4 190.0 190.2 192.6 192.1 200.6	7.4 8.1 8.3 8.6 9.0 8.8 6.4 6.9 -1.6	1101	04S/14W-24E015	66.0	10-19-67 4-03-68 4-15-68	117.6 123.7 116.3	-51.6 -57.7 -50.3	5050 1101
04S/14W-20G025	90.9	10-23-67 4-09-68	85.4 84.1	5.5 6.8	5050	04S/14W-25B015	65.0	10-17-67	(5)		5050
04S/14W-20G035	90.1	10-23-67 4-09-68	87.7 85.8	2.4 4.3	5050	04S/14W-25G02S	66.7	10-17-67 4-02-68	125.4 (3)	-58.7	5050
04S/14W-21F015	72.0	10-23-67 4-09-68	86.4 82.3	-14.4 -10.3	5050	04S/14W-25G04S	70.3	10-03-67 10-17-67 11-06-67 12-05-67 1-02-68 2-05-68 3-05-68 4-01-68 4-09-68 5-06-68 6-06-68 6-10-68 7-08-68 8-05-68 9-08-68	121.3 121.7 121.3 121.4 121.3 121.3 121.3 121.1 121.3 121.1 121.1 120.9 120.9 120.9 121.6	-51.0 -51.4 -51.0 -51.1 -51.0 -51.0 -51.0 -50.8 -51.0 -50.8 -50.6 -50.6 -50.6 -51.3	1101 5050 1101
04S/14W-21G015	73.0	4-09-68	90.8	-17.8	5050	04S/14W-27B015	81.0	11-13-67 4-15-68	117.6(8) 113.9(8)	-36.6 -32.9	1101
04S/14W-21H03S	73.0	10-03-67 10-09-67 10-16-67 10-23-67 10-23-67 10-30-67 11-06-67 11-27-67 12-05-67 12-11-67 12-18-67 12-26-67 1-02-68 1-08-68 1-16-68 1-24-68 1-29-68 2-13-68 2-19-68 2-26-68 3-04-68	92.4 92.6 92.5 92.1 92.3 92.0 91.9 91.2 91.1 90.8 90.7 90.6 90.6 90.1 90.5 90.3 90.4 90.2 90.1 90.0 89.9	-19.4 -19.6 -19.5 -19.1 -19.3 -19.0 -18.9 -18.2 -18.1 -17.8 -17.7 -17.6 -17.6 -17.1 -17.5 -17.3 -17.4 -17.2 -17.1 -17.0 -16.9	1101 5050 1101	04S/14W-27N015	200.0	10-19-67 4-04-68	232.6 231.0	-32.6 -31.0	5050
						04S/14W-28G01S	168.0	10-03-67 10-23-67 11-06-67 12-05-67 1-02-68 2-05-68 3-04-68 4-01-68 4-09-68 5-06-68	183.7(8) 184.0 182.9(8) 182.5(8) 181.8(8) 181.7(8) 181.7(8) 181.6(8) 181.2 180.8(8)	-15.7 -16.0 -14.9 -14.5 -13.8 -13.7 -13.7 -13.6 -13.2 -12.8	1101 5050 1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			WEST COAST HYDRO SUBAREA			U-05.A2		
04S/14W-28G01S (CONT.)	168.0	6-06-68 7-08-68 7-08-68 8-05-68 9-03-68	181.0 182.0(8) 182.0(8) 182.5(8) 181.6(8)	-13.0 -14.0 -14.0 -14.5 -13.6	1101	05S/13W-02G01S (CONT.)	3.2	4-23-68	17.5(8)	-14.3	1101
04S/14W-28J01S	184.0	10-19-67 4-04-68	209.6 207.0	-25.6 -23.0	5050	05S/13W-02J03S	14.7	10-19-67 11-16-67 12-06-67 4-01-68	66.6 71.4 68.3 72.1	-51.9 -56.7 -53.6 -57.4	5050 1101 5050
04S/14W-34K01S	280.0	10-19-67 4-04-68	42.4 41.1	237.6 238.9	5050	05S/13W-02J06S	15.0	4-22-68	63.4(2)	-48.4	1101
04S/14W-35D05S	166.9	11-13-67 4-15-68	217.3 215.3	-50.4 -48.4	1101	05S/13W-02K02S	22.7	11-28-67 4-17-68	47.9 45.6	-25.2 -22.9	1101
04S/14W-35E01S	200.0	10-19-67 4-09-68	252.8 250.2	-52.8 -50.2	5050	05S/13W-02K03S	22.7	11-28-67 4-17-68	68.3 66.9	-45.6 -44.2	1101
04S/14W-35E02S	185.3	10-23-67 10-30-67 10-30-67 11-30-67 12-30-67 1-30-68 2-29-68 3-29-68 4-09-68 5-03-68 5-29-68 6-30-68 7-30-68 7-30-68 9-01-68 9-01-68	237.4(3) 315.1(1) 238.1 238.1 238.1 237.1 237.1 237.1 233.3 231.1 231.1 232.1 297.1(1) 237.1 323.1(1) 240.1	-52.1 -129.8 -52.8 -52.8 -52.8 -51.8 -51.8 -51.8 -48.0 -45.8 -45.8 -46.8 -111.8 -51.8 -137.8 -54.8	5050 5061	05S/13W-02K05S	22.7	11-28-67 4-17-68	66.9 67.4	-44.2 -44.7	1101
04S/14W-35E06S	178.4	10-19-67 4-04-68	231.6 231.5	-53.2 -53.1	5050	05S/13W-03C01S	-11.8	11-15-67	35.5	-47.3	1101
04S/14W-35F02S	200.0	10-19-67 4-04-68	233.0(3) 248.0(4)	-33.0 -48.0	5050	05S/13W-03C03S	-8.9	11-15-67	40.0	-48.9	1101
04S/14W-35J01S	173.0	10-19-67 4-09-68	(5) 232.1	-59.1	5050	05S/13W-03C04S	-8.2	11-15-67	41.5	-49.7	1101
04S/14W-36G02S	40.5	10-23-67 11-16-67 2-06-68 4-09-68	101.3 104.4 101.4 99.5	-60.8 -63.9 -60.9 -59.0	5050 1101 5050	05S/13W-03C05S	-5.9	11-15-67	46.8	-52.7	1101
04S/14W-36G03S	40.6	10-23-67 11-16-67 2-06-68 4-09-68	101.2 102.9 100.7 99.3	-60.6 -62.3 -60.1 -58.7	5050 1101 5050	05S/13W-03C08S	-5.6	10-18-67 4-02-68	43.0 45.9	-48.6 -51.5	5050
04S/14W-36G04S	41.0	10-23-67 11-16-67 2-06-68 4-09-68	101.1 102.6 101.2 99.1	-60.1 -61.6 -60.2 -58.1	5050 1101 5050	05S/13W-03D06S	-7.5	4-24-68	47.9	-55.4	1101
04S/14W-36H01S	44.0	10-17-67 4-04-68	105.9 103.9	-61.9 -59.9	5050	05S/13W-03D07S	-5.6	11-15-67 1-02-68	35.5 34.8	-41.1 -40.4	1101
04S/14W-36J01S	47.0	10-17-67 4-04-68	110.7 108.8	-63.7 -61.8	5050	05S/13W-03E01S	-5.9	11-15-67 11-28-67	35.9 31.5	-41.8 -37.4	1101
04S/14W-36M01S	232.2	10-19-67 11-13-67 4-09-68 4-15-68	293.4 292.8 (3) 291.1	-61.2 -60.6 5050 -58.9	5050 1101 5050 1101	05S/13W-03F01S	-10.7	11-15-67 11-28-67 4-24-68	34.1 22.3 39.9	-44.8 -33.0 -50.6	1101
05S/12W-03F01S	8.0	11-10-67	49.7	-41.7	1101	05S/13W-03L01S	-11.6	10-18-67 4-10-68	22.4 27.3	-10.8 -15.7	5050
05S/12W-03F02S	8.0	11-10-67	6.9	1.1	1101	05S/13W-03P16S	-10.0	11-15-67 11-28-67 4-23-68	37.1 13.0 40.0	-47.1 -23.0 -50.0	1101
05S/12W-03J01S	5.2	10-11-67 11-10-67	43.0 43.1	-37.8 -37.9	1101	05S/13W-03P17S	16.0	10-23-67 11-15-67 2-07-68 4-02-68	54.5 51.4 48.4 59.1	-38.5 -35.4 -32.4 -43.1	5050 1101 5050
05S/12W-10P01S	5.0	10-18-67 11-07-67 4-09-68 4-17-68	3.4 3.5 3.5 3.4	1.6 1.5 1.5 1.6	5050 1101 5050 1101	05S/13W-03P18S	15.7	11-15-67 2-07-68	52.8 54.7	-37.1 -39.0	1101
05S/12W-11G05S	16.8	10-11-67 11-10-67	29.8 30.6	-13.0 -13.8	1101	05S/13W-03P19S	15.3	10-23-67 11-15-67 2-07-68 4-02-68	50.2 51.4 50.5 55.2	-34.9 -36.1 -35.2 -39.9	5050 1101 5050
05S/12W-11G06S	16.7	10-11-67 11-10-67	44.2 44.3	-27.5 -27.6	1101	05S/13W-03002S	.6	11-28-67 4-17-68	4.5 4.5	-3.9 -3.9	1101
05S/13W-01A01S	35.7	10-13-67 11-16-67	66.2 66.6	-30.5 -30.9	1101	05S/13W-04E01S	-.6	10-18-67 10-23-67 11-16-67 4-02-68	32.7 32.7 32.7 35.9	-33.3 -33.3 -33.3 -36.5	5050 1101 5050
05S/13W-02B01S	4.2	11-28-67 4-17-68	38.5(2) 36.6	-34.3 -32.4	1101	05S/13W-04E02S	-.2	10-18-67 10-23-67 11-16-67 4-02-68	30.5 30.3 30.1 33.7	-30.7 -30.5 -30.3 -33.9	5050 1101 5050
05S/13W-02B02S	4.2	11-28-67 4-17-68	64.9(1) 55.5	-60.7 -51.3	1101	05S/13W-04N01S	4.8	11-27-67 4-23-68	27.7 (7)	-22.9	1101
05S/13W-02G01S	3.2	11-28-67	16.1(8)	-12.9	1101	05S/13W-05C01S	12.8	10-23-67 11-16-67 4-02-68	82.3 82.3 80.3	-69.5 -69.5 -67.5	5050 1101 5050
						05S/13W-05C02S	12.7	11-16-67	34.7	-22.0	1101
						05S/13W-06B01S	15.1	10-17-67 11-16-67 4-02-68	84.9 86.9 82.5	-69.8 -71.8 -67.4	5050 1101 5050
						05S/13W-06B02S	15.2	10-17-67 11-16-67 4-02-68	31.3 33.7 31.1	-16.1 -18.5 -15.9	5050 1101 5050
						05S/13W-06D01S	30.8	10-01-67 10-03-67 11-01-67 11-07-67 12-01-67 1-01-68	138.2 139.0(5) (9) 98.0 125.2 124.2	-107.4 -108.2 5061 -67.2 -94.4 -93.4	5061 1101 5061 1101 5061

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
WEST COAST HYDRO SUBAREA			U-05.A2			SANTA MONICA HYDRO SUBAREA			U-05.A3		
055/13W-06D01S (CONT.)	30.8	2-01-68	125.2	-94.4	5061	025/15W-11C07S (CONT.)	99.0	2-05-68	151.5	-52.5	1101
		3-01-68	119.2	-88.4				3-04-68	146.2	-47.2	
		3-05-68	120.0	-89.2	1101			4-01-68	154.1	-55.1	
		4-01-68	121.8	-91.0				5-06-68	155.6	-56.6	
		4-01-68	119.2(1)	-88.4	5050			6-03-68	151.6	-52.6	
		4-01-68	119.2	-88.4	5061			7-02-68	159.3	-60.3	
		5-01-68	117.2	-86.4							
		5-07-68	101.0	-70.2	1101	025/15W-11E05S	93.0	10-15-67	143.3(5)	-50.3	1101
		6-01-68	121.2	-90.4	5061			11-15-67	141.3(5)	-48.3	
		6-05-68	101.0(1)	-70.2	1101			12-15-67	141.3(5)	-48.3	
		7-01-68	123.2	-92.4	5061			1-15-68	140.3(5)	-47.3	
		7-09-68	130.0(1)	-99.2	1101			2-15-68	142.3(5)	-49.3	
		8-01-68	129.2	-98.4	5061			3-15-68	143.3(5)	-50.3	
		8-06-68	135.0(1)	-104.2	1101			4-15-68	142.3(5)	-49.3	
		9-01-68	137.2	-106.4	5061			5-07-68	142.3(5)	-49.3	
		9-17-68	134.0	-103.2	1101			6-01-68	145.3(5)	-52.3	
								7-21-68	145.3(5)	-52.3	
								8-07-68	145.3(5)	-52.3	
								9-07-68	145.3(5)	-52.3	
055/13W-08P01S	9.3	11-15-67	23.9	-14.6	1101						
055/13W-09B02S	5.3	10-23-67	27.7	-22.4	1101	025/15W-11F05S	91.0	10-15-67	145.5(5)	-54.5	1101
		10-23-67	29.1	-23.8	5050			11-15-67	145.5(5)	-54.5	
		11-15-67	27.8	-22.5	1101			12-15-67	143.5(5)	-52.5	
		4-01-68	32.6	-27.3	5050			1-15-68	142.5(5)	-51.5	
055/13W-11C03S	8.7	11-28-67	29.2	-20.5	1101			2-15-68	142.5(5)	-51.5	
		4-23-68	33.3	-24.6				3-15-68	141.5(5)	-50.5	
055/13W-11G01S	13.6	11-15-67	43.0	-29.4	1101			4-15-68	142.5(5)	-51.5	
		1-04-68	41.5	-27.9				5-07-68	142.5(5)	-51.5	
055/13W-11G02S	14.1	11-15-67	83.0	-68.9	1101			6-01-68	142.5(5)	-51.5	
		2-09-68	76.3	-62.2				7-07-68	142.5(5)	-51.5	
055/13W-11H02S	21.4	11-28-67	94.2	-72.8	1101			8-07-68	143.5(5)	-52.5	
055/13W-11N02S	12.8	11-28-67	13.6	-.8	1101			9-07-68	142.5(5)	-51.5	
		4-23-68	15.4	-2.6							
SANTA MONICA HYDRO SUBAREA			U-05.A3								
01S/15W-23J01S	308.3	11-08-67	FLOW		1101	025/15W-11J01S	54.0	11-08-67	93.8	-39.8	1101
		4-10-68	FLOW					4-12-68	(6)		
01S/15W-25C01S	225.0	11-08-67	185.3	39.7	1101	025/15W-12B03S	76.0	11-10-67	82.0(4)	-6.0	1101
		4-10-68	185.5	39.5				4-12-68	83.3(4)	-7.3	
01S/15W-25K02S	193.3	11-08-67	DRY		1101	025/15W-12J02S	67.0	10-19-67	70.1	-3.1	5050
		1-03-68	DRY					4-03-68	71.4	-4.4	
		4-10-68	DRY			025/15W-14Q02S	28.3	10-18-67	(9)		5050
01S/15W-29G01S	353.0	11-07-67	68.2	284.8	1101			10-31-67	29.0	-.7	1101
		4-12-68	68.5	284.5				11-07-67	(2)		
01S/15W-30M01S	324.0	11-07-67	61.9	262.1	1101			1-03-68	28.5	-.2	
		4-12-68	54.3	269.7				4-09-68	30.8	-2.5	5050
01S/15W-32A01S	244.0	11-07-67	49.6(2)	194.4	1101			4-15-68	28.4(4)	-.1	1101
		4-12-68	(6)			025/15W-15F01S	34.0	10-03-67	29.0	5.0	1101
01S/15W-32A02S	240.0	11-07-67	63.9(2)	176.1	1101			11-07-67	29.1	4.9	
		4-12-68	(6)					12-04-67	28.9	5.1	
01S/16W-36K01S	265.0	11-14-67	99.8	165.2	1101			1-03-68	28.7	5.3	
		4-16-68	100.1	164.9				2-05-68	28.7	5.3	
02S/14W-07N01S	57.0	11-10-67	76.7	-19.7	1101			3-04-68	28.8	5.2	
		4-12-68	77.0	-20.0				4-01-68	28.6	5.4	
02S/14W-07P02S	54.5	11-10-67	68.9	-14.4	1101			5-06-68	28.8	5.2	
		4-12-68	69.5	-15.0				6-03-68	28.6	5.4	
02S/14W-19C01S	40.7	11-06-67	82.6	-41.9	1101			7-02-68	28.7	5.3	
		4-15-68	78.9	-38.2		025/15W-22A05S	21.0	10-13-67	19.4	1.6	1101
		9-03-68	82.3	-41.6				12-12-67	13.0	8.0	4412
02S/14W-19C02S	48.5	11-06-67	89.8	-41.3	1101			1-03-68	19.1	1.9	1101
		4-09-68	94.5	-46.0	5050			4-02-68	(6)		5050
		4-15-68	87.2	-38.7	1101			4-15-68	19.0	2.0	1101
02S/15W-01P02S	83.7	10-03-67	67.2	16.5	1101	025/15W-22A07S	15.0	11-07-67	12.5	2.5	1101
		11-10-67	66.5	17.2				12-13-67	22.2	-7.2	
		12-04-67	66.5	17.2				4-15-68	14.7	.3	
		1-03-68	66.4	17.3		025/15W-22B08S	23.0	10-13-67	22.2	.8	1101
		2-05-68	66.3	17.4				11-07-67	22.3	.7	
		3-04-68	66.2	17.5				12-13-67	20.8	2.2	
		4-01-68	66.2	17.5				1-03-68	21.6	1.4	
		5-06-68	66.1	17.6				4-03-68	(6)		5050
		6-03-68	66.0	17.7				4-15-68	21.5	1.5	1101
		7-02-68	65.9	17.8		025/15W-22B09S	20.0	10-13-67	20.6	-.6	1101
02S/15W-08M03S	104.6	11-07-67	DRY		1101			11-07-67	20.7	-.7	
02S/15W-11C07S	99.0	10-03-67	155.9	-56.9	1101			12-12-67	14.0	6.0	
		11-10-67	154.8	-55.8		02S/15W-22E03S	10.0	10-17-67	8.4	1.6	5050
		12-04-67	148.7	-49.7				12-01-67	8.1	1.9	1101
		1-03-68	149.7	-50.7							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
SANTA MONICA HYDRO SUBAREA			U-05.A3			HOLLYWOOD HYDRO SUBAREA			U-05.A4		
02S/15W-22E03S (CONT.)	10.0	4-03-68	8.0	2.0	5050	01S/14W-17E02S (CONT.)	188.0	12-12-67 1-02-68 4-24-68 5-01-68	188.0(5) 170.0(5) 178.0(1) 158.0(6)	28.0 18.0 10.0 30.0	1101
02S/15W-22E04S	10.0	10-17-67 4-03-68	7.9 7.7	2.1 2.3	5050	01S/14W-17E03S	188.0	11-03-67 12-12-67 1-02-68	243.5(5) 240.5(5) 248.5(5)	-55.5 -52.5 -60.5	1101
02S/15W-22E05S	10.0	10-17-67 12-01-67 4-03-68	8.0 8.3 7.9	2.0 1.7 2.1	5050 1101 5050	01S/14W-18A01S	300.0	11-08-67 4-10-68	FLOW FLOW		1101
02S/15W-22G01S	10.5	11-07-67 4-15-68	7.4 7.1	3.1 3.4	1101	01S/14W-18H02S	190.0	11-03-67 12-12-67 1-02-68	211.0(5) 207.0(5) 210.0(5)	-21.0 -17.0 -20.0	1101
02S/15W-22R03S	9.0	10-17-67 4-03-68	11.9 10.7	-2.9 -1.7	5050	01S/14W-18J01S	177.0	11-08-67 4-10-68	132.0 128.2	45.0 48.8	1101
02S/15W-23A02S	16.7	11-06-67 4-15-68	19.1 19.1(2)	-2.4 -2.4	1101	01S/14W-18J02S	178.0	11-03-67 12-12-67 1-02-68 4-24-68 5-01-68	219.5(5) 203.5(5) 210.5(5) 271.5(1) 203.5(5)	-41.5 -25.5 -32.5 -93.5 -25.5	1101
02S/15W-23A03S	17.4	11-06-67 4-15-68	19.4 18.1	-2.0 -1.7	1101	01S/14W-18J04S	182.5	11-03-67 12-12-67 1-02-68 4-24-68 5-01-68	237.5(5) 240.5(5) 242.5(5) 290.5(1) 205.5(5)	-55.0 -58.0 -60.0 -108.0 -23.0	1101
02S/15W-23C01S	20.6	11-07-67	20.9	-0.3	1101	01S/14W-18K01S	190.0	11-08-67	(6)		1101
02S/15W-23C05S	20.0	11-07-67 4-15-68 9-03-68	21.8 21.1 (6)	-1.8 -1.1	1101	01S/14W-19D04S	235.0	11-10-67 1-02-68 4-24-68	(1) (7) 186.4(2)		1101
02S/15W-23G04S	15.5	11-06-67 4-15-68	16.0 14.8	-0.5 1.2	1101	01S/14W-19D05S	230.0	11-10-67 12-12-67 1-02-68 4-24-68	(1) 231.0(5) 236.0(5) 275.0(1)	-1.0 -6.0 -45.0	1101
02S/15W-23J07S	14.5	11-06-67 4-15-68	18.3 (6)	-3.8	1101	01S/15W-12N02S	465.0	11-03-67 12-12-67 1-02-68 4-24-68	65.5(5) 65.5(5) 65.5(5) 66.5(1)	399.5 399.5 399.5 398.5	1101
02S/15W-23M05S	10.0	11-07-67	7.4	2.6	1101	CENTRAL HYDRO SUBAREA					
02S/15W-23N01S	9.3	10-18-67 11-07-67 4-03-68 4-15-68 5-06-68 7-02-68 8-05-68 9-03-68	13.1(4) 11.7(1) 8.9 7.9 9.7 12.4(1) 14.2(1) 11.9	-3.8 -2.4 1.4 1.4 -0.4 -3.1 -4.9 -2.6	5050 1101 5050 1101	01S/12W-06H01S	569.2	10-03-67 11-08-67 12-05-67 1-03-68 2-06-68 3-05-68 4-09-68 5-06-68 6-05-68 7-08-68 8-06-68 9-04-68	23.5 24.0 23.3 23.4 23.3 23.4 23.5 23.2 23.2 23.3 23.7 22.9	545.7 545.2 545.9 545.8 545.9 545.8 545.7 546.0 546.0 545.9 545.5 546.3	1101
02S/15W-23P01S	11.7	10-18-67 4-03-68	15.0 14.9	-3.3 -3.2	5050	01S/12W-33P02S	255.5	10-31-67 12-31-67 2-29-68 4-30-68 6-30-68 8-31-68	301.0 299.0 298.0 296.0 295.0 294.0	-45.5 -43.5 -42.5 -40.5 -39.5 -38.5	1101
02S/15W-23Q03S	10.0	10-18-67	(6)		5050	01S/13W-15H01S	352.3	10-25-67 11-29-67 12-27-67 1-24-68 2-28-68 3-27-68 4-24-68 5-24-68 6-26-68 7-24-68 8-23-68 9-25-68	51.1 51.1 50.8 50.8 51.0 51.1 51.1 51.1 51.3 51.4 51.5 51.5	301.2 301.2 301.5 301.5 301.3 301.2 301.2 301.2 301.0 300.9 300.8 300.8	1200
02S/15W-23Q04S	10.6	11-07-67 4-15-68	12.8 12.2	-2.2 -1.6	1101	01S/13W-15R02S	321.3	10-25-67 11-29-67 12-27-67 1-24-68 2-28-68 3-27-68 4-24-68 5-24-68 6-26-68 7-24-68 8-23-68 9-25-68	31.4 31.2 31.4 31.4 31.4 31.3 31.4 31.4 31.4 31.4 31.4 31.5	289.9 290.1 289.9 289.9 289.9 290.0 289.9 289.9 289.9 290.1 289.9 289.8	1200
02S/15W-23R01S	11.3	11-07-67 4-15-68	14.2 13.6	-2.9 -2.3	1101	01S/14W-10N01S	289.0	10-03-67 11-08-67 12-04-67 1-03-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-02-68 8-05-68 9-03-68	21.2 21.3 20.5 20.3 20.5 20.7 20.4 20.6 20.8 20.9 21.1 21.2	267.8 267.7 268.5 268.7 268.5 268.3 268.6 268.4 268.2 268.1 267.9 267.8	1101
02S/15W-26B01S	143.0	10-18-67 4-03-68	148.9 146.7	-5.9 -3.7	5050	01S/14W-14E01S	280.0	11-08-67 4-10-68	19.4 18.9	260.6 261.1	1101
02S/15W-27L01S	4.0	10-17-67 4-03-68	1.9 1.6	2.1 2.4	5050	01S/14W-17E02S	188.0	11-03-67	168.0(5)	20.0	1101
02S/15W-27L02S	4.0	10-17-67 4-03-68	2.7 1.9	1.3 2.1	5050	HOLLYWOOD HYDRO SUBAREA					
02S/15W-28J01S	10.0	11-07-67 4-15-68	7.5 7.6	2.5 2.4	1101	U-05.A4					
02S/15W-28Q01S	10.0	11-07-67 4-15-68	7.1 7.4	2.9 2.6	1101						
02S/15W-28R01S	5.0	11-07-67 4-15-68	2.0 2.2	3.0 2.8	1101						
02S/15W-28R02S	10.1	11-07-67 4-15-68	7.3 7.2	2.8 2.9	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5			
01S/13W-15R03S (CONT.)	327.4	11-29-67 12-27-67 1-24-68 2-28-68 3-27-68 4-24-68 5-24-68 7-24-68 8-28-68 9-25-68	33.4 33.4 33.3 33.4 33.3 33.4 33.4 33.5 33.6 33.7	294.0 294.0 294.1 294.0 294.1 294.0 294.0 293.9 293.8 293.7	1200	01S/14W-32L01S (CONT.)	91.5	5-06-68 6-03-68 7-02-68 8-05-68 9-03-68	37.0 37.0 37.0 37.1 37.2	54.5 54.5 54.5 54.4 54.3	1101	
01S/13W-22R01S	296.3	10-04-67 11-17-67 1-03-68 2-06-68 3-07-68 4-03-68 5-07-68 6-06-68 7-10-68 9-16-68	34.5 34.2 33.7 34.0 33.9 33.9 34.2 34.2 34.2 34.2	261.8 262.1 262.6 262.3 262.4 262.4 262.1 262.1 262.1 262.1	1101	01S/14W-32M05S	88.0	11-03-67 12-12-67 1-02-68 4-24-68	202.4(5) 199.4(5) 207.4(5) 189.4(6)	-114.4 -111.4 -119.4 -101.4	1101	
01S/13W-23N01S	301.0	11-06-67 4-02-68	24.4 23.6	276.6 277.4	1101	01S/14W-32M06S	90.0	12-12-67 1-02-68 4-24-68	172.0(5) 172.0(5) 166.0(5)	-82.0 -82.0 -76.0	1101	
01S/13W-27G01S	282.5	2-07-68 7-03-68	(0) (0)		1200	01S/15W-33C01S	225.0	11-10-67 4-12-68	FLOW FLOW		1101	
01S/13W-27Q02S	268.0	11-06-67 4-02-68	52.8 57.3	215.2 210.7	1101	01S/15W-33Q05S	160.0	11-10-67 4-12-68	37.3 36.9	122.7 123.1	1101	
01S/13W-32F01S	233.0	11-07-67 4-03-68	147.8 146.7	85.2 86.3	1101	02S/13W-05G01S	219.0	11-06-67 4-02-68	304.8 285.5	-85.8 -66.5	1101	
01S/13W-32J01S	242.3	11-07-67 4-02-68	73.1 (7)	169.2	1101	02S/13W-10A01S	214.2	10-04-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-03-68 5-07-68 6-06-68 7-09-68 9-04-68	293.4 292.9 292.4 293.4 291.2 290.6 291.4 296.4 290.9 288.9 293.5	-79.2 -78.7 -78.2 -79.2 -77.0 -76.4 -77.2 -82.2 -76.7 -74.7 -79.3	1101	
01S/13W-33A01S	250.0	11-06-67 4-02-68	100.0 100.2	150.0 149.8	1101	02S/13W-10A03S	230.6	11-07-67 4-02-68 4-05-68	302.7 (9) 326.2	-72.1 (9) -95.6	1101	
01S/13W-35F01S	523.8	10-25-67 11-29-67 12-27-67 1-24-68 2-27-68 3-26-68 4-24-68 5-22-68 7-24-68 8-23-68 9-24-68	3.9 2.5 2.3 3.0 2.5 2.2 3.7 3.3 4.9 4.6 4.1	519.9 521.3 521.5 520.8 521.3 521.6 520.1 520.5 518.9 519.2 519.7	1200	02S/13W-10A04S	226.0	11-06-67 4-02-68	300.6 300.7	-74.6 -74.7	1101	
01S/14W-19J04S	159.0	11-03-67 12-12-67 1-02-68 4-24-68	190.5(5) 191.5(5) 188.5(5) 187.5(5)	-31.5 -32.5 -29.5 -28.5	1101	02S/13W-10B01S	224.5	11-07-67 4-02-68	318.0 319.2	-93.5 -94.7	1101	
01S/14W-19R05S	152.0	11-03-67 12-12-67 1-02-68 4-24-68	170.0(5) 168.0(5) 171.0(5) 152.0(5)	-18.0 -16.0 -19.0 .0	1101	02S/13W-10M01S	206.0	10-15-67 11-15-67 12-21-67 1-15-68 2-15-68 3-15-68 4-15-68 5-15-68 6-21-68 7-15-68 8-21-68 9-15-68	282.7(5) 281.7(5) 283.4 283.7(5) 283.7(5) 278.7(5) 277.7(5) 282.7(5) 289.4 300.7(1) 302.7(1) 302.7(1)	-76.7 -75.7 -77.4 -77.7 -77.7 -72.7 -71.7 -76.7 -83.4 -94.7 -96.7 -96.7	1101	
01S/14W-20M02S	145.0	11-08-67 4-10-68	151.9 153.3	-6.9 -8.3	1101	02S/13W-10P05S	202.0	10-01-67 11-05-67 12-03-67 1-01-68 2-04-68 3-03-68 4-01-68 5-03-68 6-02-68 7-01-68 8-04-68 9-02-68	273.6(5) 270.6(5) 268.6(5) 266.6(5) 270.6(5) 270.6(5) 267.6(5) 269.6(5) 273.6(5) 284.6(5) 272.6(5) 276.6(5)	-71.6 -68.6 -66.6 -64.6 -68.6 -68.6 -65.6 -67.6 -71.6 -82.6 -70.6 -74.6	1101	
01S/14W-29D02S	129.7	10-03-67 11-08-67 12-04-67 1-03-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-02-68 8-05-68 9-03-68	158.4 158.7 160.1 160.4 159.5 160.2 161.0 160.3 161.2 163.3 163.3 162.6	-28.7 -29.0 -30.4 -30.7 -29.8 -30.5 -31.3 -30.6 -31.5 -33.6 -33.6 -32.9	1101	02S/13W-10P06S	200.9	10-01-67 11-03-67 12-03-67 1-01-68 2-02-68 3-03-68 4-01-68 5-03-68 6-02-68 7-07-68 8-04-68 9-02-68	281.2(4) 285.2(4) 280.2(5) 274.2(5) 286.2(5) 278.2(5) 278.2(5) 282.2(5) 280.2(5) 276.2(5) 291.2(5) 284.2(5)	-80.3 -84.3 -79.3 -73.3 -85.3 -77.3 -77.3 -81.3 -79.3 -75.3 -90.3 -83.3	1101	
01S/14W-29Q03S	127.0	1-02-68	(9)		1101	02S/13W-10R05S	199.7	10-04-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 8-06-68 9-04-68	207.8 207.9 207.6 207.3 207.6 207.9 206.3 207.1 213.3 207.4 207.8 207.7	-8.1 -8.2 -7.9 -7.6 -7.9 -8.2 -6.6 -7.4 -13.6 -7.7 -8.1 -8.0	1101	
01S/14W-30G01S	151.2	11-08-67 4-10-68	22.1 20.3	129.1 130.9	1101							
01S/14W-32D01S	98.6	11-08-67 4-10-68	74.2 72.3	24.4 26.3	1101							
01S/14W-32K02S	91.0	11-03-67 12-12-67 1-02-68 4-24-68	119.0(5) 89.0(5) 100.0(5) 85.0(6)	-28.0 2.0 -9.0 6.0	1101							
01S/14W-32L01S	91.5	10-03-67 11-08-67 12-04-67 1-03-68 2-05-68 3-04-68 4-01-68	37.7 38.0 37.8 37.6 37.4 37.3 37.1	53.8 53.5 53.7 53.9 54.1 54.2 54.4	1101							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0	U-05.A5		
02S/13W-10R06S	199.7	4-04-68	280.4	-80.7	1101	02S/11W-06Q01S (CONT.)	195.1	7-22-68 8-26-68 9-23-68	12.7 14.4 14.3	182.4 180.7 180.8	1101	
02S/13W-11E03S	208.7	10-04-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-03-68 5-07-68 6-06-68 7-09-68 9-04-68	268.3 268.2 268.0 266.8 266.9 266.6 266.2 265.9 265.9 265.6 266.1	-59.6 -59.5 -59.3 -58.1 -58.2 -57.9 -57.5 -57.2 -57.2 -56.9 -57.4	1101	02S/11W-06R02S	200.5	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-22-68 8-23-68 8-26-68	13.8 (9) 11.6 12.6 12.8 12.5 13.5 13.8 14.0 14.8 15.7 15.6	186.7 186.9 187.9 187.7 188.0 187.0 186.7 186.5 185.7 184.8 184.9	1101	
02S/13W-11E04S	208.0	10-01-67 11-05-67 12-03-67 1-01-68 2-04-68 3-03-68 4-07-68 5-05-68 6-02-68 7-07-68 8-04-68 9-02-68	291.0(5) 291.0(5) 290.0(5) 286.0(5) 288.0(5) 288.0(5) 288.0(5) 290.0(5) 288.0(5) 286.0(5) 290.0(5) 288.0(5)	-83.0 -83.0 -82.0 -78.0 -80.0 -80.0 -80.0 -82.0 -80.0 -78.0 -82.0 -80.0	1101	02S/11W-07B01S	196.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 5-29-68 6-27-68 7-22-68 8-26-68 9-23-68	15.7 14.0 13.9 15.1 15.8 15.6 16.0 16.6 17.9 18.3	180.3 182.0 182.1 180.9 180.2 180.4 180.0 179.4 178.1 177.7	1733	
02S/13W-11G06S	199.0	11-06-67 4-08-68	281.1 281.7	-82.1 -82.7	1101	02S/11W-07B03S	197.5	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	17.0 17.0 13.0 14.0 14.0 13.0 16.0 18.0(5) 15.0(5) 21.0(5) 19.0(5)	180.5 180.5 184.5 183.5 183.5 184.5 181.5 182.5 182.5 176.5 178.5	1101	
02S/13W-11L03S	197.6	10-04-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-03-68 5-07-68 6-06-68 7-09-68 8-05-68 9-04-68	205.9 205.8 205.7 205.5 205.4 205.1 205.1 205.0 205.2 205.2 205.4 205.4	-8.3 -8.2 -8.1 -7.9 -7.8 -7.5 -7.5 -7.4 -7.6 -7.6 -7.8 -7.8	1101	02S/11W-07B05S	198.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	23.0 23.0 23.0 23.0 21.0 22.0 22.0 23.0 25.0 23.0 24.0 25.0	175.0 175.0 175.0 175.0 177.0 176.0 176.0 175.0 173.0 175.0 174.0 173.0	1101	
02S/13W-11N05S	200.0	11-06-67 4-04-68	274.0 275.8	-74.0 -75.8	1101	02S/11W-07C04S	188.8	10-23-67 11-28-67 12-28-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-22-68 8-26-68 9-23-68	8.0 7.5 7.7 9.7 9.9 10.0 9.0 8.2 10.1 10.1 12.7 14.5 14.5	180.8 181.3 181.1 179.1 178.9 178.8 179.8 180.6 178.7 178.7 176.1 174.3 174.3	1101	
02S/13W-11P02S	200.0	11-06-67 11-06-67 4-05-68	280.0 280.0 286.2	-80.0 -80.0 -86.2	1101	02S/11W-07D02S	193.0	10-23-67 11-28-67 12-26-67 1-22-68 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-22-68 8-26-68 9-23-68	21.5 19.8 19.1 20.5 20.5 20.5 20.0 21.0 19.9 20.9 21.5 23.9 (3) (3)	171.5 173.2 173.9 172.5 172.5 172.5 173.0 172.0 173.1 172.1 171.5 169.1	1101	
02S/13W-11R02S	189.8	10-01-67 11-03-67 12-03-67 1-01-68 2-04-68 3-03-68 4-01-68 5-03-68 6-02-68 7-01-68 8-02-68 9-02-68	262.2(5) 276.2(5) 258.2(5) 255.2(5) 256.2(5) 256.2(5) 262.2(5) 275.2(5) 256.2(5) 264.2(5) 274.2(5) 258.2(5)	-72.4 -86.4 -68.4 -65.4 -66.4 -66.4 -72.4 -85.4 -66.4 -74.4 -84.4 -68.4	1101	02S/11W-07D04S	187.6	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-22-68 8-26-68 9-23-68	7.4 7.9 8.0 10.2 10.3 9.6 9.6 8.8 8.0 10.2 10.1 12.9 14.4	180.2 179.7 179.6 177.4 177.3 178.0 178.0 178.8 179.6 177.4 177.5 174.7 173.2	1101	
02S/13W-11R03S	188.7	10-01-67 11-05-67 12-03-67 1-01-68 2-04-68 3-03-68 4-07-68 5-05-68 7-07-68 8-04-68	266.3(5) 266.3(5) 262.3(5) 256.3(5) 264.3(5) 268.3(5) 267.3(5) 270.3(5) 260.3(5) 270.3(5)	-77.6 -77.6 -73.6 -67.6 -75.6 -79.6 -78.6 -81.6 -71.6 -81.6	1101							
02S/11W-06G02S	207.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 5-27-68 6-24-68 7-22-68 8-26-68 9-23-68	11.1 10.0 9.9 10.2 15.8 13.6 13.9 14.0 14.2 14.6	195.9 197.0 197.1 196.8 191.2 193.4 193.1 193.0 192.8 192.4	1733							
02S/11W-06K01S	196.0	10-23-67 12-28-67	(9) (9)		1101							
02S/11W-06Q01S	195.1	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68	11.3 9.5 9.8 11.3 11.7 11.2 12.1 11.6 11.2	183.8 185.6 185.3 183.8 183.4 183.9 183.0 183.5 183.9	1101							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/11W-07D07S	186.0	11-28-67	6.8	179.2	1101	02S/11W-07P02S	185.0	9-23-68	22.8	162.2	1733
		12-26-67	6.9	179.1		(CONT.)					
		1-22-68	9.2	176.8		02S/11W-07R01S	183.5	10-02-67	21.1	162.4	1101
		2-26-68	9.3	176.7				10-09-67	20.7	162.0	
		3-25-68	8.5	177.5				10-16-67	21.3	162.2	
		4-22-68	7.7	178.3				10-24-67	20.4	163.1	
		5-22-68	6.7	179.3				10-30-67	20.3	163.2	
		6-24-68	9.4	176.6				11-06-67	20.1	163.4	
		7-22-68	8.9	177.1				11-13-67	20.0	163.5	
		8-23-68	13.6	172.4				11-22-67	18.8	164.7	
		8-26-68	11.5	174.5				11-27-67	18.8	164.7	
02S/11W-07D08S	191.1	10-23-67	10.1	181.0	1101			12-04-67	18.5	165.0	
		11-28-67	10.5	180.6				12-11-67	18.5	165.0	
		12-26-67	10.6	180.5				12-20-67	18.5	165.0	
		1-22-68	12.8	178.3				12-26-67	18.2	165.3	
		2-26-68	12.9	178.2				1-02-68	18.4	165.1	
		3-25-68	12.2	178.9				1-08-68	17.9	165.6	
		4-22-68	10.4	180.7				1-15-68	17.9	165.6	
		5-27-68	10.9	180.2				1-22-68	18.1	165.4	
		6-24-68	12.9	178.2				1-29-68	17.3	166.2	
		7-22-68	13.2	177.9				2-13-68	17.3	166.2	
		8-26-68	15.7	175.4				2-19-68	16.9	166.6	
		8-26-68	15.7	175.4				2-26-68	17.3	166.2	
		9-23-68	16.6	174.5				3-04-68	18.4	165.1	
		9-23-68	16.6	174.5				3-11-68	18.3	165.2	
02S/11W-07H01S	193.1	10-09-67	19.7	173.4	1101			3-18-68	17.8	165.7	
		10-23-67	20.1	173.0				3-26-68	17.9	165.6	
		11-13-67	19.8	173.3				4-01-68	18.6	164.9	
		11-28-67	20.3	172.8				4-01-68	18.6	164.9	
		12-11-67	18.2	174.9				4-08-68	19.2	164.3	
		12-26-67	18.2	174.9				4-16-68	18.2	165.3	
		1-08-68	18.3	174.8				4-23-68	18.1	165.4	
		1-22-68	18.5	174.6				5-06-68	18.4	165.1	
		2-13-68	18.6	174.5				5-13-68	18.1	165.4	
		2-26-68	18.2	174.9				5-27-68	22.4	161.1	
		3-02-68	20.8	172.3				6-03-68	20.5	163.0	
		3-25-68	18.0	175.1				6-10-68	19.6	163.9	
		4-08-68	18.3	174.8				6-17-68	18.9	164.6	
		4-22-68	18.6	174.5				6-25-68	19.7	163.8	
		5-13-68	18.7	174.4				7-09-68	20.8	162.7	
		5-27-68	18.9	174.2				7-15-68	21.1	162.4	
		6-12-68	18.9	174.2				7-22-68	21.3	162.2	
		6-25-68	19.1	174.0				7-30-68	21.5	162.0	
		7-09-68	20.3	172.8				8-12-68	20.1	163.4	
		7-22-68	20.7	172.4				8-19-68	20.3	163.2	
		8-14-68	19.9	173.2				8-29-68	20.6	162.9	
		8-26-68	20.4	172.7				9-03-68	21.3	162.2	
		9-10-68	10.5	174.6				9-16-68	21.9	161.6	
		9-23-68	20.7	172.4				9-23-68	22.7	160.8	
02S/11W-07J01S	187.0	10-16-67	10.5	176.5	1101			9-30-68	21.0	162.5	
		11-20-67	9.5	177.5		02S/11W-08N01S	202.0	10-23-67	32.4	169.6	1733
		12-11-67	10.5	176.5				11-27-67	30.8	171.2	
		1-15-68	8.5	178.5				12-26-67	30.1	171.9	
		2-19-68	8.5	178.5				1-22-68	30.5	171.5	
		3-18-68	10.5	176.5				4-22-68	30.0	172.0	
		4-15-68	10.5	176.5				6-24-68	33.5	168.5	
		5-13-68	8.5	178.5				7-22-68	32.8	169.2	
		6-10-68	9.5	177.5				8-26-68	31.6	170.4	
		7-08-68	8.5	178.5				9-23-68	32.0	170.0	
		8-05-68	10.5	176.5		02S/11W-18B02S	185.0	10-23-67	22.6	162.4	1733
		9-09-68	10.5	176.5				11-27-67	21.1	163.9	
02S/11W-07H04S	186.0	10-30-67	28.7	157.3	1101			12-26-67	20.8	164.2	
		11-30-67	25.1	160.9				1-22-68	21.2	163.0	
		1-31-68	24.9	161.1				4-22-68	27.1	157.9	
		2-29-68	26.1	159.9				6-24-68	29.1	155.9	
		3-29-68	24.6	161.4				7-22-68	28.6	156.4	
		4-30-68	26.5	159.5				8-26-68	31.2	153.8	
		5-30-68	26.4	159.6				9-23-68	31.1	153.9	
		6-30-68	26.3	159.7		02S/11W-18B05S	178.0	10-30-67	32.0	146.0	1101
		7-31-68	27.9	158.1				11-30-67	29.2	148.8	
		8-30-68	30.7	155.3				12-29-67	27.8	150.2	
		9-30-68	31.9	154.1				1-31-68	27.3	150.7	
02S/11W-07P01S	184.5	10-23-67	27.2	157.3	1101			2-29-68	27.4	150.6	
		11-28-67	25.5	159.0				3-29-68	27.9	150.1	
		12-26-67	24.4	160.1				4-30-68	29.8	148.2	
		1-22-68	24.2	160.3				6-30-68	31.0	147.0	
		2-26-68	24.3	160.2				7-31-68	32.5	145.5	
		3-25-68	24.1	160.4				8-30-68	34.5	143.5	
		4-22-68	24.9	159.6				9-30-68	32.8	145.2	
		5-27-68	25.4	159.1		02S/11W-18C02S	181.0	8-23-68	(7)		1101
		6-25-68	25.9	158.6							
		7-22-68	25.0	159.5		02S/11W-18C03S	180.5	10-30-67	36.7	143.8	1101
		8-23-68	31.1	153.4				11-30-67	33.7	146.8	
		8-26-68	29.1	155.4				12-29-67	32.8	147.7	
02S/11W-07P02S	185.0	10-23-67	25.4	159.6	1733			1-31-68	32.3	148.2	
		11-27-67	23.8	161.2				2-29-68	32.9	147.6	
		12-26-67	22.6	162.4				3-29-68	32.9	147.6	
		1-22-68	21.9	163.1				4-30-68	34.0	146.5	
		4-22-68	23.1	161.9				5-30-68	34.9(5)	145.6	
		6-24-68	(1)					6-30-68	36.0(5)	144.5	
		7-22-68	22.6	162.4				7-31-68	37.5(5)	143.0	
		8-26-68	21.4	163.6				8-30-68	39.4(5)	141.1	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/11W-18H01S	211.5	10-23-67	60.2	151.3	1101	02S/12W-01J01S (CONT.)	193.8	3-25-68	14.3	179.5	1101
		11-27-67	59.7	151.8				4-22-68	15.7	178.1	
		12-26-67	58.2	153.3				5-27-68	12.9	180.9	
		1-22-68	58.2	153.3				6-24-68	14.6	179.2	
		2-26-68	58.2	153.3				7-22-68	15.3	178.5	
		3-25-68	58.1	153.4				8-26-68	18.1	175.7	
		4-22-68	59.1	152.4				9-23-68	20.3	173.5	
		5-27-68	60.7	150.8		02S/12W-01H01S	297.0	11-06-67	38.7	258.3	1101
		6-24-68	61.5	150.0				4-11-68	33.0	264.0	
		8-26-68	62.4	149.1		02S/12W-01P02S	203.0	10-03-67	37.2	165.8	1101
		9-23-68	61.7	149.8				10-24-67	35.9	167.1	
02S/11W-19H01S	170.0	10-23-67	36.1	133.9	1733			11-28-67	35.5	167.5	
		11-27-67	38.0	132.0				12-26-67	34.1	168.9	
		12-26-67	38.9	131.1				1-22-68	35.7	167.3	
		1-22-68	39.4	130.6				2-26-68	35.7	167.3	
		4-22-68	40.5	129.5				3-25-68	35.4	167.6	
		5-28-68	41.6	128.4				4-22-68	35.5	167.5	
		6-24-68	42.5	127.5				5-27-68	35.9	167.1	
		8-26-68	39.4	130.6				6-24-68	35.7	167.3	
		9-23-68	36.6	133.4				7-22-68	36.7	166.3	
02S/11W-19J02S	166.2	10-23-67	37.2	129.0	1101			7-22-68	36.7	166.3	
		11-27-67	(3)					8-26-68	(1)		
		11-27-67	40.8	125.4		02S/12W-01P03S	218.0	9-23-68	41.9	161.1	
		12-26-67	40.9	125.3				10-03-67	71.0(5)	147.0	1101
		12-26-67	(3)					10-31-67	71.0(5)	147.0	
		1-22-68	(3)					11-28-67	66.0(5)	152.0	
		1-22-68	41.3	124.9				1-02-68	62.0(5)	156.0	
		2-26-68	42.7	123.5				2-27-68	67.0(5)	151.0	
		3-25-68	(3)					4-30-68	67.0(5)	151.0	
		4-22-68	41.5	124.7				6-04-68	67.0(5)	151.0	
		5-27-68	(3)					7-02-68	68.0(5)	150.0	
		6-24-68	(3)					7-30-68	67.0(5)	151.0	
		8-26-68	(3)					9-03-68	69.0(5)	149.0	
		8-30-68	(3)			02S/12W-01R01S	186.0	10-09-67	7.5	178.5	1101
		9-23-68	(3)					10-23-67	6.2	179.8	
02S/11W-29E01S	150.5	10-31-67	49.2(5)	101.3	1101			11-13-67	7.3	178.7	
		11-31-67	48.2(5)	102.3				11-28-67	5.2	180.8	
		12-31-67	47.2(5)	103.3				12-11-67	5.6	180.4	
		1-31-68	61.2(6)	89.3				12-26-67	5.2	180.8	
		2-28-68	47.2(5)	103.3				1-09-68	7.5	178.5	
		3-31-68	47.2(5)	103.3				1-22-68	7.7	178.3	
		4-30-68	46.2(5)	104.3				2-13-68	6.6	179.4	
		5-31-68	52.2(5)	98.3				2-26-68	7.8	178.2	
		6-10-68	51.2(5)	99.3				3-25-68	7.0	179.0	
		7-15-68	54.2(5)	96.3				4-08-68	13.8	172.2	
		8-20-68	55.2(5)	95.3				4-22-68	8.1	177.9	
		9-20-68	56.2(5)	94.3				5-13-68	5.3	180.7	
02S/11W-32J04S	144.0	11-06-67	35.3	108.7	1101			5-27-68	5.3	180.7	
		4-16-68	34.1	109.9				6-12-68	5.9	180.1	
02S/11W-32H01S	151.0	11-06-67	DRY		1101			6-24-68	7.2	178.8	
		11-06-67	DRY					7-09-68	8.1	177.9	
		4-16-68	DRY					7-22-68	7.7	178.3	
02S/11W-32Q03S	153.0	11-06-67	46.1	106.9	1101			8-14-68	9.2	176.8	
		4-16-68	45.3	107.7				8-26-68	10.5	175.5	
02S/11W-33E02S	148.0	10-05-67	32.0	116.0	1733			9-10-68	8.1	177.9	
		10-26-67	31.8	116.2		02S/12W-01R02S	186.6	9-23-68	12.5	173.5	
		11-16-67	33.0	115.0				10-18-67	13.0(5)	173.6	1101
		12-07-67	31.8	116.2				11-16-67	10.0(5)	176.6	
		12-28-67	31.4	116.6				12-15-67	8.0(5)	178.6	
		1-18-68	33.7	114.3				1-15-68	12.0(5)	174.6	
		2-08-68	32.1	115.9				2-14-68	11.0(5)	175.6	
		2-29-68	32.2	115.8				3-19-68	11.0(5)	175.6	
		3-21-68	31.9	116.1				4-20-68	12.0(5)	174.6	
		4-11-68	33.0	115.0				5-15-68	11.0(5)	175.6	
		5-02-68	32.7	115.3				7-16-68	11.0(5)	175.6	
		6-13-68	33.8	114.2				8-15-68	12.0(5)	174.6	
		7-04-68	34.6	113.4		02S/12W-01R06S	189.0	9-18-68	16.0(5)	170.6	
		7-25-68	34.5	113.5				10-18-67	17.6(5)	171.4	1101
		8-15-68	34.3	113.7				11-16-67	16.6(5)	172.4	
		9-05-68	33.7	114.3				12-15-67	12.6(5)	176.4	
		9-26-68	34.0	114.0				1-15-68	16.6(5)	172.4	
02S/11W-33H01S	140.3	11-15-67	79.5	60.8	1101			2-14-68	14.6(5)	174.4	
		1-26-68	78.5(5)	61.8				3-19-68	14.6(5)	174.4	
		3-25-68	76.5(5)	63.8				4-20-68	15.6(5)	173.4	
		5-15-68	75.5(5)	64.8				5-15-68	15.6(5)	173.4	
		7-17-68	78.5(5)	61.8				6-15-68	15.6(5)	173.4	
		9-19-68	78.5(5)	61.8				7-16-68	16.6(5)	172.4	
02S/11W-35R01S	255.0	11-06-67	(9)		1101			8-15-68	18.6(5)	170.4	
		11-15-67	215.0	40.0		02S/12W-01R07S	186.3	9-18-68	21.6(5)	167.4	
		1-29-68	213.0(5)	42.0				10-23-67	1.7	184.6	1101
		3-25-68	198.0(5)	57.0				11-28-67	2.6	183.7	
		5-15-68	202.0(5)	53.0				12-26-67	2.5	183.8	
02S/12W-01J01S	193.8	10-23-67	13.2	180.6	1101			1-22-68	6.4	179.9	
		11-28-67	12.5	181.3				2-26-68	7.0	179.3	
		12-26-67	12.6	181.2				3-25-68	5.3	181.0	
		1-22-68	15.2	178.6				4-22-68	3.6	182.7	
		2-26-68	15.4	178.4				5-27-68	1.3	185.0	
								6-24-68	6.0	180.3	
								7-22-68	5.4	180.9	
								8-26-68	9.2	177.1	
								9-23-68	10.9	175.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
025/12W-01R09S	188.4	10-23-67	8.9	179.5	1101	025/12W-06M01S	224.9	10-31-67	253.0	-28.1	1101
		11-28-67	8.8	179.6				11-30-67	251.0	-26.1	
		12-26-67	8.8	179.6				12-31-67	250.0	-25.1	
		1-19-68	8.8	179.6				1-31-68	250.0	-25.1	
		2-26-68	11.2	177.2				2-29-68	248.0	-23.1	
		3-25-68	10.4	178.0				3-31-68	247.0	-22.1	
		4-22-68	10.7	177.7				4-30-68	247.0	-22.1	
		5-22-68	8.5	179.9				5-31-68	248.0	-23.1	
		6-24-68	10.7	177.7				6-30-68	246.0	-21.1	
		7-22-68	10.8	177.6				7-31-68	245.0	-20.1	
		8-26-68	13.1	175.3				8-31-68	243.0	-18.1	
		9-23-68	16.0	172.4				9-30-68	245.0	-20.1	
025/12W-03C01S	246.0	11-13-67	(3)		1101	025/12W-06P01S	200.4	10-31-67	265.0	-64.6	1101
		4-10-68	(3)					12-31-67	259.0	-58.6	
025/12W-04C01S	245.8	10-31-67	287.0	-41.2	1101			2-29-68	249.0	-48.6	
		11-30-67	284.0	-38.2				3-31-68	252.0	-51.6	
		12-31-67	282.0	-36.2				4-30-68	252.0	-51.6	
		1-31-68	280.0	-34.2				5-31-68	252.0	-51.6	
		2-29-68	278.0	-32.2				6-30-68	252.0	-51.6	
		3-31-68	278.0	-32.2				7-31-68	258.0	-57.6	
		4-30-68	278.0	-32.2				8-31-68	258.0	-57.6	
		6-30-68	274.0	-28.2				9-30-68	261.0	-60.6	
		7-31-68	273.0	-27.2		025/12W-06P02S	205.2	10-31-67	273.0	-67.8	1101
		8-31-68	275.0	-29.2				6-17-68	(0)		
		9-30-68	277.0	-31.2		025/12W-06P03S	196.0	10-31-67	253.0	-57.0	1101
025/12W-04E02S	228.0	10-31-67	243.0	-15.0	1101			11-30-67	246.0	-50.0	
		11-30-67	243.0	-15.0				12-31-67	243.0	-47.0	
		12-31-67	243.0	-15.0				1-31-68	238.0	-42.0	
		1-31-68	240.0	-12.0				2-29-68	233.0	-37.0	
		2-29-68	237.0	-9.0				3-31-68	235.0	-39.0	
		3-31-68	240.0	-12.0				4-30-68	236.0	-40.0	
		4-30-68	239.0	-11.0				5-31-68	236.0	-40.0	
		5-31-68	236.0	-8.0				6-30-68	236.0	-40.0	
		6-30-68	235.0	-7.0				7-31-68	243.0	-47.0	
		7-31-68	236.0	-8.0				8-31-68	243.0	-47.0	
		8-31-68	237.0	-9.0				9-30-68	245.0	-49.0	
		9-30-68	239.0	-11.0		025/12W-06P04S	195.0	10-31-67	253.5	-58.5	1101
025/12W-04E03S	227.6	10-31-67	203.0	24.6	1101			11-30-67	246.5	-51.5	
		11-30-67	203.0	24.6				12-31-67	243.5	-48.5	
		6-17-68	(0)					1-31-68	238.5	-43.5	
025/12W-05A01S	228.3	10-31-67	267.0	-38.7	1101			2-29-68	233.5	-38.5	
		12-31-67	263.0	-34.7				3-31-68	235.5	-40.5	
		2-29-68	259.0	-30.7				4-30-68	236.5	-41.5	
		4-30-68	258.0	-29.7				5-31-68	236.5	-41.5	
		6-30-68	255.0	-26.7				6-30-68	236.5	-41.5	
		8-31-68	258.0	-29.7				7-31-68	244.5	-49.5	
								8-31-68	244.5	-49.5	
								9-30-68	246.5	-51.5	
025/12W-05J01S	203.0	10-31-67	235.3	-32.3	1101	025/12W-07C01S	188.6	10-31-67	215.0	-26.4	1101
		12-31-67	232.3	-29.3				12-31-67	212.0	-23.4	
		2-29-68	228.3	-25.3				4-30-68	211.0	-22.4	
		4-30-68	226.3	-23.3		025/12W-07C02S	185.8	10-31-67	237.0	-51.2	1101
		6-30-68	234.3	-31.3				12-31-67	232.0	-46.2	
		8-31-68	237.3	-34.3				1-31-68	224.0	-38.2	
025/12W-05M01S	196.5	10-31-67	207.5	-11.0	1101	025/12W-07C03S	193.0	10-31-67	247.9	-54.9	1101
		11-30-67	205.5	-9.0				12-31-67	240.9	-47.9	
		12-31-67	201.5	-5.0		025/12W-07D01S	182.5	10-31-67	237.0	-54.5	1101
		1-29-68	197.5	-1.0				4-30-68	231.0	-48.5	
		1-31-68	195.5	1.0				6-30-68	233.0	-50.5	
		3-31-68	203.5	-7.0				8-31-68	229.0	-46.5	
		4-30-68	205.5	-9.0		025/12W-07G01S	168.0	10-31-67	206.2	-38.2	1101
		5-31-68	206.5	-10.0				12-31-67	199.2	-31.2	
025/12W-05P01S	197.5	10-31-67	210.0	-12.5	1101			2-29-68	193.2	-25.2	
		11-30-67	208.0	-10.5				4-30-68	191.2	-23.2	
		12-31-67	203.0	-5.5				6-30-68	201.2	-33.2	
		1-31-68	203.0	-5.5				8-30-68	201.2	-33.2	
025/12W-05P02S	196.0	10-31-67	227.2	-31.2	1101	025/12W-07H01S	163.3	10-31-67	204.5	-41.2	1101
		4-30-68	233.2	-37.2				12-31-67	194.5	-31.2	
		8-31-68	232.2	-36.2				4-30-68	192.5	-29.2	
025/12W-05Q01S	190.0	10-31-67	208.5	-18.5	1101	025/12W-07Q02S	160.4	10-31-67	198.0	-37.6	1101
		12-31-67	198.5	-8.5				11-30-67	188.0	-27.6	
		4-30-68	207.5	-17.5				12-31-67	184.0	-23.6	
025/12W-06J01S	197.0	10-31-67	225.0	-28.0	1101			1-31-68	182.0	-21.6	
		11-30-67	224.0	-27.0				2-29-68	180.0	-19.6	
		12-31-67	218.0	-21.0				3-31-68	183.0	-22.6	
		1-31-68	214.0	-17.0				4-30-68	184.0	-23.6	
		2-29-68	214.0	-17.0				5-31-68	188.0	-27.6	
		3-31-68	214.0	-17.0				6-30-68	190.0	-29.6	
		4-30-68	228.0	-31.0				7-31-68	190.0	-29.6	
025/12W-06K01S	210.0	11-07-67	(4)		1101			8-31-68	191.0	-30.6	
		4-04-68	202.5	7.5				9-30-68	191.0	-30.6	
025/12W-06K04S	210.5	11-07-67	227.8	-17.3	1101	025/12W-08B01S	180.8	10-31-67	196.0	-15.2	1101
		4-04-68	224.1	-13.6				11-30-67	189.0	-8.2	
025/12W-06K07S	210.0	11-07-67	(1)		1101			12-31-67	187.0	-6.2	
		4-04-68	202.1	7.9				1-31-68	185.0	-4.2	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
025/12W-08B01S (CONT.)	180.8	2-29-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	181.0 181.0 183.0 185.0 184.0 184.0 188.0 189.0	-0.2 -0.2 -2.2 -4.2 -3.2 -3.2 -7.2 -8.2	1101	025/12W-10Q02S (CONT.)	187.0	1-29-68 2-05-68 2-12-68 2-19-68 2-26-68 3-04-68 3-11-68 3-18-68 3-25-68 4-01-68 4-08-68 4-15-68 4-22-68 4-22-68 4-29-68 5-06-68 5-12-68 5-13-68 5-28-68 6-03-68 6-10-68 6-17-68 6-24-68 6-27-68 7-01-68 7-08-68 7-15-68 7-22-68 7-29-68 8-05-68 8-12-68 8-19-68 8-26-68 9-02-68 9-09-68 9-16-68 9-23-68 9-30-68	86.7 88.6 88.0 88.6 89.2 89.6 89.2 87.9 88.9 89.8 89.4 89.4 89.5 89.5 89.6 89.7 90.5 90.1 90.5 90.1 90.1 90.7 91.6 91.6 91.1 91.1 91.2 89.7 89.8 90.7 91.4 93.9 95.6 96.6 97.1 97.2 96.8 96.5	180.3 98.4 99.0 98.4 97.8 97.4 97.8 99.1 98.1 97.2 97.6 97.6 97.5 97.5 97.4 97.3 96.5 96.9 96.5 96.9 96.9 96.3 95.4 95.4 95.9 95.9 95.8 97.3 97.2 96.3 95.6 93.1 91.4 90.4 89.3 89.8 90.2 90.5	1733
025/12W-08C01S	174.0	10-31-67 12-31-67 2-29-68 4-30-68 6-30-68 8-31-68	206.8 198.8 194.8 197.8 199.8 204.8	-32.8 -24.8 -20.8 -23.8 -25.8 -30.8	1101						
025/12W-08F01S	161.0	10-31-67 2-29-68 2-31-68 4-30-68 6-30-68 8-30-68	192.4 180.4 184.4 185.4 187.4 190.4	-31.4 -19.4 -23.4 -24.4 -26.4 -29.4	1101						
025/12W-08K01S	157.5	10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	163.0 157.0 155.0 155.0 153.0 153.0 153.0 152.0 154.0 153.0 156.0 162.0	-5.5 .5 2.5 2.5 4.5 4.5 4.5 5.5 3.5 4.5 1.5 -4.5	1101						
025/12W-08P01S	148.4	10-31-67 12-31-67 2-29-68 4-30-68 6-30-68 8-31-68	165.0 161.0 153.0 156.0 159.0 164.0	-16.6 -12.6 -4.6 -7.6 -10.6 -15.6	1101	025/12W-11R03S	179.0	10-23-67 11-27-67 12-26-67 (1) 1-29-68 2-26-68 3-25-68 4-23-68 5-27-68 6-24-68 7-22-68 8-26-68 9-23-68	36.6 35.0 (1) (1) (1) 35.6 (1) (1) (1) 53.1(4) (1) 48.7 (1)	142.4 144.0 143.4 125.9 130.3	1101
025/12W-09M01S	160.0	10-31-67 12-31-67 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	146.0 143.0 139.0 141.0 141.0 139.0 141.0 141.0 147.0	14.0 17.0 21.0 19.0 19.0 21.0 19.0 19.0 13.0	1101						
025/12W-09M02S	160.0	10-31-67 12-31-67 1-31-68 2-29-68 4-30-68 6-30-68 8-31-68	139.6 134.6 132.6 133.6 133.6 137.6 137.6	20.4 25.4 27.4 26.4 26.4 22.4 22.4	1101	025/12W-12A01S	185.0	10-18-67 11-16-67 12-15-67 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	15.0(5) 16.0(5) 12.0(5) 13.0(5) 14.0(5) 17.0(5) 13.0(5) 16.0(5) 16.0(5) 19.0(5) 21.0(5)	170.0 169.0 173.0 172.0 171.0 168.0 172.0 169.0 169.0 166.0 164.0	1101
025/12W-10J01S	193.1	10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	89.0 85.0 85.0 84.0 84.0 85.0 84.0 86.0 88.0 87.0 93.0 93.0	104.1 108.1 108.1 109.1 109.1 108.1 109.1 107.1 105.1 106.1 100.1 100.1	1101	025/12W-12A03S	185.0	11-06-67 4-10-68	7.8 (3)	177.2	1101
						025/12W-12A05S	186.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	18.0(5) 18.0(5) 15.0(5) 16.0(5) 15.0(5) 16.0(5) 18.0(5) 16.0(5) 19.0(5) 18.0(5) 22.0(5) 22.0(5)	168.0 168.0 171.0 170.0 171.0 170.0 168.0 170.0 167.0 168.0 164.0 164.0	1101
025/12W-10K03S	193.0	10-31-67 12-31-67 1-31-68 2-29-68 4-30-68 6-30-68	100.0 97.0 97.0 93.0 95.0 96.0	93.0 96.0 96.0 100.0 98.0 97.0	1101						
025/12W-10Q02S	187.0	10-02-67 10-09-67 10-16-67 10-23-67 10-30-67 11-06-67 11-13-67 11-20-67 11-27-67 12-04-67 12-11-67 12-18-67 12-26-67 1-01-68 1-08-68 1-15-68 1-22-68	93.9 93.4 93.1 92.7 92.5 92.1 91.9 91.1 90.1 89.5 90.3 89.7 89.4 90.7 90.3 90.0 86.8	93.1 93.6 93.9 94.3 94.5 94.9 95.1 95.9 96.9 97.5 96.7 97.3 97.6 96.3 96.7 97.0 100.2	1733	025/12W-12E02S	200.0	10-21-67 11-08-67 12-21-67 (5) 1-02-68 2-03-68 3-01-68 4-05-68 5-04-68 6-01-68 7-21-68 8-21-68 9-21-68	50.0(5) 56.0(5) (5) 52.0(5) 59.0(5) 52.0(5) 41.0(5) 44.0(5) 48.0(5) 55.0(5) 54.0(5) 43.0(5)	150.0 144.0 148.0 141.0 148.0 159.0 156.0 152.0 145.0 146.0 157.0	1101
						025/12W-12E05S	200.0	10-22-67 11-22-67 12-21-67 1-06-68 2-01-68	76.0(5) 74.0(5) 68.0(5) 69.0(5) 69.0(5)	124.0 126.0 132.0 131.0 131.0	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-12E05S (CONT.)	200.0	3-02-68	68.0(5)	132.0	1101	02S/12W-13E01S	177.0	10-02-67	15.9	161.1	1101
		4-03-68	70.0(5)	130.0				10-02-67	16.0	161.0	1733
		5-03-68	72.0(5)	128.0				10-06-67	13.1	163.9	1101
		6-02-68	76.0(5)	124.0				10-09-67	11.4	165.6	
		7-17-68	83.0(5)	117.0				10-09-67	11.4	165.6	1733
		8-22-68	89.0(5)	111.0				10-13-67	16.1	160.9	1101
		9-23-68	92.0(5)	108.0				10-16-67	19.4	157.6	
								10-16-67	19.4	157.6	1733
02S/12W-12E06S	205.0	10-21-67	76.0(5)	129.0	1101			10-20-67	13.7	163.3	1101
		11-23-67	70.0(5)	135.0				10-23-67	15.8	161.2	
		12-19-67	68.0(5)	137.0				10-23-67	15.8	161.2	1733
		1-03-68	72.0(5)	133.0				10-27-67	19.2	157.8	1101
		2-02-68	74.0(5)	131.0				10-30-67	20.7	156.3	
		3-01-68	75.0(5)	130.0				10-30-67	10.8	166.2	1733
		4-01-68	78.0(5)	127.0				11-03-67	15.1	161.9	1101
		5-02-68	75.0(5)	130.0				11-06-67	19.3	157.7	
		6-03-68	76.0(5)	129.0				11-06-67	19.1	157.9	1733
		7-21-68	84.0(5)	121.0				11-10-67	12.4	164.6	1101
		8-22-68	79.0(5)	126.0				11-13-67	17.2	159.8	
		9-21-68	90.0(5)	115.0				11-13-67	17.3	159.7	1733
								11-20-67	11.2	165.8	1101
02S/12W-12F04S	177.0	10-23-67	13.3	163.7	1101			11-20-67	11.1	165.9	1733
		11-28-67	14.5	162.5				11-24-67	11.4	165.6	1101
		12-26-67	13.4	163.6				11-27-67	15.4	161.6	
		1-22-68	14.9	162.1				11-27-67	15.8	161.2	1733
		2-26-68	14.6	162.4				12-01-67	13.3	163.7	1101
		3-25-68	14.0	163.0				12-04-67	16.5	160.5	
		4-22-68	14.1	162.9				12-04-67	16.5	160.5	1733
		5-27-68	11.6(3)	165.4				12-08-67	18.1	158.9	1101
		6-25-68	14.5	162.5				12-11-67	20.2	156.8	
		8-26-68	20.3	156.7				12-11-67	20.1	156.9	1733
		9-23-68	23.2	153.8				12-15-67	16.3	160.7	1101
								12-18-67	14.8	162.2	1733
02S/12W-12H02S	211.0	10-21-67	83.0(5)	128.0	1101			12-19-67	13.0	164.0	1101
		11-19-67	71.0(5)	140.0				12-26-67	18.2	158.8	
		12-22-67	69.0(5)	142.0				12-26-67	18.3	158.7	1733
		1-01-68	70.0(5)	141.0				12-29-67	20.9	156.1	1101
		2-03-68	70.0(5)	141.0				1-01-68	12.9	164.1	1733
		3-07-68	71.0(5)	140.0				1-02-68	12.6	164.4	1101
		4-01-68	73.0(5)	138.0				1-08-68	18.2	158.8	1733
		5-03-68	72.0(5)	139.0				1-12-68	13.1	163.9	1101
		6-10-68	74.0(5)	137.0				1-15-68	15.2	161.8	
		7-21-68	78.0(5)	133.0				1-15-68	15.1	161.9	1733
		8-19-68	83.0(5)	128.0				1-19-68	18.6	158.4	1101
		9-22-68	80.0(5)	131.0				1-22-68	12.5	164.5	1733
								1-22-68	12.5	164.5	
02S/12W-12H01S	173.0	10-18-67	21.5(5)	151.5	1101			1-26-68	15.9	161.1	1101
		11-16-67	18.5(5)	154.5				1-29-68	17.9	159.1	
		12-15-67	19.5(5)	153.5				1-29-68	18.0	159.0	1733
		1-15-68	19.5(5)	153.5				2-02-68	13.5	163.5	1101
		2-14-68	18.5(5)	154.5				2-05-68	16.8	160.2	
		3-19-68	27.5(5)	145.5				2-05-68	16.8	160.2	1733
		4-20-68	21.5(5)	151.5				2-12-68	17.3	159.7	
		5-15-68	21.5(5)	151.5				2-13-68	17.5	159.5	1101
		6-15-68	21.5(5)	151.5				2-19-68	19.4	157.6	
		7-16-68	21.5(5)	151.5				2-19-68	19.4	157.6	1733
		8-15-68	26.5(5)	146.5				2-26-68	20.3	156.7	
		9-18-68	30.5(5)	142.5				3-04-68	13.0	164.0	1101
								3-04-68	13.0	164.0	1733
02S/12W-12R01S	181.0	10-23-67	28.5	152.5	1733			3-11-68	14.3	162.7	1101
		11-27-67	26.6	154.4				3-11-68	14.8	162.2	1733
		12-26-67	25.7	155.3				3-18-68	13.8	163.2	1101
		1-22-68	25.9	155.1				3-18-68	13.8	163.2	1733
		4-22-68	27.3	153.7				3-25-68	19.5	157.5	1101
		6-21-68	28.4	152.6				3-25-68	19.4	157.6	1733
		6-24-68	28.5	152.5				4-01-68	25.2	151.8	
		7-22-68	29.5	151.5				4-08-68	16.2	160.8	
		8-26-68	36.3	144.7				4-15-68	14.7	162.3	
		9-23-68	35.3	145.7				4-22-68	20.0	157.0	1101
								4-22-68	20.0	157.0	1733
02S/12W-13B02S	177.0	10-23-67	26.1	150.9	1101			4-29-68	15.5	161.5	
		11-28-67	20.0	157.0				5-06-68	22.6	154.4	
		12-26-67	21.6	155.4				5-13-68	18.5	158.5	
		1-22-68	21.9	155.1				5-21-68	21.8	155.2	
		2-26-68	23.0	154.0				5-27-68	12.3	164.7	1101
		3-25-68	22.2	154.8				5-28-68	12.7	164.3	1733
		4-22-68	23.7	153.3				6-03-68	20.8	156.2	
		5-27-68	23.6	153.4				6-10-68	14.7	162.3	
		6-25-68	25.1	151.9				6-17-68	23.2	153.8	
		7-22-68	27.2	149.8				6-24-68	18.0	159.0	1101
		8-26-68	35.0	142.0				6-24-68	16.6	160.4	1733
		8-26-68	35.0	142.0				7-01-68	17.1	159.9	
		9-23-68	32.6	144.4				7-08-68	19.6	157.4	
								7-15-68	20.5	156.5	
02S/12W-13C01S	170.0	10-23-67	16.2	153.8	1101			7-22-68	25.1	151.9	
		11-27-67	12.6	157.4				7-29-68	30.8	146.2	
		12-26-67	14.1	155.9				8-05-68	34.7	142.3	
		1-22-68	159.9	10.1				8-12-68	34.3	142.7	
		3-25-68	15.9	154.1				8-19-68	37.9	139.1	
		4-22-68	17.2	152.8				8-26-68	42.0	135.0	1101
		5-27-68	9.8	160.2				8-26-68	42.3	134.7	1733
		6-24-68	14.9	155.1				9-02-68	45.0	132.0	
		9-23-68	27.5	142.5				9-09-68	43.7	133.3	
								9-16-68	17.9	159.1	
02S/12W-13D07S	169.0	11-06-67	(1)		1101			9-23-68	27.6	149.4	1101
		11-13-67	(1)					9-23-68	30.9	146.1	1733
		8-20-68	(7)					9-30-68	14.2	162.8	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-13E02S	169.7	11-27-67	9.9	159.8	1101	02S/12W-13M03S	165.2	6-24-68	37.5	127.7	1101
		12-26-67	12.4	157.3		(CONT.)		9-23-68	46.0	119.2	
		1-22-68	6.3	163.4		02S/12W-13M04S	165.4	10-23-67	18.0	147.4	1101
		3-25-68	13.6	156.1				11-27-67	15.3	150.1	
		4-22-68	15.2	154.5				12-26-67	17.0	148.4	
		5-27-68	4.7	165.0				1-22-68	16.7	148.7	
		6-24-68	11.9	157.8				3-25-68	18.5	146.9	
		8-26-68	37.1	132.6				4-22-68	18.0	147.4	
		9-23-68	10.4	151.3				5-27-68	18.9	146.5	
02S/12W-13F06S	167.0	10-02-67	12.1	154.9	1101			6-24-68	24.9	140.5	
		10-06-67	9.9	157.1				8-26-68	35.4	130.0	
		10-09-67	6.6	160.4				9-23-68	34.4	131.0	
		10-13-67	13.4	153.6		02S/12W-14B08S	169.0	10-23-67	31.4	137.6	1101
		10-16-67	16.9	150.1				11-27-67	30.0	139.0	
		10-20-67	10.2	156.8				12-26-67	30.1	138.9	
		10-23-67	15.7	151.3				1-29-68	30.8	138.2	
		10-27-67	18.4	148.6				2-26-68	(1)		
		10-30-67	5.9	161.1				3-25-68	34.4	134.6	
		11-03-67	13.1	153.9				4-23-68	33.9	135.1	
		11-06-67	16.9	150.1				5-27-68	(1)		
		11-10-67	7.3	159.7				6-10-68	30.9	138.1	
		11-13-67	13.2	153.0				6-24-68	35.4	133.6	
		11-20-67	6.8	160.2				7-22-68	35.5	133.5	
		11-24-67	7.7	159.3				8-26-68	(7)		
		11-27-67	10.9	156.1				8-26-68	(1)		
		12-01-67	9.2	157.8		02S/12W-14E01S	194.7	9-23-68	45.3	123.7	
		12-04-67	11.9	155.1				10-09-67	82.0	112.7	1101
		12-08-67	16.3	150.7				10-23-67	80.3	114.4	
		12-11-67	17.9	149.1				11-13-67	78.9	115.8	
		12-15-67	17.5	149.5				11-27-67	77.8	116.9	
		12-19-67	8.7	158.3				12-11-67	76.8	117.9	
		12-26-67	13.1	153.9				12-26-67	76.4	118.3	
		12-29-67	16.6	150.4				1-22-68	76.0	118.7	
		1-02-68	7.3	159.7				2-13-68	77.1	117.6	
		1-08-68	14.2	152.8				2-26-68	76.6	118.1	
		1-12-68	7.7	159.3				3-11-68	77.1	117.6	
		1-15-68	10.9	156.1				3-25-68	76.3	118.4	
		1-19-68	15.8	151.2				4-08-68	77.0	117.7	
		1-22-68	7.1	159.9				4-22-68	(6)		
		1-26-68	8.2	158.8		02S/12W-14J01S	165.0	10-02-67	8.6	156.4	1101
		1-29-68	13.9	153.1				10-06-67	9.2	155.8	
		2-02-68	8.4	158.6				10-09-67	8.6	156.4	
		2-05-68	12.3	154.7				10-13-67	1.9	163.1	
		2-13-68	9.9	157.1				10-16-67	6.7	158.3	
		2-19-68	13.0	154.0				10-20-67	5.7	159.3	
		3-04-68	7.6	159.4				10-23-67	4.3	160.7	
		3-11-68	10.1	156.9				10-27-67	9.1	155.9	
		3-18-68	8.8	158.2				10-30-67	13.4	151.6	
		3-25-68	15.1	151.9				11-03-67	19.7	145.3	
		4-22-68	17.5	149.5				11-06-67	7.7	157.3	
		5-27-68	5.3	161.7				11-10-67	12.3	152.7	
		6-24-68	11.0	156.0				11-13-67	12.8	152.2	
		8-26-68	34.8	132.2				11-20-67	15.7	149.3	
		9-23-68	27.9	139.1				11-24-67	2.7	162.3	
02S/12W-13L05S	174.0	10-30-67	40.8	133.2	1101			11-27-67	3.2	161.8	
		11-30-67	38.2	135.8				12-01-67	1.7	163.3	
		12-24-67	38.0	136.0				12-04-67	5.2	159.8	
		1-31-68	37.6	136.4				12-08-67	2.3	162.7	
		2-29-68	38.6	135.4				12-11-67	6.9	158.1	
		3-29-68	41.6	132.4				12-15-67	11.9	153.1	
		4-30-68	40.6	133.4				12-19-67	1.5	163.5	
		5-30-68	40.0	134.0				12-26-67	8.0	157.0	
		6-30-68	40.5	133.5				12-29-67	9.1	155.9	
		7-31-68	46.0	128.0				1-02-68	8.0	156.2	
		8-30-68	55.2	118.8				1-08-68	5.0	160.0	
		9-30-68	47.0	127.0				1-12-68	7.2	157.8	
02S/12W-13M01S	166.1	10-23-67	46.4	119.7	1101			1-15-68	2.7	162.3	
		11-27-67	43.9	122.2				1-19-68	7.8	157.2	
		12-26-67	43.2	122.9				1-22-68	10.9	154.1	
		1-22-68	42.9	123.2				1-26-68	2.4	162.6	
		3-25-68	44.0	122.1				1-29-68	4.0	161.0	
		4-22-68	45.2	120.9				2-02-68	9.4	155.6	
		5-27-68	45.8	120.3				2-05-68	3.8	161.2	
		6-24-68	47.6	118.5				2-13-68	12.6	152.4	
		8-26-68	55.3	110.8				2-19-68	9.4	155.6	
		9-23-68	54.0	112.1				3-04-68	17.1	147.9	
02S/12W-13M02S	165.1	10-23-67	42.3	122.8	1101			3-11-68	2.6	162.4	
		11-27-67	38.3	126.8				3-18-68	7.4	157.6	
		12-26-67	39.3	125.8				3-25-68	11.4	153.6	
		1-22-68	39.1	126.0				4-22-68	3.6	161.4	
		3-25-68	41.1	124.0				5-27-68	12.1	152.9	
		4-22-68	40.7	124.4				6-24-68	15.7	149.3	
		5-27-68	42.4	122.7		02S/12W-14J03S	168.1	10-02-67	8.8	159.3	1101
		6-24-68	45.3	119.8				10-06-67	12.2	155.9	
		8-26-68	54.8	110.3				10-09-67	8.8	159.3	
		9-23-68	48.7	116.4				10-13-67	4.0	164.1	
02S/12W-13M03S	165.2	10-23-67	33.2	132.0	1101			10-16-67	9.5	158.6	
		11-27-67	31.1	134.1				10-20-67	11.4	156.7	
		12-26-67	31.7	133.5				10-23-67	5.8	162.3	
		1-22-68	27.3	137.9				10-27-67	11.7	156.4	
		3-25-68	33.5	131.7				10-30-67	10.7	157.4	
		4-22-68	33.1	132.1				11-03-67	5.9	162.2	
		5-27-68	33.6	131.6				11-06-67	11.1	157.0	

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
025/12W-14J03S (CONT.)	168.1	11-10-67	12.2	155.9	1101	025/12W-14P01S (CONT.)	158.1	12-11-67	20.7	137.4	1101
		11-13-67	12.9	155.2				12-15-67	23.6	134.5	
		11-20-67	4.7	163.4				12-19-67	19.6	138.5	
		11-24-67	3.7	164.4				12-26-67	18.5	139.6	
		11-27-67	7.6	160.5				12-29-67	21.0	137.1	
		12-01-67	4.5	163.6				1-02-68	23.2	134.9	
		12-04-67	8.4	159.7				1-08-68	18.2	139.9	
		12-08-67	5.9	162.2				1-12-68	20.8	137.3	
		12-11-67	11.1	157.0				1-15-68	22.4	135.7	
		12-15-67	10.6	157.5				1-19-68	22.6	135.5	
		12-19-67	3.8	164.3				1-22-68	23.9	134.2	
		12-26-67	10.4	157.7				1-26-68	19.6	138.5	
		12-29-67	12.0	156.1				1-29-68	19.8	138.3	
		1-02-68	10.6	157.5				2-02-68	22.6	135.5	
		1-08-68	8.8	159.3				2-05-68	23.9	134.2	
		1-12-68	9.1	159.0				2-13-68	22.2	135.9	
		1-15-68	4.4	163.7				2-19-68	25.9	132.2	
		1-19-68	11.0	157.1				3-04-68	29.8	128.3	
		1-22-68	10.8	157.3				3-11-68	22.7	135.4	
		1-26-68	4.3	163.8				3-18-68	20.0	138.1	
		1-29-68	8.8	159.3				3-25-68	24.3	133.8	
		2-02-68	10.7	157.4				4-22-68	19.0	139.1	
		2-05-68	7.4	160.7				5-27-68	25.0	133.1	
		2-13-68	13.9	154.2				6-24-68	29.3	128.8	
		2-19-68	12.9	155.2				8-26-68	47.2	110.9	
		3-04-68	13.9	154.2				9-23-68	42.5	115.6	
		3-11-68	5.3	162.8							
		3-18-68	7.8	160.3		025/12W-14Q04S	151.7	10-02-67	16.1	135.6	1101
		3-25-68	8.1	160.0				10-06-67	19.9	131.8	
		4-22-68	9.0	159.1				10-09-67	20.8	130.9	
		5-27-68	12.8	155.3				10-13-67	13.8	137.9	
		6-24-68	18.8	149.3				10-16-67	13.2	138.5	
		9-23-68	29.2	138.9				10-20-67	18.7	133.0	
								10-23-67	18.9	132.8	
								10-27-67	20.0	131.7	
025/12W-14K02S	165.0	10-02-67	16.2	148.8	1101			10-30-67	19.0	132.7	
		10-06-67	15.6	149.4				11-03-67	18.2	133.5	
		10-09-67	13.7	151.3				11-06-67	17.0	134.7	
		10-13-67	14.6	150.4				11-10-67	20.5	131.2	
		10-16-67	16.3	148.7				11-13-67	16.3	135.4	
		10-20-67	18.0	147.0				11-20-67	22.3	129.4	
		10-23-67	13.4	151.6				11-24-67	12.3	139.4	
		10-27-67	16.6	148.4				11-27-67	13.0	138.7	
		10-30-67	20.3	144.7				12-01-67	13.1	138.6	
		11-03-67	18.0	147.0				12-04-67	12.0	138.9	
		11-06-67	12.0	153.0				12-08-67	16.5	135.2	
		11-10-67	18.4	146.6				12-11-67	15.4	136.3	
		11-13-67	18.6	146.4				12-15-67	12.9	138.8	
		11-20-67	20.4	144.6				12-19-67	13.1	138.6	
		11-24-67	11.2	153.8				12-26-67	15.2	136.5	
		11-27-67	11.4	153.6				12-29-67	18.3	133.4	
		12-01-67	12.4	152.6				1-02-68	20.4	131.3	
		12-04-67	13.1	151.9				1-08-68	13.4	138.3	
		12-08-67	13.9	151.1				1-12-68	17.0	134.7	
		12-11-67	14.7	150.3				1-15-68	16.8	134.9	
		12-15-67	14.9	150.1				1-19-68	17.6	134.1	
		12-19-67	14.7	150.3				1-22-68	20.4	131.3	
		12-26-67	15.2	149.8				1-26-68	15.5	136.2	
		12-29-67	17.5	147.5				1-29-68	14.2	137.5	
		1-02-68	17.8	147.2				2-02-68	18.2	133.5	
		1-08-68	13.7	151.3				2-05-68	17.6	134.1	
		1-12-68	15.2	149.8				2-13-68	20.0	131.7	
		1-15-68	16.9	148.1				2-19-68	22.6	129.1	
		1-19-68	17.8	147.2				3-04-68	27.6	124.1	
		1-22-68	20.2	144.8				3-11-68	14.8	136.9	
		1-26-68	18.5	146.5				3-18-68	14.2	137.5	
		1-29-68	16.1	148.9				3-25-68	18.5	133.2	
		2-02-68	18.2	146.8				4-22-68	14.7	137.0	
		2-05-68	19.5	145.5				5-27-68	23.2	128.5	
		2-13-68	20.0	145.0				6-24-68	26.1	125.6	
		3-04-68	26.1	138.9				8-26-68	53.7	98.0	
		3-11-68	15.1	149.9				9-23-68	41.7	110.0	
		3-18-68	16.2	148.8		025/12W-14R06S	162.2	10-02-67	11.2	151.0	1101
		3-25-68	21.1	143.9				10-06-67	15.0	147.2	
		4-22-68	12.9	152.1				10-09-67	17.1	145.1	
		5-27-68	19.9	145.1				10-13-67	7.3	154.9	
		6-24-68	23.3	141.7				10-16-67	9.4	152.8	
		8-26-68	43.6	121.4				10-20-67	14.8	147.4	
		9-23-68	43.3	121.7				10-23-67	16.0	146.2	
025/12W-14P01S	158.1	10-02-67	21.8	136.3	1101			10-27-67	16.3	145.9	
		10-06-67	21.3	136.8				10-30-67	17.7	144.5	
		10-09-67	21.9	136.2				11-03-67	12.9	149.3	
		10-13-67	21.7	136.4				11-06-67	13.2	149.0	
		10-16-67	20.6	137.5				11-10-67	16.6	145.6	
		10-20-67	22.1	136.0				11-13-67	12.7	149.5	
		10-23-67	19.5	138.6				11-20-67	15.7	146.5	
		10-27-67	20.5	137.6				11-24-67	7.4	154.8	
		10-30-67	23.0	135.1				11-27-67	9.6	152.6	
		11-03-67	19.3	138.8				12-01-67	9.6	152.6	
		11-06-67	18.9	139.2				12-04-67	9.4	152.8	
		11-10-67	22.3	135.8				12-08-67	11.5	150.7	
		11-13-67	20.4	137.7				12-11-67	11.7	150.5	
		11-20-67	24.6	133.5				12-15-67	12.8	149.4	
		11-24-67	17.2	140.9				12-19-67	9.5	152.7	
		11-27-67	17.5	140.6				12-26-67	11.3	150.9	
		12-01-67	17.4	140.7				12-29-67	14.5	147.7	
		12-04-67	17.6	140.5				1-02-68	14.7	147.5	
		12-08-67	20.5	137.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
02S/12W-14R06S (CONT.)	162.2	1-08-68	9.5	152.7	1101	02S/12W-16Q01S (CONT.)	151.0	8-31-68	110.5	40.5	1101
		1-12-68	12.3	149.9				10-31-67	203.9	-59.8	1101
		1-15-68	10.8	151.4				12-31-67	144.9	-0.8	
		1-19-68	12.8	149.4				2-29-68	140.9	3.2	
		1-22-68	15.2	147.0				4-30-68	141.9	2.2	
		1-26-68	9.9	152.3				6-30-68	147.9	-3.8	
		1-29-68	10.1	152.1				8-31-68	146.9	-2.8	
		2-02-68	14.0	148.2							
		2-05-68	11.7	150.5				10-31-67	157.9	-11.9	1101
		2-13-68	16.8	145.4				12-31-67	149.9	-3.9	
		2-19-68	17.6	144.6				2-29-68	148.9	-2.9	
		3-04-68	20.6	141.6				4-30-68	156.9	-18.9	
		3-11-68	9.2	153.0				6-30-68	158.9	-12.9	
		3-18-68	9.8	152.4				8-31-68	159.9	-13.9	
		3-25-68	13.5	148.7							
		4-22-68	10.5	151.7				11-08-67	147.0	-2.0	1101
		5-27-68	18.3	143.9				4-15-68	141.4	3.6	
		6-24-68	21.4	140.8							
02S/12W-15J03S	187.0	11-08-67	91.8	95.2	1101	02S/12W-17M01S	145.0	11-08-67	147.0	-2.0	1101
		4-15-68	74.5(6)	112.5				4-15-68	141.4	3.6	
02S/12W-15N01S	157.9	11-08-67	86.2	71.7	1101	02S/12W-17Q01S	138.0	10-31-67	121.0(5)	17.0	1101
		4-15-68	80.4	77.5				11-30-67	123.0(5)	15.0	
								12-31-67	117.0(5)	21.0	
02S/12W-15Q01S	176.0	10-23-67	82.8	93.2	1101			1-31-68	115.0(5)	23.0	
		11-27-67	79.8	96.2				2-29-68	115.0(5)	23.0	
		12-26-67	77.9	98.1				3-31-68	117.0(5)	21.0	
		1-22-68	76.8	99.2				4-30-68	123.0(5)	15.0	
		2-26-68	(7)					5-31-68	121.0(5)	17.0	
		3-25-68	78.0	98.0				6-30-68	127.0(5)	11.0	
		4-22-68	76.3	99.7				7-31-68	129.0(5)	9.0	
		5-27-68	76.5	99.5				8-30-68	130.0(5)	8.0	
		6-25-68	76.2	99.8				9-30-68	131.0(5)	7.0	
		9-24-68	(9)								
02S/12W-16D01S	181.7	10-23-67	162.7	19.0	1733	02S/12W-19M01S	143.0	11-07-67	141.0	2.0	1101
		11-27-67	150.3	31.4				4-04-68	137.9	5.1	
		12-26-67	147.7	34.0							
		1-22-68	146.4	35.3				11-06-67	142.7	-3.7	1101
		4-22-68	151.4	30.3				4-15-68	137.4	1.6	
		5-28-68	158.0	23.7							
		6-24-68	164.3	17.4				10-31-67	124.2(5)	8.8	1101
		7-22-68	165.7	16.0				11-30-67	127.2(5)	5.8	
		8-26-68	159.6	22.1				12-31-67	124.2(5)	8.8	
		9-23-68	162.8	18.9				1-31-68	124.2(5)	8.8	
02S/12W-16F02S	143.4	10-05-67	101.2	42.2	1733			2-29-68	124.2(5)	8.8	
		10-26-67	102.1	41.3				3-31-68	124.2(5)	8.8	
		11-16-67	95.1	48.3				4-30-68	124.2(5)	8.8	
		12-07-67	94.0	49.4				5-31-68	127.2(5)	5.8	
		12-27-67	97.1	46.3				7-31-68	127.2(5)	5.8	
		1-18-68	98.2	45.2				8-30-68	127.2(5)	5.8	
		2-08-68	100.1	43.3				9-30-68	127.2(5)	5.8	
		2-29-68	105.1	38.3							
		3-21-68	107.2	36.2	1101	02S/12W-20K02S	133.0	11-08-67	129.4	3.6	1101
		4-11-68	96.8	46.6	1733			4-15-68	122.4	10.6	
		5-02-68	96.7	46.7							
		6-13-68	104.4	39.0				11-06-67	151.0	-12.0	1101
		7-25-68	109.2	34.2				4-15-68	150.5	-11.5	
		8-15-68	105.6	37.8							
		9-05-68	105.0	38.4				10-30-67	125.7(5)	5.3	1101
		9-23-68	109.0	34.4				11-28-67	129.7(5)	1.3	
02S/12W-16M01S	159.5	10-31-67	110.0(5)	49.5	1101			1-02-68	125.7(5)	5.3	
		11-30-67	100.0(5)	59.5				2-26-68	128.7(5)	2.3	
		12-31-67	100.0(5)	59.5				4-30-68	128.7(5)	3.3	
		1-31-68	100.0(5)	59.5				6-03-68	127.7(5)	1.3	
		2-29-68	99.0(5)	60.5				7-01-68	129.7(5)	-7.7	
		3-31-68	101.0(5)	58.5				9-03-68	138.7(5)		
		4-30-68	102.0(5)	57.5							
		5-31-68	104.0(5)	55.5				10-31-67	118.4(6)	32.8	1101
		6-30-68	106.0(5)	53.5				11-30-67	118.4(6)	32.8	
		7-31-68	105.0(5)	54.5				12-31-67	118.4(6)	32.8	
		8-31-68	103.0(5)	56.5				1-31-68	118.4(5)	32.8	
		9-30-68	111.0(5)	48.5				2-29-68	118.4(5)	32.8	
02S/12W-16L01S	151.0	10-31-67	119.2(5)	31.8	1101			3-31-68	107.4(5)	43.8	
		12-31-67	109.2(5)	41.8				4-30-68	107.4(5)	43.8	
		2-29-68	110.2(5)	40.8				5-31-68	107.4(5)	43.8	
		4-30-68	112.2(5)	38.8				6-30-68	107.4(5)	43.8	
		8-31-68	117.2(5)	33.8				7-31-68	107.4(5)	43.8	
02S/12W-16N01S	141.0	10-23-67	109.4	31.6	1101			8-30-68	107.4(5)	43.8	
		11-27-67	(8)					9-30-68	109.4(5)	41.8	
		12-26-67	(8)								
		1-22-68	102.2	38.8				10-31-67	103.6(5)	47.6	1101
		2-26-68	101.4	39.6				11-30-67	99.6(5)	51.6	
		3-25-68	101.1	39.9				12-31-67	96.6(5)	54.6	
		4-22-68	101.9	39.1				1-31-68	94.6(5)	56.6	
		5-27-68	103.9	37.1				2-29-68	94.6(5)	56.6	
		6-25-68	106.5	34.5				3-31-68	94.6(5)	56.6	
02S/12W-16Q01S	151.0	10-31-67	109.5	41.5	1101			4-30-68	94.6(5)	56.6	
		12-31-67	106.5	44.5				5-31-68	96.6(5)	54.6	
		2-29-68	104.5	46.5				7-31-68	99.6(5)	51.6	
		4-30-68	109.5	41.5				8-30-68	103.6(5)	47.6	
		6-30-68	113.5	37.5				9-30-68	105.6(5)	45.6	
								10-31-67	162.1(5)	-9.6	1101
								11-30-67	161.1(5)	-8.6	
								12-31-67	156.1(5)	-3.6	
								1-31-68	155.1(5)	-2.6	
								2-29-68	156.1(5)	-3.6	
								3-31-68	103.1(5)	49.4	
								4-30-68	105.1(5)	47.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-21G03S (CONT.)	152.5	5-31-68	105.1(5)	47.4	1101	02S/12W-21Q01S (CONT.)	147.0	4-08-68	92.5	54.5	1101
02S/12W-21H01S	160.0	10-23-67	95.1	64.9	1101			4-22-68	92.4	54.6	
		11-27-67	92.4	67.6				5-27-68	95.2	51.8	
		12-26-67	90.2	69.8				6-12-68	95.2	51.8	
		1-22-68	88.5	71.5				6-25-68	96.9	50.1	
		2-26-68	86.8	73.2				7-09-68	97.5	49.5	
		3-25-68	84.3	75.7				7-23-68	97.0	50.0	
		4-22-68	88.2	71.8				8-14-68	98.6	48.4	
		5-27-68	92.5	67.5				8-27-68	99.5	47.5	
		6-25-68	94.3	65.7				9-10-68	101.7	45.3	
		7-23-68	93.2	66.8				9-24-68	101.8	45.2	
		8-27-68	98.1	61.9		02S/12W-22G01S	174.9	10-23-67	88.2	86.7	1101
		9-24-68	97.9	62.1				11-27-67	77.9	97.0	
02S/12W-21J01S	155.0	10-02-67	107.5(5)	47.5	1101			12-26-67	75.6	99.3	
		10-30-67	105.5(5)	49.5				1-22-68	74.9	100.0	
		11-28-67	107.5(5)	47.5				2-26-68	76.4	98.5	
		1-02-68	99.5(5)	55.5				3-25-68	76.8	98.1	
		2-26-68	101.5(5)	53.5				4-22-68	75.0	99.9	
		4-02-68	99.5(5)	55.5				5-27-68	75.2	99.7	
		7-29-68	99.5(5)	55.5				6-25-68	77.1	97.8	
		9-03-68	107.5(5)	47.5				8-27-68	88.5	86.4	
02S/12W-21K02S	149.0	10-02-67	128.7(5)	20.3	1101			9-24-68	90.9	84.0	
		10-30-67	127.7(5)	21.3		02S/12W-22J01S	175.0	11-07-67	71.9	103.1	1101
		11-28-67	122.7(5)	26.3				4-15-68	71.2	103.8	
		1-02-68	120.7(5)	28.3		02S/12W-23A01S	163.8	10-23-67	40.6	123.2	1101
		2-26-68	122.7(5)	26.3				11-27-67	37.8	126.0	
		4-02-68	123.7(5)	25.3				12-26-67	37.2	126.6	
		6-03-68	102.7(5)	46.3				1-22-68	38.5	125.3	
		7-01-68	101.7(5)	47.3				2-26-68	39.8	124.0	
		7-29-68	104.7(5)	44.3				3-25-68	37.3	126.5	
		9-03-68	108.7(5)	40.3				4-22-68	35.6	128.2	
02S/12W-21N01S	140.0	10-31-67	107.0	33.0	1101			5-27-68	40.9	122.9	
		11-30-67	105.0	35.0				6-25-68	43.5	120.3	
		12-31-67	102.0	38.0				7-23-68	46.0	117.8	
		1-31-68	101.0	39.0				8-27-68	55.5	108.3	
		2-29-68	100.0	40.0				9-24-68	49.8	114.0	
		3-31-68	101.5	38.5		02S/12W-23B04S	164.0	10-18-67	57.1(5)	106.9	1101
		4-30-68	101.0	39.0				11-16-67	58.1(5)	105.9	
		5-31-68	102.5	37.5				12-15-67	54.1(5)	109.9	
		6-30-68	103.0	37.0				1-15-68	56.1(5)	107.9	
		7-31-68	105.0	35.0				2-14-68	55.1(5)	108.9	
		8-30-68	105.0	35.0				3-19-68	52.1(5)	111.9	
		9-30-68	107.0	33.0				4-20-68	57.1(5)	106.9	
02S/12W-21N02S	137.0	10-23-67	104.6	32.4	1101			5-15-68	56.1(5)	107.9	
		10-31-67	108.5	28.5				7-16-68	58.1(5)	105.9	
		11-27-67	103.4	33.6				8-15-68	67.1(5)	96.9	
		11-30-67	106.5	30.5				9-18-68	69.1(5)	94.9	
		12-26-67	102.2	34.8		02S/12W-23B08S	161.0	10-18-67	56.0(5)	105.0	1101
		12-31-67	103.5	33.5				11-16-67	59.0(5)	102.0	
		1-22-68	100.2	36.8				12-15-67	55.0(5)	106.0	
		1-31-68	102.5	34.5				1-15-68	56.0(5)	105.0	
		2-26-68	99.3	37.7				2-14-68	56.0(5)	105.0	
		2-29-68	101.5	35.5				3-19-68	52.0(5)	109.0	
		3-31-68	103.0	34.0				4-20-68	57.0(5)	104.0	
		4-22-68	99.4	37.6				5-15-68	56.0(5)	105.0	
		4-30-68	102.5	34.5				8-15-68	67.0(5)	94.0	
		5-27-68	100.5	36.5				9-18-68	70.0(5)	91.0	
		5-31-68	104.0	33.0		02S/12W-23E03S	158.0	10-02-67	29.6	128.4	1101
		6-25-68	101.5	35.5				10-06-67	23.3	134.7	
		6-30-68	104.5	32.5				10-09-67	30.9	127.1	
		7-23-68	102.0	35.0				10-13-67	32.7	125.3	
		7-31-68	106.5	30.5				10-16-67	25.1	132.9	
		8-27-68	102.8	34.2				10-20-67	30.7	127.3	
		8-30-68	108.5	28.5				10-23-67	31.2	126.8	
		9-24-68	103.7	33.3				10-27-67	23.9	134.1	
		9-30-68	108.5	28.5				10-30-67	29.1	128.9	
02S/12W-21N03S	139.0	10-31-67	116.5	22.5	1101			11-03-67	31.4	126.6	
		11-31-67	109.9	29.1				11-06-67	29.5	128.5	
		12-31-67	105.5	33.5				11-10-67	30.7	127.3	
		1-31-68	105.5	33.5				11-13-67	29.5	128.5	
		2-29-68	111.5	27.5				11-20-67	34.4	123.6	
		3-31-68	107.5	31.5				11-24-67	28.5	129.5	
		4-30-68	109.5	29.5				11-27-67	28.8	129.2	
		5-31-68	113.5	25.5				12-01-67	30.2	127.8	
		6-30-68	115.5	23.5				12-04-67	29.7	128.3	
		7-31-68	115.5	23.5				12-08-67	33.0	125.0	
		8-30-68	121.5	17.5				12-11-67	31.5	126.5	
		9-30-68	116.0	23.0				12-15-67	34.1	123.9	
02S/12W-21Q01S	147.0	10-09-67	100.1	46.9	1101			12-19-67	35.7	122.3	
		10-23-67	110.8	36.2				12-26-67	29.4	128.6	
		11-13-67	97.7	49.3				12-29-67	29.1	128.9	
		11-27-67	96.2	50.8				1-02-68	31.4	126.6	
		12-11-67	95.0	52.0				1-08-68	25.2	132.8	
		12-26-67	93.4	53.6				1-12-68	31.5	126.5	
		1-09-68	93.1	53.9				1-15-68	33.2	124.8	
		1-22-68	92.6	54.4				1-19-68	29.1	128.9	
		2-13-68	92.0	55.0				1-22-68	30.6	127.4	
		2-26-68	92.4	54.6				1-26-68	34.0	124.0	
		3-11-68	92.3	54.7				1-29-68	32.5	125.5	
		3-25-68	91.9	55.1				2-02-68	33.7	124.3	
								2-05-68	34.4	123.6	
								2-13-68	31.3	126.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
02S/12W-23E03S (CONT.)	158.0	2-19-68	36.0	122.0	1101	02S/12W-23N02S (CONT.)	146.7	11-10-67	47.6	99.1	1101
		3-04-68	36.7	121.3				11-13-67	47.9	98.8	
		3-11-68	37.4	120.6				11-20-67	49.4	97.3	
		3-18-68	31.1	126.9				11-24-67	46.2	100.5	
		3-25-68	34.5	123.5				11-27-67	46.6	100.1	
		4-22-68	31.8	126.2				12-01-67	46.9	99.8	
		5-27-68	32.0	126.0				12-04-67	46.8	99.9	
		6-24-68	41.1	116.9				12-08-67	48.9	97.8	
		9-23-68	40.4	117.6				12-11-67	46.7	100.0	
								12-15-67	48.3	98.4	
								12-19-67	49.2	97.5	
02S/12W-23K01S	161.0	10-09-67	(9)		1101			12-26-67	46.1	100.6	
		10-23-67	(9)					12-29-67	45.4	101.3	
		11-13-67	47.2	113.8				1-02-68	46.4	100.3	
		11-27-67	42.9	118.1				1-08-68	46.5	100.2	
		1-09-68	41.9	119.1				1-12-68	47.0	99.7	
		1-22-68	43.6	117.4				1-15-68	48.5	98.2	
		2-13-68	45.8	115.2				1-19-68	46.6	100.1	
		2-26-68	47.6	113.4				1-22-68	46.5	100.2	
		3-11-68	45.7	115.3				1-26-68	48.4	98.3	
		3-25-68	45.1	115.9				1-29-68	47.7	99.0	
		4-08-68	51.9	109.1				2-02-68	48.1	98.6	
		4-22-68	43.4	117.6				2-05-68	49.2	97.5	
		5-27-68	54.4	106.6				2-13-68	47.7	99.0	
		6-12-68	50.3	110.7				3-04-68	49.1	97.6	
		6-25-68	54.0	107.0				3-11-68	48.7	98.0	
		7-09-68	54.5	106.5				3-18-68	46.7	100.0	
		7-23-68	57.8	103.2				3-25-68	48.9	97.8	
		8-14-68	60.0	101.0				4-22-68	46.2	100.5	
		8-27-68	70.0 (3)	91.0				5-27-68	48.5	98.2	
		9-10-68	58.7	102.3				6-24-68	53.9	92.8	
		9-24-68	56.7	104.3				8-26-68	62.1	84.6	
02S/12W-23M03S	142.0	10-02-67	21.8	120.2	1101			9-23-68	53.8	92.9	
		10-06-67	11.5	130.5							
		10-09-67	18.8	123.2		02S/12W-23P04S	156.0	11-16-67	53.0	103.0	1101
		10-13-67	25.1	116.9				11-16-67	57.0 (1)	99.0	
		10-16-67	12.3	129.7				1-29-68	52.0 (1)	104.0	
		10-20-67	16.8	125.2				3-25-68	53.0 (1)	103.0	
		10-23-67	16.6	125.4				5-14-68	53.0 (5)	103.0	
		10-27-67	8.7	133.3				7-17-68	59.0 (1)	97.0	
		10-30-67	13.7	128.3				9-25-68	62.0 (1)	94.0	
		11-03-67	14.3	127.7							
		11-06-67	13.9	128.1		02S/12W-24A05S	168.8	10-23-67	43.1	125.7	1101
		11-10-67	11.0	131.0				11-27-67	41.8	127.0	
		11-13-67	14.4	127.6				12-26-67	42.1	126.7	
		11-20-67	15.9	126.1				1-22-68	40.0	128.8	
		11-24-67	10.7	131.3				2-26-68	39.9	128.9	
		11-27-67	12.4	129.6				3-25-68	40.7	128.1	
		12-01-67	13.5	128.5				4-22-68	40.8	128.0	
		12-04-67	14.9	127.1				5-27-68	42.5	126.3	
		12-08-67	10.9	131.1				6-24-68	43.6	125.2	
		12-11-67	14.6	127.4				7-22-68	(9)		
		12-15-67	20.6	121.4				8-26-68	40.3	128.5	
		12-19-67	23.0	119.0				9-23-68	37.7	131.1	
		12-26-67	13.6	128.4							
		12-29-67	12.3	129.7		02S/12W-24E06S	164.0	10-30-67	43.0	121.0	1101
		1-02-68	16.5	125.5				11-30-67	43.0	121.0	
		1-08-68	15.9	126.1				12-29-67	43.0	121.0	
		1-12-68	19.4	122.6				1-31-68	43.0	121.0	
		1-15-68	22.4	119.6				2-29-68	43.0	121.0	
		1-19-68	14.5	127.5				3-29-68	58.0	106.0	
		1-22-68	15.9	126.1				4-30-68	53.0	111.0	
		1-26-68	22.0	120.0				6-30-68	48.0 (5)	116.0	
		1-29-68	18.7	123.3				7-30-68	48.0 (5)	116.0	
		2-02-68	21.9	120.1				8-30-68	50.0 (5)	114.0	
		2-05-68	23.9	118.1				9-30-68	41.0 (5)	123.0	
		2-13-68	18.0	124.0							
		2-19-68	25.3	116.7		02S/12W-24K01S	164.0	10-23-67	48.5	115.5	1101
		3-04-68	20.9	121.1				11-27-67	46.9	117.1	
		3-11-68	21.6	120.4				12-26-67	45.4	118.6	
		3-18-68	17.5	124.5				1-22-68	44.9	119.1	
		3-25-68	22.3	119.7				2-26-68	45.0	119.0	
		4-22-68	15.8	126.2				3-25-68	44.8	119.2	
		5-27-68	6.9	135.1				4-22-68	45.4	118.6	
		6-24-68	32.8	109.2				5-27-68	46.8	117.2	
		9-23-68	18.3	123.7				6-24-68	48.0	116.0	
02S/12W-23M04S	138.4	10-23-67	(9)		1101			7-22-68	49.1	114.9	
		11-27-67	(9)					8-26-68	45.9	118.1	
		12-26-67	(9)					9-23-68	43.8	120.2	
		1-22-68	-3	138.7							
		3-25-68	.1	138.3		02S/12W-24M03S	160.1	10-16-67	48.9	111.2	1733
		5-27-68	.0	138.4				10-23-67	47.7	112.4	
		6-24-68	.1	138.3				11-27-67	46.2	113.9	
		8-26-68	6.1	132.3				12-18-67	45.5	114.6	
		9-23-68	(9)					1-08-68	44.8	115.3	
								1-19-68	44.7	115.4	
								2-01-68	44.9	115.2	1101
02S/12W-23N02S	146.7	10-02-67	53.2	93.5	1101			2-19-68	45.3	114.8	1733
		10-06-67	50.3	96.4				3-11-68	45.9	114.2	
		10-09-67	52.3	94.4				4-01-68	45.5	114.6	1101
		10-13-67	53.7	93.0				4-15-68	45.6	114.5	1733
		10-16-67	49.7	97.0				4-16-68	45.5	114.6	1101
		10-20-67	50.3	96.4				5-13-68	46.0	114.1	1733
		10-23-67	51.6	95.1				6-03-68	46.9	113.2	
		10-27-67	47.4	99.3				6-24-68	48.5	111.6	
		10-30-67	48.6	98.1				8-26-68	52.9	107.2	
		11-03-67	49.4	97.3				9-16-68	52.4	107.7	
		11-06-67	48.6	98.1							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
025/12W-24M08S	159.2	10-05-67	48.8	110.4	1101	025/12W-25A01S (CONT.)	155.4	6-24-68	45.8	109.6	1101
		10-09-67	48.4	110.8				7-22-68	47.4	108.0	
		10-12-67	48.1	111.1				8-26-68	36.5	118.9	
		10-13-67	47.8	111.4				9-23-68	34.7	120.7	
		10-16-67	47.4	111.8				9-28-68	24.9	130.5	
		10-19-67	47.1	112.1		025/12W-25C08S	153.0	10-23-67	52.5	100.5	1101
		10-20-67	47.1	112.1				11-27-67	50.5	102.5	
		10-23-67	46.9	112.3				12-26-67	48.9	104.1	
		10-26-67	46.5	112.7				1-22-68	49.2	103.8	
		10-27-67	46.4	112.8				2-26-68	48.8	104.2	
		10-30-67	46.5	112.7				3-25-68	48.9	104.1	
		11-02-67	46.3	112.9				4-22-68	49.0	104.0	
		11-03-67	46.3	112.9				5-27-68	50.9	102.1	
		11-06-67	46.0	113.2				6-24-68	51.8	101.2	
		11-09-67	45.8	113.4				7-22-68	53.1	99.9	
		11-10-67	45.9	113.3				8-26-68	52.1	100.9	
		11-13-67	45.7	113.5				9-23-68	50.0	103.0	
		11-16-67	45.7	113.5		025/12W-25E06S	154.0	11-16-67	58.0	96.0	1101
		11-20-67	45.7	113.5				1-29-68	57.0(5)	97.0	
		11-22-67	45.3	113.9				3-25-68	56.0(5)	98.0	
		11-24-67	44.8	114.4				5-14-68	58.0(5)	96.0	
		11-27-67	44.6	114.6				9-25-68	63.0(1)	91.0	
		11-30-67	44.4	114.8		025/12W-25E10S	156.0	10-30-67	78.0(5)	78.0	1101
		12-01-67	44.3	114.9				11-30-67	84.0(5)	72.0	
		12-04-67	44.1	115.1				12-29-67	63.0(5)	93.0	
		12-08-67	44.1	115.1				1-31-68	53.0(5)	103.0	
		12-11-67	44.0	115.2				2-29-68	55.0(5)	101.0	
		12-11-67	44.0	115.2				3-29-68	61.0(5)	95.0	
		12-19-67	43.6	115.6				4-30-68	68.0(5)	88.0	
		12-29-67	43.1	116.1				6-30-68	56.0(5)	100.0	
		1-02-68	43.3	115.9				7-31-68	58.0(5)	98.0	
		1-08-68	(9)					8-30-68	58.0(5)	98.0	
		1-08-68	(9)					9-30-68	57.0(5)	99.0	
		1-11-68	42.9	116.3		025/12W-25G01S	155.0	10-18-67	45.0(5)	110.0	1101
		1-12-68	42.9	116.3				11-16-67	42.0(5)	113.0	
		1-15-68	42.9	116.3				12-15-67	42.0(5)	113.0	
		1-18-68	42.9	116.3				1-15-68	40.0(5)	115.0	
		1-19-68	43.0	116.2				2-15-68	40.0(5)	115.0	
		1-22-68	43.1	116.1				3-19-68	40.0(5)	115.0	
		1-25-68	42.9	116.3				4-20-68	42.0(5)	113.0	
		1-26-68	43.0	116.2				5-15-68	42.0(5)	113.0	
		1-29-68	43.1	116.1				7-16-68	45.0(5)	110.0	
		2-01-68	42.9	116.3				8-15-68	41.0(5)	114.0	
		2-02-68	42.9	116.3				9-18-68	39.0(5)	116.0	
		2-05-68	43.1	116.1		025/12W-25G02S	155.0	10-19-67	51.0(5)	104.0	1101
		2-08-68	43.0	116.2				11-16-67	48.0(5)	107.0	
		2-13-68	43.0	116.2				12-15-67	47.0(5)	108.0	
		2-15-68	43.0	116.2				1-15-68	45.0(5)	110.0	
		2-19-68	43.5	115.7				2-14-68	45.0(5)	110.0	
		2-21-68	43.7	115.5				3-19-68	45.0(5)	110.0	
		2-29-68	44.5	114.7				4-20-68	47.0(5)	108.0	
		3-04-68	44.8	114.4				5-15-68	47.0(5)	108.0	
		3-07-68	44.8	114.4				6-15-68	49.0(5)	106.0	
		3-11-68	44.4	114.8				7-16-68	51.0(5)	104.0	
		3-18-68	43.7	115.5				8-15-68	47.0(5)	108.0	
		3-25-68	43.6	115.6				9-18-68	44.0(5)	111.0	
		3-28-68	43.7	115.5		025/12W-25M01S	152.0	10-02-67	65.5(5)	86.5	1101
		4-04-68	43.9	115.3				10-30-67	64.5(5)	87.5	
		4-11-68	44.9	114.3				11-28-67	68.5(5)	83.5	
		4-18-68	44.5	114.7				1-02-68	71.5(5)	80.5	
		4-18-68	44.5	114.7				2-26-68	72.5(5)	79.5	
		4-22-68	44.4	114.8				4-02-68	71.5(5)	80.5	
		4-25-68	44.5	114.7				4-30-68	99.5	52.5	
		5-02-68	44.5	114.7				6-03-68	101.5	50.5	
		5-09-68	45.1	114.1				7-01-68	99.5	52.5	
		5-16-68	45.5	113.7				7-29-68	93.5	58.5	
		5-23-68	45.6	113.6				9-03-68	93.5	58.5	
		5-27-68	46.2	113.0		025/12W-25M09S	151.0	10-23-67	63.8	87.2	1733
		5-30-68	46.3	112.9				11-27-67	60.5	90.5	
		6-06-68	45.7	113.5				12-26-67	59.4	91.6	
		6-13-68	45.9	113.3				1-22-68	60.6	90.4	
		6-20-68	47.0	112.2				4-22-68	59.7	91.3	
		6-24-68	47.8	111.4				5-28-68	66.0	85.0	
		6-27-68	47.9	111.3				6-24-68	63.2	87.8	
		7-05-68	47.6	111.6				7-22-68	64.3	86.7	
		7-18-68	48.2	111.0				8-26-68	64.0	87.0	
		7-25-68	49.4	109.8				9-23-68	64.1	86.9	
		8-01-68	50.5	108.7		025/12W-25P07S	146.0	10-23-67	(1)		1101
		8-08-68	51.1	108.1				11-27-67	55.8	90.2	
		8-15-68	51.7	107.5				12-26-67	(1)		
		8-15-68	51.7	107.5				1-22-68	53.8	92.2	
		8-22-68	51.9	107.3				2-26-68	54.0	92.0	
		8-26-68	52.8	106.4				3-25-68	53.9	92.1	
		8-29-68	53.0	106.2				4-22-68	55.3	90.7	
		9-05-68	53.3	105.9				5-27-68	54.4(4)	91.6	
		9-12-68	52.4	106.8				6-24-68	56.4	89.6	
		9-19-68	51.7	107.5				7-22-68	(1)		
		9-23-68	51.0	108.2				8-26-68	(1)		
		9-26-68	50.6	108.6				8-30-68	56.0	90.0	
								9-23-68	(1)		
025/12W-25A01S	155.4	10-23-67	48.1	107.3	1101						
		11-27-67	46.0	109.4							
		12-26-67	43.9	111.5							
		1-22-68	43.9	111.5							
		2-26-68	43.2	112.2							
		3-25-68	42.6	112.8							
		4-22-68	43.7	111.7							
		5-27-68	44.4	111.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-25Q05S	146.0	11-16-67	155.4	-9.4	1101	02S/12W-27F01S (CONT.)	141.4	1-12-68	67.5	73.9	1101
		1-29-68	119.4(1)	26.6				1-15-68	67.3	74.1	
		3-25-68	144.4(1)	1.6				1-19-68	67.3	74.1	
		5-14-68	183.4(1)	-37.4				1-22-68	66.9	74.5	
		7-17-68	174.4(1)	-28.4				1-26-68	66.7	74.7	
		9-25-68	180.4(1)	-34.4				1-29-68	67.0	74.4	
02S/12W-26E03S	145.0	10-02-67	67.0(5)	78.0	1101			2-02-68	67.7	73.7	
		10-30-67	62.0(5)	83.0				2-05-68	67.1	74.3	
		11-28-67	67.0(5)	78.0				2-13-68	67.2	74.2	
		1-02-68	64.0(5)	81.0				2-13-68	67.1	74.3	
		2-26-68	65.0(5)	80.0				2-19-68	67.5	73.9	
		4-30-68	70.0(5)	75.0				3-04-68	68.4	73.0	
		6-03-68	67.0(5)	78.0				3-11-68	68.6	72.8	
		7-29-68	65.0(5)	80.0				3-18-68	67.8	73.6	
		9-03-68	83.0(5)	62.0				3-25-68	67.6	73.8	
02S/12W-26F01S	148.0	10-23-67	62.0	86.0	1101			4-22-68	66.3	75.1	
		11-27-67	58.3	89.7				5-27-68	66.7	74.7	
		12-26-67	57.4	90.6				6-24-68	68.2	73.2	
		1-22-68	57.2	90.8		02S/12W-27G05S	139.0	8-26-68	74.0	67.4	
		2-26-68	60.1	87.9				9-23-68	75.8	65.6	
		3-25-68	58.6	89.4							
		4-22-68	58.0	90.0				11-12-67	(5)		1101
		5-27-68	59.1	88.9				11-15-67	76.0	63.0	
		6-25-68	62.4	85.6				1-17-68	(0)		
		8-27-68	68.0	80.0				4-16-68	74.0	65.0	
		9-24-68	114.4	33.6				6-01-68	(0)		
02S/12W-26L02S	148.0	10-23-67	59.8	88.2	1101	02S/12W-27H01S	146.0	10-30-67	110.0(5)	36.0	1101
		11-27-67	61.7	86.3				11-12-67	82.7	63.3	
		12-26-67	58.6	89.4				11-12-67	80.1	65.9	
		1-22-68	58.9	89.1				11-30-67	100.0(5)	46.0	
		2-26-68	57.8	90.2				12-30-67	100.0(5)	46.0	
		3-25-68	57.2	90.8				1-01-68	100.0(5)	46.0	
		4-22-68	57.2	90.8				2-01-68	86.0(5)	60.0	
		5-27-68	57.1	90.9				3-01-68	87.0(5)	59.0	
		6-25-68	59.4	88.6				4-01-68	89.0(5)	57.0	
		8-27-68	62.0	86.0				4-16-68	81.0	65.0	
		9-24-68	62.7	85.3				5-01-68	83.0(5)	63.0	
02S/12W-26P06S	142.0	10-01-67	74.4	67.6	1101	02S/12W-27K02S	142.0	7-01-68	87.0(5)	59.0	
		11-15-67	76.0(5)	66.0							
		12-15-67	77.0	65.0		02S/12W-27Q01S	137.0	1-17-68	(0)		1101
		1-15-68	77.0(5)	65.0				10-23-67	77.2	59.8	1101
		2-15-68	80.0(5)	62.0				11-27-67	75.1	61.9	
		3-01-68	83.4	58.6				12-26-67	71.9	65.1	
		3-21-68	70.4	71.6				1-22-68	72.0	65.0	
		4-15-68	70.0(5)	72.0				2-26-68	72.8	64.2	
		6-15-68	71.4	70.6				3-25-68	72.4	64.6	
		7-07-68	71.0(5)	71.0				4-22-68	72.6	64.4	
		8-21-68	76.4	65.6				5-27-68	75.8	61.2	
		9-07-68	75.0(5)	67.0				6-25-68	77.8	59.2	
02S/12W-26Q01S	141.0	10-02-67	77.0(5)	64.0	1101	02S/12W-27Q03S	136.6	10-23-67	64.2	72.4	1101
		10-30-67	76.0(5)	65.0				11-27-67	63.6	73.0	
		11-28-67	73.0(5)	68.0				12-26-67	63.0	73.6	
		1-02-68	68.0(5)	73.0				1-22-68	62.4	74.2	
		2-26-68	72.0(5)	69.0				2-26-68	62.6	74.0	
		4-02-68	61.0(5)	80.0				3-25-68	62.3	74.3	
		4-30-68	63.0(5)	78.0				4-22-68	61.8	74.8	
		6-03-68	62.0(5)	79.0				5-27-68	64.0	72.6	
		7-01-68	61.0(5)	80.0				6-25-68	61.9	74.7	
		7-29-68	65.0(5)	76.0				8-27-68	64.7	71.9	
		9-03-68	67.0(5)	74.0				9-24-68	67.8	68.8	
02S/12W-26R05S	150.0	11-14-67	(4)		1101	02S/12W-28A04S	142.0	10-02-67	108.0(5)	34.0	1101
02S/12W-27B02S	149.0	10-23-67	69.3	79.7	1101			10-30-67	103.0(5)	39.0	
		11-27-67	(8)					11-28-67	106.0(5)	36.0	
		12-26-67	(8)					1-02-68	116.0(5)	26.0	
		1-22-68	63.9(3)	85.1				2-26-68	113.0(5)	29.0	
		2-26-68	66.2	82.8				4-01-68	110.0(5)	32.0	
		3-25-68	64.7	84.3				4-30-68	104.0(5)	38.0	
		4-22-68	63.9	85.1				6-03-68	102.0(5)	40.0	
		5-27-68	65.9	83.1				7-01-68	101.0(5)	41.0	
		6-25-68	68.9	80.1				7-29-68	108.0(5)	34.0	
		7-23-68	(9)					9-03-68	108.0(5)	34.0	
		8-27-68	77.1	71.9		02S/12W-28Q01S	134.5	10-23-67	94.0	40.5	1101
		9-24-68	75.0	74.0				11-27-67	90.2	44.3	
02S/12W-27B03S	149.0	11-08-67	71.6	77.4	1101			12-26-67	(2)		
		4-15-68	63.0	86.0				1-22-68	92.2	42.3	
02S/12W-27C01S	156.0	10-23-67	83.3(4)	72.7	1101			2-26-68	92.4	42.1	
		11-27-67	76.8(4)	79.2				3-25-68	84.9	49.6	
		12-26-67	77.1	78.9				4-22-68	85.0	49.5	
		1-22-68	74.8	81.2				5-27-68	85.4	49.1	
		2-26-68	76.3	79.7				6-25-68	87.8	46.7	
		3-25-68	74.9	81.1				7-23-68	88.6	45.9	
		4-22-68	74.0	82.0				8-27-68	89.9	44.6	
02S/12W-27F01S	141.4	10-23-67	72.5	68.9	1101	02S/12W-28J06S	135.0	9-24-68	90.3	44.2	
		11-27-67	71.7	69.7				10-01-67	113.0(5)	22.0	1101
		12-11-67	69.2	72.2				10-30-67	108.0(1)	27.0	
		12-26-67	68.2	73.2				11-30-67	104.0(1)	31.0	
		1-02-68	67.8	73.6				12-30-67	103.0(1)	32.0	
								1-01-68	103.0(1)	32.0	
								2-01-68	106.0(1)	29.0	
								3-01-68	96.0(1)	39.0	
								4-01-68	100.0(1)	35.0	
								4-01-68	96.0(5)	39.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-28J06S (CONT.)	135.0	5-01-68 7-01-68	103.0(1) 113.0(1)	32.0 22.0	1101	02S/12W-31D01S (CONT.)	122.0	11-01-67 12-01-67 6-02-68 6-02-68 7-01-68 8-01-68 9-01-68	125.3(5) 133.3(1) 145.3(1) 124.3(5) 125.3(5) 129.3(5) 131.3(5)	-3.3 -11.3 -23.3 -2.3 -3.3 -7.3 -9.3	1101
02S/12W-28J07S	135.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 8-27-68 9-24-68	87.1 83.6 81.5 80.8 80.7 80.4 80.9 83.4 84.8 88.5 89.4	47.9 51.4 53.5 54.2 54.3 54.6 54.1 51.6 50.2 46.5 45.6	1101	02S/12W-31M01S	107.7	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 7-01-68 8-01-68 9-30-68	111.0 109.0 105.0 104.0 104.0 109.0 107.0 108.0 111.0 116.0 113.0 109.0	-3.3 -1.3 2.7 3.7 3.7 -1.3 .7 -3 -3.3 -8.3 -5.3 -1.3	5061
02S/12W-28K01S	127.5	10-15-67 11-15-67 12-21-67 1-15-68 2-15-68 3-15-68 4-07-68 6-15-68 7-15-68 8-15-68 9-07-68	90.3(5) 89.3(5) 86.4(5) 85.3(5) 85.3(5) 84.3(5) 83.4 91.3(5) 94.3(5) 97.3(5) 99.3(5)	37.2 38.2 41.1 42.2 42.2 43.2 44.1 36.2 33.2 30.2 28.2	1101	02S/12W-31M02S	111.0	10-01-67 11-01-67 11-29-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 4-02-68 5-01-68 7-01-68 8-01-68 9-01-68	119.0(5) 120.0(5) 109.0 107.0(5) 107.0(5) 113.0 112.0(5) 110.0(5) 110.0 117.0(5) 125.0(5) 128.0(5) 123.0(5)	-8.0 -9.0 2.0 4.0 4.0 -2.0 -1.0 1.0 1.0 -6.0 -14.0 -17.0 -12.0	1101
02S/12W-28N03S	120.0	10-15-67 11-15-67 12-15-67 1-15-68 2-07-68 3-07-68 4-15-68 5-07-68 6-01-68 7-15-68 8-15-68 9-07-68	97.0(5) 104.0(5) 103.0(5) 93.0(5) 92.0(5) 92.0(5) 94.0(5) 96.0(5) 98.0(5) 99.0(5) 99.0(5) 98.3	23.0 16.0 17.0 27.0 28.0 28.0 26.0 24.0 22.0 21.0 21.0 21.7	1101	02S/12W-31N01S	107.0	11-07-67 4-04-68	99.9 97.7	7.1 9.3	1101
02S/12W-28O01S	129.0	10-30-67 11-30-67 12-30-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 7-01-68	89.0 85.0 85.0 83.0 84.0 83.0 85.0 85.0 91.0	40.0 44.0 44.0 46.0 45.0 46.0 44.0 44.0 38.0	1101	02S/12W-33B01S	123.0	10-02-67 10-30-67 11-27-67 1-02-68 2-02-68 4-01-68 4-30-68 6-03-68 7-01-68 7-29-68 9-03-68 9-30-68	90.0(5) 95.0(5) 91.0(5) 89.0(5) 92.0(5) 90.0(5) 91.0(5) 90.0(5) 89.0(5) 90.0(5) 99.0(5) 100.0(5)	33.0 28.0 32.0 34.0 31.0 33.0 32.0 33.0 34.0 33.0 24.0 23.0	1101
02S/12W-29A02S	128.3	11-08-67 11-08-67 4-15-68	113.5 113.5 102.4	14.8 14.8 25.9	1101	02S/12W-33B04S	126.2	10-05-67 10-26-67 11-16-67 12-07-67 12-28-67 1-18-68 2-08-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 7-25-68 8-15-68 9-05-68 9-26-68	87.2 86.0 86.0 82.2 81.2 81.3 81.1 82.0 82.1 84.9 84.8 87.2 87.5 87.0 86.7 86.4	39.0 40.2 40.2 44.0 45.0 44.9 45.1 44.2 44.1 41.3 41.4 39.0 38.7 39.2 39.5 39.8	1733
02S/12W-29A04S	130.0	11-08-67 11-08-67 4-15-68	108.0 108.0 (4)	22.0 22.0	1101	02S/12W-33C02S	121.2	11-08-67 4-16-68	DRY DRY		1101
02S/12W-29J01S	122.0	10-15-67 11-15-67 12-15-67 1-15-68 2-15-68 3-15-68 4-15-68 5-07-68 7-15-68 8-30-68 9-15-68	100.0(5) 98.0(5) 95.0(5) 94.0(5) 93.0(5) 93.0(5) 93.0(5) 93.0(5) 100.0(5) 100.5 101.0(5)	22.0 24.0 27.0 28.0 29.0 29.0 29.0 29.0 22.0 21.5 21.0	1101	02S/12W-33D02S	118.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-23-68 8-27-68 9-24-68	81.8 80.9 79.8 79.8 79.5 79.6 79.4 79.9 80.6 80.9 81.2 81.0	36.2 37.1 38.2 38.2 38.5 38.4 38.6 38.1 37.4 37.1 36.8 37.0	1101
02S/12W-29K02S	121.4	11-08-67	DRY		1101	02S/12W-33L01S	117.7	11-08-67 4-16-68	92.2 84.2	25.5 33.5	1101
02S/12W-29M05S	118.0	10-27-67 11-27-67 12-27-67 1-21-68 2-07-68 3-01-68 4-15-68 6-07-68 7-01-68 8-21-68 9-07-68	112.0(5) 106.0(5) 101.0(5) 101.0(5) 103.0(5) 103.0(5) 102.0 103.0(5) 104.0(5) 111.0 106.0(5)	6.0 12.0 17.0 17.0 15.0 15.0 16.0 15.0 14.0 7.0 12.0	1101	02S/12W-33L03S	115.6	11-12-67 4-16-68	71.1 70.1	44.5 45.5	1101
02S/12W-29P06S	116.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 5-28-68 6-24-68 8-26-68 9-23-68	97.4 95.1 93.8 92.9 92.9 94.5 95.0 95.9 95.6	18.6 20.9 22.2 23.1 23.1 21.5 21.0 20.1 20.4	1733	02S/12W-33M01S	114.5	10-30-67 11-27-67 1-02-68 2-26-68 4-05-68 6-03-68 7-29-68 9-30-68	104.2(5) 129.2(5) 144.2(5) 143.2(5) 155.2(1) 95.2(5) 97.2(5) 95.2(5)	10.3 -14.7 -29.7 -28.7 -40.7 19.3 17.3 19.3	1101
02S/12W-30N01S	125.0	11-07-67 4-03-68	100.5 99.0	24.5 26.0	1101						
02S/12W-31D01S	122.0	10-01-67	129.3(5)	-7.3	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/12W-33P02S	114.0	10-23-67	71.3	42.7	1101	02S/12W-35H12S (CONT.)	142.5	1-24-68	(9)		1101
		11-27-67	70.6	43.4				2-26-68	66.2	76.3	
		12-26-67	70.1	43.9				3-25-68	63.8	78.7	
		1-22-68	70.6	43.4				4-22-68	63.2	79.3	
		2-26-68	69.7	44.3				5-27-68	64.1	78.4	
		3-25-68	69.3	44.7				6-24-68	65.3	77.2	
		4-22-68	69.5	44.5				7-22-68	66.9	75.6	
		5-27-68	69.2	44.8				8-26-68	69.6	72.9	
		6-25-68	69.9	44.1				9-23-68	64.5	78.0	
		7-23-68	73.2	40.8							
		8-27-68	70.0	44.0		02S/12W-35K01S	138.0	10-03-67	131.5(5)	6.5	1101
		9-24-68	69.9	44.1				10-30-67	132.5(5)	5.5	
02S/12W-34A01S	134.5	10-09-67	60.7	73.8	1101			11-28-67	137.5(5)	.5	
		10-23-67	60.0	74.5				1-02-68	131.5(5)	6.5	
		11-13-67	59.8	74.7				2-27-68	130.5(5)	7.5	
		11-27-67	59.4	75.1				4-02-68	134.5(5)	3.5	
		12-11-67	59.1	75.4				4-30-68	130.5(5)	7.5	
		12-26-67	58.9	75.6				6-03-68	128.5(5)	9.5	
		2-13-68	57.9	76.6				7-01-68	129.5(5)	8.5	
		2-26-68	57.6	76.9				7-29-68	127.5(5)	10.5	
		3-11-68	58.3	76.2				9-03-68	131.5(5)	6.5	
		3-28-68	60.8	73.7		02S/12W-35P01S	129.0	10-03-67	100.0(5)	29.0	1101
		4-08-68	58.5	76.0				10-30-67	93.0(5)	36.0	
		4-22-68	57.6	76.9				11-28-67	89.0(5)	40.0	
		5-27-68	57.4	77.1				1-03-68	90.0(5)	39.0	
		6-12-68	59.4	75.1				2-27-68	109.0(5)	20.0	
		6-25-68	59.4	75.1				4-30-68	139.0(5)	-10.0	
		7-09-68	60.8	73.7				6-04-68	141.0(5)	-12.0	
		8-14-68	59.9	74.6				7-01-68	139.0(5)	-10.0	
		8-27-68	60.6	73.9				7-29-68	143.0(5)	-14.0	
		9-10-68	60.9	73.6				9-03-68	144.0(5)	-15.0	
		9-24-68	61.8	72.7		02S/12W-36B01S	139.0	10-23-67	(2)		1101
02S/12W-34G01S	129.0	10-30-67	103.0(5)	26.0	1101			11-27-67	43.2	95.8	
		11-30-67	80.0(5)	49.0				11-27-67	43.2	95.8	
		12-30-67	78.0(5)	51.0				12-26-67	46.8	92.2	
		1-01-68	78.0(5)	51.0				1-22-68	46.4	92.6	
		2-01-68	79.0(5)	50.0				2-26-68	47.6	91.4	
		3-01-68	79.0(5)	50.0				3-25-68	46.3	92.7	
		4-01-68	82.0(5)	47.0				4-22-68	46.4	92.6	
		5-01-68	82.0(5)	47.0				5-27-68	46.7	92.3	
		6-01-68	86.0(5)	43.0				6-24-68	49.6	89.4	
		7-01-68	84.0(5)	45.0		02S/12W-36R02S	133.5	11-16-67	78.0	55.5	1101
02S/12W-34P01S	124.0	5-01-68	(0)		1101			1-29-68	79.0(1)	54.5	
02S/12W-34R01S	129.4	10-02-67	83.4(5)	46.0	1101			3-25-68	78.0(1)	55.5	
		10-30-67	84.4(5)	45.0				5-13-68	61.0(5)	72.5	
		11-28-67	86.4(5)	43.0				5-13-68	80.0(1)	53.5	
		1-03-68	81.4(5)	48.0				7-17-68	84.0(1)	49.5	
		2-27-68	79.4(5)	50.0				9-25-68	81.0(1)	52.5	
		4-30-68	79.4(5)	50.0		02S/13W-01K01S	197.5	11-07-67	251.0	-53.5	1101
		6-03-68	78.4(5)	51.0				4-02-68	245.7	-48.2	
		7-30-68	78.4(5)	51.0		02S/13W-01N01S	196.0	11-07-67	245.5	-49.5	1101
		9-03-68	79.4(5)	50.0				4-08-68	244.0	-48.0	
02S/12W-35C01S	145.0	10-23-67	72.7	72.3	1101	02S/13W-02M01S	252.0	11-07-67	527.0(1)	-275.0	1101
		11-27-67	70.3(3)	74.7				4-04-68	521.0(1)	-269.0	
		12-26-67	70.4	74.6							
		1-22-68	(9)			02S/13W-02N01S	253.0	11-07-67	(4)		1101
		2-26-68	70.5	74.5				4-04-68	(4)		
		3-25-68	(9)			02S/13W-04D01S	230.8	11-07-67	284.9	-54.1	1101
		4-22-68	70.8	74.2				4-02-68	(9)		
		5-27-68	71.9(3)	73.1				4-12-68	285.7	-54.9	
		6-25-68	79.4(3)	65.6		02S/13W-05A01S	227.0	10-09-67	(9)		1101
		7-23-68	74.0	71.0				11-09-67	279.6	-52.6	
		8-27-68	78.1	66.9				4-02-68	278.5	-51.5	
		9-24-68	76.8	68.2		02S/13W-05B01S	224.0	11-06-67	300.0(4)	-76.0	1101
02S/12W-35D02S	142.5	10-01-67	80.7	61.8	1101			4-02-68	(4)		
		11-21-67	79.6(5)	62.9				4-05-68	302.7(3)	-78.7	
		12-15-67	73.6(5)	68.9		02S/13W-11R03S	188.7	9-02-68	262.3(5)	-73.6	1101
		1-15-68	73.6(5)	68.9							
		2-15-68	72.6(5)	69.9		02S/13W-11R04S	187.8	10-01-67	266.3(5)	-78.5	1101
		3-21-68	70.7	71.8				11-03-67	300.3(5)	-112.5	
		4-15-68	78.6(5)	63.9				12-03-67	263.3(5)	-75.5	
		5-07-68	80.6(5)	61.9				1-01-68	257.3(5)	-69.5	
		6-01-68	80.6(5)	61.9				2-04-68	265.3(5)	-77.5	
		9-15-68	79.6(5)	62.9				3-03-68	263.3(5)	-75.5	
02S/12W-35F01S	136.5	10-23-67	64.6	71.9	1101			4-01-68	281.3(5)	-93.5	
		11-27-67	66.2	70.3				5-03-68	299.3(5)	-111.5	
		12-26-67	64.6	71.9				6-02-68	260.3(5)	-72.5	
		1-22-68	64.2	72.3				7-01-68	274.3(5)	-86.5	
		2-26-68	63.7	72.8				8-02-68	304.3(5)	-116.5	
		3-25-68	63.5	73.0				9-02-68	259.3(5)	-71.5	
		4-22-68	63.4	73.1		02S/13W-12A01S	185.2	10-31-67	247.0	-61.8	1101
		5-27-68	63.1	73.4				12-31-67	239.0	-53.8	
		6-25-68	69.9	66.6				2-29-68	233.0	-47.8	
		8-27-68	65.2	71.3				4-30-68	238.0	-52.8	
		9-24-68	66.2	70.3				6-30-68	239.0	-53.8	
02S/12W-35H12S	142.5	10-23-67	66.4	76.1	1101			8-31-68	239.0	-53.8	
		11-27-67	66.6	75.9							
		12-26-67	65.0	77.5							
		1-22-68	(9)								

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/13W-12C01S	185.0	4-04-68	210.2(4)	-25.2	1101	02S/13W-15L01S (CONT.)	190.0	4-04-68	85.4	104.6	1101
02S/13W-12M03S	187.0	11-06-67 4-08-68	214.9 216.2	-27.9 -29.2	1101	02S/13W-16Q06S	175.0	10-04-67 11-02-67 12-06-67 1-04-68 2-07-68 3-05-68 4-05-68 5-03-68	173.9 176.7 17.4 17.4 17.3 176.5 176.6 176.8	1.1 -1.7 157.6 157.6 157.7 -1.5 -1.6 -1.8	1200
02S/13W-13A01S	168.5	11-07-67 4-05-68	207.4(4) 205.2(4)	-38.9 -36.7	1101	02S/13W-16Q07S	176.0	10-04-67 11-02-67 12-06-67 1-04-68 2-07-68 3-05-68 4-05-68	211.2 212.5 212.2 210.9 210.5 210.6 49.6	-35.2 -36.5 -36.2 -34.9 -34.5 -34.6 126.4	1200
02S/13W-13E01S	181.4	11-09-67 4-04-68	226.2 229.3	-44.8 -47.9	1101	02S/13W-20J03S	158.0	6-25-68	(0)		1101
02S/13W-13E06S	181.3	11-09-67 4-04-68	215.3 216.2	-34.0 -34.9	1101	02S/13W-20R02S	154.0	4-05-68 6-25-68	166.0 (0)	-12.0	1101
02S/13W-13F01S	167.7	10-31-67 11-30-67 12-31-67 1-31-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	227.0(5) 230.0(5) 232.0(5) 225.0(5) 225.0(5) 225.0(5) 225.0(5) 225.0(5) 228.0(5)	-59.3 -62.3 -64.3 -57.3 -57.3 -57.3 -57.3 -57.3 -60.3	1101	02S/13W-20R03S	152.0	10-01-67 11-01-67 11-09-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 4-05-68 5-01-68 8-01-68 9-01-68	194.5(5) 193.5(5) 193.0 191.5(5) 191.5(5) 193.5(5) 192.5(5) 193.5(5) 205.8 193.5(5) 192.5(5) 202.5(5)	-42.5 -41.5 -41.0 -39.5 -39.5 -41.5 -40.5 -41.5 -53.8 -41.5 -40.5 -50.5	1101
02S/13W-13M01S	162.2	10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	187.0(5) 186.0(5) 184.0(5) 179.0(5) 187.0(5) 184.0(5) 184.0(5) 187.0(5) 189.0(5) 191.0(5) 192.0(5) 193.0(5)	-24.8 -23.8 -21.8 -16.8 -24.8 -21.8 -21.8 -24.8 -26.8 -28.8 -29.8 -30.8	1101	02S/13W-21E01S	166.0	10-15-67 11-15-67 12-15-67 1-15-68 2-15-68 3-07-68 4-01-68 6-15-68 7-15-68 8-15-68 9-15-68	222.9(5) 223.9(5) 225.9(5) 226.9(5) 228.9(5) 228.9(5) 228.9(5) 225.9(5) 224.9(5) 223.9(5) 222.9(5)	-56.9 -57.9 -59.9 -60.9 -62.9 -62.9 -62.9 -59.9 -58.9 -57.9 -56.9	1101
02S/13W-13R01S	157.8	11-07-67 11-29-67 4-04-68	287.3(5) 203.7(8) 164.2(8)	-129.5 -45.9 -6.4	1101	02S/13W-21K04S	164.7	11-06-67 4-03-68	201.0 206.6	-36.3 -41.9	1101
02S/13W-14A01S	187.0	10-01-67 11-01-67 12-03-67 1-01-68 2-04-68 3-03-68 4-07-68 5-05-68 6-02-68 7-01-68 8-04-68 9-02-68	245.4(5) 245.4(5) 243.4(5) 238.4(5) 242.4(5) 251.4(5) 243.4(5) 247.4(5) 239.4(5) 247.4(5) 248.4(5) 238.4(5)	-58.4 -58.4 -56.4 -51.4 -55.4 -64.4 -56.4 -60.4 -52.4 -60.4 -61.4 -51.4	1101	02S/13W-21K07S	165.0	11-06-67 4-03-68 4-03-68	228.2 244.6(1) 248.3(4)	-63.2 -79.6 -83.3	1101
02S/13W-14M01S	180.7	10-01-67 11-01-67 12-03-67 1-01-68 2-02-68 3-03-68 4-01-68 5-03-68 6-02-68 7-01-68 8-02-68 9-02-68	224.8(5) 235.8(5) 219.8(5) 214.8(5) 217.8(5) 216.8(5) 224.8(5) 232.6(5) 219.8(5) 229.8(5) 225.8(5) 224.8(5)	-44.1 -55.1 -39.1 -34.1 -37.1 -36.1 -44.1 -52.1 -39.1 -49.1 -45.1 -44.1	1101	02S/13W-21Q08S	183.6	11-09-67 4-03-68	218.0 217.2	-34.4 -33.6	1101
02S/13W-14H01S	180.7	10-01-67 11-01-67 12-03-67 1-01-68 2-02-68 3-03-68 4-01-68 5-03-68 6-02-68 7-01-68 8-02-68 9-02-68	224.8(5) 235.8(5) 219.8(5) 214.8(5) 217.8(5) 216.8(5) 224.8(5) 232.6(5) 219.8(5) 229.8(5) 225.8(5) 224.8(5)	-44.1 -55.1 -39.1 -34.1 -37.1 -36.1 -44.1 -52.1 -39.1 -49.1 -45.1 -44.1	1101	02S/13W-22P02S	162.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	232.0(5) 235.0(5) 230.0(5) 228.0(5) 237.0(5) 228.0(5) 220.0(5) 230.0(5) 234.0(5) 235.0(5) 237.0(5) 237.0(5)	-70.0 -73.0 -68.0 -66.0 -75.0 -66.0 -58.0 -68.0 -72.0 -73.0 -75.0 -75.0	1101
02S/13W-14H02S	185.0	10-01-67 11-03-67 12-03-67 1-01-68 2-04-68 3-03-68 4-07-68 5-05-68 6-02-68 7-01-68 8-04-68 9-02-68	238.8(5) 237.8(5) 233.8(5) 231.8(5) 235.8(5) 236.8(5) 243.8(5) 243.8(5) 235.8(5) 239.8(5) 240.8(5) 238.8(5)	-53.8 -52.8 -48.8 -46.8 -50.8 -51.8 -58.8 -58.8 -50.8 -54.8 -55.8 -53.8	1101	02S/13W-23A02S	162.1	12-27-67 1-18-68 2-08-68	(7) (7) (7)		1733
02S/13W-14H03S	187.0	10-01-67 11-03-67 12-03-67 1-01-68 2-04-68 3-03-68 4-01-68 5-03-68 6-03-68 7-01-68 8-04-68 9-02-68	259.9(5) 261.9(5) 248.9(5) 245.9(5) 251.9(5) 250.9(5) 258.9(5) 268.9(5) 248.9(5) 253.9(5) 255.9(5) 249.9(5)	-72.9 -74.9 -61.9 -58.9 -64.9 -63.9 -71.9 -81.9 -61.9 -66.9 -68.9 -62.9	1101	02S/13W-23Q05S	178.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	238.3(5) 236.3(5) 248.3(5) 246.3(5) 254.3(5) 248.3(5) 233.3(5) 234.3(5) 234.3(5) 235.3(5) 233.3(5)	-60.3 -58.3 -70.3 -68.3 -76.3 -70.3 -55.3 -56.3 -56.3 -57.3 -55.3	1101
02S/13W-15C01S	195.0	11-06-67 4-04-68	186.3 186.1	8.7 8.9	1101	02S/13W-23H01S	154.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68	202.1(5) 197.1(5) 204.1(5) 202.1(5) 195.1(5) 192.1(5) 195.1(5) 199.1(5) 197.1(5)	-48.1 -43.1 -50.1 -48.1 -41.1 -38.1 -41.1 -45.1 -43.1	1101
02S/13W-15L01S	190.0	11-09-67	86.3	103.7	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/13W-23H01S (CONT.)	154.0	7-01-68 8-01-68 9-01-68	199.1(5) 206.1(5) 204.1(5)	-45.1 -52.1 -50.1	1101	02S/13W-25001S (CONT.)	125.0	3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	138.7(5) 143.7(5) 143.7(5) 143.7(5) 143.7(5) 144.7(5) 151.7(5)	-13.7 -18.7 -18.7 -18.7 -18.7 -19.7 -26.7	1101
02S/13W-23J02S	145.7	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	186.1(5) 189.1(5) 184.1(5) 188.1(5) 179.1(5) 189.1(5) 189.1(5) 189.1(5) 189.1(5) 189.1(5) 194.1(5) 199.1(5)	-40.4 -43.4 -38.4 -42.4 -33.4 -43.4 -43.4 -43.4 -43.4 -43.4 -48.4 -53.4	1101	02S/13W-27B07S	157.0	10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-30-68	215.5(5) 212.5(5) 205.5(5) 207.5(5) 205.5(5) 207.5(5) 207.5(5) 212.5(5) 215.5(5) 215.5(5) 219.5(5) 221.5(5)	-58.5 -55.5 -48.5 -50.5 -48.5 -50.5 -50.5 -55.5 -58.5 -58.5 -62.5 -64.5	1101
02S/13W-24Q02S	146.0	10-15-67 11-15-67 11-15-67 12-15-67 12-15-67 1-07-68 2-07-68 3-07-68 4-01-68 6-15-68 7-15-68 8-21-68 9-15-68	175.0(5) 172.0(5) 172.0(5) 171.0(5) 171.0(5) 171.0(5) 171.0(5) 176.0(5) 175.0(5) 181.0(5) 183.0(5) 186.6 184.0(5)	-29.0 -26.0 -26.0 -25.0 -25.0 -25.0 -25.0 -30.0 -29.0 -35.0 -37.0 -40.6 -38.0	1101	02S/13W-27B11S	157.0	11-09-67 11-13-67	(9) (6)		1101
02S/13W-25C02S	142.1	1-17-68 6-11-68	(0) (0)		1101	02S/13W-27B19S	157.0	10-31-67 11-30-67 12-31-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	213.5(5) 208.5(5) 203.5(5) 207.5(5) 204.5(5) 208.5(5) 207.5(5) 211.5(5) 213.5(5) 215.5(5) 221.5(5) 225.5(5)	-56.5 -51.5 -46.5 -50.5 -47.5 -51.5 -50.5 -54.5 -56.5 -58.5 -64.5 -68.5	1101
02S/13W-25D03S	140.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 7-01-68 8-01-68 9-01-68	188.6(5) 166.6(5) 219.6(5) 188.6(5) 180.6(5) 208.6(5) 193.6(5) 184.6(5) 185.6(5) 183.6(5) 188.6(5)	-48.6 -26.6 -79.6 -48.6 -40.6 -68.6 -53.6 -44.6 -45.6 -43.6 -48.6	1101	02S/13W-27E04S	142.5	10-15-67 11-15-67 12-15-67 1-15-68 2-15-68 3-15-68 4-15-68 5-07-68 6-01-68 8-07-68 9-07-68	183.0(5) 185.0(5) 185.0(5) 185.0(5) 185.0(5) 185.0(5) 179.0(5) 180.0(5) 182.0(5) 177.0(5)	-40.5 -42.5 -42.5 -42.5 -42.5 -42.5 -36.5 -37.5 -39.5 -34.5	1101
02S/13W-25D04S	142.7	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-01-68	201.0(5) 203.0(5) 192.0(5) 190.0(5) 194.0(5) 196.0(5) 198.0(5) 198.0(5) 202.0(5) 203.0(5) 204.0(5) 210.0(5)	-58.3 -60.3 -49.3 -47.3 -51.3 -53.3 -55.3 -55.3 -59.3 -60.3 -61.3 -67.3	1101	02S/13W-28G01S	142.0	10-30-67 11-21-67 12-15-67 1-15-68 2-21-68 3-21-68 4-15-68 5-15-68 6-15-68 7-21-68 8-30-68 9-07-68	177.4 177.4 182.3(5) 183.3(5) 182.3(5) 180.3(5) 183.3(5) 183.3(5) 183.3(5) 184.4 184.4 182.3(5)	-35.4 -35.4 -40.3 -41.3 -40.3 -38.3 -41.3 -41.3 -41.3 -42.4 -42.4 -40.3	1101
02S/13W-25D05S	140.7	10-01-67 11-01-67 12-01-67 1-01-68 6-11-68	147.5(5) 146.5(5) 182.5(1) 180.5 (0)	-6.8 -5.8 -41.8 -39.8	1101	02S/13W-28G02S	142.0	10-21-67 11-21-67 12-21-67 1-15-68 2-07-68 3-01-68 4-07-68 5-15-68 6-15-68 7-15-68 8-15-68 9-07-68	177.8 177.8 177.8 177.3(5) 177.8 178.8 177.3(5) 180.3(5) 182.3(5) 184.3(5) 186.3(5) 186.3(5)	-35.8 -35.8 -35.8 -35.3 -35.8 -36.8 -35.3 -38.3 -40.3 -42.3 -44.3	1101
02S/13W-25H01S	137.0	10-03-67 11-02-67 12-05-67 1-03-68 2-07-68 3-06-68 4-11-68 5-02-68 6-03-68 7-05-68 8-06-68 9-05-68	158.7(5) 158.7(5) 153.7(5) 148.7(5) 153.7(5) 148.7(5) 143.7(5) 158.7(5) 153.7(5) 158.7(5) 178.7(5) 158.7(5)	-21.7 -21.7 -16.7 -11.7 -16.7 -11.7 -6.7 -21.7 -16.7 -21.7 -41.7 -21.7	1101	02S/13W-28G03S	142.0	10-01-67 11-01-67 11-27-67 12-07-67 1-15-68 2-15-68 3-15-68 4-15-68 5-07-68 6-01-68 7-15-68 8-30-68 9-15-68	184.7 184.7 184.7 190.4(5) 189.4(5) 190.4(5) 188.4(5) 189.4(5) 187.4(5) 187.4(5) 186.4(5) 184.7 183.4(5)	-42.7 -42.7 -42.7 -48.4 -47.4 -48.4 -46.4 -47.4 -45.4 -45.4 -44.4 -42.7 -41.4	1101
02S/13W-25H03S	136.0	10-03-67 11-02-67 12-05-67 1-03-68 1-17-68 1-17-68 2-07-68 3-06-68 4-11-68 5-02-68 6-03-68 7-05-68 8-09-68 9-05-68	163.5(5) 163.5(5) 158.5(5) 163.5(5) 173.5(6) 146.2(6) 113.5(6) 103.5(6) 163.5(6) 118.5(6) 138.5(6) 138.5(6) 138.5(6) 138.5(6)	-27.5 -27.5 -22.5 -27.5 -37.5 -10.2 22.5 32.5 -27.5 17.5 -2.5 -2.5 -2.5 -2.5	1101	02S/13W-28H01S	142.0	10-15-67 11-15-67 12-15-67 1-07-68 2-07-68 3-01-68 4-15-68 5-15-68 6-15-68	121.0(5) 121.0(5) 120.0(5) 120.0(5) 120.6 119.6 119.0(5) 124.0(5) 129.0(5)	21.0 21.0 22.0 22.0 21.4 22.4 23.0 18.0 13.0	1101
02S/13W-25001S	125.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68	143.7(5) 152.7(5) 151.7(5) 153.7(5) 146.7(5)	-18.7 -27.7 -26.7 -28.7 -21.7	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/13W-28H015 (CONT.)	142.0	7-15-68 8-15-68 9-15-68	134.0(5) 139.0(5) 144.0(5)	8.0 3.0 -2.0	1101	02S/13W-34D045 (CONT.)	127.0	7-05-68 8-02-68 9-18-68	106.7(5) 108.7(5) 113.7(5)	20.3 18.3 13.3	1101
02S/13W-31C02S	132.9	11-06-67 4-10-68	191.0 190.1	-58.1 -57.2	1101	02S/13W-35A015	121.0	11-09-67 12-04-67 4-08-68 7-01-68 8-01-68 9-01-68	143.2(4) (0) 135.7 146.7(5) 148.7(5) 146.7(5)	-22.2 -14.7 -25.7 -27.7 -25.7	1101
02S/13W-32C04S	130.0	10-04-67 11-02-67 12-06-67 1-04-68 2-07-68 3-05-68 4-05-68 5-03-68 6-27-68 7-18-68 8-16-68 9-19-68	200.9 200.6 199.3 197.3 197.7 197.0 196.7 197.9 198.9 200.9 200.9 200.9	-70.9 -70.6 -69.3 -67.3 -67.7 -67.0 -66.7 -67.9 -68.9 -70.9 -70.9 -70.9	1200	02S/13W-36B01S	122.0	10-01-67 11-01-67 1-01-68 1-25-68 3-01-68 4-01-68 5-01-68 9-01-68	135.8(5) 131.8(5) 119.8(5) 125.8 123.8(5) 122.8(5) 123.8(5) 116.8(5)	-13.8 -9.8 2.2 -3.8 -1.8 -1.8 -1.8 5.2	1101
02S/13W-32F02S	128.0	10-12-67 11-19-67 12-28-67 1-18-68 2-08-68 2-15-68 3-14-68 4-17-68 5-03-68 6-27-68 7-18-68 8-16-68 9-19-68	207.0 207.0 204.0 204.0 (0) 204.0 203.0 203.0 203.0 203.0 203.0 204.0 205.0	-79.0 -79.0 -76.0 -76.0 -76.0 -75.0 -75.0 -75.0 -75.0 -75.0 -76.0 -77.0	1200	02S/13W-36F01S	120.0	12-04-67	(6)		1101
						02S/13W-36F02S	120.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 9-01-68	135.0(5) 135.0(5) 123.0(5) 123.0(5) 132.6 125.0(5) 127.0(5) 137.0(5) 134.0(5)	-15.0 -15.0 -3.0 -3.0 -12.6 -5.0 -7.0 -17.0 -14.0	1101
02S/13W-32R06S	118.0	11-09-67 11-24-67 3-28-68 7-11-68	(1) 217.0 302.0(1) 151.0(5)	-99.0 -184.0 -33.0	1101 1200	02S/13W-36Q01S	114.0	10-01-67 11-01-67 11-09-67 4-08-68	122.0 (6) 124.5 (6)	-8.0 -10.5	1101
02S/13W-32R07S	117.0	10-12-67 11-16-67 12-22-67 1-12-68 2-09-68 3-14-68 4-12-68 5-08-68 6-13-68 7-18-68 8-16-68 9-19-68	321.8(1) 323.8(1) 324.8(1) 322.8(1) 299.8(1) 300.8(1) 297.8(1) 293.8(1) 297.8(1) 300.8(1) 303.8(1) 303.8(1)	-204.8 -206.8 -207.8 -205.8 -182.8 -183.8 -180.8 -176.8 -180.8 -183.8 -186.8 -186.8	1200	02S/14W-03K01S	110.0	10-07-67 11-04-67 12-02-67 1-06-68 2-03-68 3-02-68 4-01-68 5-06-68 6-03-68 7-02-68	164.2 164.3 164.5 163.9 163.7 163.5 163.5 163.5 163.9 164.3	-54.2 -54.3 -54.5 -53.9 -53.7 -53.5 -53.5 -53.5 -53.9 -54.3	1101
02S/13W-32R08S	117.0	11-09-67 11-24-67 3-28-68	(1) 205.0 296.0(1)	-88.0 -179.0	1101 1200	02S/14W-03K03S	110.0	10-07-67 11-04-67 12-02-67 1-06-68 2-03-68 3-02-68 4-01-68 5-06-68 6-03-68 7-02-68	164.2 164.3 164.2 163.9 163.7 163.5 163.5 163.5 163.9 164.2	-54.2 -54.3 -54.2 -53.9 -53.7 -53.5 -53.5 -53.5 -53.9 -54.2	1101
02S/13W-32R09S	117.0	10-04-67 11-02-67 12-06-67 1-04-68 2-07-68 4-05-68 5-03-68 6-07-68 7-03-68 8-02-68 9-04-68	200.0 199.6 196.5 196.3 196.3 194.4 197.1 190.7 188.6 200.2 198.0	-83.0 -82.6 -79.5 -79.3 -79.3 -77.4 -80.1 -73.7 -71.6 -83.2 -81.0	1200	02S/14W-03Q01S	110.7	10-07-67 11-04-67 12-02-67 1-06-68 2-03-68 3-02-68	148.5 151.6 124.9 124.1 128.9 134.7	-37.8 -40.9 -14.2 -13.4 -18.2 -24.0	1101
02S/13W-32R12S	118.0	10-12-67 11-16-67 12-22-67 1-12-68 2-09-68 3-14-68 4-12-68 5-08-68 6-13-68 7-18-68 8-16-68 9-19-68	313.0(1) 309.0(1) 311.0(1) 308.0(1) 309.0(1) 308.0(1) 305.0(1) 296.0(1) 322.0(1) 327.0(1) 317.0(1) 315.0(1)	-195.0 -191.0 -193.0 -190.0 -191.0 -190.0 -187.0 -178.0 -204.0 -209.0 -199.0 -197.0	1200	02S/14W-04N01S	105.0	11-08-67 11-10-67 4-12-68	173.8 172.4 170.2	-68.8 -67.4 -65.2	1101
02S/13W-34D01S	126.1	10-01-67 11-05-67 12-02-67 7-05-68 8-02-68 9-08-68	113.0(5) 113.0(5) 109.0(5) 107.0(5) 107.5(5) 111.0(5)	13.1 13.1 17.1 19.1 18.6 15.1	1101	02S/14W-05C03S	80.0	11-08-67 1-16-68	151.4(5) (6)	-71.4	1101
02S/13W-34D02S	130.3	10-01-67 11-05-67 12-02-67 7-31-68	120.0(5) 118.0(5) 114.0(5) (0)	10.3 12.3 16.3	1101	02S/14W-05C04S	85.0	10-15-67 11-07-67 12-21-67 1-15-68 2-07-68 3-15-68 4-15-68 5-07-68 6-01-68 7-07-68 8-07-68 9-15-68	165.0(5) 164.0(5) 162.0(5) 163.0(5) 160.0(5) 160.0(5) 160.0(5) 160.0(5) 161.0(5) 159.0(5) 161.0(5) 159.0(5)	-80.0 -79.0 -77.0 -78.0 -75.0 -75.0 -75.0 -75.0 -76.0 -74.0 -76.0 -74.0	1101
02S/13W-34D03S	127.1	12-04-67	(6)		1101	02S/14W-05D08S	88.0	10-15-67 11-08-67 11-15-67 12-21-67 1-15-68 2-07-68 3-07-68 4-12-68 4-15-68 5-07-68 6-01-68 9-07-68	162.0(5) 160.9 164.0(5) 160.0(5) 159.0(5) 161.0(5) 162.0(5) 160.9 162.0(5) 162.0(5) 163.0(5) 159.0(5)	-74.0 -72.9 -76.0 -72.0 -71.0 -73.0 -74.0 -72.9 -74.0 -74.0 -75.0 -71.0	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA U-05.A0			U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA U-05.A0			U-05.A5		
02S/14W-10001S	132.0	12-05-67	(0)		1101	02S/14W-14F02S (CONT.)	101.0	11-29-67	171.6	-70.6	1101
02S/14W-10002S	126.3	10-24-67	196.3(5)	-70.0	1101			12-29-67	166.8(5)	-65.8	
		10-24-67	197.8	-71.5				12-29-67	171.9	-70.9	
		11-28-67	194.3(5)	-68.0				1-25-68	166.8(5)	-65.0	
		11-28-67	197.1	-70.8				1-25-68	170.9	-69.9	
		12-30-67	192.3(5)	-66.0				2-29-68	169.7	-68.7	
		12-30-67	194.9	-68.6				2-29-68	164.8(5)	-63.8	
		1-25-68	192.3(5)	-66.0				3-28-68	164.8(5)	-63.8	
		1-25-68	193.1	-66.8				3-28-68	170.9	-69.9	
		2-29-68	193.3(5)	-67.0				4-25-68	164.8(5)	-63.8	
		2-29-68	196.1	-69.8				4-25-68	170.3	-69.3	
		3-28-68	189.3(5)	-63.0				5-28-68	167.8(5)	-66.8	
		3-28-68	194.2	-67.9				5-28-68	173.8	-72.8	
		4-25-68	191.3(5)	-65.0				6-22-68	170.5	-69.5	
		4-25-68	194.9	-68.6				7-25-68	164.8(5)	-63.8	
		5-29-68	196.3(5)	-70.0				7-25-68	171.6	-70.6	
		5-29-68	199.9	-73.6				8-30-68	167.8(5)	-66.8	
		6-24-68	195.3(5)	-69.0				9-29-68	168.8(5)	-67.8	
		6-24-68	198.3	-72.0		02S/14W-15A01S	122.3	12-05-67	(0)		1101
		7-25-68	194.3(5)	-68.0		02S/14W-22N04S	141.0	10-02-67	120.0(5)	21.0	5061
		7-25-68	197.6	-71.3				11-02-67	181.5(5)	-40.5	
		8-30-68	197.3(5)	-71.0				12-01-67	180.5(5)	-39.5	
		9-29-68	196.3(5)	-70.0				12-29-67	180.5(5)	-39.5	
02S/14W-14C01S	129.9	10-25-67	195.1(5)	-65.2	1101			2-01-68	181.0(5)	-40.0	
		10-25-67	193.9	-64.0				3-01-68	181.0(5)	-40.0	
		11-28-67	193.1(5)	-63.2				4-01-68	181.5	-40.5	5050
		11-28-67	194.3	-64.4				4-01-68	181.5(6)	-40.5	5061
		12-27-67	194.1(5)	-64.2				5-02-68	180.0(5)	-39.0	
		12-27-67	194.7	-64.8				5-31-68	179.6(5)	-38.6	
		1-25-68	191.1(5)	-61.2				6-30-68	180.0(5)	-39.0	
		1-25-68	193.2	-63.3				7-31-68	180.0(5)	-39.0	
		3-02-68	191.2(5)	-61.3				9-03-68	184.0(5)	-43.0	
		3-02-68	192.1	-62.2				9-30-68	181.0(6)	-40.0	
		3-28-68	188.1(5)	-58.2		02S/14W-22P01S	155.0	10-17-67	199.6	-44.6	5050
		3-28-68	189.6	-59.7				4-01-68	199.3	-44.3	
		4-25-68	187.1(5)	-57.2		02S/14W-22P02S	160.5	10-02-67	213.5(5)	-53.0	5061
		4-25-68	187.9	-58.0				10-17-67	211.3	-50.8	5050
		4-25-68	187.9	-58.0				11-02-67	211.0(5)	-50.5	5061
		5-26-68	187.1(5)	-57.2				12-01-67	213.0(5)	-52.5	
		5-26-68	187.9	-58.0				12-29-67	213.0(5)	-52.5	
		6-25-68	186.1(5)	-56.2				2-01-68	211.0(5)	-50.5	
		6-25-68	187.1	-57.2				3-01-68	212.0(5)	-51.5	
		7-26-68	188.1(5)	-58.2				4-01-68	210.0	-49.5	5050
		7-26-68	189.9	-60.0				4-01-68	210.0(6)	-49.5	5061
		8-30-68	186.1(5)	-56.2				5-02-68	211.0(5)	-50.5	
		9-29-68	187.1(5)	-57.2				5-31-68	211.0(5)	-50.5	
02S/14W-14C02S	130.7	10-24-67	196.0(5)	-65.3	1101			6-30-68	210.0(5)	-49.5	
		10-24-67	198.1	-67.4				7-31-68	210.0(5)	-49.5	
		11-28-67	196.0(5)	-65.3				9-03-68	211.0(5)	-50.5	
		11-28-67	198.8	-68.1				9-30-68	211.0(5)	-50.5	
		12-27-67	195.0(5)	-64.3		02S/14W-22P03S	167.0	10-19-67	215.7	-48.7	5050
		12-27-67	199.8	-69.1				4-03-68	213.7	-46.7	
		1-25-68	195.0(5)	-64.3		02S/14W-22P04S	170.0	10-19-67	218.6	-48.6	5050
		1-25-68	199.2	-68.5				4-03-68	217.1	-47.1	
		2-28-68	195.0(5)	-64.3		02S/14W-23C02S	159.0	10-02-67	29.5	129.5	1101
		2-28-68	197.0	-66.3				10-06-67	26.2	132.8	
		3-28-68	194.0(5)	-63.3				10-09-67	28.8	130.2	
		3-28-68	197.2	-66.5				10-13-67	27.0	132.0	
		4-25-68	194.0(5)	-63.3				10-16-67	23.7	135.3	
		4-25-68	197.0	-66.3				10-20-67	27.5	131.5	
		5-27-68	196.0(5)	-65.3				10-23-67	26.6	132.4	
		5-27-68	200.0	-69.3				10-27-67	26.8	132.2	
		6-22-68	199.8	-69.1				10-30-67	28.6	130.4	
		7-25-68	193.0(5)	-62.3				11-03-67	25.2	133.8	
		7-25-68	198.3	-67.6				11-06-67	26.4	132.6	
		8-30-68	196.0(5)	-65.3				11-10-67	28.5	130.5	
		8-30-68	199.9	-69.2				11-13-67	26.4	132.6	
		9-29-68	196.0(5)	-65.3				11-20-67	30.0	129.0	
02S/14W-14C05S	129.7	10-24-67	191.0(5)	-61.3	1101			11-24-67	24.2	134.8	
		10-24-67	191.1	-61.4				11-27-67	24.2	134.8	
		11-28-67	188.0(5)	-58.3				12-01-67	24.3	134.7	
		11-28-67	190.3	-60.6				12-04-67	23.8	135.2	
		12-27-67	188.0(5)	-58.3				12-08-67	26.4	132.6	
		12-27-67	190.7	-61.0				12-11-67	27.2	131.8	
		1-25-68	186.0(5)	-56.3				12-15-67	29.1	129.9	
		1-25-68	188.0	-58.3				12-19-67	25.7	133.3	
		2-27-68	187.0(5)	-57.3				12-26-67	24.4	134.6	
		2-27-68	189.0	-59.3				12-29-67	26.6	132.4	
		3-28-68	185.0(5)	-55.3				1-02-68	129.6	29.4	
		3-28-68	187.8	-58.1				1-02-68	28.9	130.1	
		4-24-68	188.0(5)	-58.3				1-08-68	22.7	136.3	
		4-24-68	188.8	-59.1				1-12-68	26.1	132.9	
		5-26-68	192.0(5)	-62.3				1-15-68	28.1	130.9	
		5-26-68	192.8	-63.1				1-15-68	28.1	130.9	
		6-22-68	191.8	-62.1				1-19-68	28.4	130.6	
		7-26-68	189.0(5)	-59.3				1-22-68	29.0	130.0	
		7-26-68	189.8	-60.1				1-26-68	26.2	132.8	
		8-30-68	194.0(5)	-64.3				1-29-68	23.7	135.3	
		9-29-68	193.0(5)	-63.3				2-02-68	27.7	131.3	
02S/14W-14F02S	101.0	10-24-67	167.8(5)	-66.8	1101			2-05-68	27.7	131.3	
		10-24-67	172.5	-71.5				2-13-68	27.1	131.9	
		11-29-67	165.8(5)	-64.8							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
02S/14W-23C02S (CONT.)	159.0	2-19-68	31.2	127.8	1101	03S/11W-01P01S (CONT.)	264.0	3-25-68	198.5	65.5	1101
		3-04-68	33.5	125.5				5-15-68	196.5	67.5	
		3-11-68	29.3	129.7				9-19-68	196.5	67.5	
		3-18-68	25.3	133.7		03S/11W-01P02S	266.0	11-15-67	40.0(5)	226.0	1101
		3-25-68	29.2	129.8				1-29-68	33.0(5)	233.0	
		4-22-68	24.7	134.3				3-25-68	32.0(5)	234.0	
		5-27-68	30.4	128.6				5-15-68	31.0(5)	235.0	
		6-24-68	35.0	124.0				7-17-68	33.0(5)	233.0	
		8-26-68	DRY					9-19-68	33.0(5)	233.0	
		9-23-68	DRY								
02S/14W-23H02S	136.7	10-13-67	241.5(1)	-104.8	1200	03S/11W-02K01S	216.0	11-15-67	181.0(5)	35.0	1101
		11-16-67	239.5(1)	-102.8				1-29-68	180.0(5)	36.0	
		12-13-67	239.5(1)	-102.8				3-25-68	178.0(5)	38.0	
		1-12-68	239.5(1)	-102.8				5-16-68	167.0(5)	49.0	
		2-15-68	239.5(1)	-102.8				7-17-68	170.0(5)	46.0	
		3-14-68	239.5(1)	-102.8				9-19-68	178.0(5)	38.0	
		4-12-68	239.5(1)	-102.8		03S/11W-02Q01S	214.0	11-15-67	167.0(5)	47.0	1101
		5-17-68	239.5(1)	-102.8				1-29-68	166.0(5)	48.0	
		6-19-68	239.5(1)	-102.8				3-25-68	161.0(5)	53.0	
		7-11-68	239.5(1)	-102.8				5-16-68	159.0(5)	55.0	
		8-16-68	239.5(1)	-102.8				9-17-68	173.0(5)	41.0	
		9-13-68	239.5(1)	-102.8							
02S/14W-23H03S	136.0	10-04-67	(1)		1200	03S/11W-04M02S	150.0	11-06-67	43.9	106.1	1101
		11-02-67	(1)					4-16-68	44.2	105.8	
		12-06-67	(1)			03S/11W-05H03S	161.5	10-23-67	52.0	109.5	1101
		1-04-68	(1)					11-27-67	51.9	109.6	
		2-07-68	(1)					12-26-67	51.7	109.8	
		3-05-68	(1)					1-22-68	51.7	109.8	
		4-05-68	(1)					2-26-68	51.7	109.8	
		5-03-68	(1)					3-25-68	52.9	108.6	
		6-07-68	(1)					4-22-68	51.8	109.7	
		7-03-68	(1)					5-27-68	51.9	109.6	
		8-02-68	(1)					6-24-68	52.2	109.3	
		9-04-68	(1)					7-22-68	52.7	108.8	
02S/14W-23H06S	135.7	10-13-67	257.6(1)	-121.9	1200			8-26-68	52.7	108.8	
		11-16-67	256.6(1)	-120.9				9-23-68	52.4	109.1	
		12-13-67	255.0(1)	-119.3		03S/11W-05H03S	161.0	11-15-67	55.0	106.0	1101
		1-12-68	255.0(1)	-119.3				1-26-68	55.0	106.0	
		2-15-68	255.6(1)	-119.9				3-25-68	53.0	108.0	
		3-14-68	257.0(1)	-121.3				5-15-68	55.0	106.0	
		4-12-68	257.0(1)	-121.3				7-17-68	56.0	105.0	
		5-17-68	257.0(1)	-121.3				9-19-68	54.0	107.0	
		6-19-68	257.5(1)	-121.8		03S/11W-05N04S	151.0	11-06-67	96.7	54.3	1101
		8-16-68	201.0(5)	-65.3							
		9-19-68	262.0(1)	-126.3		03S/11W-05R02S	171.0	10-23-67	81.8	89.2	1101
02S/14W-24G01S	138.6	11-06-67	102.8	35.8	1101			11-27-67	81.5	89.5	
		4-10-68	101.1	37.5				1-22-68	(2)		
02S/14W-27C01S	158.6	10-19-67	(9)		5050			1-24-68	(2)		
		4-03-68	(9)					2-26-68	81.0	90.0	
02S/14W-27C07S	165.0	10-19-67	(9)		5050			3-25-68	80.6	90.4	
		4-03-68	(9)					4-22-68	81.2	89.8	
02S/14W-27C09S	158.0	10-19-67	219.2	-61.2	5050			5-27-68	80.6	90.4	
		4-03-68	208.5	-50.5				6-24-68	80.9	90.1	
02S/14W-27D04S	173.0	10-02-67	222.5(5)	-49.5	5061	03S/11W-07B02S	123.0	10-23-67	89.8	33.2	1101
		10-17-67	227.9	-54.9	5050			11-27-67	88.8	34.2	
		11-02-67	228.0(5)	-55.0	5061			12-26-67	89.2	33.8	
		12-01-67	223.0(5)	-50.0				1-22-68	88.9	34.1	
		12-29-67	222.5(5)	-49.5				2-26-68	88.3	34.7	
		2-01-68	221.5(5)	-48.5				3-25-68	90.9	32.1	
		3-01-68	221.5(5)	-48.5				4-22-68	88.4	34.6	
		4-01-68	222.0	-49.0	5050			5-27-68	88.5	34.5	
		4-01-68	222.2(6)	-49.2	5061			6-24-68	89.2	33.8	
		5-02-68	222.0(5)	-49.0				7-22-68	89.6	33.4	
		5-31-68	222.5(5)	-49.5				8-26-68	89.9	33.1	
		6-30-68	221.5(5)	-48.5				9-23-68	90.2	32.8	
		7-31-68	221.5(5)	-48.5		03S/11W-07C08S	116.0	11-16-67	207.0(1)	-91.0	1101
		9-03-68	220.5(5)	-47.5				1-29-68	78.0(5)	38.0	
		9-30-68	220.5(5)	-47.5				3-25-68	78.0(5)	38.0	
02S/14W-27D07S	141.0	10-02-67	113.4(5)	27.6	5061			5-13-68	82.0(5)	34.0	
		10-17-67	188.2	-47.2	5050			7-17-68	223.0(1)	-107.0	
		11-02-67	188.4(6)	-47.4	5061			9-25-68	83.0(5)	33.0	
		12-01-67	188.4(5)	-47.4		03S/11W-07E01S	116.0	10-21-67	94.1(5)	21.9	1101
		12-29-67	194.4(5)	-53.4				11-15-67	93.1(5)	22.9	
		2-01-68	194.4(5)	-53.4				12-15-67	91.1(5)	24.9	
		3-01-68	194.4(5)	-53.4				1-15-68	88.1(5)	27.9	
		4-01-68	190.5	-49.5	5050			2-15-68	88.1(5)	27.9	
		4-01-68	190.7(6)	-49.7	5061			3-15-68	89.1(5)	26.9	
		5-02-68	193.4(5)	-52.4				4-15-68	90.1(5)	25.9	
		5-31-68	192.4(5)	-51.4				5-07-68	91.1(5)	24.9	
		6-30-68	192.0(5)	-51.0				6-01-68	92.1(5)	23.9	
		7-31-68	191.4(5)	-50.4				7-15-68	94.1(5)	21.9	
		9-03-68	192.4(5)	-51.4				8-07-68	92.1(5)	23.9	
		9-30-68	190.4(6)	-49.4				9-15-68	93.1(5)	22.9	
03S/11W-01P01S	264.0	10-02-67	213.5	50.5	1101	03S/11W-07E02S	117.0	10-15-67	90.0(5)	27.0	1101
		11-01-67	202.5	61.5				11-15-67	90.0(5)	27.0	
		11-15-67	206.5	57.5				12-15-67	86.0(5)	31.0	
		11-30-67	201.5	62.5							
		1-29-68	201.5	62.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/11W-07E02S (CONT.)	117.0	1-15-68 84.0(5) 2-15-68 86.0(5) 3-15-68 86.0(5) 4-15-68 85.0(5) 5-07-68 88.0(5) 6-01-68 86.0(5) 8-21-68 89.0(5) 9-07-68 94.0(5)	33.0 31.0 31.0 32.0 29.0 31.0 28.0 23.0	1101		03S/11W-10N02S (CONT.)	145.0	4-22-68 (2) 5-27-68 75.2 6-24-68 71.5 7-22-68 71.2 8-26-68 76.6 9-23-68 75.2	69.8 73.5 73.8 68.4 69.8	1101	
03S/11W-07H02S	125.0	11-06-67 92.4 4-16-68 95.0	32.6 30.0	1101		03S/11W-13D01S	283.6	12-30-67 267.2 2-12-68 259.2 4-22-68 255.2 6-29-68 253.2	16.4 24.4 28.4 30.4	1101	
03S/11W-07J01S	125.0	10-23-67 107.9 11-27-67 108.6 12-26-67 108.1 1-22-68 108.0 4-22-68 106.7 5-28-68 106.8 6-24-68 106.1 8-26-68 106.8 9-23-68 107.2	17.1 16.4 16.9 17.0 18.3 18.2 18.9 18.2 17.8	1733		03S/11W-14B01S	237.0	11-06-67 (2) 4-16-68 (2)		1101	
						03S/11W-14H04S	268.5	11-06-67 224.1 4-16-68 232.3	44.4 36.2	1101	
						03S/11W-14N02S	161.5	11-06-67 130.9 4-16-68 138.8(4)	30.6 22.7	1101	
03S/11W-07P02S	109.0	10-05-67 89.1 10-26-67 88.9 11-16-67 89.4 12-07-67 88.6 12-28-67 88.2 1-18-68 88.3 2-08-68 86.9 2-29-68 86.2 3-21-68 85.9 4-11-68 87.5 5-02-68 86.8 6-13-68 89.2	19.9 20.1 19.6 20.4 20.8 20.7 22.1 22.8 23.1 21.5 22.2 19.8	1733		03S/11W-14R02S	220.0	11-06-67 172.3 4-16-68 167.4	47.7 52.6	1101	
						03S/11W-15G01S	161.0	11-06-67 117.7 12-30-67 144.0 2-10-68 144.0 4-16-68 141.0 4-16-68 114.0 6-22-68 138.0	43.3 17.0 17.0 20.0 47.0 23.0	1101	
						03S/11W-15P01S	125.0	10-03-67 88.5(5) 11-01-67 90.5(5) 11-30-67 86.5(5) 12-28-67 89.5(5) 2-01-68 91.5(5) 3-01-68 86.5(5) 4-01-68 86.5(5) 5-01-68 86.5(5) 6-03-68 92.5(5)	36.5 34.5 38.5 35.5 33.5 38.5 38.5 38.5 32.5	1101	
03S/11W-07P03S	107.5	11-06-67 88.4 4-16-68 86.5 7-04-68 90.9 7-25-68 94.1 8-15-68 90.3 9-05-68 91.4 9-26-68 95.6	19.1 21.0 16.6 13.4 17.2 16.1 11.9	1101 1733		03S/11W-16B01S	103.0	10-02-67 91.4 11-06-67 91.8 12-04-67 91.1 1-02-68 90.7 2-05-68 90.7 3-03-68 89.3 4-02-68 91.7 5-06-68 92.3 6-03-68 89.3 7-02-68 95.1 8-06-68 95.0 9-03-68 93.5	11.6 11.2 11.9 12.3 12.3 13.7 11.3 10.7 13.7 7.9 8.0 9.5	1101	
03S/11W-08H01S	160.0	10-15-67 136.5(5) 11-15-67 145.5(5) 12-01-67 141.5(5) 1-15-68 137.5(5) 2-21-68 132.5(5) 3-21-68 138.5(5) 4-15-68 133.5(5) 5-07-68 126.5(5) 6-01-68 127.5(5) 7-15-68 131.5(5) 8-21-68 133.5(5) 9-15-68 135.5(5)	23.5 14.5 18.5 22.5 27.5 21.5 26.5 33.5 32.5 28.5 26.5 24.5	1101		03S/11W-16F01S	110.0	11-06-67 100.4 4-16-68 (3)	9.6	1101	
03S/11W-09G01S	154.0	11-06-67 (1) 11-08-67 110.5(4) 4-16-68 117.2(1)	43.5 36.8	1101		03S/11W-16F03S	110.0	11-06-67 94.8 4-16-68 89.8	15.2 20.2	1101	
03S/11W-09J01S	114.0	11-06-67 74.2 4-16-68 79.4 4-16-68 79.4	39.8 34.6 34.6	1101		03S/11W-16H02S	105.0	10-03-67 100.5(5) 10-31-67 104.5(5) 11-28-67 99.5(5) 1-03-68 98.5(5) 2-27-68 105.5(5) 4-03-68 104.5(5) 7-02-68 100.5(5) 9-03-68 98.5(5)	4.5 .5 5.5 6.5 -5 .5 4.5 6.5	1101	
03S/11W-09N01S	99.0	10-23-67 86.9 11-27-67 87.5 12-26-67 86.7 1-22-68 87.0 4-22-68 87.5 5-28-68 88.6 6-24-68 87.5 8-26-68 87.9 9-23-68 87.7	12.1 11.5 12.3 12.0 11.5 10.4 11.5 11.1 11.3	1733		03S/11W-16M02S	90.0	4-16-68 70.5(4)	19.5	1101	
						03S/11W-17M03S	96.0	10-03-67 96.5(5) 10-31-67 94.5(5) 11-28-67 96.5(5) 1-03-68 90.5(5) 2-27-68 99.5(5) 4-03-68 109.5(5) 5-01-68 97.5(5) 6-04-68 94.5(5) 7-02-68 95.5(5) 7-31-68 96.5(5) 9-03-68 98.5(5)	-5 1.5 -5 5.5 -3.5 -13.5 -1.5 1.5 .5 -5 -2.5	1101	
03S/11W-10N01S	144.0	10-06-67 109.1 10-27-67 109.6 11-17-67 109.1 12-08-67 97.5 12-29-67 93.9 1-19-68 93.1 2-09-68 95.1 3-01-68 96.2 3-22-68 98.3 4-12-68 101.6 5-03-68 102.1 6-14-68 106.9 7-26-68 113.4 8-16-68 111.6 9-06-68 107.6 9-27-68 108.4	34.9 34.4 34.9 46.5 50.1 50.9 48.9 47.8 45.7 42.4 41.9 37.1 30.6 32.4 36.4 35.6	1733		03S/11W-18B04S	88.0	10-16-67 99.2(5) 11-30-67 90.2(5) 12-21-67 90.2(5) 1-15-68 95.2(5) 2-15-68 94.2(5) 3-15-68 95.2(5) 4-15-68 99.2(5) 6-15-68 100.2(5) 7-15-68 99.2(5) 8-15-68 97.2(5) 9-19-68 95.2(5)	-11.2 -2.2 -2.2 -7.2 -6.2 -7.2 -11.2 -12.2 -11.2 -9.2 -7.2	1101	
03S/11W-10N02S	145.0	10-23-67 82.5 11-27-67 81.7 12-26-67 79.4 12-26-67 (3) 1-22-68 75.5 2-26-68 71.8 3-25-68 (4)	62.5 63.3 65.6 69.5 73.2	1101		03S/11W-18G04S	102.0	10-21-67 95.0(5) 11-15-67 93.0(5) 12-15-67 89.0(5)	7.0 9.0 13.0	1101	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/11W-18G04S (CONT.)	102.0	1-15-68 89.0(5) 2-15-68 88.0(5) 3-15-68 88.0(5) 4-15-68 89.0(5) 5-15-68 92.0(5) 6-21-68 92.0(5) 7-15-68 95.0(5) 8-15-68 94.0(5) 9-15-68 94.0(5)	13.0 14.0 14.0 13.0 10.0 10.0 7.0 8.0 8.0	1101		03S/11W-19E02S	86.0	10-31-67 102.2(5) 11-28-67 103.2(5) 1-03-68 98.2(5) 2-27-68 113.2(5) 4-30-68 101.2(5) 6-04-68 98.2(5) 7-30-68 102.2(5) 9-03-68 101.2(5)	-16.2 -17.2 -12.2 -27.2 -15.2 -12.2 -16.2 -15.2	1101	
03S/11W-18G05S	100.5	10-07-67 91.5(5) 11-21-67 90.5(5) 12-15-67 89.5(5) 1-07-68 95.5(5) 2-15-68 89.5(5) 3-21-68 89.5(5) 4-21-68 83.5(5) 5-15-68 93.5(5) 7-07-68 94.5(5) 8-15-68 97.5(5) 9-15-68 92.5(5)	9.0 10.0 11.0 5.0 11.0 11.0 17.0 7.0 6.0 3.0 8.0	1101		03S/11W-19J02S	76.5	10-31-67 70.0(5) 11-28-67 75.0(5) 1-03-68 70.0(5) 2-27-68 75.0(5) 4-03-68 70.0(5) 5-01-68 70.0(5) 6-04-68 72.0(5) 7-02-68 71.0(5) 9-03-68 96.0(5)	6.5 1.5 6.5 1.5 6.5 6.5 4.5 5.5 -19.5	1101	
03S/11W-18L01S	96.0	10-16-67 92.4(5) 11-22-67 91.4(5) 12-21-67 86.4(5) 1-15-68 108.4(5) 2-15-68 107.4(5) 3-15-68 111.4(5) 4-15-68 109.4(5) 5-15-68 112.4(5) 6-15-68 110.4(5) 7-15-68 109.4(5) 8-15-68 106.4(5) 9-19-68 103.4(5)	3.6 4.6 9.6 -12.4 -11.4 -15.4 -13.4 -16.4 -14.4 -13.4 -10.4 -7.4	1101		03S/11W-19Q01S	71.0	10-31-67 93.5(5) 11-28-67 92.5(5) 1-03-68 95.5(5) 2-27-68 93.5(5) 4-03-68 113.5(5) 5-01-68 79.5(5) 6-04-68 78.5(5) 7-02-68 80.5(5) 9-03-68 79.5(5)	-22.5 -21.5 -24.5 -22.5 -42.5 -8.5 -7.5 -9.5 -8.5	1101	
03S/11W-18L02S	95.5	10-16-67 85.8(5) 11-22-67 83.8(5) 12-21-67 83.8(5) 1-15-68 98.8(5) 2-15-68 103.8(5) 3-15-68 100.8(5) 4-15-68 108.8(5) 5-15-68 101.8(5) 6-15-68 91.8(5) 8-15-68 97.8(5) 9-19-68 100.8(5)	9.7 11.7 11.7 -3.3 -8.3 -5.3 -13.3 -6.3 3.7 -2.3 -5.3	1101		03S/11W-20A01S	82.0	11-14-67 81.0 4-17-68 76.7 8-12-68 (6)	1.0 5.3	1101	
03S/11W-18M01S	96.0	10-03-67 92.0(5) 10-31-67 97.0(5) 11-28-67 93.0(5) 1-03-68 89.0(5) 2-27-68 134.0(5) 4-02-68 132.0(5) 5-03-68 120.0(5) 6-04-68 94.6(5) 7-30-68 90.0(5) 9-03-68 91.0(5)	4.0 -1.0 3.0 7.0 -38.0 -36.0 -24.0 1.4 6.0 5.0	1101		03S/11W-20C01S	80.0	10-30-67 88.0(5) 11-28-67 83.0(5) 1-03-68 84.0(5) 2-27-68 85.0(5) 4-03-68 59.0(5) 5-01-68 58.0(5) 6-04-68 59.0(5) 7-02-68 61.0(5) 9-03-68 79.0(5)	-8.0 -3.0 -4.0 -5.0 21.0 22.0 21.0 19.0 1.0	1101	
03S/11W-18Q04S	93.5	10-06-67 91.1 10-27-67 90.6 11-17-67 90.4 12-08-67 90.5 12-29-67 90.2 1-19-68 90.3 2-09-68 90.1 3-01-68 90.2 3-22-68 90.3 4-12-68 89.6 5-03-68 89.9 6-14-68 90.3 8-16-68 89.4 9-06-68 87.9 9-27-68 88.2	2.4 2.9 3.1 3.0 3.3 3.2 3.4 3.3 3.2 3.9 3.6 3.2 4.1 5.6 5.3	1733		03S/11W-20F01S	79.0	11-07-67 83.5 4-10-68 76.9	-4.5 2.1	1101	
03S/11W-19A02S	87.0	10-03-67 97.5(5) 10-31-67 96.5(5) 11-28-67 89.5(5) 1-03-68 94.5(5) 2-27-68 94.5(5) 4-03-68 91.5(5) 6-04-68 87.5(5) 7-02-68 89.5(5) 7-30-68 92.5(5) 9-03-68 99.5(5)	-10.5 -9.5 -2.5 -7.5 -7.5 -4.5 -5 -2.5 -5.5 -12.5	1101		03S/11W-20J01S	77.0	11-07-67 89.0 11-07-67 87.5(4) 4-10-68 (6) 4-10-68 86.0(4)	-12.0 -10.5 -9.0	1101	
03S/11W-19A03S	87.0	10-03-67 99.0(5) 10-31-67 104.0(5) 11-28-67 102.0(5) 1-03-68 89.0(5) 2-28-68 104.0(5) 4-03-68 84.0(5) 6-04-68 82.0(5) 7-02-68 81.0(5) 7-30-68 80.0(5) 9-03-68 79.0(5)	-12.0 -17.0 -15.0 -2.0 -17.0 3.0 5.0 6.0 7.0 8.0	1101		03S/11W-21B01S	92.0	11-06-67 DRY 4-16-68 DRY		1101	
03S/11W-19A04S	87.7	11-06-67 DRY 4-16-68 DRY		1101		03S/11W-21D03S	81.4	11-06-67 79.7 4-16-68 78.5	1.7 2.9	1101	
						03S/11W-21N04S	75.0	11-07-67 80.5 4-10-68 78.4	-5.5 -3.4	1101	
						03S/11W-22K01S	83.0	4-15-68 47.7 4-29-68 75.8(5) 6-22-68 78.8(5)	35.3 7.2 4.2	1101	
						03S/11W-22L01S	85.0	12-21-67 58.5(5) 2-22-68 56.5(5) 4-15-68 45.0 4-29-68 53.5(5)	26.5 28.5 40.0 31.5	1101	
						03S/11W-27G03S	64.0	10-24-67 54.1 11-08-67 56.1 11-14-67 52.4 12-14-67 48.6 1-08-68 50.4 2-08-68 46.0 3-07-68 45.5 4-15-68 48.3 4-17-68 49.5 5-06-68 52.0 6-17-68 67.2 7-19-68 68.8 9-12-68 69.0	9.9 7.9 11.6 15.4 13.6 18.0 18.5 15.7 14.5 12.0 -3.2 -4.8 -5.0	5102 1101 5102	
						03S/11W-27R02S	65.1	10-24-67 73.4 11-14-67 65.6 12-14-67 53.8 1-08-68 48.9 2-08-68 51.3 3-07-68 59.2 4-17-68 58.4 5-06-68 59.5 6-17-68 66.2 7-19-68 69.8 9-12-68 72.3	-8.3 -5 11.3 16.2 13.8 5.9 6.7 5.6 -1.1 -4.7 -7.2	5102	
						03S/11W-28B02S	63.0	11-07-67 67.3 4-10-68 64.8	-4.3 -1.8	1101	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/11W-28K01S	62.0	11-07-67 4-10-68	68.8 65.7	-6.8 -3.7	1101	03S/11W-32R03S (CONT.)	46.2	11-16-67 12-07-67 12-28-67 1-18-68 2-08-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 9-05-68 9-26-68	59.8 53.3 52.5 48.9 49.3 49.5 49.6 49.4 59.1 62.2 63.4 61.9	-13.6 -7.1 -6.3 -2.7 -3.1 -3.3 -3.4 -3.2 -12.9 -16.0 -17.2 -15.7	1733
03S/11W-28L01S	65.0	11-07-67 4-10-68	68.1 65.3	-3.1 -3.3	1101						
03S/11W-28N01S	62.5	10-05-67 10-26-67 11-16-67 12-07-67 12-28-67 1-18-68 2-08-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 7-04-68 7-25-68 8-15-68 9-05-68 9-26-68	70.6 70.2 69.8 63.8 63.2 60.4 60.6 60.9 62.0 62.4 66.4 68.6 70.5 70.7 68.6 69.4 68.7	-8.1 -7.7 -7.3 -1.3 -0.7 2.1 1.9 1.6 0.5 0.1 -3.9 -6.1 -8.0 -8.2 -6.1 -6.9 -6.2	1733	03S/11W-32R04S	47.0	11-07-67 4-10-68	63.3 54.9	-16.3 -7.9	1101
						03S/11W-32R06S	47.0	10-24-67 11-14-67 12-14-67 1-08-68 2-08-68 3-07-68 4-17-68 5-06-68 6-17-68 7-19-68 9-12-68	72.0 61.1 43.0 39.8 51.1 54.0 56.1 57.9 63.9 65.6 69.1	-25.0 -14.1 4.0 7.2 -4.1 -7.0 -9.1 -10.9 -16.9 -18.6 -22.1	5102
03S/11W-28P02S	59.7	11-14-67 12-14-67 1-08-68 2-08-68 3-07-68 4-17-68 5-06-68 6-17-68 7-19-68 9-12-68	69.2 66.4 65.7 61.1 61.0 62.2(12) 62.9(12) 66.7 68.3 68.9	-9.5 -6.7 -6.0 -1.4 -1.3 -2.5 -3.2 -7.0 -8.6 -9.2	5102	03S/11W-33B02S	57.0	11-07-67 4-10-68	68.1 57.1	-11.1 -0.1	1101
03S/11W-29R01S	65.0	11-08-67 4-10-68	69.5 66.6	-4.5 -1.6	1101	03S/12W-01A04S	130.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-24-68 7-22-68 8-26-68 9-23-68	60.2 60.0 59.5 59.5 59.6 59.3 61.4 63.1 61.6 64.5 62.7	69.8 70.0 70.5 70.5 70.4 70.7 70.5 68.6 66.9 68.4 65.5 67.3	1101
03S/11W-29R02S	57.0	11-08-67 4-15-68	71.0(3) 85.0(6)	-14.0 -28.0	1101						
03S/11W-30D01S	71.0	11-08-67 4-15-68	77.7 69.8	-6.7 1.2	1101	03S/12W-01A06S	136.0	10-06-67 10-16-67 11-27-67 12-18-67 1-08-68 1-29-68 2-08-68 2-19-68 3-11-68 4-01-68 4-22-68 5-13-68 6-03-68 6-24-68 8-05-68 8-26-68 9-16-68	64.6 63.9 64.8 64.4 64.2 64.1 64.0 63.7 63.9 64.0 64.3 64.8 65.5 66.6 67.1 67.5	71.4 72.1 71.2 71.6 71.8 71.9 72.0 72.3 72.1 72.0 71.7 71.2 70.5 69.4 68.9 68.5	1733
03S/11W-30K02S	65.0	11-08-67 4-15-68	73.8 65.1	-8.8 -8.1	1101						
03S/11W-30P02S	56.5	10-21-67 11-15-67 12-07-67 12-21-67 1-21-68 2-15-68 3-15-68 4-21-68 5-15-68 6-01-68 7-21-68 8-07-68	110.8(1) 101.8(1) 60.3 94.3(1) 93.8(1) 95.8(1) 96.8(1) 99.8(1) 105.8(1) 105.8(1) 76.3 74.8(5)	-54.3 -45.3 -3.8 -37.8 -37.3 -39.3 -40.3 -43.3 -49.3 -49.3 -19.8 -18.3	1101	03S/12W-01B01S	128.5	11-08-67 4-16-68	72.7 71.0	55.8 57.5	1101
03S/11W-31C02S	58.0	10-05-67 10-26-67 11-16-67 12-07-67 12-28-67 1-18-68 2-08-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 7-04-68 7-25-68 8-15-68 9-05-68 9-26-68	72.5 71.9 69.7 61.0 62.7 62.0 62.6 63.0 63.4 63.2 64.2 73.6 79.3 75.0 73.4 71.3 70.9	-14.5 -13.9 -11.7 -3.0 -4.7 -4.0 -4.6 -5.0 -5.4 -5.2 -6.2 -15.6 -21.3 -17.0 -15.4 -13.3 -12.9	1733	03S/12W-01F06S	127.6	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-24-68 7-22-68 8-26-68 9-23-68	73.5 72.5 70.7 70.7 72.7 72.2 71.5 73.4 75.4 75.5 77.0 74.6	54.1 55.1 56.9 56.9 54.9 55.4 56.1 54.2 52.2 52.1 50.6 53.0	1101
03S/11W-31M03S	51.5	10-15-67 11-15-67 12-21-67 1-15-68 2-15-68 3-15-68 4-21-68 5-15-68 6-01-68 8-15-68 9-07-68	64.0(5) 66.0(5) 53.0(5) 50.0(5) 49.0(5) 51.0(5) 64.0(5) 66.0(5) 70.0(5) 74.0(5) 63.0(5)	-12.5 -14.5 -1.5 1.5 2.5 0.5 -12.5 -14.5 -18.5 -22.5 -11.5	1101	03S/12W-01K01S	125.0	10-02-67 11-01-67 11-30-67 12-27-67 2-01-68 3-01-68 4-01-68 5-01-68 6-03-68 7-17-68 9-25-68	75.0 75.0 65.0 64.0(5) 70.0(5) 76.0(5) 76.0(5) 75.0(5) 77.0(5) 95.0(1) 95.0(1)	50.0 50.0 60.0 61.0 55.0 49.0 49.0 50.0 48.0 30.0 30.0	1101
03S/11W-32A01S	60.0	11-07-67	(6)		1101	03S/12W-01K02S	122.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 3-29-68 4-22-68	75.3 76.0 75.4 75.1 75.2 (9) 74.6 (9)	46.7 46.0 46.6 46.9 46.8 47.4	1101
03S/11W-32K02S	50.0	11-07-67 4-10-68	64.0 56.6	-14.0 -6.6	1101						
03S/11W-32R03S	46.2	10-06-67 10-26-67	61.8 62.2	-15.6 -16.0	1733						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-01K02S (CONT.)	122.0	4-22-68 75.7 5-27-68 75.0 6-24-68 75.6 7-22-68 76.4 8-26-68 (5) 8-30-68 77.5 9-23-68 77.9	46.3 47.0 46.4 45.6	1101		03S/12W-03M01S (CONT.)	113.0	12-30-67 81.0 1-01-68 82.0 3-01-68 84.0 4-01-68 91.0 5-01-68 89.0	32.0 31.0 29.0 22.0 24.0	1101	
03S/12W-01L03S	120.0	10-23-67 77.2 11-23-67 74.5 12-26-67 72.6 1-22-68 73.3 2-26-68 73.3 3-25-68 73.7 4-22-68 74.6 5-27-68 76.8 6-25-68 78.3 8-27-68 80.6 9-24-68 79.0	42.8 45.5 47.4 46.7 46.7 46.3 45.4 43.2 41.7 39.4 41.0	1101		03S/12W-04D02S	113.0	10-30-67 105.0(5) 11-30-67 86.0(5) 12-30-67 84.0(5) 1-01-68 84.0(5) 2-01-68 85.0(5) 3-01-68 85.0(5) 4-01-68 78.0(5) 5-01-68 90.0(5)	8.0 27.0 29.0 29.0 28.0 28.0 35.0 23.0	1101	
03S/12W-01M04S	119.0	10-23-67 79.3 11-27-67 79.9 12-26-67 74.6 1-22-68 75.3 2-26-68 75.4 3-25-68 75.5 4-22-68 76.5 5-27-68 79.1 6-25-68 82.0 9-24-68 84.2	39.7 39.1 44.4 43.7 43.6 43.5 42.5 39.9 37.0 34.8	1101		03S/12W-04P01S	110.0	10-23-67 78.4 11-27-67 78.1 12-26-67 77.9 1-22-68 77.6 2-26-68 77.0 3-25-68 76.8 4-22-68 76.3 5-27-68 76.2 6-25-68 77.5 7-23-68 77.5 8-27-68 77.5 9-24-68 76.7	31.6 31.9 32.1 32.4 33.0 33.2 33.7 33.8 32.5 32.5 32.5 33.3	1101	
03S/12W-01N05S	118.0	11-16-67 82.5 1-29-68 81.5 3-25-68 79.5 5-13-68 79.5 9-25-68 109.5(1)	35.5 36.5 38.5 38.5 8.5	1101		03S/12W-04Q02S	112.0	10-30-67 93.0 11-30-67 87.0 12-30-67 90.0 1-01-68 87.0 2-01-68 88.0 3-01-68 87.0 4-01-68 93.0 5-01-68 99.0 6-01-68 102.0 7-01-68 103.0	19.0 25.0 22.0 25.0 24.0 25.0 19.0 13.0 10.0 9.0	1101	
03S/12W-02C02S	130.0	10-23-67 68.3 11-27-67 70.2 12-26-67 69.0 1-22-68 68.7 2-26-68 68.6 3-25-68 68.1 4-22-68 67.9 5-27-68 69.0 6-25-68 76.9 8-27-68 71.0 9-24-68 69.0	61.7 59.8 61.0 61.3 61.4 61.9 62.1 61.0 53.1 59.0 61.0	1101		03S/12W-05A01S	109.0	10-30-67 115.0(5) 11-27-67 109.0(5) 1-02-68 107.0(5) 2-26-68 95.0(5) 4-01-68 89.0(5) 4-30-68 92.0(5) 6-03-68 93.0(5) 7-01-68 91.0(5) 7-29-68 92.0(5) 9-03-68 97.0(5) 9-30-68 95.0(5)	-6.0 .0 2.0 14.0 20.0 17.0 16.0 18.0 17.0 12.0 14.0	1101	
03S/12W-02F01S	127.5	11-22-67 77.6 4-16-68 74.3	49.9 53.2	1101		03S/12W-05B06S	108.0	10-30-67 70.5(5) 11-27-67 73.5(5) 1-02-68 73.5(5) 2-26-68 71.5(5) 4-01-68 72.5(5) 4-30-68 71.5(5) 6-03-68 72.5(5) 7-01-68 72.5(5) 7-29-68 71.5(5) 9-03-68 73.5(5) 9-30-68 72.5(5)	37.5 34.5 34.5 36.5 35.5 36.5 35.5 35.5 36.5 34.5 35.5	1101	
03S/12W-02H04S	119.5	10-03-67 107.0(5) 10-30-67 109.0(5) 11-28-67 108.0(5) 1-02-68 121.0(5) 2-27-68 167.0(5) 4-30-68 178.0(5) 6-04-68 179.0(5) 7-01-68 183.0(5) 7-29-68 181.0(5) 9-03-68 180.1(5)	12.5 10.5 11.5 -1.5 -47.5 -58.5 -59.5 -63.5 -61.5 -60.6	1101		03S/12W-05D02S	105.0	10-23-67 76.8 11-27-67 75.4 12-26-67 74.7 1-22-68 75.1 2-26-68 74.2 3-25-68 73.9 4-22-68 74.2 5-27-68 74.7 6-25-68 78.9 8-27-68 77.5 9-24-68 76.0	28.2 29.6 30.3 29.9 30.8 31.1 30.8 30.3 26.1 27.5 29.0	1101	
03S/12W-02L01S	116.0	10-30-67 94.0(5) 11-30-67 84.0(5) 12-30-67 74.0(5) 1-01-68 82.0(5) 2-01-68 82.0(5) 4-16-68 82.1(3) 5-01-68 82.0(5) 6-01-68 84.0(5) 7-01-68 79.0(5)	22.0 32.0 42.0 34.0 34.0 33.9 34.0 32.0 37.0	1101		03S/12W-05M06S	105.5	10-23-67 73.1 11-27-67 73.5 12-26-67 72.1 1-22-68 71.9 2-26-68 71.6 3-25-68 71.1 4-22-68 71.1 5-27-68 70.8 6-25-68 71.5	32.4 32.0 33.4 33.6 33.9 34.4 34.4 34.7 34.0	1101	
03S/12W-02R01S	115.5	10-15-67 86.0(5) 11-15-67 84.0(5) 12-15-67 80.0(5) 1-15-68 77.0(5) 2-15-68 77.0(5) 3-15-68 77.0(5) 4-21-68 85.0(5) 5-15-68 81.0(5) 6-01-68 84.0(5) 8-15-68 84.0(5) 9-15-68 83.0(5)	29.5 31.5 35.5 38.5 38.5 38.5 30.5 34.5 31.5 31.5 32.5	1101		03S/12W-05M01S	99.0	10-30-67 68.5(5) 11-28-67 71.5(5) 1-02-68 65.5(5) 2-26-68 163.5(5) 4-29-68 172.5(5) 6-03-68 172.5(5) 7-01-68 174.5(5) 9-03-68 190.5(5) 9-30-68 187.5(5)	30.5 27.5 33.5 -64.5 -73.5 -73.5 -75.5 -91.5 -88.5	1101	
03S/12W-03J01S	118.0	10-30-67 80.0 11-12-67 81.2 11-30-67 81.0 1-01-68 81.0(5) 2-01-68 78.0(5) 3-01-68 76.0(5) 4-01-68 76.0(5) 4-16-68 80.8 5-01-68 80.0(5) 7-01-68 82.0(5)	38.0 36.8 37.0 37.0 40.0 42.0 42.0 37.2 38.0 36.0	1101		03S/12W-05R01S	102.0	10-21-67 97.1 11-21-67 92.1 12-21-67 87.1	4.9 9.9 14.9	1101	
03S/12W-03M01S	113.0	10-30-67 103.0 11-30-67 84.0	10.0 29.0	1101							

See page 113 for key to terms & abbreviations.

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-05R01S (CONT.)	102.0	1-30-68	93.0(5)	9.0	1101	03S/12W-08C01S (CONT.)	97.3	12-26-67	70.4	26.9	1733
		2-15-68	80.0(5)	22.0				1-22-68	70.1	27.2	
		3-15-68	86.0(5)	16.0				4-22-68	69.6	27.7	
		9-08-68	98.1	3.9				5-28-68	70.7	26.6	
		9-08-68	126.1(1)	-24.1				6-24-68	69.9	27.4	
								8-26-68	70.6	26.7	
								9-23-68	70.0	27.3	
03S/12W-06D01S	106.0	10-01-67	111.5(5)	-5.5	1101	03S/12W-08C04S	92.0	11-12-67	20.9	71.1	1101
		11-01-67	115.5(5)	-9.5				4-16-68	20.5	71.5	
		12-01-67	(0)								
		1-01-68	98.5(5)	7.5		03S/12W-08D01S	96.0	10-30-67	77.5(5)	18.5	1101
		1-25-68	104.5	1.5				11-27-67	76.5(5)	19.5	
		3-01-68	100.5(5)	5.5				1-02-68	74.5	21.5	
		4-01-68	102.5(5)	3.5				2-28-68	74.5(5)	21.5	
		5-01-68	110.5(5)	-4.5				4-29-68	74.5(5)	21.5	
		7-01-68	120.5(5)	-14.5				6-03-68	72.5(5)	23.5	
		8-01-68	120.5(5)	-14.5				9-03-68	74.5(5)	21.5	
		9-01-68	119.5(5)	-13.5				9-30-68	74.5(5)	21.5	
03S/12W-06D02S	109.0	10-01-67	139.0(5)	-30.0	1101	03S/12W-08D03S	95.6	10-23-67	73.8	21.8	1733
		12-01-67	118.0(5)	-9.0				11-27-67	72.1	23.5	
		1-01-68	107.0(5)	2.0				12-26-67	71.8	23.8	
		2-01-68	107.8	1.2				1-22-68	71.4	24.2	
		3-01-68	160.0(5)	-51.0				4-22-68	70.9	24.7	
		4-01-68	161.0(5)	-52.0				5-28-68	72.0	23.6	
		5-01-68	167.0(5)	-58.0				6-24-68	71.8	23.8	
		8-01-68	129.0(5)	-20.0		03S/12W-08F01S	88.8	11-12-67	87.1	1.7	1101
		9-01-68	122.0(5)	-13.0				4-16-68	84.3	4.5	
03S/12W-06D03S	107.0	10-01-67	117.0(5)	-10.0	1101	03S/12W-08L03S	92.0	10-02-67	72.4	19.6	1733
		11-01-67	123.0(5)	-16.0				10-09-67	73.6	18.4	
		12-01-67	105.0(5)	2.0				10-16-67	73.6	18.4	
		1-01-68	105.0(5)	2.0				10-23-67	73.3	18.7	
		1-25-68	107.4	-4				10-30-67	73.4	18.6	
		3-01-68	109.0(5)	-2.0				11-06-67	72.1	19.9	
		4-01-68	112.0(5)	-5.0				11-13-67	71.8	20.2	
		5-01-68	117.0(5)	-10.0				11-20-67	71.7	20.3	
		7-01-68	129.0(5)	-22.0				11-27-67	71.5	20.5	
		8-01-68	129.0(5)	-22.0				12-04-67	71.1	20.9	
		9-01-68	129.0(5)	-22.0				12-11-67	70.8	21.2	
03S/12W-06D04S	107.0	10-01-67	149.0(5)	-42.0	1101			12-18-67	70.7	21.3	
		11-01-67	152.0(5)	-45.0				12-26-67	70.7	21.3	
		12-01-67	135.0(5)	-28.0				12-26-67	70.7	21.3	
		1-01-68	104.0(5)	3.0				1-01-68	70.6	21.4	
		2-01-68	104.0(5)	3.0				1-08-68	70.6	21.4	
		3-06-68	104.2	2.8				1-15-68	70.4	21.6	
		4-01-68	108.0(5)	-1.0				1-22-68	70.6	21.4	
		5-01-68	115.0(5)	-8.0				1-22-68	70.6	21.4	
		7-01-68	119.0(5)	-12.0				1-29-68	70.3	21.7	
		8-01-68	117.0(5)	-10.0				2-05-68	70.1	21.9	
		9-01-68	116.0(5)	-9.0				2-12-68	69.9	22.1	
03S/12W-06E01S	105.0	10-01-67	122.0(5)	-17.0	1101			2-19-68	70.0	22.0	
		11-01-67	123.0(5)	-18.0				2-26-68	70.7	21.3	
		12-01-67	111.0(5)	-6.0				3-04-68	70.1	21.9	
		1-01-68	111.0(5)	-6.0				3-11-68	69.8	22.2	
		1-25-68	108.0	-3.0				3-18-68	69.5	22.5	1101
		3-01-68	117.0(5)	-12.0				3-25-68	69.8	22.2	
		4-01-68	118.0(5)	-13.0				4-01-68	69.7	22.3	
		5-01-68	120.0(5)	-15.0				4-08-68	69.4	22.6	1733
		7-01-68	124.0(5)	-19.0				4-15-68	69.6	22.4	
		8-01-68	122.0(5)	-17.0				4-22-68	70.3	21.7	
		9-01-68	122.0(5)	-17.0				4-22-68	70.3	21.7	
03S/12W-07C02S	93.0	11-07-67	DRY		1101			4-29-68	70.4	21.6	
		4-03-68	DRY					5-06-68	70.0	22.0	
03S/12W-07C04S	92.0	10-04-67	98.5(5)	-6.5	1101			5-13-68	69.6	22.4	
		11-01-67	101.5(5)	-9.5				5-28-68	71.4	20.6	
		12-06-67	91.5(5)	.5				6-10-68	71.3	20.7	
		1-03-68	88.5(5)	3.5				6-17-68	71.2	20.8	
		2-07-68	91.5(5)	.5				6-24-68	71.7	20.3	
		3-06-68	94.5(5)	-2.5				6-24-68	71.7	20.3	
		4-03-68	90.5(5)	1.5				7-01-68	71.1	20.9	
		5-01-68	97.5(5)	-5.5				7-08-68	71.3	20.7	
		6-05-68	100.5(5)	-8.5				7-15-68	71.1	20.9	
		7-03-68	103.5(5)	-11.5				7-22-68	71.5	20.5	
		8-01-68	103.5(5)	-11.5				7-29-68	71.1	20.9	
		9-04-68	101.5(5)	-9.5				8-05-68	71.6	20.4	
03S/12W-07L02S	85.0	12-04-67	(0)		1101			8-12-68	71.2	20.8	
03S/12W-07Q04S	84.6	4-04-68	DRY		1101			8-19-68	70.9	21.1	
03S/12W-07Q05S	83.0	10-15-67	70.3(5)	12.7	1101			8-26-68	71.3	20.7	
		11-15-67	69.3(5)	13.7				9-02-68	71.0	21.0	
		12-15-67	67.3(5)	15.7				9-09-68	71.2	20.8	
		1-15-68	67.2(5)	15.8				9-16-68	70.7	21.3	
		2-15-68	67.2(5)	15.8				9-23-68	71.0	21.0	
		3-15-68	67.2(5)	15.8				9-30-68	71.0	21.0	
		4-15-68	66.2(5)	16.8							
		5-07-68	67.2(5)	15.8		03S/12W-08M02S	88.0	10-15-67	74.2(5)	13.8	1101
		6-01-68	67.2(5)	15.8				11-15-67	72.2(5)	15.8	
		8-15-68	69.2(5)	13.8				12-15-67	71.2(5)	16.8	
		9-15-68	69.2(5)	13.8				1-15-68	71.2(5)	16.8	
03S/12W-08C01S	97.3	10-23-67	71.6	25.7	1733			2-15-68	71.2(5)	16.8	
		11-27-67	70.8	26.5				3-15-68	70.2(5)	17.8	
								4-15-68	71.2(5)	16.8	
								5-15-68	71.2(5)	16.8	
								6-15-68	71.2(5)	16.8	
								7-15-68	72.2(5)	15.8	
								8-21-68	73.4	14.6	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-08M02S (CONT.)	88.0	9-30-68	73.4	14.6	1101	03S/12W-09G02S	103.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 6-27-68 9-24-68	79.2 (2) (2) 82.3 (2) 82.8(4) 77.3 77.3 (2) 83.6 80.5	23.8	1101
03S/12W-09801S	107.0	10-30-67 11-30-67 12-30-67 3-01-68 4-01-68 5-01-68 7-01-68	112.0(5) 87.0(5) 90.0(5) 83.0(5) 91.0(5) 89.0(5) 102.0(5)	-5.0 20.0 17.0 24.0 16.0 18.0 5.0	1101						
03S/12W-09802S	106.0	10-02-67 10-09-67 10-16-67 10-23-67 10-30-67 11-06-67 11-13-67 11-20-67 11-27-67 12-04-67 12-11-67 12-18-67 12-26-67 1-01-68 1-08-68 1-15-68 1-22-68 1-29-68 2-05-68 2-12-68 2-19-68 2-26-68 3-04-68 3-11-68 3-18-68 3-25-68 4-01-68 4-08-68 4-15-68 4-22-68 4-29-68 5-06-68 5-13-68 6-03-68 6-10-68 6-17-68 6-24-68 7-01-68 7-08-68 7-15-68 7-22-68 7-29-68 8-05-68 8-12-68 8-19-68 8-26-68 9-02-68 9-09-68 9-16-68 9-23-68 9-30-68	89.7 90.9 90.9 91.0 90.6 90.2 90.1 89.6 85.4 84.7 83.5 83.4 83.2 82.6 82.6 82.5 83.9 83.3 82.6 82.1 82.5 83.9 84.2 82.9 82.0 81.7 82.9 83.4 85.6 85.8 86.1 86.6 86.8 87.1 88.0 91.5 94.0 92.4 92.5 95.1(2) 95.0 93.1 94.4 93.8 93.4 94.7 93.6 93.3 92.3 92.1 91.6	16.3 15.1 15.1 15.0 15.4 15.8 15.9 16.4 20.6 21.3 22.5 22.6 22.8 23.4 23.4 23.5 22.1 23.9 23.5 22.1 21.8 23.1 24.0 24.3 23.1 22.6 20.4 20.2 19.9 19.4 19.2 18.9 18.0 14.5 12.0 13.6 13.5 10.9 11.0 12.9 11.6 12.2 12.6 11.3 12.4 12.7 13.7 13.9 14.4	1733						
					1101	03S/12W-10C02S	107.0	11-12-67 4-16-68	75.7 (3)	31.3	1101
					1733	03S/12W-10C03S	106.0	10-03-67 10-30-67 11-28-67 1-03-68 2-27-68 4-02-68 4-30-68 6-04-68 7-01-68 7-30-68 9-03-68	103.5(5) 102.5(5) 104.5(5) 105.5(5) 103.5(5) 102.5(5) 98.5(5) 99.5(5) 98.5(5) 98.5(5) 99.5(5)	2.5 3.5 1.5 .5 2.5 3.5 7.5 6.5 7.5 7.5 6.5	1101
						03S/12W-10K02S	100.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 5-28-68 6-24-68 7-22-68 8-26-68 9-23-68	72.4 72.6 72.2 71.7 71.1 72.7 70.9 71.1 71.3 71.4	27.6 27.4 27.8 28.3 28.9 27.3 29.1 28.9 28.7 28.6	1733
						03S/12W-10N03S	94.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-02-68 6-04-68 7-02-68 7-30-68 9-03-68	80.5(5) 80.5(5) 87.5(5) 77.5(5) 81.5(5) 76.5(5) 78.5(5) 79.5(5) 81.5(5) 84.5(5)	13.5 13.5 6.5 16.5 12.5 17.5 15.5 14.5 12.5 9.5	1101
						03S/12W-11B04S	109.0	11-12-67 4-16-68	80.9 80.1	28.1 28.9	1101
						03S/12W-11B06S	115.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 9-24-68	76.2 (3) (3) 76.5 75.4 75.7 75.4 75.4 75.7 77.4	38.8 38.5 39.6 39.3 39.6 39.6 39.3 37.6	1101
						03S/12W-11E01S	107.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-02-68 4-30-68 6-04-68 7-01-68 7-30-68 9-03-68	84.3(5) 76.3(5) 81.3(5) 79.3(5) 88.3(5) 81.3(5) 78.3(5) 79.3(5) 80.3(5) 81.3(5) 82.3(5)	22.7 30.7 25.7 27.7 18.7 25.7 28.7 27.7 26.7 25.7 24.7	1101
						03S/12W-11F10S	110.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 8-27-68 9-24-68	85.9 82.4 80.1 80.9 80.7 80.0 81.2 84.7 86.1 87.6 86.2	24.1 27.6 29.9 29.1 29.3 30.0 28.8 25.3 23.9 22.4 23.8	1101
						03S/12W-11K06S	105.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-02-68 7-30-68 9-05-68	103.5(5) 99.5(5) 101.5(5) 99.5(5) 100.5(5) 94.5(5) 92.5(5) 92.5(5) 93.5(5) 100.5(5)	1.5 5.5 3.5 5.5 4.5 10.5 12.5 12.5 11.5 4.5	1101
03S/12W-09D05S	105.0	10-15-67 11-15-67 12-07-67 1-07-68 2-15-68 3-15-68 4-15-68 5-07-68 6-01-68 7-07-68 8-21-68 9-15-68	91.0(5) 91.0(5) 85.0(5) 83.0(5) 82.0(5) 82.0(5) 82.0(5) 88.0(5) 92.0(5) 91.0(5) 94.3 95.0(5)	14.0 14.0 20.0 22.0 23.0 23.0 23.0 17.0 13.0 14.0 10.7 10.0	1101						
03S/12W-09E03S	99.0	10-03-67 10-30-67 11-28-67 1-02-68 2-27-68 4-03-68 6-03-68 7-02-68 7-30-68 9-06-68	89.5(5) 85.5(5) 92.5(5) 89.5(5) 91.5(5) 89.5(5) 86.5(5) 87.5(5) 86.5(5) 86.5(5)	9.5 13.5 6.5 9.5 7.5 9.5 12.5 11.5 12.5 12.5	1101						
03S/12W-09G01S	103.0	10-03-67 10-30-67 11-28-67 1-03-68 2-26-68 4-02-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	100.0(5) 102.0(5) 109.0(5) 104.0(5) 122.0(5) 95.0(5) 98.0(5) 97.0(5) 97.0(5) 98.0(5) 103.0(5)	3.0 1.0 -6.0 -1.0 -19.0 8.0 5.0 6.0 6.0 5.0 0	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
03S/12W-11M11S	103.0	11-12-67 4-16-68	74.0 72.7	29.0 30.3	1101	03S/12W-14C06S	97.5	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-01-68 7-30-68 9-03-68	96.0(5) 95.0(5) 100.0(5) 101.0(5) 105.0(5) 84.0(5) 89.0(5) 92.0(5) 90.0(5) 91.0(5)	1.5 2.5 -2.5 -3.5 -7.5 13.5 8.5 5.5 7.5 6.5	1101
03S/12W-11P01S	104.0	10-23-67 11-27-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 8-27-68 9-24-68	74.0 74.1 73.6 73.3 72.8 72.5 72.4 71.9 72.0 72.5 72.7	30.0 29.9 30.4 30.7 31.2 31.5 31.6 32.1 32.0 31.5 31.3	1101	03S/12W-14F01S	91.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-02-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	93.7(5) 92.7(5) 93.7(5) 91.7 104.3(5) 66.7(5) 86.7(5) 87.7(5) 88.7(5) 87.7(5) 88.7(5)	-2.7 -1.7 -2.7 -.7 -13.3 24.3 4.3 3.3 2.3 3.3 2.3	1101
03S/12W-12A02S	116.0	10-15-67 11-15-67 12-15-67 1-15-68 2-07-68 3-15-68 4-21-68 5-15-68 6-01-68 8-15-68 9-15-68	92.3(5) 91.3(5) 92.3(5) 89.3(5) 90.3(5) 86.3(5) 91.3(5) 86.3(5) 86.3(5) 92.3(5) 94.3(5)	23.7 24.7 23.7 26.7 25.7 29.7 24.7 29.7 29.7 23.7 21.7	1101	03S/12W-14F03S	93.3	10-02-67 11-06-67 12-04-67 1-02-68 2-05-68 3-03-68 4-02-68 5-06-68 6-03-68 7-02-68 8-06-68 8-06-68 9-03-68	76.5 76.2 75.8 74.9 74.4 74.0 73.5 73.5 73.5 74.0 74.5 74.5 74.6	16.8 17.1 17.5 18.4 18.9 19.3 19.8 19.8 19.8 19.3 18.8 18.8 18.7	1101
03S/12W-12E03S	113.0	11-14-67 4-16-68	82.9 81.0	30.1 32.0	1101	03S/12W-14J01S	89.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	107.0(5) 106.0(5) 119.0(5) 123.0(5) 122.0(5) 119.0(5) 135.0(5) 133.0(5) 135.0(5) 132.0(5)	-18.0 -17.0 -30.0 -34.0 -33.0 -30.0 -46.0 -44.0 -46.0 -43.0	1101
03S/12W-12G04S	112.0	10-23-67 11-27-67	(6) (7)		1101	03S/12W-15A03S	93.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-04-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	97.0(5) 94.0(5) 97.0(5) 94.0(5) 94.0(5) 74.0(5) 82.0(5) 79.0(5) 82.0(5) 83.0(5) 94.0(5)	-4.0 -1.0 -4.0 -1.0 -1.0 19.0 11.0 14.0 11.0 10.0 -1.0	1101
03S/12W-13A02S	104.0	10-15-67 11-15-67 12-21-67 1-15-68 2-15-68 3-15-68 4-21-68 5-07-68 6-01-68 7-15-68 8-15-68 9-30-68	92.5(5) 86.5(5) 92.5(5) 84.5(5) 80.5(5) 88.5(5) 88.5(5) 91.5(5) 90.5(5) 93.5 89.5(5) 90.5	11.5 17.5 11.5 19.5 23.5 15.5 15.5 12.5 13.5 10.5 14.5 13.5	1101	03S/12W-15M01S	86.5	10-05-67 10-26-67 11-16-67 12-07-67 12-28-67 1-18-68 2-08-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 7-25-68 8-15-68 9-05-68 9-26-68	73.8 73.0 72.6 71.8 71.5 71.1 70.8 70.4 70.1 70.2 70.3 70.8 71.3 71.3 71.1 71.4	12.7 13.5 13.9 14.7 15.0 15.4 15.7 16.1 16.4 16.3 16.2 15.7 15.2 15.2 15.4 15.1	1733
03S/12W-13B04S	104.0	10-30-67 11-21-67 12-21-67 1-21-68 2-15-68 3-15-68 4-15-68 7-15-68 8-15-68 9-15-68	108.5 100.5 100.5 106.9(5) 106.9(5) 106.9(5) 106.9(5) 98.9(5) 96.9(5) 95.9(5)	-4.5 3.5 3.5 -2.9 -2.9 -2.9 -2.9 5.1 7.1 8.1	1101	03S/12W-15N02S	87.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	77.0(5) 79.0(5) 76.0(5) 78.0(5) 76.0(5) 74.0(5) 74.0(5) 74.0(5) 75.0(5) 74.0(5)	10.0 8.0 11.0 9.0 11.0 13.0 13.0 13.0 12.0 13.0	1101
03S/12W-13B06S	104.0	10-15-67 11-07-67 12-21-67 1-15-68 2-15-68 3-15-68 4-15-68 5-15-68 6-21-68 7-15-68 8-01-68 9-01-68	99.5(5) 92.5(5) 87.5(5) 88.5(5) 88.5(5) 94.5(5) 94.5(5) 95.5(5) 92.5(5) 94.5(5) 91.0 91.5(5)	4.5 11.5 16.5 15.5 15.5 9.5 9.5 8.5 11.5 9.5 13.0 12.5	1101	03S/12W-16F03S	95.0	10-03-67 10-31-67 11-28-67 1-02-68 2-27-68 4-02-68 6-04-68 7-02-68 7-30-68 9-03-68	88.0(5) 87.0(5) 83.0(5) 79.0(5) 85.0(5) 82.0(5) 81.0(5) 79.0(5) 80.0(5) 88.0(5)	7.0 8.0 12.0 16.0 10.0 13.0 14.0 16.0 15.0 7.0	1101
03S/12W-13C06S	101.0	11-14-67 4-17-68	DRY DRY		1101						
03S/12W-13F01S	98.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	114.8(5) 116.8(5) 113.8(5) 113.8(5) 114.8(5) 109.8(5) 98.8(5) 102.8(5) 99.8(5) 103.8(5)	-16.8 -18.8 -15.8 -15.8 -16.8 -11.8 -.8 -4.8 -1.8 -5.8	1101						
03S/12W-13K03S	89.0	11-14-67 11-22-67 4-17-68	(2) 88.3 79.6	.7 9.4	1101						
03S/12W-13L01S	92.0	11-14-67 4-17-68	83.5(4) 88.0(4)	8.5 4.0	1101						
03S/12W-13Q01S	89.0	11-14-67 4-17-68	81.8 83.0	7.2 6.0	1101						
03S/12W-14A04S	96.0	11-14-67 4-17-68	83.0 77.5	13.0 18.5	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
03S/12W-16H01S	92.0	10-03-67	83.5(5)	8.5	1101	03S/12W-19C03S (CONT.)	72.8	4-29-68	35.6(5)	37.2	1101
		10-30-67	85.5(5)	6.5				6-03-68	36.6(5)	36.2	
		11-28-67	78.5(5)	13.5				7-29-68	37.6(5)	35.2	
		1-03-68	75.5(5)	16.5				9-03-68	36.6(5)	36.2	
		2-27-68	104.5(5)	-12.5		03S/12W-19F06S	71.0	11-29-67	DRY		1101
		4-30-68	80.5(5)	11.5				4-19-68	(6)		
		6-04-68	82.5(5)	9.5				4-19-68	(6)		
		7-30-68	84.5(5)	7.5		03S/12W-19G01S	70.9	10-06-67	59.8	11.1	1733
		9-03-68	85.5(5)	6.5				10-27-67	59.9	11.0	
03S/12W-17A01S	87.0	10-01-67	69.2	17.8	1101			11-17-67	58.3	12.6	
		11-15-67	69.2(5)	17.8				11-29-67	59.8	11.1	1101
		12-15-67	67.2(5)	19.8				12-08-67	53.8	17.1	1733
		1-07-68	68.2(5)	18.8				12-29-67	52.9	18.0	
		2-15-68	67.2(5)	19.8				1-19-68	59.1	11.8	
		3-15-68	67.2(5)	19.8				2-09-68	59.2	11.7	
		4-07-68	68.2(5)	18.8				3-01-68	59.9	11.0	
		5-07-68	67.2(5)	19.8				3-01-68	59.9	11.0	
		6-01-68	67.2(5)	19.8				3-22-68	58.4	12.5	1101
		8-15-68	68.2(5)	18.8				3-22-68	58.4	12.5	
		9-01-68	68.2	18.8				4-12-68	60.7	10.2	1733
03S/12W-17A02S	87.0	10-21-67	103.0(1)	-16.0	1101			4-12-68	60.7	10.2	
		11-15-67	101.0(1)	-14.0				4-19-68	58.3	12.6	1101
		12-15-67	74.2	12.8				4-19-68	58.3	12.6	
		1-07-68	74.2	12.8				5-03-68	65.0	5.9	1733
		2-15-68	80.0(5)	7.0				5-03-68	65.0	5.9	
		3-07-68	84.0(5)	3.0				6-14-68	68.9	2.0	
		4-01-68	84.0(5)	3.0				8-16-68	(1)		
		6-15-68	100.0(1)	-13.0				9-06-68	(1)		
		7-21-68	107.0(1)	-20.0				9-27-68	73.7	-2.8	
		8-21-68	100.0(1)	-13.0		03S/12W-19P05S	64.0	10-27-67	163.5(1)	-99.5	1101
		9-21-68	100.0(1)	-13.0				11-29-67	153.5(1)	-89.5	
03S/12W-17K01S	80.3	10-31-67	68.3(5)	12.0	1101			11-29-67	78.3	-14.3	
		11-28-67	71.3(5)	9.0				12-28-67	93.5	-29.5	
		1-02-68	68.3(5)	12.0				1-29-68	96.5	-32.5	
		2-27-68	69.3(5)	11.0				2-28-68	97.5	-33.5	
		4-02-68	72.3(5)	8.0				3-29-68	153.5(1)	-89.5	
		5-03-68	70.3(5)	10.0				4-19-68	93.7(2)	-29.7	
		6-04-68	71.3(5)	9.0				4-19-68	93.7(2)	-29.7	
		7-02-68	70.3(5)	10.0				4-29-68	101.5	-37.5	
		7-29-68	69.3(5)	11.0				5-31-68	158.5(1)	-94.5	
		9-03-68	69.3(5)	11.0				7-31-68	153.5(1)	-89.5	
03S/12W-17P03S	77.0	11-14-67	DRY		1101			8-29-68	160.5(1)	-96.5	
		4-17-68	DRY					9-30-68	106.5	-42.5	
03S/12W-18D05S	83.0	11-14-67	67.2	15.8	1101	03S/12W-19Q02S	67.0	11-29-67	(6)		1101
		12-04-67	(0)			03S/12W-19R03S	66.0	10-03-67	71.0(5)	-5.0	1101
		4-03-68	62.4(4)	20.6				11-27-67	70.0(5)	-4.0	
03S/12W-18H03S	79.0	10-30-67	57.0(5)	22.0	1101			1-03-68	60.0(5)	6.0	
		11-27-67	60.0(5)	19.0				2-26-68	67.0(5)	-1.0	
		1-02-68	66.0(5)	13.0				4-29-68	62.0(5)	4.0	
		2-26-68	58.0(5)	21.0				6-03-68	61.0(5)	5.0	
		4-29-68	53.0(5)	26.0				7-31-68	64.0(5)	2.0	
		6-03-68	53.0(5)	26.0				9-03-68	60.0(5)	6.0	
		7-01-68	55.0(5)	24.0		03S/12W-21B01S	86.0	10-31-67	82.0(5)	4.0	1101
		9-02-68	55.0(5)	24.0				11-28-67	81.0(5)	5.0	
		9-30-68	55.0(5)	24.0				1-03-68	78.0(5)	8.0	
03S/12W-18H04S	77.0	10-30-67	64.5(5)	12.5	1101			2-26-68	82.0(5)	4.0	
		11-27-67	67.5(5)	9.5				4-30-68	78.0(5)	8.0	
		1-02-68	63.5	13.5				6-04-68	77.0(5)	9.0	
		2-26-68	61.5(5)	15.5		03S/12W-21E01S	77.0	10-31-67	68.0(5)	9.0	1101
		4-29-68	67.5(5)	9.5				11-28-67	70.0(5)	7.0	
		6-03-68	66.5(5)	10.5				1-03-68	68.0(5)	9.0	
		7-01-68	64.5(5)	12.5				2-27-68	66.0(5)	11.0	
		9-03-68	65.5(5)	11.5				4-30-68	63.0(5)	14.0	
		9-30-68	67.5(5)	9.5				6-04-68	64.0(5)	13.0	
03S/12W-18J02S	77.0	11-13-67	63.3	13.7	1101			7-30-68	64.0(5)	13.0	
		4-04-68	59.9	17.1				9-03-68	65.0(5)	12.0	
03S/12W-18L01S	70.0	10-02-67	71.5(5)	-1.5	1101	03S/12W-21G04S	79.0	11-08-67	68.2	10.8	1101
		11-28-67	77.5(5)	-7.5				4-15-68	65.1	13.9	
		1-03-68	71.5(5)	-1.5		03S/12W-21H01S	76.0	10-31-67	75.0(5)	1.0	1101
		2-26-68	72.5(5)	-2.5				11-28-67	72.0(5)	4.0	
		4-29-68	67.5(5)	2.5				1-02-68	73.0(5)	3.0	
		6-03-68	68.5(5)	1.5				2-26-68	72.0(5)	4.0	
		7-01-68	67.5(5)	2.5				4-02-68	70.0(5)	6.0	
		9-03-68	68.5(5)	1.5				6-04-68	69.0(5)	7.0	
03S/12W-19C01S	72.0	10-31-67	64.5(5)	7.5	1101			9-03-68	68.0(5)	8.0	
		11-22-67	63.5(5)	8.5		03S/12W-21Q01S	70.0	10-06-67	71.9	-1.9	1733
		1-02-68	59.5(5)	12.5				10-27-67	72.5	-2.5	
		2-26-68	61.5(5)	10.5				11-17-67	71.7	-1.7	
		4-02-68	59.5(5)	12.5				12-08-67	63.2	6.8	
		6-03-68	61.5(5)	10.5				12-29-67	62.4	7.6	
		7-29-68	60.5(5)	11.5				1-19-68	63.5	6.5	
		9-03-68	60.5(5)	11.5				2-09-68	63.1	6.9	
03S/12W-19C03S	72.8	10-31-67	39.6(5)	33.2	1101			3-01-68	63.8	6.2	
		11-27-67	41.6(5)	31.2				3-22-68	63.0	7.0	1101
		1-02-68	37.6(5)	35.2				4-12-68	68.3	1.7	1733
		2-26-68	42.6(5)	30.2				5-03-68	71.5	-1.5	
								6-14-68	76.8	-6.8	
								7-05-68	79.1	-9.1	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
035/12W-210015 (CONT.)	70.0	7-26-68 8-16-68 9-06-68 9-27-68	80.9 79.6 78.4 79.3	-10.9 -9.6 -8.4 -9.3	1733	035/12W-22P025 (CONT.)	75.0	8-31-68 9-30-68	72.0(5) 69.0(5)	3.0 6.0	1101
035/12W-210025	70.5	11-08-67 4-15-68	DRY DRY		1101	035/12W-23C035	85.5	10-06-67 10-27-67 11-17-67 12-08-67 12-28-67 1-19-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 8-16-68 9-06-68 9-27-68	76.6 76.2 76.6 75.5 74.6 74.9 74.1 74.3 74.5 73.8 73.6 74.7 74.9 75.5 76.1	8.7 9.3 8.9 10.0 10.9 10.6 11.4 11.2 11.0 11.7 11.9 10.8 10.6 10.0 9.4	1733
035/12W-210035	71.0	10-30-67 11-30-67 12-30-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 7-01-68 8-01-68 8-31-68 9-30-68	70.0(5) 62.0(5) 70.0(5) 61.0(5) 62.0(5) 60.0(5) 64.0(5) 65.0(5) 65.0(5) 66.0(5) 65.0(5) 65.0(5)	1.0 9.0 1.0 10.0 9.0 11.0 7.0 6.0 6.0 5.0 6.0 6.0	1101	035/12W-23D035	84.0	10-26-67 11-24-67 12-20-67 1-15-68 2-26-68 3-28-68 4-29-68 5-29-68 6-10-68 7-24-68 8-18-68 9-28-68	87.0(1) 87.0(1) 87.0(1) 87.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 73.0(5) 67.0(5) 74.0(5)	-3.0 -3.0 -3.0 -3.0 -2.0 -2.0 -2.0 -2.0 -2.0 11.0 17.0 10.0	1101
035/12W-22A015	83.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-02-68 7-30-68 9-03-68	87.3(5) 97.3(5) 86.3(5) 87.3(5) 96.3(5) 86.3(5) 91.3(5) 92.3(5) 90.3(5) 92.3(5)	-4.3 -14.3 -3.3 -4.3 -13.3 -3.3 -8.3 -9.3 -7.3 -9.3	1101	035/12W-23E025	82.0	10-20-67 11-20-67 12-25-67 1-10-68 2-15-68 3-22-68 4-25-68 5-25-68 6-10-68 7-20-68 8-10-68 9-28-68	84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5) 84.0(5)	-2.0 -2.0 -2.0 -2.0 -2.0 -2.0 -2.0 -2.0 -2.0 -2.0 -2.0	1101
035/12W-22F015	75.0	10-20-67 11-20-67 12-20-67 1-10-68 2-21-68 3-20-68 4-22-68 5-20-68 6-10-68 7-10-68 8-28-68 9-05-68	90.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(1) 86.0(5) 92.0(5) 91.0(5)	-15.0 -11.0 -11.0 -11.0 -11.0 -11.0 -11.0 -11.0 -11.0 -11.0 -17.0 -16.0	1101	035/12W-23E035	82.0	10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68 7-30-68 9-03-68	74.5(5) 72.5(5) 69.5(5) 72.5(5) 69.5(5) 68.5(5) 68.5(5) 68.5(5)	7.5 9.5 12.5 9.5 12.5 13.5 13.5 13.5	1101
035/12W-22G025	81.0	10-23-67 11-07-67 12-27-67 1-11-68 2-26-68 3-26-68 4-25-68 5-25-68 6-05-68 7-20-68 8-20-68 9-27-68	106.0(1) 75.0(5) 101.0(1) 75.0(5) 96.0(1) 96.0(1) 99.0(1) 99.0(1) 99.0(1) 119.0(1) 99.0(1) 119.0(1)	-25.0 6.0 -20.0 6.0 -15.0 -15.0 -18.0 -18.0 -18.0 -38.0 -18.0 -38.0	1101	035/12W-23E055	82.5	10-20-67 11-20-67 12-20-67 1-10-68 2-21-68 3-25-68 4-19-68 5-29-68 6-10-68 7-06-68 8-20-68 9-20-68	84.0(5) 83.0(5) 83.0(5) 83.0(5) 85.0(5) 85.0(5) 78.0(5) 83.0(5) 84.0(5) 83.0(5) 128.0(1) 85.0(5)	-1.5 -5 -5 -5 -2.5 -2.5 4.5 -5 -1.5 -5 -45.5 -2.5	1101
035/12W-22G035	81.0	10-20-67 11-20-67 12-20-67 1-20-68 2-21-68 3-22-68 4-25-68 5-23-68 6-10-68 7-20-68 8-25-68 9-27-68	77.0(5) 77.0(5) 77.0(5) 77.0(5) 77.0(5) 77.0(5) 77.0(5) 65.0(5) 77.0(5) 77.0(5) 77.0(5) 77.0(5)	4.0 4.0 4.0 4.0 4.0 4.0 4.0 16.0 4.0 4.0 4.0 4.0	1101	035/12W-23R015	76.0	10-31-67 11-28-67 1-03-68 2-27-68 4-30-68 6-04-68	93.0(5) 95.0(5) 90.0(5) 91.0(5) 89.0(5) 91.0(5)	-17.0 -19.0 -14.0 -15.0 -13.0 -15.0	1101
035/12W-22H015	82.0	10-05-67 10-26-67 11-16-67 12-07-67 12-28-67 1-18-68 2-09-68 2-29-68 3-21-68 4-11-68 5-02-68 6-13-68 7-25-68 8-15-68 9-05-68 9-26-68	73.3 71.6 71.5 70.3 69.2 68.4 69.2 68.9 69.1 69.5 69.5 70.8 71.4 70.7 71.1 71.1	8.7 10.4 10.5 11.7 12.8 13.6 12.8 13.1 12.9 12.5 12.2 11.2 10.6 11.3 10.9 10.9	1733	035/12W-23R025	75.0	11-07-67 4-15-68	DRY DRY		1101
035/12W-22P025	75.0	10-30-67 11-30-67 12-30-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 7-01-68 8-01-68	73.0(5) 68.0(5) 65.0(5) 66.0(5) 69.0(5) 69.0(5) 69.0(5) 70.0(5) 73.0(5) 70.0(5)	2.0 7.0 10.0 9.0 6.0 6.0 6.0 5.0 2.0 5.0	1101	035/12W-240015	85.0	10-03-67 10-31-67 11-28-67 1-03-68 2-27-68 4-12-68 6-04-68 7-05-68 7-30-68 9-03-68	79.0(5) 77.0(5) 82.0(5) 72.0(5) 90.0(5) 89.0(5) 77.0(5) 83.0(5) 88.0(5) 83.0(5)	6.0 8.0 3.0 13.0 -5.0 -4.0 8.0 2.0 -3.0 2.0	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
035/12W-240045	84.0	4-17-68	DRY		1101	035/12W-27C025 (CONT.)	71.0	1-31-68	64.0(5)	7.0	1101
								2-29-68	65.0(5)	6.0	
								3-31-68	71.0(5)	.0	
035/12W-24F015	76.0	10-03-67	79.0(5)	-3.0	1101			4-30-68	77.0(5)	-6.0	
		11-28-67	72.0(5)	4.0				5-31-68	82.0(5)	-11.0	
		1-03-68	75.0(5)	1.0				8-01-68	83.0(5)	-12.0	
		2-27-68	75.0(5)	1.0				8-31-68	84.0(5)	-13.0	
		4-30-68	73.0(5)	3.0				9-30-68	82.0(5)	-11.0	
		6-04-68	75.0(5)	1.0		035/12W-27G015	71.0	10-30-67	72.0(5)	-1.0	1101
		7-30-68	72.0(5)	4.0				11-30-67	67.0(5)	4.0	
		9-03-68	77.0(5)	-1.0				12-30-67	66.0(5)	5.0	
035/12W-24K015	82.0	10-31-67	83.5(5)	-1.5	1101			1-31-68	65.0(5)	6.0	
		11-28-67	78.5(5)	3.5				2-29-68	65.0(5)	6.0	
		1-03-68	78.5(5)	3.5				3-31-68	67.0(5)	4.0	
		2-27-68	81.5(5)	.5				4-30-68	70.0(5)	1.0	
		4-30-68	79.5(5)	2.5				5-31-68	72.0(5)	-1.0	
		6-04-68	80.5(5)	1.5				7-01-68	72.0(5)	-1.0	
		7-30-68	81.5(5)	.5				8-01-68	72.0(5)	-1.0	
		9-03-68	83.5(5)	-1.5				8-31-68	73.0(5)	-2.0	
								9-30-68	72.0(5)	-1.0	
035/12W-25C015	70.5	11-07-67	78.2(4)	-7.7	1101	035/12W-27M015	66.0	10-30-67	63.0(5)	3.0	1101
		4-15-68	74.4(4)	-3.9				11-30-67	61.0(5)	5.0	
035/12W-25H015	68.0	11-08-67	70.5	-2.5	1101			12-30-67	58.0(5)	8.0	
		4-15-68	66.5	1.5				1-31-68	49.6(5)	16.4	
035/12W-26C025	74.0	10-21-67	106.0(1)	-32.0	1101			2-29-68	62.0(5)	4.0	
		11-27-67	106.0(1)	-32.0				3-31-68	60.0(5)	6.0	
		12-30-67	77.0(5)	-3.0				4-30-68	63.0(5)	3.0	
		1-15-68	77.0(5)	-3.0				5-31-68	63.0(5)	3.0	
		2-21-68	77.0(5)	-3.0				7-01-68	63.0(5)	3.0	
		3-25-68	77.0(5)	-3.0				8-01-68	64.0(5)	2.0	
		4-22-68	77.0(5)	-3.0		035/12W-27R015	62.0	10-31-67	91.5(1)	-29.5	1101
		5-27-68	77.0(5)	-3.0				11-17-67	86.5(1)	-24.5	
		6-10-68	106.0(1)	-32.0				12-30-67	79.5(1)	-17.5	
		7-20-68	113.0(1)	-39.0				1-12-68	81.5(1)	-19.5	
		8-30-68	93.0(5)	-19.0				5-25-68	67.5(5)	-5.5	
		9-19-68	83.0(5)	-9.0				6-10-68	67.5(5)	-5.5	
								8-20-68	67.5(5)	-5.5	
035/12W-26D035	74.0	10-02-67	81.1	-7.1	1101			9-29-68	67.5(5)	-5.5	
		11-06-67	79.6	-5.6		035/12W-28H025	67.0	10-31-67	66.0(5)	1.0	1101
		12-04-67	69.8	4.2				11-30-67	64.0(5)	3.0	
		1-02-68	67.1	6.9				12-31-67	62.0(5)	5.0	
		3-03-68	67.0	7.0				1-31-68	60.0(5)	7.0	
		4-02-68	67.2	6.8				2-29-68	62.0(5)	5.0	
		5-06-68	68.5	5.5				3-31-68	61.0(5)	6.0	
		6-03-68	72.5	1.5				4-30-68	63.0(5)	4.0	
		7-02-68	78.3	-4.3				5-31-68	74.0(5)	-7.0	
								7-01-68	65.0(5)	2.0	
035/12W-26J015	71.4	11-07-67	70.7(4)	.7	1101			8-01-68	67.0(5)	.0	
		4-15-68	68.3	3.1				8-31-68	72.0(5)	-5.0	
035/12W-26K015	65.0	11-07-67	67.4(4)	-2.4	1101			9-30-68	66.0(5)	1.0	
		4-18-68	69.0	-4.0		035/12W-28H035	67.0	10-31-67	65.0(5)	2.0	1101
035/12W-26L035	67.0	10-30-67	92.0(5)	-25.0	1101			11-30-67	63.0(5)	4.0	
		11-29-67	91.0(5)	-24.0				12-31-67	61.0(5)	6.0	
		12-30-67	91.0(5)	-24.0				1-31-68	59.0(5)	8.0	
		1-15-68	91.0(5)	-24.0				2-29-68	61.0(5)	6.0	
		2-26-68	91.0(5)	-24.0				3-31-68	60.0(5)	7.0	
		3-28-68	91.0(5)	-24.0				4-30-68	62.0(5)	5.0	
		4-30-68	91.0(5)	-24.0				5-31-68	73.0(5)	-6.0	
		5-30-68	91.0(5)	-24.0				8-01-68	66.0(5)	1.0	
		6-10-68	91.0(5)	-24.0				8-31-68	71.0(5)	-4.0	
		7-07-68	91.0(5)	-24.0				9-30-68	65.0(5)	2.0	
		8-09-68	97.0(5)	-30.0		035/12W-28J025	64.0	10-30-67	54.0(5)	10.0	1101
		9-23-68	94.0(5)	-27.0				11-30-67	51.0(5)	13.0	
035/12W-26N025	63.0	10-27-67	83.0(5)	-20.0	1101			12-30-67	49.0(5)	15.0	
		11-20-67	83.0(5)	-20.0				1-31-68	49.0(5)	15.0	
		12-20-67	83.0(5)	-20.0				2-29-68	51.0(5)	13.0	
		1-15-68	83.0(5)	-20.0				3-31-68	49.0(5)	15.0	
		2-21-68	83.0(5)	-20.0				4-30-68	53.0(5)	11.0	
		3-22-68	83.0(5)	-20.0				5-31-68	54.0(5)	10.0	
		4-25-68	83.0(5)	-20.0				7-01-68	54.0(5)	10.0	
		5-25-68	83.0(5)	-20.0				8-01-68	54.0(5)	10.0	
		6-10-68	83.0(5)	-20.0				8-31-68	53.0(5)	11.0	
		7-05-68	83.0(5)	-20.0				9-30-68	54.0(5)	10.0	
		8-21-68	83.0(5)	-20.0		035/12W-28P045	59.0	11-08-67	DRY		1101
		9-29-68	83.0(5)	-20.0				4-15-68	DRY		
035/12W-26N035	63.0	10-27-67	74.0(5)	-11.0	1101	035/12W-28Q015	63.0	10-31-67	63.0(5)	.0	1101
		11-29-67	73.0(5)	-10.0				11-30-67	59.0(5)	4.0	
		12-30-67	73.0(5)	-10.0				12-31-67	60.0(5)	3.0	
		1-10-68	73.0(5)	-10.0				1-31-68	58.0(5)	5.0	
		2-21-68	64.0(5)	-1.0				2-29-68	57.0(5)	6.0	
		3-20-68	65.0(5)	-2.0				3-31-68	59.0(5)	4.0	
		4-25-68	64.0(5)	-1.0				4-30-68	63.0(5)	.0	
		5-29-68	64.0(5)	-1.0				5-31-68	63.0(5)	.0	
		6-10-68	83.0(1)	-20.0				7-01-68	61.0(5)	2.0	
		7-18-68	79.0(5)	-16.0				8-01-68	64.0(5)	-1.0	
		8-22-68	74.0(5)	-11.0				8-30-68	64.0(5)	-1.0	
		9-22-68	71.0(5)	-8.0				9-30-68	62.0(5)	1.0	
035/12W-27C025	71.0	10-30-67	73.0(5)	-2.0	1101	035/12W-29J015	63.0	10-06-67	61.4	1.6	1733
		11-30-67	65.0(5)	6.0				10-27-67	61.3	1.7	
		12-30-67	63.0(5)	8.0							

See page 113 for key to terms & abbreviotions

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-29J015 (CONT.)	63.0	11-17-67	57.1	5.9	1733	03S/12W-31E03S (CONT.)	51.7	9-09-68	102.9	-51.2	4206
		12-08-67	55.3	7.7				9-16-68	99.4	-47.7	
		12-29-67	53.4	9.6				9-23-68	97.3	-45.6	
		1-19-68	52.3	10.7				9-30-68	97.9	-46.2	
		2-09-68	52.6	10.4							
		3-01-68	53.1	9.9		03S/12W-32L01S	52.6	10-31-67	49.4	3.2	5061
		3-22-68	53.0	10.0	1101			11-08-67	51.9	.7	1101
		4-12-68	54.4	8.6	1733			11-30-67	47.8	4.8	5061
		5-03-68	54.6	8.4				12-29-67	47.8	4.8	
		6-14-68	59.6	3.4				1-31-68	47.6	5.0	
		7-05-68	61.9	1.1				2-29-68	47.5	5.1	
		7-26-68	63.4	-.4				3-29-68	47.4	5.2	
		8-16-68	62.0	1.0				4-15-68	49.6	3.0	1101
		9-06-68	60.6	2.4				4-30-68	47.9	4.7	5061
		9-27-68	60.2	2.8				5-31-68	47.5	5.1	
								7-01-68	48.4	4.2	
								8-01-68	49.2	3.4	
								8-30-68	48.5	4.1	
								9-30-68	49.0	3.6	
03S/12W-29M01S	62.5	11-08-67	55.5	7.0	1101						
		4-15-68	56.8	5.7							
03S/12W-29M02S	63.0	11-08-67	55.3	7.7	1101	03S/12W-32001S	51.6	10-23-67	48.2	3.4	1101
		4-15-68	56.2	6.8				11-20-67	47.7	3.9	
03S/12W-30C03S	64.0	11-29-67	80.1	-16.1	1101			12-18-67	46.6	5.0	
		12-28-67	176.5(1)	-112.5				1-02-68	46.5	5.1	
		1-29-68	145.5(1)	-81.5				2-12-68	46.1	5.5	
		2-28-68	145.5(1)	-81.5				3-04-68	46.3	5.3	
		3-29-68	89.5	-25.5				4-08-68	45.7	5.9	
		4-19-68	(1)					5-06-68	46.3	5.3	
		4-19-68	(1)					6-03-68	47.1	4.5	
		4-24-68	(1)					7-15-68	47.7	3.9	
		4-24-68	(1)					8-19-68	47.8	3.8	
		4-29-68	152.5(1)	-88.5				9-16-68	48.0	3.6	
		5-31-68	111.5	-47.5		03S/12W-33A03S	62.0	11-07-67	53.2	8.8	1101
		6-28-68	155.5(1)	-91.5				4-15-68	57.4	4.6	
		7-31-68	114.5	-50.5		03S/12W-33A04S	61.0	11-07-67	71.3	-10.3	1101
		8-29-68	167.5(1)	-103.5				4-17-68	(6)		
		9-30-68	159.5(1)	-95.5		03S/12W-33A05S	62.0	10-30-67	57.0(5)	5.0	1101
03S/12W-30E01S	60.0	11-29-67	57.7	2.3	1101			11-30-67	55.0(5)	7.0	
		4-19-68	56.0	4.0				12-30-67	53.0(5)	9.0	
03S/12W-30G01S	60.0	11-29-67	36.2	23.8	1101			1-31-68	54.0(5)	8.0	
		4-19-68	35.8	24.2				2-29-68	53.0(5)	9.0	
		4-19-68	35.8	24.2				3-31-68	54.0(5)	8.0	
03S/12W-30K02S	59.0	11-29-67	64.7	-5.7	1101			4-30-68	57.0(5)	5.0	
		4-19-68	71.4	-12.4				5-31-68	57.0(5)	5.0	
		4-19-68	71.4	-12.4				7-01-68	57.0(5)	5.0	
03S/12W-30P03S	56.5	11-29-67	DRY		1101			8-01-68	59.0(5)	3.0	
		4-19-68	DRY					8-31-68	59.0(5)	3.0	
		4-19-68	DRY					9-30-68	58.0(5)	4.0	
03S/12W-31E03S	51.7	10-02-67	88.5	-36.8	4206	03S/12W-33A06S	63.0	10-15-67	78.6(5)	-15.6	1101
		10-09-67	89.0	-37.3				11-20-67	73.6(5)	-10.6	
		10-16-67	90.9	-39.2				12-29-67	90.6(5)	-27.6	
		10-23-67	91.5	-39.8				1-26-68	88.6(5)	-25.6	
		10-30-67	91.3	-39.6				2-09-68	97.6(5)	-34.6	
		11-06-67	88.3	-36.6				3-20-68	76.6(5)	-13.6	
		11-13-67	87.7	-36.0				4-19-68	90.6(5)	-27.6	
		11-20-67	87.5	-35.8				5-21-68	97.6(5)	-34.6	
		11-27-67	85.2	-33.5				6-25-68	81.6(5)	-18.6	
		12-04-67	86.2	-34.5				7-21-68	81.6(5)	-18.6	
		12-11-67	85.8	-34.1				8-20-68	82.6(5)	-19.6	
		12-26-67	83.2	-31.5				9-28-68	81.6(5)	-18.6	
		1-02-68	82.8	-31.1		03S/12W-33F02S	56.0	11-08-67	52.7(3)	3.3	1101
		1-12-68	80.1	-28.4				4-15-68	52.2	3.8	
		1-22-68	78.0	-26.3		03S/12W-33G02S	60.0	11-30-67	68.4(5)	-8.4	1101
		1-29-68	77.8	-26.1				12-30-67	67.4(5)	-7.4	
		2-05-68	78.0	-26.3				1-31-68	68.4(5)	-8.4	
		2-12-68	78.4	-26.7				2-29-68	73.4(5)	-13.4	
		2-19-68	77.6	-25.9				3-31-68	83.4(5)	-23.4	
		2-26-68	77.4	-25.7				4-30-68	79.4(5)	-19.4	
		3-04-68	77.5	-25.8				5-31-68	105.4(5)	-45.4	
		3-11-68	75.1	-23.4				7-01-68	90.4(5)	-30.4	
		3-18-68	76.4	-24.7				8-01-68	88.4(5)	-28.4	
		3-25-68	76.4	-24.7				8-31-68	88.4(5)	-28.4	
		4-01-68	76.5	-24.8				9-30-68	88.4(5)	-28.4	
		4-08-68	76.8	-25.1		03S/12W-33R01S	48.0	10-25-67	67.5(5)	-19.5	1101
		4-15-68	79.6	-27.9				11-25-67	60.5(5)	-12.5	
		4-22-68	79.5	-27.8				12-25-67	51.5(5)	-3.5	
		4-29-68	84.9	-33.2				1-30-68	51.5(5)	-3.5	
		5-06-68	86.6	-34.9				2-20-68	47.5(5)	.5	
		5-13-68	88.3	-36.6				3-25-68	49.5(5)	-1.5	
		5-27-68	90.5	-38.8				4-25-68	59.5(5)	-11.5	
		6-03-68	91.4	-39.7				5-14-68	51.5(5)	-3.5	
		6-10-68	88.9	-37.2				7-19-68	53.5(5)	-5.5	
		6-24-68	90.0	-38.3				8-23-68	57.5(5)	-9.5	
		7-01-68	90.8	-39.1				9-20-68	57.5(5)	-9.5	
		7-08-68	91.1	-39.4		03S/12W-33R04S	56.0	10-25-67	71.0(5)	-15.0	1101
		7-15-68	93.0	-41.3				11-25-67	68.0(5)	-12.0	
		7-22-68	95.4	-43.7				12-30-67	61.0(5)	-5.0	
		7-29-68	96.0	-44.3				1-25-68	66.0(5)	-10.0	
		8-05-68	97.1	-45.4				2-20-68	59.0(5)	-3.0	
		8-12-68	98.0	-46.3				3-21-68	65.0(5)	-9.0	
		8-19-68	98.8	-47.1							
		8-26-68	102.6	-50.9							
		9-02-68	103.1	-51.4							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/12W-33R04S (CONT.)	56.0	4-16-68 5-25-68 6-16-68	75.0(5) 138.0(1) 126.0(1)	-19.0 -82.0 -70.0	1101	03S/12W-36F01S	59.0	11-07-67	(3)		1101
03S/12W-34A01S	62.4	10-08-67 4-15-68	DRY DRY		1101	03S/13W-01G01S	106.0	10-01-67 11-01-67 12-01-67 1-01-68 1-25-68 3-01-68 4-01-68 5-01-68 8-01-68 9-01-68	117.0(5) 118.0(5) 106.0(5) 111.0(5) 108.8(5) 114.0(5) 111.0(5) 116.0(5) 122.0(5) 120.0(5)	-11.0 -12.0 .0 -5.0 -2.8 -8.0 -5.0 -10.0 -16.0 -14.0	1101
03S/12W-34C01S	63.0	10-30-67 11-30-67 12-30-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 7-01-68 8-07-68 8-31-68 9-30-68	78.0(5) 74.0(5) 73.0(5) 72.0(5) 75.0(5) 75.0(5) 85.0(5) 85.0(5) 89.0(5) 89.0(5) 91.0(5) 89.0(5)	-15.0 -11.0 -10.0 -9.0 -12.0 -12.0 -22.0 -22.0 -26.0 -26.0 -28.0 -26.0	1101	03S/13W-01P03S	94.0	11-09-67 4-08-68	DRY DRY		1101
03S/12W-34D01S	62.0	10-30-67 11-30-67 12-30-67 1-31-68 2-29-68 3-31-68 4-30-68 5-31-68 7-01-68 8-01-68 8-31-68 9-30-68	71.0(5) 68.0(5) 68.0(5) 67.0(5) 52.0(5) 68.0(5) 71.0(5) 74.0(5) 72.0(5) 72.0(5) 74.0(5) 74.0(5)	-9.0 -6.0 -6.0 -5.0 10.0 -6.0 -9.0 -12.0 -10.0 -10.0 -12.0 -12.0	1101	03S/13W-02A02S	106.2	10-04-67 11-07-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-06-68 7-09-68 8-06-68 9-04-68	68.0 67.4 67.2 67.0 67.1 67.0 66.7 67.1 67.2 67.3 67.3 67.1	38.2 38.8 39.0 39.2 39.1 39.2 39.5 39.1 39.0 38.9 38.9 39.1	1101
03S/12W-34F01S	62.0	10-28-67 11-19-67 12-30-67 1-20-68 2-18-68 3-20-68 4-15-68 5-25-68 6-26-68 7-25-68 8-25-68 9-23-68	74.0(5) 77.0(5) 121.0(1) 70.0(5) 77.0(5) 70.0(5) 118.0(1) 125.0(1) 128.0(1) 126.5(1) 124.5(1) 127.5(1)	-12.0 -15.0 -59.0 -8.0 -15.0 -8.0 -56.0 -63.0 -66.0 -64.5 -62.5 -65.5	1101	03S/13W-02M01S	98.4	10-04-67 11-07-67 12-06-67 1-03-68 2-06-68 3-05-68 4-03-68 5-07-68 6-06-68 7-09-68 8-06-68 9-04-68	75.0 74.5 74.2 73.9 73.9 73.7 73.8 73.8 73.8 73.8 73.8 73.8	23.4 23.9 24.2 24.5 24.5 24.7 24.6 24.6 24.6 24.6 24.6 24.6	1101
03S/12W-34G01S	62.0	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	69.7 68.8 68.4 60.6 60.3 61.3 61.2 60.2 60.0 65.4 70.2 75.9 77.6 78.9 78.7 77.4 78.3	-7.7 -6.8 -6.4 1.4 1.7 .7 .8 1.8 2.0 -3.4 -8.2 -13.9 -15.6 -16.9 -16.7 -15.4 -16.3	1733	03S/13W-02Q01S	97.0	10-04-67 11-01-67 1-10-68 2-07-68 3-06-68 4-03-68 5-01-68 6-05-68 7-03-68 8-01-68 9-04-68	79.0(5) 79.0(5) 76.0(5) 76.0(5) 76.0(5) 76.0(5) 77.0(5) 77.0(5) 77.0(5) 77.0(5) 76.0(5)	18.0 18.0 21.0 21.0 21.0 21.0 20.0 20.0 20.0 20.0 21.0	1101
03S/12W-34H02S	59.5	11-07-67 4-15-68 4-17-68	62.4(4) (1) 64.6(4)	-2.9 -5.1	1101	03S/13W-03E01S	104.0	11-09-67 4-05-68	62.6 62.4	41.4 41.6	1101
03S/12W-35C01S	64.0	11-07-67 4-15-68	65.5 64.3	-1.5 -.3	1101	03S/13W-03R01S	98.5	10-04-67 11-01-67 11-09-67 12-06-67 1-03-68 2-21-68 4-03-68 4-08-68 5-22-68 6-05-68 9-04-68	153.0 165.0 179.0(4) 164.0(5) 162.0(5) 154.0(5) 268.0(1) 161.0(4) 162.0(5) 268.0(1) 158.0(5)	-54.5 -66.5 -80.5 -65.5 -63.5 -55.5 -169.5 -62.5 -63.5 -169.5 -59.5	1101
03S/12W-35D02S	61.0	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	47.6 46.9 46.4 45.2 44.9 45.7 45.3 44.8 44.6 46.1 50.2 54.7 56.2 57.8 57.2 56.6 57.1	13.4 14.1 14.6 15.8 16.1 15.3 15.7 16.2 16.4 14.9 10.8 6.3 4.8 3.2 3.8 4.4 3.9	1733	03S/13W-04D01S	115.0	11-01-67 11-01-67 11-04-67 2-15-68 3-14-68 3-28-68 4-12-68 5-17-68 6-19-68 7-05-68 7-11-68 7-18-68 8-23-68 9-19-68	200.0(5) 268.0(1) 211.0(5) 247.0(1) 247.0(1) 266.0(1) 247.0(1) 171.0 246.0(1) (0) 133.0(5) 248.0(1) 246.0(1) 248.0(1)	-85.0 -153.0 -96.0 -132.0 -132.0 -151.0 -132.0 -56.0 -131.0 -18.0 -133.0 -131.0 -133.0	1101
03S/12W-35L02S	56.0	11-07-67 4-15-68	62.3 60.0	-6.3 -4.0	1101	03S/13W-04N01S	98.0	10-15-67 11-07-67 12-15-67 1-15-68 2-15-68 3-15-68 4-07-68 5-07-68 6-01-68 7-15-68 8-15-68 9-15-68	177.6(5) 176.6(5) 173.6(5) 172.6(5) 171.6(5) 172.6(5) 170.6(5) 173.6(5) 175.6(5) 174.6(5) 177.0 172.6(5)	-79.6 -78.6 -75.6 -74.6 -73.6 -74.6 -72.6 -75.6 -77.6 -76.6 -79.0 -74.6	1101
03S/12W-35P01S	53.0	11-07-67 4-15-68	DRY DRY		1101	03S/13W-04N03S	98.0	10-15-67	267.4(1)	-169.4	1101
03S/12W-36C01S	61.0	11-07-67 4-15-68	46.9 37.4	14.1 23.6	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
035/13W-04N035 (CONT.)	98.0	11-15-67	266.4(1)	-168.4	1101	035/13W-10G015 (CONT.)	85.0	11-05-67	125.0(5)	-40.0	1101
		12-21-67	262.4(1)	-164.4				12-02-67	120.0(5)	-43.0	
		1-15-68	264.4(1)	-166.4				7-05-68	133.0(5)	-48.0	
		2-07-68	264.4(1)	-166.4				8-02-68	133.0(5)	-48.0	
		3-15-68	265.4(1)	-167.4				9-18-68	132.0(5)	-47.0	
		4-07-68	267.4(1)	-169.4		035/13W-10G025	85.0	10-01-67	129.5(1)	-44.5	1101
		5-07-68	263.4(1)	-165.4				10-08-67	123.5(5)	-38.5	
		6-01-68	266.4(1)	-168.4				10-29-67	124.5(5)	-39.5	
		7-07-68	268.4(1)	-170.4				12-02-67	138.5(1)	-53.5	
		8-07-68	267.4(1)	-169.4				7-05-68	142.5(1)	-57.5	
		9-15-68	269.4(1)	-171.4				8-02-68	129.0(1)	-44.0	
								9-18-68	143.5(1)	-58.5	
035/13W-05F015	114.0	11-09-67	(9)		1101	035/13W-10L015	85.0	11-06-67	123.9	-38.9	1101
		2-06-68	204.0	-90.0	1200			4-03-68	127.8(1)	-42.8	
		2-08-68	(0)					4-03-68	118.4(4)	-33.4	
		2-22-68	270.0(1)	-156.0		035/13W-10L025	86.0	11-06-67	124.3	-38.3	1101
		3-07-68	202.0(5)	-88.0				4-03-68	120.1	-34.1	
		3-14-68	269.0(1)	-155.0		035/13W-11B025	88.0	11-09-67	109.9	-21.9	1101
		4-17-68	274.0(1)	-160.0				4-08-68	103.1	-15.1	
		5-16-68	277.0(1)	-163.0		035/13W-11C015	88.5	10-04-67	112.5(5)	-24.0	1101
		6-27-68	280.0(1)	-166.0				11-01-67	112.5(5)	-24.0	
		7-05-68	(0)					12-06-67	104.5(5)	-16.0	
		7-10-68	376.0(1)	-262.0				1-03-68	101.5(5)	-13.0	
		8-16-68	282.0(1)	-168.0				2-07-68	102.5(5)	-14.0	
		9-26-68	279.0(1)	-165.0				3-06-68	105.5(5)	-17.0	
035/13W-05F025	114.0	10-19-67	195.3	-81.3	5050			4-03-68	104.5(5)	-16.0	
		11-09-67	(9)		1101			5-01-68	107.5(5)	-19.0	
		1-25-68	307.0(1)	-193.0	1200			6-05-68	106.5(5)	-18.0	
		2-06-68	202.0(5)	-88.0				7-03-68	114.5(5)	-26.0	
		2-08-68	(0)					8-01-68	114.5(5)	-26.0	
		2-22-68	306.0(1)	-192.0				9-04-68	112.5(5)	-24.0	
		3-07-68	201.0(5)	-87.0		035/13W-11E015	85.0	10-04-67	120.0(5)	-35.0	1101
		3-28-68	314.0(1)	-200.0				11-04-67	124.0(5)	-39.0	
		4-09-68	192.2	-78.2	5050			11-29-67	113.2	-28.2	
		4-17-68	309.0(1)	-195.0	1200			12-06-67	120.0(5)	-35.0	
		5-16-68	309.0(1)	-195.0				1-03-68	124.0(5)	-39.0	
		6-27-68	312.0(1)	-198.0				2-07-68	115.0(5)	-30.0	
		7-05-68	(0)					3-06-68	117.0(5)	-32.0	
		7-10-68	281.0(1)	-167.0				4-03-68	114.0(5)	-29.0	
		8-16-68	315.0(1)	-201.0				4-24-68	120.0(5)	-35.0	
		9-26-68	308.0(1)	-194.0				5-01-68	120.0(5)	-35.0	
035/13W-06R015	131.0	10-04-67	206.0	-75.0	5061			6-05-68	120.0(5)	-35.0	
		11-02-67	205.7	-74.7				7-03-68	121.0(5)	-36.0	
		12-06-67	205.7	-74.7				8-01-68	121.0(5)	-36.0	
		1-04-68	204.7	-73.7				9-04-68	120.0(5)	-35.0	
		1-04-68	205.3	-74.3		035/13W-11K015	86.4	11-09-67	65.3	21.1	1101
		3-05-68	204.3	-73.3				4-08-68	64.4	22.0	
		4-05-68	204.1	-73.1							
		5-03-68	204.5	-73.5		035/13W-12A015	94.0	11-07-67	104.8(8)	-10.8	1101
		6-07-68	204.3	-73.3				12-04-67	(0)		
		7-03-68	204.6	-73.6				4-03-68	96.6(8)	-2.6	
		8-02-68	205.4	-74.4		035/13W-12E045	89.0	10-04-67	92.0(5)	-3.0	1101
		9-04-68	204.6	-73.6				11-01-67	93.0(5)	-4.0	
035/13W-08C045	125.0	2-08-68	(0)		1200			12-06-67	85.0(5)	4.0	
		7-05-68	(0)					1-03-68	83.0(5)	6.0	
035/13W-09A015	93.0	10-02-67	119.0(5)	-26.0	1101			2-07-68	82.0(5)	7.0	
		11-27-67	129.0(5)	-36.0				3-06-68	86.0(5)	3.0	
		1-02-68	119.0(5)	-26.0				4-03-68	85.0(5)	4.0	
		2-26-68	119.0(5)	-26.0				5-01-68	91.0(5)	-2.0	
		4-29-68	130.0(5)	-37.0				6-05-68	93.0(5)	-4.0	
		6-03-68	124.0(5)	-31.0				7-03-68	98.0(5)	-9.0	
		7-01-68	123.0(5)	-30.0				8-01-68	96.0(5)	-7.0	
		7-29-68	129.0(5)	-36.0				9-04-68	95.0(5)	-6.0	
		9-30-68	119.0(5)	-26.0		035/13W-12J015	85.0	10-04-67	98.0(5)	-13.0	1101
035/13W-09K015	81.7	10-30-67	171.0(5)	-89.3	1101			11-01-67	98.0(5)	-13.0	
		11-27-67	174.0(5)	-92.3				5-29-68	102.0(5)	-17.0	
		1-02-68	157.0(5)	-75.3				6-05-68	104.0(5)	-19.0	
		2-26-68	170.0(5)	-88.3				8-01-68	103.0(5)	-18.0	
		4-29-68	159.0(5)	-77.3		035/13W-12Q015	82.5	10-04-67	111.0(5)	-28.5	1101
		6-03-68	152.0(5)	-70.3				11-01-67	109.0(5)	-26.5	
		7-02-68	151.0(5)	-69.3				11-29-67	95.0	-12.5	
		9-03-68	155.0(5)	-73.3				12-06-67	100.0(5)	-17.5	
		9-30-68	154.0(5)	-72.3				1-03-68	92.0(5)	-9.5	
035/13W-09R015	86.0	10-06-67	119.2	-33.2	1733			2-07-68	98.0(5)	-15.5	
		10-27-67	119.6	-33.6				3-06-68	119.0(5)	-36.5	
		11-17-67	122.0	-36.0				4-03-68	99.0(5)	-16.5	
		12-08-67	120.5	-34.5				4-24-68	104.0(5)	-21.5	
		12-29-67	116.2	-30.2				5-01-68	110.0(5)	-27.5	
		1-19-68	115.5	-29.5				6-05-68	110.0(5)	-27.5	
		2-09-68	115.2	-29.2				7-03-68	113.0(5)	-30.5	
		3-01-68	115.1	-29.1				8-01-68	113.0(5)	-30.5	
		3-22-68	114.8	-28.8	1101			9-04-68	110.0(5)	-27.5	
		4-12-68	113.7	-27.7	1733	035/13W-12Q035	83.6	12-04-67	(0)		1101
		5-03-68	120.4	-34.4							
		6-14-68	123.3	-37.3		035/13W-13D015	79.0	10-04-67	102.0(5)	-23.0	1101
		7-05-68	125.2	-39.2				11-01-67	105.0(5)	-26.0	
		7-26-68	126.7	-40.7				12-06-67	98.0(5)	-19.0	
		8-16-68	125.3	-39.3							
		9-06-68	123.7	-37.7							
		9-27-68	123.6	-37.6							
035/13W-10G015	85.0	10-01-67	126.0(5)	-41.0	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
035/13W-13001S (CONT.)	79.0	1-03-68	95.0(5)	-16.0	1101	035/13W-15G01S	75.0	10-31-67	131.0(1)	-56.0	1101
		2-07-68	94.0(5)	-15.0				10-31-67	119.0(5)	-44.0	
		3-06-68	97.0(5)	-18.0				3-29-68	112.0(5)	-37.0	
		4-03-68	95.0(5)	-16.0				3-29-68	122.0(1)	-47.0	
		5-01-68	102.0(5)	-23.0		035/13W-15M03S	80.0	11-09-67	125.2	-45.2	1101
		6-05-68	105.0(5)	-26.0				4-05-68	122.0	-42.0	
		7-03-68	106.0(5)	-27.0		035/13W-15M05S	77.0	10-31-67	149.5(1)	-72.5	1101
		8-01-68	107.0(5)	-28.0				10-31-67	133.5(5)	-56.5	
		9-01-68	105.0(5)	-26.0				3-29-68	126.5(5)	-49.5	
035/13W-13F01S	77.5	11-09-67	66.4	11.1	1101			3-29-68	144.5(1)	-67.5	
		4-08-68	(9)			035/13W-15R01S	71.5	10-31-67	129.0(1)	-57.5	1101
		4-12-68	62.9	14.6				11-30-67	107.0	-35.5	
035/13W-13F04S	78.5	10-30-67	100.5(5)	-22.0	1101			11-30-67	127.0(1)	-55.5	
		11-27-67	99.5(5)	-21.0				12-31-67	125.0(1)	-53.5	
		1-02-68	102.5(5)	-24.0				1-31-68	107.0	-35.5	
		2-26-68	99.5(5)	-21.0				2-28-68	124.0(1)	-52.5	
		4-29-68	98.5(5)	-20.0				3-31-68	124.0(1)	-52.5	
		6-03-68	101.5(5)	-23.0				4-30-68	128.0(1)	-56.5	
		9-03-68	103.5(5)	-25.0				5-31-68	129.0(1)	-57.5	
		9-30-68	103.5(5)	-25.0				6-30-68	131.0(1)	-59.5	
035/13W-13F07S	78.0	11-09-67	17.2	60.8	1101			7-31-68	133.0(1)	-61.5	
		4-08-68	17.2	60.8				8-31-68	134.5(1)	-63.0	
035/13W-13G01S	79.0	10-30-67	85.0(5)	-6.0	1101			9-30-68	131.0(1)	-59.5	
		11-27-67	84.0(5)	-5.0		035/13W-16A01S	81.0	10-30-67	126.0(5)	-45.0	1101
		1-02-68	80.0(5)	-1.0				11-27-67	129.0(5)	-48.0	
		2-26-68	81.0(5)	-2.0				1-02-68	120.0(5)	-39.0	
		4-29-68	75.0(5)	4.0				2-26-68	125.0(5)	-44.0	
		6-03-68	77.0(5)	2.0				4-29-68	118.0(5)	-37.0	
		7-01-68	76.0(5)	3.0				6-03-68	117.0(5)	-36.0	
		9-03-68	76.0(5)	3.0				7-01-68	118.0(5)	-37.0	
		9-30-68	77.0(5)	2.0				9-03-68	134.0(5)	-53.0	
035/13W-13J01S	80.0	10-30-67	69.0(5)	11.0	1101			9-30-68	128.0(5)	-47.0	
		11-27-67	70.0(5)	10.0		035/13W-16001S	95.0	11-09-67	155.7	-60.7	1101
		1-02-68	71.0(5)	9.0				4-02-68	151.7	-56.7	
		2-26-68	72.0(5)	8.0		035/13W-16E01S	93.5	10-15-67	146.0	-52.5	1101
		4-29-68	70.0(5)	10.0				10-31-67	147.0	-53.5	
		6-03-68	70.0(5)	10.0				11-30-67	146.0	-52.5	
		7-01-68	70.0(5)	10.0				12-31-67	145.0	-51.5	
		9-03-68	70.0(5)	10.0				1-31-68	144.0	-50.5	
		9-30-68	70.0(5)	10.0				2-28-68	143.0	-49.5	
035/13W-13M01S	76.0	10-31-67	108.0	-32.0	1101			3-31-68	143.0	-49.5	
		11-30-67	100.0	-24.0				4-30-68	143.0	-49.5	
		12-31-67	97.0	-21.0				5-31-68	143.0	-49.5	
		1-31-68	96.0	-20.0				6-30-68	144.0	-50.5	
		2-28-68	97.0	-21.0				7-31-68	146.0	-52.5	
		3-31-68	98.0	-22.0				8-31-68	146.0	-52.5	
		4-30-68	102.0	-26.0				9-30-68	146.0	-52.5	
		5-31-68	105.0	-29.0		035/13W-16M01S	83.0	11-09-67	DRY		1101
		6-30-68	107.0	-31.0				4-05-68	DRY		
		7-31-68	103.0	-27.0		035/13W-16M02S	82.0	10-15-67	128.4(5)	-46.4	1101
		8-31-68	105.0	-29.0				11-07-67	128.4(5)	-46.4	
		9-30-68	101.0	-25.0				12-15-67	124.4(5)	-42.4	
035/13W-13M02S	74.0	10-31-67	128.0(1)	-54.0	1101			1-15-68	123.4(5)	-41.4	
		11-31-67	105.0	-31.0				2-07-68	123.4(5)	-41.4	
		11-31-67	123.0(1)	-49.0				3-21-68	122.4(5)	-40.4	
		12-31-67	130.0(1)	-56.0				4-15-68	124.4(5)	-42.4	
		1-31-68	139.0(1)	-65.0				5-07-68	124.4(5)	-42.4	
		2-28-68	150.0(1)	-76.0				6-01-68	126.4(5)	-44.4	
		3-15-68	96.0	-22.0				8-15-68	126.4(5)	-44.4	
		5-31-68	128.0(1)	-54.0				9-15-68	126.4(5)	-44.4	
		6-30-68	134.0(1)	-60.0		035/13W-16N06S	107.0	11-09-67	163.1	-56.1	1101
		7-31-68	106.0	-32.0				4-02-68	160.3	-53.3	
		8-31-68	106.0	-32.0		035/13W-17002S	121.0	11-09-67	182.7	-61.7	1101
		9-30-68	104.5	-30.5				4-02-68	180.3	-59.3	
035/13W-13P01S	78.2	10-30-67	64.4(5)	13.8	1101	035/13W-20H06S	106.0	11-13-67	170.7	-64.7	1101
		11-27-67	65.4(5)	12.8				4-16-68	(2)		
		1-02-68	61.4(5)	16.8				4-17-68	(2)		
		2-26-68	61.4(5)	16.8				4-17-68	167.6	-61.6	
		4-29-68	59.4(5)	18.8		035/13W-20H07S	108.0	11-13-67	162.2	-54.2	1101
		6-03-68	59.4(5)	18.8				4-16-68	(2)		
		9-03-68	50.4(5)	27.8				4-17-68	(2)		
		9-30-68	61.4(5)	16.8				4-17-68	159.7	-51.7	
035/13W-13R02S	77.0	10-30-67	153.5(5)	-76.5	1101	035/13W-21A01S	80.0	10-30-67	138.5(5)	-58.5	1101
		11-27-67	138.5(5)	-61.5				11-27-67	140.5(5)	-60.5	
		1-02-68	148.5(5)	-71.5				1-02-68	139.5(5)	-59.5	
		2-26-68	154.5(5)	-77.5				2-26-68	139.5(5)	-59.5	
		4-29-68	149.5(5)	-72.5				4-29-68	138.5(5)	-58.5	
		6-03-68	150.5(5)	-73.5				6-03-68	137.5(5)	-57.5	
		7-01-68	151.5(5)	-74.5				7-29-68	138.5(5)	-58.5	
		9-03-68	148.5(5)	-71.5				9-03-68	139.5(5)	-59.5	
		9-30-68	111.5(5)	-34.5				9-30-68	138.5(5)	-58.5	
035/13W-14M01S	73.0	11-09-67	105.2	-32.2	1101	035/13W-21B01S	85.0	10-30-67	128.5(5)	-43.5	1101
		4-08-68	98.7	-25.7				11-27-67	127.5(5)	-42.5	
035/13W-15C02S	79.0	10-31-67	145.5(1)	-66.5	1101						
		10-31-67	130.5(5)	-51.5							
		3-29-68	125.5(5)	-46.5							
		3-29-68	140.5(1)	-61.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
03S/13W-21B01S (CONT.)	85.0	1-02-68 2-26-68 4-01-68 4-29-68 6-03-68 7-29-68 9-03-68 9-30-68	123.5(5) 123.5(5) 124.5(5) 122.5(5) 121.5(5) 119.5(5) 118.5(5) 122.5(5)	-38.5 -38.5 -39.5 -37.5 -36.5 -34.5 -33.5 -37.5	1101	03S/13W-23R02S (CONT.)	66.3	3-22-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	65.5 65.8 65.4 66.3 65.1 65.6 65.1 64.8 64.4	.8 .5 .9 .0 1.2 .7 1.2 1.5 1.9	1101
03S/13W-21C06S	95.0	10-30-67 11-27-67 1-02-68 2-26-68 4-01-68 6-03-68 7-29-68 9-03-68 9-30-68	163.5(5) 169.5(5) 162.5(5) 167.5(5) 169.5(5) 163.5(5) 162.5(5) 168.5(5) 171.5(5)	-68.5 -74.5 -67.5 -72.5 -74.5 -68.5 -67.5 -73.5 -76.5	1101	03S/13W-24D01S	70.7	10-31-67 11-30-67 12-31-67 1-31-68 2-28-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	63.4 62.4 62.4 62.4 62.4 61.4 62.4 62.4 63.4 63.4 62.4 62.4	7.3 8.3 8.3 8.3 8.3 9.3 8.3 8.3 7.3 7.3 8.3 8.3	1101
03S/13W-21R01S	91.8	10-06-67 10-18-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68 3-22-68 4-01-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	162.3 169.1 162.3 160.0 158.0 157.4 156.9 156.4 160.2 159.5 158.6 157.4 158.1 163.2 165.0 166.5 162.7 161.6 161.2	-70.5 -77.3 -70.5 -68.2 -66.2 -65.6 -65.1 -64.6 -68.4 -67.7 -66.8 -65.6 -66.3 -71.4 -73.2 -74.7 -70.9 -69.8 -69.4	1733 5050 1733 1101 5050 1733	03S/13W-24Q03S	64.8	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-18-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	81.2 80.8 79.6 77.9 74.1 74.0 73.7 73.7 72.9 75.0 77.3 80.6 82.0 84.1 83.1 82.6 82.1	-16.4 -16.0 -14.8 -13.1 -9.3 -9.2 -8.9 -8.9 -8.1 -10.2 -12.5 -15.8 -17.2 -19.3 -18.3 -17.8 -17.3	1733
03S/13W-21R03S	93.0	10-02-67 11-27-67 1-02-68 2-26-68 4-29-68 6-03-68 7-29-68 9-02-68 9-30-68	174.0(5) 170.0(5) 166.0(5) 163.0(5) 162.0(5) 163.0(5) 164.0(5) 163.0(5) 164.0(5)	-81.0 -77.0 -73.0 -70.0 -69.0 -70.0 -71.0 -70.0 -71.0	1101	03S/13W-24Q06S	65.0	11-15-67 4-19-68	66.2(3) 64.6	-1.2 .4	1101
03S/13W-22H02S	68.5	10-15-67 11-30-67 12-31-67 1-31-68 2-28-68 3-31-68 4-30-68 5-15-68 5-31-68 7-31-68 8-31-68 9-30-68	147.5(1) 106.5 103.5 137.5(1) 137.5(1) 134.5(1) 139.5(1) 106.5 140.5(1) 142.5(1) 111.5 142.5(1)	-79.0 -38.0 -35.0 -69.0 -69.0 -66.0 -71.0 -38.0 -72.0 -74.0 -43.0 -74.0	1101	03S/13W-24Q07S	65.0	11-15-67 4-19-68	65.5 64.3	-.5 .7	1101
03S/13W-22H07S	68.5	10-15-67 11-15-67 11-30-67 12-31-67 1-31-68 2-28-68 3-31-68 4-30-68 5-31-68 7-31-68 8-31-68 9-30-68	216.8(1) 119.8 112.8 110.8 109.8 109.3 113.8 115.8 118.8 122.8 127.3 122.8	-148.3 -51.3 -44.3 -42.3 -41.3 -40.8 -45.3 -47.3 -50.3 -54.3 -58.8 -54.3	1101	03S/13W-25D04S	64.0	10-30-67 11-27-67 1-02-68 2-26-68 4-29-68 6-03-68 7-29-68 9-06-68 9-30-68	72.0(5) 71.0(5) 66.0(5) 68.0(5) 74.0(5) 73.0(5) 73.0(5) 76.0(5) 73.0(5)	-8.0 -7.0 -2.0 -4.0 -10.0 -9.0 -9.0 -12.0 -9.0	1101
03S/13W-22Q04S	70.1	10-15-67 10-31-67 11-30-67 12-31-67 1-31-68 2-28-68 3-31-68 4-30-68 5-31-68 7-31-68 8-31-68 9-30-68	129.0 129.0 129.0 127.0 127.0 126.0 124.5 125.0 201.0(1) 133.0 131.0	-58.9 -58.9 -58.9 -56.9 -56.9 -55.9 -54.4 -54.9 -130.9 -62.9 -60.9	1101	03S/13W-25Q02S	63.0	10-30-67 11-15-67 11-27-67 1-02-68 2-26-68 4-19-68 4-29-68 6-03-68 9-30-68	118.6(5) 109.4 113.6(5) 114.6(5) 132.6(5) 105.6 142.6(5) 139.6(5) 139.6(5)	-55.6 -46.4 -50.6 -51.6 -69.6 -42.6 -79.6 -76.6 -76.6	1101
03S/13W-23J04S	67.0	11-15-67 4-19-68	27.6 28.0	39.4 39.0	1101	03S/13W-25P02S	52.5	11-15-67 11-15-67 4-19-68	DRY DRY 21.3	 31.2	1101
03S/13W-23R02S	66.3	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68	66.2 66.2 67.3 66.4 66.1 66.2 66.1 67.7	.1 .1 -1.0 -.1 .2 .1 .2 -1.4	1733	03S/13W-25Q02S	57.1	11-15-67 4-19-68	89.9 85.5	-32.8 -28.4	1101
						03S/13W-26C01S	62.6	10-15-67 11-15-67 11-31-67 12-31-67 1-31-68 2-28-68 3-31-68 4-30-68 5-31-68 6-30-68 7-31-68 8-31-68 9-30-68	164.0(1) 119.5 113.0 109.0 109.0 109.0 109.0 153.0(1) 121.0 124.0 125.5 171.0(1) 122.0	-101.4 -56.9 -50.4 -46.4 -46.4 -46.4 -46.4 -90.4 -58.4 -61.4 -62.9 -108.4 -59.4	1101
						03S/13W-26F01S	61.0	10-18-67 4-04-68	114.2 109.2	-53.2 -48.2	5050
						03S/13W-26J03S	59.3	10-07-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68	67.5 67.3 67.4 67.4 67.0 67.1 67.3	-8.2 -8.0 -8.1 -8.1 -7.7 -7.8 -8.0	4206

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
03S/13W-26J03S (CONT.)	59.3	3-22-68	66.9	-7.6	4206	03S/13W-35K04S	49.0	11-18-67 4-16-68	(1) 190.6(1)	-141.6	1101
		4-11-68	66.8	-7.5							
		5-24-68	66.7	-7.4		03S/13W-35P01S	50.0	10-19-67	219.0(1)	-169.0	5050
		6-14-68	66.5	-7.2				10-24-67	221.0(1)	-171.0	
		7-26-68	66.7	-7.4				4-02-68	149.0	-99.0	
		8-16-68	66.4	-7.1							
		9-27-68	66.9	-7.6							
03S/13W-26M01S	61.0	10-31-67	151.3	-90.3	1101	03S/13W-35Q01S	47.0	10-19-67	149.4	-102.4	5050
		11-30-67	151.3	-90.3				4-02-68	160.4	-113.4	
		12-31-67	150.3	-89.3		03S/13W-35Q03S	47.0	10-19-67	297.8(1)	-250.8	5050
		1-31-68	149.3	-88.3				4-02-68	162.8	-115.8	
		2-28-68	151.3	-90.3		03S/14W-01F01S	227.8	11-06-67	283.8	-56.0	1101
		3-31-68	154.3	-93.3				4-10-68	283.7	-55.9	
		4-30-68	155.3	-94.3		03S/14W-01F03S	225.0	11-06-67	277.3	-52.3	1101
		5-31-68	157.3	-96.3				4-10-68	277.2	-52.2	
		6-30-68	158.3	-97.3		04S/11W-05C02S	44.0	11-07-67	58.2	-14.2	1101
		7-31-68	159.3	-98.3				4-10-68	52.5	-8.5	
		8-31-68	158.3	-97.3		04S/11W-06F01S	46.0	11-07-67	63.9	-17.9	1101
		9-30-68	159.3	-98.3				4-10-68	58.5	-12.5	
03S/13W-26P01S	57.5	11-15-67	DRY		1101	04S/11W-06P01S	41.6	10-05-67	62.4	-20.8	1733
		4-16-68	DRY					10-09-67	70.9	-29.3	5102
03S/13W-27E02S	89.3	10-19-67	171.0(5)	-81.7	5050			10-26-67	61.7	-20.1	1733
		10-31-67	169.0(5)	-79.7	1101			11-13-67	57.1	-15.5	5102
		11-30-67	159.0(5)	-69.7				11-16-67	59.9	-18.3	1733
		12-31-67	157.0(5)	-67.7				12-07-67	56.2	-14.6	
		1-31-68	156.0(5)	-66.7				12-11-67	48.8	-7.2	5102
		2-28-68	156.0(5)	-66.7				12-28-67	48.0	-6.4	1733
		3-31-68	158.0(5)	-68.7				1-02-68	47.0	-5.4	5102
		3-31-68	158.0(5)	-68.7				1-18-68	45.9	-4.3	1733
		4-01-68	158.0(5)	-68.7	5050			2-05-68	48.4	-6.8	5102
		4-30-68	161.0(5)	-71.7	1101			2-08-68	48.3	-6.7	1733
		5-31-68	169.0(5)	-79.7				2-29-68	49.2	-7.6	
		6-30-68	169.0(5)	-79.7				3-04-68	49.1	-7.5	5102
		7-31-68	170.0(5)	-80.7				3-21-68	49.4	-7.8	1101
		8-31-68	169.0(5)	-79.7				4-11-68	49.9	-8.3	1733
		9-30-68	170.0(5)	-80.7				4-22-68	52.8	-11.2	5102
03S/13W-27G01S	68.2	10-15-67	151.0(5)	-82.8	1101			5-02-68	61.9	-20.3	1733
		10-31-67	146.0(5)	-77.8				5-06-68	53.2	-11.6	5102
		11-30-67	146.0(5)	-77.8				6-10-68	(0)		
		12-31-67	220.0(1)	-151.8				6-13-68	(6)		1733
		1-15-68	142.0(5)	-73.8		04S/11W-07A01S	44.5	11-07-67	67.2	-22.7	1101
		1-31-68	223.0(1)	-154.8				4-10-68	58.5	-14.0	
		2-28-68	227.0(1)	-158.8		04S/11W-07H01S	38.0	11-07-67	57.2	-19.2	1101
		3-31-68	233.0(1)	-164.8				4-10-68	50.5	-12.5	
		4-30-68	237.0(1)	-168.8		04S/11W-07L01S	33.5	10-15-67	61.5(5)	-28.0	1101
		5-15-68	151.5(5)	-83.3				11-15-67	57.5(5)	-24.0	
		5-31-68	239.0(1)	-170.8				12-21-67	43.5(5)	-10.0	
		7-31-68	150.0	-81.8				1-02-68	41.5	-8.0	
		8-31-68	158.0	-89.8				2-07-68	44.5(5)	-11.0	
		9-30-68	147.0	-78.8				3-07-68	50.5(5)	-17.0	
03S/13W-28G01S	91.9	10-18-67	164.7	-72.8	5050			4-07-68	59.5(5)	-26.0	
		4-01-68	160.8	-68.9				5-15-68	66.5(5)	-33.0	
03S/13W-28G04S	96.0	11-13-67	163.8	-67.8	1101			6-01-68	67.5(5)	-34.0	
		4-16-68	160.7	-64.7				7-15-68	63.5(5)	-30.0	
03S/13W-33A02S	146.0	10-18-67	(7)		5050			8-15-68	54.5(5)	-21.0	
		11-13-67	241.9	-95.9	1101			9-15-68	53.5(5)	-20.0	
		4-02-68	229.5	-83.5	5050	04S/11W-07L02S	33.5	10-15-67	59.0(5)	-25.5	1101
		4-16-68	229.1	-83.1	1101			11-21-67	53.0(5)	-19.5	
03S/13W-33A03S	146.0	10-18-67	(7)		5050			12-15-67	42.0(5)	-8.5	
		11-13-67	233.8(3)	-87.8	1101			1-07-68	40.0(5)	-6.5	
		4-02-68	227.2	-81.2	5050			2-15-68	40.0(5)	-6.5	
		4-16-68	228.3	-82.3	1101			3-15-68	41.0(5)	-7.5	
03S/13W-33B01S	156.8	10-18-67	244.2	-87.4	5050			4-21-68	59.0(5)	-25.5	
		11-13-67	244.3(8)	-87.5	1101			5-07-68	54.0(5)	-20.5	
		4-02-68	236.4	-79.6	5050			6-01-68	57.0(5)	-23.5	
		4-16-68	252.1(8)	-95.3	1101			7-21-68	61.0(5)	-27.5	
03S/13W-34D03S	125.0	10-18-67	(1)		5050			8-15-68	56.0(5)	-22.5	
		10-30-67	(1)					9-15-68	55.0(5)	-21.5	
		4-02-68	206.5	-81.5		04S/11W-07N01S	31.0	10-31-67	66.0(5)	-35.0	1101
03S/13W-34H01S	132.0	11-15-67	244.8	-112.8	1101			11-28-67	46.0(5)	-15.0	
		4-16-68	232.3	-100.3				1-03-68	36.0(5)	-5.0	
03S/13W-34H02S	130.0	10-18-67	(1)		5050			2-27-68	69.0(5)	-38.0	
		10-30-67	247.2	-117.2				4-03-68	54.0(5)	-23.0	
		11-15-67	252.2(8)	-122.2	1101			5-01-68	53.0(5)	-22.0	
		4-02-68	238.8	-108.8	5050			6-04-68	63.0(5)	-32.0	
		4-16-68	230.0(8)	-100.0	1101			7-02-68	65.0(5)	-34.0	
03S/13W-35A02S	55.0	11-15-67	74.6(8)	-19.6	1101			9-03-68	89.0(5)	-58.0	
		4-16-68	74.6(8)	-19.6		04S/11W-07P02S	33.0	10-31-67	33.0(5)	.0	1101
03S/13W-35K03S	46.5	4-16-68	188.6(2)	-142.1	1101			11-28-67	38.0(5)	-5.0	
		5-31-68	187.5	-141.0				1-02-68	37.0(5)	-4.0	
		6-30-68	188.5	-142.0				2-27-68	36.0(5)	-3.0	
		7-31-68	190.5	-144.0				4-03-68	37.0(5)	-4.0	
		8-31-68	191.0	-144.5				5-01-68	35.0(5)	-2.0	
		9-30-68	189.5	-143.0				6-04-68	35.0(5)	-2.0	
								7-02-68	36.0(5)	-3.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0				
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5				
04S/11W-07P02S (CONT.)	33.0	9-03-68	34.0(5)	-1.0	1101	04S/12W-03H01S	55.0	10-31-67	66.0(5)	-11.0	1101		
04S/11W-16Q01S	43.0	10-25-67	18.2	24.8	5102			11-19-67	77.0(5)	-22.0			
		11-16-67	17.0	26.0				12-30-67	121.0(1)	-66.0			
		12-15-67	16.2	26.8				1-15-68	59.0(5)	-4.0			
		1-09-68	15.6	27.4				2-15-68	61.0(5)	-6.0			
		2-09-68	17.8	25.2				3-17-68	56.0(5)	-1.0			
		3-13-68	17.3	25.7				4-08-68	64.0(5)	-9.0			
		4-22-68	15.0	28.0				5-30-68	(9)				
		5-08-68	16.4	26.6				6-28-68	146.0(1)	-91.0			
		6-18-68	17.8	25.2				7-25-68	132.0(1)	-77.0			
		7-22-68	18.5	24.5				8-25-68	144.0(1)	-89.0			
		9-06-68	20.2	22.8				9-25-68	144.0(1)	-89.0			
04S/11W-18A01S	33.0	11-07-67	50.0	-17.0	1101	04S/12W-04J03S	53.0	10-25-67	84.0(5)	-31.0	1101		
		4-10-68	44.1	-11.1				11-12-67	84.0(5)	-31.0			
04S/11W-18J01S	31.0	10-21-67	50.4	-19.4	1101			12-25-67	62.0(5)	-9.0			
		11-08-67	37.0	-6.0				1-30-68	75.0(5)	-22.0			
		4-10-68	32.9	-1.9				2-20-68	65.0(5)	-12.0			
		6-07-68	50.4(5)	-19.4				3-29-68	63.0(5)	-10.0			
		7-15-68	59.4(5)	-28.4				4-25-68	62.0(5)	-9.0			
		8-21-68	54.4(5)	-23.4				5-15-68	64.0(5)	-11.0			
		9-21-68	50.4(5)	-19.4				6-05-68	72.0(5)	-19.0			
								7-19-68	72.0(5)	-19.0			
								8-25-68	82.0(5)	-29.0			
								9-20-68	65.0(5)	-12.0			
04S/11W-18P01S	26.4	10-07-67	48.2	-21.8	4206	04S/12W-05H01S	50.0	11-08-67	48.0	2.0	1101		
		10-27-67	41.5	-15.1				4-15-68	49.0	1.0			
		11-22-67	35.9	-9.5									
		12-08-67	28.8	-2.4									
		12-29-67	24.5	1.9		04S/12W-05H02S	50.0	10-02-67	51.1	-1.1	4206		
		1-19-68	24.4	2.0				10-09-67	50.9	-0.9			
		2-09-68	24.7	1.7				10-16-67	50.8	-0.8			
		3-22-68	26.1	.3				10-23-67	50.8	-0.8			
		4-11-68	33.0	-6.6				10-30-67	50.6	-0.6			
		5-24-68	40.8	-14.4				11-06-67	50.6	-0.6			
		6-14-68	43.0	-16.6				11-13-67	50.0	.0			
		7-26-68	50.0	-23.6				11-20-67	49.8	.2			
		8-16-68	49.8	-23.4				11-27-67	49.6	.4			
		9-27-68	55.6	-29.2				12-04-67	49.5	.5			
04S/12W-01K02S	46.0	11-07-67	58.8(4)	-12.8	1101			12-11-67	49.3	.7			
		4-10-68	53.5(4)	-7.5				12-18-67	49.2	.8			
04S/12W-02H01S	50.0	10-06-67	63.7	-13.7	1733			12-26-67	49.2	.8			
		10-27-67	56.4	-6.4				1-02-68	49.1	.9			
		11-17-67	56.0	-6.0				1-08-68	49.0	1.0			
		12-08-67	46.5	3.5				1-15-68	49.0	1.0			
		12-29-67	44.0	6.0				1-22-68	49.0	1.0			
		1-19-68	44.4	5.6				1-29-68	49.0	1.0			
		2-09-68	44.8	5.2				2-05-68	48.9	1.1			
		3-01-68	45.9	4.1				2-12-68	48.8	1.2			
		3-22-68	45.7	4.3	1101			2-19-68	48.7	1.3			
		4-12-68	55.1	-5.1	1733			2-26-68	48.6	1.4			
		5-03-68	57.4	-7.4				3-04-68	48.5	1.5			
		6-14-68	66.4	-16.4				3-11-68	48.5	1.5			
		8-16-68	70.3	-20.3				3-18-68	48.4	1.6			
		9-06-68	69.0	-19.0				3-25-68	48.4	1.6			
		9-27-68	73.5	-23.5				4-01-68	48.4	1.6			
04S/12W-02K01S	48.0	1-16-68	(0)		1101			4-08-68	48.4	1.6			
		1-16-68	(0)					4-15-68	48.3	1.7			
		4-15-68	(5)					4-22-68	48.5	1.5			
04S/12W-02Q01S	47.0	1-23-68	125.0(5)	-78.0	1101			4-29-68	48.6	1.4			
		2-04-68	113.0(5)	-66.0				5-06-68	48.8	1.2			
		3-08-68	126.0(5)	-79.0				5-13-68	48.9	1.1			
		4-12-68	185.0(5)	-138.0				5-20-68	49.0	1.0			
		5-02-68	141.0(5)	-94.0				5-27-68	49.3	.7			
		6-01-68	195.0(1)	-148.0				6-03-68	49.6	.4			
		7-20-68	127.0(5)	-80.0				6-10-68	49.6	.4			
		8-31-68	128.0(5)	-81.0				6-17-68	49.6	.4			
		9-29-68	135.0(5)	-88.0				6-24-68	49.8	.2			
04S/12W-03Q01S	54.0	10-25-67	73.2(5)	-19.2	1101			7-01-68	49.9	.1			
		11-28-67	65.2(5)	-11.2				7-08-68	49.9	.1			
		12-28-67	66.2(5)	-12.2				7-15-68	49.9	.1			
		1-10-68	66.2(5)	-12.2				7-22-68	49.9	.1			
		2-25-68	60.2(5)	-6.2				7-29-68	50.1	-0.1			
		3-25-68	68.2(5)	-14.2				8-05-68	50.1	-0.1			
		4-29-68	78.2(5)	-24.2				8-12-68	50.4	-0.4			
		5-28-68	95.2(5)	-41.2				8-19-68	50.4	-0.4			
		6-26-68	93.2(5)	-39.2				8-26-68	50.3	-0.3			
		7-23-68	95.2(5)	-41.2				9-02-68	50.4	-0.4			
		8-24-68	88.2(5)	-34.2				9-09-68	50.5	-0.5			
		9-21-68	88.2(5)	-34.2				9-16-68	50.6	-0.6			
04S/12W-03E01S	53.0	11-14-67	68.0(4)	-15.0	1101			9-23-68	50.8	-0.8			
		1-16-68	(0)					9-30-68	50.3	-0.3			
		1-31-68	154.0(5)	-101.0									
		2-11-68	144.0(5)	-91.0				04S/12W-06Q01S	49.2	10-23-67	77.1	-27.9	1101
		3-23-68	174.0(1)	-121.0						11-27-67	75.5	-26.3	
		4-04-68	149.0(5)	-96.0						12-26-67	87.8	-38.6	
		4-17-68	(1)							1-02-68	87.6	-38.4	
		5-30-68	186.0(1)	-133.0						2-05-68	74.7	-25.5	
		6-05-68	184.0(5)	-131.0						3-04-68	74.7	-25.5	
		7-15-68	164.0(5)	-111.0						4-08-68	73.7	-24.5	
										5-06-68	74.7	-25.5	
										6-03-68	76.2	-27.0	
										7-08-68	77.5	-28.3	
										8-12-68	78.2	-29.0	
										9-16-68	78.5	-29.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
045/12W-06D025 (CONT.)	48.0	12-26-67	62.6	-14.6	1101	045/12W-08N025 (CONT.)	70.0	12-29-67	106.1	-36.1	1733
		1-02-68	61.2	-13.2				12-29-67	106.4	-36.4	
		2-12-68	51.2	-3.2				1-19-68	108.2	-38.2	
		2-12-68	51.2	-3.2				2-09-68	107.9	-37.9	
		3-04-68	52.9	-4.9				3-01-68	112.5	-42.5	
		4-08-68	52.4	-4.4				3-22-68	111.8	-41.8	1101
		5-06-68	52.8	-4.8				4-12-68	115.7	-45.7	1733
		6-03-68	52.2	-4.2				5-03-68	120.1	-50.1	
		8-12-68	51.0	-3.0				6-14-68	126.0	-56.0	
		9-16-68	49.6	-1.6				7-26-68	130.1	-60.1	
								8-16-68	137.6	-67.6	
								9-06-68	135.9	-65.9	
								9-27-68	137.1	-67.1	
045/12W-06D035	46.3	10-23-67	110.8(1)	-64.5	1101	045/12W-08P065	69.5	11-14-67	137.8	-68.3	1101
		11-20-67	111.4(1)	-65.1				1-16-68	(0)		
		12-04-67	95.0	-48.7				4-17-68	106.4	-36.9	
		1-02-68	106.2(1)	-59.9							
		2-12-68	106.9(1)	-60.6							
		3-04-68	103.0(1)	-56.7							
		4-08-68	102.8(1)	-56.5							
		5-06-68	102.7(1)	-56.4							
		6-03-68	108.3(1)	-62.0							
		7-15-68	103.8(1)	-57.5							
		8-12-68	115.0(1)	-68.7							
		9-16-68	104.5(1)	-58.2							
045/12W-06J015	47.0	10-25-67	105.8	-58.8	1101	045/12W-08R015	58.0	10-20-67	108.0(5)	-50.0	1101
		11-28-67	102.7	-55.7				11-24-67	101.0(5)	-43.0	
		12-27-67	75.6	-28.6				12-29-67	115.0(5)	-57.0	
		1-03-68	74.0	-27.0				1-12-68	118.0(5)	-60.0	
		2-13-68	156.8(1)	-109.8				2-23-68	113.0(5)	-55.0	
		3-05-68	157.3(1)	-110.3				3-29-68	108.0(5)	-50.0	
		4-02-68	93.7	-46.7				4-26-68	94.0(5)	-36.0	
		5-07-68	99.3	-52.3				5-31-68	162.0(5)	-104.0	
		6-04-68	161.5(1)	-114.5				8-16-68	116.0(5)	-58.0	
		7-09-68	160.0(1)	-113.0				9-20-68	118.0(5)	-60.0	
		8-12-68	174.6(1)	-127.6							
		9-17-68	120.3	-73.3							
045/12W-06J025	45.9	10-25-67	188.2(1)	-142.3	1101	045/12W-09C015	49.0	11-08-67	DRY		1101
		11-22-67	99.0	-53.1				4-15-68	DRY		
		12-26-67	80.1	-34.2							
		1-03-68	78.9	-33.0							
		2-13-68	177.4(1)	-131.5							
		3-05-68	178.2(1)	-132.3							
		4-09-68	174.8(1)	-128.9							
		5-07-68	180.0(1)	-134.1							
		6-04-68	189.6(1)	-143.7							
		7-09-68	175.3(1)	-129.4							
		8-13-68	197.8(1)	-151.9							
		9-10-68	202.0(1)	-156.1							
045/12W-06K015	47.7	10-25-67	105.0	-57.3	1101	045/12W-10A025	52.0	10-28-67	69.8(5)	-17.8	1101
		11-28-67	101.6	-53.9				11-25-67	65.8(5)	-13.8	
		12-27-67	76.4	-28.7				12-25-67	61.8(5)	-9.8	
		1-03-68	74.9	-27.2				1-20-68	64.8(5)	-12.8	
		2-13-68	98.6	-50.9				2-20-68	58.8(5)	-6.8	
		3-05-68	101.6	-53.9				3-20-68	69.8(5)	-17.8	
		4-02-68	93.2	-45.5				4-15-68	70.8(5)	-18.8	
		5-07-68	98.4	-50.7				5-15-68	76.8(5)	-24.8	
		6-04-68	110.2	-62.5				6-01-68	77.8(5)	-25.8	
		7-08-68	112.6	-64.9				8-15-68	85.8(5)	-33.8	
		8-13-68	128.4	-80.7				9-15-68	83.8(5)	-31.8	
		9-10-68	126.8	-79.1							
045/12W-06K025	47.1	10-25-67	89.9	-42.8	1101	045/12W-10G015	47.0	10-28-67	85.0(5)	-38.0	1101
		11-28-67	84.4	-37.3				11-17-67	90.0(5)	-43.0	
		12-27-67	137.3(1)	-90.2				12-29-67	81.0(5)	-34.0	
		1-03-68	137.1(1)	-90.0				1-25-68	84.0(5)	-37.0	
		2-06-68	77.8	-30.7				2-25-68	84.0(5)	-37.0	
		3-05-68	78.1	-31.0				3-24-68	89.0(5)	-42.0	
		4-02-68	78.5	-31.4				4-18-68	88.0(5)	-41.0	
		5-07-68	88.5	-41.4				5-20-68	88.0(5)	-41.0	
								6-24-68	106.0(5)	-59.0	
								7-26-68	99.0(5)	-52.0	
								8-21-68	100.0(5)	-53.0	
								9-30-68	94.0(5)	-47.0	
045/12W-06K045	46.6	10-25-67	88.5	-41.9	1101	045/12W-10H015	46.0	10-10-67	81.0(5)	-35.0	1101
		11-28-67	83.2	-36.6				11-16-67	95.0	-49.0	
		12-27-67	82.4	-35.8				11-16-67	124.0(1)	-78.0	
		1-03-68	81.4	-34.8				11-26-67	123.0(1)	-77.0	
		2-13-68	75.6	-29.0				12-28-67	113.0(1)	-67.0	
		3-05-68	75.9	-29.3				1-25-68	112.0(1)	-66.0	
		4-09-68	75.2	-28.6				2-20-68	104.0(1)	-58.0	
		5-13-68	89.7	-43.1				3-14-68	109.0(1)	-63.0	
		6-04-68	89.8	-43.2				4-15-68	117.0(1)	-71.0	
		9-10-68	100.6	-54.0				4-15-68	82.0(1)	-36.0	
								5-20-68	116.0(1)	-70.0	
								6-20-68	131.0(1)	-85.0	
								7-25-68	124.0(1)	-78.0	
								8-15-68	117.0(1)	-71.0	
								9-15-68	122.0(1)	-76.0	
045/12W-06K055	45.0	11-29-67	DRY		1101	045/12W-10H035	46.5	10-25-67	83.0(5)	-36.5	1101
		4-19-68	DRY					11-27-67	84.0(5)	-37.5	
		4-19-68	DRY					12-31-67	67.0(5)	-20.5	
								1-10-68	85.0(5)	-38.5	
								2-20-68	74.0(5)	-27.5	
								3-20-68	76.0(5)	-29.5	
								4-20-68	82.0(5)	-35.5	
								5-08-68	78.0(5)	-31.5	
								6-01-68	90.0(5)	-43.5	
								7-28-68	85.0(5)	-38.5	
								8-20-68	75.0(5)	-28.5	
								9-25-68	84.0(5)	-37.5	
045/12W-08B015	42.0	11-08-67	(2)		1101	045/12W-10J025	45.5	10-28-67	76.0(5)	-30.5	1101
		11-14-67	90.9	-48.9				11-26-67	78.0(5)	-32.5	
		1-16-68	(0)					12-26-67	60.0(5)	-14.5	
		4-17-68	81.9	-39.9				1-17-68	102.0(5)	-56.5	
								2-15-68	69.0(5)	-23.5	
								3-27-68	90.0(5)	-44.5	
								4-15-68	122.0(1)	-76.5	
								5-25-68	117.0(1)	-71.5	
								6-15-68	103.0(1)	-57.5	
								7-21-68	89.0(5)	-43.5	
								8-04-68	85.0(5)	-39.5	
								9-29-68	86.0(5)	-40.5	
045/12W-08N025	70.0	12-08-67	(9)		1733						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
04S/12W-118035	42.0	10-26-67	67.0(5)	-25.0	1101	04S/12W-13G015 (CONT.)	35.0	8-16-68	70.0	-35.0	4206
		11-28-67	63.0(5)	-21.0				9-27-68	81.5	-46.5	
		12-30-67	59.0(5)	-17.0		04S/12W-13J025	28.0	10-07-67	79.2	-51.2	4206
		1-15-68	59.0(5)	-17.0				10-27-67	67.9	-39.9	
		2-15-68	57.0(5)	-15.0				11-22-67	(7)		
		3-15-68	57.0(5)	-15.0				12-08-67	35.6	-7.6	
		4-22-68	67.0(5)	-25.0				12-29-67	32.7	-4.7	
		5-24-68	74.0(5)	-32.0				1-19-68	32.4	-4.4	
		6-06-68	77.0(5)	-35.0				2-09-68	32.6	-4.6	
		7-16-68	64.0(5)	-22.0				3-22-68	33.3	-5.3	
		8-18-68	64.0(5)	-22.0				4-11-68	65.6	-37.6	
		9-22-68	59.0(5)	-17.0				5-24-68	66.7	-38.7	
04S/12W-118045	47.7	11-07-67	DRY		1101			6-14-68	(1)		
		4-15-68	DRY					7-26-68	98.4(1)	-70.4	
04S/12W-12J015	40.0	10-01-67	59.2	-19.2	1101			8-16-68	100.8	-72.8	
		11-15-67	52.8(5)	-12.8		04S/12W-13N015	28.5	9-27-68	108.3	-80.3	
		12-15-67	48.8(5)	-8.8				10-23-67	73.5	-45.0	1101
		1-15-68	45.8(5)	-5.8				11-20-67	66.3	-37.8	
		2-07-68	43.2(5)	-3.2				12-18-67	60.5	-32.0	
		3-15-68	44.8(5)	-4.8				1-02-68	59.3	-30.8	
		4-01-68	44.2	-4.2				2-12-68	57.3	-28.8	
		4-21-68	46.2	-6.2				3-04-68	59.1	-30.6	
		6-01-68	56.2	-16.2				4-08-68	61.1	-32.6	
		8-15-68	59.2	-19.2				5-06-68	67.5	-39.0	
		9-01-68	64.2	-24.2				6-03-68	76.5	-48.0	
04S/12W-13C015	33.5	10-25-67	66.9	-33.4	1101			8-12-68	77.3	-48.8	
		11-28-67	60.0	-26.5		04S/12W-13N025	29.0	9-09-68	82.7	-54.2	
		12-27-67	54.1	-20.6				10-16-67	62.6	-33.6	1101
		1-03-68	54.9	-21.4				11-20-67	116.9(1)	-87.9	
		2-13-68	50.3	-16.8				12-18-67	112.1(1)	-83.1	
		3-05-68	59.3	-25.8				1-02-68	110.8(1)	-81.8	
		4-02-68	55.9	-22.4				2-05-68	45.2	-16.2	
		5-07-68	68.5	-35.0				3-04-68	109.2(1)	-80.2	
		6-04-68	73.3	-39.8				4-08-68	108.1(1)	-79.1	
		7-09-68	75.8	-42.3				5-13-68	55.8	-26.8	
		8-13-68	71.0	-37.5				6-03-68	123.2	-94.2	
		9-10-68	75.0	-41.5				7-08-68	127.4(1)	-98.4	
04S/12W-13C025	36.5	10-27-67	56.4	-19.9	1101			8-12-68	125.8(1)	-96.8	
		11-22-67	53.5	-17.0		04S/12W-13P015	37.3	9-16-68	132.6(1)	-103.6	
		12-29-67	42.5	-6.0				11-13-67	70.2	-32.9	1101
		1-19-68	33.8	2.7				12-12-67	60.3	-23.0	
		2-09-68	34.0	2.5		04S/12W-14A025	36.0	10-31-67	73.0	-37.0	1101
		3-01-68	33.4	3.1				11-07-67	73.2	-37.2	
		4-11-68	67.0	-30.5				12-19-67	62.7	-26.7	
		5-24-68	68.1	-31.6				1-03-68	65.1	-29.1	
		8-16-68	64.8	-28.3				2-13-68	56.7	-20.7	
		9-27-68	78.2	-41.7				3-19-68	65.7	-29.7	
04S/12W-13C035	33.0	10-25-67	57.6	-24.6	1101			4-02-68	62.3	-26.3	
		11-28-67	49.5	-16.5		04S/12W-14A035	34.4	5-21-68	77.9	-41.9	
		12-27-67	45.7	-12.7				6-04-68	71.1	-35.1	
		1-03-68	49.6	-16.6				9-10-68	85.1	-49.1	
		2-13-68	41.8	-8.8				10-07-67	47.7	-13.3	4206
		3-05-68	44.9	-11.9				10-27-67	47.6	-13.2	
		4-09-68	54.4	-21.4				11-22-67	45.2	-10.8	
		5-07-68	56.8	-23.8				12-08-67	42.3	-7.9	
		6-04-68	60.5	-27.5				12-29-67	40.5	-6.1	
04S/12W-13D015	36.1	10-07-67	82.6	-46.5	1101			1-19-68	39.9	-5.5	
		11-22-67	54.7	-18.6				2-09-68	39.9	-5.5	
		12-29-67	43.9	-7.8				3-22-68	39.8	-5.4	
		1-19-68	43.1	-7.0				4-11-68	42.0	-7.6	
		2-09-68	42.2	-6.1				5-24-68	48.1	-13.7	
		3-01-68	42.1	-6.0				6-14-68	(9)		
		4-11-68	54.5	-18.4				7-26-68	50.4	-16.0	
		5-03-68	56.4	-20.3				8-16-68	50.0	-15.6	
		7-05-68	65.6	-29.5				9-27-68	50.0	-15.6	
		8-16-68	66.3	-30.2		04S/12W-14B015	39.0	10-25-67	78.3	-39.3	1101
		9-27-68	78.5	-42.4				11-28-67	68.8	-29.8	
04S/12W-13D035	36.0	10-25-67	60.6	-24.6	1101			12-19-67	68.0	-29.0	
		11-28-67	50.1	-14.1				1-03-68	75.2	-36.2	
		12-14-67	66.1	-30.1				2-13-68	61.1	-22.1	
		12-27-67	44.9	-8.9				3-05-68	82.5	-43.5	
		1-03-68	50.1	-14.1				4-02-68	62.1	-23.1	
		2-13-68	43.2	-7.2				5-21-68	77.7	-38.7	
		3-05-68	48.7	-12.7				6-04-68	80.1	-41.1	
		4-02-68	48.4	-12.4				9-10-68	94.2	-55.2	
		5-07-68	60.2	-24.2		04S/12W-14C015	44.0	10-07-67	81.5	-37.5	1101
		6-04-68	63.0	-27.0				11-22-67	80.5	-36.5	
		9-10-68	71.9	-35.9				12-08-67	77.5	-33.5	
04S/12W-13G015	35.0	10-07-67	84.1	-49.1	4206			1-19-68	77.9	-33.9	
		10-27-67	60.0	-25.0				2-09-68	74.0	-30.0	
		11-22-67	48.0	-13.0				3-01-68	72.6	-28.6	
		12-29-67	43.8	-8.8				4-11-68	82.3	-38.3	
		1-19-68	43.4	-8.4				5-03-68	83.9	-39.9	
		2-09-68	43.1	-8.1				6-14-68	92.4	-48.4	
		3-22-68	44.8	-9.8				7-05-68	95.7	-51.7	
		4-11-68	54.8	-19.8				8-16-68	84.1	-40.1	
		5-24-68	61.2	-26.2				9-27-68	89.3	-45.3	
		6-14-68	62.9	-27.9		04S/12W-14C025	46.0	10-10-67	71.0	-25.0	1101
		7-26-68	70.2	-35.2				11-28-67	69.8	-23.8	

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-14C02S (CONT.)	46.0	12-26-67 1-03-68 2-13-68 3-05-68 4-09-68 5-07-68 6-04-68	60.9 61.6 59.8 58.4 58.4 60.6 65.7	-14.9 -15.6 -13.8 -12.4 -12.4 -14.6 -19.7	1101	04S/12W-15802S (CONT.)	40.0	12-29-67 1-19-68 2-09-68 3-22-68 3-22-68 4-11-68 6-14-68 8-16-68 9-27-68	50.0 50.2 49.8 49.8 49.8 50.5 54.0 54.3 54.7	-10.0 -10.2 -9.8 -9.8 -9.8 -10.5 -14.0 -14.3 -14.7	4206
04S/12W-14C06S	36.2	10-25-67 11-07-67 12-19-67 1-03-68 2-13-68 3-12-68 4-02-68 5-06-68 6-03-68 7-09-68 8-06-68 9-17-68	74.1 76.3 129.2(1) 129.7(1) 59.3 61.8 64.4 136.4(1) 78.9 143.2(1) 76.7 84.3	-37.9 -40.1 -93.0 -93.5 -23.1 -25.6 -28.2 -100.2 -42.7 -107.0 -40.5 -48.1	1101	04S/12W-15C01S	40.0	11-07-67 4-15-68	19.0 DRY	21.0	1101
04S/12W-14D01S	46.0	10-25-67 11-28-67 12-26-67 1-03-68 2-13-68 3-05-68 4-02-68 5-07-68 6-04-68 7-16-68 8-20-68 9-17-68	84.4 69.4 62.8 63.0 59.6 61.4 61.2 63.6 68.7 73.3 79.8 81.2	-38.4 -23.4 -16.8 -17.0 -13.6 -15.4 -15.2 -17.6 -22.7 -27.3 -33.8 -35.2	1101	04S/12W-15K03S	37.0	10-30-67 11-20-67 12-18-67 1-02-68 2-12-68 3-04-68 4-18-68 5-06-68 6-03-68 7-22-68 8-19-68 9-23-68	71.3 68.1 62.0 60.3 58.1 57.9 59.3 64.0 71.1 75.9 76.9 79.5	-34.3 -31.1 -25.0 -23.3 -21.1 -20.9 -22.3 -27.0 -34.1 -38.9 -39.9 -42.5	1101
04S/12W-14D02S	52.7	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 8-16-68 9-06-68 9-27-68	86.5 86.2 91.4 84.8 82.1 83.3 79.9 79.4 79.0 88.5 94.0 98.2 92.0 90.3 97.7	-33.8 -33.5 -38.7 -32.1 -29.4 -30.6 -27.2 -26.7 -26.3 -35.8 -41.3 -45.5 -39.3 -37.6 -45.0	1733	04S/12W-16C01S	46.5	11-07-67 11-14-67	(4) DRY		1101
04S/12W-14K01S	29.7	10-23-67 11-20-67 12-18-67 1-02-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 9-09-68	68.8 62.3 58.1 57.6 63.9 57.9 59.4 69.0 71.2 78.7	-39.1 -32.6 -28.4 -27.9 -34.2 -28.2 -29.7 -39.3 -41.5 -49.0	1101	04S/12W-16J01S	34.0	10-23-67 11-20-67 12-26-67 1-02-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-15-68 8-19-68 9-16-68	99.1(1) 93.4(1) 94.9(1) 90.7(1) 88.5(1) 89.5(1) 88.0(1) 95.5(1) 101.7(1) 104.5(1) 109.3(1) 109.7(1)	-65.1 -59.4 -60.9 -56.7 -54.5 -55.5 -54.0 -61.5 -67.7 -70.5 -75.3 -75.7	1101
04S/12W-14P01S	28.0	10-25-67 11-28-67 12-27-67 1-03-68 2-13-68 3-05-68 4-09-68 5-07-68 6-04-68	57.0 50.7 45.4 42.7 39.7 42.7 43.0 44.8 50.0	-29.0 -22.7 -17.4 -14.7 -11.7 -14.7 -15.0 -16.8 -22.0	1101	04S/12W-16R01S	31.9	10-02-67 11-20-67 12-18-67 1-02-68 2-12-68 3-11-68 4-15-68 5-06-68 6-03-68 7-15-68 8-26-68 9-23-68	68.3 115.7(1) 113.4(1) 116.1(1) 117.3(1) 59.9 118.6(1) 67.2 122.5(1) 76.1 131.1(1) 130.9(1)	-36.4 -83.8 -81.5 -84.2 -85.4 -28.0 -86.7 -35.3 -90.6 -44.2 -99.2 -99.0	1101
04S/12W-14R01S	20.0	10-23-67 11-27-67 12-26-67 1-02-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68	59.4 47.8 45.4 45.6 43.2 46.1 47.7 56.4 60.4	-39.4 -27.8 -25.4 -25.6 -23.2 -26.1 -27.7 -36.4 -40.4	1101	04S/12W-17E01S	66.0	10-25-67 11-28-67 12-27-67 1-03-68 2-13-68 3-05-68 4-09-68 5-07-68 6-04-68 7-02-68 8-20-68 9-10-68	111.9 107.7 95.8 94.3 100.9 104.1 95.8 101.4 118.3 118.3 186.7(1) 131.1	-45.9 -41.7 -29.8 -28.3 -34.9 -38.1 -29.8 -35.4 -52.3 -52.3 -120.7 -65.1	1101
04S/12W-15801S	40.0	10-25-67 11-28-67 12-27-67 1-03-68 2-13-68 3-05-68 4-02-68 5-07-68 6-11-68 7-16-68 8-13-68 9-17-68	77.5 72.3 61.8 60.8 62.0 65.6 63.4 66.6 73.3 82.7 86.8 87.0	-37.5 -32.3 -21.8 -20.8 -22.0 -25.6 -23.4 -26.6 -33.3 -42.7 -46.8 -47.0	1101	04S/12W-17N01S	57.0	10-25-67 11-28-67 12-27-67 1-03-68 2-13-68 3-05-68 4-09-68 5-07-68 6-04-68 7-09-68 8-13-68 9-10-68	98.9 94.7 89.4 89.5 85.8 87.0 89.1 107.9 104.7 110.2 114.5 115.4	-41.9 -37.7 -32.4 -32.5 -28.8 -30.0 -32.1 -50.9 -47.7 -53.2 -57.5 -58.4	1101
04S/12W-15802S	40.0	10-07-67 10-27-67 11-22-67 12-08-67	53.3 52.6 52.4 51.0	-13.3 -12.6 -12.4 -11.0	4206	04S/12W-17N02S	56.6	10-25-67 11-28-67 12-27-67 1-03-68 2-13-68 3-05-68 4-09-68 5-07-68 6-04-68 7-09-68 8-20-68 9-10-68	96.9 91.6 87.2 93.8 84.0 84.7 88.0 108.0 113.0 101.6 113.0 113.5	-40.3 -35.0 -30.6 -37.2 -27.4 -28.1 -31.4 -51.4 -56.4 -45.0 -56.4 -56.9	1101
04S/12W-17P04S	46.0	10-25-67 11-28-67 12-27-67 1-03-68	87.6 82.7 77.7 76.5	-41.6 -36.7 -31.7 -30.5	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-17P04S (CONT.)	46.0	2-13-68 74.8 3-05-68 75.8 4-02-68 75.3 5-07-68 128.6(1) 6-04-68 94.6 7-09-68 93.4 8-20-68 103.9 8-27-68 145.3(1) 9-10-68 105.3	-28.8 -29.8 -29.3 -82.6 -48.6 -47.4 -57.9 -99.3 -59.3	1101		04S/12W-21F01S (CONT.)	29.0	5-20-68 69.8 5-27-68 72.2 6-03-68 71.1 6-10-68 71.1 6-17-68 71.7 6-24-68 73.4 7-01-68 73.2 7-08-68 73.4 7-15-68 78.8 7-22-68 81.1 7-29-68 82.8 8-05-68 85.1 8-12-68 86.6 8-19-68 88.0 8-26-68 87.5 9-02-68 88.3 9-09-68 87.1 9-16-68 84.8 9-23-68 81.2 9-30-68 82.5	-40.8 -43.2 -42.1 -42.1 -42.7 -44.4 -44.2 -44.4 -49.8 -52.1 -53.8 -56.1 -57.6 -59.0 -58.5 -59.3 -58.1 -55.8 -52.2 -53.5	4206	
04S/12W-17Q01S	47.2	10-25-67 90.0 11-28-67 87.3 12-27-67 79.0 1-03-68 77.8 2-13-68 78.0 3-05-68 80.6 4-09-68 82.0 5-07-68 95.8 6-04-68 114.6 7-16-68 106.0 8-20-68 109.6 9-10-68 166.6(1) 9-17-68 103.5	-42.8 -40.1 -31.8 -30.6 -30.8 -33.4 -34.8 -48.6 -67.4 -58.8 -62.4 -119.4 -56.3	1101		04S/12W-21J04S	36.7	10-25-67 77.7 11-28-67 74.4 12-27-67 65.7 1-03-68 64.3 2-13-68 62.9 3-05-68 67.1 4-09-68 66.5 5-07-68 75.2 6-04-68 80.5 8-20-68 88.3 9-17-68 91.1	-41.0 -37.7 -29.0 -27.6 -26.2 -30.4 -29.8 -38.5 -43.8 -51.6 -54.4	1101	
04S/12W-18R01S	63.0	10-25-67 106.4 11-28-67 103.6 12-27-67 99.4 1-03-68 98.2 2-13-68 97.7 3-05-68 97.8 4-02-68 96.4 5-07-68 112.8 6-04-68 110.4 7-09-68 110.4 8-20-68 119.6 9-10-68 119.9	-43.4 -40.6 -36.4 -35.2 -34.7 -34.8 -33.4 -49.8 -47.4 -47.4 -56.6 -56.9	1101		04S/12W-21M02S	31.7	10-25-67 75.5 11-28-67 70.9 12-27-67 66.8 1-03-68 65.8 2-13-68 63.7 3-05-68 64.4 4-19-68 64.4 5-07-68 81.0 6-04-68 81.4 7-16-68 87.0 8-20-68 89.9 9-17-68 88.2	-43.8 -39.2 -35.1 -34.1 -32.0 -32.7 -32.7 -49.3 -49.7 -55.3 -58.2 -56.5	1101	
04S/12W-19A01S	71.0	10-27-67 151.0(1) 11-29-67 131.0 12-29-67 133.0 1-29-68 131.0 2-28-68 128.0 3-29-68 129.0 4-29-68 128.0 5-31-68 130.0 6-28-68 148.0(1) 7-31-68 131.0 8-29-68 131.0 9-30-68 130.0	-80.0 -60.0 -62.0 -60.0 -57.0 -58.0 -57.0 -59.0 -77.0 -60.0 -60.0 -59.0	1101		04S/12W-21M04S	30.1	10-25-67 70.0 11-28-67 65.0 12-27-67 61.8 1-03-68 59.8 2-13-68 58.8 3-05-68 58.4 4-19-68 58.8 5-07-68 75.2 6-04-68 75.8 7-23-68 81.2 8-20-68 84.8 9-17-68 83.4	-39.9 -34.9 -31.7 -29.7 -28.7 -28.3 -28.7 -45.1 -45.7 -51.1 -54.7 -53.3	1101	
04S/12W-19Q01S	129.8	10-19-67 151.4 4-01-68 155.8	-21.6 -26.0	5050		04S/12W-21M05S	36.7	10-25-67 76.0 11-28-67 72.3 12-26-67 68.5 1-03-68 67.8 2-13-68 66.0 3-05-68 66.6 4-19-68 66.4 5-07-68 79.4 6-04-68 81.6 7-16-68 85.6 8-20-68 88.4 9-17-68 87.7	-39.3 -35.6 -31.8 -31.1 -29.3 -29.9 -29.7 -42.7 -44.9 -48.9 -51.7 -51.0	1101	
04S/12W-20G01S	34.1	10-25-67 86.8 11-28-67 82.1 12-27-67 77.4 1-03-68 76.4 2-13-68 74.6 3-05-68 75.8 4-02-68 75.1 5-07-68 95.8 6-04-68 94.3 8-20-68 103.2 9-10-68 104.9	-52.7 -48.0 -43.3 -42.3 -40.5 -41.7 -41.0 -61.7 -60.2 -69.1 -70.8	1101		04S/12W-22L01S	22.8	10-07-67 52.7 10-27-67 52.7 11-22-67 51.6 12-08-67 49.5 12-29-67 48.8 1-19-68 47.2 2-09-68 46.0 3-22-68 45.7 4-11-68 49.2 5-24-68 52.2 6-14-68 55.4 9-27-68 59.2	-29.9 -29.9 -28.8 -26.7 -26.0 -24.4 -23.2 -22.9 -26.4 -29.4 -32.6 -36.4	4206	
04S/12W-21F01S	29.0	10-02-67 69.6 10-09-67 69.5 10-16-67 70.0 10-23-67 71.0 10-30-67 71.9 11-06-67 72.6 11-13-67 72.6 11-20-67 70.6 11-27-67 68.5 12-04-67 65.6 12-11-67 62.6 12-18-67 60.2 12-26-67 58.2 1-02-68 56.8 1-08-68 55.8 1-15-68 54.6 1-22-68 56.3 1-29-68 58.0 2-05-68 59.3 2-12-68 55.1 2-19-68 54.5 2-26-68 59.7 3-04-68 60.8 3-11-68 61.1 3-18-68 58.9 3-25-68 58.7 4-01-68 59.8 4-08-68 60.3 4-15-68 60.9 4-22-68 61.4 4-29-68 62.5 5-06-68 64.4 5-13-68 65.7	-40.6 -40.5 -41.0 -42.0 -42.9 -43.6 -43.6 -41.6 -39.5 -36.6 -33.6 -31.2 -29.2 -27.8 -26.8 -25.6 -27.3 -29.0 -30.3 -26.1 -25.5 -30.7 -31.8 -32.1 -29.9 -29.7 -30.8 -31.3 -31.9 -32.4 -33.5 -35.4 -36.7	4206		04S/12W-22M01S	26.0	10-06-67 66.1 10-27-67 65.7 11-17-67 63.6 12-08-67 63.4 12-29-67 61.2 1-19-68 61.6 2-09-68 60.7 3-01-68 59.1 3-22-68 59.5 4-12-68 58.3 5-03-68 58.0 6-14-68 69.4 7-05-68 72.5	-40.1 -39.7 -37.6 -37.4 -35.2 -35.6 -34.7 -33.1 -33.5 -32.3 -32.0 -43.4 -46.5	1733	1101 1733

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-22M01S (CONT.)	26.0	7-26-68 8-16-68 9-06-68 9-27-68	73.8 70.3 69.0 69.8	-47.8 -44.3 -43.0 -43.8	1733	04S/12W-24M04S (CONT.)	22.7	5-06-68 6-03-68 7-15-68 8-19-68 9-16-68	43.9 56.5 60.3 60.4 65.1	-21.2 -33.8 -37.6 -37.7 -42.4	1101
04S/12W-23C01S	30.7	10-25-67 11-28-67 12-27-67 2-13-68 3-12-68 4-02-68 5-07-68 6-04-68 7-02-68 8-13-68 9-03-68	68.0 58.5 42.6 53.4 52.8 55.9 61.0 115.4(1) 80.2 72.6 73.0	-37.3 -27.8 -11.9 -22.7 -22.1 -25.2 -30.3 -84.7 -49.5 -41.9 -42.3	1101	04S/12W-24M08S	21.6	10-02-67 11-06-67 12-26-67 1-02-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68	48.2 48.5 40.8 39.7 38.6 39.8 40.4 46.2 53.6	-26.6 -26.9 -19.2 -18.1 -17.0 -18.2 -18.8 -24.6 -32.0	1101
04S/12W-23K02S	17.9	10-23-67 11-20-67 12-28-67 1-02-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 8-12-68 9-16-68	44.8 42.2 36.3 33.3 29.6 32.6 33.7 35.6 40.6 50.7 52.4	-26.9 -24.3 -18.4 -15.4 -11.7 -14.7 -15.8 -17.7 -22.7 -32.8 -34.5	1101	04S/12W-24Q01S	24.0	11-13-67 3-22-68	48.4 40.7	-24.4 -16.7	1101
04S/12W-23K03S	19.6	10-23-67 11-20-67 12-18-67 1-02-68 2-26-68 3-25-68 4-08-68 5-06-68 6-03-68 7-08-68 8-12-68 9-09-68	55.3 46.7 60.9(1) 39.0 37.0 39.5 39.9 44.7 72.6(1) 57.9 59.3 70.9	-35.7 -27.1 -41.3 -19.4 -17.4 -19.9 -20.3 -25.1 -53.0 -38.3 -39.7 -51.3	1101	04S/12W-25E01S	15.7	10-23-67 11-20-67 12-18-67 1-02-68 2-19-68 3-11-68 4-22-68 5-13-68 6-03-68 8-12-68 9-16-68	37.6 37.0 30.2 27.7 24.6 26.5 27.0 56.0(1) 58.3(1) 67.8(1) 45.6	-21.9 -21.3 -14.5 -12.0 -8.9 -10.8 -11.3 -40.3 -42.6 -52.1 -29.9	1101
04S/12W-24J01S	24.0	11-07-67 4-10-68	46.5 42.0	-22.5 -18.0	1101	04S/12W-25P01S	26.9	11-13-67 3-22-68	31.2 28.2	-4.3 -1.3	1101
04S/12W-24J02S	22.5	10-25-67 12-15-67 1-09-68 2-09-68 3-13-68	54.8(2) 41.4(2) 38.5(2) 37.4(2) 36.2	-32.3 -18.9 -16.0 -14.9 -13.7	5102	04S/12W-26F02S	16.0	10-07-67 10-27-67 10-30-67 12-29-67 1-19-68 2-09-68 3-22-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	46.4 47.8 47.8 38.5 33.4 36.2 37.7 41.3 45.0 51.2 53.4 52.3 56.1	-30.4 -31.8 -31.8 -22.5 -17.4 -20.2 -21.7 -25.3 -29.0 -35.2 -37.4 -36.3 -40.1	4206 1101 4206
04S/12W-24L05S	24.0	10-06-67 10-27-67 11-17-67 12-08-67 12-29-67 1-19-68 2-09-68 3-01-68 3-22-68 4-12-68 5-03-68 6-14-68 7-05-68 7-26-68 8-16-68 9-06-68 9-27-68	52.9 61.8 52.2 46.3 43.0 42.6 39.0 41.3 41.9 48.3 50.6 65.5 68.7 71.5 65.3 63.2 70.2	-28.9 -37.8 -28.2 -22.3 -19.0 -18.6 -15.0 -17.3 -17.9 -24.3 -26.6 -41.5 -44.7 -47.5 -41.3 -39.2 -46.2	1733 1101 1733	04S/12W-26G01S	15.0	10-07-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	44.4 42.7 40.3 38.1 34.5 31.0 32.2 31.9 36.7 39.3 45.3 47.1 46.6 50.1	-29.4 -27.7 -25.3 -23.1 -19.5 -16.0 -17.2 -16.9 -21.7 -24.3 -30.3 -32.1 -31.6 -35.1	4206
04S/12W-24M02S	22.0	10-23-67 11-27-67 12-26-67 1-03-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68	59.4 42.8 40.3 38.2 38.8 38.8 38.8 43.5 59.4	-37.4 -20.8 -18.3 -16.2 -16.8 -16.8 -16.8 -21.5 -37.4	1101	04S/12W-26G02S	14.0	11-07-67 4-17-68	DRY DRY		1101
04S/12W-24M03S	26.5	10-25-67 11-16-67 12-15-67 1-09-68 2-09-68 3-13-68 4-22-68 5-08-68 6-18-68 7-22-68 9-06-68	68.0 59.3 52.2 46.3 38.4 40.4 47.7 49.5 66.3 68.4 69.1	-41.5 -32.8 -25.7 -19.8 -11.9 -13.9 -21.2 -23.0 -39.8 -41.9 -42.6	5102	04S/12W-26M01S	16.6	10-07-67 10-27-67 10-30-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 4-11-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	46.0 47.0 47.0 43.4 41.6 42.0 36.3 35.8 39.6 48.0 50.3 53.7 53.7 56.7	-29.4 -30.4 -30.4 -26.8 -25.0 -25.4 -19.7 -19.2 -23.0 -31.4 -33.7 -37.1 -37.1 -40.1	4206 1101 4206
04S/12W-24M04S	22.7	10-23-67 11-27-67 12-26-67 1-02-68 2-12-68 3-04-68 4-08-68	56.4 43.2 40.8 38.7 38.4 39.7 39.5	-33.7 -20.5 -18.1 -16.0 -15.7 -17.0 -16.8	1101	04S/12W-28M01S	23.4	10-25-67 11-20-67 12-12-67 1-03-68 2-13-68 3-12-68 4-16-68 5-21-68 6-04-68 7-15-68 8-12-68 9-16-68	70.2 69.4 62.6 57.7 43.8 59.2 60.0 65.6 68.0 73.5 80.2 80.4	-46.8 -46.0 -39.2 -34.3 -20.4 -35.8 -36.6 -42.2 -44.6 -50.1 -56.8 -57.0	1101
						04S/12W-28M06S	22.7	10-25-67 11-14-67 12-19-67 1-03-68	69.6 70.7 60.6 57.4	-46.9 -48.0 -37.9 -34.7	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5	COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0		U-05.A5
04S/12W-28H06S (CONT.)	22.7	2-13-68	43.6	-20.9	1101	04S/12W-28H09S (CONT.)	21.4	6-03-68	62.3	-40.9	4206
		3-12-68	57.4	-34.7				6-10-68	58.7	-37.3	
		4-16-68	59.7	-37.0				6-17-68	60.3	-38.9	
		5-07-68	62.0	-39.3				6-24-68	62.7	-41.3	
		6-04-68	67.8	-45.1				7-01-68	62.0	-40.6	
		7-15-68	73.2	-50.5				7-08-68	62.7	-41.3	
		8-19-68	80.8	-58.1				7-15-68	66.4	-45.0	
		9-16-68	80.1	-57.4				7-22-68	66.5	-45.1	
								7-29-68	66.4	-45.0	
								8-05-68	67.7	-46.3	
								8-12-68	68.7	-47.3	
								8-19-68	68.7	-47.3	
								8-26-68	73.0	-51.6	
								9-02-68	72.7	-51.3	
								9-09-68	70.8	-49.4	
								9-16-68	69.8	-48.4	
								9-23-68	68.6	-47.2	
								9-30-68	69.4	-48.0	
04S/12W-28H08S	22.8	10-02-67	49.1	-26.3	4206	04S/12W-28H12S	21.9	10-25-67	163.6(1)	-141.7	1101
		10-09-67	49.2	-26.4				11-28-67	164.1(1)	-142.2	
		10-16-67	49.7	-26.9				12-26-67	160.3(1)	-138.4	
		10-23-67	49.6	-26.8				2-13-68	43.3	-21.4	
		10-30-67	49.0	-26.2				3-12-68	156.5(1)	-134.6	
		11-06-67	49.0	-26.2				4-16-68	159.2(1)	-137.3	
		11-13-67	48.7	-25.9				5-07-68	162.0(1)	-140.1	
		11-20-67	48.9	-26.1				6-04-68	166.2(1)	-144.3	
		11-27-67	47.9	-25.1				7-09-68	167.7(1)	-145.8	
		12-04-67	47.3	-24.5				8-13-68	175.8(1)	-153.9	
		12-11-67	47.1	-24.3				9-17-68	177.9(1)	-156.0	
		12-18-67	46.6	-23.8							
		12-26-67	46.3	-23.5							
		1-02-68	46.0	-23.2							
		1-08-68	46.0	-23.2							
		1-15-68	45.5	-22.7							
		1-22-68	45.7	-22.9							
		1-29-68	45.4	-22.6							
		2-05-68	44.5	-21.7							
		2-12-68	44.6	-21.8							
		2-19-68	44.6	-21.8							
		2-26-68	44.3	-21.5							
		3-04-68	44.4	-21.6		04S/12W-28J02S	19.8	11-07-67	ORY		1101
		3-11-68	44.4	-21.6				4-17-68	ORY		
		3-18-68	44.0	-21.2		04S/12W-34B02S	12.5	11-07-67	(2)		1101
		3-25-68	44.3	-21.5				11-14-67	37.9	-25.4	
		4-01-68	45.2	-22.4				4-18-68	32.4	-19.9	
		4-08-68	44.8	-22.0		04S/12W-34B03S	12.5	11-14-67	40.1	-27.6	1101
		4-15-68	45.9	-23.1				4-18-68	36.3	-23.8	
		4-22-68	46.6	-23.8		04S/12W-34J02S	79.0	11-07-67	95.9	-16.9	1101
		4-29-68	46.5	-23.7				4-17-68	90.0	-11.0	
		5-06-68	46.4	-23.6		04S/12W-34N01S	79.0	11-10-67	102.7	-23.7	1101
		5-13-68	47.0	-24.2		04S/12W-35A01S	11.0	10-26-67	28.0	-17.0	1101
		5-20-68	47.3	-24.5				11-13-67	26.0	-15.0	
		5-27-68	47.7	-24.9				12-28-67	21.5	-10.5	
		6-03-68	48.7	-25.9				1-25-68	21.1	-10.1	
		6-10-68	48.7	-25.9				2-29-68	21.2	-10.2	
		6-17-68	49.9	-27.1				3-27-68	21.5	-10.5	
		6-24-68	50.5	-27.7				7-29-68	29.0	-18.0	
		7-01-68	50.2	-27.4				8-28-68	30.0	-19.0	
		7-08-68	50.4	-27.6				9-25-68	32.1	-21.1	
		7-15-68	50.8	-28.0		04S/12W-35C01S	10.6	10-07-67	39.5	-28.9	4206
		7-22-68	51.1	-28.3				10-27-67	38.7	-28.1	
		7-29-68	51.1	-28.3				10-30-67	38.7	-28.1	1101
		8-05-68	51.2	-28.4				11-22-67	35.2	-24.6	4206
		8-12-68	51.2	-28.4				12-08-67	32.3	-21.7	
		8-19-68	50.7	-27.9				12-29-67	30.4	-19.8	
		8-26-68	50.8	-28.0				1-19-68	29.6	-19.0	
		9-02-68	50.8	-28.0				2-09-68	28.7	-18.1	
		9-09-68	51.3	-28.5				3-22-68	28.5	-17.9	
		9-16-68	52.2	-29.4				4-11-68	32.4	-21.8	
		9-23-68	52.4	-29.6				5-24-68	36.4	-25.8	
		9-30-68	52.4	-29.6				6-14-68	41.0	-30.4	
04S/12W-28H09S	21.4	10-02-67	55.9	-34.5	4206			7-05-68	(9)		
		10-09-67	56.2	-34.8				7-05-68	43.4	-32.8	
		10-16-67	56.6	-35.2				8-16-68	42.3	-31.7	
		10-23-67	59.0	-37.6				9-27-68	45.7	-35.1	
		10-30-67	56.6	-35.2							
		11-06-67	56.8	-35.4							
		11-13-67	56.0	-34.6							
		11-20-67	55.2	-33.8							
		11-27-67	54.2	-32.8							
		12-04-67	51.9	-30.5							
		12-11-67	51.3	-29.9							
		12-18-67	50.2	-28.8		04S/12W-35C02S	11.8	10-02-67	28.8	-17.0	4206
		12-26-67	49.1	-27.7				10-09-67	27.5	-15.7	
		1-02-68	48.3	-26.9				10-16-67	27.4	-15.6	
		1-08-68	47.6	-26.2				10-23-67	28.6	-16.8	
		1-15-68	47.0	-25.6				10-30-67	28.2	-16.4	
		1-22-68	46.6	-25.2				10-31-67	28.2	-16.4	1101
		1-29-68	46.0	-24.6				11-06-67	26.6	-14.8	4206
		2-05-68	45.8	-24.4				11-13-67	26.2	-14.4	1101
		2-12-68	45.8	-24.4				11-13-67	26.2	-14.4	4206
		2-19-68	45.7	-24.3				11-20-67	25.8	-14.0	
		2-26-68	46.0	-24.6				11-27-67	24.3	-12.5	
		3-04-68	46.4	-25.0				12-04-67	23.3	-11.5	
		3-11-68	45.9	-24.5				12-11-67	22.2	-10.4	
		3-18-68	45.8	-24.4				12-18-67	22.0	-10.2	
		3-25-68	45.6	-24.2				12-26-67	22.8	-11.0	
		4-01-68	46.9	-25.5				1-02-68	22.7	-10.9	
		4-08-68	46.4	-25.0				1-15-68	21.9	-10.1	
		4-15-68	49.5	-28.1				1-22-68	22.0	-10.2	
		4-22-68	49.0	-27.6				1-29-68	21.6	-9.8	
		4-29-68	55.6	-34.2				2-05-68	21.8	-10.0	
		5-06-68	58.6	-37.2				2-12-68	21.5	-9.7	
		5-13-68	61.3	-39.9				2-19-68	20.8	-9.0	
		5-20-68	64.9	-43.5				2-26-68	20.7	-8.9	
		5-27-68	66.8	-45.4				3-04-68	21.0	-9.2	
								3-11-68	20.8	-9.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-35C02S (CONT.)	11.8	3-18-68	20.3	-8.5	4206	04S/12W-35J05S (CONT.)	9.0	3-27-68	14.8	-5.8	1101
		3-25-68	21.3	-9.5				7-29-68	19.3	-10.3	
		4-01-68	22.0	-10.2				8-28-68	18.4	-9.4	
		4-08-68	22.3	-10.5				9-25-68	21.0	-12.0	
		4-15-68	22.8	-11.0		04S/12W-35J06S	9.0	10-26-67	29.5	-20.5	1101
		4-22-68	23.0	-11.2				11-13-67	26.4	-17.4	
		4-29-68	24.0	-12.2				12-28-67	19.1	-10.1	
		5-06-68	23.1	-11.3				1-31-68	19.2	-10.2	
		5-13-68	23.5	-11.7				2-29-68	19.6	-10.6	
		5-20-68	24.3	-12.5				3-27-68	20.5	-11.5	
		5-27-68	24.4	-12.6				7-29-68	29.6	-20.6	
		6-03-68	25.7	-13.9				8-28-68	29.9	-20.9	
		6-10-68	26.9	-15.1				9-25-68	31.5	-22.5	
		6-17-68	28.0	-16.2		04S/12W-35J07S	10.0	10-26-67	24.6	-14.6	1101
		6-24-68	28.1	-16.3				11-14-67	23.2	-13.2	
		7-01-68	28.0	-16.2				12-28-67	18.0	-8.0	
		7-08-68	28.3	-16.5				1-30-68	17.4	-7.4	
		7-15-68	28.4	-16.6				2-29-68	16.7	-6.7	
		7-22-68	28.8	-17.0				3-27-68	17.5	-7.5	
		7-29-68	28.9	-17.1				7-29-68	26.1	-16.1	
		8-05-68	28.4	-16.6				8-28-68	26.6	-16.6	
		8-12-68	28.5	-16.7				9-25-68	29.2	-19.2	
		8-19-68	28.0	-16.2		04S/12W-35K01S	9.0	11-10-67	21.8	-12.8	1101
		8-26-68	28.2	-16.4				2-01-68	17.1	-8.1	
		9-02-68	28.2	-16.4		04S/12W-35K03S	9.0	10-06-67	17.9	-8.9	1101
		9-09-68	28.7	-16.9				11-14-67	16.7	-7.7	
		9-16-68	28.6	-16.8				3-19-68	11.1	-2.1	
		9-23-68	30.3	-18.5		04S/12W-35K04S	9.0	10-06-67	22.2	-13.2	1101
		9-30-68	30.1	-18.3				11-14-67	22.8	-13.8	
04S/12W-35E01S	10.1	10-04-67	26.8	-16.7	1101			3-19-68	20.5	-11.5	
		11-14-67	26.5	-16.4		04S/12W-35K05S	9.0	10-06-67	14.5	-5.5	1101
04S/12W-35H01S	10.9	10-31-67	38.1	-27.2	1101			11-14-67	14.5	-5.5	
		11-13-67	35.7	-24.8				3-19-68	10.9	-1.9	
		12-28-67	29.3	-18.4		04S/12W-35K06S	9.0	11-14-67	10.0	-1.0	1101
		1-25-68	24.2	-13.3				12-05-67	15.3	-6.3	
		2-29-68	27.6	-16.7				2-21-68	13.7	-4.7	
		3-27-68	27.4	-16.5		04S/12W-35K07S	9.0	11-14-67	26.8	-17.8	1101
		7-29-68	41.7	-30.8				12-05-67	22.7	-13.7	
		8-28-68	41.7	-30.8				2-21-68	20.2	-11.2	
		9-25-68	44.1	-33.2		04S/12W-35M01S	60.0	11-07-67	92.0(5)	-32.0	1101
04S/12W-35H02S	10.1	10-26-67	15.2	-5.1	1101			4-17-68	81.2	-21.2	
		11-13-67	16.0	-5.9		04S/12W-35P01S	57.0	10-26-67	67.6	-10.6	1101
		12-28-67	11.4	-1.3				11-14-67	68.1	-11.1	
		1-25-68	14.5	-4.4				12-28-67	67.1	-10.1	
		2-29-68	14.2	-4.1				1-30-68	66.3	-9.3	
		3-27-68	13.7	-3.6				2-29-68	64.9	-7.9	
		7-29-68	15.7	-5.6				3-27-68	65.5	-8.5	
		8-28-68	15.5	-5.4				7-29-68	66.3	-9.3	
		9-25-68	16.0	-5.9				8-28-68	66.0	-9.0	
04S/12W-35H04S	10.7	10-26-67	27.5	-16.8	1101			9-25-68	66.6	-9.6	
		11-13-67	26.5	-15.8		04S/12W-35P02S	57.0	10-26-67	60.1	-3.1	1101
		12-28-67	21.1	-10.4				11-14-67	59.6	-2.6	
		1-25-68	21.0	-10.3				12-28-67	57.6	-.6	
		2-29-68	20.3	-9.6				1-30-68	56.8	.2	
		3-27-68	22.1	-11.4				2-29-68	55.3	1.7	
		7-29-68	27.0	-16.3				3-27-68	56.2	.8	
		8-28-68	27.3	-16.6				7-29-68	55.6	1.4	
		9-25-68	29.6	-18.9				8-28-68	55.8	1.2	
04S/12W-35H05S	9.0	10-26-67	34.7	-25.7	1101			9-25-68	56.3	.7	
		11-13-67	31.3	-22.3		04S/12W-35Q01S	19.8	10-25-67	24.7	-4.9	5102
		12-28-67	24.6	-15.6				11-14-67	22.8	-3.0	1101
		1-25-68	25.2	-16.2				11-16-67	21.2	-1.4	5102
		2-29-68	23.3	-14.3				12-15-67	19.7	.1	
		3-26-68	25.4	-16.4				1-09-68	19.6	.2	
		7-29-68	37.2	-28.2				2-09-68	18.8	1.0	
		8-28-68	36.6	-27.6				4-22-68	20.6	-.8	
		9-25-68	39.2	-30.2				5-08-68	21.6	-1.8	
04S/12W-35J01S	9.0	10-26-67	21.5	-12.5	1101			6-18-68	22.1	-2.3	
		11-13-67	19.2	-10.2				7-22-68	21.2	-1.4	
		12-28-67	14.0	-5.0				9-06-68	22.7	-2.9	
		1-25-68	15.7	-6.7		04S/12W-35Q02S	21.3	10-17-67	26.2	-4.9	1101
		2-29-68	12.9	-3.9				11-14-67	24.4	-3.1	
		3-27-68	12.9	-3.9				1-30-68	20.8	.5	
		7-29-68	16.8	-7.8		04S/12W-35R03S	9.0	10-26-67	18.3	-9.3	1101
		8-28-68	17.7	-8.7				11-13-67	16.6	-7.6	
		9-25-68	19.6	-10.6				12-28-67	10.8	-1.8	
04S/12W-35J03S	9.0	10-26-67	15.1	-6.1	1101			1-25-68	12.5	-3.5	
		11-13-67	14.2	-5.2				2-29-68	10.4	-1.4	
		12-28-67	10.7	-1.7				3-27-68	10.8	-1.8	
		1-25-68	10.5	-1.5				7-29-68	15.1	-6.1	
		2-29-68	12.3	-3.3				8-28-68	15.8	-6.8	
		3-27-68	11.1	-2.1				9-25-68	18.3	-9.3	
		7-29-68	14.2	-5.2		04S/12W-35R04S	9.3	10-26-67	15.2	-5.9	1101
		8-28-68	14.3	-5.3							
		9-25-68	15.9	-6.9							
04S/12W-35J05S	9.0	10-26-67	21.9	-12.9	1101						
		11-13-67	20.0	-11.0							
		12-28-67	15.6	-6.6							
		1-31-68	15.2	-6.2							
		2-29-68	14.3	-5.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0			COASTAL PL OF LA CO HYDRO SUBUNIT			U-05.A0		
CENTRAL HYDRO SUBAREA			U-05.A5			CENTRAL HYDRO SUBAREA			U-05.A5		
04S/12W-35R04S (CONT.)	9.3	11-14-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	12.4 10.1 9.1 9.9 11.8 12.8 15.2	-3.1 -0.8 .2 -.6 -2.5 -3.5 -5.9	1101	04S/12W-36C01S (CONT.)	15.9	10-30-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-11-68 6-14-68 7-26-68 8-16-68 9-27-68	34.4 27.4 24.2 22.8 22.4 21.4 23.0 25.7 33.6 35.2 34.1 36.8	-18.5 -11.5 -8.3 -6.9 -6.5 -5.5 -7.1 -9.8 -17.7 -19.3 -18.2 -20.9	1101
04S/12W-35R09S	8.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	21.5 19.7 14.6 15.0 13.9 15.2 22.2 23.1 25.1	-13.5 -11.7 -6.6 -7.0 -5.9 -7.2 -14.2 -15.1 -17.1	1101	04S/12W-36E01S	24.7	11-13-67 12-28-67 1-25-68 2-29-68 3-27-68 7-30-68 8-28-68	38.2 34.1 34.4 34.3 34.9 44.3 44.7	-13.5 -9.4 -9.7 -9.6 -10.2 -19.6 -20.0	1101
04S/12W-35R10S	9.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	12.3 10.6 9.6 8.7 7.9 8.4 9.3 9.8 12.3	-3.3 -1.6 -.6 .3 1.1 .6 -.3 -.8 -3.3	1101	04S/12W-36E02S	24.7	10-27-67 11-13-67 12-28-67 1-25-68 2-29-68 3-27-68 7-30-68 8-28-68 9-26-68	30.9 31.0 29.4 28.8 28.7 30.0 31.7 31.5 31.7	-6.2 -6.3 -4.7 -4.1 -4.0 -5.3 -7.0 -6.8 -7.0	1101
04S/12W-35R11S	9.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	16.4 14.7 12.2 10.9 10.4 10.9 13.6 15.4 17.1	-7.4 -5.7 -3.2 -1.9 -1.4 -1.9 -4.6 -6.4 -8.1	1101	04S/12W-36M01S	22.3	10-27-67 11-13-67 12-28-67 1-25-68 2-28-68 3-27-68 7-31-68 8-28-68 9-26-68	39.8 37.1 31.7 32.3 30.7 31.7 42.1 43.0 44.9	-17.5 -14.8 -9.4 -10.0 -8.4 -9.4 -19.8 -20.7 -22.6	1101
04S/12W-35R12S	9.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	20.8 19.4 15.9 15.5 14.0 15.3 17.7 18.7 20.6	-11.8 -10.4 -6.9 -6.5 -5.0 -6.3 -8.7 -9.7 -11.6	1101	04S/12W-36M02S	22.1	10-27-67 11-13-67 12-28-67 1-25-68 2-28-68 3-27-68 7-31-68 8-28-68 9-26-68	36.7 34.7 27.9 30.3 28.7 29.4 34.4 35.6 37.6	-14.6 -12.6 -5.8 -8.2 -6.6 -7.3 -12.3 -13.5 -15.5	1101
04S/12W-35R13S	9.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	15.8 14.8 12.2 12.1 11.7 12.4 14.4 14.1 16.6	-6.8 -5.8 -3.2 -3.1 -2.7 -3.4 -5.4 -5.1 -7.6	1101	04S/12W-36M03S	22.1	10-31-67 11-13-67 12-28-67 1-26-68 2-28-68 3-27-68 7-31-68 8-28-68 9-26-68	32.7 30.3 23.5 25.6 24.6 25.5 31.5 32.3 34.6	-10.6 -8.2 -1.4 -3.5 -2.5 -3.4 -9.4 -10.2 -12.5	1101
04S/12W-35R14S	9.0	10-26-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	13.4 13.3 13.1 12.5 12.1 12.3 12.8 13.9 13.3	-4.4 -4.3 -4.1 -3.5 -3.1 -3.3 -3.8 -4.9 -4.3	1101	04S/12W-36M04S	22.3	10-25-67 11-29-67 12-27-67 1-26-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	27.8 27.1 26.3 26.4 25.9 25.6 27.2 27.5 28.0	-5.5 -4.8 -4.0 -4.1 -3.6 -3.3 -4.9 -5.2 -5.7	1101
04S/12W-35R17S	9.0	10-31-67 11-13-67 12-29-67 2-29-68 3-28-68 7-30-68 8-28-68 9-26-68	13.8 12.1 8.5 8.0 8.3 11.4 12.0 15.1	-4.8 -3.1 .5 1.0 .7 -2.4 -3.0 -6.1	1101	04S/12W-36N02S	11.0	10-25-67 11-13-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	17.9 15.7 12.1 11.5 10.0 12.1 14.0 15.5 18.4	-6.9 -4.7 -1.1 -.5 1.0 -1.1 -3.0 -4.5 -7.4	1101
04S/12W-35R18S	9.0	10-31-67 11-13-67 12-29-67 1-29-68 3-28-68 7-30-68 8-28-68 9-26-68	16.2 14.1 8.5 9.8 9.7 13.2 14.2 16.7	-7.2 -5.1 .5 -.8 -.7 -4.2 -5.2 -7.7	1101	04S/12W-36N03S	11.0	10-25-67 11-13-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	14.8 13.2 10.1 10.4 8.7 9.6 12.8 12.3 15.2	-3.8 -2.2 .9 .6 2.3 1.4 -1.0 -1.3 -4.2	1101
04S/12W-35R19S	9.0	10-31-67 11-13-67 12-29-67 1-31-68 2-29-68 3-28-68 7-30-68 8-28-68 9-26-68	26.9 24.5 18.3 17.4 17.0 17.6 25.8 27.3 28.8	-17.9 -15.5 -9.3 -8.4 -8.0 -8.6 -16.8 -18.3 -19.8	1101	04S/12W-36N04S	11.0	10-25-67 11-13-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68	13.9 12.1 9.8 9.2 9.2 10.5 13.2	-2.9 -1.1 1.2 1.8 1.8 .5 -2.2	1101
04S/12W-36C01S	15.9	10-07-67 10-27-67	31.0 32.3	-15.1 -16.4	4206						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			
04S/12W-36N04S (CONT.)	11.0	8-28-68 9-25-68	12.2 15.6	-1.2 -4.6	1101	04S/13W-12K01S (CONT.)	90.0	4-22-68 4-29-68 5-06-68 5-13-68 5-20-68 5-27-68 6-03-68 6-10-68 6-24-68 7-15-68 7-22-68 7-29-68 8-05-68 8-12-68 8-19-68 8-26-68 9-02-68 9-09-68 9-16-68 9-23-68 9-30-68	128.0 128.6 130.4 131.3 133.1 135.4 137.5 138.6 140.6 144.9 148.5 151.2 153.6 155.7 157.3 158.4 159.1 158.1 156.7 154.2 153.9	-38.0 -38.6 -40.4 -41.3 -43.1 -45.4 -47.5 -48.6 -50.6 -54.9 -58.5 -61.2 -63.6 -65.7 -67.3 -68.4 -69.1 -68.1 -66.7 -64.2 -63.9	4206	
04S/13W-01F01S	44.5	10-23-67 11-27-67 12-26-67 1-02-68 2-19-68 3-04-68 4-08-68 5-06-68 6-03-68 9-09-68	97.0 91.0 90.4 89.8 86.2 87.5 90.6 95.6 98.2 104.2	-52.5 -46.5 -45.9 -45.3 -41.7 -43.0 -46.1 -51.1 -53.7 -59.7	1101							
04S/13W-02P04S	40.0	10-17-67 4-01-68	74.7 75.2	-34.7 -35.2	5050							
04S/13W-11R06S	28.4	11-15-67 4-29-68	DRY DRY		1101							
04S/13W-12B02S	40.0	11-29-67	(6)		1101							
04S/13W-12E01S	33.0	10-07-67 10-23-67 10-27-67 11-22-67 12-08-67 12-29-67 1-19-68 2-09-68 3-22-68 4-03-68 4-11-68 5-03-68 5-24-68 6-14-68 7-26-68 8-16-68 9-27-68	117.9 118.0 118.3 115.2 114.6 114.7 114.4 113.9 114.4 123.4 126.9 130.7 (1) 132.2 133.0 134.6 135.0	-84.9 -85.0 -85.3 -82.2 -81.6 -81.7 -81.4 -80.9 -81.4 -90.4 -93.9 -97.7 -99.2 -100.0 -101.6 -102.0	4206 5050 4206		04S/13W-12M01S	28.0	10-04-67 11-07-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 7-09-68 8-06-68 9-04-68	61.9 63.0 63.6 62.9 63.1 63.3 63.0 62.3 63.1 64.7 64.7 65.3 66.2	-33.9 -35.0 -35.6 -34.9 -35.1 -35.3 -35.0 -34.3 -35.1 -36.7 -36.7 -37.3 -38.2	1101
04S/13W-12E04S	34.0	10-04-67 11-16-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 8-06-68 9-04-68	64.7 64.9 64.7 64.5 64.6 64.6 64.4 64.4 64.6 63.8 65.2 65.2	-30.7 -30.9 -30.7 -30.5 -30.6 -30.6 -30.4 -30.4 -30.6 -29.8 -31.2 -31.2	1101	04S/13W-12M04S	38.0	11-29-67 4-19-68	124.3 130.9	-86.3 -92.9	1101	
04S/13W-12E06S	38.0	4-24-68	131.8	-93.8	5050	04S/13W-12M01S	28.0	10-04-67 11-07-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-07-68 7-07-68 8-06-68 9-04-68	20.2 21.2 17.8 18.0 17.8 18.4 16.3 18.3 19.3 20.7 20.7 21.4 22.0	7.8 6.8 10.2 10.0 10.2 9.6 11.7 9.7 8.7 7.3 7.3 6.6 6.0	1101	
04S/13W-12E09S	27.2	11-07-67 12-06-67 1-05-68 2-06-68 3-05-68 4-03-68 5-07-68 6-03-68 7-09-68 8-06-68 9-04-68	19.3 14.7 15.2 15.5 16.2 11.7 14.8 14.5 18.0 19.2 20.0	7.9 12.5 12.0 11.7 11.0 15.5 12.4 12.7 9.2 8.0 7.2	1101	04S/13W-13001S	25.0	10-19-67 11-07-67 4-23-68 4-24-68	109.2 109.5 109.7 110.8	-84.2 -84.5 -84.7 -85.8	5050 1101 5050	
04S/13W-12F01S	85.2	11-29-67 4-19-68	128.3 127.7	-43.1 -42.5	1101	04S/13W-13002S	74.0	10-19-67 11-29-67 4-03-68 4-19-68	150.1 148.4(8) 151.9 155.3(8)	-76.1 -74.4 -77.9 -81.3	5050 1101 5050 1101	
04S/13W-12K01S	90.0	10-02-67 10-09-67 10-16-67 10-23-67 10-30-67 11-06-67 11-13-67 11-20-67 12-04-67 12-11-67 12-18-67 12-26-67 1-02-68 1-08-68 1-15-68 1-22-68 1-29-68 2-05-68 2-12-68 2-19-68 2-26-68 3-04-68 3-11-68 3-18-68 3-25-68 4-01-68 4-08-68 4-15-68	140.1 139.4 138.9 138.9 138.8 138.8 138.6 138.3 133.9 130.3 127.3 124.4 122.4 120.6 119.0 120.8 123.0 125.1 126.6 127.4 128.2 128.9 129.6 126.8 126.5 126.8 127.2 127.6	-50.1 -49.4 -48.9 -48.9 -48.8 -48.8 -48.6 -48.3 -43.9 -40.3 -37.3 -34.4 -32.4 -30.6 -29.0 -30.8 -33.0 -35.1 -36.6 -37.4 -38.2 -38.9 -39.6 -36.8 -36.5 -36.8 -37.2 -37.6	4206	05S/12W-01E01S	9.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	30.5 27.7 23.6 21.7 21.3 22.3 33.0 34.2 35.1	-21.5 -18.7 -14.6 -12.7 -12.3 -13.3 -24.0 -25.2 -26.1	1101	
						05S/12W-01E02S	9.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	8.2 5.7 5.7 5.2 4.6 5.6 9.7 11.1 13.5	.8 3.3 3.3 3.8 4.4 3.4 -.7 -2.1 -4.5	1101	
						05S/12W-01E03S	9.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	16.2 14.8 13.7 13.6 13.3 13.7 14.1 16.0 17.0	-7.2 -5.8 -4.7 -4.6 -4.3 -4.7 -5.1 -7.0 -8.0	1101	
						05S/12W-02A05S	20.9	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68	23.8 20.4 18.1 17.7 17.7	-2.9 .5 2.8 3.2 3.2	1101	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5		
05S/12W-02A05S (CONT.)	20.9	3-27-68 7-31-68 8-28-68 9-25-68	18.4 19.3 21.3 26.1	2.5 1.6 -4 -5.2	1101	05S/12W-02B09S (CONT.)	9.0	2-29-68 3-27-68 8-28-68 9-25-68	5.2 5.6 11.7 12.7	3.8 3.4 -2.7 -3.7	1101
05S/12W-02A09S	8.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	8.6 5.7 4.2 4.4 4.1 5.1 1.8 2.7 5.7	-6 2.3 3.8 3.6 3.9 2.9 6.2 5.3 2.3	1101	05S/12W-02B12S	9.0	10-30-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	11.1 9.6 6.8 6.1 5.9 5.5 6.2 7.6 10.1	-2.1 -.6 2.2 2.9 3.1 3.5 2.8 1.4 -1.1	1101
05S/12W-02A10S	8.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	8.8 5.8 4.3 4.6 4.3 5.2 2.1 2.9 5.9	-8 2.2 3.7 3.4 3.7 2.8 5.9 5.1 2.1	1101	05S/12W-02B13S	8.8	11-16-67	13.5	-4.7	1101
05S/12W-02A11S	8.0	10-25-67 11-29-67 12-27-67 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	14.9 10.7 8.2 7.3 8.2 9.6 11.8 15.6	-6.9 -2.7 -.2 .7 -.2 -1.6 -3.8 -7.6	1101	05S/12W-02B15S	10.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	19.8 14.0 11.1 10.3 10.7 11.6 18.4 20.4 22.7	-9.8 -4.0 -1.1 -.3 -.7 -1.6 -8.4 -10.4 -12.7	1101
05S/12W-02A12S	8.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	21.7 15.7 12.4 13.0 12.5 13.3 20.4 23.5 24.6	-13.7 -7.7 -4.4 -5.0 -4.5 -5.3 -12.4 -15.5 -16.6	1101	05S/12W-02B16S	10.8	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	12.9 9.0 7.2 6.6 6.8 7.3 8.1 9.0 12.1	-2.1 1.8 3.6 4.2 4.0 3.5 2.7 1.8 -1.3	1101
05S/12W-02A13S	11.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	2.6 -1.1 -2.1 -2.8 -1.9 -2 -3.0 -4.1 5.3	8.4 12.1 13.1 13.8 12.9 10.8 14.0 15.1 5.7	1101	05S/12W-02B17S	10.8	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	14.5 9.9 7.6 6.6 6.8 7.6 10.7 13.8 15.0	-3.7 .9 3.2 4.2 3.0 3.1 .1 -3.0 -4.2	1101
05S/12W-02A14S	11.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	5.7 1.3 .5 .1 .5 2.1 .1 -.1 8.6	5.3 9.7 10.5 10.9 10.5 8.9 10.9 11.1 2.4	1101	05S/12W-02C01S	25.0	10-25-67 10-31-67 11-14-67 11-16-67 12-15-67 12-28-67 1-09-68 1-25-68 2-09-68 2-29-68 3-13-68 3-27-68 4-22-68 5-08-68 6-18-68 7-22-68 7-29-68 8-28-68 9-06-68 9-25-68	26.7 26.0 26.0 25.3 24.6 23.7 23.4 23.2 22.9 23.0 23.6 23.2 24.8 25.0 22.7 22.4 20.3 21.5 23.7 23.0	-1.7 -1.0 -1.0 -.3 .4 1.3 1.6 1.8 2.1 2.0 1.4 1.8 .2 .0 2.3 2.6 4.7 3.5 1.3 2.0	5102 1101 5102 1101 5102 1101 5102 1101 1101 5102 1101 5102 1101 1101 1101 1101 1101 5102 1101
05S/12W-02A15S	11.0	10-26-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	13.1 9.0 6.7 6.3 6.2 7.2 8.5 10.2 14.7	-2.1 2.0 4.3 4.7 4.8 3.8 2.5 .8 -3.7	1101	05S/12W-02C06S	18.0	10-31-67 10-31-67 11-28-67 12-26-67 1-30-68 2-27-68 3-26-68 7-30-68 8-24-68 9-24-68	20.6 20.6 20.0 19.3 19.1 18.9 18.8 18.4 18.3 18.7	-2.6 -2.6 -2.0 -1.3 -1.1 -.9 -.8 -.4 -.3 -.7	1101
05S/12W-02A16S	11.0	10-26-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 8-28-68 9-25-68	24.6 19.8 16.4 16.2 15.0 17.1 24.6 27.5 28.7	-13.6 -8.8 -5.4 -5.2 -4.0 -6.1 -13.6 -16.5 -17.7	1101	05S/12W-02C07S	18.0	10-31-67 11-28-67 12-26-67 1-30-68 2-27-68 3-26-68 7-30-68 8-27-68 9-24-68	20.4 17.3 16.5 16.1 16.6 16.8 15.1 14.9 17.6	-2.4 .7 1.5 1.9 1.4 1.2 2.9 3.1 .4	1101
05S/12W-02B08S	9.0	10-30-67 11-14-67 12-28-67 1-25-68 2-29-68 3-27-68 7-29-68 8-28-68 9-25-68	31.5 30.9 24.9 23.9 22.1 22.5 33.3 35.5 36.4	-22.5 -21.9 -15.9 -14.9 -13.1 -13.5 -24.3 -26.5 -27.4	1101	05S/12W-02C08S	16.0	10-25-67 11-29-67 12-27-67 1-31-68 2-28-68 3-27-68 7-31-68 9-25-68	19.8 19.3 18.5 18.0 17.8 17.5 16.5 16.4	-3.8 -3.3 -2.5 -2.0 -1.8 -1.5 -.5 -.4	1101
05S/12W-02B09S	9.0	10-30-67 11-14-67 12-28-67 1-25-68	12.2 10.6 5.3 7.0	-3.2 -1.6 3.7 2.0	1101						

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5			COASTAL PL OF LA CO HYDRO SUBUNIT CENTRAL HYDRO SUBAREA			U-05.A0 U-05.A5				
05S/12W-02C09S	16.0	11-29-67	16.6	-0.6	1101	05S/12W-02M09S (CONT.)	19.9	8-28-68	25.0	-5.1	1101		
		12-27-67	15.5	.5				9-25-68	26.3	-6.4			
		1-31-68	15.0	1.0		05S/12W-02M10S	19.4	10-25-67	31.9	-12.5	1101		
		2-28-68	14.5	1.5				11-13-67	30.7	-11.3			
		3-27-68	14.8	1.2				12-28-67	28.1	-8.7			
		7-31-68	12.8	3.2				1-25-68	29.3	-9.9			
		8-28-68	12.7	3.3				3-26-68	29.8	-10.4			
		9-25-68	13.9	2.1				7-30-68	24.2	-4.8			
05S/12W-02D04S	15.0	10-25-67	16.1	-1.1	1101			8-28-68	31.4	-12.0			
		11-29-67	14.6	.4		05S/12W-02M11S	19.2	11-13-67	39.4	-20.2	1101		
		12-27-67	14.6	.4				3-01-68	38.7	-19.5			
		1-31-68	14.9	.1		05S/12W-02J02S	9.9	10-07-67	30.7	-20.8	4206		
		2-28-68	14.7	.3				10-23-67	31.6	-21.7	5050		
		3-27-68	14.9	.1				10-27-67	28.5	-18.6	4206		
		7-31-68	15.3	-0.3				10-30-67	28.5	-18.6	1101		
		8-28-68	15.2	-0.2				11-22-67	28.7	-18.8	4206		
		9-25-68	15.6	-0.6				12-08-67	25.7	-15.8			
05S/12W-02D05S	15.0	10-25-67	18.2	-3.2	1101			12-29-67	22.8	-12.9			
		11-29-67	14.5	.5				1-19-68	21.8	-11.9			
		12-27-67	13.0	2.0				2-09-68	21.1	-11.2			
		1-31-68	12.4	2.6				3-22-68	21.4	-11.5			
		2-28-68	13.3	1.7				4-09-68	23.7	-13.8	5050		
		3-27-68	12.8	2.2				4-11-68	23.9	-14.0	4206		
		7-31-68	12.4	2.6				5-24-68	28.9	-19.0			
		8-28-68	13.1	1.9				6-14-68	28.7	-18.8			
		9-25-68	15.9	-0.9				7-26-68	32.8	-22.9			
05S/12W-02D06S	15.0	10-25-67	19.8	-4.8	1101			8-16-68	33.5	-23.6			
		11-29-67	15.2	-0.2		05S/12W-02M01S	8.2	11-10-67	27.8	-19.6	1101		
		12-27-67	13.1	1.9				05S/12W-02P01S	4.8	11-14-67	25.7	-20.9	1101
		1-31-68	12.1	2.9				05S/12W-02P05S	5.0	11-07-67	8.1	-3.1	1101
		2-28-68	13.3	1.7					4-17-68	6.3	-1.3		
		3-27-68	12.5	2.5				05S/12W-02P07S	4.2	11-14-67	22.3	-18.1	1101
		7-31-68	16.4	-1.4				05S/12W-02Q01S	5.2	10-25-67	12.3	-7.1	1101
		8-28-68	18.5	-3.5					11-29-67	11.0	-5.8		
		9-25-68	19.8	-4.8					12-27-67	10.5	-5.3		
05S/12W-02F01S	8.1	11-07-67	13.2	-5.1	1101				1-31-68	10.3	-5.1		
		4-17-68	10.4	-2.3					2-28-68	10.4	-5.2		
05S/12W-02F04S	10.0	11-10-67	22.4	-12.4	1101				3-27-68	10.9	-5.7		
		1-25-68	18.9	-8.9					7-31-68	9.2	-4.0		
05S/12W-02F13S	10.0	10-25-67	15.5	-5.5	1101				8-28-68	11.8	-6.6		
		11-29-67	13.4	-3.4					9-25-68	12.2	-7.0		
		12-27-67	12.7	-2.7		05S/12W-02R01S	17.9	11-13-67	38.7	-20.8	1101		
		1-31-68	12.5	-2.5				2-01-68	37.4	-19.5			
		2-28-68	13.5	-3.5		05S/12W-02R02S	17.9	10-25-67	33.3	-15.4	1101		
		3-27-68	14.7	-4.7				11-13-67	32.4	-14.5			
		7-31-68	14.8	-4.8				12-29-67	31.2	-13.3			
		8-28-68	14.7	-4.7				1-25-68	30.8	-12.9			
		9-25-68	14.7	-4.7				3-28-68	31.5	-13.6			
05S/12W-02G04S	9.6	10-26-67	15.0	-5.4	1101			7-30-68	24.5	-6.6			
		11-13-67	15.1	-5.5				8-28-68	32.8	-14.9			
		11-14-67	11.0	-1.4				9-25-68	33.2	-15.3			
		12-28-67	12.6	-3.0		05S/12W-03A01S	18.0	10-31-67	24.5	-6.5	1101		
		1-25-68	14.2	-4.6				11-14-67	25.0	-7.0			
		2-29-68	14.3	-4.7		05S/12W-03C01S	75.7	11-10-67	81.3	-5.6	1101		
		3-27-68	13.4	-3.8				05S/12W-11C02S	5.6	11-14-67	23.4	-17.8	1101
		7-29-68	15.5	-5.9				05S/12W-11G02S	5.7	11-14-67	22.7	-17.0	1101
		8-28-68	15.4	-5.8					12-07-67	21.5	-15.8		
		9-25-68	14.9	-5.3				05S/12W-11G03S	6.0	11-14-67	22.4	-16.4	1101
05S/12W-02G05S	9.0	11-14-67	14.0	-5.0	1101				12-07-67	20.2	-14.2		
05S/12W-02G07S	9.7	11-07-67	10.0	-0.3	1101				2-21-68	17.1	-11.1		
		4-17-68	12.8	-3.1		05S/12W-11G04S	8.0	11-14-67	11.0	-3.0	1101		
05S/12W-02G19S	9.9	10-25-67	18.5	-8.6	1101			12-07-67	7.9	.1			
		11-29-67	16.1	-6.2				2-21-68	9.7	-1.7			
		12-27-67	15.1	-5.2									
		1-31-68	14.7	-4.8									
		2-28-68	15.3	-5.4									
		3-27-68	16.9	-7.0									
		7-31-68	15.1	-5.2									
		8-28-68	18.3	-8.4									
		9-25-68	19.0	-9.1									
05S/12W-02H08S	19.9	10-25-67	25.6	-5.7	1101								
		11-13-67	22.9	-3.0									
		12-28-67	22.9	-3.0									
		1-30-68	20.7	-0.8									
		2-29-68	20.6	-0.7									
		3-27-68	21.2	-1.3									
		7-30-68	21.8	-1.9									
		8-28-68	24.3	-4.4									
		9-25-68	24.3	-4.4									
05S/12W-02H09S	19.9	10-25-67	26.1	-6.2	1101								
		11-13-67	25.5	-5.6									
		12-28-67	24.0	-4.1									
		1-30-68	24.0	-4.1									
		2-29-68	24.6	-4.7									
		3-27-68	25.0	-5.1									
		7-30-68	21.0	-1.1									

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81 ^a		
01S/13W-04E01S	394.8	10-25-67	41.2	353.6	1200	01S/13W-04P03S (CONT.)	366.8	5-24-68	111.3	255.5	1200
		11-29-67	41.3	353.5				6-26-68	113.6	253.2	
		12-27-67	41.2	353.6				7-25-68	115.1	251.7	
		1-23-68	41.1	353.7				8-23-68	116.9	249.9	
		2-27-68	41.1	353.7				9-24-68	118.7	248.1	
		3-27-68	41.4	353.4		01S/13W-09B01S	346.2	10-25-67	47.5	298.7	1200
		4-24-68	42.0	352.8				11-29-67	43.2	303.0	
		5-22-68	42.7	352.1				12-27-67	45.1	301.1	
		6-27-68	43.4	351.4				1-23-68	47.2	299.0	
		7-25-68	44.2	350.6				2-27-68	49.3	296.9	
		8-28-68	45.0	349.8				3-27-68	50.0	296.2	
		9-24-68	45.4	349.4				4-24-68	52.2	294.0	
								5-24-68	54.4	291.8	
								6-26-68	56.9	289.3	
								7-25-68	58.4	287.8	
								8-23-68	60.2	286.0	
								9-24-68	63.0	283.2	
01S/13W-04J01S	373.7	10-25-67	94.3	279.4	1200	01S/13W-09B02S	346.0	10-25-67	(1)		1200
		11-29-67	92.7	281.0				11-29-67	(1)		
		12-27-67	93.2	280.5				12-27-67	45.1	300.9	
		1-23-68	96.1	277.6				1-23-68	46.7	299.3	
		2-27-68	99.8	273.9				2-27-68	48.1	297.9	
		3-27-68	102.8	270.9				3-27-68	48.7	297.3	
		4-24-68	105.4	268.3				4-24-68	50.3	295.7	
		5-23-68	107.9	265.8				5-24-68	51.9	294.1	
		6-26-68	110.4	263.3				6-26-68	53.9	292.1	
		7-23-68	112.1	261.6				7-25-68	55.5	290.5	
		8-23-68	114.1	259.6				8-23-68	57.1	288.9	
		9-24-68	116.1	257.6				9-24-68	59.5	286.5	
01S/13W-04K01S	381.1	10-25-67	(1)		1200	01S/13W-10N01S	335.0	10-25-67	25.3	309.7	1200
		11-29-67	(1)					11-30-67	24.2	310.8	
		12-27-67	(1)					12-28-67	24.5	310.5	
		1-24-68	(1)					1-23-68	24.7	310.3	
		2-27-68	(1)					2-27-68	24.9	310.1	
		3-27-68	(1)					3-28-68	24.6	310.4	
		4-24-68	(1)					4-25-68	24.8	310.2	
		5-24-68	(1)					5-24-68	25.1	309.9	
		6-26-68	(1)					7-25-68	25.5	309.5	
		7-25-68	(1)					8-23-68	25.8	309.2	
		8-23-68	(1)					9-26-68	25.1	309.9	
		9-24-68	(1)			01N/13W-05K01S	374.1	10-25-67	23.5	350.6	1200
								11-29-67	22.7	351.4	
								12-27-67	23.6	350.5	
								1-23-68	24.1	350.0	
								2-27-68	24.2	349.9	
								3-27-68	23.6	350.5	
								4-24-68	24.2	349.9	
								5-22-68	24.3	349.8	
								6-27-68	24.1	350.0	
								7-25-68	24.1	350.0	
								8-28-68	24.1	350.0	
								9-24-68	24.2	349.9	
01S/13W-04L03S	381.2	10-25-67	(9)		1200	01N/13W-19B01S	470.9	10-10-67	239.9(1)	231.0	1101
		11-29-67	(9)					11-28-67	229.9(5)	241.0	
		12-27-67	(1)					12-05-67	226.9(5)	244.0	
		1-24-68	(1)					1-09-68	232.4(1)	238.5	
		2-27-68	(1)					2-20-68	235.4(1)	235.5	
		3-27-68	(1)					3-05-68	238.4(1)	232.5	
		4-24-68	(1)					4-09-68	240.6(1)	230.3	
		5-23-68	(1)					5-07-68	243.6(1)	227.3	
		6-26-68	(1)					6-04-68	245.6(1)	225.3	
		7-25-68	(1)					7-02-68	247.6(1)	223.3	
		8-23-68	(1)					8-06-68	247.6(1)	223.3	
		9-24-68	(1)					9-10-68	251.6(1)	219.3	
01S/13W-04L04S	367.0	10-25-67	(1)		1200	01N/13W-19B07S	470.0	10-10-67	260.0(1)	210.0	1101
		11-29-67	(1)					11-21-67	232.0(5)	238.0	
		12-27-67	(1)					12-05-67	225.0(5)	245.0	
		1-24-68	(1)					12-19-67	226.0(5)	244.0	
		2-27-68	(1)					1-02-68	228.1(5)	241.9	
		3-27-68	(1)					2-13-68	224.1(5)	245.9	
		4-24-68	(1)					3-05-68	230.1(5)	239.9	
		5-24-68	(1)					4-09-68	232.1(5)	237.9	
		6-26-68	(1)					5-07-68	235.1(5)	234.9	
		7-25-68	(1)					6-04-68	236.1(5)	233.9	
		8-23-68	(1)					7-02-68	264.1(1)	205.9	
		9-24-68	(1)					8-06-68	260.1(1)	209.9	
01S/13W-04P01S	367.4	10-25-67	87.8	279.6	1200	01N/13W-19C01S	471.2	10-10-67	249.7(1)	221.5	1101
		11-29-67	87.3	280.1				11-21-67	235.2(5)	236.0	
		12-27-67	89.7	277.7				12-19-67	229.2(5)	242.0	
		1-23-68	98.3	269.1				1-09-68	231.0(5)	240.2	
		2-27-68	102.8	264.6				1-30-68	228.0(5)	243.2	
		3-27-68	105.4	262.0				2-20-68	230.0(5)	241.2	
		4-24-68	108.2	259.2				3-19-68	229.0(5)	242.2	
		5-24-68	110.9	256.5				4-02-68	249.4(1)	221.8	
		6-26-68	113.1	254.3				5-07-68	249.4(1)	221.8	
		7-28-68	114.6	252.8				6-04-68	251.4(1)	219.8	
		8-23-68	116.4	251.0				7-02-68	255.2	216.0	
		9-24-68	118.3	249.1				8-06-68	253.4(1)	217.8	
01S/13W-04P02S	367.7	10-24-67	92.1	275.6	1200			9-10-68	255.4(1)	215.8	
		11-21-67	91.4	276.3							
		12-12-67	91.4	276.3							
		1-16-68	98.1	269.6							
		2-13-68	101.7	266.0							
		3-12-68	105.0	262.7							
		4-16-68	108.2	259.5							
		5-14-68	110.9	256.8							
		7-16-68	114.8	252.9							
		8-20-68	116.9	250.8							
		9-17-68	118.6	249.1							
01S/13W-04P03S	366.8	10-25-67	92.0	274.8	1200						
		11-29-67	91.1	275.7							
		12-27-67	94.4	272.4							
		1-23-68	99.3	267.5							
		2-27-68	103.5	263.3							
		3-27-68	106.1	260.7							
		4-24-68	108.8	258.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/13W-19003S	461.0	11-21-67	230.0(5)	231.0	1101	01N/13W-32C01S	425.5	4-15-68	77.0	348.5	1101
		12-05-67	226.0(5)	235.0		(CONT.)		5-13-68	77.3	348.2	
		12-12-67	226.0(5)	235.0				6-11-68	7.7(6)	417.8	
		1-16-68	223.4(5)	237.6				7-02-68	9.4(6)	416.1	
		2-20-68	222.4(5)	238.6				8-13-68	11.5(6)	414.0	
		3-12-68	223.4(5)	237.6				9-03-68	12.3(6)	413.2	
		4-16-68	244.4(1)	216.6		01N/13W-32Q01S	415.2	10-25-67	56.7	358.5	1200
		5-07-68	245.4(1)	215.6				11-29-67	56.9	358.3	
		6-25-68	245.4(5)	215.6				12-27-67	56.8	358.4	
		7-02-68	246.4(5)	214.6				1-23-68	57.1	358.1	
		8-27-68	240.4(1)	220.6				2-27-68	57.4	357.8	
		9-10-68	242.4(1)	218.6				3-27-68	57.5	357.7	
01N/13W-19G01S	436.8	10-24-67	195.1	241.7	1200			4-24-68	57.8	357.4	
		11-21-67	194.4	242.4				5-22-68	58.5	356.7	
		12-26-67	188.2	248.6				6-27-68	59.2	356.0	
		1-02-68	188.1	248.7				7-25-68	59.8	355.4	
		2-13-68	186.6	250.2				8-28-68	60.4	354.8	
		3-19-68	187.8	249.0				9-24-68	60.8	354.4	
		4-23-68	193.0	243.8		01N/13W-33N02S	440.9	11-13-67	86.0	354.9	1101
		5-21-68	195.6	241.2				4-15-68	87.4	353.5	
		6-18-68	197.1	239.7		01N/13W-33N03S	435.7	11-13-67	86.2	349.5	1101
		7-16-68	197.0	239.8				4-16-68	83.0	352.7	
		8-20-68	195.9	240.9		01N/14W-04N03S	693.0	11-14-67	(1)		1101
		9-17-68	199.9	236.9				4-16-68	(1)		
01N/13W-19J02S	462.2	10-25-67	187.4	274.8	1200			4-23-68	248.0	445.0	
		11-29-67	189.2	273.0		01N/14W-05N01S	708.1	12-07-67	247.5	460.6	1200
		12-28-67	184.6	277.6				5-02-68	(1)		
		1-31-68	183.8	278.4		01N/14W-05P01S	703.5	12-07-67	245.5	458.0	1200
		2-27-68	(2)					5-02-68	(1)		
		3-26-68	184.3	277.9		01N/14W-05P02S	708.2	12-07-67	249.1	459.1	1200
		4-25-68	186.8	275.4				5-02-68	(1)		
		5-22-68	188.7	273.5		01N/14W-06F01S	737.8	10-26-67	247.8	490.0	1200
		7-24-68	195.0	267.2				11-30-67	245.4	492.4	
		8-28-68	DRY					12-28-67	243.4	494.4	
		9-24-68	DRY					1-23-68	241.6	496.2	
01N/13W-19K03S	450.4	10-26-67	(1)		1200			2-28-68	236.6	501.2	
		11-30-67	(3)					3-26-68	237.8	500.0	
		12-28-67	204.2	246.2				4-25-68	246.5	491.3	
		1-24-68	203.7	246.7				5-23-68	253.5	484.3	
		2-28-68	203.4	247.0				6-26-68	260.2	477.6	
		3-27-68	205.1	245.3				7-24-68	261.2	476.6	
		4-25-68	208.8	241.6				8-29-68	259.0	478.8	
		5-23-68	213.2	237.2				9-25-68	259.3	478.5	
		6-27-68	215.3	235.1		01N/14W-06L01S	732.1	12-07-67	240.4	491.7	1200
		7-24-68	218.6	231.8				5-09-68	(1)		
		8-28-68	221.4	229.0		01N/14W-06N01S	717.9	12-07-67	229.0	488.9	1200
		9-24-68	217.4	233.0				5-09-68	(1)		
01N/13W-19Q02S	439.1	11-14-67	158.3	280.8	1101	01N/14W-06P01S	721.1	12-07-67	222.8	498.3	1200
		4-16-68	158.4	280.7				5-09-68	(1)		
01N/13W-20D01S	483.7	10-25-67	148.9	334.8	1200	01N/14W-06Q01S	713.0	12-07-67	242.6	470.4	1200
		11-14-67	149.7	334.0	1101			5-02-68	(1)		
		11-29-67	149.0	334.7	1200	01N/14W-06Q02S	712.0	12-07-67	235.5	476.5	1200
		12-27-67	149.8	333.9				5-02-68	(1)		
		1-23-68	156.0	327.7		01N/14W-06R01S	713.7	12-07-67	245.2	468.5	1200
		4-16-68	149.7	334.0	1101			5-02-68	(1)		
01N/13W-20H01S	542.0	11-17-67	211.5	330.5	1101	01N/14W-06R05S	710.6	12-07-67	242.3	468.3	1200
		4-18-68	208.9	333.1				5-02-68	(1)		
01N/13W-20R01S	540.0	11-17-67	(1)		1101	01N/14W-07A01S	698.1	11-16-67	263.7	434.4	1200
		11-17-67	(1)					5-09-68	(1)		
		11-27-67	(1)			01N/14W-07G02S	691.3	1-16-68	218.7	472.6	1200
		11-27-67	(1)					2-07-68	(0)		
		4-22-68	213.5(5)	326.5				2-20-68	216.2	475.1	
01N/13W-21Q01S	605.0	10-25-67	252.9	352.1	1200			3-19-68	213.6	477.7	
		11-29-67	252.9	352.1				4-16-68	212.3	479.0	
		12-27-67	252.5	352.5				5-14-68	213.7	477.6	
		1-23-68	252.6	352.4				6-18-68	216.8	474.5	
		2-27-68	252.5	352.5				7-03-68	(0)		
		3-26-68	252.5	352.5				7-16-68	220.0	471.3	
		4-24-68	252.9	352.1				8-20-68	222.0	469.3	
		5-22-68	252.9	352.1				9-17-68	223.1	468.2	
		6-26-68	253.3	351.7		01N/14W-07G03S	713.3	12-07-67	236.6	476.7	1200
		7-24-68	253.4	351.6				5-02-68	248.2	465.1	
		8-28-68	253.5	351.5		01N/14W-07H01S	682.2	11-16-67	220.8	461.4	1200
		9-24-68	253.6	351.4				5-09-68	215.7	466.5	
01N/13W-28D01S	536.0	11-17-67	133.8(7)	402.2	1101	01N/14W-07J01S	675.7	10-24-67	221.6	454.1	1200
		4-18-68	132.4	403.6				11-21-67	220.8	454.9	
01N/13W-29A01S	540.4	11-17-67	(7)		1101			1-16-68	216.5	459.2	
		4-18-68	93.1(7)	447.3				2-20-68	214.0	461.7	
01N/13W-29L01S	461.0	11-13-67	115.4	345.6	1101						
		4-15-68	114.9	346.1							
01N/13W-32C01S	425.5	10-09-67	73.9	351.6	1101						
		11-13-67	75.1	350.4							
		12-05-67	75.1	350.4							
		1-10-68	75.9	349.6							
		2-14-68	76.6	348.9							
		3-05-68	76.7	348.8							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/14W-07J01S (CONT.)	675.7	3-12-68 4-16-68 5-09-68	211.9 210.1 (1)	463.8 465.6	1200	01N/14W-09G03S (CONT.)	653.0	4-08-68 5-06-68 7-08-68 8-05-68 9-02-68	225.6 228.4 231.5 231.5 232.0	427.4 424.6 421.5 421.5 421.0	1101
01N/14W-07J03S	669.0	11-16-67 5-09-68	214.1 (9)	454.9	1200						
01N/14W-08A02S	687.0	12-07-67 5-09-68	241.5 (1)	445.5	1200	01N/14W-09H01S	644.9	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 7-08-68 8-05-68 9-02-68	226.1 226.6 223.1 219.9 219.9 218.6 221.6 220.0 225.1 225.1 226.1	418.0 418.3 421.8 425.0 425.0 426.3 423.3 424.9 419.8 419.8 418.8	1101
01N/14W-08B01S	690.6	12-07-67 12-07-67 5-09-68 5-09-68	244.0 254.0 (1) (1)	446.6 436.6	1200						
01N/14W-08D01S	690.0	2-07-68 7-03-68	(0) (0)		1200						
01N/14W-08E01S	682.3	2-07-68 7-03-68	(0) (0)		1200	01N/14W-09K01S	621.0	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68	197.5 209.5 200.0 200.5 196.3 193.4 199.7 209.0 209.8 218.1 210.0	423.5 411.5 421.0 420.5 424.7 427.6 421.3 412.0 411.2 402.9 411.0	1101
01N/14W-08F01S	673.5	2-07-68 7-03-68	(0) (0)		1200						
01N/14W-08J01S	663.8	11-16-67 5-06-68	231.2 (1)	432.6	1200						
01N/14W-08J03S	655.0	11-16-67 5-06-68	220.6 222.0	434.4 433.0	1200						
01N/14W-08J04S	664.0	11-16-67 5-09-68	213.8 (4)	450.2	1200	01N/14W-09L04S	650.5	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-02-68	217.1(5) 224.9(5) 215.7(5) 210.4(5) 205.3(5) 204.4(5) 209.9(5) 221.9(5) 219.9(5) 234.9(5) 231.4(5) 231.4(5)	433.4 425.6 434.8 440.1 445.2 446.1 440.6 428.6 430.6 415.6 419.1 419.1	1101
01N/14W-08K01S	654.6	2-07-68 7-03-68	(0) (0)		1200 1101						
01N/14W-08L01S	669.0	11-16-67 5-09-68	232.5 (1)	436.5	1200						
01N/14W-08L02S	667.3	11-16-67 5-09-68	224.9 (9)	442.4	1200						
01N/14W-08P01S	658.7	2-07-68 7-03-68	(0) (0)		1200						
01N/14W-08R01S	638.4	2-07-68 7-03-68	(0) (0)		1200 1101	01N/14W-09P01S	636.9	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 7-08-68 8-05-68 9-02-68	206.8 218.8 202.8 194.0 185.1 186.8 195.0 205.0 216.0 212.0 207.0	430.1 418.1 434.1 442.9 451.8 450.1 441.9 431.9 420.9 424.9 429.9	1101
01N/14W-09A02S	661.8	1-09-68	(0)		1101						
01N/14W-09B04S	662.4	10-02-67 11-06-67 12-26-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-02-68	223.8 226.8 230.8 222.3 221.3 221.3 222.3 234.7 239.7 242.8 243.8 240.3	438.6 435.6 431.6 440.1 441.1 441.1 440.1 427.7 422.7 419.6 418.6 422.1	1101	01N/14W-11Q01S	555.0	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-02-68	145.7(5) 144.3(5) 141.8(5) 143.6(5) 140.6(5) 146.0(5) 146.0(5) 148.4(5) 152.5(5) 148.5(5) 149.0(5) 146.5(5)	409.3 410.7 413.2 411.4 414.4 409.0 409.0 406.6 402.5 406.5 406.0 408.5	1101
01N/14W-09D06S	693.0	11-14-67 4-16-68 4-23-68	(3) (3) (3)		1101						
01N/14W-09E03S	665.0	10-24-67 11-24-67 1-16-68 2-13-68 3-19-68 4-23-68 5-14-68 6-18-68 7-16-68 8-20-68 9-17-68	232.0 232.0 227.9 228.2 225.8 227.2 230.1 233.7 235.0 235.8 236.2	433.0 433.0 437.1 436.8 439.2 437.8 434.9 431.3 430.0 429.2 428.8	1200	01N/14W-12M02S	620.2	5-17-68	223.9	396.3	1101
						01N/14W-13G01S	532.0	11-13-67 4-16-68	59.1 58.8	472.9 473.2	1101
						01N/14W-13R01S	488.8	10-10-67 11-21-67 12-12-67 12-19-67 12-26-67 1-09-68 2-06-68 3-05-68 4-16-68 5-07-68 6-04-68 7-02-68 8-06-68 9-10-68	268.8(1) 266.8(1) 258.8(1) 235.3(5) 233.8(5) 234.0(5) 237.0(5) 261.8(1) 265.8(1) 266.8(1) 269.8(1) 268.8(1) 267.8(1) 269.8(1)	220.0 222.0 230.0 253.5 255.0 254.8 251.8 227.0 223.0 222.0 219.0 220.0 221.0 219.0	1101
01N/14W-09G02S	641.0	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-02-68	220.0 220.0 216.4 218.5 213.7 213.9 211.0 216.6 218.5 225.7 224.5 221.8	421.0 421.0 424.6 422.5 427.3 427.1 430.0 424.4 422.5 415.3 416.5 419.2	1101	01N/14W-13R02S	479.0	10-10-67 11-14-67 12-05-67 12-26-67 1-02-68 2-13-68 3-12-68 4-16-68 5-07-68 6-04-68	274.0(1) 279.0(1) 238.0(5) 228.0(5) 227.9(5) 228.9(5) 231.9(5) 266.9(1) 265.9(1) 271.9(1)	205.0 200.0 241.0 251.0 251.1 250.1 247.1 212.1 213.1 207.1	1101
01N/14W-09G03S	653.0	10-02-67 11-06-67 12-18-67 1-15-68 2-12-68 3-04-68	231.3 231.6 227.1 229.1 227.1 225.6	421.7 421.4 425.9 423.9 425.9 427.4	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/14W-13R02S (CONT.)	479.0	7-02-68 8-06-68 9-03-68	272.9(1) 271.9(1) 269.9(1)	206.1 207.1 209.1	1101	01N/14W-22H03S (CONT.)	535.6	4-16-68	195.5	340.1	1101
01N/14W-14B08S	559.0	10-02-67 11-06-67 12-04-67 1-15-68 2-12-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-02-68	146.0(5) 144.5(5) 142.0(5) 151.5(5) 140.2(5) 145.0(5) 145.0(5) 149.2(5) 153.0(5) 151.0(5) 149.5(5) 150.0(5)	413.0 414.5 417.0 407.5 418.8 414.0 414.0 409.8 406.0 408.0 409.5 409.0	1101	01N/14W-23A03S	480.6	10-26-67 11-30-67 11-30-67 12-28-67 1-23-68 2-28-68 3-26-68 3-27-68 4-25-68 4-25-68 5-23-68 5-23-68 6-27-68 7-24-68 7-25-68 8-28-68 8-29-68 9-25-68 9-25-68	(1) (3) 39.9 40.4 40.7 41.6 42.0 (1) (1) 40.2 (1) 40.6 (1) 41.6 (1) (1) 41.9 (1) 42.1	440.7 440.2 439.9 439.0 438.6	1200
01N/14W-14F05S	545.9	10-10-67 11-13-67 12-05-67 1-10-68 2-14-68 3-05-68 4-15-68 5-13-68 6-11-68 7-02-68 8-13-68 9-03-68	133.3 133.8 133.5 132.9 131.9 133.1 133.8 134.3 134.6 134.8 135.6 135.0	412.6 412.1 412.4 413.0 414.0 412.8 412.1 411.6 411.3 411.1 410.3 410.9	1101	01N/14W-23L01S	486.0	10-24-67 11-14-67 12-19-67 1-16-68 2-13-68 3-19-68 4-16-68 5-14-68 6-18-68 7-23-68 8-20-68 9-17-68	102.2 95.2 99.4 93.4 DRY DRY DRY DRY 101.2 93.7 103.0	383.8 390.8 386.6 392.6	1200
01N/14W-15P02S	552.9	10-24-67 11-21-67 12-17-67 1-16-68 2-13-68 3-12-68 4-16-68 5-21-68	191.8 191.8 191.1 191.4 191.7 192.6 191.9 193.6	361.1 361.1 361.8 361.5 361.2 360.3 361.0 359.3	1200	01N/14W-23H02S	514.0	10-26-67 11-30-67 12-28-67 1-23-68 2-28-68 3-26-68 4-25-68 5-23-68 6-26-68 7-24-68 8-29-68 9-25-68	171.4 163.6 166.9 162.0 170.2 172.9 175.2 176.2 177.1 177.4 173.9 172.2	342.6 350.4 347.1 352.0 343.8 341.1 338.8 337.8 336.9 336.6 340.1 341.8	1200
01N/14W-16D01S	625.0	10-26-67 2-07-68 4-25-68 7-03-68	DRY (0) DRY (0)		1200 1101	01N/14W-24E09S	477.5	10-24-67 11-21-67 12-26-67 1-16-68 2-13-68 3-19-68 4-16-68 5-14-68	198.5 195.6 195.8 195.7 197.7 DRY 211.8 212.2	279.0 281.9 281.7 281.8 279.8	1200
01N/14W-16E01S	616.0	11-16-67 5-06-68	209.4 211.1	406.6 404.9	1200	01N/14W-24H01S	461.0	10-24-67 11-21-67 12-26-67 1-16-68 2-13-68 3-12-68 4-16-68 5-21-68 6-18-68 7-16-68 8-20-68 9-10-68	220.1 218.0 210.6 210.2 210.9 211.1 218.6 223.0 223.7 223.5 221.5 224.7	240.9 243.0 250.4 250.8 250.1 249.9 242.4 238.0 237.3 237.5 239.5 236.3	1200
01N/14W-16P04S	593.0	10-26-67 5-25-68	DRY DRY		1200	01N/14W-24H03S	462.1	10-26-67 11-30-67 12-28-67 1-24-68 2-28-68 3-27-68 4-25-68 5-23-68 6-27-68 7-25-68 8-28-68 9-25-68	218.0 213.4 208.7 211.0 208.8 212.8 (1) (1) (1) (1) (1) (1)	244.1 248.7 253.4 251.1 253.3 249.3	1200
01N/14W-17A01S	626.3	2-07-68 7-03-68	(0) (0)		1200 1101	01N/14W-27E02S	526.0	10-26-67 11-14-67 4-15-68 4-25-68	36.5 36.6 35.8 35.7	489.5 489.4 490.2 490.3	1200 1101
01N/14W-17H01S	620.0	11-14-67	DRY		1101	01N/14W-28B01S	544.3	10-26-67 11-30-67 12-28-67 1-24-68 2-28-68 3-26-68 4-25-68 5-23-68 6-26-68	(1) (3) (3) (1) (1) (1) 135.9 (1) (1)	408.4	1200
01N/14W-18L02S	641.9	10-17-67 11-21-67 12-12-67 1-16-68 2-13-68 3-19-68 4-16-68 5-21-68 6-18-68	162.1 162.6 162.0 162.0 161.7 161.1 161.1 161.8 162.5	479.8 479.3 479.9 479.9 480.2 480.8 480.8 480.1 479.4	1200						
01N/14W-19A05S	611.1	12-06-67 5-02-68	113.1 114.1	498.0 497.0	1200						
01N/14W-19B03S	627.8	10-26-67 11-30-67 12-28-67 1-23-68 2-28-68 3-26-68 4-25-68 5-23-68 6-26-68 7-24-68 8-29-68 9-25-68	136.3 136.1 136.4 136.6 136.6 136.5 136.7 136.9 137.4 137.8 138.4 138.7	491.5 491.7 491.4 491.2 491.2 491.3 491.1 490.9 490.4 490.0 489.4 489.1	1200						
01N/14W-19D01S	639.1	12-05-67 5-02-68	139.0 139.7	500.1 499.4	1200						
01N/14W-20F02S	594.1	10-03-67 11-07-67 12-26-67 1-23-68 2-06-68 3-05-68 4-02-68 5-07-68 6-04-68 7-30-68 8-27-68 9-24-68	155.6 155.9 159.2 159.9 100.2 159.8 160.2 160.7 160.6 160.2 160.9 160.1	438.5 438.2 434.9 434.2 493.9 434.3 433.9 433.4 433.5 433.9 433.2 434.0	1200 1101						
01N/14W-22H03S	535.6	11-14-67	194.6	341.0	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/14W-288015 (CONT.)	544.3	8-29-68 9-25-68	174.6 175.0	369.7 369.3	1200	01N/15W-11R045 (CONT.)	673.7	2-14-68 3-05-68 4-15-68 5-13-68 6-11-68 7-02-68 8-13-68 9-03-68	DRY DRY DRY DRY DRY DRY DRY		1101
01N/14W-28R015	768.0	11-13-67 4-15-68	100.3 100.3	667.7 667.7	1101						
01N/15W-01K015	732.4	12-07-67 7-03-68	224.5 (0)	507.9	1200						
01N/15W-01P045	719.0	12-07-67 5-02-68	211.7 (9)	507.3	1200	01N/15W-14E015	671.1	12-05-67 5-02-68	132.4 135.1	538.7 536.0	1200
01N/15W-01Q025	721.8	12-07-67 5-09-68	218.5 (1)	503.3	1200	01N/15W-14J015	668.1	10-24-67 11-21-67 12-12-67 1-16-68 2-20-68 3-19-68 4-02-68 5-07-68 6-11-68 7-16-68 8-20-68 9-17-68	147.8 148.1 145.7 144.7 143.4 144.6 143.7 147.7 150.7 153.8 153.1 154.6	520.3 520.0 522.4 523.4 524.7 523.5 524.4 520.4 517.4 514.3 515.0 513.5	1200
01N/15W-01Q035	720.5	12-07-67 7-03-68	221.7 (0)	498.8	1200						
01N/15W-01Q045	719.0	12-07-67 5-09-68	218.0 (1)	501.0	1200						
01N/15W-02Q015	712.0	12-06-67 5-02-68	(4) (1)		1200						
01N/15W-02R015	724.0	12-07-67 5-02-68	199.8 (1)	524.2	1200	01N/15W-15A025	679.3	10-18-67 11-09-67 12-14-67 1-19-68 2-15-68 3-18-68 4-18-68 5-16-68 8-22-68 9-23-68	143.4 146.2 142.5 142.4 141.1 143.0 142.7 146.4 150.3 151.0	535.9 533.1 536.8 536.9 538.2 536.3 536.6 532.9 529.0 528.3	1200
01N/15W-06N015	742.9	10-17-67 11-16-67 12-13-67 1-17-68 2-14-68 3-14-68 4-23-68 5-15-68 6-20-68 7-19-68 8-15-68 9-27-68	139.4 138.9 138.7 139.2 138.0 137.9 137.9 138.3 139.2 140.0 140.8 142.1	603.5 604.0 604.2 603.7 604.9 605.0 605.0 604.6 603.7 602.9 602.1 600.8	1200	01N/15W-15R015	658.9	4-16-68	DRY		1101
01N/15W-07E015	724.8	10-17-67 11-16-67 12-13-67 1-17-68 2-14-68 3-14-68 4-23-68 5-15-68 6-20-68 7-19-68 8-15-68 9-27-68	94.2 94.9 94.0 94.0 94.0 94.1 94.9 95.8 97.0 98.1 98.7 101.6	630.6 629.9 630.8 630.8 630.8 630.7 629.9 629.0 627.8 626.7 626.1 623.2	1200	01N/15W-16H015	677.9	12-05-67 5-02-68	(8) 117.5		1200
						01N/15W-16H045	678.2	12-05-67 5-02-68	117.9 118.7	560.3 559.5	1200
01N/15W-07F025	718.2	11-16-67 4-23-68	102.9 104.4	615.3 613.8	1200	01N/15W-17N025	688.0	11-14-67 5-13-68	DRY DRY		1101
01N/15W-07Q015	705.3	11-16-67	(3)		1200	01N/15W-18N015	722.9	10-17-67 11-16-67 12-13-67 1-17-68 2-14-68 3-14-68 4-25-68 5-15-68 6-20-68 7-19-68 8-15-68 9-26-68	13.0 12.9 12.3 12.4 12.3 12.1 12.4 12.5 12.6 12.8 12.8 12.9	709.9 710.0 710.6 710.5 710.6 710.8 710.5 710.4 710.3 710.1 710.1 710.0	1200
01N/15W-08R015	700.5	10-18-67 11-09-67 12-14-67 1-19-68 2-15-68 3-18-68 4-18-68 5-16-68 6-13-68 7-22-68 8-23-68 9-23-68	118.6 119.1 118.4 118.6 118.4 118.5 119.3 120.3 121.3 122.5 123.1 123.9	581.9 581.4 582.1 581.9 582.1 582.0 581.2 580.2 579.2 578.0 577.4 576.6	1200	01N/15W-18N015	722.9	10-17-67 11-16-67 12-13-67 1-17-68 2-14-68 3-14-68 4-25-68 5-15-68 6-20-68 7-19-68 8-15-68 9-26-68	13.0 12.9 12.3 12.4 12.3 12.1 12.4 12.5 12.6 12.8 12.8 12.9	709.9 710.0 710.6 710.5 710.6 710.8 710.5 710.4 710.3 710.1 710.1 710.0	1200
						01N/15W-21A025	659.3	10-18-67 11-09-67 12-14-67 1-19-68 2-15-68 3-18-68 4-18-68 5-16-68 6-13-68 7-22-68 8-22-68 9-23-68	88.8 89.6 88.0 88.1 87.6 87.5 88.0 88.6 89.6 91.6 91.2 91.8	570.5 569.7 571.3 571.2 571.7 571.8 571.3 570.7 569.7 567.7 568.1 567.5	1200
01N/15W-09R025	689.8	10-18-67 11-09-67 12-14-67 1-19-68 2-15-68 3-18-68 4-18-68 5-16-68 7-22-68 8-22-68 9-23-68	84.2 84.5 66.2 66.4 66.5 66.6 67.1 67.9 69.7 70.5 71.3	605.6 605.3 623.6 623.4 623.3 623.2 622.7 621.9 620.1 619.3 618.5	1200	01N/15W-23A015	652.4	12-05-67 5-02-68	130.2 129.4	522.2 523.0	1200
						01N/15W-23Q015	651.9	6-11-68 7-02-68 8-13-68 9-03-68	108.5 109.3 110.4 110.7	543.4 542.6 541.5 541.2	1101
01N/15W-10H025	707.2	10-18-67 11-09-67 12-14-67 1-19-68 2-15-68 3-18-68 4-18-68 7-22-68 8-22-68 9-23-68	174.7 177.5 174.6 173.3 172.2 173.3 173.1 180.4 180.9 182.1	532.5 529.7 532.6 533.9 535.0 533.9 534.1 526.8 526.3 525.1	1200	01N/15W-23J015	631.9	12-05-67 5-02-68	13.9 15.2	618.0 616.7	1200
						01N/15W-23J025	632.0	12-05-67 1-02-68	47.0 47.6	585.0 584.4	1200
01N/15W-11R045	673.7	10-10-67 11-13-67 12-05-67 1-10-68	DRY DRY DRY DRY		1101	01N/15W-23L015	636.0	12-05-67 5-02-68	40.9 43.4	595.1 592.6	1200
						01N/16W-02Q015	728.4	10-10-67 11-13-67 12-05-67 1-10-68 2-14-68 3-05-68 4-15-68 5-13-68	30.1 30.9 29.1 27.7 27.1 28.1 28.2 31.0	698.3 697.5 699.3 700.7 701.3 700.3 700.2 697.4	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
01N/16W-02001S (CONT.)	728.4	7-02-68 8-13-68 9-03-68	32.3 33.3 33.7	696.1 695.1 694.7	1101	01N/16W-04E01S (CONT.)	778.0	1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 7-18-68 8-15-68 9-27-68	8.9 8.8 8.2 8.6 8.8 DRY DRY DRY	769.1 769.2 769.8 769.4 769.2	1200
01N/16W-03801S	739.1	10-10-67 11-13-67 12-05-67 1-10-68 2-14-68 3-05-68 4-15-68 5-13-68 6-11-68 7-02-68 8-13-68 9-03-68	13.3 13.6 12.6 12.1 11.9 11.8 11.8 12.1 12.5 12.9 13.7 13.9	725.8 725.5 726.5 727.0 727.2 727.3 727.3 727.0 726.6 726.2 725.4 725.2	1101	01N/16W-04E02S	776.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 7-22-68 8-15-68 9-27-68	20.9 21.0 19.8 19.5 19.5 19.0 19.6 20.2 21.0 DRY DRY	755.1 755.0 756.2 756.5 756.5 757.0 756.4 755.8 755.0	1200
01N/16W-03D01S	753.0	10-19-67 11-15-67 12-14-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	7.3 7.2 5.6 5.4 5.4 5.2 5.5 5.8 6.3 6.8 7.2 7.6	745.7 745.8 747.4 747.6 747.6 747.8 747.5 747.2 746.7 746.2 745.8 745.4	1200	01N/16W-04F01S	758.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	DRY DRY 9.5 9.0 9.0 8.1 8.0 8.4 9.1 9.2 9.7 DRY	748.5 749.0 749.0 749.9 750.0 749.6 748.9 748.8 748.3	1200
01N/16W-03E01S	1096.5	10-19-67 11-15-67 12-14-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	361.9 361.9 361.2 360.8 360.7 360.3 360.3 360.5 360.9 361.3 361.7 362.0	734.6 734.6 735.3 735.7 735.8 736.2 736.2 736.0 735.6 735.2 734.8 734.5	1200	01N/16W-04K01S	752.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	12.2 12.0 11.4 10.9 10.8 10.3 10.4 10.3 10.8 11.1 11.5 12.0	739.8 740.0 740.6 741.1 741.2 741.7 741.6 741.7 741.2 740.9 740.5 740.0	1200
01N/16W-03G02S	735.8	10-10-67 11-13-67 1-10-68 2-14-68 3-05-68 4-15-68	DRY DRY DRY DRY DRY DRY		1101	01N/16W-04M01S	761.5	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	13.7 13.7 12.5 12.4 12.2 11.7 11.8 12.1 12.6 13.2 13.8 14.4	747.8 747.8 749.0 749.1 749.3 749.8 749.7 749.4 748.9 748.3 747.7 747.1	1200
01N/16W-03G03S	738.7	10-10-67 11-13-67 12-05-67 1-10-68 2-14-68 3-05-68 4-15-68 5-13-68	13.7 13.9 13.1 12.4 12.4 12.3 12.3 12.5	725.0 724.8 725.6 726.3 726.3 726.4 726.4 726.2	1101	01N/16W-04R01S	741.5	10-19-67 11-16-67 12-13-67 1-17-68 2-15-68 3-14-68 4-23-68 5-16-68 6-20-68 7-19-68 8-15-68 9-25-68	16.7 17.0 15.5 15.1 14.9 14.4 17.0 18.0 18.6 19.1 19.6 20.1	724.8 724.5 726.0 726.4 726.6 727.1 724.5 723.5 722.9 722.4 721.9 721.4	1200
01N/16W-03Q03S	736.2	10-20-67 11-17-67 12-13-67 1-17-68 2-14-68 3-14-68 4-23-68 5-16-68 6-20-68 7-23-68 8-15-68 9-26-68	25.5 25.5 23.6 23.0 22.7 22.4 (1) (1) (1) (1) (1) (1) (1)	710.7 710.7 712.6 713.2 713.5 713.8	1200	01N/16W-05D01S	790.0	10-19-67 11-15-67 12-19-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-27-68	DRY DRY 8.5 DRY DRY DRY 8.5 8.5 8.6 DRY DRY DRY	781.5	1200
01N/16W-03R01S	732.0	10-19-67 11-16-67 12-13-67 1-17-68 2-14-68 3-14-68 4-23-68 5-15-68 8-15-68 9-25-68	31.2 31.4 30.1 29.8 29.4 29.1 33.8 35.2 37.6 38.0	700.8 700.6 701.9 702.2 702.6 702.9 698.2 696.8 694.4 694.0	1200	01N/16W-05E01S	784.0	10-19-67 11-15-67 12-19-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-27-68	9.0 8.8 7.1 7.2 7.1 6.6 6.9 7.3 7.7 8.1 8.6 9.0	775.0 775.2 776.9 776.8 776.9 777.4 777.1 776.7 776.3 775.9 775.4 775.0	1200
01N/16W-04D01S	771.5	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-27-68	DRY 8.8 7.3 7.4 7.3 6.7 7.0 7.4 8.0 8.4 DRY DRY	762.7 764.2 764.1 764.2 764.8 764.5 764.1 763.5 763.1	1200						
01N/16W-04E01S	778.0	11-15-67 12-15-67	DRY DRY		1200						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.00			SAN FERNANDO HYDRO SUBUNIT			U-05.00		
SAN FERNANDO HYDRO SUBAREA			U-05.01			SAN FERNANDO HYDRO SUBAREA			U-05.01		
01N/16W-05F02S	781.5	10-19-67	DRY		1200	01N/16W-16G05S (CONT.)	788.5	1-17-68	14.2	774.3	1200
		11-15-67	DRY					2-15-68	11.9	776.6	
		12-19-67	8.2	773.3				3-20-68	11.5	777.0	
		1-18-68	8.6	772.9				4-17-68	11.4	777.1	
		2-15-68	8.4	773.1				5-15-68	11.8	776.7	
		3-20-68	8.0	773.5				6-19-68	12.4	776.1	
		4-17-68	8.4	773.1				7-18-68	12.4	776.1	
		5-15-68	8.8	772.7				8-15-68	12.5	776.0	
		6-19-68	DRY					9-27-68	12.6	775.9	
		7-18-68	DRY			01N/16W-18F01S	867.0	10-19-67	14.5	852.5	1200
		8-15-68	DRY					11-15-67	14.5	852.5	
		9-27-68	DRY					12-13-67	14.0	853.0	
01N/16W-05K01S	772.0	10-19-67	18.2	753.8	1200			1-17-68	14.0	853.0	
		11-15-67	18.2	753.8				2-15-68	14.0	853.0	
		12-19-67	16.9	755.1				3-14-68	13.8	853.2	
		1-18-68	16.7	755.3				4-23-68	13.9	853.1	
		2-15-68	16.5	755.5				5-16-68	13.8	853.2	
		3-20-68	16.1	755.9				6-19-68	13.9	853.1	
		4-17-68	15.9	756.1				7-19-68	13.8	853.2	
		5-15-68	16.2	755.8				8-15-68	13.8	853.2	
		6-19-68	16.8	755.2				9-25-68	13.9	853.1	
		7-18-68	17.4	754.6		01N/17W-03N03S	898.0	11-15-67	45.0	853.0	1101
		8-15-68	18.0	754.0				4-15-68	43.2	854.8	
		9-27-68	18.5	753.5		01N/17W-03P01S	870.0	11-15-67	26.7	843.3	1101
01N/16W-05M01S	780.0	10-19-67	15.2	764.8	1200			4-15-68	26.2	843.8	
		11-15-67	15.2	764.8		01N/17W-11F06S	842.0	11-15-67	24.7	817.3	1101
		12-19-67	13.7	766.3							
		1-18-68	13.7	766.3		01N/17W-11G04S	833.0	11-15-67	23.8	809.2	1101
		2-15-68	13.6	766.4				4-15-68	23.3	809.7	
		3-20-68	13.2	766.8		01N/17W-12N01S	844.6	10-25-67	(7)		1200
		4-17-68	13.3	766.7				11-01-67	(7)		
		5-15-68	13.6	766.4				12-01-67	(7)		
		6-19-68	14.2	765.8				1-02-68	(7)		
		7-18-68	14.6	765.4				2-01-68	(7)		
		8-15-68	15.0	765.0				3-01-68	(7)		
		9-27-68	15.6	764.4				4-01-68	(7)		
01N/16W-05Q02S	769.9	11-15-67	19.2	750.7	1200			5-01-68	(7)		
		4-23-68	18.2	751.7				6-01-68	(7)		1101
01N/16W-06G02S	788.7	10-10-67	16.7	772.0	1101			7-01-68	(7)		
		11-15-67	16.9	771.8		01N/17W-13L01S	871.8	11-13-67	14.0	857.8	1101
		12-05-67	16.1	772.6				5-13-68	11.0	860.8	
		1-10-68	15.7	773.0		02N/14W-18N01S	940.0	10-02-67	170.0	770.0	1101
		2-14-68	15.7	773.0				11-06-67	195.3	744.7	
		3-05-68	15.5	773.2				11-22-67	194.5	745.5	
		4-15-68	15.3	773.4				11-28-67	179.8(3)	760.2	
		5-13-68	16.7	772.0				12-04-67	122.3	817.7	
		6-11-68	17.6	771.1				12-13-67	126.1	813.9	
		7-02-68	17.7	771.0				12-20-67	140.4	799.6	
		8-13-68	18.0	770.7				12-26-67	149.3	790.7	
		9-03-68	18.3	770.4				1-02-68	157.6	782.4	
		9-03-68	18.3	770.4				1-17-68	145.8	794.2	
01N/16W-06K05S	786.8	4-15-68	DRY		1101			1-24-68	151.7	788.3	
01N/16W-09D01S	758.0	10-19-67	17.8	740.2	1200			1-31-68	159.7	780.3	
		11-15-67	17.8	740.2				2-07-68	166.6	773.4	
		11-15-67	17.8	740.2				2-14-68	172.4	767.6	
		12-13-67	17.4	740.6				2-28-68	181.6	758.4	
		1-17-68	17.3	740.7				3-04-68	184.2	755.8	
		2-15-68	17.3	740.7				4-09-68	184.1	755.9	
		3-14-68	17.1	740.9				4-17-68	187.9	752.1	
		4-23-68	17.1	740.9				5-01-68	185.1	754.9	
		5-16-68	17.4	740.6				5-08-68	187.7	752.3	
		6-19-68	17.5	740.5		02N/14W-18N06S	940.0	11-06-67	116.7	823.3	1101
		7-18-68	17.8	740.2				11-22-67	DRY		
		8-15-68	18.0	740.0				11-28-67	6.7	933.3	
		9-25-68	18.3	739.7				12-04-67	9.9	930.1	
01N/16W-09G01S	752.0	11-14-67	DRY		1101			12-13-67	73.8	866.2	
		4-15-68	DRY					12-20-67	92.0	848.0	
01N/16W-11D02S	727.0	11-14-67	27.9	699.1	1101			12-26-67	92.2	847.8	
		4-16-68	28.6	698.4				1-02-68	98.0	842.0	
01N/16W-11L02S	728.0	11-14-67	DRY		1101			1-17-68	56.9	883.1	
		4-16-68	DRY					1-24-68	86.0	854.0	
01N/16W-15K01S	813.1	10-17-67	25.1	788.0	1200			2-07-68	96.8	843.2	
		11-16-67	25.4	787.7				2-28-68	114.6	825.4	
		12-13-67	25.5	787.6				3-04-68	116.3	823.7	
		1-17-68	26.0	787.1				4-09-68	98.3	841.7	
		2-14-68	26.2	786.9		02N/14W-19H01S	770.0	5-01-68	65.5	874.5	
		3-14-68	26.3	786.8				10-17-67	44.3	725.7	1200
		4-23-68	26.6	786.5				11-21-67	49.5	720.5	
		5-15-68	26.9	786.2				12-26-67	46.6	723.4	
		6-20-68	27.0	786.1				1-23-68	46.2	723.8	
		7-19-68	27.2	785.9				2-20-68	47.3	722.7	
		8-15-68	27.5	785.6				3-15-68	51.4	718.6	
		9-25-68	27.9	785.2				4-23-68	54.4	715.6	
01N/16W-16G05S	788.5	10-19-67	13.4	775.1	1200			5-21-68	55.5	714.5	
		11-15-67	13.4	775.1		02N/14W-19M02S	906.1	10-20-67	214.3	691.8	1200
		12-19-67	12.0	776.5				11-16-67	219.3	686.8	
								12-28-67	205.2	700.9	
								1-18-68	210.1	696.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/14W-19M02S (CONT.)	906.1	2-16-68 3-15-68 5-22-68	212.4 217.7 220.1	693.7 688.4 686.0	1200	02N/15W-19K01S	890.5	10-25-67 11-16-67 12-28-67 1-18-68 2-16-68 3-15-68 4-22-68 5-24-68	335.2 326.1 328.2 323.5 324.0 326.9 329.5 332.1	555.3 564.4 562.3 567.0 566.5 563.6 561.0 558.4	1200
02N/14W-19Q01S	782.4	2-05-68 2-12-68 2-19-68 3-11-68 3-18-68 3-18-68 3-25-68 4-01-68	86.4(5) 86.4(5) 90.4(5) 88.4(5) 88.4(5) 88.4(5) 88.4(5) 88.4(5)	696.0 696.0 692.0 694.0 694.0 694.0 694.0 694.0	1101	02N/15W-21D01S	878.6	10-01-67 2-05-68 7-03-68	(7) (7) (0)		1101 1200
02N/14W-22P01S	1062.6	10-20-67 11-09-67 12-14-67 1-15-68 2-16-68 3-21-68 4-18-68 5-17-68	63.2 65.3 68.2 70.0 71.1 71.7 71.8 71.4	999.4 997.3 994.4 992.6 991.5 990.9 990.8 991.2	1200	02N/15W-22A01S	908.5	10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-08-68 5-06-68	347.9(3) 344.9(3) 347.9(3) 349.9(3) 348.9(3) 349.9(3) 345.9(3) 347.9(3)	560.6 563.6 560.6 558.6 559.6 558.6 562.6 560.6	1101
02N/14W-30A01S	890.0	10-01-67 11-05-67 11-26-67 12-17-67 1-07-68 2-04-68 3-03-68 4-07-68 5-05-68	210.5 210.4 210.3 211.3 210.5 209.9 210.1 211.8 213.7	679.5 679.6 679.7 678.7 679.5 680.1 679.9 678.2 676.3	1101	02N/15W-24H01S	917.7	10-20-67 11-16-67 11-28-67 12-26-67 12-28-67 1-11-68 1-17-68 1-18-68 2-16-68 3-04-68 3-15-68 4-22-68	201.1 206.9 219.9 188.7 186.1 208.1 205.5 194.6 198.3 211.1 203.8 207.6	716.6 710.8 697.8 729.0 731.6 709.6 712.2 723.1 719.4 706.6 713.9 710.1	1200 1101 1200 1101 1200 1101 1200 1101 1200
02N/14W-30A03S	881.5	10-01-67 11-05-67 11-26-67 12-17-67 2-04-68 3-03-68 4-07-68 5-05-68	225.3 215.2 216.8 214.9 218.0 214.4 220.9 225.3	656.2 666.3 664.7 666.6 663.5 667.1 660.6 656.2	1101	02N/15W-24J01S	901.0	11-07-67 12-04-67 1-11-68 1-17-68 4-08-68	326.2 322.2 317.2 319.0 330.2	574.8 578.8 583.8 582.0 570.8	1101
02N/15W-09G02S	1001.0	10-02-67 11-06-67 12-04-67 1-03-68 2-05-68 3-04-68 4-08-68 5-06-68 6-03-68 7-09-68 8-06-68 9-03-68	307.5(3) 309.1 309.1 308.9 307.7(3) 307.5(3) 309.9 310.0 310.0 310.4 310.5(3) 312.5	693.5 691.9 691.9 692.1 693.3 693.5 691.1 691.0 691.0 690.6 690.5 688.5	1101	02N/15W-25G01S	858.7	10-20-67 11-16-67 12-28-67 1-19-68 2-16-68 3-19-68 4-22-68 5-24-68	303.8 305.7 314.4 306.7 306.5 306.1 308.2 310.1	554.9 553.0 544.3 552.0 552.2 552.6 550.5 548.6	1200
02N/15W-15L02S	937.1	10-03-67 11-06-67 11-27-67 12-04-67 1-02-68 4-08-68	138.7 214.5 279.5 287.8 309.5 345.8	798.4 722.6 657.6 649.3 627.6 591.3	1101	02N/15W-25L01S	831.9	10-20-67 11-16-67 12-28-67 1-19-68 2-16-68 3-15-68 4-23-68 5-24-68	287.4 288.7 289.5 289.3 289.1 288.9 289.9 291.5	544.5 543.2 542.4 542.6 542.8 543.0 542.0 540.4	1200
02N/15W-16J01S	920.5	10-03-67 11-06-67 11-27-67 12-04-67 2-05-68 3-04-68 3-04-68 4-08-68 5-06-68 6-03-68 7-09-68 8-06-68 9-03-68	180.8 190.6 206.0 186.0 184.6 204.7 204.7 216.5 201.9 213.3 221.7 222.8 (7)	739.7 729.9 714.5 734.5 735.9 715.8 715.8 704.0 718.6 707.2 698.8 697.7	1101	02N/15W-25P01S	817.0	10-24-67 11-21-67 12-19-67 1-16-68 2-20-68 3-19-68 4-02-68 5-02-68	278.9 279.7 279.9 279.6 279.0 279.4 279.2 280.1	538.1 537.3 537.1 537.4 538.0 537.6 537.8 536.9	1200
02N/15W-16J02S	913.4	11-27-67 12-04-67	57.5 58.9	855.9 854.5	1101	02N/15W-26H01S	831.9	11-07-67 12-04-67 4-08-68	280.3 (9) 280.3	551.6 551.6	1101
02N/15W-16J03S	914.5	11-27-67 12-04-67	19.2 31.5	895.3 883.0	1101	02N/15W-26P02S	794.5	10-03-67 10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-08-68 5-01-68	250.0 250.0 249.7 247.7(3) 250.2 249.8 249.7 246.4(3) 245.7(3)	544.5 544.5 544.8 546.8 544.3 544.7 544.8 548.1 548.8	1101
02N/15W-16R01S	902.0	10-03-67 11-06-67 11-27-67 12-04-67 1-02-68 2-05-68 3-04-68 4-08-68 5-06-68 6-03-68 7-09-68 8-06-68 9-03-68	177.5 233.0 209.3 172.9 158.5 179.2 237.0 165.5 170.8 228.6 241.4(3) 246.0 249.9	724.5 669.0 692.7 729.1 743.5 722.8 665.0 736.5 731.2 673.4 660.6 656.0 652.1	1101	02N/15W-27J01S	820.2	10-23-67 11-16-67 12-15-67 1-18-68 2-15-68 3-14-68 4-25-68 5-24-68	268.2 265.6 267.4 267.9 267.5 267.6 268.5 270.3	552.0 554.6 552.8 552.3 552.7 552.6 551.7 549.9	1200
02N/15W-16R02S	902.0	11-27-67 12-04-67 1-02-68	DRY DRY DRY		4412	02N/15W-28C01S	837.2	10-03-67 11-06-67 12-04-67 1-02-68 2-05-68 3-04-68	244.7 245.3 245.6 245.4 245.9 245.9	592.5 591.9 591.6 591.8 591.3 591.3	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/15W-28C01S (CONT.)	837.2	4-08-68	245.7	591.5	1101	02N/16W-27F04S	792.0	10-10-67	13.7	778.3	1101
		5-01-68	245.6	591.6				11-13-67	13.9	778.1	
		6-03-68	245.6	591.6				12-05-67	12.7	779.3	
		7-09-68	249.3	587.9				1-10-68	12.2	779.8	
		8-06-68	245.7	591.5				2-14-68	10.9	781.1	
		9-03-68	245.8	591.4				3-05-68	10.9	781.1	
02N/15W-28P01S	805.0	10-03-67	219.5	585.5	1101			4-15-68	12.5	779.5	
		11-07-67	219.8	585.2				5-13-68	13.0	779.0	
		12-04-67	219.7	585.3		02N/16W-27H01S	804.1	11-15-67	(7)		1101
		2-05-68	219.6	585.4				3-14-68	18.1	786.0	
		3-04-68	220.3	584.7				4-16-68	19.3	784.8	
		4-08-68	220.4	584.6		02N/16W-27K01S	790.9	11-15-67	14.7	776.2	1101
		5-01-68	220.2 (3)	584.8				4-16-68	14.0	776.9	
		7-09-68	220.9	584.1		02N/16W-27L01S	783.3	10-19-67	7.5	775.8	1200
		8-06-68	221.1	583.9				11-15-67	7.4	775.9	
		9-03-68	221.2	583.8				12-14-67	7.2	776.1	
02N/16W-07Q01S	1017.0	11-14-67	45.9	971.1	1101			1-18-68	6.8	776.5	
		4-25-68	46.6	970.4				2-15-68	6.7	776.6	
02N/16W-20R01S	867.1	10-10-67	66.2	800.9	1101			3-20-68	6.5	776.8	
		11-13-67	66.2	800.9				4-17-68	6.5	776.8	
		12-05-67	66.1	801.0				5-15-68	6.6	776.7	
		1-10-68	66.1	801.0				6-19-68	6.8	776.5	
		2-14-68	66.0	801.1				7-18-68	6.9	776.4	
		3-05-68	66.1	801.0				8-15-68	7.0	776.3	
		4-15-68	66.4	800.7				9-26-68	7.4	775.9	
		5-13-68	66.4	800.7		02N/16W-27P03S	773.3	10-10-67	11.2	762.1	1101
		6-11-68	66.8	800.3				11-13-67	11.2	762.1	
		7-02-68	66.9	800.2				12-05-67	10.5	762.8	
		8-13-68	67.1	800.0				1-10-68	10.4	762.9	
		9-03-68	66.9	800.2				2-14-68	10.4	762.9	
02N/16W-21L01S	870.0	11-15-67	69.0	801.0	1200			3-05-68	10.0	763.3	
		4-18-68	69.9	800.1				4-15-68	10.4	762.9	
02N/16W-21P02S	773.7	10-20-67	(1)		1200			5-13-68	10.6	762.7	
		11-17-67	(1)					6-11-68	10.8	762.5	
		12-13-67	FLOW					7-02-68	11.0	762.3	
		1-17-68	FLOW					8-13-68	11.2	762.1	
		2-14-68	FLOW					9-03-68	11.4	761.9	
		3-14-68	FLOW			02N/16W-27P04S	769.9	10-10-67	10.7 (2)	759.2	1101
		4-25-68	(1)					11-13-67	10.8 (2)	759.1	
		5-17-68	(1)					12-05-67	3.7	766.2	
		6-20-68	(1)					1-10-68	9.5	760.4	
		7-19-68	(1)					2-14-68	9.6	760.3	
		8-15-68	(1)					3-05-68	10.1	759.8	
		9-26-68	(1)					4-15-68	10.0	759.9	
02N/16W-22K01S	851.4	10-19-67	48.9	802.5	1200			5-13-68	10.1	759.8	
		11-15-67	49.0	802.4		02N/16W-27P05S	771.5	10-10-67	11.2	760.3	1101
		12-13-67	49.0	802.4				11-13-67	11.3	760.2	
		1-17-68	48.7	802.7				12-05-67	10.6	760.9	
		2-15-68	48.7	802.7				1-10-68	10.5	761.0	
		3-20-68	48.7	802.7				2-14-68	10.4	761.1	
		4-18-68	48.8	802.6				3-05-68	10.4	761.1	
		5-16-68	49.2	802.2				4-15-68	10.5	761.0	
		7-19-68	49.3	802.1				5-13-68	10.5	761.0	
		8-15-68	49.3	802.1		02N/16W-28B02S	830.9	11-15-67	32.6	798.3	1200
		9-25-68	49.5	801.9				4-18-68	32.8	798.1	
02N/16W-25P01S	781.0	10-17-67	68.1	712.9	1200	02N/16W-28J02S	796.0	10-19-67	13.5	782.5	1200
		11-16-67	68.3	712.7				12-14-67	13.0	783.0	
		12-13-67	68.1	712.9				1-18-68	12.5	783.5	
		1-17-68	68.4	712.6				2-15-68	12.4	783.6	
		2-14-68	68.5	712.5				3-20-68	12.0	784.0	
		3-14-68	68.6	712.4				4-17-68	11.9	784.1	
		4-24-68	68.6	712.4				5-17-68	12.1	783.9	
		5-15-68	68.7	712.3				6-19-68	12.2	783.8	
		8-15-68	68.9	712.1				7-18-68	12.4	783.6	
		9-27-68	69.1	711.9				8-15-68	13.4	782.6	
02N/16W-27F01S	793.4	10-10-67	14.0	779.4	1101			9-26-68	13.5	782.5	
		11-13-67	14.3	779.1		02N/16W-29H01S	846.0	10-19-67	47.5	798.5	1200
		12-05-67	13.1	780.3				11-15-67	48.3	797.7	
		1-10-68	12.5	780.9				12-13-67	48.0	798.0	
		2-14-68	12.3	781.1				1-17-68	48.1	797.9	
		3-05-68	12.2	781.2				2-15-68	48.0	798.0	
		4-15-68	13.1	780.3				3-20-68	47.8	798.2	
		5-13-68	13.2	780.2				4-18-68	48.1	797.9	
		6-11-68	13.1	780.3				5-16-68	48.2	797.8	
		7-02-68	13.2	780.2				7-19-68	44.9	801.1	
		8-13-68	13.2	780.2				8-15-68	45.4	800.6	
		9-03-68	13.3	780.1				9-26-68	46.6	799.4	
02N/16W-27F02S	801.0	10-20-67	(1)		1200	02N/16W-30H02S	859.0	10-19-67	56.6	802.4	1200
		11-17-67	(1)					11-15-67	56.7	802.3	
		12-13-67	16.9	784.1				12-13-67	56.6	802.4	
		1-17-68	16.2	784.8				1-17-68	56.6	802.4	
		2-14-68	15.9	785.1				2-15-68	56.5	802.5	
		3-14-68	15.5	785.5				3-20-68	56.4	802.6	
		4-25-68	(1)					4-18-68	56.6	802.4	
		5-17-68	(1)					5-16-68	56.8	802.2	
		6-20-68	17.5	783.5				6-20-68	56.9	802.1	
		7-19-68	17.5	783.5				7-19-68	56.5	802.5	
		8-15-68	17.5	783.5							
		9-26-68	17.8	783.2							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SAN FERNANDO HYDRO SUBAREA			U-05.81		
02N/16W-30H02S (CONT.)	859.0	8-15-68 9-26-68	56.6 56.9	802.4 802.1	1200	02N/16W-33Q01S (CONT.)	770.0	5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	8.5 8.9 9.4 10.1 11.0	761.5 761.1 760.6 759.9 759.0	1200
02N/16W-32F01S	805.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	DRY DRY DRY DRY DRY DRY 18.0 18.0 DRY DRY DRY DRY	787.0 787.0	1200	02N/16W-34D01S	772.2	10-19-67 11-15-67 12-15-67 1-17-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	7.8 7.8 7.6 7.4 7.4 7.3 7.4 7.4 8.0 8.0 7.9 8.3	764.4 764.4 764.6 764.8 764.8 764.9 764.8 764.8 764.2 764.2 764.3 763.9	1200
02N/16W-32H01S	799.5	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	18.0 18.1 17.4 17.1 16.9 16.6 15.7 15.8 16.4 16.8 17.8 18.3	781.5 781.4 782.1 782.4 782.6 782.9 783.8 783.7 783.1 782.7 781.7 781.2	1200	02N/16W-34E01S	1237.0	10-19-67 11-15-67 12-15-67	DRY DRY (6)		1200 1101
02N/16W-32N01S	799.0	10-19-67 11-15-67 12-19-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-27-68	13.7 13.6 12.6 12.5 12.4 12.0 11.9 12.0 12.5 13.0 13.4 13.9	785.3 785.4 786.4 786.5 786.6 787.0 787.1 787.0 786.5 786.0 785.6 785.1	1200	02N/16W-34G01S	758.0	11-15-67 4-11-68	(7) (7)		1200
02N/16W-32P01S	793.8	10-19-67 11-15-67 12-19-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-27-68	13.8 14.0 12.9 12.6 12.6 12.2 12.2 12.4 12.8 13.4 13.8 14.4	780.0 779.8 780.9 781.2 781.2 781.6 781.6 781.4 781.0 780.4 780.0 779.4	1200	02N/16W-34G02S	764.0	10-20-67 11-15-67 12-13-67 1-17-68 2-14-68 3-14-68 4-25-68 5-16-68 6-20-68 7-23-68 8-15-68 9-26-68	(1) (1) FLOW FLOW FLOW (1) (1) (1) (1) (1) (1) (1)		1200
02N/16W-33G06S	776.9	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68	DRY DRY DRY 7.4 DRY DRY DRY DRY DRY	769.5	1200	02N/16W-34K02S	750.0	10-20-67 12-13-67 1-17-68 2-14-68 3-14-68 4-25-68 5-16-68 6-20-68 7-23-68 8-15-68 9-26-68	(1) 5.1 3.0 FLOW FLOW (1) (1) (1) (1) (1) (1)	744.9 747.0	1200
02N/16W-33G07S	785.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-15-68 6-19-68 7-18-68 8-15-68 9-26-68	14.7 14.7 14.3 13.6 13.5 13.0 12.9 12.7 12.9 13.2 14.5 15.2	770.3 770.3 770.7 771.4 771.5 772.0 772.1 772.3 772.1 771.8 770.5 769.8	1200	02N/17W-13A01S	970.5	11-13-67 4-15-68	7.9 5.4	962.6 965.1	1101
02N/16W-33H01S	772.5	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68 5-18-68 6-19-68 7-18-68 8-15-68 9-26-68	DRY DRY 8.9 8.6 8.5 8.0 8.2 8.7 9.2 DRY DRY DRY	763.6 763.9 764.0 764.5 764.3 763.8 763.3	1200	02N/17W-13D01S	1000.0	11-14-67	(1)		1101
02N/16W-33Q01S	770.0	10-19-67 11-15-67 12-15-67 1-18-68 2-15-68 3-20-68 4-17-68	10.4 10.5 9.8 9.5 9.1 8.6 8.3	759.6 759.5 760.2 760.5 760.9 761.4 761.7	1200	02N/17W-13H02S	960.7	11-13-67 4-15-68	9.4 7.2	951.3 953.5	1101
						02N/17W-13K01S	954.9	10-10-67 11-13-67 12-05-67 1-10-68 2-14-68 3-05-68 4-15-68 5-13-68 6-11-68 7-02-68 8-13-68 9-03-68	8.6 8.6 6.0 5.5 5.6 5.7 5.4 6.2 7.0 7.2 9.9 11.4	946.3 946.3 948.9 949.4 949.3 949.2 949.5 948.7 947.9 945.0 943.5	1101
						02N/17W-13L02S	940.0	11-14-67 4-16-68	6.5 4.6	933.5 935.4	1101
						02N/17W-14J01S	1066.0	11-14-67 4-16-68	53.1 39.6	1012.9 1026.4	1101
						02N/17W-34P01S	959.2	11-15-67 4-15-68	29.7 27.6	929.5 931.6	1101
						02N/17W-35J01S	825.6	10-10-67 11-13-67 12-05-67 1-10-68	16.1 16.0 15.6 15.4	809.5 809.6 810.0 810.2	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
SAN FERNANDO HYDRO SUBAREA			U-05.81			SYLMAR HYDRO SUBAREA			U-05.82		
02N/17W-35J015 (CONT.)	825.6	2-14-68	15.1	810.5	1101	03N/15W-20R015 (CONT.)	1428.1	5-06-68	(1)		1101
		3-05-68	15.4	810.2				6-03-68	(1)		
		4-15-68	15.3	810.3				7-09-68	(1)		
		5-13-68	15.4	810.2				8-06-68	(1)		
		8-13-68	16.5	809.1				9-03-68	(1)		
		9-03-68	16.6	809.0							
03N/15W-29C015	1381.0	11-06-67	(7)		1101	03N/15W-20R025	1421.8	11-06-67	(1)		1101
		4-08-68	90.7	1290.3				12-04-67	93.0	1328.8	
								4-08-68	87.4	1334.4	
03N/15W-34K025	1149.9	10-02-67	82.1	1067.8	1101	03N/15W-21Q015	1417.0	11-06-67	159.9	1257.1	1101
		10-18-67	82.2	1067.7	1200			4-08-68	DRY		
		11-06-67	81.6	1068.3	1101	03N/15W-25G015	1501.8	11-29-67	(2)		1200
		11-09-67	82.0	1067.9	1200			4-25-68	(2)		
		11-29-67	81.4	1068.5		03N/15W-26G015	1422.5	11-06-67	246.0	1176.5	1101
		12-04-67	81.4	1068.5	1101			4-08-68	(2)		
		12-15-67	81.5	1068.4	1200	03N/15W-33E015	1186.6	10-18-67	101.3	1085.3	1200
		1-18-68	81.0	1068.9				11-15-67	101.6	1085.0	
		2-05-68	80.8	1069.1	1101			12-15-67	101.3	1085.3	
		2-15-68	81.1	1068.8	1200			1-18-68	101.7	1084.9	
		3-04-68	80.3	1069.6	1101			2-15-68	102.2	1084.4	
		3-14-68	80.7	1069.2	1200			3-14-68	101.7	1084.9	
		4-08-68	79.7	1070.2	1101			4-25-68	101.3	1085.3	
		4-25-68	80.2	1069.7	1200			5-17-68	102.0	1084.6	
		4-25-68	79.3	1070.6				6-14-68	102.8	1083.8	
		5-06-68	80.5	1069.4	1101	03N/15W-34A015	1244.0	11-07-67	177.5	1066.5	1101
03N/15W-34P015	1130.3	11-07-67	74.5	1055.8	1101			4-09-68	184.4	1059.6	
		4-09-68	71.0	1059.3		03N/15W-34B015	1222.5	11-07-67	157.8	1064.7	1101
03N/15W-34P075	1125.0	11-07-67	71.7	1053.3	1101			4-08-68	157.9	1064.6	
		4-09-68	66.8	1058.2		03N/15W-34C015	1237.0	11-07-67	171.6	1065.4	1101
03N/15W-34P105	1133.0	10-02-67	84.0	1049.0	1101			4-09-68	174.4	1062.6	
		10-02-67	84.0	1049.0		03N/15W-34H015	1220.0	11-07-67	106.4	1113.6	1101
		1-03-68	71.8	1061.2				4-09-68	99.2	1120.8	
		2-05-68	72.1	1060.9		03N/15W-34P065	1130.3	11-07-67	75.1	1055.2	1101
		3-04-68	71.1	1061.9				4-09-68	71.1	1059.2	
		4-08-68	70.0	1063.0		03N/15W-36C015	1280.5	11-29-67	37.1	1243.4	1200
		5-06-68	71.6	1061.4				1-03-68	38.0	1242.5	1101
		6-03-68	74.3	1058.7				1-17-68	38.3	1242.2	
		7-09-68	76.7	1056.3				2-26-68	39.5	1241.0	
		8-06-68	78.7	1054.3				4-25-68	39.7	1240.8	1200
		9-03-68	80.0	1053.0				5-01-68	39.9	1240.6	1101
03N/15W-35J025	1204.0	1-17-68	18.7	1185.3	1101			5-15-68	40.1	1240.4	
		2-26-68	21.3	1182.7				6-12-68	40.5	1240.0	
		5-01-68	31.2	1172.8				6-19-68	40.5	1240.0	
03N/15W-35H015	1209.4	1-17-68	33.2	1176.2	1101			6-26-68	40.6	1239.9	
		2-26-68	(7)								
		5-01-68	35.8	1173.6							
		5-15-68	32.5	1176.9							
03N/15W-36E015	1229.6	10-02-67	16.4	1213.2	1101						
		11-06-67	20.3	1209.3							
		12-04-67	20.5	1209.1							
		1-03-68	20.5	1209.1							
		1-17-68	19.7	1209.9							
		2-05-68	20.1	1209.5							
		2-26-68	20.2	1209.4							
		3-04-68	20.4	1209.2							
		4-09-68	20.7	1208.9							
		4-24-68	21.7	1207.9							
		5-01-68	20.4	1209.2							
		5-08-68	19.6	1210.0							
		5-15-68	20.0	1209.6							
		6-03-68	21.2	1208.4							
		6-12-68	21.7	1207.9							
		6-19-68	20.0	1209.6							
		6-26-68	18.8	1210.8							
		7-09-68	19.8	1209.8							
		8-06-68	22.6	1207.0							
		9-03-68	24.6	1205.0							
SYLMAR HYDRO SUBAREA			U-05.82			TUJUNGA HYDRO SUBAREA			U-05.83		
02N/15W-04B095	1145.0	10-18-67	(1)		1200	02N/13W-18N015	1796.2	10-20-67	(8)		1200
		11-09-67	(1)					11-14-67	(8)		
		12-15-67	(1)					12-15-67	(8)		
		2-15-68	(1)					1-15-68	(8)		
		3-14-68	(1)					2-15-68	(8)		
		4-25-68	(1)					3-14-68	(8)		
		5-17-68	(1)					4-18-68	(8)		
		6-14-68	(1)					5-17-68	(8)		
		7-18-68	(1)			02N/14W-05L015	1141.0	11-07-67	5.8	1135.2	1101
		8-16-68	(1)					4-09-68	6.0	1135.0	
		9-24-68	(1)			02N/14W-06J015	1204.2	12-01-67	171.7	1032.5	1200
03N/15W-20R015	1428.1	10-02-67	(1)		1101			4-25-68	174.1	1030.1	
		11-06-67	(1)			02N/14W-08G025	1063.9	10-20-67	12.1	1051.8	1200
		12-04-67	117.8	1310.3				11-09-67	13.3	1050.6	
		1-03-68	111.7	1316.4				12-14-67	12.9	1051.0	
		2-05-68	104.8	1323.3				1-15-68	13.6	1050.3	
		3-04-68	106.2	1321.9				2-15-68	14.1	1049.8	
		4-08-68	101.5	1326.6				3-14-68	13.9	1050.0	
								4-19-68	14.1	1049.8	
						02N/14W-09E015	1098.5	12-01-67	39.3	1059.2	1200
								4-19-68	40.4	1058.1	
						02N/14W-09H015	1164.1	10-20-67	51.0	1113.1	1200
								11-09-67	52.3	1111.8	
								12-14-67	50.4	1113.7	
								1-15-68	50.9	1113.2	
								2-15-68	51.3	1112.8	
								3-14-68	50.9	1113.2	
								4-19-68	51.0	1113.1	
						02N/14W-09N025	1088.6	10-03-67	17.3	1071.3	1101
								10-03-67	17.3	1071.3	
								11-07-67	19.0	1069.6	
								12-04-67	16.3	1072.3	
								1-02-68	16.8	1071.8	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80			
TUJUNGA HYDRO SUBAREA			U-05.83			VERDUGO HYDRO SUBAREA			U-05.84			
02N/14W-09N02S (CONT.)	1088.6	2-05-68 3-04-68 4-08-68 5-01-68	17.0 17.2 17.1 15.5	1071.6 1071.4 1071.5 1073.1	1101	01N/13W-03G01S	1170.0	11-08-67 4-09-68	92.9 83.9	1077.1 1086.1	1101	
02N/14W-10F01S	1193.3	12-01-67 4-25-68	51.5 50.5	1141.8 1142.8	1200	01N/13W-05D01S	399.7	10-25-67 11-29-67 12-27-67 1-23-68 2-27-68 3-27-68 4-24-68 5-22-68 6-27-68 7-25-68 8-28-68 9-24-68	23.4 23.6 23.2 23.3 23.5 23.4 23.5 24.2 23.5 23.6 23.8 23.9	376.3 376.1 376.5 376.4 376.2 376.3 376.2 375.5 376.2 376.1 375.9 375.8	1200	
02N/14W-10N01S	1151.7	12-01-67 4-19-68	43.2 44.9	1108.5 1106.8	1200	01N/13W-10B01S	1010.0	10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	22.0(5) 23.0(5) 22.0(5) 23.5(5) 22.4(5) 21.6(5) 19.4(5) 19.4(5) 19.7 20.2 21.0 21.7	988.0 987.0 988.0 986.5 987.6 988.4 990.6 990.6 990.3 989.8 989.0 988.3	1101	
02N/14W-10R01S	1222.7	12-01-67 4-18-68	35.6 36.2	1187.1 1186.5	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	26.2(5) 26.2(5) 26.2(5) 26.2(5) 28.5(5) 26.2(5) 12.4(5) 21.6(5) 21.6(5) 21.6(5) 21.6(5) 21.6(5)	939.0 939.0 939.0 939.0 936.7 939.0 952.8 943.6 943.6 943.6 943.6	1101	
02N/14W-10R02S	1215.0	10-20-67 11-09-67 12-14-67 1-15-68 2-15-68 3-14-68 4-18-68	38.1 39.4 36.9 37.3 36.8 36.8 37.3	1176.9 1175.6 1178.1 1177.7 1178.2 1178.2 1177.7	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	21.0 21.0 20.5 20.0 19.4 18.3 11.6 15.5 16.0 16.2 16.7 17.2	943.5 943.5 944.0 944.5 945.1 946.2 952.9 949.0 948.5 948.3 947.8 947.3	1101	
02N/14W-11K01S	1286.1	12-01-67 4-18-68	(3) (3)		1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	56.1(1) 36.1(5) 55.1(1) 61.0(1) 65.0(1) 61.0(1) 61.0(1) 61.0(1) 55.0(1) 55.0(1) 54.0(1) 55.0(1)	910.0 930.0 911.0 905.1 901.1 905.1 905.1 905.1 911.1 911.1 912.1 911.1	1101	
02N/14W-12C02S	1356.1	10-20-67 11-14-67 12-15-67 1-15-68 2-15-68 3-14-68 4-18-68	10.1 10.5 11.7 9.3 9.3 10.1 6.2	1346.0 1345.6 1344.4 1346.8 1346.8 1346.0 1349.9	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	11.9 11.9 11.9 11.4 11.6 11.5 10.2 9.6 9.8 10.1 10.1 9.7	873.0 873.0 873.0 873.5 873.3 873.4 874.7 875.3 875.1 874.8 874.8 875.2	1101	
02N/14W-13D02S	1455.0	12-01-67	77.9	1377.1	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	154.2 153.7 153.8 153.8 153.9 154.0 154.4 156.0	1540.8 1541.3 1541.2 1541.2 1541.1 1541.0 1540.6 1539.0	1101	
02N/14W-13D04S	1467.0	11-07-67 4-09-68	87.2 80.5	1379.8 1386.5	1101			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68	1695.0	1540.8 1541.3 1541.2 1541.2 1541.1 1541.0 1540.6 1539.0	1101	
02N/14W-13E02S	1439.6	12-01-67 4-18-68	63.9 58.5	1375.7 1381.1	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-13E03S	1455.0	10-20-67 11-14-67 12-15-67 1-15-68 2-15-68 3-14-68 4-18-68 5-17-68	79.0 77.5 75.9 74.6 73.6 72.6 71.4 70.7	1376.0 1377.5 1379.1 1380.4 1381.4 1382.4 1383.6 1384.3	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-13E04S	1456.2	12-01-67 4-18-68	79.0 71.3	1377.2 1384.9	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-14A01S	1402.2	12-01-67 4-18-68	35.4 30.4	1366.8 1371.8	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-14B01S	1335.2	10-03-67 11-07-67 12-04-67 1-02-68 3-04-68 4-08-68 5-06-68	6.5 5.8 5.3 5.0 4.1 3.6 2.9	1328.7 1329.4 1329.9 1330.2 1331.1 1331.6 1332.3	1101			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-14C04S	1323.8	12-01-67 4-19-68	9.9 8.8	1313.9 1315.0	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-14G01S	1372.0	12-01-67 4-19-68	35.2 31.3	1336.8 1340.7	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-14H02S	1415.7	10-20-67 11-14-67 12-15-67 1-15-68 2-15-68 3-14-68 4-18-68 5-17-68	50.0 48.6 47.1 39.8 45.8 43.9 42.7 42.0	1365.7 1367.1 1368.6 1375.9 1369.9 1371.8 1373.0 1373.7	1200			10-11-67 11-08-67 12-13-67 1-03-68 2-07-68 3-13-68 4-10-68 5-08-68 6-05-68 7-03-68 8-07-68 9-04-68				
02N/14W-18A01S	999.0	11-07-67 4-09-68	(9) (9)		1101			10-11-67 11-08-67 12-13-67 1-03-68 2-05-68 3-04-68 4-09-68 5-06-68	154.2 153.7 153.8 153.8 153.9 154.0 154.4 156.0	1540.8 1541.3 1541.2 1541.2 1541.1 1541.0 1540.6 1539.0	1101	
VERDUGO HYDRO SUBAREA			U-05.84									
01N/13W-03B01S	1222.0	11-07-67 4-09-68	(9) (9)		1101							
01N/13W-03D02S	1230.0	11-07-67 4-09-68	75.6 64.1	1154.4 1165.9	1101							
01N/13W-03D05S	1160.0	11-20-67 12-23-67 1-29-68 3-28-68 5-02-68	65.5(5) 57.5(5) 54.5 51.5(5) 55.5(5)	1094.5 1102.5 1105.5 1108.5 1104.5	1101							
02N/13W-27N01S	1695.0	10-03-67 11-08-67 12-05-67 1-03-68 2-05-68 3-04-68 4-09-68 5-06-68				11-20-67 12-23-67 1-29-68 2-28-68 3-28-68 5-02-68	45.4(5) 42.4(5) 42.4(5) 43.4(5) 44.4(5) 55.4(1)	1367.6 1370.6 1370.6 1369.6 1368.6 1357.6	1101			
02N/13W-28N01S	1413.0	11-20-67 12-23-67 1-29-68 2-28-68 3-28-68 5-02-68				10-04-67	121.5	1628.5	1101			
02N/13W-29A01S	1750.0	10-04-67										

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN FERNANDO HYDRO SUBUNIT			U-05.80			SAN FERNANDO HYDRO SUBUNIT			U-05.80		
VERDUGO HYDRO SUBAREA			U-05.84			EAGLE ROCK HYDRO SUBAREA			U-05.85		
02N/13W-29A01S (CONT.)	1750.0	11-01-67	122.1	1627.9	1101	01N/13W-34B01S	519.9	9-24-68	190.0	329.9	1200
		12-06-67	122.0	1628.0							
		1-03-68	122.0	1628.0							
		2-07-68	122.0	1628.0							
		3-13-68	122.0	1628.0							
		4-10-68	122.0	1628.0							
		5-08-68	122.0	1628.0							
02N/13W-29F01S	1590.0	11-20-67	31.0(5)	1559.0	1101						
		12-23-67	27.0(5)	1563.0							
		1-29-68	27.0(5)	1563.0							
		2-28-68	27.0(5)	1563.0							
		3-28-68	26.0(5)	1564.0							
		5-02-68	26.0(5)	1564.0							
02N/13W-29J01S	1540.0	11-07-67	62.1	1477.9	1101						
		4-08-68	62.9	1477.1							
02N/13W-29R01S	1435.0	10-04-67	25.0(5)	1410.0	1101						
		11-20-67	23.0(5)	1412.0							
		12-23-67	22.0(5)	1413.0							
		1-29-68	25.0(5)	1410.0							
		2-28-68	25.0(5)	1410.0							
		3-28-68	25.0(5)	1410.0							
		5-02-68	32.0(1)	1403.0							
02N/13W-29R02S	1435.0	11-08-67	21.0	1414.0	1101						
		4-09-68	27.3	1407.7							
02N/13W-33C01S	1374.0	11-20-67	43.2(5)	1330.8	1101						
		12-23-67	41.2(5)	1332.8							
		1-29-68	43.2(5)	1330.8							
		2-28-68	41.2(5)	1332.8							
		3-28-68	41.2(5)	1332.8							
		5-02-68	51.2(1)	1322.8							
02N/13W-33C03S	1350.0	11-07-67	(1)		1101						
		3-28-68	42.0(5)	1308.0							
		4-09-68	(1)								
02N/13W-33C05S	1341.0	11-07-67	28.1	1312.9	1101						
		4-09-68	29.0	1312.0							
02N/13W-33C06S	1350.0	11-08-67	(1)		1101						
		3-28-68	50.0(5)	1300.0							
		4-09-68	(1)								
02N/13W-33G01S	1300.0	11-20-67	37.8(5)	1262.2	1101						
		1-29-68	39.8(5)	1260.2							
		2-28-68	37.8(5)	1262.2							
		3-28-68	35.8(5)	1264.2							
		5-02-68	37.8(1)	1262.2							
02N/13W-33R01S	1237.0	11-20-67	56.0(5)	1181.0	1101						
		12-23-67	55.0(5)	1182.0							
		1-29-68	54.0(5)	1183.0							
		3-28-68	56.0(5)	1181.0							
		5-02-68	56.0(5)	1181.0							
02N/13W-33R03S	1226.2	10-03-67	31.4	1194.8	1101						
		11-08-67	35.0	1191.2							
		12-05-67	26.9	1199.3							
		1-03-68	31.8	1194.4							
		3-04-68	31.8	1194.4							
		4-09-68	32.0	1194.2							
		5-01-68	32.2	1194.0							
02N/13W-33R05S	1232.6	10-03-67	31.4	1201.2	1101						
		11-08-67	(1)								
		12-05-67	26.1	1206.5							
		1-03-68	(1)								
		3-04-68	(1)								
		4-09-68	(1)								
		5-01-68	(1)								
02N/13W-33R07S	1232.0	11-20-67	38.0(5)	1194.0	1101						
		11-20-67	38.0(5)	1194.0							
		12-23-67	37.0(5)	1195.0							
		1-29-68	39.0(5)	1193.0							
		2-28-68	34.0(5)	1198.0							
		3-28-68	33.0(5)	1199.0							
		5-02-68	53.0(5)	1179.0							
EAGLE ROCK HYDRO SUBAREA						U-05.85					
01N/13W-34B01S	519.9	10-25-67	188.8	331.1	1200						
		11-29-67	188.9	331.0							
		12-27-67	188.2	331.7							
		1-23-68	188.1	331.8							
		2-27-68	188.1	331.8							
		3-26-68	188.0	331.9							
		4-24-68	188.6	331.3							
		5-22-68	188.9	331.0							
		6-26-68	189.5	330.4							
		7-24-68	189.6	330.3							
		8-28-68	189.4	330.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/11W-29M01S	572.0	4-05-68	73.8(5)	498.2	5062	01N/12W-09R01S (CONT.)	1109.3	6-30-68	207.0	902.3	5062
		4-17-68	169.0(1)	403.0				8-01-68	208.3	901.0	
		5-01-68	80.0(5)	492.0				8-01-68	248.3(1)	861.0	
		5-15-68	70.0(5)	502.0				9-01-68	208.3	901.0	
		6-05-68	71.0(5)	501.0				9-01-68	249.0(1)	860.3	
		6-19-68	72.0(5)	500.0		01N/12W-10G01S	1330.0	11-08-67	DRY		1101
		7-03-68	80.0(5)	492.0				4-09-68	DRY		
		7-17-68	164.0(1)	408.0		01N/12W-20A01S	934.3	4-05-68	344.3(5)	590.0	5062
		8-08-68	96.0(5)	476.0				5-02-68	349.2	585.1	
		8-21-68	102.0(5)	470.0				6-06-68	345.5(5)	588.8	
		9-04-68	94.0(5)	478.0				7-03-68	351.3(5)	583.0	
		9-18-68	99.0(5)	473.0				8-17-68	345.5(5)	588.8	
01N/11W-30D01S	699.1	4-05-68	189.0	510.1	5062			9-05-68	342.0(5)	592.3	
		5-01-68	190.7	508.4		01N/12W-20B01S	915.9	4-05-68	326.0(5)	589.9	5062
		6-11-68	190.5	508.6				5-02-68	330.6(5)	585.3	
		7-02-68	191.3	507.8				6-06-68	321.3(5)	594.6	
		8-17-68	195.5	503.6				7-03-68	327.1(5)	588.8	
		9-12-68	195.6	503.5				8-17-68	326.0(5)	589.9	
01N/11W-30G01S	649.7	4-05-68	143.5	506.2	5062			9-05-68	321.3(5)	594.6	
		5-01-68	(7)			01N/12W-21K01S	897.2	4-05-68	308.7(5)	588.5	5062
		6-11-68	(6)					5-02-68	309.9(5)	587.3	
		7-25-68	(6)					6-06-68	305.3(5)	591.9	
		8-17-68	(6)					7-03-68	309.9(5)	587.3	
01N/11W-30H01S	625.6	5-01-68	130.8(5)	494.8	5062			8-17-68	307.6(5)	589.8	
		5-30-68	126.8(5)	498.8				9-05-68	304.1(5)	593.1	
		6-29-68	130.8(5)	494.8		01N/12W-21K02S	889.4	4-05-68	297.7	591.7	5062
		8-22-68	157.8(5)	467.8				5-02-68	300.2	589.2	
01N/11W-30J01S	600.6	5-01-68	124.4(5)	476.2	5062			6-06-68	298.7	590.7	
		5-01-68	172.4(1)	428.2				7-03-68	301.0(5)	588.4	
		6-01-68	111.4(5)	489.2				8-17-68	297.2	592.2	
		6-01-68	163.4(1)	437.2				9-05-68	296.4(5)	593.0	
		7-01-68	116.4(5)	484.2		01N/12W-23G01S	878.0	4-05-68	373.0(5)	505.0	5062
		7-01-68	167.4(1)	433.2				5-04-68	373.0(5)	505.0	
		8-01-68	135.4(5)	465.2				6-06-68	375.3(5)	502.7	
		8-01-68	184.4(1)	416.2				7-03-68	368.4(5)	509.6	
		9-01-68	141.4(5)	459.2				8-17-68	368.4(5)	509.6	
		9-01-68	189.4(1)	411.2				9-05-68	367.2(5)	510.8	
01N/11W-30K01S	631.3	5-01-68	139.5(5)	491.8	5062	01N/12W-23L01S	843.0	4-05-68	340.3	502.7	5062
		5-01-68	169.5(1)	461.8				5-04-68	339.3(5)	503.7	
		6-01-68	136.5(5)	494.8				6-06-68	338.2(5)	504.8	
		6-01-68	166.5(1)	464.8				7-03-68	338.2(5)	504.8	
		7-01-68	141.5(5)	489.8				8-17-68	339.3(5)	503.7	
		7-01-68	170.5(1)	460.8				9-05-68	340.5(5)	502.5	
		8-01-68	151.5(5)	479.8		01N/12W-24B02S	775.6	10-03-67	8.8	766.8	1101
		8-01-68	180.5(1)	450.8				11-08-67	14.6	761.0	
		9-01-68	150.5(5)	480.8				4-10-68	(7)		
		9-01-68	178.5(1)	452.8				4-15-68	(7)		
01N/11W-30Q01S	603.6	5-01-68	85.0(6)	518.6	5062			4-30-68	(7)		
		6-01-68	84.0(6)	519.6				5-07-68	(7)		
		7-01-68	86.0(6)	517.6				6-05-68	(7)		
		8-01-68	85.0(6)	518.6		01N/12W-24B04S	775.7	10-03-67	233.8	541.9	1101
		9-01-68	86.0(6)	517.6				11-08-67	237.8	537.9	
01N/11W-30Q02S	600.3	5-01-68	94.1(5)	506.2	5062			4-10-68	(7)		
		6-01-68	90.1(5)	510.2				4-15-68	(7)		
		7-01-68	88.1(5)	512.2				4-30-68	(7)		
		8-01-68	97.1(5)	503.2				5-07-68	(7)		
		9-01-68	97.1(5)	503.2				6-05-68	(7)		
01N/11W-30Q03S	591.1	5-01-68	102.1(5)	489.0	5062	01N/12W-25A01S	698.0	4-05-68	190.9	507.1	5062
		5-01-68	139.1(1)	452.0				5-01-68	190.5	507.5	
		6-01-68	91.1(5)	500.0				6-11-68	190.1	507.9	
		6-01-68	128.1(1)	463.0				7-02-68	190.5	507.5	
		7-01-68	93.1(5)	498.0				8-17-68	196.6	501.4	
		7-01-68	130.1(1)	461.0				9-12-68	193.0	505.0	
		8-01-68	113.1(5)	478.0		01N/12W-25B01S	710.2	4-05-68	203.8	506.4	5062
		8-01-68	148.1(1)	443.0				5-01-68	204.9	505.3	
		9-01-68	150.1(1)	441.0				6-06-68	203.6(5)	506.6	
		9-01-68	116.1(5)	475.0				7-02-68	201.3(5)	508.9	
01N/11W-30R01S	581.0	4-05-68	83.7(5)	497.3	5062			8-17-68	(9)		
		4-17-68	139.2(1)	441.8				9-05-68	(9)		
		5-01-68	84.2(5)	496.8		01N/12W-25E01S	719.8	10-01-67	224.0(5)	495.8	1101
		5-15-68	80.2(5)	500.8				11-01-67	222.0(5)	497.8	
		6-05-68	84.2(5)	496.8				12-01-67	220.0(5)	499.8	
		6-19-68	85.2(5)	495.8				1-01-68	220.0(5)	499.8	
		7-03-68	89.2(5)	491.8				2-01-68	216.0(5)	503.8	
		7-17-68	156.1(1)	424.9				3-01-68	219.0(5)	500.8	
		8-08-68	106.2(5)	474.8				4-01-68	218.0(5)	501.8	
		8-21-68	152.9(1)	428.1				4-17-68	234.8(1)	485.0	5062
		9-04-68	104.2(5)	476.8				4-17-68	218.8(5)	501.0	
		9-18-68	153.2(1)	427.8				5-01-68	219.0(5)	500.8	1101
01N/11W-31D01S	596.0	11-08-67	110.2	485.8	1101			5-16-68	235.8(1)	484.0	5062
		4-09-68	106.2	489.8				5-16-68	219.8(5)	500.0	
01N/12W-09R01S	1109.3	5-01-68	206.7	902.6	5062			6-01-68	222.0(5)	497.8	1101
		5-01-68	246.7(1)	862.6				6-20-68	238.8(1)	481.0	5062
		6-01-68	208.9	900.4				6-20-68	222.8(5)	497.0	
		6-01-68	247.0	862.3				7-01-68	223.0(5)	496.8	1101
		6-30-68	247.4(1)	861.9				7-23-68	223.8(5)	496.0	5062

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/12W-25E01S (CONT.)	719.8	7-23-68	239.8(1)	480.0	5062	01N/12W-33M01S (CONT.)	750.1	8-17-68	109.2	640.9	5062
		8-01-68	223.0(5)	496.8	1101			9-12-68	108.1	642.0	
		8-20-68	240.8(1)	479.0	5062						
		8-20-68	223.8(5)	496.0		01N/12W-34C01S	725.8	10-01-67	192.8(5)	533.0	1101
		9-01-68	226.0(5)	493.8	1101			11-01-67	186.8(5)	539.0	
		9-25-68	242.8(1)	477.0	5062			12-01-67	194.8(5)	531.0	
		9-25-68	226.8(5)	493.0				1-01-68	192.8(5)	533.0	
								2-01-68	197.8(5)	528.0	
01N/12W-26A01S	754.6	10-01-67	263.1(5)	491.5	1101			3-01-68	185.8(5)	540.0	
		11-01-67	263.1(5)	491.5				4-01-68	182.8(5)	543.0	
		12-01-67	265.1(5)	489.5				4-17-68	204.5(1)	521.3	5062
		1-01-68	299.1(5)	455.5				4-17-68	180.5(5)	545.3	
		2-01-68	262.1(5)	492.5				5-01-68	184.8(5)	541.0	1101
		3-01-68	259.1(5)	495.5				5-15-68	205.5(1)	520.3	5062
		4-01-68	259.1(5)	495.5				5-15-68	182.5(5)	543.3	
		4-17-68	307.0(1)	447.6	5062			6-01-68	188.8(5)	537.0	1101
		4-17-68	254.0(5)	500.6				6-20-68	211.5(1)	514.3	5062
		5-01-68	260.1(5)	494.5	1101			6-20-68	186.5(5)	539.3	
		5-16-68	307.0(1)	447.6	5062			7-01-68	194.8(5)	531.0	1101
		5-16-68	255.0(5)	499.6				7-23-68	192.5(5)	533.3	5062
		6-01-68	270.1(5)	484.5	1101			7-23-68	217.5(1)	508.3	
		6-20-68	327.0(1)	427.6	5062			8-01-68	197.8(5)	528.0	1101
		6-20-68	265.0(5)	489.6				8-20-68	195.5(5)	530.3	5062
		7-01-68	275.1(5)	479.5	1101			8-20-68	217.5(1)	508.3	
		7-24-68	329.0(1)	425.6	5062			9-01-68	210.8(5)	515.0	1101
		7-24-68	270.0(5)	484.6				9-25-68	231.5(1)	494.3	5062
		8-01-68	263.1(5)	491.5				9-25-68	208.5(5)	517.3	
		8-21-68	258.0(5)	496.6	5062	01N/12W-34E01S	695.8	10-30-67	145.0(5)	550.8	1101
		8-21-68	316.0(1)	438.6				11-30-67	142.0(5)	553.8	
		9-01-68	264.1(5)	490.5	1101			12-30-67	140.0(5)	555.8	
		9-25-68	322.0(1)	432.6	5062			1-30-68	140.0(5)	555.8	
		9-25-68	259.0(5)	495.6				2-28-68	138.0(5)	557.8	
		9-25-68	385.0(1)	369.6				3-30-68	138.0(5)	557.8	
01N/12W-26C01S	791.0	4-05-68	293.0(5)	498.0	5062			4-03-68	138.0(5)	557.8	5062
		5-01-68	293.3	497.7				4-13-68	140.0(5)	555.8	
		6-06-68	293.0(5)	498.0				4-26-68	142.0(5)	553.8	
		7-03-68	294.1(5)	496.9				4-30-68	142.0(5)	553.8	1101
		8-17-68	293.0(5)	498.0				5-03-68	142.0(5)	553.8	5062
		9-05-68	290.7(5)	500.3				5-14-68	140.0(5)	555.8	
								5-29-68	140.0(5)	555.8	
01N/12W-26R01S	681.6	10-01-67	185.0(5)	496.6	1101			5-30-68	140.0(5)	555.8	1101
		11-01-67	185.0(5)	496.6				6-05-68	140.0(5)	555.8	5062
		12-01-67	187.0(5)	494.6				6-14-68	140.0(5)	555.8	
		1-01-68	192.0(5)	489.6				6-28-68	140.0(5)	555.8	
		2-01-68	195.0(5)	486.6				6-30-68	140.0(5)	555.8	1101
		3-01-68	183.0(5)	498.6				7-05-68	140.0(5)	555.8	5062
		4-01-68	186.0(5)	495.6				7-12-68	140.0(5)	555.8	
		4-16-68	216.0(1)	465.6	5062			7-25-68	147.0(5)	548.8	
		4-16-68	186.0(5)	495.6				7-30-68	140.0(5)	555.8	1101
		5-01-68	188.0(5)	493.6	1101			8-01-68	147.0(5)	548.8	5062
		5-16-68	218.0(1)	463.6	5062			8-16-68	147.0(5)	548.8	
		5-16-68	188.0(5)	493.6				8-25-68	154.0(5)	541.8	
		6-01-68	188.0(5)	493.6	1101			8-30-68	147.0(5)	548.8	1101
		6-20-68	188.0(5)	493.6	5062			9-01-68	154.0(5)	541.8	5062
		6-20-68	219.0(1)	462.6				9-12-68	154.0(5)	541.8	
		7-01-68	194.0(5)	487.6	1101			9-21-68	154.0(5)	541.8	
		7-24-68	194.0(5)	487.6	5062			9-30-68	154.0(5)	541.8	1101
		7-24-68	219.0(1)	462.6							
		8-01-68	197.0(5)	484.6	1101	01N/12W-34E02S	752.6	10-01-67	195.0(5)	557.6	1101
		8-21-68	220.0(1)	461.6	5062			11-01-67	194.0(5)	558.6	
		8-21-68	197.0(5)	484.6				12-01-67	192.0(5)	560.6	
		9-01-68	211.0(5)	470.6	1101			1-01-68	189.0(5)	563.6	
		9-25-68	224.0(1)	457.6	5062			2-01-68	189.0(5)	563.6	
		9-25-68	211.0(5)	470.6				3-01-68	187.0(5)	565.6	
								4-01-68	190.0(5)	562.6	
01N/12W-28R01S	776.0	4-05-68	209.3	566.7	5062			4-16-68	212.0(1)	540.6	5062
		5-04-68	209.7	566.3				4-16-68	190.0(5)	562.6	
		6-11-68	210.5	565.5				5-01-68	191.0(5)	561.6	1101
		7-02-68	206.3	569.7				5-15-68	214.0(1)	538.6	5062
		8-17-68	206.8	569.2				5-15-68	191.0(5)	561.6	
		9-12-68	212.2	563.8				6-01-68	193.0(5)	559.6	1101
								6-19-68	213.0(1)	539.6	5062
01N/12W-33G01S	750.0	10-03-67	166.3	583.7	1101			6-19-68	193.0(5)	559.6	
		11-08-67	166.4	583.6				7-01-68	194.0(5)	558.6	1101
		12-05-67	166.7	583.3				7-23-68	216.0(1)	536.6	5062
		1-03-68	167.1	582.9				7-23-68	194.0(5)	558.6	
		2-06-68	167.5	582.5				8-01-68	195.0(5)	557.6	1101
		3-05-68	167.2(2)	582.8				8-20-68	216.0(1)	536.6	5062
		4-03-68	167.4(2)	582.6				8-20-68	195.0(5)	557.6	
		4-03-68	167.4(2)	582.6				9-01-68	201.0(5)	551.6	1101
		4-05-68	167.3	582.7	5062			9-25-68	224.0(1)	528.6	5062
		4-09-68	167.5(2)	582.5	1101			9-25-68	201.0(5)	551.6	
		5-04-68	167.9	582.1	5062						
		5-06-68	167.9(2)	582.1	1101						
		6-05-68	168.3(2)	581.7							
		6-11-68	168.4	581.6	5062	01N/12W-34E04S	671.8	10-30-67	141.0(5)	530.8	1101
		7-02-68	168.6	581.4				11-30-67	139.0(5)	532.8	
		7-08-68	168.9(2)	581.1	1101			12-30-67	137.0(5)	534.8	
		8-06-68	169.3(2)	580.7				1-30-68	135.0(5)	536.8	
		8-17-68	168.1	581.9	5062			2-28-68	133.0(5)	538.8	
		9-04-68	169.0(2)	581.0	1101			3-30-68	132.0(5)	539.8	
		9-12-68	168.6	581.4	5062			4-03-68	131.0(5)	540.8	5062
								4-15-68	132.0(5)	539.8	
01N/12W-33M01S	750.1	4-05-68	107.1	643.0	5062			4-29-68	130.0(5)	533.8	
		5-04-68	107.1	643.0				4-30-68	138.0(5)	533.8	1101
		6-11-68	107.2	642.9				5-04-68	139.0(5)	532.8	5062
		7-02-68	107.1	643.0				5-05-68	138.0(5)	533.8	
								5-29-68	135.0(5)	536.8	
								5-30-68	135.0(5)	536.8	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
PASADENA HYDRO SUBAREA			U-05.C1			PASADENA HYDRO SUBAREA			U-05.C1		
01N/12W-34E04S (CONT.)	671.8	6-05-68	134.0(5)	537.8	5062	01N/12W-36H02S (CONT.)	606.9	7-31-68	235.6(1)	371.3	5062
		6-16-68	134.0(5)	537.8	5062			8-27-68	145.6(5)	461.3	
		6-27-68	133.0(5)	538.8				8-31-68	232.6(1)	374.3	
		6-30-68	133.0(5)	538.8	1101			9-26-68	236.6(1)	370.3	
		7-05-68	132.0(5)	539.8	5062			9-30-68	136.6(5)	470.3	
		7-14-68	135.0(5)	536.8		MONK HILL HYDRO SUBAREA			U-05.C2		
		7-25-68	141.0(5)	530.8		01N/12W-05K01S	1258.0	11-08-67	DRY		1101
		7-30-68	141.0(5)	530.8	1101			4-09-68	DRY		
		8-04-68	142.0(5)	529.8	5062	01N/12W-05M01S	1090.0	4-05-68	78.8	1011.2	5062
		8-15-68	144.0(5)	527.8				5-01-68	92.4	997.6	
		8-26-68	146.0(5)	525.8				6-06-68	100.9	989.1	
		8-30-68	146.0(5)	525.8	1101			7-01-68	127.4	962.6	
		9-04-68	148.0(5)	523.8	5062			8-17-68	130.7	959.3	
		9-14-68	151.0(5)	520.8				9-12-68	143.7	946.3	
		9-26-68	152.0(5)	519.8		01N/12W-05N01S	1070.7	4-05-68	64.5	1006.2	5062
		9-30-68	152.0(5)	519.8	1101			4-30-68	74.5	996.2	
01N/12W-34H01S	659.0	5-02-68	141.0	518.0	5062			6-04-68	(1)		
		6-04-68	145.3	513.7				7-16-68	98.8(5)	971.9	
		7-02-68	146.1	512.9				8-17-68	111.9	958.8	
		8-08-68	144.6	514.4				9-19-68	119.3	951.4	
		9-04-68	144.6	514.4		01N/12W-05P01S	1201.7	10-03-67	229.8	971.9	1101
01N/12W-35801S	652.3	10-01-67	161.7(5)	490.6	1101			11-08-67	(1)		
		12-01-67	163.7(5)	488.6				11-14-67	231.8	969.9	
		1-01-68	154.7(5)	497.6				12-05-67	230.0	971.7	
		2-01-68	152.7(5)	499.6				1-03-68	225.2	976.5	
		3-01-68	150.7(5)	501.6				2-06-68	214.2	987.5	
		4-01-68	151.7(5)	500.6				3-05-68	208.9	992.8	
		4-17-68	172.5(1)	479.8	5062			4-09-68	206.4	995.3	
		4-17-68	151.5(5)	500.8				4-31-68	229.3(5)	972.4	5062
		5-01-68	150.7(5)	501.6	1101			5-06-68	207.5	994.2	1101
		5-16-68	175.5(1)	476.8	5062			6-05-68	210.0	991.7	
		5-16-68	150.5(5)	501.8				6-30-68	219.5	982.2	5062
		6-01-68	156.7(5)	495.6	1101			7-08-68	(1)	1101	
		6-20-68	175.5(1)	476.8	5062			7-08-68	227.3(5)	974.4	
		6-20-68	156.5(5)	495.8				7-31-68	226.5(5)	975.2	5062
		7-01-68	165.7(5)	486.6	1101			8-06-68	238.8(5)	962.9	1101
		7-24-68	187.5(1)	464.8	5062			8-07-68	235.9	965.8	
		7-24-68	165.5(5)	486.8				9-04-68	(1)		
		8-01-68	161.7(5)	490.6	1101			9-06-68	(1)		
		8-20-68	180.5(1)	471.8	5062			9-13-68	238.8	962.9	
		8-20-68	161.5(5)	490.8		01N/12W-05P02S	1202.4	4-31-68	218.9(5)	983.5	5062
		9-01-68	172.7(5)	479.6	1101			5-31-68	221.3(5)	981.1	
		9-25-68	172.5(5)	479.8	5062			5-31-68	230.4(5)	972.0	
		9-25-68	189.5(1)	462.8				6-30-68	226.3	976.1	
01N/12W-35C01S	693.0	5-02-68	186.4	506.6	5062			7-31-68	238.1(5)	964.3	
		6-04-68	197.9	495.1				8-31-68	238.5	963.9	
		7-02-68	200.8	492.2				9-31-68	238.3(5)	964.1	
		8-08-68	196.2	496.8		01N/12W-06D03S	1249.5	11-08-67	75.3	1174.2	1101
01N/12W-36A01S	608.6	4-22-68	198.8(1)	409.8	5062	01N/12W-06H04S	1169.5	5-01-68	152.9	1016.6	5062
		4-30-68	140.8(5)	467.8				6-01-68	161.6	1007.9	
		5-20-68	203.8(1)	404.8				7-01-68	163.0	1006.5	
		5-31-68	144.8(5)	463.8				8-01-68	168.6	1000.9	
		6-26-68	203.8(1)	404.8				9-02-68	167.6	1001.9	
		6-30-68	146.8(5)	461.8		01N/12W-06H05S	1192.9	10-03-67	194.9	998.0	1101
		7-13-68	207.8(1)	400.8				11-08-67	(1)		
		7-31-68	147.8(5)	460.8				11-14-67	190.9	1002.0	
		8-31-68	137.8(5)	470.8				12-05-67	190.7	1002.2	
		9-26-68	206.8(1)	401.8				1-03-68	184.8	1008.1	
		9-30-68	132.8(5)	475.8				2-06-68	180.8	1012.1	
01N/12W-36E01S	623.1	4-30-68	202.6	420.5	5062			3-05-68	177.6	1015.3	
		5-31-68	186.6	436.5				4-09-68	176.0	1016.9	
		6-28-68	186.6	436.5				5-06-68	(1)		
		7-31-68	199.6	423.5				5-07-68	175.2	1017.7	
		8-31-68	199.6	423.5				6-05-68	178.6	1014.3	
		9-30-68	204.6	418.5				7-08-68	184.1	1008.8	
01N/12W-36E02S	626.0	4-30-68	213.3	412.7	5062	01N/12W-08A01S	1192.8	5-31-68	220.4(5)	972.4	5062
		5-31-68	190.3	435.7				6-30-68	242.1	950.7	
		6-28-68	190.3	435.7				7-31-68	242.1(5)	950.7	
		7-31-68	204.3	421.7		01N/12W-08D01S	1151.2	4-05-68	(6)		5062
		8-31-68	204.3	421.7				5-02-68	(6)		
		9-30-68	212.3	413.7				6-06-68	(6)		
01N/12W-36H01S	606.0	4-29-68	134.7(5)	471.3	5062			8-17-68	(6)		
		4-30-68	220.7(1)	385.3		01N/12W-08E01S	1108.7	4-05-68	119.0	989.7	5062
		5-28-68	184.7(5)	421.3				5-01-68	120.0	988.7	
		5-31-68	224.7(1)	381.3				6-06-68	123.0	985.7	
		6-07-68	158.0(5)	448.0				7-02-68	126.9	981.8	
		6-30-68	224.7(1)	381.3				8-17-68	135.0	973.7	
		7-30-68	146.7(5)	459.3				9-12-68	138.5	970.2	
		7-31-68	227.7(1)	378.3		01N/12W-08H01S	1140.4	5-01-68	180.1	960.3	5062
		8-30-68	143.7(5)	462.3				5-01-68	192.3(1)	948.1	
		8-31-68	229.7(1)	376.3				6-01-68	194.8	945.6	
		9-09-68	229.7(1)	376.3				6-01-68	172.3	968.1	
		9-30-68	141.7(5)	464.3				6-30-68	173.1	967.3	
01N/12W-36H02S	606.9	4-29-68	129.6(5)	477.3	5062						
		4-30-68	230.6(1)	376.3							
		5-08-68	174.6(5)	432.3							
		5-31-68	233.6(1)	373.3							
		6-27-68	174.6	432.3							
		6-30-68	233.6(1)	373.3							
		7-30-68	146.6(5)	460.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMOND HYDRO SUBUNIT			U-05.C0			RAYMOND HYDRO SUBUNIT			U-05.C0		
MONK HILL HYDRO SUBAREA			U-05.C2			SANTA ANITA HYDRO SUBAREA			U-05.C3		
01N/12W-08H015 (CONT.)	1140.4	6-30-68 195.8(1) 8-01-68 182.1 8-01-68 204.9(1) 9-01-68 182.1 9-01-68 204.7(1)	944.6 958.3 935.5 958.3 935.7	5062		01N/11W-21C025	702.5	4-30-68 125.7(6) 5-31-68 194.0(6) 6-28-68 194.0(6) 7-31-68 206.0(6) 8-31-68 212.0(6) 9-30-68 216.0(6)	576.8 508.5 508.5 496.5 490.5 486.5	5062	
01N/12W-08H025	1154.5	5-01-68 181.5 5-28-68 187.1 6-03-68 187.5 7-01-68 188.5 8-01-68 196.5 9-04-68 202.5	973.0 967.4 967.0 966.0 958.0 952.0	5062 5050 5062		01N/11W-21C035	703.0	4-30-68 125.4(6) 5-31-68 192.2(6) 6-28-68 193.2(6) 7-31-68 202.2(6) 8-31-68 208.2(6) 9-30-68 211.2(6)	577.6 510.8 509.8 500.8 494.8 491.8	5062	
01N/12W-08H035	1150.6	5-01-68 169.2 6-01-68 182.9 6-30-68 196.1(1) 6-30-68 182.9 8-01-68 192.6 8-01-68 204.9(1) 9-01-68 192.6 9-01-68 204.9(1)	981.4 967.7 954.5 967.7 958.0 945.7 958.0 945.7	5062		01N/11W-21C065	705.0	4-30-68 131.4(6) 5-31-68 194.0(6) 6-28-68 195.0(6) 7-31-68 208.0(6) 8-31-68 213.0(6) 9-30-68 217.0(6)	573.6 511.0 510.0 497.0 492.0 488.0	5062	
01N/12W-08L025	1085.2	4-12-68 101.3 5-01-68 101.3 6-06-68 103.5 7-02-68 107.0 8-17-68 113.2 9-12-68 117.4	983.9 983.9 981.7 978.2 972.0 967.8	5062		01N/11W-21C075	680.0	4-30-68 96.4(6) 5-31-68 169.4(6) 6-28-68 171.4(6) 7-31-68 182.4(6) 8-31-68 188.4(6) 9-30-68 193.4(6)	583.6 510.6 508.6 497.6 491.6 486.6	5062	
01N/12W-09E015	1188.5	5-28-68 325.7(4)	862.8	5050		01N/11W-21G025	602.0	4-05-68 60.8(5) 4-17-68 125.6(1) 5-01-68 75.6(5) 5-15-68 140.6(1) 6-05-68 90.6(5) 6-19-68 153.6(1) 7-03-68 93.6(5) 7-17-68 157.6(1) 8-08-68 99.6(5) 8-21-68 165.6(1) 9-04-68 101.6(5) 9-18-68 167.6(1)	541.2 476.4 526.4 461.4 511.4 448.4 508.4 444.4 502.4 436.4 500.4 434.4	5062	
01N/12W-09K015	1130.0	5-01-68 227.7 5-01-68 251.7(1) 6-01-68 228.2 6-01-68 252.4 6-30-68 228.0 6-30-68 252.7(1) 8-01-68 229.0 8-01-68 253.5(1) 9-01-68 228.9 9-01-68 253.2(1)	902.3 878.3 901.8 877.6 902.0 877.3 901.0 876.5 901.1 876.8	5062		01N/11W-21G035	611.5	4-05-68 69.6(5) 4-18-68 87.8(5) 5-01-68 71.2(5) 5-15-68 81.7(5) 6-05-68 103.2(5) 6-19-68 132.5(5) 7-03-68 107.3(5) 7-17-68 129.2(5) 8-08-68 112.4(5) 8-21-68 137.2(5) 9-04-68 115.2(5) 9-18-68 142.8(5)	541.9 523.7 540.3 529.8 508.3 479.0 504.2 482.3 499.1 474.3 496.3 468.7	5062	
01N/12W-09Q015	1129.2	5-28-68 186.5	942.7	5050		01N/11W-21G055	608.0	4-06-68 66.9(5) 4-18-68 90.1(5) 5-01-68 85.1(5) 5-15-68 158.1(1) 6-05-68 104.1(5) 6-19-68 172.1(1) 7-03-68 108.1(5) 7-17-68 173.1(1) 8-08-68 113.1(5) 8-21-68 176.1(1) 9-04-68 114.1(5) 9-18-68 178.1(1)	541.1 517.9 522.9 449.9 503.9 435.9 499.9 434.9 494.9 431.9 493.9 429.9	5062	
01N/12W-17D015	1045.7	4-05-68 76.3 5-01-68 75.8 6-06-68 76.2 7-02-68 77.4 8-17-68 80.7 9-12-68 82.3	969.4 969.9 969.5 968.3 965.0 963.4	5062		01N/11W-21H025	602.4	4-05-68 60.4(5) 4-18-68 111.2(1) 5-01-68 78.2(5) 5-15-68 91.2(5) 6-05-68 92.7(5) 6-19-68 163.2(1) 7-03-68 95.2(5) 7-17-68 165.2(1) 8-08-68 101.2(5) 8-21-68 170.2(1) 9-04-68 103.2(5) 9-18-68 175.2(1)	542.0 491.2 524.2 511.2 509.7 439.2 507.2 437.2 501.2 432.2 499.2 427.2	5062	
01N/13W-01B015	1294.0	11-08-67 179.1 4-09-68 178.8	1114.9 1115.2	1101		01N/11W-21H035	609.5	4-05-68 67.4(5) 4-18-68 85.5(5) 5-01-68 83.5(5) 5-15-68 146.5(1) 6-05-68 102.5(5) 6-19-68 155.5(1) 7-03-68 106.5(5) 7-17-68 160.5(1) 8-08-68 112.5(5) 8-21-68 163.5(1) 9-04-68 115.5(5) 9-18-68 166.5(1)	542.1 524.0 526.0 463.0 507.0 454.0 503.0 449.0 497.0 446.0 494.0 443.0	5062	
01N/13W-01J015	1193.0	11-08-67 (1) 11-14-67 195.6 4-09-68 180.3	997.4 1012.7	1101		01N/11W-28C015	546.3	10-03-67 8.7 11-08-67 9.7 11-15-67 10.9 12-05-67 9.1	537.6 536.6 535.4 537.2	1101	
01N/13W-02A015	1355.0	11-08-67 119.0 4-09-68 118.7	1236.0 1236.3	1101							
SANTA ANITA HYDRO SUBAREA			U-05.C3								
01S/11W-02L035	346.5	10-03-67 73.2 11-07-67 75.0 12-05-67 74.7 12-12-67 74.2 1-03-68 73.0 1-10-68 72.6 1-24-68 73.4 2-07-68 73.7 2-20-68 74.0 3-05-68 74.4 3-20-68 75.2 4-08-68 75.5 4-23-68 76.4 4-30-68 77.0 5-06-68 77.2 5-14-68 77.4 5-21-68 78.4 5-28-68 78.9 6-05-68 79.8 7-08-68 83.4 8-06-68 86.6	273.3 271.5 271.8 272.3 273.5 273.9 273.1 272.8 272.5 272.1 271.3 271.0 270.1 269.5 269.3 269.1 268.1 267.6 266.7 263.1 259.9	1101							
01N/11W-15P015	740.3	11-08-67 DRY 1-10-68 DRY 2-06-68 DRY 3-05-68 DRY 3-20-68 DRY 4-09-68 DRY 5-06-68 DRY		1101							
01N/11W-20Q015	659.3	5-24-68 136.6	522.7	5050							
01N/11W-20Q025	697.5	5-23-68 78.5	619.0	5050							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
RAYMONO HYDRO SUBUNIT			U-05.C0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
SANTA ANITA HYDRO SUBAREA			U-05.C3			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01N/11W-28C01S (CONT.)	546.3	12-15-67	8.8	537.5	1101	01S/08W-06C01S	1153.5	11-07-67	(1)		1101
		1-03-68	9.3	537.0				11-10-67	231.4	922.1	
		1-10-68	9.5	536.8				4-09-68	218.6	934.9	
		1-15-68	9.4	536.9		01S/09W-01A01S	1131.0	10-03-67	185.9	945.1	1101
		2-06-68	10.6	535.7				11-07-67	185.7	945.3	
		2-15-68	10.2	536.1				12-04-67	181.4	949.6	
		2-20-68	10.8	535.5				1-03-68	179.4	951.6	
		3-05-68	10.8	535.5				2-05-68	177.7	953.3	
		3-20-68	11.0	535.3				3-05-68	177.4	953.6	
		4-09-68	11.8	534.5				4-03-68	176.0	955.0	
		4-15-68	12.0	534.3				5-14-68	181.0	950.0	
		5-06-68	13.0	533.3				6-11-68	182.3	948.7	
		5-15-68	13.3	533.0				7-08-68	184.3	946.7	
		5-24-68	13.8	532.5	5050			8-21-68	186.0	945.0	
		6-05-68	33.4	512.9	1101			9-10-68	188.0	943.0	
		6-05-68	33.4	512.9		01S/09W-01C02S	1131.0	11-07-67	230.1	900.9	1101
		6-15-68	45.7	500.6				4-09-68	(1)		
		7-08-68	49.4	496.9				4-10-68	202.3(4)	928.7	
		7-15-68	52.6	493.7		01S/09W-01D01S	1122.0	10-03-67	220.0	902.0	1101
		8-15-68	58.0	488.3				11-07-67	221.6	900.4	
		9-04-68	62.4	483.9				12-11-67	215.0	907.0	
		9-13-68	57.7	488.6				1-03-68	211.0	911.0	
		9-16-68	57.6	488.7				2-05-68	205.6	916.4	
								3-05-68	203.7	918.3	
								4-03-68	202.7	919.3	
								5-14-68	207.7	914.3	
								6-11-68	209.3	912.7	
								7-08-68	213.9	908.1	
								8-07-68	217.0	905.0	
								9-10-68	218.8	903.2	
						01S/09W-01F01S	1119.3	10-03-67	224.9	894.4	1101
								11-07-67	233.4	885.9	
								12-11-67	215.4	903.9	
								1-03-68	200.6	918.7	
								2-05-68	199.0	920.3	
								3-05-68	(1)		
								4-03-68	193.7	925.6	
								5-14-68	214.4	904.9	
								6-11-68	(1)		
								7-08-68	(1)		
								8-21-68	(1)		
								9-10-68	(1)		
						01S/09W-01F02S	1118.0	10-03-67	223.9	894.1	1101
								11-07-67	(1)		
								12-11-67	207.8	910.2	
								1-03-68	199.3	918.7	
								2-05-68	197.5	920.5	
								3-05-68	(1)		
								5-14-68	212.3	905.7	
								6-11-68	(1)		
								7-08-68	(1)		
								8-21-68	(1)		
								9-10-68	(1)		
						01S/09W-01G01S	1107.5	11-07-67	(1)		1101
								11-13-67	(1)		
								11-15-67	215.4	892.1	
								4-09-68	186.5	921.0	
						01S/09W-01K01S	1083.0	11-13-67	174.2	908.8	1101
								4-15-68	232.4	850.6	
						01S/09W-02C01S	1046.1	11-07-67	99.1	947.0	1101
								4-09-68	68.9	977.2	
						01S/09W-02C03S	1051.0	10-02-67	109.0	942.0	1101
								11-07-67	104.3	946.7	
								12-11-67	92.8	958.2	
								1-03-68	84.8	966.2	
								2-05-68	78.0	973.0	
								3-05-68	74.9	976.1	
								4-03-68	86.9(1)	964.1	
								5-14-68	(1)		
								6-11-68	87.1(1)	963.9	
								7-02-68	89.9(1)	961.1	
								8-21-68	79.5	971.5	
								9-10-68	82.2	968.8	
						01S/09W-02D01S	1029.0	10-03-67	111.0	918.0	1101
								11-07-67	(1)		
								11-15-67	(1)		
								12-11-67	109.6	919.4	
								1-03-68	107.0	922.0	
								2-05-68	110.1	918.9	
								3-05-68	(1)		
								4-03-68	116.0	913.0	
								5-14-68	(1)		
								6-11-68	(1)		
								7-02-68	118.2	910.8	
								8-21-68	114.5	914.5	
								9-04-68	110.3	918.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/09W-02H01S	1080.0	11-07-67	189.7	890.3	1101	01S/09W-04G01S	879.6	10-03-67	86.2	793.4	1101
		12-04-67	181.1	898.9				11-06-67	88.2	791.4	
		1-03-68	175.9	904.1				12-04-67	90.0	789.6	
		2-05-68	165.8	914.2				1-03-68	91.3	788.3	
		3-05-68	163.8	916.2				2-06-68	92.5	787.1	
		4-03-68	163.3	916.7				3-05-68	93.3	786.3	
		5-14-68	176.1 (1)	903.9				4-03-68	93.9	785.7	
		6-11-68	177.3	902.7				6-11-68	94.5	785.1	
		7-08-68	182.3	897.7				7-08-68	94.2	785.4	
		8-21-68	185.6	894.4				8-05-68	95.1	784.5	
		9-10-68	185.2	894.8				9-04-68	96.2	783.4	
01S/09W-02Q01S	1020.0	11-07-67	(1)		1101	01S/09W-04J01S	906.6	10-14-67	96.5	810.1	1101
		11-07-67	327.1	692.9				11-14-67	91.3	815.3	
		4-09-68	(1)					12-14-67	84.3	822.3	
		4-09-68	326.2	693.8				1-14-68	84.5	822.1	
01S/09W-02Q02S	1023.0	10-03-67	118.3	904.7	1101			2-13-68	84.9	821.7	
		11-07-67	120.8	902.2				3-15-68	82.3	824.3	
		12-04-67	120.4	902.6				4-15-68	87.5	819.1	
		1-03-68	120.9	902.1				5-19-68	94.3	812.3	
		2-06-68	121.5	901.5				6-15-68	91.1	815.5	
		3-07-68	120.6	902.4				7-14-68	89.8	816.8	
		4-08-68	116.6	906.4				8-26-68	(1)		
		5-14-68	119.3	903.7				9-28-68	97.8	808.8	
		6-13-68	113.8	909.2		01S/09W-04R01S	867.7	10-14-67	220.8	646.9	1101
		7-02-68	116.8	906.2				11-14-67	(1)		
		8-21-68	117.6	905.4				12-14-67	220.7	647.0	
		9-04-68	118.8	904.2				1-14-68	219.9	647.8	
01S/09W-03801S	975.0	10-05-67	134.6	840.4	1101			2-13-68	219.3	648.4	
		10-11-67	143.1	831.9				3-15-68	221.9	645.8	
		10-19-67	146.0	829.0				4-15-68	220.3	647.4	
		10-26-67	147.4	827.6				5-14-68	219.9	647.8	
		11-02-67	150.9	824.1				6-15-68	221.8	645.9	
		11-09-67	148.9	826.1				7-14-68	221.6	646.1	
		11-15-67	149.5	825.5				8-26-68	(1)		
		11-24-67	144.0	831.0				9-28-68	221.3	646.4	
		11-29-67	139.9	835.1		01S/09W-05G01S	797.0	10-03-67	109.1	687.9	1101
		12-07-67	114.6	860.4				11-06-67	(1)		
		12-14-67	109.3	865.7				11-07-67	107.8	689.2	
		12-21-67	109.6	865.4				12-04-67	104.1	692.9	
		12-28-67	107.3	867.7				1-03-68	102.4	694.6	
		1-04-68	108.3	866.7				2-06-68	102.8	694.2	
		1-11-68	139.3	835.7				3-05-68	104.4	692.6	
		1-18-68	121.2	853.8				4-03-68	109.1	687.9	
		1-25-68	103.6	871.4		01S/09W-05G02S	795.0	10-03-67	108.2	686.8	1101
		2-01-68	102.5	872.5				11-06-67	112.4	682.6	
		2-08-68	108.4	866.6				12-04-67	101.7	693.3	
		2-14-68	95.8	879.2				2-06-68	114.6	680.4	
		2-21-68	76.8	898.2				3-05-68	102.1	692.9	
		2-29-68	100.3	874.7				4-03-68	106.6	688.4	
		3-07-68	107.4	867.6		01S/09W-05G03S	797.5	10-03-67	102.8	694.7	1101
		3-14-68	95.3	879.7				11-06-67	105.9	691.6	
		3-21-68	98.4	876.6				12-04-67	100.7	696.8	
		3-28-68	127.3	847.7				2-06-68	100.4	697.1	
		4-03-68	106.6	868.4				3-05-68	102.1	695.4	
		4-11-68	131.4	843.6				4-03-68	106.7	690.8	
		4-18-68	130.8	844.2		01S/09W-05J01S	821.6	10-03-67	(1)		1101
		4-25-68	134.0	841.0				10-03-67	(1)		
		5-09-68	118.8	856.2				10-03-67	106.7	714.9	
		5-15-68	120.5	854.5				11-06-67	(1)		
		5-23-68	120.5	854.5				11-06-67	109.5 (1)	712.1	
		5-29-68	132.8	842.2				12-04-67	(1)		
		6-06-68	120.5	854.5				12-04-67	110.6	711.0	
		6-13-68	128.0	847.0				1-02-68	(1)		
		6-20-68	136.0	839.0				1-02-68	109.1	712.5	
		6-27-68	136.4	838.6				2-06-68	97.2	724.4	
		7-12-68	137.4	837.6				3-05-68	(1)		
		7-18-68	141.6	833.4				3-05-68	112.5 (1)	709.1	
		7-25-68	143.9	831.1				4-03-68	113.9	707.7	
		8-01-68	145.9	829.1				5-14-68	121.8	699.8	
		8-08-68	146.0	829.0				6-11-68	(1)		
		8-15-68	147.1	827.9				6-11-68	128.5 (1)	693.1	
		8-21-68	148.2	826.8				7-08-68	(1)		
		8-29-68	151.2	823.8				7-08-68	135.5 (1)	686.1	
		9-04-68	150.8	824.2				8-21-68	(1)		
		9-12-68	126.9	848.1				8-21-68	145.4 (1)	676.2	
		9-18-68	152.8	822.2				9-04-68	(1)		
		9-26-68	146.4	828.6				9-04-68	147.9 (1)	673.7	
01S/09W-03C01S	957.0	11-07-67	141.5	815.5	1101	01S/09W-08E01S	728.4	11-06-67	243.6 (1)	484.8	1101
		4-09-68	114.8	842.2				11-07-67	(1)		
01S/09W-03C06S	948.0	11-07-67	(3)		1101			11-07-67	231.5	496.9	
01S/09W-03E01S	930.0	11-07-67	(1)		1101			4-09-68	222.7	505.7	
		11-07-67	83.8	846.2							
		4-09-68	61.7	868.3							
01S/09W-03G01S	983.0	11-07-67	(9)		1101	01S/09W-09B01S	840.0	10-14-67	224.9	615.1	1101
		11-15-67	88.2	894.8				11-14-67	225.8	614.2	
01S/09W-03H01S	1018.0	11-06-67	141.1	876.9	1101			11-15-67	224.1	615.9	
		4-09-68	112.6	905.4				12-14-67	224.8	615.2	
01S/09W-04D01S	842.0	11-15-67	71.0	771.0	1101			1-14-68	221.8	618.2	
		4-10-68	72.4	769.6				2-13-68	221.8	618.2	
								3-15-68	223.1	616.9	
								4-15-68	223.8	616.2	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/09W-09801S (CDNT.)	840.0	5-14-68 6-15-68 7-14-68 8-05-68 9-28-68	223.2 222.5 224.1 224.0 223.8	616.8 617.5 615.9 616.0 616.2	1101	01S/10W-02R09S	568.3	11-10-67	DRY		1101
01S/09W-09E01S	795.0	10-05-67 11-06-67 11-06-67 12-11-67 12-11-67 12-11-67 1-02-68 1-18-68 4-09-68 5-15-68 6-11-68 7-08-68 8-05-68 9-04-68	(9) 248.1 291.4 291.2 DRY DRY DRY (3) 247.9 (3) (3) (3) (3) (3) (3)	546.9 503.6 503.8 547.1 	1101	01S/10W-02R10S	568.3	11-10-67	DRY		1101
01S/09W-09E04S	793.0	11-06-67	(6)		1101	01S/10W-02R11S	568.0	11-10-67	DRY		1101
01S/09W-10A01S	934.4	11-06-67 4-09-68	215.3 216.2	719.1 718.2	1101	01S/10W-03A01S	525.0	11-01-67	250.3	274.7	1101
01S/09W-17H01S	660.5	11-07-67 4-09-68	47.1 47.2	613.4 613.3	1101	01S/10W-03H01S	517.0	10-04-67 10-18-67 11-01-67 11-08-67 11-15-67 12-01-67 12-13-67 12-27-67 1-10-68 1-24-68 2-07-68 2-21-68 3-06-68 3-20-68 4-03-68 4-10-68 4-17-68 5-01-68 5-15-68 5-29-68 6-12-68 6-26-68 8-07-68 8-21-68 9-04-68 9-18-68	234.1 237.8 (1) 236.0 (1) 235.2 236.3 238.8 234.0 233.2 232.7 237.6 233.0 233.6 233.6 234.2 233.5 236.5 235.4 (1) 237.8 242.5 245.0 245.7 246.6 248.7(4)	282.9 279.2 281.0 281.8 280.7 278.2 283.0 283.8 284.3 279.4 284.0 283.4 283.4 282.8 283.5 280.5 281.6 279.2 274.5 272.0 271.3 270.4 268.3	1101
01S/09W-18A04S	673.0	11-07-67 4-09-68	173.3 179.3	499.7 493.7	1101	01S/10W-03K02S	496.0	10-12-67 10-25-67 11-22-67 12-13-67 12-27-67 1-17-68 2-07-68 2-28-68 3-20-68 4-10-68 5-01-68 6-19-68 7-10-68 7-31-68 8-21-68 9-11-68	217.7 218.2 217.6 216.3 215.7 215.4 214.8 215.1 215.9 217.5 219.4 224.5(4) 227.5(4) 229.7 229.8 (1)	278.3 277.8 278.4 279.7 280.3 280.6 281.2 280.9 280.1 278.5 276.6 271.5 268.5 266.3 266.2	1733
01S/09W-19C01S	530.0	10-04-67 10-19-67 11-01-67 11-08-67 11-15-67 12-01-67 12-08-67 12-28-67 1-09-68 1-24-68 2-07-68 2-21-68 3-06-68 4-10-68	125.1 134.0 129.6 123.7 123.9 126.3(2) 110.1 114.0 103.8 113.5 113.2 109.5 109.9 112.1	404.9 396.0 400.4 406.3 406.1 403.7 419.9 416.0 426.2 416.5 416.8 420.5 420.1 417.9	1101	01S/10W-04G01S	504.8	10-04-67 10-18-67 11-01-67 11-08-67 11-15-67 12-01-67 12-13-67 12-27-67 1-10-68 1-24-68 2-07-68 2-21-68 3-06-68 3-20-68 4-03-68 4-10-68 4-17-68 5-01-68 5-15-68 5-29-68 6-12-68 6-26-68 7-10-68 7-24-68 8-07-68 8-21-68 9-04-68 9-18-68	221.3 223.3 223.3 223.2 223.6 224.0 223.2 222.1 221.7 228.4 229.3 222.3 222.8 223.3 223.1 222.9 223.1 224.0 224.9 226.4 227.8 229.8 231.6 233.9 235.1 236.2 237.8 239.3	283.5 281.5 281.5 281.6 281.2 280.8 281.6 282.7 283.1 276.4 275.5 282.5 282.0 281.5 281.7 281.9 281.7 280.8 279.9 278.4 277.0 275.0 273.2 270.9 269.7 268.6 267.0 265.5	1101
01S/09W-19C03S	526.0	10-04-67 10-14-67 11-01-67 11-08-67 12-01-67 12-08-67 12-27-67 1-09-68 1-24-68 2-07-68 2-21-68 3-06-68 4-10-68	(1) (1) (1) 124.8 (1) 108.2 (1) 107.9 (1) (1) (1) (1) (1) (3)	401.2 417.8 418.1	1101	01S/10W-04R01S	478.5	10-04-67 10-18-67 11-01-67 11-08-67 11-15-67 12-01-67 12-13-67 12-27-67 1-10-68 1-24-68 2-07-68 2-21-68 3-06-68 3-20-68 4-03-68 4-10-68 4-17-68 5-01-68 5-15-68 5-29-68 6-12-68 6-26-68 7-10-68 7-24-68 8-07-68 8-21-68 9-04-68 9-18-68	200.5 202.9 202.4 202.4 203.0 202.2 202.1 201.1 201.3 207.6 210.1 200.8 201.4 201.6 201.7 201.6	278.0 275.6 276.1 276.1 275.5 276.3 276.4 277.4 277.2 270.9 268.4 277.7 277.1 276.9 276.8 276.9	1101
01S/09W-32G02S	700.0	11-07-67 4-09-68	24.0(1) 8.7	676.0 691.3	1101	01S/10W-02Q01S	552.5	11-10-67	DRY		1101
01S/10W-01R01S	657.0	10-12-67 11-02-67 11-23-67 12-14-67 1-04-68 1-25-68 2-15-68 3-07-68 3-28-68 4-18-68 5-09-68 6-20-68 8-01-68 8-22-68 9-12-68	290.1 294.7 295.9 292.6 292.3 290.3 291.0 288.1 287.2 286.6 286.3 289.9 284.9 283.3 281.6	366.9 362.3 361.1 364.4 364.7 366.7 366.0 368.9 369.8 370.4 370.7 367.1 372.1 373.7 375.4	1733	01S/10W-02Q02S	552.5	11-10-67	DRY		1101
01S/10W-02Q03S	553.0	11-10-67	DRY		1101	01S/10W-02Q03S	553.0	11-10-67	DRY		1101
01S/10W-02Q04S	560.0	11-10-67	DRY		1101	01S/10W-02Q04S	560.0	11-10-67	DRY		1101
01S/10W-02Q05S	559.8	11-10-67	DRY		1101	01S/10W-02R01S	568.4	11-10-67	DRY		1101
01S/10W-02R01S	568.4	11-10-67	DRY		1101	01S/10W-02R02S	560.0	11-10-67	DRY		1101
01S/10W-02R02S	560.0	11-10-67	DRY		1101	01S/10W-02R07S	567.8	11-10-67	DRY		1101
01S/10W-02R07S	567.8	11-10-67	DRY		1101	01S/10W-02R08S	568.0	11-10-67	DRY		1101
01S/10W-02R08S	568.0	11-10-67	DRY		1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/10W-04R01S (CONT.)	478.5	4-17-68	202.0	276.5	1101	01S/10W-07R02S (CONT.)	386.7	11-10-67	111.3	275.4	1101
		5-01-68	203.1(2)	275.4				11-15-67	111.5	275.2	
		5-15-68	203.8(2)	274.7				11-20-67	111.8	274.9	1101
		5-29-68	204.9	273.6				11-22-67	111.8	274.9	1733
		6-12-68	207.0(2)	271.5				11-27-67	111.9	274.8	1101
		6-26-68	208.5(2)	270.0				11-29-67	111.9	274.8	1733
		7-10-68	210.4(2)	268.1				12-01-67	112.0	274.7	1101
		7-24-68	212.1	266.4				12-04-67	112.0	274.7	
		8-07-68	213.2	265.3				12-06-67	111.8	274.9	1733
		8-21-68	214.3	264.2				12-08-67	111.7	275.0	1101
		9-04-68	216.4	262.1				12-13-67	111.2	275.5	1733
		9-18-68	217.3	261.2				12-15-67	111.0	275.7	1101
								12-18-67	110.6	276.1	
01S/10W-04R03S	479.0	10-04-67	199.5	279.5	1101			12-20-67	110.5	276.2	1733
		10-18-67	201.5	277.5				12-22-67	110.4	276.3	1101
		11-01-67	201.2(4)	277.8				12-26-67	110.0	276.7	
		11-08-67	201.3	277.7				12-27-67	109.9	276.8	1733
		11-15-67	201.6	277.4				12-29-67	109.8	276.9	1101
		12-01-67	201.8	277.2				1-02-68	109.7	277.0	
		12-13-67	200.7	278.3				1-03-68	109.7	277.0	1733
		12-27-67	200.1	278.9				1-05-68	109.7	277.0	1101
		1-10-68	199.6	279.4				1-08-68	109.7	277.0	
		1-24-68	199.7	279.3				1-10-68	109.6	277.1	1733
		2-07-68	199.6	279.4				1-12-68	109.8	276.9	1101
		2-21-68	199.7	279.3				1-15-68	109.7	277.0	
		3-06-68	200.4	278.6				1-17-68	109.6	277.1	1733
		3-20-68	200.6	278.4				1-19-68	109.9	276.8	1101
		4-09-68	200.6	278.4				1-22-68	109.9	276.8	
01S/10W-05J01S	473.0	10-04-67	191.3	281.7	1733			1-24-68	110.0	276.7	1733
		10-25-67	191.1	281.9				1-26-68	110.1	276.6	1101
		11-15-67	192.6	280.4	1101			1-29-68	110.2	276.5	
		11-15-67	192.4	280.6	1733			2-02-68	110.3	276.4	
		12-06-67	194.0	279.0				2-05-68	110.3	276.4	
		12-27-67	190.5	282.5				2-07-68	110.3	276.4	1733
		1-17-68	191.4	281.6				2-09-68	110.4	276.3	1101
		2-07-68	192.5	280.5				2-13-68	110.4	276.3	
		2-28-68	193.3	279.7				2-14-68	110.5	276.2	1733
		3-20-68	194.8	278.2				2-16-68	110.5	276.2	1101
		4-17-68	193.3	279.7				2-19-68	110.6	276.1	
		5-08-68	195.2	277.8				2-21-68	110.6	276.1	1733
		6-19-68	199.7	273.3				2-23-68	110.7	276.0	1101
		7-31-68	204.2	268.8				2-28-68	110.9	275.8	1733
		8-21-68	207.0	266.0				3-01-68	111.0	275.7	1101
		9-11-68	208.2	264.8				3-04-68	111.0	275.7	
01S/10W-05N01S	443.0	10-04-67	162.3	280.7	1733			3-06-68	111.2	275.5	1733
		10-25-67	162.0	281.0				3-11-68	111.2	275.5	1101
		11-15-67	162.8	280.2				3-13-68	111.5	275.2	1733
		12-06-67	163.7	279.3				3-15-68	111.7	275.0	1101
		12-27-67	159.5	283.5				3-18-68	111.6	275.1	
		1-17-68	162.2	280.8				3-20-68	111.8	274.9	1733
		2-07-68	164.0	279.0				3-22-68	111.7	275.0	1101
		2-28-68	164.4	278.6				3-27-68	111.8	274.9	1733
		3-20-68	165.2	277.8				3-29-68	111.8	274.9	1101
		4-17-68	164.4	278.6				4-01-68	111.8	274.9	
		5-08-68	167.8	275.2				4-03-68	111.7	275.0	1733
		6-19-68	171.5	271.5				4-05-68	111.7	275.0	1101
		8-21-68	178.6	264.4				4-08-68	111.6	275.1	
		9-11-68	180.7	262.3				4-10-68	111.7	275.0	1733
01S/10W-06N02S	404.0	12-06-67	147.1	256.9	1101			4-12-68	111.9	274.8	1101
		5-23-68	(1)					4-15-68	112.0	274.7	
		5-26-68	135.2	268.8				4-17-68	112.1	274.6	1733
01S/10W-07A06S	422.4	11-16-67	145.7(4)	276.7	1101			4-19-68	112.2	274.5	1101
		4-09-68	147.1	275.3				4-22-68	112.4	274.3	
		8-14-68	(1)					4-24-68	112.5	274.2	1733
01S/10W-07A07S	422.4	11-16-67	149.9(4)	272.5	1101			4-26-68	112.6	274.1	1101
		4-09-68	147.2	275.2				4-29-68	112.9	273.8	
01S/10W-07L01S	389.1	10-18-67	113.8	275.3	1733			5-01-68	113.0	273.7	1733
		10-25-67	113.7	275.4				5-03-68	113.2	273.5	1101
		11-15-67	113.2	275.9				5-06-68	113.4	273.3	
		12-06-67	113.7	275.4				5-08-68	113.6	273.1	1733
		12-27-67	111.1	278.0				5-10-68	113.7	273.0	1101
		1-17-68	111.4	277.7				5-13-68	113.9	272.8	1733
		2-07-68	112.1	277.0				5-17-68	114.2	272.5	1101
		3-06-68	112.7	276.4				5-20-68	114.5	272.2	
		3-27-68	(6)					5-24-68	114.8	271.9	
01S/10W-07R02S	386.7	10-02-67	109.9	276.8	1101			5-31-68	115.5	271.2	
		10-04-67	110.1	276.6	1733			6-03-68	115.7	271.0	
		10-06-67	110.3	276.4	1101			6-05-68	115.9	270.8	1733
		10-09-67	110.6	276.1				6-07-68	116.1	270.6	1101
		10-11-67	110.8	275.9	1733			6-10-68	116.3	270.4	
		10-16-67	111.4	275.3	1101			6-12-68	116.5	270.2	1733
		10-18-67	111.7	275.0	1733			6-14-68	116.7	270.0	1101
</											

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00				
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01				
015/10W-07R02S (CONT.)	386.7	7-24-68	121.5	265.2	1733	015/10W-09H01S	452.0	10-04-67	172.1	279.9	1101		
		7-26-68	122.6	264.1				10-18-67	175.1(2)	276.9			
		7-29-68	122.1	264.6				11-01-67	174.0	278.0			
		7-31-68	122.2	264.5	1733			11-08-67	174.1	277.9			
		8-02-68	122.1	264.6	1101			11-15-67	174.4	277.6			
		8-05-68	122.8	263.9				12-01-67	173.2	278.8			
		8-07-68	123.0	263.7	1733			12-13-67	173.6	278.4			
		8-09-68	123.4	263.3	1101			12-27-67	173.1	278.9			
		8-12-68	123.5	263.2				1-10-68	173.0	279.0			
		8-14-68	123.7	263.0	1733			1-24-68	173.5(2)	278.5			
		8-15-68	123.8	262.9	1101			2-07-68	172.8	279.2			
		8-19-68	124.1	262.6				2-21-68	173.1	278.9			
		8-21-68	124.3	262.4	1733			3-06-68	173.7	278.3			
		8-23-68	124.6	262.1	1101			3-20-68	173.6(2)	278.4			
		8-26-68	124.8	261.9				4-03-68	173.6	278.4			
		8-28-68	125.0	261.7	1733			4-10-68	173.5	278.5			
		8-30-68	125.4	261.3	1101			4-17-68	173.9	278.1			
		9-03-68	126.3	260.4				5-01-68	174.5(2)	277.5			
		9-04-68	125.8	260.9	1733			5-15-68	175.3(2)	276.7			
		9-06-68	126.0	260.7	1101			5-29-68	177.9(2)	274.1			
		9-10-68	126.5	260.2				6-12-68	177.8	274.2			
		9-11-68	126.5	260.2	1733			6-28-68	180.1(2)	271.9			
		9-13-68	126.8	259.9	1101			7-10-68	181.4(2)	270.6			
		9-16-68	126.9	259.8				7-24-68	183.5(2)	268.5			
		9-18-68	127.1	259.6	1733			8-07-68	184.7(2)	267.3			
		9-20-68	127.3	259.4	1101			8-21-68	185.9(2)	266.1			
		9-23-68	127.5	259.2				9-04-68	187.4(2)	264.6			
		9-25-68	127.7	259.0	1733			9-18-68	188.7	263.3			
		9-27-68	127.9	258.8	1101								
		9-30-68	128.1	258.6									
015/10W-08A02S	454.5	11-16-67	(1)		1101	015/10W-10C01S	471.0	10-04-67	195.1	275.9	1733		
		4-09-68	(1)					11-01-67	195.8	275.2			
		8-14-68	(1)					11-22-67	194.9	276.1			
015/10W-08R01S	410.3	10-04-67	133.8	276.5	1101			12-13-67	193.4	277.6			
		10-18-67	135.1	275.2				1-03-68	192.7	278.3			
		11-01-67	135.5	274.8				1-25-68	192.2	278.8			
		11-08-67	135.5	274.8				2-15-68	191.7	279.3			
		11-15-67	135.7	274.6				3-06-68	193.8	277.2			
		12-01-67	135.6	274.7				3-27-68	195.2	275.8			
		12-13-67	135.2	275.1				4-17-68	193.4	277.6			
		12-27-67	134.5	275.8				5-08-68	194.3	276.7			
		1-10-68	134.8	275.5				6-19-68	(1)				
		1-24-68	134.1	276.2				7-10-68	204.6(4)	266.4			
		2-07-68	134.2	276.1				7-31-68	(1)				
		2-21-68	134.4	275.9				8-19-68	(1)		1101		
		3-06-68	134.9	275.4				8-21-68	207.6	263.4	1733		
		3-20-68	134.9	275.4				9-11-68	(1)				
		3-20-68	134.9	275.4									
		4-03-68	138.0	272.3				015/10W-10P01S	461.9	10-04-67	183.4	278.5	1733
		4-10-68	135.1	275.2						10-25-67	184.6	277.3	
		4-17-68	135.4	274.9						11-07-67	194.4	267.5	1101
		5-01-68	136.0	274.3						11-15-67	184.7	277.2	1733
		5-15-68	136.8	273.5						12-06-67	183.8	278.1	
		5-15-68	136.8	273.5						12-27-67	183.2	278.7	
		5-29-68	138.0	272.3						1-17-68	182.9	279.0	
		5-29-68	138.0	272.3						2-07-68	182.2	279.7	
		6-12-68	139.2	271.1						2-28-68	182.1	279.8	
		6-26-68	139.8	270.5						3-20-68	183.2	278.7	
		7-10-68	142.3	268.0						4-10-68	182.7	279.2	
		7-24-68	144.2	266.1						4-11-68	182.1	279.8	1101
		8-07-68	145.6	264.7						5-01-68	183.3	278.6	1733
		8-21-68	146.9	263.4						6-19-68	186.2	275.7	
		9-04-68	148.4	261.9						7-10-68	188.4	273.5	
		9-18-68	149.3	261.0						7-31-68	190.3	271.6	
015/10W-09F01S	440.0	11-08-67	(1)		1101			8-21-68	192.4	269.5			
015/10W-09F02S	440.0	10-04-67	163.7(2)	276.3	1101			9-11-68	194.3	267.6			
		10-18-67	168.9(2)	271.1				015/10W-12C01S	603.9	10-06-67	DRY	1101	
		11-01-67	177.2(2)	262.8						10-13-67	DRY		
		11-08-67	183.5(2)	256.5						10-27-67	DRY		
		11-15-67	183.1	256.9						11-03-67	DRY		
		12-01-67	173.4	266.6						11-18-67	DRY		
		12-13-67	175.4	264.6						12-08-67	DRY		
		12-27-67	164.4	275.6						12-15-67	DRY		
		1-10-68	178.4	261.6						12-22-67	DRY		
		1-24-68	186.1(4)	253.9						12-29-67	DRY		
		2-07-68	164.4	275.6						1-05-68	DRY		
		2-21-68	165.1(4)	274.9						1-12-68	DRY		
		3-06-68	168.2(4)	271.8						1-19-68	DRY		
		3-20-68	166.0(4)	274.0						1-26-68	DRY		
		4-03-68	172.3	267.7						2-16-68	DRY		
		4-10-68	167.2	272.8						2-23-68	DRY		
		4-17-68	169.1	270.9						3-01-68	DRY		
		5-01-68	167.0(4)	273.0						3-15-68	DRY		
		5-15-68	167.8(4)	272.2						3-22-68	DRY		
		5-29-68	(1)							3-29-68	DRY		
		6-12-68	190.3(4)	249.7						4-05-68	DRY		
		6-26-68	199.3(4)	240.7						4-12-68	DRY		
		7-10-68	(1)							4-19-68	DRY		
		7-24-68	(1)							5-03-68	DRY		
		8-07-68	(1)							5-10-68	DRY		
		8-21-68	(1)							5-24-68	DRY		
		9-04-68	(1)							5-31-68	DRY		
		9-18-68	180.7	259.3						6-07-68	DRY		
										6-13-68	DRY		
										6-20-68	DRY		
										6-28-68	DRY		
										7-05-68	DRY		
										7-15-68	DRY		

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0				
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1				
01S/10W-12C01S (CONT.)	603.9	7-26-68	DRY		1101	01S/10W-12C04S	604.0	10-06-67	DRY		1101		
		8-02-68	DRY					10-13-67	DRY				
		8-09-68	DRY					10-27-67	DRY				
		8-16-68	DRY					11-03-67	DRY				
		8-23-68	DRY					11-18-67	DRY				
		8-30-68	DRY					12-08-67	DRY				
		9-06-68	DRY					12-15-67	DRY				
		9-13-68	DRY					12-22-67	DRY				
		9-20-68	DRY					12-29-67	23.8	580.2			
		9-27-68	DRY					1-05-68	DRY				
01S/10W-12C02S	602.2	10-06-67	19.2	583.0	1101			1-12-68	DRY				
		10-13-67	28.7	573.5				1-19-68	DRY				
		10-27-67	32.3	569.9				1-26-68	DRY				
		11-03-67	36.4	565.8				2-16-68	DRY				
		11-18-67	33.7	568.5				2-23-68	DRY				
		12-08-67	23.1	579.1				3-01-68	DRY				
		12-15-67	37.4	564.8				3-15-68	DRY				
		12-22-67	36.0	566.2				3-22-68	DRY				
		12-29-67	25.3	576.9				3-29-68	DRY				
		1-05-68	30.3	571.9				5-24-68	DRY				
		1-12-68	36.3	565.9				5-31-68	DRY				
		1-19-68	23.9	578.3				6-07-68	DRY				
		1-26-68	29.4	572.8				6-13-68	DRY				
		2-16-68	27.8	574.4				6-20-68	DRY				
		2-23-68	23.3	578.9				6-28-68	DRY				
		2-23-68	23.3	578.9				7-05-68	DRY				
		3-01-68	31.2	571.0				7-15-68	DRY				
		3-15-68	36.3	565.9				7-26-68	DRY				
		3-22-68	31.1	571.1				8-02-68	DRY				
		3-29-68	24.5	577.7				8-09-68	DRY				
		4-05-68	27.4	574.8				8-09-68	DRY				
		4-12-68	35.4	566.8				8-16-68	DRY				
		4-19-68	32.5	569.7				8-23-68	DRY				
		4-26-68	31.7	570.5				8-30-68	DRY				
		5-10-68	17.4	584.8				9-06-68	DRY				
		5-24-68	20.8	581.4				9-13-68	DRY				
		5-31-68	18.3	583.9				9-20-68	DRY				
		6-07-68	35.2	567.0				9-27-68	DRY				
		6-13-68	23.0	579.2									
		6-20-68	32.3	569.9				01S/10W-12C05S	604.0	10-06-67	DRY	1101	
		6-28-68	33.8	568.4						10-13-67	DRY		
		7-05-68	29.3	572.9						10-27-67	DRY		
		7-15-68	34.6	567.6						11-03-67	DRY		
		7-26-68	36.4	565.8						11-18-67	DRY		
		8-02-68	33.6	568.6						12-08-67	DRY		
		8-09-68	34.8	567.4						12-15-67	DRY		
		8-16-68	29.3	572.9						12-22-67	DRY		
		8-23-68	36.1	566.1						12-29-67	DRY		
		8-30-68	36.3	565.9						1-05-68	DRY		
		9-06-68	25.1	577.1						1-12-68	DRY		
		9-13-68	27.8	574.4						1-19-68	DRY		
		9-20-68	32.2	570.0						1-26-68	DRY		
		9-27-68	36.0	566.2						3-15-68	DRY		
01S/10W-12C03S	604.0	10-06-67	43.2	560.8	1101			3-22-68	DRY				
		10-13-67	DRY					3-29-68	DRY				
		10-13-67	DRY					4-05-68	DRY				
		11-03-67	DRY					4-12-68	DRY				
		11-18-67	DRY					4-19-68	DRY				
		12-08-67	DRY					4-26-68	DRY				
		12-15-67	DRY					5-03-68	DRY				
		12-22-67	DRY					5-10-68	DRY				
		12-29-67	DRY					5-24-68	DRY				
		1-05-68	DRY					5-31-68	DRY				
		1-12-68	DRY					6-07-68	DRY				
		1-19-68	DRY					6-13-68	DRY				
		1-26-68	DRY					6-20-68	DRY				
		2-16-68	DRY					6-28-68	DRY				
		2-23-68	DRY					7-05-68	DRY				
		3-01-68	45.2	558.8				7-15-68	DRY				
		3-15-68	DRY					7-26-68	DRY				
		3-22-68	DRY					8-02-68	DRY				
		3-29-68	DRY					8-09-68	DRY				
		4-05-68	DRY					8-16-68	DRY				
		4-12-68	DRY					8-23-68	DRY				
		4-19-68	DRY					8-30-68	DRY				
		4-26-68	DRY					9-06-68	DRY				
		5-03-68	DRY					9-13-68	DRY				
		5-10-68	DRY					9-20-68	DRY				
		5-24-68	DRY					9-27-68	DRY				
		5-31-68	DRY										
		6-07-68	DRY					01S/10W-12C08S	608.9	10-06-67	11.3	597.6	1101
		6-13-68	DRY							10-13-67	12.2	596.7	
		6-20-68	DRY							10-27-67	DRY		
		6-28-68	DRY							11-03-67	DRY		
		7-05-68	DRY							11-18-67	DRY		
		7-15-68	DRY							12-08-67	DRY		
		7-26-68	DRY							12-15-67	DRY		
		8-02-68	DRY							12-22-67	DRY		
		8-09-68	DRY							12-29-67	DRY		
		8-16-68	DRY							1-05-68	DRY		
		8-23-68	DRY							1-12-68	DRY		
		8-30-68	DRY							1-19-68	DRY		
		9-06-68	DRY							1-26-68	DRY		
		9-13-68	DRY							2-16-68	DRY		
		9-20-68	DRY							2-23-68	DRY		
		9-27-68	DRY							3-01-68	DRY		
										3-15-68	DRY		

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
015/10W-12C085 (CONT.)	608.9	3-22-68	DRY		1101	015/10W-12C115 (CONT.)	597.3	5-31-68	DRY		1101
		3-29-68	DRY					6-07-68	DRY		
		4-05-68	DRY					6-13-68	DRY		
		4-12-68	DRY					6-20-68	DRY		
		4-19-68	DRY					6-28-68	DRY		
		4-26-68	DRY					7-05-68	DRY		
		5-03-68	DRY					7-15-68	DRY		
		5-10-68	DRY					7-26-68	DRY		
		5-24-68	12.5	596.4				8-02-68	DRY		
		5-31-68	11.2	597.7				8-09-68	DRY		
		6-07-68	DRY					8-16-68	DRY		
		6-13-68	12.5	596.4				8-23-68	DRY		
		6-20-68	DRY					8-30-68	DRY		
		6-28-68	DRY					9-06-68	DRY		
		7-05-68	DRY					9-13-68	DRY		
		7-15-68	DRY					9-20-68	DRY		
		7-26-68	DRY					9-27-68	DRY		
		8-02-68	DRY								
		8-09-68	DRY								
		8-16-68	DRY			015/10W-12C125	600.0	10-06-67	DRY		1101
		8-23-68	DRY					10-13-67	DRY		
		8-30-68	DRY					10-27-67	DRY		
		9-06-68	DRY					11-03-67	DRY		
		9-13-68	DRY					11-18-67	DRY		
		9-20-68	DRY					12-08-67	DRY		
		9-27-68	DRY					12-15-67	DRY		
								12-22-67	DRY		
								12-29-67	DRY		
								1-05-68	DRY		
								1-12-68	DRY		
								1-16-68	DRY		
								1-26-68	DRY		
								2-16-68	20.2	579.8	
								2-23-68	DRY		
								3-01-68	DRY		
								3-15-68	DRY		
								3-22-68	DRY		
								3-29-68	DRY		
								4-05-68	DRY		
								4-12-68	DRY		
								4-19-68	DRY		
								4-26-68	DRY		
								5-03-68	DRY		
								5-10-68	DRY		
								5-24-68	DRY		
								5-24-68	DRY		
								6-07-68	DRY		
								6-13-68	DRY		
								6-20-68	DRY		
								6-28-68	DRY		
								7-05-68	DRY		
								7-15-68	DRY		
								7-26-68	DRY		
								8-02-68	DRY		
								8-09-68	DRY		
								8-16-68	DRY		
								8-23-68	DRY		
								8-30-68	DRY		
								9-06-68	DRY		
								9-13-68	DRY		
								9-20-68	DRY		
								9-27-68	DRY		
						015/10W-12C135	599.7	10-06-67	32.0	567.7	1101
								10-13-67	DRY		
								10-27-67	DRY		
								11-03-67	DRY		
								11-18-67	DRY		
								12-08-67	DRY		
								12-15-67	DRY		
								12-22-67	DRY		
								12-29-67	DRY		
								1-05-68	34.5	565.2	
								1-12-68	DRY		
								1-19-68	DRY		
								1-26-68	DRY		
								2-16-68	35.1	564.6	
								2-23-68	DRY		
								3-01-68	DRY		
								3-15-68	DRY		
								3-22-68	DRY		
								3-29-68	DRY		
								4-05-68	35.5	564.2	
								4-12-68	DRY		
								4-19-68	DRY		
								4-26-68	DRY		
								5-03-68	DRY		
								5-10-68	33.0	566.7	
								5-24-68	DRY		
								5-31-68	33.6	566.1	
								6-07-68	DRY		
								6-13-68	DRY		
								6-20-68	DRY		
								6-28-68	DRY		
								7-05-68	DRY		
								7-15-68	DRY		
								7-26-68	DRY		
								8-02-68	DRY		
								8-09-68	DRY		
015/10W-12C095	603.1	10-06-67	(9)		1101						
		10-06-67	(9)								
		10-13-67	(9)								
		10-27-67	(9)								
		11-03-67	(9)								
		11-18-67	(9)								
		12-08-67	(9)								
		12-15-67	(9)								
		12-22-67	DRY								
		12-29-67	(9)								
		1-05-68	(9)								
		1-12-68	(9)								
		1-19-68	(9)								
		1-26-68	(9)								
		2-16-68	(9)								
		2-23-68	(9)								
		3-01-68	(9)								
		3-15-68	DRY								
		3-22-68	DRY								
		3-29-68	DRY								
		4-05-68	DRY								
		4-12-68	DRY								
		4-19-68	DRY								
		4-26-68	DRY								
		5-03-68	DRY								
		5-10-68	DRY								
		5-24-68	DRY								
		5-31-68	DRY								
		6-07-68	DRY								
		6-13-68	DRY								
		6-20-68	DRY								
		6-28-68	DRY								
		7-05-68	DRY								
		7-15-68	DRY								
		7-26-68	DRY								
		8-02-68	DRY								
		8-09-68	DRY								
		8-16-68	DRY								
		8-23-68	DRY								
		8-30-68	DRY								
		9-06-68	DRY								
		9-13-68	DRY								
		9-20-68	DRY								
		9-27-68	DRY								
015/10W-12C115	597.3	10-06-67	DRY		1101						
		10-13-67	DRY								
		10-27-67	DRY								
		11-03-67	DRY								
		11-18-67	DRY								
		12-08-67	DRY								
		12-15-67	DRY								
		12-22-67	DRY								
		12-29-67	DRY								
		1-05-68	DRY								
		1-12-68	DRY								
		1-19-68	DRY								
		1-26-68	DRY								
		2-16-68	DRY								
		2-23-68	DRY								
		3-01-68	DRY								
		3-15-68	DRY								
		3-22-68	DRY								
		3-29-68	DRY								
		4-05-68	DRY								
		4-12-68	DRY								
		4-19-68	DRY								
		4-26-68	DRY								
		5-03-68	DRY								
		5-10-68	DRY								
		5-24-68	DRY								

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

[illegible]

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
015/10W-12F025 (CONT.)	592.0	3-01-68	DRY		1101	015/10W-12F045 (CONT.)	598.1	6-07-68	DRY		1101
		3-15-68	DRY					6-13-68	DRY		
		3-22-68	DRY					6-20-68	DRY		
		3-29-68	DRY					6-28-68	DRY		
		4-05-68	DRY					7-05-68	DRY		
		4-12-68	DRY					7-15-68	DRY		
		4-19-68	DRY					7-26-68	DRY		
		4-26-68	DRY					8-02-68	DRY		
		5-03-68	DRY					8-09-68	DRY		
		5-10-68	DRY					8-16-68	DRY		
		5-24-68	DRY					8-23-68	DRY		
		5-31-68	DRY					8-30-68	DRY		
		6-07-68	5.8	586.2				9-06-68	DRY		
		6-13-68	DRY					9-13-68	DRY		
		6-20-68	DRY					9-20-68	DRY		
		6-28-68	7.4	584.6				9-27-68	DRY		
		7-05-68	DRY								
		7-15-68	4.3	587.7		015/10W-12F055	598.1	10-23-67	DRY		1101
		7-26-68	DRY					10-27-67	DRY		
		8-02-68	DRY					11-03-67	DRY		
		8-09-68	DRY					11-18-67	8.3	589.8	
		8-16-68	DRY					12-08-67	DRY		
		8-23-68	DRY					12-15-67	DRY		
		8-30-68	DRY					12-22-67	DRY		
		9-06-68	DRY					12-29-67	DRY		
		9-13-68	DRY					1-05-68	6.7	591.4	
		9-20-68	DRY					1-12-68	DRY		
		9-27-68	DRY					1-19-68	DRY		
								1-26-68	DRY		
								2-16-68	DRY		
								2-23-68	DRY		
								3-01-68	7.3	590.8	
								3-15-68	DRY		
								3-22-68	DRY		
								3-29-68	DRY		
								4-05-68	DRY		
								4-12-68	DRY		
								4-19-68	DRY		
								4-26-68	DRY		
								5-03-68	DRY		
								5-10-68	DRY		
								5-24-68	DRY		
								5-31-68	DRY		
								6-07-68	7.9	590.2	
								6-13-68	DRY		
								6-20-68	DRY		
								6-28-68	7.0	591.1	
								7-05-68	DRY		
								7-15-68	6.6	591.5	
								7-26-68	DRY		
								8-02-68	DRY		
								8-09-68	DRY		
								8-16-68	7.8	590.3	
								8-23-68	DRY		
								8-30-68	DRY		
								9-06-68	DRY		
								9-13-68	DRY		
								9-20-68	5.6	592.5	
								9-27-68	DRY		
						015/10W-12F065	587.2	10-23-67	DRY		1101
								10-27-67	DRY		
								11-03-67	DRY		
								11-18-67	41.2	546.0	
								12-08-67	DRY		
								12-15-67	DRY		
								12-22-67	DRY		
								12-29-67	DRY		
								1-05-68	DRY		
								1-12-68	DRY		
								1-19-68	DRY		
								1-26-68	DRY		
								2-16-68	DRY		
								2-23-68	DRY		
								3-01-68	DRY		
								3-15-68	DRY		
								3-22-68	DRY		
								3-29-68	DRY		
								4-05-68	DRY		
								4-12-68	DRY		
								4-19-68	DRY		
								4-26-68	DRY		
								5-03-68	DRY		
								5-10-68	DRY		
								5-24-68	DRY		
								5-31-68	DRY		
								6-07-68	43.6	543.6	
								6-13-68	DRY		
								6-20-68	DRY		
								6-28-68	DRY		
								7-15-68	DRY		
								7-26-68	DRY		
								8-02-68	DRY		
								8-09-68	DRY		
								8-16-68	DRY		
								8-23-68	DRY		
								8-30-68	DRY		
								9-06-68	DRY		
015/10W-12F035	595.3	10-23-67	DRY		1101						
		10-27-67	DRY								
		11-03-67	DRY								
		11-18-67	DRY								
		12-08-67	DRY								
		12-15-67	DRY								
		12-22-67	DRY								
		12-29-67	DRY								
		1-05-68	DRY								
		1-12-68	DRY								
		1-19-68	DRY								
		1-26-68	DRY								
		2-16-68	DRY								
		2-23-68	DRY								
		3-01-68	DRY								
		3-15-68	DRY								
		3-22-68	DRY								
		3-29-68	DRY								
		4-05-68	DRY								
		4-12-68	DRY								
		4-19-68	DRY								
		4-26-68	DRY								
		5-03-68	DRY								
		5-10-68	DRY								
		5-24-68	DRY								
		5-31-68	DRY								
		6-07-68	44.7	550.6							
		6-13-68	DRY								
		6-20-68	DRY								
		6-28-68	44.5	550.8							
		7-05-68	DRY								
		7-15-68	44.0	551.3							
		7-26-68	DRY								
		8-02-68	DRY								
		8-09-68	DRY								
		8-16-68	DRY								
		8-23-68	DRY								
		8-30-68	DRY								
		9-06-68	DRY								
		9-13-68	DRY								
		9-20-68	44.3	551.0							
		9-27-68	DRY								
015/10W-12F045	598.1	10-23-67	DRY		1101						
		10-27-67	DRY								
		11-03-67	DRY								
		11-18-67	DRY								
		12-08-67	DRY								
		12-15-67	DRY								
		12-22-67	DRY								
		12-29-67	DRY								
		1-05-68	DRY								
		1-12-68	DRY								
		1-19-68	DRY								
		1-26-68	DRY								
		2-16-68	DRY								
		2-23-68	DRY								
		3-01-68	DRY								
		3-15-68	DRY								
		3-22-68	DRY								
		3-29-68	DRY								
		4-05-68	DRY								
		4-12-68	DRY								
		4-19-68	DRY								
		4-26-68	DRY								
		5-03-68	DRY								
		5-10-68	DRY								
		5-24-68	DRY								
		5-31-68	DRY								

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

[illegible]

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/10W-14M01S	493.0	11-02-67	220.7	272.3	1733	01S/10W-19L02S	332.0	12-15-67	66.5	265.5	1101
		11-23-67	220.5	272.5		(CONT.)		1-15-68	65.5	266.5	
		12-14-67	220.2	272.8				2-14-68	65.5	266.5	
		1-04-68	218.4	274.6				3-19-68	65.5	266.5	
		1-25-68	217.3	275.7				4-20-68	67.5	264.5	
		2-15-68	215.5	277.5				5-18-68	69.5	262.5	
		3-07-68	216.8	276.2				8-15-68	79.5(5)	252.5	
		3-28-68	215.6	277.4				9-18-68	80.5(5)	251.5	
		4-18-68	215.5	277.5		01S/10W-19Q07S	335.0	11-06-67	(1)		1101
		5-09-68	216.7	276.3				4-11-68	72.2	262.8	
		6-20-68	218.2	274.8		01S/10W-22C01S	430.0	11-17-67	160.5(5)	269.5	1101
		7-11-68	219.3	273.7				1-30-68	158.5(5)	271.5	
		8-01-68	220.2	272.8				3-21-68	156.5(5)	273.5	
		8-22-68	219.3	273.7				5-24-68	158.5(5)	271.5	
		9-12-68	222.2	270.8				7-17-68	166.5(5)	263.5	
								9-30-68	163.5(5)	266.5	
01S/10W-17A01S	401.5	10-04-67	126.0	275.5	1733	01S/10W-22N01S	409.0	11-20-67	147.5(5)	261.5	1101
		10-25-67	127.6	273.9				1-30-68	145.5(5)	263.5	
		11-15-67	127.6	273.9				3-21-68	144.5(5)	264.5	
		12-06-67	127.4	274.1				5-24-68	151.5(5)	257.5	
		12-27-67	126.2	275.3				8-14-68	(9)		
		1-17-68	125.8	275.7				9-30-68	157.5(5)	251.5	
		2-07-68	126.0	275.5		01S/10W-22R01S	427.2	10-04-67	173.9	253.3	1101
		2-28-68	126.3	275.2				10-12-67	175.4	251.8	1733
		3-20-68	126.9	274.6				10-18-67	174.5	252.7	1101
		4-10-68	127.0	274.5				11-01-67	173.6	253.6	
		5-01-68	127.4	274.1				11-02-67	173.5	253.7	1733
		6-19-68	131.7	269.8				11-08-67	172.9	254.3	1101
		9-11-68	140.7	260.8				11-15-67	172.3	254.9	
01S/10W-17A02S	401.3	10-04-67	125.9	275.4	1733			11-23-67	170.9	256.3	1733
		10-25-67	127.7	273.6				12-01-67	170.0	257.2	1101
		11-15-67	127.8	273.5				12-13-67	168.4	258.8	
		12-06-67	127.6	273.7				12-14-67	168.2	259.0	1733
		12-27-67	126.2	275.1				12-27-67	167.6	259.6	1101
		1-17-68	125.6	275.7				1-04-68	167.2	260.0	1733
		2-07-68	126.3	275.0				1-10-68	167.9	259.3	1101
		2-28-68	126.4	274.9				1-24-68	165.9	261.3	
		3-20-68	126.7	274.6				1-25-68	165.5	261.7	1733
		4-10-68	126.9	274.4				2-07-68	164.7	262.5	1101
		5-01-68	127.7	273.6				2-15-68	164.3	262.9	1733
		6-19-68	131.9	269.4				2-21-68	164.1	263.1	1101
		7-10-68	134.6	266.7				3-06-68	163.5	263.7	
		7-31-68	136.7	264.6				3-07-68	163.6	263.6	1733
		8-21-68	138.6	262.7				3-20-68	162.8	264.4	1101
		9-11-68	140.9	260.4				3-28-68	163.3	263.9	1733
01S/10W-17E01S	381.6	11-16-67	108.9	272.7	1101			4-04-68	163.4	263.8	1101
		4-09-68	108.5	273.1				4-10-68	163.8	263.4	
01S/10W-17G01S	389.5	11-16-67	134.8	254.7	1101			4-17-68	163.7	263.5	
		4-09-68	120.9	268.6				4-18-68	163.6	263.6	1733
01S/10W-17N01S	364.0	11-16-67	(1)		1101			5-01-68	164.3	262.9	1101
		4-09-68	95.2	268.8				5-09-68	164.1	263.1	1733
01S/10W-18B01S	422.7	10-04-67	(1)		1733			5-15-68	164.0	263.2	1101
		11-15-67	148.2	274.5				5-29-68	165.1	262.1	
		12-06-67	147.5	275.2				6-12-68	164.4	262.8	
		12-27-67	146.9	275.8				6-20-68	165.2	262.0	1733
		1-17-68	146.3	276.4				6-26-68	165.7	261.5	1101
		2-07-68	146.1	276.6				7-10-68	166.2	261.0	
		2-28-68	145.8	276.9				7-11-68	166.2	261.0	1733
		3-20-68	146.2	276.5				7-24-68	166.9	260.3	1101
		4-10-68	146.6	276.1				8-01-68	166.7	260.5	1733
		5-01-68	147.2	275.5				8-22-68	167.5	259.7	
		6-19-68	150.4	272.3				9-04-68	167.7	259.5	1101
		7-10-68	152.6	270.1				9-12-68	167.8	259.4	1733
		7-31-68	154.9	267.8				9-18-68	167.9	259.3	1101
		8-21-68	156.8	265.9		01S/10W-23F01S	505.0	10-12-67	246.3	258.7	1733
		9-11-68	158.8	263.9				11-02-67	242.3	262.7	
01S/10W-18F01S	362.0	10-03-67	99.0(5)	263.0	1101			11-23-67	242.1	262.9	
		10-31-67	100.0(5)	262.0				12-14-67	241.7	263.3	
		11-28-67	94.0(5)	268.0				1-04-68	240.3	264.7	
		1-02-68	95.0(5)	267.0				1-25-68	240.3	264.7	
		2-27-68	97.0(5)	265.0				2-15-68	241.0	264.0	
		4-30-68	96.0(5)	266.0				3-07-68	241.9	263.1	
		6-04-68	99.0(5)	263.0				3-28-68	241.7	263.3	
		7-02-68	102.0	260.0				4-18-68	241.3	263.7	
		7-30-68	102.0	260.0				5-09-68	242.5	262.5	
		9-03-68	102.0	260.0				6-20-68	244.2	260.8	
01S/10W-19K01S	335.0	11-06-67	85.6	249.4	1101			8-22-68	238.8	266.2	
		4-11-68	78.9	256.1				9-12-68	239.5	265.5	
01S/10W-19L01S	331.0	10-18-67	64.5	266.5	1101	01S/10W-23J03S	470.0	11-20-67	205.0(5)	265.0	1101
		11-16-67	65.5	265.5				1-30-68	218.0(5)	252.0	
		12-15-67	63.5	267.5				3-21-68	192.0(5)	278.0	
		2-14-68	61.5	269.5				7-17-68	202.0(5)	268.0	
		3-19-68	62.5	268.5				9-30-68	199.0(5)	271.0	
		4-20-68	62.5	268.5		01S/10W-23K01S	458.0	11-17-67	197.5(5)	260.5	1101
		5-15-68	64.5	266.5				1-30-68	196.5(5)	261.5	
		8-15-68	71.5(5)	259.5				3-21-68	185.5(5)	272.5	
		9-18-68	74.5(5)	256.5				5-24-68	230.5(1)	227.5	
01S/10W-19L02S	332.0	10-18-67	69.5	262.5	1101			8-14-68	(1)		
		11-16-67	69.5	262.5				9-30-68	198.5(5)	259.5	
						01S/10W-23K02S	460.0	11-17-67	199.8(5)	260.2	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/10W-23L01S	448.5	11-17-67	191.5(5)	257.0	1101	01S/10W-24M02S (CONT.)	500.0	7-10-68	42.1	457.9	1101
		1-30-68	190.5(5)	258.0				7-24-68	42.2	457.8	
		3-21-68	177.5(5)	271.0				8-07-68	43.6	456.4	
		5-24-68	208.5(1)	240.0				8-21-68	44.5	455.5	
		7-17-68	215.5(1)	233.0				9-04-68	45.6	454.4	
		9-30-68	188.5(5)	260.0				9-04-68	45.6	454.4	
								9-18-68	47.0	453.0	
01S/10W-23M04S	444.0	11-17-67	182.5(5)	261.5	1101	01S/10W-24M01S	472.0	11-07-67	(1)		1101
		1-30-68	180.5(5)	263.5				11-20-67	204.0	268.0	
		3-21-68	173.5(5)	270.5				4-15-68	(1)		
		5-24-68	218.5(1)	225.5		01S/10W-24M02S	472.0	11-07-67	(1)		1101
		9-30-68	186.5(5)	257.5				11-20-67	202.2	269.8	
01S/10W-24A02S	473.8	12-27-67	(9)		1101			4-09-68	193.9(2)	278.1	
		3-20-68	(9)			01S/10W-27C02S	412.0	11-17-67	194.0(1)	218.0	1101
		3-21-68	(9)					1-30-68	154.0(5)	258.0	
		4-04-68	(9)					3-21-68	152.0(5)	260.0	
		4-10-68	(9)					5-24-68	184.0(5)	228.0	
01S/10W-24D01S	503.0	10-04-67	237.8	265.2	1101	01S/10W-28M02S	397.0	11-20-67	143.0	254.0	1101
		10-19-67	237.0	266.0				1-30-68	151.0	246.0	
		11-10-67	235.8	267.2				3-21-68	139.0	258.0	
		11-15-67	235.3	267.7				5-24-68	159.0	238.0	
		12-01-67	84.6(16)	418.4				9-30-68	171.0	226.0	
		12-13-67	194.9	308.1		01S/10W-28K01S	380.0	10-17-67	138.5(5)	241.5	1101
		1-02-68	204.2	298.8				10-17-67	166.5(1)	213.5	
		2-01-68	210.4	292.6				11-14-67	131.5(5)	248.5	
		4-01-68	215.7	287.3				11-14-67	163.5(1)	216.5	
		4-10-68	216.2	286.8				1-31-68	159.5(1)	220.5	
		4-17-68	216.6	286.4				3-21-68	159.5(1)	220.5	
		5-02-68	217.3	285.7				5-24-68	173.5(1)	206.5	
		6-03-68	218.4	284.6		01S/10W-29A05S	367.0	10-04-67	(1)		1101
01S/10W-24F01S	484.4	10-04-67	(1)		1101			10-18-67	(1)		
		10-19-67	(1)					11-08-67	103.5	263.5	
		11-10-67	193.1	291.3				11-15-67	(1)		
		11-15-67	(1)					12-01-67	(1)		
		12-01-67	190.7	293.7				12-13-67	101.4	265.6	
		12-13-67	189.0	295.4				12-27-67	(1)		
		1-02-68	188.2(6)	296.2				1-10-68	109.5	257.5	
		2-01-68	188.3	296.1				2-07-68	(1)		
		4-10-68	(3)					2-21-68	99.1	267.9	
		5-02-68	(1)					3-06-68	99.4	267.6	
		6-03-68	(1)					3-20-68	(1)		
		7-02-68	(1)					4-04-68	(1)		
		8-12-68	(1)					4-10-68	99.5	267.5	
		9-04-68	(1)					5-01-68	(1)		
01S/10W-24H01S	500.0	10-04-67	64.6	435.4	1101			5-15-68	(1)		
		10-19-67	64.6	435.4				5-29-68	105.3	261.7	
		11-01-67	64.3	435.7				6-12-68	(1)		
		11-08-67	64.2	435.8				6-26-68	(1)		
		11-15-67	65.0	435.0				7-10-68	(1)		
		12-01-67	63.8	436.2				7-24-68	(1)		
		12-08-67	64.0	436.0				8-07-68	109.2(4)	257.8	
		12-27-67	64.6	435.4				8-21-68	(1)		
		1-10-68	64.0	436.0				9-04-68	108.6	258.4	
		1-24-68	64.5	435.5				9-18-68	(1)		
		2-12-68	61.9	438.1		01S/10W-29E07S	338.0	10-04-67	84.4	253.6	1101
		2-21-68	61.7	438.3				10-04-67	81.4	256.6	1733
		3-06-68	62.9	437.1				10-18-67	84.7	253.3	1101
		3-20-68	63.7	436.3				10-18-67	84.7	253.3	
		4-04-68	55.0	445.0				10-25-67	80.0	257.2	1733
		4-10-68	51.8	448.2				11-01-67	81.0	257.0	1101
		4-17-68	52.1	447.9				11-08-67	80.3	257.7	
		5-01-68	55.7	444.3				11-15-67	80.3	257.7	
		5-15-68	57.5	442.5				11-15-67	80.3	257.7	1733
		5-29-68	58.8	441.2				12-01-67	79.2	258.8	1101
		6-12-68	59.1	440.9				12-06-67	78.8	259.2	1733
		6-26-68	59.3	440.7				12-13-67	78.5	259.5	1101
		8-07-68	60.3	439.7				12-27-67	77.9	260.1	
		8-21-68	61.8	438.2				12-27-67	77.9	260.1	1733
		9-04-68	62.1	437.9				1-10-68	77.1	260.9	1101
		9-18-68	62.7	437.3				1-17-68	76.9	261.1	1733
01S/10W-24H02S	500.0	10-04-67	DRY		1101			1-24-68	76.7	261.3	1101
		10-19-67	DRY					2-07-68	76.2	261.8	
		11-01-67	DRY					2-07-68	76.1	261.9	1733
		11-08-67	DRY					2-21-68	75.5	262.5	1101
		11-15-67	DRY					2-28-68	75.7	262.3	1733
		12-01-67	DRY					3-06-68	75.4	262.6	1101
		12-08-67	DRY					3-20-68	75.0	263.0	
		12-27-67	DRY					3-20-68	75.0	263.0	1733
		1-10-68	DRY					4-04-68	75.0	263.0	1101
		1-24-68	DRY					4-10-68	75.9	262.1	
		2-12-68	DRY					4-10-68	75.4	262.6	1733
		2-21-68	DRY					4-17-68	75.2	262.8	1101
		3-06-68	DRY					5-01-68	75.6	262.4	
		3-20-68	DRY					5-01-68	75.6	262.4	1733
		4-04-68	32.6	467.4				5-15-68	76.0	262.0	1101
		4-10-68	32.9	467.1				5-29-68	77.1	260.9	
		4-17-68	34.3	465.7				6-12-68	77.9	260.1	
		5-01-68	38.2	461.8				6-12-68	77.7	260.3	1733
		5-15-68	40.4	459.6				6-26-68	78.6	259.4	1101
		5-29-68	41.5	458.5				7-24-68	80.9	257.1	1733
		6-12-68	40.9	459.1				8-07-68	81.8	256.2	1101
		6-26-68	41.7	458.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
U-05.01						U-05.01					
01S/10W-29E07S (CONT.)	338.0	8-14-68	82.1	255.9	1733	01S/10W-31P01S	304.6	4-01-68	52.0	252.6	1101
		8-21-68	82.6	255.4				5-01-68	53.5(5)	251.1	
		9-04-68	83.7	254.3				6-01-68	55.5(5)	249.1	
		9-04-68	81.9	256.1	1733			7-01-68	59.5(5)	245.1	
		9-18-68	84.6	253.4	1101			8-01-68	71.5(5)	233.1	
		9-25-68	85.6	252.4	1733			9-01-68	70.0(5)	234.6	
01S/10W-29G02S	354.0	10-12-67	103.1	250.9	1733	01S/10W-31P05S	303.0	12-01-67	52.5(5)	250.5	1101
		11-02-67	96.3	257.7				4-01-68	52.5	250.5	
		11-23-67	98.1	255.9				6-01-68	58.5(5)	244.5	
		12-14-67	93.8	260.2				7-01-68	61.5(5)	241.5	
		1-04-68	93.0	261.0				8-01-68	69.5(5)	233.5	
		1-25-68	94.3	259.7				9-01-68	69.5(5)	233.5	
		2-15-68	93.2	260.8							
		3-07-68	92.8	261.2		01S/10W-32B01S	341.0	11-17-67	111.2(1)	229.8	1101
		3-28-68	92.3	261.7				1-30-68	114.2(1)	226.8	
		4-18-68	93.8	260.2				3-20-68	106.2(1)	234.8	
		5-09-68	91.9	262.1				5-24-68	111.2(1)	229.8	
		6-20-68	92.4	261.6				7-17-68	116.2(1)	224.8	
		7-11-68	(1)					9-30-68	119.2(1)	221.8	
		8-01-68	93.3	260.7		01S/10W-33P01S	343.0	11-06-67	85.7	257.3	1101
		8-22-68	95.7	258.3				4-11-68	86.0	257.0	
		9-12-68	97.9	256.1		01S/11W-01B01S	413.0	10-04-67	132.3	280.7	1101
01S/10W-30K01S	327.1	11-06-67	74.7	252.4	1101			10-04-67	(9)		
		4-11-68	65.2	261.9				10-18-67	134.2	278.8	
01S/10W-30L03S	321.0	11-06-67	63.3	257.7	1101			10-18-67	(9)		
		4-11-68	58.2	262.8				11-01-67	(9)		
01S/10W-30L05S	321.0	11-06-67	64.1	256.9	1101			11-01-67	132.1	280.9	
		4-11-68	59.1	261.9				11-08-67	(9)		
01S/10W-31A02S	320.0	10-12-67	68.3	251.7	1733			11-08-67	132.2	280.8	
		11-02-67	67.1	252.9				11-15-67	133.1	279.9	
		11-23-67	66.6	253.4				11-15-67	(9)		
		12-14-67	63.5	256.5				12-01-67	(9)		
		1-04-68	59.3	260.7				12-01-67	134.1	278.9	
		1-25-68	58.1	261.9				12-13-67	(9)		
		2-15-68	57.6	262.4				12-13-67	131.4	281.6	
		3-07-68	57.3	262.7				12-27-67	(9)		
		3-28-68	56.6	263.4				12-27-67	129.7	283.3	
		4-18-68	56.1	263.9				1-10-68	131.5	281.5	
		5-09-68	54.5	265.5				1-10-68	(9)		
		6-20-68	54.2	265.8				1-24-68	132.8	280.2	
		8-01-68	55.8	264.2				1-24-68	(9)		
		8-22-68	55.2	264.8				2-13-68	133.8	279.2	
		9-12-68	54.9	265.1				2-21-68	(9)		
01S/10W-31A03S	320.5	11-17-67	108.5(1)	212.0	1101			2-21-68	134.4	278.6	
		2-06-68	106.5(1)	214.0				2-23-68	134.3	278.7	
		3-19-68	108.5(1)	212.0				2-28-68	134.6	278.4	
		5-23-68	108.5(1)	212.0				3-06-68	(9)		
		7-17-68	111.5(1)	209.0				3-06-68	135.4	277.6	
		9-30-68	115.5(1)	205.0				3-20-68	(9)		
01S/10W-31B01S	314.0	12-01-67	52.5(5)	261.5	1101			3-20-68	135.3	277.7	
		4-01-68	52.0	262.0				3-20-68	135.3	277.7	
		6-01-68	56.5(5)	257.5				4-03-68	(9)		
		7-01-68	60.5(5)	253.5				4-03-68	133.9	279.1	
		8-01-68	144.5(5)	169.5				4-03-68	133.9	279.1	
		9-01-68	141.5(5)	172.5				4-10-68	134.4	278.6	
01S/10W-31E01S	306.4	12-01-67	48.0(5)	258.4	1101			4-10-68	134.4	278.6	
		4-01-68	45.5	260.9				4-17-68	135.1	277.9	
		6-01-68	51.5(5)	254.9				4-17-68	135.1	277.9	
		7-01-68	56.5(5)	249.9				5-01-68	136.7	276.3	
		8-01-68	59.0(5)	247.4				5-07-68	137.2	275.8	
		9-01-68	65.5(5)	240.9				5-10-68	137.5	275.5	
01S/10W-31F03S	309.0	12-01-67	50.5(5)	258.5	1101			5-15-68	138.0	275.0	
		5-01-68	53.5(5)	255.5				5-22-68	138.8	274.2	
		6-01-68	55.5(5)	253.5				5-29-68	139.8	273.2	
		7-01-68	60.5(5)	248.5				6-05-68	140.5	272.5	
		8-01-68	144.5(5)	164.5				6-12-68	141.1	271.9	
		9-01-68	141.5(5)	167.5				6-19-68	141.9	271.1	
01S/10W-31G04S	312.0	11-16-67	61.5(5)	250.5	1101			6-28-68	143.0	270.0	
		1-31-68	56.5(5)	255.5				7-05-68	143.7	269.3	
		3-19-68	55.5(5)	256.5				7-10-68	144.4	268.6	
		5-22-68	122.5(1)	189.5				7-17-68	145.4	267.6	
		7-17-68	100.5(1)	211.5				7-24-68	146.5	266.5	
		9-30-68	60.5(5)	251.5				7-31-68	146.3	266.7	
01S/10W-31G06S	312.0	11-16-67	58.4(5)	253.6	1101			8-07-68	147.0	266.0	
		1-31-68	52.4(5)	259.6				8-14-68	147.8	265.2	
		3-19-68	50.4(5)	261.6				8-21-68	148.4	264.6	
		5-22-68	62.4(5)	249.6				8-28-68	149.3	263.7	
		7-17-68	64.4(5)	247.6				9-05-68	150.1	262.9	
		9-30-68	66.4(5)	245.6				9-11-68	150.9	262.1	
01S/10W-31L01S	308.1	12-01-67	49.5(5)	258.6	1101			9-18-68	151.5	261.5	
		5-01-68	50.5(5)	257.6				9-25-68	152.2	260.8	
		6-01-68	52.5(5)	255.6		01S/11W-02A01S	375.0	10-04-67	96.1	278.9	1101
		7-01-68	55.5(5)	252.6				10-18-67	99.1	275.9	
		8-01-68	58.0(5)	250.1				11-01-67	97.6	277.4	
		9-01-68	61.5(5)	246.6				11-08-67	96.9	278.1	
								11-15-67	97.4	277.6	
								12-01-67	96.7	278.3	
								12-01-67	96.7	278.3	
								12-13-67	96.5	278.5	
								12-27-67	94.0	281.0	
								1-10-68	94.6	280.4	
								1-24-68	96.3	278.7	
								2-13-68	95.3	279.7	
								2-21-68	98.1	276.9	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
015/11W-02A01S (CONT.)	375.0	3-06-68	98.8	276.2	1101	015/11W-02G01S (CONT.)	368.0	6-30-68	100.9(5)	267.1	1101
		3-20-68	98.3	276.7				7-30-68	111.9(5)	256.1	
		4-03-68	97.7	277.3				8-30-68	111.9(5)	256.1	
		4-10-68	98.7	276.3				9-30-68	112.9(5)	255.1	
		4-17-68	99.7	275.3		015/11W-02H01S	376.0	10-30-67	101.5(5)	274.5	1101
		5-01-68	100.8	274.2				11-30-67	99.5(5)	276.5	
		5-15-68	101.7	273.3				12-30-67	100.5(5)	275.5	
		5-29-68	103.8	271.2				1-30-68	99.5(5)	276.5	
		6-12-68	103.9	271.1				2-28-68	101.5(5)	274.5	
		6-28-68	104.6	270.4				3-30-68	103.5(5)	272.5	
		7-10-68	107.3	267.7				4-30-68	102.5(5)	273.5	
		7-24-68	108.3	266.7				5-30-68	105.5(5)	270.5	
		8-07-68	109.3	265.7				7-30-68	110.5(5)	265.5	
		8-21-68	109.6	265.4				8-30-68	113.5(5)	262.5	
		9-04-68	112.8	262.2				9-30-68	115.5(5)	260.5	
		9-18-68	113.5	261.5		015/11W-02J01S	364.0	10-04-67	93.0	271.0	1101
015/11W-02801S	368.0	10-30-67	101.5(5)	266.5	1101			10-18-67	98.7	265.3	
		11-30-67	92.5(5)	275.5				11-01-67	91.1	272.9	
		12-30-67	89.5(5)	278.5				11-08-67	92.9	271.1	
		1-30-68	91.5(5)	276.5				11-15-67	90.6	273.4	
		2-28-68	94.5(5)	273.5				12-01-67	90.6	273.4	
		3-30-68	94.5(5)	273.5				12-13-67	89.9	274.1	
		4-30-68	95.5(5)	272.5				12-27-67	88.8	275.2	
		5-30-68	97.5(5)	270.5				12-28-67	89.3	274.7	
		6-30-68	95.5(5)	272.5				1-10-68	88.7	275.3	
		7-30-68	107.5(5)	260.5				1-24-68	97.9	266.1	
		8-30-68	107.5(5)	260.5				2-13-68	90.1	273.9	
		9-30-68	108.5(5)	259.5				2-21-68	90.3	273.7	
015/11W-02C01S	367.5	10-15-67	89.5	278.0	1101			3-06-68	89.7	274.3	
		11-07-67	84.0(5)	283.5				3-20-68	90.0	274.0	
		12-15-67	86.0(5)	281.5				4-03-68	93.7	270.3	
		1-15-68	84.0(5)	283.5				4-10-68	90.2	273.8	
		3-07-68	85.5	282.0				4-17-68	91.1	272.9	
		4-15-68	85.0(5)	282.5				5-01-68	91.8	272.2	
		5-07-68	85.0(5)	282.5				5-15-68	92.5	271.5	
		6-01-68	84.5	283.0				5-29-68	93.9	270.1	
		8-15-68	63.5	304.0				6-12-68	95.3	268.7	
015/11W-02F01S	360.0	10-05-67	151.3(5)	208.7	5062			6-28-68	99.4	264.6	
		10-18-67	215.3(5)	144.7				7-10-68	101.2	262.8	
		11-01-67	91.3(5)	268.7				7-24-68	100.4	263.6	
		11-15-67	89.3(5)	270.7				8-07-68	101.6	262.4	
		12-06-67	90.3(5)	269.7				8-21-68	102.6	261.4	
		12-20-67	88.3(5)	271.7				9-04-68	104.0	260.0	
		1-03-68	87.3(5)	272.7				9-18-68	105.5	258.5	
		1-17-68	87.0(5)	273.0		015/11W-02K04S	357.0	10-13-67	83.0	274.0	1733
		2-07-68	87.3(5)	272.7				11-03-67	83.6	273.4	
		2-21-68	89.3(5)	270.7				11-24-67	83.3	273.7	
		3-06-68	87.3(5)	272.7				12-15-67	82.6	274.4	
		3-20-68	90.3(5)	269.7				1-05-68	82.2	274.8	
		4-03-68	89.3(5)	270.7				1-26-68	82.2	274.8	
		4-17-68	90.3(5)	269.7				2-16-68	81.8	275.2	
		5-01-68	92.3(5)	267.7				3-08-68	81.6	275.4	
		5-15-68	91.3(5)	268.7				3-29-68	81.4	275.6	
		6-05-68	93.3(5)	266.7				4-19-68	84.1	272.9	
		6-19-68	96.3(5)	263.7				5-10-68	84.4	272.6	
		7-03-68	99.3(5)	260.7				6-21-68	90.9	266.1	
		7-17-68	99.3(5)	260.7				7-12-68	92.4	264.6	
		8-08-68	101.3(5)	258.7				8-02-68	92.6	264.4	
		8-21-68	102.3(5)	257.7				8-23-68	93.7	263.3	
		9-04-68	102.3(5)	257.7				9-13-68	95.5	261.5	
		9-18-68	102.3(5)	257.7		015/11W-02L02S	354.0	11-07-67	79.2	274.8	1101
015/11W-02F02S	361.3	10-05-67	90.0(5)	271.3	5062			4-08-68	79.5	274.5	
		10-18-67	112.0(5)	249.3		015/11W-02N01S	348.0	11-07-67	76.6	271.4	1101
		11-01-67	90.0(5)	271.3				1-24-68	(0)		
		11-15-67	89.0(5)	272.3				4-08-68	76.4	271.6	
		12-06-67	88.0(5)	273.3				4-08-68	76.4	271.6	
		12-20-67	86.0(5)	275.3		015/11W-02N02S	345.0	10-03-67	70.7	274.3	1101
		1-03-68	88.0(5)	273.3				11-07-67	73.2	271.8	
		1-17-68	87.5(5)	273.8				1-03-68	71.9	273.1	
		2-07-68	87.0(5)	274.3				1-24-68	71.7	273.3	
		2-21-68	89.0(5)	272.3				2-07-68	71.9	273.1	
		3-06-68	88.0(5)	273.3				2-20-68	72.2	272.8	
		3-20-68	91.0(5)	270.3				3-05-68	72.7	272.3	
		4-03-68	89.0(5)	272.3				3-20-68	72.9	272.1	
		4-17-68	90.0(5)	271.3				4-08-68	73.5	271.5	
		5-01-68	92.0(5)	269.3				4-23-68	74.2	270.8	
		5-15-68	92.0(5)	269.3				4-30-68	74.6	270.4	
		6-05-68	93.0(5)	268.3				5-06-68	75.1	269.9	
		6-19-68	96.0(5)	265.3				5-14-68	74.9	270.1	
		7-03-68	99.0(5)	262.3				5-21-68	75.9	269.1	
		7-17-68	98.0(5)	263.3				5-28-68	76.6	268.4	
		8-08-68	101.0(5)	260.3				6-05-68	77.2	267.8	
		8-21-68	102.0(5)	259.3				7-08-68	81.2	263.8	
		9-04-68	102.0(5)	259.3		015/11W-03P02S	342.5	10-13-67	74.9	267.6	1733
		9-18-68	102.0(5)	259.3				11-03-67	75.1	267.4	
015/11W-02G01S	368.0	10-30-67	101.9(5)	266.1	1101			11-08-67	74.9	267.6	1101
		11-30-67	100.9(5)	267.1				11-24-67	74.9	267.6	1733
		12-30-67	100.9(5)	267.1				12-15-67	74.3	268.2	
		1-30-68	97.9(5)	270.1				1-05-68	73.8	268.7	
		2-28-68	99.9(5)	268.1				1-26-68	73.4	269.1	
		3-30-68	100.9(5)	267.1							
		4-30-68	105.9(5)	262.1							
		5-30-68	102.9(5)	265.1							

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/11W-03P02S (CONT.)	342.5	2-16-68	73.4	269.1	1733	01S/11W-07H02S (CONT.)	385.0	12-01-67	173.0(5)	212.0	1101
		3-08-68	73.3	269.2				1-01-68	164.0(5)	221.0	
		3-29-68	73.0	269.5				2-01-68	166.0(5)	219.0	
		4-08-68	72.9	269.6	1101			3-01-68	172.0(5)	213.0	
		4-19-68	73.1	269.4	1733			4-01-68	174.0(5)	211.0	
		5-10-68	73.3	269.2				5-01-68	177.0(5)	208.0	
		6-21-68	74.9	267.6				8-01-68	212.0(5)	173.0	
		8-02-68	76.6	265.9				9-01-68	215.0(5)	170.0	
		8-06-68	77.4	265.1	1101						
		8-23-68	77.5	265.0	1733	01S/11W-08A03S	378.0	10-05-67	159.0(5)	219.0	5062
		9-13-68	78.6	263.9				10-18-67	226.0(5)	152.0	
01S/11W-03Q05S	345.7	10-03-67	73.8	271.9	1101			11-01-67	162.0(5)	216.0	
		11-07-67	76.0	269.7				11-15-67	229.0(1)	149.0	
		12-05-67	75.4	270.3				12-06-67	159.0(5)	219.0	
		12-12-67	75.2	270.5				12-20-67	157.0(5)	221.0	
		1-03-68	74.6	271.1				1-03-68	157.0(5)	221.0	
		1-10-68	74.5	271.2				1-17-68	147.0(5)	231.0	
		1-24-68	74.4	271.3				2-07-68	148.0(5)	230.0	
		2-07-68	74.5	271.2				2-21-68	147.0(5)	231.0	
		2-20-68	74.4	271.3				3-06-68	148.0(5)	230.0	
		3-05-68	74.6	271.1				3-20-68	148.0(5)	230.0	
		3-20-68	74.6	271.1				4-03-68	150.0(5)	228.0	
		3-26-68	74.5	271.2				4-18-68	222.0(1)	156.0	
		4-08-68	74.7	271.0				5-01-68	152.0(5)	226.0	
		4-23-68	75.2	270.5				5-15-68	147.0(5)	231.0	
		4-30-68	75.4	270.3				6-05-68	153.7(5)	224.3	
		5-06-68	75.4	270.3				6-19-68	156.6(5)	221.4	
		5-14-68	75.6	270.1				7-03-68	155.0(5)	223.0	
		5-21-68	76.0	269.7				7-17-68	157.5(5)	220.5	
		5-28-68	76.7	269.0				8-08-68	158.0(5)	220.0	
		6-05-68	76.9	268.8				8-21-68	158.0(5)	220.0	
		7-08-68	79.0	266.7				9-04-68	158.0(5)	220.0	
								9-18-68	160.0(5)	218.0	
01S/11W-04L02S	369.5	10-05-67	120.9(5)	248.6	5062	01S/11W-08E02S	381.0	10-01-67	197.5(5)	183.5	1101
		10-18-67	119.9(5)	249.6				11-01-67	191.5(5)	189.5	
		11-01-67	128.9(5)	240.6				12-01-67	188.5(5)	192.5	
		11-15-67	129.9(5)	239.6				1-01-68	(0)		
		12-06-67	126.9(5)	242.6				2-01-68	184.5(5)	196.5	
		12-20-67	123.9(5)	245.6				3-01-68	180.5(5)	200.5	
		1-03-68	124.9(5)	244.6				4-01-68	183.5(5)	197.5	
		1-17-68	114.9(5)	254.6				5-01-68	186.5(5)	194.5	
		2-07-68	116.9(5)	252.6				6-01-68	192.5(5)	188.5	
		2-21-68	111.9(5)	257.6				7-01-68	194.5(5)	186.5	
		3-06-68	112.9(5)	256.6				8-01-68	193.5(5)	187.5	
		3-20-68	112.9(5)	256.6				9-01-68	197.5(5)	183.5	
		4-03-68	113.3(5)	256.2							
		4-18-68	112.9(5)	256.6		01S/11W-08J01S	349.0	10-13-67	114.5	234.5	1733
		5-01-68	113.9(5)	255.6				11-03-67	114.0	235.0	
		5-15-68	128.9(1)	240.6				11-24-67	113.6	235.4	
		6-05-68	113.9(5)	255.6				12-15-67	113.3	235.7	
		6-19-68	132.9(1)	236.6				1-05-68	111.4	237.6	
		7-03-68	112.9(5)	256.6				1-26-68	110.8	238.2	
		7-17-68	134.9(1)	234.6				2-16-68	110.2	238.8	
		8-08-68	112.9(5)	256.6				3-08-68	110.8	238.2	
		8-21-68	133.9(1)	235.6				3-29-68	111.4	237.6	
		9-04-68	112.9(5)	256.6				4-19-68	108.4	240.6	
		9-18-68	114.9(5)	254.6				5-10-68	107.7	241.3	
01S/11W-06D01S	506.0	10-01-67	314.0(5)	192.0	1101			6-21-68	107.1	241.9	
		11-17-67	313.0(5)	193.0				7-12-68	108.4	240.6	
		12-12-67	309.0(5)	197.0				8-02-68	106.6	242.4	
		1-16-68	307.0(5)	199.0				8-23-68	106.2	242.8	
		2-16-68	306.0(5)	200.0				9-13-68	107.1	241.9	
		3-19-68	305.0(5)	201.0							
		4-16-68	307.0(5)	199.0		01S/11W-08K01S	350.0	10-01-67	118.0(5)	232.0	1101
		5-16-68	307.0(5)	199.0				11-01-67	113.0(5)	237.0	
		7-15-68	312.0(5)	194.0				12-01-67	117.0(5)	233.0	
		8-15-68	322.0(5)	184.0				1-01-68	133.0(5)	217.0	
		9-03-68	323.0(5)	183.0				2-01-68	132.0(5)	218.0	
01S/11W-06D02S	505.0	10-15-67	323.7(5)	181.3	1101			3-01-68	114.0(5)	236.0	
		11-15-67	322.7(5)	182.3				4-01-68	116.0(5)	234.0	
		12-16-67	309.7(5)	195.3				5-01-68	115.0(5)	235.0	
		1-16-68	308.7(5)	196.3				6-01-68	112.0(5)	238.0	
		2-16-68	307.7(5)	197.3				7-01-68	112.0(5)	238.0	
		3-16-68	308.7(5)	196.3				8-01-68	111.0(5)	239.0	
		4-15-68	309.7(5)	195.3				9-01-68	112.0(5)	238.0	
		5-16-68	313.7(5)	191.3							
		6-17-68	316.7(5)	188.3		01S/11W-08K02S	350.0	11-01-67	119.0(5)	231.0	1101
		7-16-68	312.7(5)	192.3				12-01-67	117.0(5)	233.0	
		8-08-68	316.7(5)	188.3				1-01-68	123.0(5)	227.0	
		9-15-68	324.7(5)	180.3				2-01-68	115.0(5)	235.0	
01S/11W-06M01S	470.0	10-06-67	280.0(5)	190.0	1101			3-01-68	114.0(5)	236.0	
		11-16-67	281.0(5)	189.0				4-01-68	115.0(5)	235.0	
		12-16-67	274.0(5)	196.0				5-01-68	115.0(5)	235.0	
		1-19-68	273.0(5)	197.0				7-01-68	113.0(5)	237.0	
		3-15-68	270.0(5)	200.0				8-01-68	112.0(5)	238.0	
		4-13-68	272.0(5)	198.0		01S/11W-09D02S	360.0	10-01-67	119.0(5)	241.0	1101
		5-15-68	275.0(5)	195.0				11-01-67	120.0(5)	240.0	
		6-17-68	276.0(5)	194.0				12-01-67	123.0(5)	237.0	
		7-23-68	278.0(5)	192.0				1-01-68	117.0(5)	243.0	
		8-13-68	282.0(5)	188.0				2-01-68	120.0(5)	240.0	
		9-16-68	282.0(5)	188.0				3-01-68	115.0(5)	245.0	
01S/11W-07H02S	385.0	10-01-67	173.0(5)	212.0	1101			4-01-68	118.0(5)	242.0	
		11-01-67	171.0(5)	214.0				5-01-68	119.0(5)	241.0	
								9-01-68	119.0(5)	241.0	
						01S/11W-09Q01S	306.2	10-13-67	54.4	251.8	1733

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
015/11W-090015 (CONT.)	306.2	11-03-67	53.7	252.5	1733	015/11W-10N005	310.0	10-18-67	47.0	263.0	1101
		11-07-67	55.1	251.1	1101			11-16-67	44.0	266.0	
		11-09-67	53.2	253.0				12-15-67	40.0	270.0	
		11-14-67	53.2	253.0				1-15-68	41.0	269.0	
		11-24-67	53.3	252.9	1733			2-14-68	40.0	270.0	
		12-15-67	(9)					3-19-68	44.0	266.0	
		1-05-68	51.1	255.1				4-20-68	48.0	262.0	
		1-10-68	61.5	244.7	1101			5-15-68	45.0	265.0	
		1-26-68	50.4	255.8	1733			7-16-68	55.0(5)	255.0	
		2-16-68	49.4	256.8				8-15-68	55.0(5)	255.0	
		3-08-68	49.4	256.8				9-18-68	58.0(5)	252.0	
		3-29-68	50.3	255.9		015/11W-10P025	321.0	10-03-67	54.8	266.2	1101
		4-08-68	49.1	257.1	1101			11-07-67	55.1	265.9	
		4-19-68	49.1	257.1	1733			4-08-68	55.0	266.0	
		5-10-68	48.9	257.3		015/11W-10R025	326.0	10-03-67	53.3	272.7	1101
		6-21-68	49.2	257.0				11-07-67	54.3	271.7	
		9-13-68	51.4	254.8				12-05-67	53.0	273.0	
015/11W-090045	311.0	10-21-67	62.0(5)	249.0	1101			12-12-67	52.4	273.6	
		11-07-67	61.0(5)	250.0				1-03-68	52.2	273.8	
		12-15-67	57.0(5)	254.0				1-10-68	52.0	274.0	
		1-15-68	57.0(5)	254.0				1-24-68	52.3	273.7	
		2-21-68	57.0(5)	254.0				2-06-68	52.0	274.0	
		3-15-68	59.0(5)	252.0				2-20-68	52.0	274.0	
		4-21-68	62.0(5)	249.0				3-05-68	53.1	272.9	
		5-07-68	61.0(5)	250.0				3-20-68	53.6	272.4	
		6-01-68	62.0(5)	249.0				4-08-68	54.8	271.2	
		7-07-68	68.0(5)	243.0				4-23-68	56.8	269.2	
		8-15-68	72.0(5)	239.0				4-30-68	56.1	269.9	
		9-15-68	71.0(5)	240.0				5-06-68	56.5	269.5	
015/11W-10F025	326.0	10-15-67	57.4	268.6	1101			5-14-68	56.1	269.9	
		11-07-67	(2)					5-21-68	57.6	268.4	
		11-21-67	53.5(5)	272.5				5-28-68	58.1	267.9	
		12-15-67	51.5(5)	274.5				6-05-68	58.6	267.4	
		1-15-68	50.5(5)	275.5				7-08-68	61.9	264.1	
		2-15-68	51.5(5)	274.5		015/11W-11B015	300.0	10-16-67	24.2	275.8	1101
		3-21-68	53.5(5)	272.5				10-30-67	25.2	274.8	
		4-15-68	55.5(5)	270.5				11-14-67	25.4	274.6	
		5-07-68	54.5(5)	271.5				11-22-67	25.2	274.8	
		6-15-68	59.5(5)	266.5				11-28-67	25.3	274.7	
		7-15-68	62.5(5)	263.5				12-12-67	25.2	274.8	
		8-29-68	68.4	257.6				12-18-67	24.8	275.2	
		9-15-68	68.4	257.6				1-03-68	24.0	276.0	
015/11W-10M015	325.0	10-05-67	72.5(5)	252.5	5062			1-16-68	23.6	276.4	
		10-18-67	69.5(5)	255.5				1-29-68	30.0	270.0	
		11-01-67	78.5(1)	246.5				2-13-68	24.2	275.8	
		11-15-67	73.5(1)	251.5				2-29-68	24.6	275.4	
		11-28-67	54.0(4)	271.0	1101			3-12-68	24.9	275.1	
		12-06-67	67.5(1)	257.5	5062			3-25-68	25.8	274.2	
		12-20-67	64.5(1)	260.5				4-09-68	26.2	273.8	
		1-03-68	65.5(1)	259.5				4-22-68	26.8	273.2	
		1-17-68	62.5(1)	262.5				4-30-68	27.3	272.7	
		2-07-68	63.5(1)	261.5				5-14-68	28.1	271.9	
		2-21-68	65.5(1)	259.5				5-22-68	28.7	271.3	
		3-06-68	64.5(1)	260.5				6-07-68	30.4	269.6	
		3-20-68	67.5(1)	257.5				6-24-68	32.3	267.7	
		4-03-68	66.5(1)	258.5				7-08-68	33.8	266.2	
		4-09-68	55.5(4)	269.5	1101			7-31-68	36.3	263.7	
		4-17-68	67.5(1)	257.5	5062			8-12-68	38.2	261.8	
		5-01-68	72.5(1)	252.5				8-26-68	40.0	260.0	
		5-15-68	71.5(1)	253.5				9-10-68	40.8	259.2	
		6-05-68	70.5(1)	254.5				9-24-68	42.4	257.6	
		6-19-68	72.5(1)	252.5		015/11W-11C045	355.0	10-05-67	79.9(5)	275.1	5062
		7-03-68	80.5(1)	244.5				10-18-67	89.9(5)	265.1	
		7-17-68	81.5(1)	243.5				11-01-67	79.9(5)	275.1	
		8-08-68	92.5(1)	232.5				11-15-67	86.4(5)	268.6	
		8-21-68	89.5(1)	235.5				12-06-67	87.9(5)	267.1	
		9-04-68	90.5(1)	234.5				12-20-67	76.9(5)	278.1	
		9-18-68	93.5(1)	231.5				1-03-68	76.9(5)	278.1	
015/11W-10K015	316.0	10-03-67	45.7	270.3	1101			1-17-68	83.9(5)	271.1	
		11-07-67	44.6	271.4				2-07-68	82.2(5)	272.8	
		2-06-68	35.4	280.6				2-21-68	78.9(5)	276.1	
		2-20-68	35.4	280.6				3-06-68	79.9(5)	275.1	
		3-20-68	30.8	285.2				3-20-68	66.3(5)	268.7	
		4-08-68	32.4	283.6				4-03-68	82.9(5)	272.1	
		4-30-68	35.2	280.8				4-17-68	81.9(5)	273.1	
		5-28-68	37.4	278.6				5-01-68	82.9(5)	272.1	
		6-05-68	38.0	278.0				5-15-68	82.9(5)	272.1	
		7-08-68	39.5	276.5				6-05-68	83.9(5)	271.1	
		8-06-68	39.9	276.1				6-19-68	106.9(1)	248.1	
015/11W-10N065	310.0	10-18-67	50.0	260.0	1101			7-03-68	89.9(5)	265.1	
		11-16-67	47.0	263.0				7-17-68	104.9(1)	250.1	
		12-15-67	43.0	267.0				8-08-68	91.9(5)	263.1	
		1-15-68	43.0	267.0				8-21-68	104.9(1)	250.1	
		2-14-68	43.0	267.0				9-04-68	98.9(5)	256.1	
		3-19-68	45.0	265.0				9-18-68	111.9(1)	243.1	
		4-20-68	51.0	259.0		015/11W-11C055	328.5	10-03-67	(1)		1101
		5-15-68	47.0	263.0				11-07-67	59.0	269.5	
		6-15-68	57.0(5)	253.0				12-05-67	58.1	270.4	
		7-16-68	59.0(5)	251.0				12-12-67	57.4	271.1	
		8-15-68	58.0(5)	252.0				1-03-68	56.4	272.1	
		8-20-68	(7)					1-10-68	56.7	271.8	
		9-18-68	61.0(5)	249.0				1-24-68	57.3	271.2	
								2-07-68	57.6	270.9	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA				
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00									
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT									
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA									
U-05.00						U-05.00									
U-05.01						U-05.01									
01S/11W-11C05S (CONT.)	328.5	2-07-68	57.6	270.9	1101	01S/11W-12A01S (CONT.)	377.7	6-19-68	112.0	265.7	1101				
		2-20-68	57.9	270.6				6-28-68	113.1	264.6					
		3-05-68	58.5	270.0				7-05-68	113.9	263.8					
		3-20-68	59.4	269.1				7-10-68	114.5	263.2					
		4-08-68	59.7	268.8				7-17-68	115.5	262.2					
		4-23-68	60.8	267.7				7-24-68	116.5	261.2					
		4-30-68	61.8	266.7				7-31-68	116.9	260.8					
		5-06-68	62.0	266.5				8-07-68	117.5	260.2					
		5-14-68	64.0	264.5				8-12-68	118.1	259.6					
		5-21-68	66.9	261.6				8-21-68	119.0	258.7					
		5-28-68	67.5	261.0				8-28-68	119.8	257.9					
		6-05-68	64.1	264.4				9-04-68	120.5	257.2					
		7-08-68	(1)					9-11-68	121.3	256.4					
		8-06-68	(1)					9-18-68	122.0	255.7					
								9-25-68	122.5	255.2					
01S/11W-11F04S	337.0	10-03-67	60.0	277.0	1101	01S/11W-12B01S	334.4	11-02-67	DRY		1101				
		10-04-67	60.1	276.9	1733			4-09-68	(0)						
		10-25-67	61.8	275.2		01S/11W-12J01S	370.7	10-11-67	94.1	276.6	1733				
		11-07-67	62.3	274.7	1101			11-01-67	94.4	276.3					
		11-15-67	62.2	274.8	1733			11-22-67	95.0	275.7					
		12-05-67	61.0	276.0	1101			12-13-67	92.2	278.5					
		12-06-67	61.0	276.0	1733			1-03-68	92.6	278.1					
		12-12-67	60.8	276.2	1101			1-24-68	93.2	277.5					
		12-27-67	60.3	276.7	1733			2-14-68	93.9	276.8					
		12-28-67	60.3	276.7	1101			3-06-68	94.5	276.2					
		12-28-67	60.3	276.7				3-27-68	95.8	274.9					
		1-03-68	60.2	276.8				4-17-68	96.3	274.4					
		1-10-68	60.0	277.0				5-08-68	96.7	274.0					
		1-17-68	60.0	277.0	1733			6-19-68	102.1	268.6					
		1-24-68	60.0	277.0	1101			7-10-68	104.6	266.1					
		2-06-68	60.3	276.7				7-31-68	106.0	264.7					
		2-07-68	60.2	276.8	1733			8-21-68	109.1	261.6					
		2-28-68	59.7	277.3				9-11-68	110.0	260.7					
		2-30-68	60.5	276.5	1101										
		3-05-68	61.2	275.8		01S/11W-12J03S	367.0	10-26-67	96.6	270.4	1101				
		3-20-68	61.4	275.6				2-13-68	92.6	274.4					
		3-20-68	59.4	277.6	1733			4-16-68	94.6	272.4					
		3-26-68	61.9	275.1	1101										
		4-08-68	62.5	274.5		01S/11W-12R01S	352.0	11-06-67	74.7	277.3	1101				
		4-10-68	62.6	274.4	1733			4-09-68	76.6	275.4					
		4-23-68	63.4	273.6	1101										
		4-30-68	64.0	273.0		01S/11W-13B02S	348.6	10-04-67	73.7	274.9	1101				
		5-01-68	63.9	273.1	1733			10-18-67	75.7	272.9					
		5-06-68	63.3	273.7	1101			11-01-67	79.1	269.5					
		5-14-68	64.1	272.9				11-08-67	74.9	273.7					
		5-21-68	65.3	271.7				11-15-67	76.4	272.2					
		5-28-68	66.0	271.0				12-01-67	74.1	274.5					
		6-05-68	66.8	270.2				12-13-67	73.1	275.5					
		6-12-68	67.4	269.6	1733			12-27-67	74.4	274.2					
		7-03-68	69.7	267.3				1-10-68	71.6	277.0					
		7-08-68	20.1	316.9	1101			1-24-68	73.9	274.7					
		7-24-68	71.1	265.9	1733			2-07-68	72.2	276.4					
		8-06-68	73.4	263.6	1101			2-21-68	78.0	270.6					
		8-14-68	74.3	262.7	1733			2-23-68	73.4	275.2					
		9-04-68	76.3	260.7				2-28-68	76.0	272.6					
		9-25-68	78.0	259.0				3-06-68	74.9	273.7					
01S/11W-11L03S	339.0	10-18-67	63.0	276.0	1101			3-20-68	75.5	273.1					
		11-07-67	60.0	279.0				4-03-68	DRY						
		11-16-67	62.0	277.0				4-10-68	DRY						
		12-15-67	62.0	277.0				4-17-68	DRY						
		1-15-68	61.0	278.0				5-01-68	DRY						
		2-14-68	61.0	278.0				5-15-68	DRY						
		3-19-68	62.0	277.0				5-29-68	DRY						
		4-08-68	67.6	271.4				6-05-68	DRY						
		4-20-68	64.0	275.0				6-12-68	DRY						
		5-15-68	66.0	273.0				6-19-68	DRY						
		8-15-68	76.0(5)	263.0				6-26-68	DRY						
		9-18-68	78.0(5)	261.0				7-05-68	DRY						
01S/11W-12A01S	377.7	10-04-67	(1)		1101			7-10-68	DRY						
		10-05-67	103.2	274.5				7-17-68	DRY						
		10-18-67	104.8	272.9				7-24-68	DRY						
		11-07-67	109.9	267.8				7-31-68	DRY						
		11-08-67	111.6	266.1				8-07-68	DRY						
		11-15-67	106.2	271.5				8-14-68	DRY						
		12-01-67	104.9	272.8				8-21-68	DRY						
		12-13-67	103.2	274.5				8-28-68	DRY						
		12-28-67	103.0	274.7				9-04-68	DRY						
		1-02-68	101.6	276.1				9-11-68	DRY						
		1-10-68	110.4	267.3				9-18-68	DRY						
		1-24-68	(1)					9-25-68	DRY						
		2-01-68	104.9	272.8											
		2-07-68	103.7	274.0				01S/11W-14E02S	324.0	10-18-67	49.0	275.0	1101		
		2-21-68	104.2	273.5						11-16-67	51.0	273.0			
		2-23-68	104.3	273.4						12-15-67	49.0	275.0			
		2-28-68	104.6	273.1						2-14-68	48.0	276.0			
		3-06-68	105.2	272.5						3-19-68	52.0	272.0			
		3-12-68	105.4	272.3						4-20-68	54.0	270.0			
		3-20-68	105.7	272.0						5-15-68	55.0	269.0			
		4-03-68	104.9	272.8						6-15-68	58.0(5)	266.0			
		4-10-68	105.2	272.5						7-16-68	62.0(5)	262.0			
		4-17-68	105.8	271.9						8-15-68	65.0(5)	259.0			
		5-01-68	107.2	270.5						9-18-68	68.0(5)	256.0			
		5-15-68	108.4	269.3											
		5-29-68	110.5	267.2						01S/11W-14K01S	315.0	10-02-67	26.4	288.6	1101
		6-05-68	110.6	267.1								10-09-67	25.4	289.6	
		6-12-68	111.8	265.9								10-16-67	26.6	288.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
01S/11W-14K01S (CONT.)	315.0	10-23-67	34.4	280.6	1101	01S/11W-17802S (CONT.)	314.6	4-15-68	79.2(2)	235.4	1101
		10-30-67	29.4	285.6							
		11-13-67	28.1	286.9							
		11-27-67	27.4	287.6							
		12-11-67	27.6	287.4		01S/11W-17805S	313.0	10-01-67	97.0(5)	216.0	1101
		12-26-67	28.1	286.9				11-01-67	98.0(5)	215.0	
		1-08-68	28.5	286.5				12-01-67	103.0(5)	210.0	
		1-16-68	28.7	286.3				1-01-68	117.0(5)	196.0	
		1-29-68	27.7	287.3				2-01-68	112.0(5)	201.0	
		2-19-68	27.4	287.6				3-01-68	92.0(5)	221.0	
		2-23-68	32.0	283.0				4-01-68	95.0(5)	218.0	
		2-26-68	37.2	277.8				5-01-68	96.0(5)	217.0	
		3-04-68	40.0	275.0				6-01-68	106.0(5)	207.0	
		3-18-68	42.9	272.1				7-01-68	105.0(5)	208.0	
		3-25-68	43.1	271.9				8-01-68	108.0(5)	205.0	
		4-15-68	44.6	270.4				8-20-68	(7)		
		5-24-68	47.0	268.0				9-01-68	116.0(5)	197.0	
		5-27-68	47.3	267.7		01S/11W-18A04S	325.0	10-07-67	138.5(5)	186.5	1101
		6-10-68	49.3	265.7				11-07-67	139.5(5)	185.5	
		6-17-68	50.6	264.4				12-07-67	130.5(5)	194.5	
		6-24-68	51.2	263.8				1-15-68	129.5(5)	195.5	
		7-01-68	52.5	262.5				2-15-68	127.5(5)	197.5	
		7-08-68	53.4	261.6				3-15-68	127.5(5)	197.5	
		7-15-68	54.1	260.9				4-15-68	131.5(5)	193.5	
		7-22-68	54.9	260.1				5-01-68	134.6	190.4	
		8-01-68	56.1	258.9				6-01-68	133.5(5)	191.5	
		8-07-68	56.8	258.2				7-21-68	141.5(5)	183.5	
		8-26-68	58.7	256.3				8-07-68	141.5(5)	183.5	
		9-05-68	59.6	255.4				9-07-68	139.5(5)	185.5	
		9-10-68	62.0	253.0		01S/11W-18A05S	323.0	10-15-67	137.5(5)	185.5	1101
		9-16-68	59.3	255.7				11-07-67	136.5(5)	186.5	
		9-19-68	59.3	255.7				12-28-67	132.5	190.5	
		9-23-68	59.4	255.6				3-07-68	133.5	189.5	
		9-30-68	59.1	255.9				5-07-68	132.5(5)	190.5	
01S/11W-14M04S	324.5	10-18-67	47.0	277.5	1101			7-15-68	135.5(5)	187.5	
		11-16-67	44.0	280.5				8-15-68	138.5(5)	184.5	
		12-15-67	47.0	277.5				9-21-68	141.5	181.5	
		1-15-68	46.0	278.5		01S/11W-18M01S	321.0	10-04-67	112.1	208.9	1733
		2-14-68	46.0	278.5				10-25-67	109.7	211.3	
		3-19-68	50.0	274.5				11-15-67	108.7	212.3	
		4-20-68	53.0	271.5				12-06-67	107.0	214.0	
		5-15-68	54.0	270.5				12-27-67	106.6	214.4	
		6-15-68	57.0	267.5				1-17-68	106.3	214.7	
		7-16-68	61.0	263.5				2-07-68	104.6	216.4	
		8-15-68	65.0	259.5				2-28-68	105.3	215.7	
		9-18-68	67.0	257.5				3-20-68	105.8	215.2	
01S/11W-15C02S	318.0	10-03-67	49.2	268.8	1101			4-10-68	104.9	216.1	
		11-07-67	50.4	267.6				5-01-68	106.0	215.0	
		12-05-67	49.6	268.4				6-12-68	108.7	212.3	
		12-12-67	49.3	268.7				7-03-68	109.8	211.2	
		1-03-68	48.8	269.2				7-24-68	108.0	213.0	
		1-10-68	48.6	269.4				8-14-68	109.8	211.2	
		1-24-68	48.5	269.5				9-04-68	109.3	211.7	
		2-06-68	48.4	269.6				9-25-68	111.1	209.9	
		2-20-68	48.3	269.7		01S/11W-19M03S	265.0	11-14-67	(2)		1101
		3-05-68	48.4	269.6							
		3-20-68	48.8	269.2		01S/11W-19M01S	279.5	10-18-67	96.5(5)	183.0	1101
		3-26-68	48.9	269.1				11-16-67	91.5(5)	188.0	
		4-08-68	49.5	268.5				12-15-67	82.5(5)	197.0	
		4-23-68	50.3	267.7				1-15-68	85.5(5)	194.0	
		4-30-68	50.6	267.4				2-14-68	81.5(5)	198.0	
		5-06-68	50.6	267.4				3-19-68	80.5(5)	199.0	
		5-14-68	50.7	267.3				4-20-68	86.5(5)	193.0	
		5-21-68	51.7	266.3				5-15-68	84.5(5)	195.0	
		5-28-68	52.4	265.6		01S/11W-19R01S	243.6	10-16-67	25.1	218.5	1101
		6-05-68	52.5	265.5				10-23-67	25.1	218.5	
		7-08-68	54.9	263.1				11-13-67	24.9	218.7	
01S/11W-15E05S	309.5	11-30-67	(0)		1101			11-27-67	24.6	219.0	
		6-18-68	(0)					12-26-67	24.2	219.4	
		6-18-68	(0)					1-29-68	23.9	219.7	
01S/11W-15L02S	309.0	11-14-67	(2)		1101			2-26-68	23.7	219.9	
		11-27-67	45.8	263.2				3-25-68	23.1	220.5	
01S/11W-16802S	291.0	11-09-67	37.9	253.1	1101			4-23-68	22.9	220.7	
		11-13-67	37.8	253.2				5-27-68	22.6	221.0	
		4-15-68	37.0	254.0				6-24-68	22.5	221.1	
01S/11W-16F01S	296.0	11-13-67	50.4	245.6	1101			7-22-68	22.3	221.3	
		4-15-68	49.3	246.7				8-26-68	22.2	221.4	
01S/11W-16N01S	285.0	10-31-67	47.0(5)	238.0	1101			9-23-68	22.1	221.5	
		11-30-67	45.0(5)	240.0		01S/11W-20A03S	275.0	10-30-67	(6)		1101
		12-29-67	44.0(5)	241.0							
		1-31-68	41.0(5)	244.0		01S/11W-20G02S	256.5	10-16-67	31.1	225.4	1101
		2-29-68	42.0(5)	243.0				10-23-67	30.9	225.6	
		3-29-68	45.0(5)	240.0				11-13-67	30.3	226.2	
		4-30-68	46.0(5)	239.0				11-27-67	30.0	226.5	
		5-31-68	46.0(5)	239.0				12-26-67	28.8	227.7	
		6-31-68	46.0(5)	239.0				1-29-68	28.0	228.5	
		7-31-68	52.0(5)	233.0				2-26-68	27.2	229.3	
		8-30-68	54.0(5)	231.0				3-25-68	26.2	230.3	
		9-30-68	53.0(5)	232.0				4-23-68	25.7	230.8	
01S/11W-17802S	314.6	11-14-67	87.0(2)	227.6	1101			5-27-68	24.8	231.7	
								6-24-68	24.5	232.0	
								7-22-68	24.1	232.4	
								8-26-68	24.0	232.5	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00											
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/11W-20G02S (CONT.)	256.5	9-23-68	23.9	232.6	1101	01S/11W-21K01S (CONT.)	390.0	4-10-68	120.9	269.1	1101
01S/11W-20L01S	257.0	10-31-67	40.5(5)	216.5	1101			4-10-68	120.9	269.1	
		11-30-67	40.5(5)	216.5				4-17-68	121.0	269.0	
		1-31-68	35.5(5)	221.5				4-17-68	121.0	269.0	
		2-29-68	35.5(5)	221.5				5-01-68	121.8	268.2	
		3-29-68	36.5(5)	220.5				5-15-68	122.1	267.9	
		4-30-68	38.5(5)	218.5				5-29-68	122.3	267.7	
		5-31-68	39.5(5)	217.5				6-03-68	123.4	266.6	
		6-31-68	40.5(5)	216.5				6-12-68	123.3	266.7	
		7-31-68	45.5(5)	211.5				6-26-68	124.7	265.3	
		8-20-68	(7)					7-02-68	125.0	265.0	
		8-30-68	44.5(5)	212.5				7-10-68	125.8	264.2	
		9-30-68	42.5(5)	214.5				7-24-68	126.9	263.1	
01S/11W-20N01S	244.8	10-18-67	24.9	219.9	1733			8-07-68	128.2	261.8	
		11-08-67	24.7	220.1				8-12-68	128.7	261.3	
		11-08-67	24.7	220.1				8-21-68	129.2	260.8	
		11-29-67	23.2	221.6		01S/11W-30B01S	236.0	9-04-68	130.3	259.7	
		12-20-67	20.7	224.1				9-18-68	131.3	258.7	
		1-10-68	23.0	221.8							
		1-31-68	22.5	222.3				10-18-67	42.0	194.0	1101
		2-21-68	22.3	222.5				11-16-67	37.0	199.0	
		3-13-68	21.9	222.9				12-15-67	29.0	207.0	
		4-03-68	21.8	223.0				2-14-68	25.0	211.0	
		4-24-68	21.8	223.0				3-19-68	30.0	206.0	
		5-13-68	22.9	221.9				4-20-68	36.0	200.0	
		6-26-68	23.6	221.2				5-15-68	34.0	202.0	
		7-17-68	23.9	220.9				6-15-68	42.0(5)	194.0	
		8-07-68	24.4	220.4				8-15-68	37.0(5)	199.0	
		8-28-68	20.8	224.0				9-18-68	39.0(5)	197.0	
		9-18-68	20.9	223.9		01S/11W-30B02S	230.0	10-18-67	41.0	189.0	1101
01S/11W-21A01S	291.5	11-07-67	DRY		1101			11-16-67	36.0	194.0	
		4-08-68	DRY					12-15-67	30.0	200.0	
01S/11W-21D02S	272.4	10-13-67	43.5	228.9	1733			1-15-68	30.0	200.0	
		11-03-67	42.8	229.6				2-14-68	25.0	205.0	
		11-24-67	41.5	230.9				3-19-68	29.0	201.0	
		12-15-67	40.6	231.8				4-20-68	35.0	195.0	
		1-05-68	39.8	232.6				5-15-68	35.0	195.0	
		1-26-68	39.3	233.1				6-15-68	41.0(5)	189.0	
		2-16-68	38.1	234.3				8-15-68	42.0(5)	188.0	
		3-08-68	37.4	235.0				9-18-68	38.0(5)	192.0	
		3-29-68	37.1	235.3		01S/11W-30B03S	233.0	10-18-67	48.5(5)	184.5	1101
		4-19-68	36.5	235.9				11-16-67	40.5(5)	192.5	
		5-10-68	35.9	236.5				12-15-67	31.5(5)	201.5	
		6-21-68	35.9	236.5				1-15-68	31.5(5)	201.5	
		7-12-68	37.1	235.3				2-14-68	27.5	205.5	
		8-02-68	38.3	234.1				3-19-68	31.5	201.5	
		8-23-68	36.6	235.8				4-20-68	38.5	194.5	
		9-13-68	37.5	234.9				5-15-68	36.5	196.5	
01S/11W-21G01S	286.0	10-31-67	43.5(5)	242.5	1101			6-15-68	46.5(5)	186.5	
		11-30-67	42.5(5)	243.5				8-15-68	50.5(5)	182.5	
		12-29-67	41.5(5)	244.5				9-18-68	44.5(5)	188.5	
		1-31-68	38.5(5)	247.5		01S/11W-30R02S	230.0	10-23-67	14.6	215.4	1101
		2-29-68	38.5(5)	247.5				11-28-67	14.5	215.5	
		3-29-68	38.5(5)	247.5				12-26-67	11.7	218.3	
		4-30-68	39.5(5)	246.5				1-22-68	11.5	218.5	
		5-31-68	40.5(5)	245.5				2-26-68	11.2	218.8	
		8-20-68	(7)					3-25-68	10.4	219.6	
		8-30-68	45.5(5)	240.5				4-22-68	10.5	219.5	
		9-30-68	47.5(5)	238.5				5-27-68	12.1	217.9	
01S/11W-21H01S	283.0	10-31-67	43.5(5)	239.5	1101			6-24-68	11.7	218.3	
		11-30-67	41.5(5)	241.5				7-22-68	12.5	217.5	
		12-29-67	41.5(5)	241.5				8-26-68	12.7	217.3	
		1-31-68	40.5(5)	242.5				9-23-68	12.7	217.3	
		2-29-68	40.5(5)	242.5		01S/11W-31D01S	230.0	11-13-67	DRY		1101
		3-29-68	42.5(5)	240.5				4-17-68	DRY		
		4-30-68	40.5(5)	242.5							
		5-31-68	43.5(5)	239.5		01S/11W-31D02S	230.0	10-23-67	34.4	195.6	1101
		7-31-68	52.5(5)	230.5				11-28-67	33.9	196.1	
		8-30-68	53.5(5)	229.5				12-26-67	32.8	197.2	
		9-30-68	53.5(5)	229.5				1-22-68	31.2	198.8	
01S/11W-21K01S	390.0	10-04-67	124.2	265.8	1101			2-26-68	31.9	198.1	
		10-18-67	124.8	265.2				3-25-68	28.8	201.2	
		11-01-67	124.7	265.3				4-22-68	30.3	199.7	
		11-08-67	124.4	265.6				5-27-68	32.2	197.8	
		11-15-67	124.3	265.7				6-24-68	34.2	195.8	
		12-01-67	122.9	267.1				7-22-68	37.1	192.9	
		12-13-67	122.2	267.8				8-26-68	37.3	192.7	
		12-27-67	122.9	267.1				9-23-68	35.9	194.1	
		1-02-68	121.8	268.2		01S/11W-32D01S	230.5	11-14-67	15.1	215.4	1101
		1-10-68	121.6	268.4				4-10-68	11.5	219.0	
		1-24-68	121.1	268.9							
		2-01-68	120.6	269.4		01S/11W-32M05S	231.9	10-04-67	18.1	213.8	1733
		2-07-68	120.8	269.2				10-25-67	19.8	212.1	
		2-21-68	120.3	269.7				11-15-67	16.8	215.1	
		3-06-68	120.7	269.3				12-06-67	16.3	215.6	
		3-12-68	120.3	269.7				12-27-67	15.4	216.5	
		3-20-68	120.3	269.7				1-17-68	15.1	216.8	
		3-20-68	120.3	269.7				2-28-68	14.1	217.8	
		4-04-68	123.9	266.1				3-20-68	14.0	217.9	
		4-04-68	123.9	266.1				4-10-68	14.1	217.8	
								5-01-68	14.3	217.6	
								6-12-68	14.5	217.4	
								7-03-68	14.6	217.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			
01S/11W-32H05S (CONT.)	231.9	7-24-68 8-14-68 9-04-68 9-25-68	15.3 15.9 16.2 16.4	216.6 216.0 215.7 215.5	1733	01S/11W-33G04S (CONT.)	246.0	5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	16.5 18.5 20.5 23.5 21.5	229.5 227.5 225.5 222.5 224.5	1101	
01S/11W-32P01S	220.5	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-25-68 7-22-68 8-26-68 9-23-68	18.4 13.3 13.6 12.9 12.9 12.6 14.5 13.6 13.9 14.4 14.6 14.5	202.1 207.2 206.9 207.6 207.6 207.9 206.0 206.9 206.6 206.1 205.9 206.0	1101	01S/11W-33L01S	235.0	10-04-67 10-25-67 11-15-67 12-06-67 12-27-67 1-17-68 2-28-68 3-20-68 4-10-68 5-01-68 6-12-68 7-03-68 7-24-68 8-14-68 9-04-68 9-25-68	16.0 15.8 15.1 13.9 13.4 13.2 12.6 12.1 12.2 12.6 12.9 13.4 13.6 13.8 14.3 14.5	219.0 219.2 219.9 221.1 221.6 221.8 222.4 222.9 222.8 222.4 222.1 221.6 221.4 221.2 220.7 220.5	1733	
01S/11W-32Q02S	223.4	11-06-67 4-10-68	15.9 11.9	207.5 211.5	1101							
01S/11W-32Q05S	226.0	10-04-67 10-11-67 10-18-67 11-01-67 11-06-67 11-08-67 11-16-67 11-22-67 11-29-67 12-06-67 12-13-67 12-20-67 12-28-67 1-03-68 1-10-68 1-17-68 1-24-68 1-31-68 2-07-68 2-15-68 2-21-68 2-28-68 3-06-68 3-13-68 3-20-68 3-28-68 4-03-68 4-11-68 4-18-68 4-25-68 5-02-68 5-09-68 5-16-68 5-27-68 5-29-68 6-05-68 6-12-68 6-19-68 7-03-68 7-10-68 7-17-68 7-24-68 8-07-68 8-15-68 8-21-68 8-28-68 9-04-68 9-12-68 9-19-68 9-25-68	18.8 19.4(2) 19.3(2) 17.8(2) 17.3 17.2 16.9 15.5 15.3 15.0 14.9 14.4 14.6 14.6 14.6 14.6 14.9(2) 15.0(2) 14.7(2) 14.8(2) 14.9(2) 15.2(2) 14.3(2) 14.0 14.3 14.7(2) 14.4 14.4 14.7 15.3(2) 15.3(2) 15.0 15.8(2) 15.8(2) 15.9(2) 15.9(2) 15.7 16.2(2) 16.4(2) 16.5(2) 16.4 16.8(2) 16.5 16.5 17.0(2) 16.2 16.9(2) 16.6 16.9	207.2 206.6 206.7 208.2 208.7 208.8 209.1 210.5 210.7 211.0 211.1 211.6 211.4 211.4 211.4 211.4 211.1 211.0 211.3 211.2 211.1 210.8 211.7 212.0 211.7 211.3 211.6 211.6 211.3 210.7 210.7 211.0 210.2 210.2 210.1 210.1 210.3 209.8 209.6 209.5 209.6 209.2 209.5 209.5 209.0 209.8 209.1 209.4 209.1	1101							
01S/11W-32R03S	226.0	11-29-67 4-17-68	7.0 10.6	219.0 215.4	1101							
01S/11W-33G01S	245.0	10-04-67 10-25-67 11-15-67 12-06-67 12-27-67 1-17-68 2-28-68 3-20-68 4-10-68 5-13-68 6-19-68 7-10-68 7-31-68 8-21-68 9-11-68	17.0 16.3 16.0 15.4 14.3 13.6 12.8 12.6 12.7 12.9 13.2 13.7 14.3 15.0 15.2	228.0 228.7 229.0 229.6 230.7 231.4 232.2 232.4 232.3 232.1 231.8 231.3 230.7 230.0 229.8	1733							
01S/11W-33G04S	246.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68	19.5 16.5 11.5 12.5 13.5 13.5 15.5	226.5 229.5 234.5 233.5 232.5 232.5 230.5	1101							
						01S/11W-33P01S	231.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 6-24-68 7-22-68 8-26-68 9-23-68	14.6 13.1 12.4 12.4 11.7 12.6 13.3 13.3 13.4	216.4 217.9 218.6 218.6 219.3 218.4 217.7 217.7 217.6	1733	
						01S/11W-33P02S	226.4	11-13-67 4-15-68	8.3 6.7	218.1 219.7	1101	
						01S/11W-33R01S	246.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 6-24-68 9-23-68	23.1 22.4 20.5 22.1 22.1 22.7 22.7	222.9 223.6 225.5 223.9 223.9 223.3 223.3	1733	
						01S/11W-34E01S	260.5	11-13-67 4-15-68	27.3 23.8	233.2 236.7	1101	
						01S/11W-34F01S	248.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	12.5 11.5 6.5 5.5 5.5 5.5 9.5 7.5 18.5(5) 21.5(5) 19.5(5) 21.5(5)	235.5 236.5 241.5 242.5 242.5 242.5 238.5 240.5 229.5 226.5 228.5 226.5	1101	
						01S/11W-34F02S	248.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68	13.0 13.0 7.0 6.0 6.0 6.0 10.0 9.0 20.0(5) 23.0(5) 22.0(5)	235.0 235.0 241.0 242.0 242.0 242.0 238.0 239.0 228.0 225.0 226.0	1101	
						01S/11W-34F03S	247.5	10-18-67 11-16-67 12-15-67 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68	10.5 9.5 5.5 4.5 3.5 8.5 6.5 16.5(5) 19.5(5) 18.5(5) 20.5(5)	237.0 238.0 242.0 243.0 244.0 239.0 241.0 231.0 228.0 229.0 227.0	1101	
						01S/11W-34K02S	266.0	11-07-67 4-15-68	30.5 29.7	235.5 236.3	1101	
						01S/11W-34M03S	249.8	11-13-67 4-15-68	20.9 19.6	228.9 230.2	1101	
						01S/11W-36Q01S	296.5	10-04-67 10-12-67 10-18-67 11-01-67 11-02-67 11-07-67 11-15-67 11-23-67	43.7 44.1 43.2 41.8 41.8 41.6 41.3 40.8	252.8 252.4 253.3 254.7 254.7 254.9 255.2 255.7	1101 1733 1101 1733 1101 1733 1733	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND- SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT						SAN GABRIEL VALLEY HYDRO SUBUNIT					
MAIN SAN GABRIEL HYDRO SUBAREA						MAIN SAN GABRIEL HYDRO SUBAREA					
U-05.00						U-05.00					
U-05.01						U-05.01					
01S/11W-360015 (CONT.)	296.5	12-01-67	41.9	254.6	1101	01S/12W-01E025 (CONT.)	500.0	4-04-68	312.2(5)	187.8	5062
		12-13-67	38.8	257.7	1101			4-15-68	314.2(5)	185.8	5062
		12-14-67	39.4	257.1	1733			4-27-68	316.2(5)	183.8	
		12-27-67	38.1	258.4	1101			4-30-68	314.2(5)	185.8	1101
		1-04-68	37.6	258.9	1733			5-03-68	315.2(5)	184.8	5062
		1-10-68	37.4	259.1	1101			5-12-68	314.2(5)	185.8	
		1-24-68	36.8	259.7				5-30-68	319.2(5)	180.8	1101
		1-25-68	36.4	260.1	1733			5-30-68	319.2(5)	180.8	5062
		2-07-68	35.9	260.6	1101			6-08-68	316.2(5)	183.8	
		2-15-68	35.6	260.9	1733			6-16-68	322.2(5)	177.8	
		2-21-68	35.1	261.4	1101			6-27-68	322.2(5)	177.8	
		3-06-68	35.1	261.4				6-30-68	322.2(5)	177.8	1101
		3-07-68	34.9	261.6	1733			7-05-68	325.2(5)	174.8	5062
		3-20-68	36.0	260.5	1101			7-15-68	323.2(5)	176.8	
		3-28-68	34.4	262.1	1733			7-27-68	325.2	174.8	
		4-04-68	34.1	262.4	1101			7-30-68	325.2(5)	174.8	1101
		4-10-68	33.8	262.7				8-04-68	324.2(5)	175.8	5062
		4-17-68	33.8	262.7				8-17-68	324.2(5)	175.8	
		4-18-68	33.7	262.8	1733			8-25-68	325.2(5)	174.8	
		5-01-68	34.1	262.4	1101			8-30-68	324.2(5)	175.8	1101
		5-09-68	32.9	263.6	1733			9-01-68	325.2(5)	174.8	5062
		5-15-68	34.1	262.4	1101			9-14-68	325.2(5)	174.8	
		5-27-68	34.7	261.8				9-28-68	325.2(5)	174.8	
		6-12-68	34.3	262.2				9-30-68	325.2(5)	174.8	1101
		6-20-68	33.7	262.8	1733						
		6-28-68	34.8	261.7	1101	01S/12W-02H015	506.7	10-27-67	347.0(1)	159.7	5062
		7-10-68	35.3	261.2				10-27-67	347.0(1)	159.7	
		7-11-68	35.2	261.3	1733			11-24-67	373.0(1)	133.7	
		7-24-68	35.5	261.0	1101			11-24-67	373.0(1)	133.7	
		8-01-68	35.3	261.2	1733			12-20-67	372.0(1)	134.7	
		8-07-68	36.0	260.5	1101			12-20-67	359.0(5)	147.7	
		8-21-68	36.2	260.3				1-24-68	(7)		
		8-22-68	35.9	260.6	1733			2-19-68	(7)		
		9-04-68	36.3	260.2	1101			3-29-68	360.0(1)	146.7	
		9-12-68	36.1	260.4	1733			3-29-68	335.0(5)	171.7	
		9-18-68	36.7	259.8	1101			4-16-68	367.0(1)	139.7	
								4-16-68	340.0(5)	166.7	
01S/12W-01E015	498.6	10-03-67	322.0(5)	176.6	5062			5-16-68	368.0(1)	138.7	
		10-28-67	324.0(5)	174.6				5-16-68	342.0(5)	164.7	
		10-30-67	326.1(5)	172.5	1101			6-20-68	375.0(1)	131.7	
		11-09-67	322.0(5)	176.6	5062			6-20-68	347.0(5)	159.7	
		11-28-67	320.0(5)	178.6				7-19-68	376.0(1)	130.7	
		11-30-67	320.1(5)	178.5	1101			7-19-68	348.0(5)	158.7	
		12-05-67	317.0(5)	181.6	5062			8-21-68	375.0(1)	131.7	
		12-26-67	317.0(5)	181.6				8-21-68	347.0(5)	159.7	
		12-30-67	317.1(5)	181.5	1101						
		1-28-68	315.0(5)	183.6	5062	01S/12W-02H025	518.0	10-31-67	350.0	168.0	5062
		1-30-68	314.1(5)	184.5	1101			11-30-67	346.0	172.0	
		2-05-68	315.0(5)	183.6	5062			12-30-67	345.0	173.0	
		2-25-68	313.0(5)	185.6				1-31-68	342.0	176.0	
		2-28-68	313.1(5)	185.5	1101			2-29-68	340.0	178.0	
		3-02-68	313.0(5)	185.6	5062			3-29-68	344.0	174.0	
		3-16-68	313.0(5)	185.6				4-30-68	344.0	174.0	
		3-26-68	313.0(5)	185.6				5-31-68	350.0	168.0	
		3-30-68	313.1(5)	185.5	1101			6-28-68	350.0	168.0	
		4-04-68	313.0(5)	185.6	5062			7-31-68	354.0	164.0	
		4-15-68	316.0(5)	182.6				8-31-68	358.0	160.0	
		4-27-68	315.0(5)	183.6				9-30-68	355.0	163.0	
		4-30-68	315.1(5)	183.5	1101						
		5-03-68	315.0(5)	183.6	5062	01S/12W-02Q015	478.9	10-01-67	325.0	153.9	1101
		5-12-68	315.0(5)	183.6				11-01-67	322.0	156.9	
		5-30-68	317.1(5)	181.5	1101			12-01-67	323.0	155.9	
		5-31-68	317.0(5)	181.6	5062			1-01-68	321.0	157.9	
		6-08-68	317.0(5)	181.6				2-01-68	321.0	157.9	
		6-15-68	322.0(5)	176.6				3-01-68	319.0	159.9	
		6-27-68	322.0(5)	176.6				4-01-68	319.0	159.9	
		6-30-68	322.1(5)	176.5	1101			5-01-68	320.0	158.9	
		7-06-68	322.0(5)	176.6	5062			6-01-68	322.0	156.9	
		7-15-68	322.0(5)	176.6				7-01-68	324.0	154.9	
		7-27-68	322.0(5)	176.6				8-01-68	326.0	152.9	
		7-30-68	322.1(5)	176.5	1101			9-01-68	327.0	151.9	
		8-04-68	322.0(5)	176.6	5062						
		8-17-68	322.0(5)	176.6							
		8-25-68	326.0(5)	172.6		01S/12W-03A015	305.0	11-13-67	(6)		1101
		8-30-68	322.1(5)	176.5	1101						
		9-01-68	326.0(5)	172.6	5062	01S/12W-03K015	518.3	10-01-67	369.9(5)	148.4	1101
		9-14-68	324.0(5)	174.6				10-17-67	370.6(1)	147.7	5062
		9-28-68	324.0(5)	174.6				11-01-67	361.9(5)	156.4	1101
		9-30-68	324.1(5)	174.5	1101			11-22-67	387.6(1)	130.7	5062
								1-01-68	372.9(5)	145.4	1101
01S/12W-01E025	500.0	10-03-67	322.2(5)	177.8	5062			1-23-68	383.6(1)	134.7	5062
		10-28-67	323.2(5)	176.8				1-23-68	373.6(5)	144.7	
		10-30-67	325.2(5)	174.8	1101			2-01-68	371.9(5)	146.4	
		11-04-67	323.2(5)	176.8	5062			2-19-68	(7)		5062
		11-25-67	319.2(5)	180.8				2-20-68	372.6(5)	145.7	
		11-30-67	319.2(5)	180.8	1101			3-01-68	355.9(5)	162.4	1101
		12-05-67	316.2(5)	183.8	5062			3-26-68	356.6(5)	161.7	5062
		12-23-67	316.2(5)	183.8				3-26-68	381.6(1)	136.7	
		12-30-67	316.2(5)	183.8	1101			4-01-68	357.9(5)	160.4	1101
		1-28-68	314.2(5)	185.8	5062			4-16-68	382.6(1)	135.7	5062
		1-30-68	314.2(5)	185.8	1101			4-16-68	358.6(5)	159.7	
		2-05-68	314.2(5)	185.8	5062			5-01-68	359.9(5)	158.4	1101
		2-28-68	311.2(5)	188.8	1101			5-15-68	384.6(1)	133.7	5062
		2-29-68	311.2(5)	188.8	5062			5-15-68	360.6(5)	157.7	
		3-02-68	311.2(5)	188.8				6-01-68	395.9(5)	122.4	1101
		3-16-68	310.2(5)	189.8				6-20-68	408.6(1)	109.7	5062
		3-26-68	311.2(5)	188.8				6-20-68	396.6(5)	121.7	
		3-30-68	311.2(5)	188.8	1101			7-01-68	367.9(5)	150.4	1101
								7-19-68	396.6(1)	121.7	5062

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01S/12W-03K015 (CONT.)	518.3	7-19-68 368.6(5) 149.7 5062 8-01-68 353.9(5) 164.4 1101 8-20-68 402.6(1) 115.7 5062 8-20-68 354.6(5) 163.7 9-01-68 363.9(5) 154.4 1101 9-25-68 364.6(5) 153.7 5062				01S/12W-10E015 (CONT.)	534.6	8-02-68 367.8(5) 166.8 1733 8-03-68 373.2(5) 161.4 8-15-68 373.2(5) 161.4 8-23-68 367.8(5) 166.8 1733 8-29-68 373.2(5) 161.4 5062 9-05-68 373.2(5) 161.4 9-13-68 368.8(5) 165.8 1733 9-13-68 373.2(5) 161.4 5062 9-28-68 373.2(5) 161.4			
01S/12W-03M025	560.6	10-01-67 453.7(5) 106.9 1101 11-01-67 451.7(5) 108.9 12-01-67 451.7(5) 108.9 1-01-68 453.7(6) 106.9 2-01-68 453.7(6) 106.9 3-01-68 453.7(6) 106.9 4-01-68 453.7(6) 106.9 5-01-68 453.7(6) 106.9 6-01-68 543.7(5) 16.9 7-01-68 543.7(5) 16.9				01S/12W-10R01S	440.0	10-06-67 280.1(5) 159.9 5062 10-28-67 280.1(5) 159.9 10-30-67 280.1(5) 159.9 1101 11-06-67 280.1(5) 159.9 5062 11-27-67 276.1(5) 163.9 11-30-67 276.1(5) 163.9 1101 12-05-67 276.1(5) 163.9 5062 12-30-67 273.1(5) 166.9 1101 12-30-67 273.1(5) 166.9 5062 1-25-68 273.1(5) 166.9 1-30-68 271.1(5) 168.9 1101 2-06-68 271.1(5) 168.9 5062 2-24-68 271.1(5) 168.9 2-28-68 271.1(5) 168.9 1101 3-01-68 271.1(5) 168.9 5062 3-15-68 271.1(5) 168.9 3-30-68 271.1(5) 168.9 1101 3-31-68 271.1(5) 168.9 5062 4-05-68 271.1(5) 168.9 4-16-68 271.1(5) 168.9 4-27-68 271.1(5) 168.9 4-30-68 271.1(5) 168.9 1101 5-04-68 273.1(5) 166.9 5062 5-12-68 271.1(5) 168.9 5-30-68 273.1(5) 166.9 1101 5-31-68 273.1(5) 166.9 5062 6-05-68 275.1(5) 164.9 6-15-68 273.1(5) 166.9 6-28-68 276.1(5) 163.9 6-30-68 276.1(5) 163.9 7-06-68 276.1(5) 163.9 5062 7-18-68 276.1(5) 163.9 7-28-68 276.1(5) 163.9 7-30-68 276.1(5) 163.9 1101 8-05-68 276.1(5) 163.9 5062 8-13-68 278.1(5) 161.9 8-28-68 278.1(5) 161.9 8-30-68 278.1(5) 161.9 1101 9-12-68 278.1(5) 161.9 5062 9-19-68 278.1(5) 161.9 9-28-68 278.1(5) 161.9 9-30-68 278.1(5) 161.9 1101			
01S/12W-10A01S	491.0	10-10-67 334.0(5) 157.0 5062 10-29-67 334.0(5) 157.0 10-30-67 333.0(5) 158.0 1101 11-04-67 333.0(5) 158.0 5062 11-27-67 330.0(5) 161.0 11-30-67 330.0(5) 161.0 1101 12-07-67 330.0(5) 161.0 5062 12-27-67 328.0(5) 163.0 12-30-67 328.0(5) 163.0 1101 1-27-68 327.0(5) 164.0 5062 1-30-68 327.0(5) 164.0 1101 2-04-68 327.0(5) 164.0 5062 2-25-68 326.0(5) 165.0 2-28-68 325.0(5) 166.0 1101 3-02-68 325.0(5) 166.0 5062 3-16-68 324.0(5) 167.0 3-28-68 325.0(5) 166.0 3-30-68 325.0(5) 166.0 1101 4-02-68 325.0(5) 166.0 5062 4-15-68 326.0(5) 165.0 4-23-68 327.0(5) 164.0 4-30-68 328.0(5) 163.0 1101 5-01-68 328.0(5) 163.0 5062 5-12-68 327.0(5) 164.0 5-30-68 328.0(5) 163.0 1101 5-31-68 330.0(5) 161.0 5062 6-07-68 329.0(5) 162.0 6-16-68 332.0(5) 159.0 6-28-68 332.0(5) 159.0 6-30-68 332.0(5) 159.0 1101 7-05-68 331.0(1) 160.0 5062 7-15-68 330.0(1) 161.0 7-24-68 332.0(5) 159.0 7-30-68 332.0(5) 159.0 1101 8-11-68 334.0(5) 157.0 5062 8-20-68 333.0(5) 158.0 8-25-68 332.0(5) 159.0 8-30-68 333.0(5) 158.0 1101 9-05-68 333.0(5) 158.0 5062 9-15-68 333.0(5) 158.0 9-28-68 333.0(5) 158.0 9-30-68 333.0(5) 158.0 1101				01S/12W-11N02S	402.0	10-04-67 267.4(1) 134.6 5062 10-28-67 269.4(1) 132.6 11-04-67 167.4(1) 234.6 11-28-67 262.4(1) 139.6 12-02-67 262.4(1) 139.6 12-30-67 262.4(1) 139.6 1-03-68 232.4(5) 169.6 1-30-68 232.4 169.6 1101 2-09-68 230.4(5) 171.6 5062 2-26-68 255.4(1) 146.6 2-30-68 230.4 171.6 1101 3-02-68 255.4(1) 146.6 5062 3-16-68 255.4(1) 146.6 3-27-68 255.4(1) 146.6 4-03-68 255.4(1) 146.6 4-08-68 232.4(5) 169.6 4-25-68 255.4(1) 146.6 4-30-68 232.4 169.6 1101 5-03-68 255.4(1) 146.6 5062 5-14-68 258.4(1) 143.6 5-27-68 260.4(1) 141.6 6-04-68 260.4(1) 141.6 6-15-68 234.4(5) 167.6 6-26-68 260.4(1) 141.6 6-30-68 234.4(5) 167.6 1101 7-07-68 260.4(1) 141.6 5062 7-16-68 262.4(1) 139.6 7-25-68 262.4(1) 139.6 8-05-68 262.4(1) 139.6 8-14-68 262.4(1) 139.6 8-28-68 265.4(1) 136.6 9-04-68 262.4(1) 139.6 9-13-68 262.4(1) 139.6 9-28-68 258.4(5) 143.6 9-30-68 237.4(5) 164.6 1101			
01S/12W-10E01S	534.6	10-04-67 376.2(5) 158.4 5062 10-13-67 375.8(5) 158.8 1733 10-28-67 376.2(5) 158.4 5062 11-03-67 375.8(5) 158.8 1733 11-05-67 376.2(5) 158.4 5062 11-24-67 374.8(5) 159.8 1733 11-27-67 373.2(5) 161.4 5062 12-04-67 373.2(5) 161.4 12-15-67 374.8(5) 159.8 1733 12-28-67 371.2(5) 163.4 5062 1-05-68 374.8(5) 159.8 1733 1-26-68 374.8(5) 159.8 1-26-68 371.2(5) 163.4 5062 2-03-68 369.2(5) 165.4 2-16-68 374.8(5) 159.8 1733 2-25-68 369.2(5) 165.4 5062 3-02-68 369.2(5) 165.4 3-08-68 368.8(5) 165.8 1733 3-15-68 369.2(5) 165.4 5062 3-29-68 368.8(1) 165.8 1733 3-30-68 369.2(5) 165.4 5062 4-03-68 369.2(5) 165.4 4-15-68 369.2(5) 165.4 4-19-68 368.8(5) 165.8 1733 4-30-68 369.2(5) 165.4 5062 5-03-68 369.2(5) 165.4 5-10-68 367.8(5) 166.8 1733 5-15-68 369.2(5) 165.4 5062 5-30-68 369.2(5) 165.4 6-03-68 369.2(5) 165.4 6-13-68 371.2(5) 163.4 6-21-68 367.8(5) 166.8 1733 6-27-68 373.2(5) 161.4 5062 7-04-68 373.2(5) 161.4 7-12-68 367.8(5) 166.8 1733 7-13-68 373.2(5) 161.4 5062 7-27-68 373.2(5) 161.4				01S/12W-12C01S	435.7	10-30-67 265.0(5) 170.7 1101 10-31-67 265.0 170.7 5062 11-30-67 265.0(5) 170.7 1101 11-30-67 265.0 170.7 5062 12-30-67 265.0(5) 170.7 1101 12-30-67 265.0 170.7 5062 1-30-68 265.0(5) 170.7 1101 1-31-68 265.0 170.7 5062 2-29-68 265.0 170.7			

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/12W-12C01S (CONT.)	435.7	2-30-68	265.0(5)	170.7	1101	01S/12W-14D01S (CONT.)	425.0	9-28-68	253.0(5)	172.0	5062
		3-29-68	267.0	168.7				9-30-68	253.0(5)	172.0	1101
		3-30-68	267.0(5)	168.7	1101						
		4-30-68	265.0(5)	170.7		01S/12W-14F01S	366.0	10-07-67	196.5(5)	169.5	5062
		4-30-68	265.0	170.7	5062			10-27-67	196.5(5)	169.5	
		5-30-68	267.0(5)	168.7	1101			10-30-67	198.5(5)	167.5	1101
		5-31-68	267.0	168.7	5062			11-08-67	196.5(5)	169.5	5062
		6-28-68	267.0	168.7				11-28-67	191.5(5)	174.5	
		6-30-68	266.0(5)	169.7	1101			11-30-67	191.5(5)	174.5	1101
		7-30-68	266.0(5)	169.7				12-05-67	191.5(5)	174.5	5062
		7-31-68	266.0	169.7	5062			12-30-67	189.5(5)	176.5	1101
		8-30-68	267.0(5)	168.7	1101			12-30-67	189.5(5)	176.5	5062
		8-31-68	267.0	168.7	5062			1-27-68	189.5(5)	176.5	
		9-30-68	265.0(5)	170.7	1101			1-30-68	189.5(5)	176.5	1101
		9-30-68	265.0	170.7	5062			2-03-68	187.5(5)	178.5	5062
								2-28-68	187.5(5)	178.5	1101
01S/12W-13A01S	373.0	11-01-67	190.0(5)	183.0	1101			2-29-68	187.5(5)	178.5	5062
		12-01-67	191.0(5)	182.0				3-02-68	187.5(5)	178.5	
		1-01-68	219.0(5)	154.0				3-13-68	187.5(5)	178.5	
		2-01-68	217.0(5)	156.0				3-27-68	187.5(5)	178.5	
		3-01-68	222.0(5)	151.0				3-30-68	187.5(5)	178.5	1101
		4-01-68	220.0(5)	153.0				4-04-68	187.5(5)	178.5	5062
		5-01-68	222.0(5)	151.0				4-16-68	189.5(5)	176.5	
		6-01-68	231.0(5)	142.0				4-28-68	191.5(5)	174.5	
		7-01-68	235.0(5)	138.0				4-30-68	189.5(5)	176.5	1101
		8-01-68	230.0(5)	143.0				5-02-68	191.5(5)	174.5	5062
		9-01-68	234.0(5)	139.0				5-14-68	191.5(5)	174.5	
01S/12W-13801S	368.5	10-31-67	194.4	174.1	5062			5-30-68	194.5(5)	171.5	1101
		11-30-67	194.4	174.1				5-30-68	194.5(5)	171.5	5062
		12-30-67	194.4	174.1				6-05-68	194.5(5)	171.5	
		1-31-68	194.4	174.1				6-15-68	194.5(5)	171.5	
		2-29-68	192.4	176.1				6-28-68	194.5(5)	171.5	
		3-29-68	181.4	187.1				6-30-68	194.5(5)	171.5	1101
		4-30-68	181.4	187.1				7-05-68	194.5(5)	171.5	5062
		5-31-68	183.4	185.1				7-21-68	198.5(5)	167.5	
		6-28-68	183.4	185.1				7-29-68	198.5(5)	167.5	
		7-31-68	188.4	180.1				7-30-68	198.5(5)	167.5	1101
		8-31-68	188.4	180.1				8-06-68	198.5(5)	167.5	5062
		9-30-68	188.4	180.1				8-16-68	196.5(5)	169.5	
01S/12W-13H01S	355.8	10-04-67	169.4	186.4	1733			8-26-68	200.5(5)	165.5	
		10-25-67	171.4	184.4				8-30-68	198.5(5)	167.5	1101
		11-15-67	168.6	187.2				9-01-68	200.5(5)	165.5	5062
		12-06-67	167.2	188.6				9-13-68	200.5(5)	165.5	
		12-27-67	166.6	189.2				9-28-68	198.5(5)	167.5	
		1-17-68	165.9	189.9				9-30-68	198.5(5)	167.5	1101
		2-07-68	163.4	192.4							
		2-28-68	168.6	187.2				01S/12W-14G01S	380.0	10-07-67	212.5(5)
		3-20-68	170.8	185.0						10-28-67	212.5(5)
		4-10-68	163.3	192.5						10-28-67	212.5(5)
		5-01-68	164.5	191.3						11-06-67	212.5(5)
		6-12-68	167.1	188.7						11-28-67	210.5(5)
		7-24-68	171.2	184.6						11-29-67	207.5(5)
		8-14-68	173.1	182.7						12-04-67	207.5(5)
		9-04-68	170.0	185.8						12-28-67	205.5(5)
		9-25-68	172.6	183.2						12-31-67	205.5(5)
01S/12W-14D01S	425.0	10-05-67	255.0(5)	170.0	5062					1-25-68	205.5(5)
		10-26-67	255.0(5)	170.0						1-30-68	205.5(5)
		10-30-67	255.0(5)	170.0	1101					2-03-68	203.5(5)
		11-07-67	255.0(5)	170.0	5062					2-27-68	203.5(5)
		11-27-67	253.0(5)	172.0						2-28-68	203.5(5)
		11-30-67	253.0(5)	172.0	1101					3-07-68	203.5(5)
		12-05-67	253.0(5)	172.0	5062					3-16-68	203.5(5)
		12-30-67	253.0(5)	172.0	1101					3-28-68	203.5(5)
		12-30-67	253.0(5)	172.0	5062					3-30-68	203.5(5)
		1-27-68	250.0(5)	175.0						4-04-68	203.5(5)
		1-30-68	250.0(5)	175.0	1101					4-13-68	203.5(5)
		2-03-68	248.0(5)	177.0	5062					4-22-68	203.5(5)
		2-28-68	248.0(5)	177.0	1101					4-30-68	203.5(5)
		2-29-68	248.0(5)	177.0	5062					5-02-68	205.5(5)
		3-02-68	248.0(5)	177.0						5-19-68	210.5(5)
		3-15-68	248.0(5)	177.0						5-30-68	207.5(5)
		3-30-68	248.0(5)	177.0	1101					5-30-68	207.5(5)
		3-31-68	248.0(5)	177.0	5062					6-03-68	210.5(5)
		4-04-68	248.0(5)	177.0						6-13-68	210.5(5)
		4-14-68	248.0(5)	177.0						6-27-68	210.5(5)
		4-27-68	248.0(5)	177.0						6-30-68	210.5(5)
		4-30-68	248.0(5)	177.0	1101					7-09-68	210.5(5)
		5-02-68	248.0(5)	177.0	5062					7-15-68	210.5(5)
		5-12-68	248.0(5)	177.0						7-28-68	212.5(5)
		5-30-68	248.0(5)	177.0	1101					7-30-68	212.5(5)
		5-30-68	250.0(5)	175.0	5062					8-04-68	210.5(5)
		6-01-68	250.0(5)	175.0						8-11-68	212.5(5)
		6-14-68	250.0(5)	175.0						8-26-68	212.5(5)
		6-24-68	250.0(5)	175.0						8-30-68	212.5(5)
		6-30-68	250.0(5)	175.0	1101					9-01-68	212.5(5)
		7-05-68	250.0(5)	175.0	5062					9-14-68	212.5(5)
		7-18-68	253.0(5)	172.0						9-28-68	212.5(5)
		7-23-68	253.0(5)	172.0						9-30-68	212.5(5)
		7-30-68	253.0(5)	172.0	1101						
		8-05-68	253.0(5)	172.0	5062	01S/12W-14H01S	358.0	11-13-67	151.5	206.5	1101
		8-13-68	253.0(5)	172.0				4-10-68	135.8	222.2	
		8-28-68	253.0(5)	172.0		01S/12W-24D01S	325.0	10-06-67	149.5(5)	175.5	5062
		8-30-68	253.0(5)	172.0	1101			10-28-67	149.5(5)	175.5	
		9-12-68	253.0(5)	172.0	5062			10-30-67	151.5(5)	173.5	1101
		9-19-68	253.0(5)	172.0				11-03-67	149.5(5)	175.5	5062
								11-25-67	144.5(5)	180.5	
								11-30-67	144.5(5)	180.5	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
015/12W-24D015 (CONT.)	325.0	12-04-67	142.5(5)	182.5	5062	015/12W-258035 (CONT.)	266.0	6-01-68	93.0(5)	173.0	1101
		12-30-67	142.5(5)	182.5				8-07-68	100.0(5)	166.0	
		12-30-67	142.5(5)	182.5	5062			9-15-68	108.0(5)	158.0	
		1-29-68	142.5(5)	182.5		015/12W-258055	265.0	10-15-67	95.0(5)	170.0	1101
		1-30-68	142.5(5)	182.5	1101			11-15-67	94.0(5)	171.0	
		2-05-68	142.5(5)	182.5	5062			12-07-67	76.0(5)	189.0	
		2-26-68	139.5(5)	185.5				1-15-68	79.0(5)	186.0	
		2-28-68	139.5(5)	185.5	1101			2-15-68	74.0(5)	191.0	
		3-02-68	139.5(5)	185.5	5062			3-15-68	80.0(5)	185.0	
		3-16-68	139.5(5)	185.5				4-07-68	94.0(5)	171.0	
		3-30-68	139.5(5)	185.5	1101			5-15-68	95.0(5)	170.0	
		3-30-68	139.5(5)	185.5	5062			6-01-68	93.0(5)	172.0	
		4-05-68	139.5(5)	185.5				8-07-68	99.0(5)	166.0	
		4-13-68	144.5(5)	180.5				9-15-68	104.0(5)	161.0	
		4-27-68	144.5(5)	180.5		015/12W-258075	259.0	10-01-67	72.5(5)	186.5	1101
		4-30-68	144.5(5)	180.5	1101			11-01-67	79.5(5)	179.5	
		5-03-68	144.5(5)	180.5	5062			12-01-67	64.5(5)	194.5	
		5-07-68	144.5(5)	180.5				1-01-68	69.5(5)	189.5	
		5-30-68	149.5(5)	175.5	1101			2-01-68	65.5(5)	193.5	
		5-31-68	149.5(5)	175.5	5062			3-01-68	66.5	192.5	
		6-08-68	146.5(5)	178.5				4-01-68	68.5	190.5	
		6-16-68	151.5(5)	173.5				5-01-68	70.5	188.5	
		6-27-68	153.5(5)	171.5				6-12-68	81.5	177.5	
		6-30-68	153.5(5)	171.5	1101			7-17-68	77.5	181.5	
		7-06-68	149.5(5)	175.5	5062			8-06-68	82.5	176.5	
		7-21-68	151.5(5)	173.5				9-16-68	77.5	181.5	
		7-28-68	153.5(5)	171.5		015/12W-258085	258.0	10-01-67	84.5(5)	173.5	1101
		7-30-68	153.5(5)	171.5	1101			11-01-67	76.5(5)	181.5	
		8-03-68	153.5(5)	171.5	5062			12-01-67	70.5(5)	187.5	
		8-14-68	153.5(5)	171.5				1-01-68	73.5(5)	184.5	
		8-26-68	156.5(5)	168.5				2-01-68	67.5(5)	190.5	
		8-30-68	153.5(5)	171.5	1101			3-01-68	68.5(5)	189.5	
		9-05-68	151.5(5)	173.5	5062			4-01-68	75.5(5)	182.5	
		9-13-68	153.5(5)	171.5				5-01-68	77.5(5)	180.5	
		9-28-68	153.5(5)	171.5				6-12-68	82.5	175.5	
		9-30-68	153.5(5)	171.5	1101			7-09-68	94.5	163.5	
015/12W-24E025	308.0	10-21-67	156.0	152.0	1101			8-07-68	90.5	167.5	
		11-21-67	154.0	154.0				9-16-68	77.5	180.5	
		12-21-67	142.0	166.0		015/12W-258105	262.5	10-21-67	112.5(5)	150.0	1101
		1-15-68	143.0(5)	165.0				11-07-67	91.5(5)	171.0	
		2-21-68	136.0(5)	172.0				12-15-67	73.5(5)	189.0	
		3-21-68	142.0(5)	166.0				1-15-68	88.5(5)	174.0	
		4-15-68	143.0(5)	165.0				2-15-68	80.5(5)	182.0	
		5-01-68	146.0	162.0				3-21-68	88.5(5)	174.0	
		6-01-68	143.0(5)	165.0				4-15-68	93.5(5)	169.0	
		7-07-68	148.0(5)	160.0				5-07-68	105.5(5)	157.0	
		8-15-68	148.0(5)	160.0				6-01-68	108.5(5)	154.0	
		8-20-68	(7)					7-07-68	102.5(5)	160.0	
		9-07-68	147.0(5)	161.0				8-15-68	96.5(5)	166.0	
015/12W-24E045	308.5	10-15-67	146.0(5)	162.5	1101			9-07-68	106.5(5)	156.0	
		11-21-67	137.0(5)	171.5		015/12W-258125	267.0	10-01-67	92.5(5)	174.5	1101
		12-07-67	138.0(5)	170.5				11-01-67	90.5(5)	176.5	
		1-15-68	136.0(5)	172.5				12-01-67	79.5(5)	187.5	
		2-15-68	134.0(5)	174.5				1-01-68	83.5(5)	183.5	
		3-07-68	127.5	181.0				2-01-68	76.5	190.5	
		4-07-68	134.0(5)	174.5				3-01-68	81.5	185.5	
		5-15-68	146.0(5)	162.5				4-01-68	73.5	193.5	
		6-01-68	141.0(5)	167.5				5-01-68	85.5	181.5	
		7-21-68	148.0(5)	160.5				6-12-68	93.5	173.5	
		8-15-68	147.0(5)	161.5				7-03-68	93.5	173.5	
		9-07-68	145.0(5)	163.5				8-07-68	97.5	169.5	
015/12W-258015	262.2	10-01-67	95.0(5)	167.2	1101			9-04-68	82.5	184.5	
		11-01-67	92.0(5)	170.2		015/12W-256035	254.0	10-01-67	78.5(5)	175.5	1101
		12-01-67	76.0(5)	186.2				11-01-67	73.5(5)	180.5	
		1-01-68	79.0(5)	183.2				12-01-67	64.5(5)	189.5	
		2-01-68	74.0(5)	188.2				1-01-68	67.5(5)	186.5	
		3-01-68	75.0(5)	187.2				2-01-68	63.5	190.5	
		4-01-68	72.0	190.2				3-01-68	66.5	187.5	
		5-01-68	85.0	177.2				4-01-68	66.5	187.5	
		6-12-68	77.0	185.2				5-01-68	75.5	178.5	
		7-09-68	93.0	169.2				6-12-68	85.5	168.5	
		8-06-68	98.0	164.2				7-03-68	72.5	181.5	
		9-16-68	99.0	163.2				8-06-68	88.5	165.5	
015/12W-258025	262.0	10-01-67	85.5	176.5	1101			9-16-68	85.5	168.5	
		11-01-67	82.5	179.5		015/12W-256045	257.0	11-01-67	73.5(5)	183.5	1101
		12-01-67	74.5	187.5				12-01-67	66.5(5)	190.5	
		1-01-68	77.5	184.5				1-01-68	68.5(5)	188.5	
		2-01-68	73.5	188.5				2-01-68	70.5(5)	186.5	
		3-01-68	72.5	189.5				3-01-68	72.5	184.5	
		4-01-68	74.5	187.5				4-01-68	68.5	188.5	
		5-01-68	85.5	176.5				5-01-68	70.5	186.5	
		6-12-68	88.5	173.5				7-03-68	82.5	174.5	
		7-09-68	75.5	186.5				8-13-68	80.5	176.5	
		8-06-68	97.5	164.5				9-16-68	52.5	204.5	
		9-16-68	96.5	165.5		015/12W-36A065	228.0	10-18-67	35.0(5)	193.0	1101
015/12W-258035	266.0	10-15-67	105.0(5)	161.0	1101			11-16-67	31.0(5)	197.0	
		11-15-67	93.0(5)	173.0				12-15-67	30.0(5)	198.0	
		12-15-67	81.0(5)	185.0				1-15-68	30.0(5)	198.0	
		1-15-68	76.0(5)	190.0				7-16-68	34.0(5)	194.0	
		2-07-68	83.0(5)	183.0				8-15-68	34.0(5)	194.0	
		3-07-68	87.0(5)	179.0							
		4-07-68	93.0(5)	173.0							
		5-07-68	96.0(5)	170.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1		
01S/12W-36A06S (CONT.)	228.0	9-18-68	33.0(5)	195.0	1101	02S/10W-07C02S	314.2	11-06-67 4-11-68	38.1 36.7	276.1 277.5	1101
01S/12W-36A08S	231.0	10-18-67 11-16-67 12-15-67 1-15-68 2-14-68 3-19-68 4-20-68 5-15-68 6-15-68 7-16-68 8-15-68 9-18-68	36.0(5) 32.0(5) 31.0(5) 31.0(5) 31.0(5) 28.0(5) 31.0(5) 30.0(5) 34.0(5) 35.0(5) 35.0(5) 34.0(5)	195.0 199.0 200.0 200.0 200.0 203.0 200.0 201.0 197.0 196.0 196.0 197.0	1101	02S/10W-08E01S	327.0	10-12-67 11-02-67 11-22-67 12-14-67 1-04-68 1-25-68 2-15-68 3-07-68 3-28-68 4-18-68 5-09-68 6-20-68 8-01-68 8-22-68 9-12-68	25.6 25.6 25.4 24.8 24.8 24.3 24.0 24.6 23.9 23.6 22.9 23.6 27.2 26.8 26.7	301.4 301.4 301.6 302.2 302.2 302.7 303.0 302.4 303.1 303.4 304.1 303.4 299.8 300.2 300.3	1733
01S/13W-10M02S	350.0	10-25-67 11-29-67 12-27-67 1-23-68 2-27-68 3-27-68 4-24-68 5-24-68 7-25-68 8-23-68 9-24-68	40.4 38.9 39.3 39.8 40.1 39.9 40.3 40.7 41.5 41.9 42.7	309.6 311.1 310.7 310.2 309.9 310.1 309.7 309.3 308.5 308.1 307.3	1200	02S/10W-08L01S	342.0	11-16-67 1-31-68 3-18-68 5-22-68 9-27-68	100.3(1) 107.3(1) 102.3(1) 118.3(1) 56.3(5)	241.7 234.7 239.7 223.7 285.7	1101
01S/13W-10M03S	349.0	10-25-67 11-29-67 1-23-68 2-27-68 3-27-68 4-24-68 5-24-68 7-25-68 8-23-68 9-24-68	39.4 38.1 38.8 39.2 38.9 39.3 39.7 40.5 40.8 41.6	309.6 310.9 310.2 309.8 310.1 309.7 309.3 308.5 308.2 307.4	1200	02S/10W-09Q07S	375.0	11-06-67 4-11-68	44.1 43.0	330.9 332.0	1101
02S/09W-03P03S	718.0	11-14-67 4-15-68	35.4 33.0	682.6 685.0	1101	02S/10W-10R04S	397.7	11-06-67 4-11-68	39.0 38.3	358.7 359.4	1101
02S/09W-04E01S	608.5	11-07-67 4-09-68	26.3 24.2	582.2 584.3	1101	02S/10W-11K01S	444.0	11-06-67 5-11-68	38.7 38.9	405.3 405.1	1101
02S/09W-04E02S	609.0	11-07-67 4-09-68	25.3 24.1	583.7 584.9	1101	02S/10W-13A02S	480.0	11-07-67 4-11-68	24.8 24.5	455.2 455.5	1101
02S/09W-04G01S	620.0	11-14-67 4-15-68	49.3 52.5	570.7 567.5	1101	02S/10W-13E01S	453.0	11-06-67 4-11-68	16.2 14.6	436.8 438.4	1101
02S/09W-04G02S	621.0	11-14-67 4-15-68	50.0 49.4	571.0 571.6	1101	02S/10W-13F02S	453.0	11-06-67 4-11-68	15.3 13.1	437.7 439.9	1101
02S/09W-04L01S	604.0	11-07-67 4-23-68	43.9 40.4	560.1 563.6	1101	02S/10W-13F03S	454.0	11-06-67 4-11-68	16.5 14.8	437.5 439.2	1101
02S/09W-05M01S	580.0	11-07-67 4-09-68	5.7 4.2	574.3 575.8	1101	02S/10W-13G03S	450.0	11-07-67 4-11-68	18.9 17.6	431.1 432.4	1101
02S/09W-05N04S	560.0	11-07-67	(6)		1101	02S/10W-14G01S	425.0	11-06-67 4-11-68	14.6 14.2	410.4 410.8	1101
02S/09W-07Q03S	500.0	11-07-67 4-11-68	28.1 21.7	471.9 478.3	1101	02S/10W-14G02S	420.0	11-06-67 4-11-68	14.1 13.4	405.9 406.6	1101
02S/09W-08P01S	548.0	11-07-67 4-09-68	43.1 36.6	504.9 511.4	1101	02S/10W-14M01S	431.0	11-06-67 4-11-68	18.3 16.8	412.7 414.2	1101
02S/09W-09J02S	687.0	11-14-67 4-15-68	16.9 14.9	670.1 672.1	1101	02S/10W-15F04S	453.0	11-06-67 4-11-68	16.5 14.2	436.5 438.8	1101
02S/09W-09Q01S	638.0	11-14-67 4-15-68	15.7 14.8	622.3 623.2	1101	02S/10W-15M01S	419.0	11-06-67 4-11-68	19.1 16.8	399.9 402.2	1101
02S/09W-16D01S	618.0	11-07-67 4-09-68	18.3 15.5	599.7 602.5	1101	02S/10W-15M02S	420.0	11-06-67 4-11-68	18.4 16.3	401.6 403.7	1101
02S/09W-17H02S	583.0	11-07-67 4-09-68	17.9 13.9	565.1 569.1	1101	02S/10W-15K01S	424.0	11-06-67 4-11-68	18.9 16.4	405.1 407.6	1101
02S/09W-18D05S	475.0	11-07-67 4-11-68	19.9 17.2	455.1 457.8	1101	02S/10W-15L01S	421.0	11-06-67 4-11-68	17.7 16.8	403.3 404.2	1101
02S/10W-06P02S	308.0	10-12-67 11-02-67 11-23-67 12-14-67 1-04-68 1-25-68 2-15-68 3-07-68 3-28-68 4-18-68 5-09-68 6-20-68 8-01-68 8-22-68 9-12-68	21.6 21.2 20.8 20.4 19.8 19.5 19.0 19.3 18.7 18.2 18.0 18.9 20.5 20.4 20.0	286.4 286.8 287.2 287.6 288.2 288.5 289.0 288.7 289.3 289.8 290.0 289.1 287.5 287.6 288.0	1733	02S/11W-01B01S	291.0	11-06-67 4-11-68	33.4 28.0	257.6 263.0	1101
						02S/11W-01R01S	187.4	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68 3-25-68 4-22-68 5-27-68 6-24-68 7-22-68 8-26-68 9-23-68	7.8 8.0 8.0 8.2 10.4 9.7 9.4 7.6 9.9 9.9 12.0 15.2	179.6 179.4 179.4 179.2 177.0 177.7 178.0 179.8 177.5 177.5 175.4 172.2	1101
						02S/11W-01R02S	198.6	10-23-67 11-28-67 12-26-67 1-22-68 2-26-68	18.0 19.4 19.4 21.7 21.8	180.6 179.2 179.2 176.9 176.8	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
025/11W-01R025 (CONT.)	198.6	3-25-68	21.1	177.5	1101	025/11W-05G025	214.0	10-02-67	14.0(5)	200.0	1101
		4-22-68	19.6	179.0				10-16-67	16.5	197.5	
		5-27-68	(9)					11-20-67	19.5	194.5	
		6-25-68	(9)					11-27-67	17.0(5)	197.0	
		7-22-68	(9)					12-26-67	9.0(5)	205.0	
		8-26-68	(9)					1-15-68	12.5	201.5	
								1-22-68	13.0(5)	201.0	
025/11W-030075	252.5	11-07-67	21.1	231.4	1101			2-12-68	12.5	201.5	
		4-15-68	19.4	233.1				2-19-68	11.0(5)	203.0	
025/11W-04A025	247.5	11-16-67	24.5	223.0	1101			3-18-68	11.0(5)	203.0	
025/11W-04L015	233.0	10-23-67	28.7	204.3	1101			3-18-68	9.5	204.5	
		11-28-67	28.2	204.8				4-08-68	11.5	202.5	
		12-26-67	24.9	208.1				4-15-68	9.0(5)	205.0	
		1-22-68	25.8	207.2				6-03-68	15.0(5)	199.0	
		2-26-68	25.6	207.4				7-29-68	15.0(5)	199.0	
		3-25-68	25.5	207.5				8-26-68	15.0(5)	199.0	
		4-22-68	26.6	206.4		025/11W-05G045	211.0	10-02-67	13.0	198.0	1101
		5-27-68	28.2	204.8				10-30-67	18.0	193.0	
		6-25-68	29.2	203.8				11-20-67	13.0	198.0	
		7-22-68	31.2	201.8				12-26-67	15.0	196.0	
		8-26-68	29.9	203.1				1-15-68	10.0	201.0	
		9-23-68	31.4	201.6				2-19-68	11.0	200.0	
025/11W-04M035	218.0	10-03-67	16.0	202.0	1101			4-15-68	11.0	200.0	
		11-15-67	17.0	201.0				4-22-68	10.0	201.0	
		1-19-68	109.0(1)	109.0				5-13-68	12.0	199.0	
		3-22-68	35.0(1)	183.0				6-10-68	13.0	198.0	
		5-16-68	141.0(1)	77.0				7-08-68	15.0	196.0	
		7-17-68	146.0(1)	72.0				8-19-68	15.0	196.0	
		9-25-68	159.0(1)	59.0				8-20-68	(7)		
								9-23-68	16.0	195.0	
025/11W-04N015	225.0	10-23-67	24.1	200.9	1101	025/11W-05G055	210.0	10-02-67	8.4	201.6	1101
		11-28-67	20.6	204.4				11-20-67	14.4	195.6	
		12-26-67	20.0	205.0				12-11-67	8.4	201.6	
		1-22-68	21.4	203.6				1-15-68	8.4	201.6	
		2-26-68	20.6	204.4				2-19-68	7.4	202.6	
		3-25-68	20.7	204.3				3-18-68	6.4	203.6	
		4-22-68	22.0	203.0				4-15-68	88.4	121.6	
		5-27-68	24.0	201.0				5-13-68	8.4	201.6	
		6-25-68	27.0	198.0				6-10-68	7.4	202.6	
		8-26-68	27.2	197.8				7-08-68	8.4	201.6	
		9-23-68	28.0	197.0				8-12-68	9.4	200.6	
								9-16-68	9.4	200.6	
025/11W-05A035	212.4	10-23-67	4.7	207.7	1101	025/11W-05G065	213.0	11-06-67	6.5	206.5	1101
		11-28-67	2.9	209.5				4-10-68	3.2	209.8	
		12-26-67	2.4	210.0		025/11W-05J025	215.0	11-13-67	19.9	195.1	1101
		1-22-68	2.6	209.8				4-15-68	17.6	197.4	
		2-26-68	2.6	209.8				7-17-68	25.5	189.5	
		3-25-68	2.1	210.3				9-25-68	25.5	189.5	
		4-22-68	2.4	210.0		025/11W-05J035	213.0	11-15-67	54.5(1)	158.5	1101
		5-27-68	3.0	209.4				1-19-68	46.5(1)	166.5	
		6-25-68	3.4	209.0				3-22-68	45.5(1)	167.5	
		7-22-68	3.6	208.8				5-16-68	51.5(1)	161.5	
		8-26-68	3.3	209.1				7-17-68	58.5(1)	154.5	
		9-23-68	3.3	209.1				9-25-68	58.5(1)	154.5	
025/11W-05B115	222.5	11-06-67	17.0	205.5	1101	025/11W-05J095	214.0	10-03-67	16.0(5)	198.0	1101
		4-10-68	14.4	208.1				10-03-67	33.0(1)	181.0	
025/11W-05B135	223.0	11-06-67	(4)		1101			11-15-67	37.5(1)	176.5	
		4-10-68	(4)					1-19-68	30.0(1)	184.0	
025/11W-05E025	209.8	10-04-67	10.0	199.8	1733			3-22-68	31.0(1)	183.0	
		10-25-67	10.1	199.7				5-16-68	37.0(1)	177.0	
		11-15-67	10.0	199.8				7-17-68	40.0(1)	174.0	
		12-06-67	9.9	199.9				9-25-68	42.0(1)	172.0	
		12-27-67	8.2	201.6		025/11W-05K015	209.5	10-02-67	12.0	197.5	1101
		1-17-68	8.8	201.0				11-20-67	10.0	199.5	
		2-07-68	8.1	201.7				12-11-67	13.0	196.5	
		2-28-68	8.1	201.7				1-15-68	8.0	201.5	
		3-20-68	8.8	201.0				2-12-68	15.0	194.5	
		4-10-68	9.9	199.9				3-18-68	6.0	203.5	
		5-01-68	9.0	200.8				4-15-68	6.0	203.5	
		6-12-68	10.1	199.7				5-13-68	15.0	194.5	
		7-03-68	10.6	199.2				6-10-68	17.0	192.5	
		7-24-68	10.7	199.1				7-08-68	20.0	189.5	
		8-14-68	10.6	199.2				8-19-68	17.0	192.5	
		9-04-68	10.2	199.6				9-16-68	18.0	191.5	
		9-25-68	11.0	198.8		025/11W-05K025	215.0	11-15-67	18.5(5)	196.5	1101
025/11W-05F015	216.0	11-06-67	(1)		1101			1-19-68	18.5(5)	196.5	
		4-10-68	(4)					3-22-68	10.5(5)	204.5	
025/11W-05F035	217.0	10-23-67	9.6	207.4	1101			5-16-68	20.5(5)	194.5	
		11-28-67	8.9	208.1				9-25-68	20.5(5)	186.5	
		12-26-67	8.0	209.0		025/11W-05L015	212.5	10-04-67	12.7	199.8	1733
		1-22-68	7.6	209.4				10-11-67	13.0	199.5	
		2-26-68	8.1	208.9				10-18-67	13.2	199.3	
		3-25-68	8.2	208.8				10-23-67	12.8	199.7	
		4-22-68	9.1	207.9				10-25-67	12.8	199.7	
		5-27-68	10.5	206.5				11-01-67	12.6	199.9	
		6-25-68	11.5	205.5				11-08-67	12.4	200.1	
		7-22-68	12.1	204.9				11-15-67	12.0	200.5	
		8-26-68	12.8	204.2				11-22-67	9.4	203.1	
		9-23-68	13.2	203.8				11-27-67	9.8	202.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
02S/11W-05L01S (CONT.)	212.5	11-29-67	9.7	202.8	1733	02S/11W-05N05S (CONT.)	199.7	7-15-68	16.9	182.8	1101
		12-06-67	9.5	203.0				7-22-68	(1)		
		12-13-67	9.3	203.2				7-30-68	(1)		
		12-20-67	8.1	204.4				8-12-68	(1)		
		12-26-67	8.9	203.6				8-19-68	17.1	182.6	
		12-27-67	9.1	203.4				9-03-68	17.4	182.3	
		1-03-68	9.5	203.0				9-16-68	17.5	182.2	
		1-10-68	9.6	202.9				9-30-68	(1)		
		1-17-68	9.6	202.9							
		1-22-68	10.0	202.5		02S/11W-05P01S	202.0	10-23-67	(3)		1101
		1-24-68	10.1	202.4				11-28-67	2.0	200.0	
		1-31-68	9.0	203.5				12-26-67	.7	201.3	
		2-07-68	9.8	202.7				1-22-68	2.2	199.8	
		2-14-68	8.2	204.3				2-26-68	2.2	199.8	
		2-21-68	9.2	203.3				3-25-68	2.3	199.7	
		2-26-68	9.9	202.6				6-25-68	(6)		
		2-28-68	9.8	202.7							
		3-06-68	10.5	202.0		02S/11W-05P02S	205.0	10-23-67	(7)		1101
		3-13-68	8.2	204.3				11-28-67	(7)		
		3-20-68	9.0	203.5				12-26-67	(7)		
		3-25-68	9.6	202.9				1-22-68	(7)		
		3-27-68	9.9	202.6				2-26-68	(7)		
		4-03-68	8.7	203.8				3-25-68	(7)		
		4-10-68	10.1	202.4				4-22-68	(7)		
		4-17-68	10.0	202.5				6-25-68	(6)		
		4-22-68	10.4	202.1							
		5-01-68	10.8	201.7		02S/11W-05P03S	206.5	10-23-67	13.8	192.7	1101
		5-08-68	11.1	201.4				11-28-67	(3)		
		5-13-68	11.4	201.1				12-26-67	(3)		
		5-21-68	11.3	201.2				1-22-68	(3)		
		5-28-68	11.6	200.9				2-26-68	(3)		
		6-03-68	11.4	201.1				3-25-68	(3)		
		6-12-68	10.8	201.7							
		6-19-68	11.8	200.7		02S/11W-05Q04S	213.0	11-15-67	151.0(1)	62.0	1101
		6-24-68	11.8	200.7				1-19-68	145.0(1)	68.0	
		7-03-68	12.2	200.3				3-22-68	152.0(1)	61.0	
		7-10-68	12.3	200.2				5-16-68	158.0(1)	55.0	
		7-17-68	12.5	200.0				7-17-68	164.0(1)	49.0	
		7-22-68	12.5	200.0				9-25-68	148.0(1)	65.0	
		7-24-68	12.6	199.9							
		7-31-68	12.2	200.3		02S/11W-05Q05S	210.1	10-23-67	12.8	197.3	1101
		8-07-68	12.4	200.1				11-28-67	9.8	200.3	
		8-14-68	12.4	200.1				12-26-67	9.1	201.0	
		8-21-68	12.3	200.2				1-22-68	9.8	200.3	
		8-26-68	12.4	200.1				2-26-68	9.7	200.4	
		8-28-68	12.5	200.0				3-25-68	9.5	200.6	
		9-04-68	12.1	200.4				4-22-68	10.3	199.8	
		9-11-68	12.4	200.1				6-25-68	11.4	198.7	
		9-18-68	12.0	200.5				7-22-68	11.9	198.2	
		9-23-68	11.8	200.7				8-26-68	11.7	198.4	
		9-25-68	12.5	200.0				9-23-68	11.7	198.4	
02S/11W-05N04S	203.2	10-23-67	12.1	191.1	1733	02S/11W-05Q06S	209.3	10-23-67	10.8	198.5	1101
		11-27-67	10.4	192.8				11-28-67	8.9	200.4	
		12-26-67	10.1	193.1				12-26-67	8.3	201.0	
		1-22-68	10.8	192.4				1-22-68	9.0	200.3	
		4-22-68	10.9	192.3				2-26-68	8.9	200.4	
		6-24-68	11.7	191.5				3-25-68	8.8	200.5	
		7-22-68	12.3	190.9				4-22-68	9.4	199.9	
		8-26-68	12.2	191.0				5-27-68	10.4	198.9	
		9-23-68	12.4	190.8				6-25-68	10.8	198.5	
								7-22-68	11.3	198.0	
								8-26-68	10.8	198.5	
								9-23-68	10.6	198.7	
02S/11W-05N05S	199.7	10-02-67	(1)		1101	02S/11W-05R03S	207.0	11-07-67	13.0	194.0	1101
		10-09-67	15.7	184.0				4-15-68	(1)		
		10-16-67	16.1	183.6				4-17-68	(1)		
		10-24-67	16.2	183.5							
		10-30-67	16.0	183.7							
		11-06-67	16.1	183.6							
		11-13-67	16.5	183.2							
		11-22-67	14.7	185.0		02S/11W-05R04S	214.0	10-23-67	14.7	199.3	1101
		11-27-67	14.6	185.1				11-28-67	12.9	201.1	
		12-04-67	14.3	185.4				12-26-67	12.1	201.9	
		12-11-67	14.3	185.4				1-22-68	12.7	201.3	
		12-20-67	14.1	185.6				2-26-68	12.9	201.1	
		12-26-67	14.3	185.4				3-25-68	12.7	201.3	
		1-02-68	14.5	185.2				4-22-68	13.3	200.7	
		1-08-68	14.7	185.0				5-27-68	14.7	199.3	
		1-22-68	14.9	184.8				6-25-68	15.2	198.8	
		1-29-68	14.9	184.8				7-22-68	16.2	197.8	
		2-13-68	14.9	184.8				8-26-68	15.1	198.9	
		2-19-68	13.9	185.8				9-23-68	14.9	199.1	
		2-26-68	(1)								
		3-04-68	(1)								
		3-11-68	14.4	185.3		02S/11W-06A01S	209.6	10-23-67	8.6	201.0	1101
		3-18-68	(1)					11-28-67	6.1	203.5	
		3-26-68	15.1	184.6				12-26-67	5.4	204.2	
		4-01-68	15.3	184.4				1-22-68	5.8	203.8	
		4-08-68	15.2	184.5				2-26-68	5.7	203.9	
		4-16-68	(1)					3-25-68	5.6	204.0	
		4-23-68	15.6	184.1				4-22-68	7.0	202.6	
		5-06-68	15.7	184.0				4-22-68	7.0	202.6	
		5-13-68	15.8	183.9				5-27-68	6.5	203.1	
		5-27-68	15.8	183.9				5-27-68	6.5	203.1	
		6-03-68	15.9	183.8				6-24-68	6.9	202.7	
		6-10-68	16.0	183.7				7-22-68	7.3	202.3	
		6-17-68	16.1	183.6				8-26-68	7.8	201.8	
		6-25-68	(1)					9-23-68	7.4	202.2	
		7-09-68	16.3	183.4		02S/11W-06B01S	203.0	11-06-67	8.8	194.2	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
02S/11W-068015 (CONT.)	203.0	4-10-68 8-20-68	8.4 (7)	194.6	1101	01N/09W-20J01S	1114.0	10-05-67 11-09-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	73.1 85.2 26.1 61.2 24.3 (9) 20.7 42.0 49.1 87.7 108.0 110.9	1040.9 1028.8 1087.9 1052.8 1089.7 1093.3 1072.0 1064.9 1026.3 1006.0 1003.1	1101
02S/11W-06803S	196.2	11-06-67 4-10-68	3.7 3.4	192.5 192.8	1101						
02S/11W-06802S	207.7	10-09-67 10-23-67 11-13-67 11-28-67 12-11-67 12-26-67 1-09-68 1-22-68 2-13-68 2-26-68 3-11-68 3-25-68 4-08-68 4-22-68 5-13-68 5-27-68 6-25-68 7-09-68 7-22-68 8-14-68 8-26-68 9-10-68 9-23-68	10.7 10.8 10.4 7.5 7.8 6.6 7.2 7.4 7.1 7.4 6.1 7.1 7.2 7.8 8.6 8.7 9.3 8.1 9.7 10.5 10.0 10.6 9.9	197.0 196.9 197.3 200.2 199.9 201.1 200.5 200.3 200.6 200.3 201.6 200.6 200.5 199.9 199.1 199.0 198.4 199.6 198.0 197.2 197.7 197.1 197.8	1101	01N/09W-20L01S	1095.0	7-17-68 7-19-68	DRY DRY		1101
02S/11W-08A02S	218.0	11-06-67 4-15-68	16.6 11.4	201.4 206.6	1101	01N/09W-29C01S	968.0	11-13-67 4-15-68	347.3 348.0(3)	620.7 620.0	1101
02S/11W-08B01S	217.0	10-23-67 11-27-67 12-26-67 1-22-68 4-22-68 6-24-68 7-22-68 8-26-68 9-23-68	18.6 17.2 16.0 16.4 17.2 17.9 19.1 18.5 18.2	198.4 199.8 201.0 200.6 199.8 199.1 197.9 198.5 198.8	1733	01N/09W-29C02S	950.0	11-13-67 4-15-68	336.9 339.0	613.1 611.0	1101
02S/11W-08B02S	205.0	10-02-67 10-09-67 10-16-67 10-24-67 10-30-67 11-06-67 11-13-67 11-22-67 11-27-67 12-04-67 12-11-67 12-20-67 12-26-67 1-02-68 1-08-68 1-15-68 1-22-68 1-29-68 2-13-68 2-19-68 2-26-68 3-04-68 3-11-68 3-18-68 3-26-68 4-01-68 4-08-68 4-16-68 4-23-68 5-06-68 5-13-68 5-27-68 6-03-68 6-10-68 6-17-68 6-25-68 7-15-68 7-22-68 7-30-68 8-12-68 8-19-68 8-29-68 9-03-68 9-16-68 9-23-68 9-30-68	13.2 13.2 13.3 13.3 13.3 13.3 13.3 13.1 13.0 12.9 12.9 12.8 12.8 12.7 12.7 12.8 12.8 12.8 12.9 12.9 12.9 12.7 12.8 12.9 12.9 12.7 12.8 12.9 12.9 12.9 12.9 13.0 13.0 13.0 13.3 13.3 13.2 13.2 13.3 13.4 13.7 13.3 13.6 13.6 13.9 13.5 13.6 13.6 13.5	191.8 191.8 191.7 191.7 191.7 191.7 191.7 191.9 192.0 192.1 192.1 192.2 192.2 192.3 192.3 192.2 192.2 192.2 192.1 192.1 192.1 192.3 192.2 192.1 192.1 192.1 192.1 192.1 192.0 192.0 192.0 191.7 191.7 191.8 191.8 191.7 191.6 191.3 191.7 191.4 191.4 191.1 191.5 191.4 191.4 191.5	1101	01N/09W-29K01S	935.0	10-05-67 11-10-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	307.5 310.4 309.8 310.4 312.4 311.1 310.2 312.0 314.4 317.5 321.4 324.1	627.5 624.6 625.2 624.6 622.6 623.9 624.8 623.0 620.6 617.5 613.6 610.9	1101
						01N/09W-29L01S	911.0	10-05-67 11-14-67 11-14-67	(2) (7) (2)		1101
						01N/09W-30R01S	820.0	10-05-67 11-06-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	271.5 267.6 263.8 260.9 259.5 256.1 255.0 254.0 254.9 256.1 259.6 260.6	548.5 552.4 556.2 559.1 560.5 563.9 565.0 566.0 565.1 563.9 560.4 559.4	1101
						01N/09W-31P02S	713.0	10-05-67 11-10-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	104.7 104.9 105.0 105.1 109.6 105.4 105.4 105.3 108.4 104.8 104.8	608.3 608.1 608.0 607.9 603.4 607.6 607.6 607.7 604.6 608.2 608.2	1101
						01N/09W-32A02S	868.8	11-06-67 4-09-68	121.9 121.2	746.9 747.6	1101
						01N/09W-32B01S	841.0	10-05-67 11-10-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	105.3(4) 105.1(4) 106.1 98.2 101.3 97.3 97.4 97.4 97.9 98.8 99.1 99.6	735.7 735.9 734.9 742.8 739.7 743.7 743.6 743.6 743.1 742.2 741.9 741.4	1101
						01N/09W-32G01S	830.0	10-05-67 11-10-67 12-04-67 1-02-68 2-01-68 3-12-68 4-01-68 5-02-68 6-03-68 7-02-68 8-12-68 9-05-68	98.8 95.7 92.0 89.9 89.3 89.3 89.7 90.2 92.5 91.3 95.8	731.2 734.3 738.0 740.1 740.7 740.7 740.3 739.8 737.5 738.7 734.2	1101
02S/11W-08G01S	211.0	10-13-67 11-06-67 11-27-67 4-15-68	(1) (1) (1) 13.0		1101	01N/09W-35L01S	1100.0	11-07-67 4-09-68	(9) (9)		1101
01N/09W-19K01S	1246.5	12-08-67 4-08-68	39.8 39.9	1206.7 1206.6	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY-ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA						
L A SAN GABRIEL RIVER HYDRO UNIT U-05.00																	
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.D0								
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.D1								
01N/09W-35L02S	1079.0	11-07-67 4-09-68	44.1 15.0	1034.9 1064.0	1101	01N/09W-35Q04S (CONT.)	1060.0	5-14-68 6-11-68 7-02-68 8-05-68 8-21-68 9-10-68	80.4 (1) (1) (1) 87.9 (1)	979.6	1101						
01N/09W-35L03S	1090.0	11-07-67 4-09-68	(1) 10.5(5)	1079.5	1101	01N/09W-35Q05S	1069.0	11-07-67 4-09-68	110.1 79.1	958.9 989.9	1101						
01N/09W-35P01S	1047.0	10-02-67 11-07-67 12-11-67 1-03-68 2-05-68 3-05-68 4-03-68 5-14-68 6-11-68 7-02-68 8-21-68	106.9 102.1 91.0 83.0 76.0 72.0 70.5 70.7 75.2 65.4 77.0	940.1 944.9 956.0 964.0 971.0 975.0 976.5 976.3 971.8 981.6 970.0	1101	01N/09W-36P01S	1170.0	11-07-67 4-09-68	223.6 221.9	946.4 948.1	1101						
01N/09W-35P02S	1054.0	10-05-67 10-11-67 10-19-67 10-26-67 11-02-67 11-09-67 11-15-67 11-24-67 11-29-67 12-07-67 12-14-67 12-21-67 12-28-67 1-04-68 1-11-68 1-18-68 1-25-68 2-01-68 2-08-68 2-14-68 2-21-68 2-29-68 3-07-68 3-14-68 3-21-68 3-28-68 4-03-68 4-11-68 4-18-68 4-25-68 5-09-68 5-15-68 5-23-68 5-29-68 6-06-68 6-13-68 6-20-68 6-27-68 7-03-68 7-12-68 7-18-68 7-25-68 8-01-68 8-08-68 8-15-68 8-21-68 8-29-68 9-04-68 9-12-68 9-26-68	112.8 115.4 113.1 110.1 109.4 106.9 105.4 94.3 99.3 97.1 94.3 91.8 88.9 97.5 85.4 83.2 81.7 84.7 80.8 78.8 78.2 76.3 73.1 75.7 75.1 73.8 76.1 79.9 76.3 81.4 75.8 79.2 80.1 79.2 78.8 82.1 83.1 81.1 79.9 79.4 85.1 85.7 85.3 85.7 85.3 83.5 85.2 77.9 78.3 88.1	941.2 938.6 940.9 943.9 944.6 947.1 948.6 959.7 954.7 956.9 959.7 962.2 965.1 956.5 968.6 970.8 972.3 969.3 973.2 975.2 975.8 977.7 980.9 978.3 978.9 980.2 977.9 974.1 977.7 972.6 978.2 974.8 973.9 974.8 975.2 971.9 970.9 972.9 974.1 974.6 968.9 968.3 968.7 968.3 968.7 970.5 968.8 976.1 975.7 965.9	1101	01N/10W-25G01S	882.0	11-06-67 4-08-68	128.0 130.3	754.0 751.7	1101	01N/10W-25R01S	703.2	10-12-67 11-29-67 12-14-67 1-04-68 1-25-68 2-15-68 3-07-68 3-28-68 4-24-68 5-09-68 6-20-68 7-11-68 8-01-68 8-22-68 9-12-68	(1) 263.7 265.6 (1) (1) (1) (1) (1) 254.4 (1) (1) (1) (1) (1) 252.8 250.9	439.5 437.6	1733
01N/09W-35Q01S	1073.0	11-07-67 11-15-67 11-15-67 4-09-68	(1) (1) 111.8 (1)	961.2	1101	01N/10W-31A01S	510.3	10-04-67 10-13-67 10-18-67 11-01-67 11-03-67 11-08-67 11-15-67 11-24-67 12-01-67 12-13-67 12-15-67 12-27-67 1-05-68 1-10-68 1-24-68 2-13-68 2-16-68 2-21-68 3-06-68 3-08-68 3-20-68 3-29-68 4-03-68 4-10-68 4-17-68 4-19-68 5-01-68 5-10-68 5-15-68 5-29-68 6-12-68 6-21-68 6-28-68 7-12-68 7-24-68 8-02-68 8-07-68 8-21-68 8-23-68 9-05-68 9-13-68 9-18-68	223.4 234.1 213.1 196.6 234.7 211.7 219.4 234.5 221.1 186.6 233.7 195.0 216.0 218.6 222.5 225.5 225.8 200.0(4) 228.0(4) 228.5 223.2(4) 229.7 (1) (1) (1) 229.2 (1) 231.5 (1) (1) 234.6(4) (1) (1) (1) 234.9 235.8 238.5 241.8 242.0 244.4 (1) 246.5	286.9 276.2 297.2 313.7 275.6 298.6 290.9 275.8 289.2 323.7 276.6 315.3 294.3 291.7 287.8 284.8 284.5 310.3 282.3 281.8 287.1 280.6 275.4 274.5 271.8 268.5 268.3 265.9 263.8	1101 1733 1101 1733 1101 1733 						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01		
01N/10W-31M01S (CONT.)	447.0	3-08-68	170.2(6)	276.8	1733	01N/11W-24L01S (CONT.)	697.3	11-24-67	82.4	614.9	1733
		3-20-68	(1)					12-05-67	63.4	633.9	
		3-29-68	(1)		1733			12-12-67	56.9	640.4	
		4-03-68	(1)		1101			12-15-67	64.8	632.5	1733
		4-10-68	(1)					1-03-68	65.9	631.4	1101
		4-17-68	(1)					1-05-68	66.9	630.4	1733
		4-19-68	169.8	277.2	1733			1-10-68	68.4	628.9	1101
		5-01-68	(1)		1101			1-26-68	69.1	628.2	1733
		5-10-68	(1)		1733			2-07-68	63.6	633.7	1101
		5-15-68	(1)		1101			2-16-68	71.0	626.3	1733
		5-29-68	(1)					3-05-68	68.3	629.0	1101
		6-12-68	(1)					3-08-68	66.4	630.9	1733
		6-21-68	(1)		1733			3-20-68	63.2	634.1	1101
		6-28-68	(1)		1101			3-29-68	66.8	630.5	1733
		7-10-68	(1)					4-08-68	69.2	628.1	1101
		7-12-68	(1)		1733			4-19-68	68.1	629.2	1733
		7-24-68	(1)		1101			5-10-68	70.3	627.0	
		8-02-68	(1)		1733			6-21-68	77.4	619.9	
		8-07-68	182.2	264.8	1101			7-12-68	79.7	617.6	
		8-21-68	(1)					8-02-68	72.0	625.3	
		8-23-68	(1)		1733			8-23-68	72.1	625.2	
		9-05-68	(1)		1101			9-13-68	92.6	604.7	
		9-13-68	(1)		1733						
		9-18-68	(1)		1101	01N/11W-27F01S	495.8	4-03-68	225.8(5)	270.0	5062
01N/10W-32J01S	547.7	12-06-67	260.9	286.8	1101			4-18-68	225.8(5)	270.0	
		4-23-68	261.3	286.4				5-01-68	224.8(5)	271.0	
01N/10W-33M01S	549.0	10-04-67	260.8	288.2	1733			5-15-68	226.8(5)	269.0	
		10-25-67	258.9	290.1				6-05-68	225.8(5)	270.0	
		11-15-67	260.7	288.3				6-19-68	226.8(5)	269.0	
		12-06-67	262.1	286.9				7-03-68	230.8(5)	265.0	
		12-27-67	259.6	289.4				7-17-68	231.8(5)	264.0	
		1-17-68	257.9	291.1				8-08-68	233.8(5)	262.0	
		2-07-68	261.6	287.4				8-21-68	260.8(1)	235.0	
		2-28-68	265.8	283.2				9-04-68	233.8(5)	262.0	
		3-20-68	264.3	284.7				9-18-68	261.8(1)	234.0	
		4-17-68	261.9	287.1		01N/11W-31R01S	502.0	5-01-68	288.0(5)	214.0	5062
		5-08-68	263.2	285.8				5-01-68	336.0(1)	166.0	
		6-19-68	270.9	278.1				6-01-68	289.0(5)	213.0	
		7-10-68	273.1	275.9				6-01-68	337.0(1)	165.0	
		7-31-68	276.6	272.4				7-01-68	290.0(5)	212.0	
		8-21-68	279.9	269.1				7-01-68	339.0(1)	163.0	
		9-11-68	280.2	268.8				8-01-68	346.0(1)	156.0	
01N/10W-34L01S	556.0	11-01-67	218.0(5)	338.0	1101			8-01-68	297.0(5)	205.0	
		4-01-68	214.0(5)	342.0				9-01-68	298.0(5)	204.0	
01N/10W-34N02S	438.9	10-04-67	154.1	284.8	1101	01N/11W-32Q02S	467.0	4-03-68	246.1(5)	220.9	5062
		10-18-67	156.2	282.7				4-17-68	247.1(5)	219.9	
		11-01-67	156.4	282.5				5-01-68	248.1(5)	218.9	
		11-08-67	138.1	300.8				5-15-68	247.1(5)	219.9	
		11-15-67	156.7	282.2				6-05-68	247.1(5)	219.9	
		12-01-67	156.8	282.1				6-19-68	249.1(5)	217.9	
		12-13-67	156.4	282.5				7-03-68	248.1(5)	218.9	
		12-27-67	155.0	283.9				7-17-68	249.1(5)	217.9	
		1-10-68	159.8	279.1				8-08-68	251.1(5)	215.9	
		1-24-68	154.6	284.3				8-21-68	251.1(5)	215.9	
		2-07-68	154.4	284.5				9-04-68	244.1(5)	222.9	
		2-21-68	154.6	284.3				9-18-68	246.1(5)	220.9	
		3-06-68	155.2	283.7		01N/11W-33Q01S	407.8	10-03-67	157.9	249.9	1101
		3-20-68	155.4	283.5				11-07-67	156.4	251.4	
		4-03-68	155.6	283.3				12-05-67	152.7	255.1	
		4-10-68	155.4	283.5				12-12-67	153.2	254.6	
		4-17-68	155.6	283.3				1-03-68	152.1	255.7	
		5-01-68	156.7	282.2				1-10-68	151.6	256.2	
		5-15-68	157.5	281.4				1-24-68	150.9	256.9	
		5-29-68	159.4	279.5				2-06-68	150.2	257.6	
		6-12-68	160.7	278.2				2-20-68	149.5	258.3	
		6-26-68	163.1	275.8				3-05-68	149.0	258.8	
		7-10-68	165.4	273.5				3-20-68	148.5	259.3	
		7-24-68	167.6	271.3				3-26-68	148.1	259.7	
		8-07-68	168.5	270.4				4-08-68	148.8	259.0	
		8-21-68	169.7	269.2				4-23-68	147.6	260.2	
		9-04-68	170.9	268.0				4-30-68	147.5	260.3	
		9-18-68	172.6	266.3				5-06-68	146.2	261.6	
01N/11W-13N01S	870.0	11-07-67	21.7	848.3	1101			5-14-68	147.3	260.5	
		12-05-67	22.7	847.3				5-21-68	147.3	260.5	
		1-10-68	20.7	849.3				5-28-68	147.7	260.1	
		1-30-68	26.9	843.1				6-05-68	147.1	260.7	
		3-05-68	26.9	843.1				7-08-68	147.3	260.5	
		3-20-68	24.8	845.2				8-06-68	147.6	260.2	
		4-08-68	25.2	844.8				9-04-68	147.8	260.0	
01N/11W-24E03S	759.0	11-07-67	56.6	702.4	1101	01N/11W-34N03S	402.0	4-03-68	142.4(5)	259.6	5062
		12-05-67	30.1	728.9				4-17-68	143.4(5)	258.6	
		1-10-68	32.5	726.5				5-01-68	145.4(5)	256.6	
		1-30-68	60.0	699.0				5-15-68	207.4(1)	194.6	
		3-05-68	62.6	696.4				6-05-68	143.4(5)	258.6	
		3-20-68	(9)					6-19-68	206.4(1)	195.6	
		4-08-68	60.1	698.9				7-03-68	149.4(5)	252.6	
		4-30-68	36.4	722.6				7-17-68	216.4(1)	185.6	
01N/11W-24L01S	697.3	10-13-67	81.0	616.3	1733			8-08-68	150.4(5)	251.6	
		11-03-67	83.7	613.6				8-21-68	149.4(5)	252.6	
		11-07-67	74.3	623.0	1101			9-04-68	150.4(5)	251.6	
								9-18-68	150.4(5)	251.6	
						01N/11W-34N05S	402.0	4-03-68	138.0(5)	264.0	5062

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00						
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			
MAIN SAN GABRIEL HYDRO SUBAREA			U-05.01			LOWER CANYON HYDRO SUBAREA			U-05.02			
01N/11W-34N05S (CONT.)	402.0	4-17-68	138.0(5)	264.0	5062	01N/10W-27P01S (CONT.)	625.0	4-08-68	97.5	527.5	1101	
		5-01-68	144.0(5)	258.0								
		5-15-68	204.0(1)	198.0								
		6-05-68	142.0(5)	260.0		01N/10W-29J01S	601.5	10-05-67	96.2	505.3	1101	
		6-19-68	187.0(5)	215.0				11-13-67	91.4	510.1		
		7-03-68	148.0(5)	254.0				12-05-67	92.8	508.7		
		7-17-68	213.0(1)	189.0				1-02-68	85.9	515.6		
		8-08-68	149.0(5)	253.0				2-01-68	82.4	519.1		
		8-21-68	148.0(5)	254.0				3-12-68	83.4	518.1		
		9-04-68	148.0(5)	254.0				4-01-68	80.9	520.6		
		9-18-68	148.0(5)	254.0				5-02-68	85.6	515.9		
01N/11W-35L01S	403.0	10-15-67	135.0(5)	268.0	1101			6-03-68	90.1	511.4		
		11-15-67	135.0(5)	268.0				7-02-68	96.3	505.2		
		12-21-67	133.0(5)	270.0				8-12-68	(7)			
		1-15-68	133.0(5)	270.0				8-29-68	(7)			
		2-15-68	133.0(5)	270.0		01N/10W-29K01S	591.2	10-13-67	54.0	537.2	1733	
		3-21-68	135.0(5)	268.0				11-03-67	54.9	536.3		
		4-21-68	138.0(5)	265.0				11-24-67	54.6	536.6		
		5-07-68	138.0(5)	265.0				12-15-67	48.1	543.1		
		6-01-68	140.0(5)	263.0				1-05-68	46.7	544.5		
		8-07-68	147.0(5)	256.0				1-26-68	46.9	544.3		
		9-07-68	145.0(5)	258.0				2-16-68	48.7	542.5		
01N/11W-36L01S	413.5	10-04-67	132.3	281.2	1101			3-08-68	46.9	544.3		
		10-13-67	133.6	279.9	1733			3-29-68	47.6	543.6		
		10-18-67	(1)		1101			4-19-68	46.0	545.2		
		11-01-67	(1)					5-10-68	52.1	539.1		
		11-03-67	133.8	279.7	1733			6-21-68	50.0	541.2		
		11-08-67	(1)		1101			7-12-68	52.7	538.5		
		11-15-67	(1)					8-02-68	53.9	537.3		
		11-24-67	133.2	280.3	1733			8-23-68	52.7	538.5		
		12-01-67	136.9	276.6	1101			9-13-68	53.3	537.9		
		12-13-67	134.2	279.3		UPPER CANYON HYDRO SUBAREA						U-05.03
		12-15-67	132.7	280.8	1733	01N/10W-03B11S	603.0	10-12-67	12.7	590.3	1733	
		12-27-67	(1)		1101			11-02-67	11.6	591.4		
		1-05-68	132.2	281.3	1733			11-23-67	9.6	593.4		
		1-10-68	(1)		1101			12-14-67	9.6	593.4		
		1-24-68	(1)					1-04-68	11.5	591.5		
		1-26-68	133.7	279.8	1733			1-25-68	9.7	593.3		
		2-13-68	144.3	269.2	1101			2-15-68	9.6	593.4		
		2-16-68	132.9	280.6	1733			3-07-68	12.3	590.7		
		2-21-68	(1)		1101			3-28-68	11.0	592.0		
		3-06-68	137.0	276.5				4-18-68	10.9	592.1		
		3-08-68	137.0(4)	276.5	1733			5-09-68	11.1	591.9		
		3-20-68	(1)		1101			6-20-68	11.7	591.3		
		3-29-68	138.9(4)	274.6	1733			7-11-68	12.4	590.6		
		4-03-68	(1)		1101			8-01-68	12.7	590.3		
		4-10-68	136.8	276.7				8-22-68	11.0	592.0		
		4-17-68	(1)					9-12-68	11.9	591.1		
		4-19-68	137.0	276.5	1733	01N/10W-03C03S	527.0	11-13-67	373.2(5)	153.8	1101	
		5-01-68	(1)		1101			4-15-68	378.2(5)	148.8		
		5-10-68	138.2	275.3	1733			8-19-68	(1)			
		5-15-68	(1)		1101	01N/10W-22M01S	686.0	10-13-67	54.8	631.2	1733	
		5-29-68	(1)					11-03-67	54.6	631.4		
		6-12-68	(1)					11-24-67	52.8	633.2		
		6-21-68	144.0	269.5	1733			12-15-67	50.6	635.4		
		6-28-68	143.5	270.0	1101			1-05-68	42.4	643.6		
		7-10-68	(1)					1-26-68	42.8	643.2		
		7-12-68	148.6(4)	264.9	1733			2-16-68	43.5	642.5		
		7-24-68	146.4	267.1	1101			3-08-68	47.8	638.2		
		8-02-68	150.1	263.4	1733			3-29-68	47.3	638.7		
		8-07-68	(1)		1101			4-19-68	46.5	639.5		
		8-21-68	148.6	264.9				5-10-68	52.6	633.4		
		8-23-68	148.5	265.0	1733			6-21-68	59.2	626.8		
		9-05-68	150.0	263.5	1101			7-12-68	60.4	625.6		
		9-13-68	(1)		1733			8-02-68	62.5	623.5		
		9-18-68	151.3	262.2	1101			8-23-68	64.1	621.9		
01N/11W-36R01S	424.0	12-18-67	124.5	299.5	1101	01N/10W-22P02S	695.1	10-02-67	72.5(1)	622.6	1101	
		4-08-68	148.0	276.0				10-10-67	75.5	619.6		
LOWER CANYON HYDRO SUBAREA						U-05.02						
01N/10W-27J01S	654.4	10-12-67	128.1	526.3	1733			10-12-67	53.6	641.5	1733	
		11-02-67	127.9	526.5				11-01-67	52.8	642.3	1101	
		11-23-67	136.2	518.2				11-02-67	51.0	644.1	1733	
		12-14-67	139.3	515.1				11-10-67	64.3(1)	630.8	1101	
		1-04-68	138.1	516.3				11-23-67	48.6	646.5	1733	
		1-25-68	134.5	519.9				12-01-67	62.5(1)	632.6	1101	
		2-15-68	129.2	525.2				12-11-67	51.9	643.2		
		3-07-68	121.8	532.6				12-14-67	47.5	647.6	1733	
		3-28-68	116.1	538.3				12-20-67	45.9	649.2	1101	
		4-18-68	115.6	538.8				1-04-68	39.9	655.2	1733	
		5-09-68	113.2	541.2				1-11-68	46.9(1)	648.2	1101	
		6-20-68	116.4	538.0				1-25-68	36.7	658.4	1733	
		7-11-68	116.9	537.5				2-01-68	50.4(1)	644.7	1101	
		8-01-68	117.1	537.3				2-12-68	50.0(1)	645.1		
		8-22-68	129.6	524.8				2-15-68	34.9	660.2	1733	
		9-12-68	134.0	520.4				2-20-68	54.5(1)	640.6	1101	
01N/10W-27K04S	655.0	11-01-67	88.0(5)	567.0	1101			3-01-68	52.1(1)	643.0		
		4-08-68	(1)					3-07-68	52.1(1)	643.0	1733	
		4-16-68	52.9	602.1				3-12-68	49.1(1)	646.0	1101	
01N/10W-27P01S	625.0	11-27-67	(1)		1101			3-20-68	46.9(1)	648.2		
								3-28-68	41.7	653.4	1733	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00		
UPPER CANYON HYDRO SUBAREA			U-05.03			UPPER CANYON HYDRO SUBAREA			U-05.03		
01N/10W-22P02S (CONT.)	695.1	4-10-68	43.8	651.3	1101	01N/10W-23E01S (CONT.)	755.3	3-27-68	15.0	740.3	1101
		4-18-68	40.6	654.5				4-10-68	17.2	738.1	
		5-09-68	39.2	655.9				4-17-68	19.1	736.2	
		6-20-68	53.7(4)	641.4				4-26-68	(1)		
		8-01-68	55.1	640.0				5-03-68	16.0	739.3	
		8-22-68	79.4(1)	615.7				5-22-68	19.6	735.7	
		9-12-68	82.8(4)	612.3				6-12-68	24.5	730.8	
01N/10W-22R02S	716.0	4-08-68	35.4	680.6	1101			6-26-68	26.4	728.9	
01N/10W-23A05S	815.0	10-11-67	11.9	803.1	1101			7-02-68	26.7	728.6	
		11-13-67	15.7	799.3				7-10-68	27.9	727.4	
		12-05-67	8.6	806.4				7-24-68	14.9	740.4	
		12-20-67	11.3	803.7				8-09-68	23.6	731.7	
		1-03-68	10.5	804.5				8-12-68	24.6	730.7	
		1-17-68	11.6	803.4				8-21-68	(1)		
		1-31-68	13.8	801.2				9-04-68	(1)		
		2-14-68	17.2	797.8				9-10-68	31.5	723.8	
		2-28-68	19.8	795.2		01N/10W-27B01S	693.3	10-05-67	79.4	613.9	1101
		3-13-68	12.7	802.3				10-12-67	80.8	612.5	
		3-27-68	11.3	803.7				10-19-67	75.8	617.5	
		4-10-68	14.4	800.6				10-26-67	65.0	628.3	
		4-17-68	15.7	799.3				11-02-67	59.6	633.7	
		4-26-68	11.4	803.6				11-09-67	69.8	623.5	
		5-08-68	11.7	803.3				11-16-67	65.3	628.0	
		5-22-68	14.6	800.4				11-22-67	65.4	627.9	
		6-12-68	18.2	796.8				12-01-67	60.2	633.1	
		6-26-68	19.6	795.4				12-07-67	53.8	639.5	
		7-02-68	20.1	794.9				12-14-67	54.8	638.5	
		7-10-68	20.7	794.3				12-21-67	47.0	646.3	
		7-24-68	12.2	802.8				12-28-67	41.1	652.2	
		8-09-68	17.3	797.7				1-04-68	38.7	654.6	
		8-12-68	18.1	796.9				1-11-68	37.0	656.3	
		8-21-68	19.6	795.4				1-18-68	44.0	649.3	
		9-04-68	21.9	793.1				1-25-68	45.3	648.0	
		9-18-68	22.7	792.3				2-08-68	43.3	650.0	
01N/10W-23C01S	784.9	10-11-67	22.8	762.1	1101			2-15-68	41.6	651.7	
		11-13-67	19.8	765.1				2-23-68	46.8	646.5	
		12-05-67	14.6	770.3				2-29-68	45.4	647.9	
		12-20-67	16.3	768.6				3-06-68	48.0	645.3	
		1-03-68	15.9	769.0				3-13-68	41.8	651.5	
		1-17-68	16.2	768.7				3-20-68	39.6	653.7	
		1-31-68	18.0	766.9				3-27-68	39.8	653.5	
		2-14-68	19.8	765.1				4-03-68	41.3	652.0	
		2-28-68	22.5	762.4				4-10-68	43.1	650.2	
		3-13-68	18.0	766.9				4-17-68	44.9	648.4	
		3-27-68	17.1	767.8				4-24-68	48.5	644.8	
		4-10-68	18.4	766.5				5-01-68	54.8	638.5	
		4-17-68	18.8	766.1				5-08-68	55.2	638.1	
		4-26-68	17.8	767.1				5-15-68	56.0	637.3	
		5-08-68	17.2	767.7				5-22-68	56.7	636.6	
		5-22-68	18.4	766.5				5-29-68	59.0	633.5	
		6-12-68	(1)					6-07-68	65.1	628.2	
		6-26-68	22.9	762.0				6-14-68	68.1	625.2	
		7-02-68	(1)					6-27-68	65.6	627.7	
		7-10-68	(1)					7-18-68	55.6	637.7	
		7-24-68	17.7	767.2				7-24-68	64.8	628.5	
		8-09-68	(1)					8-01-68	69.6	623.7	
		8-12-68	(1)					8-07-68	73.3	620.0	
		8-21-68	(1)					8-14-68	78.5	614.8	
		8-21-68	22.6	762.3				8-22-68	81.1	612.2	
		9-04-68	(1)					8-28-68	84.3	609.0	
		9-18-68	(1)					9-04-68	87.5	605.8	
01N/10W-23D01S	752.3	10-11-67	17.5	734.8	1101			9-11-68	89.3	604.0	
		11-13-67	17.8	734.5				9-18-68	91.3	602.0	
		12-05-67	12.5	739.8				9-25-68	93.5	599.8	
		12-20-67	14.8	737.5		01N/10W-27C02S	681.1	10-02-67	63.6	617.5	1101
		1-03-68	13.8	738.5				10-10-67	75.2	605.9	
		1-17-68	14.2	738.1				10-20-67	66.9	614.2	
		1-31-68	15.7	736.6				11-01-67	54.0	627.1	
		2-14-68	19.3	733.0				11-10-67	52.6	628.5	
		2-28-68	19.4	732.9				11-21-67	55.0	626.1	
		3-13-68	15.6	736.7				12-01-67	49.0	632.1	
		3-27-68	13.5	738.8				12-11-67	47.5	633.6	
		4-10-68	16.4	735.9				12-20-67	42.6	638.5	
		4-17-68	18.0	734.3				12-29-67	37.6	643.5	
		7-02-68	24.5	727.8				1-11-68	32.7	648.4	
		7-10-68	25.7	726.6				1-22-68	41.0	640.1	
		7-24-68	18.1	734.2				2-01-68	38.7	642.4	
		8-09-68	22.1	730.2				2-12-68	37.5	643.6	
		8-12-68	23.3	729.0				2-20-68	41.5	639.6	
		8-21-68	26.2	726.1				3-01-68	41.2	639.9	
		9-04-68	27.8	724.5				3-12-68	37.6	643.5	
		9-18-68	28.7	723.6				3-20-68	35.5	645.6	
01N/10W-23E01S	755.3	10-11-67	16.2	739.1	1101			4-01-68	37.0	644.1	
		11-13-67	19.8	735.5				4-10-68	38.5	642.6	
		12-05-67	11.4	743.9		01N/10W-27H01S	669.7	10-12-67	93.4	576.3	1733
		12-05-67	11.4	743.9				11-02-67	86.6	583.1	
		12-20-67	10.4	744.9				11-22-67	83.3	586.4	
		1-03-68	12.9	742.4				12-14-67	75.8	593.9	
		1-17-68	(1)					1-04-68	68.4	601.3	
		1-31-68	15.5	739.8				1-25-68	63.1	606.6	
		2-14-68	20.0	735.3				2-15-68	62.6	607.1	
		2-28-68	21.5	733.8				3-07-68	64.5	605.2	
		3-13-68	15.6	739.7				3-28-68	61.6	608.1	
								4-18-68	61.0	608.7	
								5-09-68	68.7	601.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SAN GABRIEL VALLEY HYDRO SUBUNIT			U-05.00			SPAORA HYDRO SUBUNIT			U-05.E0		
UPPER CANYON HYDRO SUBAREA			U-05.03			SPADRA HYDRO SUBAREA			U-05.E1		
01N/10W-27H01S (CONT.)	669.7	6-20-68	79.6	590.1	1733	01S/08W-19N01S	851.0	11-14-67	231.0	620.0	1101
		7-11-68	80.0	589.7				4-17-68	201.4	649.6	
		8-01-68	80.5	589.2		01S/09W-22J01S	820.0	11-06-67	4.1	815.9	1101
		8-22-68	87.5	582.2				4-08-68	.9	819.1	
		9-12-68	98.2	571.5		01S/09W-23R01S	799.0	11-14-67	139.5	659.5	1101
01N/10W-27H02S	667.4	11-01-67	104.0(5)	563.4	1101			4-17-68	137.6	661.4	
		4-08-68	(1)			01S/09W-25B01S	824.0	11-15-67	180.9	643.1	1101
		4-16-68	59.5	607.9				4-17-68	175.6	648.4	
01N/10W-28C01S	634.5	10-13-67	24.5	610.0	1733	01S/09W-25D01S	795.0	2-29-68	165.5	629.5	1101
		11-03-67	25.4	609.1				4-17-68	171.8	623.2	
		11-24-67	24.5	610.0		01S/09W-25E01S	798.0	11-14-67	183.9	614.1	1101
		12-15-67	19.3	615.2				4-15-68	181.9	616.1	
		1-05-68	20.8	613.7		01S/09W-25E02S	803.0	11-15-67	(9)		1101
		1-26-68	21.5	613.0				4-17-68	172.3	630.7	
		2-16-68	22.1	612.4		01S/09W-25F01S	804.7	11-14-67	188.8	615.9	1101
		3-08-68	22.3	612.2				4-15-68	191.3	613.4	
		3-29-68	22.4	612.1		01S/09W-25G01S	823.0	11-15-67	174.6	648.4	1101
		4-19-68	22.1	612.4				4-17-68	171.2	651.8	
		5-10-68	24.5	610.0		01S/09W-26A02S	795.0	11-28-67	164.8	630.2	1101
		6-21-68	27.6	606.9				12-04-67	164.9	630.1	
		7-12-68	29.5	605.0				1-02-68	167.6	627.4	
		8-02-68	31.4	603.1				4-15-68	162.6	632.4	
		8-23-68	29.4	605.1		01S/09W-26H01S	792.0	10-01-67	162.0(5)	630.0	1101
		9-13-68	32.1	602.4				1-01-68	163.2(1)	628.8	
01N/10W-28H01S	652.5	10-11-67	35.0	617.5	1101			4-01-68	166.6(1)	625.4	
		11-01-67	28.6	623.9				5-01-68	171.3(1)	620.7	
		12-05-67	29.6	622.9				5-15-68	168.9(1)	623.1	
		12-20-67	21.8	630.7				6-01-68	173.6(1)	618.4	
		1-03-68	20.7	631.8				7-01-68	170.1(1)	621.9	
		1-17-68	22.3	630.2				8-01-68	170.1(1)	621.9	
		1-31-68	22.7	629.8				9-01-68	171.3(1)	620.7	
		2-14-68	22.5	630.0		01S/09W-27J01S	730.0	11-14-67	118.6	611.4	1101
		2-28-68	23.7	628.8				4-15-68	110.1	619.9	
		3-13-68	22.2	630.3		01S/09W-27J02S	727.0	11-14-67	104.3	622.7	1101
		3-27-68	21.3	631.2				4-15-68	111.6	615.4	
		4-10-68	22.8	629.7		01S/09W-33J02S	664.2	11-14-67	42.6	621.6	1101
		4-17-68	23.7	628.8				4-15-68	42.3	621.9	
		4-26-68	(9)			01S/09W-34F01S	688.0	11-14-67	95.3	592.7	1101
		5-08-68	27.9	624.6				4-15-68	84.2	603.8	
		5-22-68	29.0	623.5		POMONA HYDRO SUBAREA			U-05.E2		
		6-12-68	32.8	619.7		01S/08W-07D01S	1073.6	11-14-67	(4)		1101
		7-24-68	30.8	621.7				4-09-68	(4)		
		8-09-68	35.2	617.3		01S/08W-07F01S	1076.0	1-29-68	(0)		1101
		8-12-68	36.0	616.5				5-27-68	(0)		
		8-21-68	DRY			01S/08W-07F02S	1078.0	11-27-67	404.5	673.5	1101
		9-04-68	DRY					4-09-68	326.0	752.0	
		9-18-68	DRY			01S/08W-07G02S	1092.8	10-27-67	510.1(5)	582.7	1101
FOOTHILL HYDRO SUBAREA			U-05.04					11-22-67	502.1(5)	590.7	
01N/09W-25G01S	1235.0	11-07-67	20.5	1214.5	1101			11-27-67	501.1(5)	591.7	
		4-10-68	31.1	1203.9				12-29-67	498.1(5)	594.7	
01N/09W-25K01S	1228.2	10-02-67	(9)		1101			1-02-68	500.1(5)	592.7	
01N/09W-35G01S	1093.0	11-07-67	44.0	1049.0	1101			2-01-68	497.1(5)	595.7	
		4-09-68	19.4	1073.6				3-01-68	495.1(5)	597.7	
01N/09W-35H01S	1155.0	10-02-67	(1)		1101			4-01-68	493.1(5)	599.7	
		11-07-67	33.9	1121.1		01S/08W-07H01S	1108.0	11-14-67	(4)		1101
		12-11-67	28.2	1126.8				4-09-68	(6)		
		1-03-68	29.2	1125.8		01S/08W-07N01S	1038.0	11-14-67	461.2	576.8	1101
		2-05-68	31.3	1123.7				4-09-68			
		3-05-68	33.3	1121.7		01S/08W-08B03S	1044.0	10-03-67	160.6	883.4	1101
		4-03-68	34.3(1)	1120.7				11-16-67	159.2	884.8	
		5-14-68	41.9(1)	1113.1				12-11-67	160.3	883.7	
		6-11-68	46.5(1)	1108.5				1-03-68	161.6	882.4	
		7-08-68	47.3	1107.7				2-06-68	160.7	883.3	
		8-05-68	45.1	1109.9				3-05-68	160.4	883.6	
		9-10-68	55.6	1099.4				4-15-68	159.8	884.2	
01N/09W-36O03S	1165.0	10-02-67	37.2	1127.8	1101			5-15-68	160.0	884.0	
		11-06-67	32.4	1132.6				6-10-68	160.2	883.8	
		12-11-67	29.7	1135.3				7-02-68	160.2	883.8	
		1-03-68	31.0	1134.0				8-05-68	160.3	883.7	
		2-05-68	34.2	1130.8				9-10-68	160.5	883.5	
		3-05-68	36.9	1128.1		01S/08W-09G03S	1190.0	10-15-67	12.0(5)	1178.0	1101
		4-03-68	36.8	1128.2				11-15-67	3.0(5)	1187.0	
		5-14-68	44.7	1120.3				12-15-67	2.0(5)	1188.0	
		6-11-68	45.9	1119.1							
		7-08-68	47.7	1117.3							
		8-21-68	47.7	1117.3							
		9-10-68	50.5	1114.5							
01N/09W-36E02S	1235.0	11-07-67	142.8	1092.2	1101						
		4-09-68	146.1(4)	1088.9							
01N/09W-36F01S	1277.0	11-07-67	104.8	1172.2	1101						
		4-09-68	103.8	1173.2							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00							
SPAORA HYDRO SUBUNIT			U-05.E0			SPAORA HYDRO SUBUNIT			U-05.E0				
POMONA HYDRO SUBAREA			U-05.E2			LIVE OAK HYDRO SUBAREA			U-05.E3				
01S/08W-09G03S (CONT.)	1190.0	1-07-68	3.0(5)	1187.0	1101	01S/08W-04C03S	1329.0	10-03-67	154.8(1)	1174.2	1101		
		2-07-68	3.0(5)	1187.0				11-08-67	82.2	1246.8			
		3-07-68	.5(5)	1189.5				11-08-67	81.4	1247.6			
		4-30-68	1.5	1188.5				12-11-67	68.2	1260.8			
		5-07-68	.0(5)	1190.0				1-02-68	66.9	1262.1			
		6-01-68	.0(5)	1190.0				2-05-68	69.5	1259.5			
		7-15-68	3.0(5)	1187.0				3-05-68	140.3(1)	1188.7			
		8-15-68	5.0(5)	1185.0				4-03-68	69.6	1259.4			
		9-15-68	6.0(5)	1184.0				5-14-68	75.7	1253.3			
01S/08W-17N01S	952.0	11-15-67	(3)		1101			6-11-68	84.0	1245.0			
		4-17-68	(3)					7-02-68	86.1	1242.9			
01S/08W-18J02S	995.4	2-01-68	628.4(1)	367.0	1101			8-12-68	90.2	1238.8			
		3-01-68	495.5(5)	499.9				9-10-68	171.2(1)	1157.8			
		4-01-68	629.5(1)	365.9		01S/08W-04D01S	1319.4	10-03-67	58.2	1261.2	1101		
		5-01-68	502.5(5)	492.9				11-08-67	55.4	1264.0			
		6-01-68	490.9(5)	504.5				12-11-67	52.8	1266.6			
		7-01-68	622.6(1)	372.8				1-02-68	51.9	1267.5			
		8-01-68	635.3(1)	360.1				2-05-68	52.0	1267.4			
		9-01-68	514.0(5)	481.4				3-05-68	52.6	1266.8			
01S/08W-18K01S	1000.0	11-27-67	(1)		1101			4-03-68	53.2	1266.2			
		4-17-68	(1)					5-14-68	56.2	1263.2			
		4-22-68	(1)					6-11-68	59.0	1260.4			
01S/08W-19A01S	922.5	10-03-67	236.7	685.8	1101			7-02-68	61.6	1257.8			
		11-16-67	237.1	685.4				8-12-68	26.3	1293.1			
		12-11-67	236.2	686.3				9-10-68	69.7	1249.7			
		1-02-68	236.3	686.2		01S/08W-04L01S	1303.0	10-01-67	164.5(5)	1138.5	1101		
		2-05-68	235.4	687.1				1-01-68	113.7(5)	1189.3			
		3-23-68	235.1	687.4				2-01-68	148.4(1)	1154.6			
		4-03-68	235.0	687.5				3-01-68	96.4(5)	1206.6			
		5-14-68	234.8	687.7				4-01-68	141.4(1)	1161.6			
		6-15-68	235.3	687.2				5-01-68	155.3(1)	1147.7			
		7-08-68	234.6	687.9				7-01-68	157.6(1)	1145.4			
		9-11-68	233.1	689.4				8-01-68	166.8(1)	1136.2			
01S/09W-11R01S	980.0	11-06-67	(1)		1101			9-15-68	173.8(1)	1129.2			
		4-08-68	42.8	937.2		01S/08W-04M01S	1267.0	10-21-67	129.2	1137.8	1101		
01S/09W-12F01S	1029.0	10-03-67	177.1	851.9	1101			12-21-67	143.2	1123.8			
		11-14-67	171.4	857.6				2-07-68	180.0(1)	1087.0			
		12-11-67	163.3	865.7				3-30-68	207.0(1)	1060.0			
		1-02-68	175.9	853.1				4-21-68	149.0(1)	1118.0			
		2-06-68	178.1	850.9				4-21-68	149.0(1)	1118.0			
		3-05-68	DRY					5-15-68	192.0(1)	1075.0			
		4-08-68	196.6	832.4				6-01-68	207.0(1)	1060.0			
		5-15-68	166.0	863.0				7-01-68	227.2(1)	1039.8			
		6-10-68	167.7	861.3				8-07-68	302.0(1)	965.0			
		7-02-68	171.0	858.0				9-21-68	141.2	1125.8			
		9-04-68	174.3	854.7		01S/08W-05A01S	1284.2	10-03-67	41.4	1242.8	1101		
01S/09W-12M01S	1055.0	10-20-67	253.5(1)	801.5	1101			11-08-67	35.4	1248.8			
		11-22-67	236.5(1)	818.5				12-11-67	31.7	1252.5			
		12-15-67	198.5(5)	856.5				1-02-68	29.1	1255.1			
		1-19-68	196.5(5)	858.5				2-05-68	27.8	1256.4			
		2-12-68	195.5(5)	859.5				6-11-68	33.4	1250.8			
		3-01-68	244.5(1)	810.5				7-02-68	32.9	1251.3			
		4-01-68	238.5(1)	816.5				8-07-68	38.7	1245.5			
01S/09W-12J01S	1048.0	11-27-67	426.1	621.9	1101			9-10-68	42.0	1242.2			
		4-09-68	411.8	636.2		01S/08W-05A02S	1284.5	10-03-67	42.8	1241.7	1101		
01S/09W-12L01S	1029.0	10-03-67	201.7	827.3	1101			11-08-67	38.6	1245.9			
		11-14-67	188.1	840.9				12-11-67	32.3	1252.2			
		12-11-67	176.1	852.9				1-02-68	30.1	1254.4			
		1-02-68	194.5	834.5				2-05-68	29.2	1255.3			
		3-05-68	DRY					3-05-68	29.1	1255.4			
		4-08-68	181.6	847.4				4-03-68	27.7	1256.8			
		5-15-68	184.4	844.6				5-14-68	31.3	1253.2			
		5-15-68	184.7	844.3				6-11-68	34.9	1249.6			
		6-10-68	186.4	842.6				7-02-68	35.0	1249.5			
		7-02-68	190.9	838.1				8-07-68	39.8	1244.7			
		8-21-68	195.2	833.8				9-10-68	44.4	1240.1			
		9-04-68	198.4	830.6		01S/08W-05B01S	1288.0	11-07-67	44.2(5)	1243.8	1101		
01S/09W-12N01S	984.0	11-06-67	57.1	926.9	1101			11-07-67	55.2(1)	1232.8			
		4-08-68	49.6	934.4				4-07-68	34.2(5)	1253.8			
01S/09W-12O01S	1023.5	11-27-67	431.8	591.7	1101			4-10-68	(1)				
		4-09-68	(9)			01S/08W-05C01S	1294.1	4-22-68	(3)		1101		
01S/09W-13A01S	1018.0	10-03-67	277.4	740.6	1101			01S/08W-05D01S	1290.2	11-08-67	229.4	1060.8	1101
		11-14-67	(9)					4-09-68	251.1	1039.1			
		12-11-67	(9)					01S/08W-05O02S	1289.8	11-08-67	230.2	1059.6	1101
		1-02-68	277.8	740.2				4-09-68	(1)				
		2-06-68	278.6	739.4				01S/08W-05D04S	1267.6	11-08-67	(1)		1101
		3-05-68	277.9	740.1				11-15-67	185.6	1082.0			
		4-09-68	278.4	739.6				4-10-68	184.6(4)	1083.0			
		5-15-68	278.0	740.0				01S/08W-05E01S	1260.0	11-08-67	200.9	1059.1	1101
		6-10-68	278.3	739.7				4-09-68	195.9	1064.1			
		7-02-68	(9)					01S/08W-05E02S	1277.4	10-03-67	194.1	1083.3	1101
		7-14-68	279.3	738.7				11-08-67	195.2	1082.2			
		8-25-68	279.3	738.7				12-11-67	188.1	1089.3			
		9-04-68	279.7	738.3				1-02-68	191.8	1085.6			
								2-05-68	189.4	1088.0			

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
SPADRA HYDRO SUBUNIT			U-05.E0			SPADRA HYDRO SUBUNIT			U-05.E0		
LIVE OAK HYDRO SUBAREA			U-05.E3			LIVE OAK HYDRO SUBAREA			U-05.E3		
01S/08W-05E02S (CONT.)	1277.4	3-05-68 4-03-68 5-14-68 6-11-68 7-02-68 8-07-68 9-10-68	197.8 191.4 191.2 190.2 190.7 187.0 194.6	1079.6 1086.0 1086.2 1087.2 1086.7 1090.4 1082.8	1101	01N/08W-33Q03S (CONT.)	1402.4	1-15-68 2-07-68 3-07-68 4-15-68 5-07-68 6-01-68 7-15-68 8-07-68 9-15-68	137.2(5) 140.2(5) 140.2(5) 144.2(5) 146.2(5) 147.2(5) 142.2 160.2 184.2(5)	1265.2 1262.2 1262.2 1258.2 1256.2 1255.2 1260.2 1242.2 1218.2	1101
01S/08W-06A01S	1257.0	11-08-67 4-09-68	206.9 183.4	1050.1 1073.6	1101						
01S/08W-06A02S	1257.0	11-08-67 11-15-67	(1) (1)		1101						
01S/08W-06A03S	1242.1	10-03-67 11-07-67 12-11-67 1-02-68 2-05-68 3-23-68 4-03-68 5-14-68 6-20-68 7-02-68 8-21-68 9-10-68	177.1 173.9 165.8 161.5 161.2 168.2 162.8 165.3 172.2 168.9 177.1 185.5	1065.0 1068.2 1076.3 1080.6 1080.9 1073.9 1079.3 1076.8 1069.9 1073.2 1065.0 1056.6	1101						
01S/08W-06H01S	1230.0	11-08-67 4-10-68	168.7 163.4	1061.3 1066.6	1101						
01S/08W-06J02S	1224.0	10-03-67 11-08-67 12-11-67 1-02-68 2-05-68 3-05-68 4-03-68 5-14-68 6-11-68 7-02-68 8-07-68 9-10-68	177.4 166.5 158.5 153.4 150.7 151.7 151.5 156.7 162.3 160.3 171.7 176.3	1046.6 1057.5 1065.5 1070.6 1073.3 1072.3 1072.5 1067.3 1061.7 1063.7 1052.3 1047.7	1101						
01S/08W-06L01S	1133.8	11-13-67 11-13-67 11-13-67 4-10-68	270.5(1) (1) 236.0 231.5(4)	863.3 897.8 902.3	1101						
01S/08W-06L02S	1128.0	11-13-67 11-13-67	247.0 238.4	881.0 889.6	1101						
01N/08W-26D01S	1830.0	11-13-67 4-10-68	22.2 21.2	1807.8 1808.8	1101						
01N/08W-27H01S	1779.0	10-03-67 11-13-67 12-04-67 1-02-68 2-05-68 4-03-68	55.4 55.5 53.9 56.4 54.2 53.6	1723.6 1723.5 1725.1 1722.6 1724.8 1725.4	1101						
01N/08W-32P03S	1299.6	12-05-67 4-22-68	DRY DRY		1101						
01N/08W-32P05S	1296.5	12-05-67 4-22-68	DRY DRY		1101						
01N/08W-32P06S	1296.5	12-05-67 4-22-68	DRY DRY		1101						
01N/08W-32P07S	1303.3	12-05-67 4-22-68	DRY DRY		1101						
01N/08W-32P08S	1393.8	12-05-67	DRY		1101						
01N/08W-33A01S	1530.9	11-13-67 4-10-68	40.4 30.8	1490.5 1500.1	1101						
01N/08W-33L01S	1390.0	11-08-67 4-10-68	31.6 21.0	1358.4 1369.0	1101						
01N/08W-33N02S	1352.0	11-08-67 4-10-68	110.9 82.7	1241.1 1269.3	1101						
01N/08W-33P01S	1374.0	11-13-67 11-13-67 4-10-68	(1) 107.5 104.5(4)	1266.5 1269.5	1101						
01N/08W-33Q02S	1402.0	10-15-67 11-07-67 12-01-67 5-15-68 7-01-68 9-07-68	219.0(5) 218.0(5) 217.0 (0) (0) 197.0(5)	1183.0 1184.0 1185.0 1205.0	1101						
01N/08W-33Q03S	1402.4	10-15-67 11-15-67 12-15-67	145.2(5) 145.2(5) 137.2(5)	1257.2 1257.2 1265.2	1101						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
03S/09W-31J01S	225.0	2-19-68	101.7	123.3	5102	03S/09W-33K03S (CONT.)	250.0	8-00-68	64.8	185.2	4742
		3-18-68	100.0	125.0				9-00-68	68.5	181.5	
		4-22-68	76.1	148.9		03S/09W-33K05S	252.0	10-00-67	70.5	181.5	4742
		5-20-68	76.9	148.1				11-00-67	64.3	187.7	
		6-10-68	81.6	143.4				12-00-67	56.8	195.2	
		7-09-68	85.6	139.4				1-00-68	57.2	194.8	
		8-06-68	94.6	130.4				2-00-68	57.5	194.5	
		9-16-68	113.2	111.8				3-00-68	57.6	194.4	
03S/09W-31J03S	220.0	7-17-68	98.6	121.4	5102			4-00-68	57.3	194.7	
		8-26-68	107.5	112.5				5-00-68	57.3	194.7	
		9-30-68	115.4	104.6				6-00-68	57.7	194.3	
03S/09W-31M01S	211.5	10-09-67	115.9	95.6	5102			7-00-68	61.7	190.3	
		7-23-68	105.4	106.1				8-00-68	68.7	183.3	
		8-06-68	107.4	104.1				9-00-68	72.7	179.3	
03S/09W-32K06S	235.0	10-31-67	109.2	125.8	4210	03S/09W-33K06S	252.0	10-00-67	75.1	176.9	4742
		12-00-67	110.1	124.9				11-00-67	66.3	185.7	
		1-00-68	96.5	138.5				12-00-67	58.0	194.0	
		2-00-68	93.0	142.0				1-00-68	59.3	192.7	
		3-00-68	89.8	145.2				2-00-68	59.2	192.8	
		4-00-68	78.4	156.6				3-00-68	59.9	192.1	
		5-00-68	80.1	154.9				4-00-68	58.6	193.4	
		6-00-68	80.2	154.8				5-00-68	58.8	193.2	
		7-00-68	86.8	148.2				6-00-68	59.2	192.8	
		8-00-68	101.5	133.5				7-00-68	62.3	189.7	
		9-00-68	114.9	120.1				8-00-68	68.9	183.1	
03S/09W-32P02S	231.1	10-02-67	116.2	114.9	5102			9-00-68	75.3	176.7	
		11-06-67	111.0	120.1		03S/09W-33K07S	252.0	10-00-67	67.7	184.3	4742
		12-04-67	110.7	120.4				11-00-67	56.2	195.8	
		1-02-68	102.9	128.2				12-00-67	51.9	200.1	
		2-05-68	102.4	128.7				1-00-68	52.7	199.3	
		3-04-68	101.6	129.5				2-00-68	53.2	198.8	
		4-05-68	101.3	129.8				3-00-68	56.7	195.3	
		5-01-68	88.5	142.6				4-00-68	54.0	198.0	
		6-03-68	87.3	143.8				5-00-68	55.0	197.0	
		7-01-68	83.0	148.1				6-00-68	56.0	196.0	
		8-05-68	84.1	147.0				7-00-68	56.0	196.0	
		9-03-68	86.1	145.0				8-00-68	65.0	187.0	
03S/09W-32P03S	232.0	10-02-67	119.1	112.9	5102			9-00-68	69.0	183.0	
		11-06-67	114.7	117.3		03S/09W-33L01S	248.0	10-02-67	59.7	188.3	5102
		12-04-67	108.6	123.4				11-06-67	60.2	187.8	
		1-02-68	102.0	130.0				12-04-67	54.4	193.6	
		2-05-68	101.8	130.2				1-02-68	50.6	197.4	
		3-04-68	101.1	130.9				2-05-68	48.7	199.3	
		4-05-68	99.7	132.3				3-04-68	55.1	192.9	
		5-01-68	85.5	146.5				4-05-68	54.9	193.1	
		6-03-68	84.0	148.0				7-01-68	54.0	194.0	
		7-01-68	81.4	150.6				8-05-68	54.8	193.2	
		7-08-68	88.2	143.8				9-03-68	60.3	187.7	
		8-05-68	88.9	143.1		03S/09W-33N03S	244.5	12-04-67	67.9	176.6	5102
		9-03-68	90.7	141.3				1-02-68	62.5	182.0	
03S/09W-32P04S	230.2	10-31-67	104.5	125.7	4210			4-05-68	50.8	193.7	
		12-00-67	116.5	113.7				8-05-68	78.3	166.2	
		1-00-68	95.6	134.6		03S/09W-33Q02S	251.8	12-11-67	43.2	208.6	5102
		2-00-68	95.6	134.6				1-08-68	43.9	207.9	
		3-00-68	95.5	134.7				2-05-68	45.7	206.1	
		4-00-68	78.4	151.8				3-04-68	46.4	205.4	
		5-00-68	78.3	151.9				4-15-68	45.2	206.6	
		6-00-68	79.8	150.4				5-20-68	44.8	207.0	
		7-00-68	87.2	143.0				6-10-68	45.8	206.0	
		8-00-68	103.5	126.7				7-23-68	51.3	200.5	
		9-00-68	117.2	113.0				8-13-68	57.7	194.1	
03S/09W-33M01S	254.7	10-02-67	59.2	195.5	5102			9-30-68	62.4	189.4	
		12-04-67	50.0	204.7		03S/09W-33Q03S	251.4	12-04-67	41.7	209.7	5102
		2-05-68	45.4	209.3				1-02-68	38.5	212.9	
		3-04-68	44.9	209.8				3-04-68	51.3	200.1	
		6-03-68	47.2	207.5				4-05-68	49.1	202.3	
03S/09W-33K01S	250.0	10-00-67	79.7(1)	170.3	4742			7-01-68	48.0	203.4	
		11-00-67	52.1	197.9		03S/09W-34E01S	259.0	10-02-67	37.5	221.5	5102
		12-00-67	47.8	202.2				11-06-67	34.1	224.9	
		1-00-68	48.8	201.2				12-04-67	30.9	228.1	
		2-00-68	49.2	200.8				3-04-68	30.0	229.0	
		3-00-68	50.7	199.3				4-05-68	29.2	229.8	
		4-00-68	50.1	199.9				5-01-68	28.5	230.5	
		5-00-68	51.3	198.7				6-03-68	26.7	232.3	
		6-00-68	56.3	193.7				7-01-68	29.2	229.8	
		7-00-68	69.8(1)	180.2				8-05-68	30.7	228.3	
		8-00-68	77.5(1)	172.5				9-03-68	31.5	227.5	
		9-00-68	67.5	182.5		03S/09W-34G01S	266.0	10-03-67	26.6	239.4	5102
03S/09W-33K03S	250.0	10-00-67	66.1	183.9	4742			11-06-67	24.5	241.5	
		11-00-67	51.9	198.1				12-04-67	24.3	241.7	
		12-00-67	47.9	202.1				1-03-68	24.2	241.8	
		1-00-68	49.3	200.7				2-01-68	24.0	242.0	
		2-00-68	49.6	200.4				4-04-68	23.5	242.5	
		3-00-68	50.4	199.6				5-02-68	23.1	242.9	
		4-00-68	51.8	198.2				6-05-68	23.9	242.1	
		5-00-68	53.2	196.8				7-09-68	24.7	241.3	
		6-00-68	55.2	194.8				8-29-68	25.3	240.7	
		7-00-68	55.9	194.1				9-30-68	34.0	232.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
03S/09W-34K01S	266.0	2-01-68	21.9	244.1	5102	04S/09W-05B01S	237.7	10-02-67	117.7	120.0	5102
		4-04-68	22.3	243.7				11-06-67	108.6	129.1	
		9-30-68	29.6	236.4				12-04-67	99.6	138.1	
								1-02-68	95.7	142.0	
03S/09W-34L01S	262.0	12-04-67	30.4	231.6	5102			2-05-68	94.8	142.9	
		1-02-68	28.7	233.3				4-05-68	87.2	150.5	
		7-01-68	23.2	238.8				5-01-68	75.9	161.8	
								6-03-68	75.5	162.2	
03S/09W-34L02S	260.1	4-01-68	20.1	240.0	5102			7-01-68	82.5	155.2	
		4-29-68	22.1	238.0		04S/09W-05G01S	237.8	10-02-67	114.5	123.3	5102
		6-03-68	24.9	235.2				11-06-67	104.3	133.5	
		7-16-68	27.5	232.6				12-04-67	95.0	142.8	
		8-26-68	38.4	221.7				2-05-68	90.0	147.8	
		9-23-68	44.8	215.3				4-05-68	86.8	151.0	
03S/09W-35N02S	276.0	11-06-67	23.9	252.1	5102			5-01-68	79.9	157.9	
		12-04-67	22.6	253.4				6-03-68	79.3	158.5	
		1-03-68	21.5	254.5				7-01-68	83.7	154.1	
		2-01-68	22.4	253.6		04S/09W-05M02S	226.0	10-02-67	121.0	105.0	5102
		4-04-68	21.6	254.4				11-06-67	117.9	108.1	
03S/10W-27N01S	176.0	10-02-67	116.0	60.0	5102			12-04-67	116.0	110.0	
		1-04-68	108.1	67.9				1-02-68	107.9	118.1	
		2-06-68	113.9	62.1				2-05-68	107.1	118.9	
		4-08-68	113.0	63.0				3-04-68	105.1	120.9	
		6-04-68	111.9	64.1				4-05-68	104.4	121.6	
		7-03-68	113.6	62.4				5-01-68	89.0	137.0	
		8-06-68	116.3	59.7				6-03-68	87.7	138.3	
		9-04-68	121.5	54.5				7-01-68	92.3	133.7	
03S/10W-30B01S	290.0	10-02-67	220.7	69.3	5102			8-05-68	94.5	131.5	
		12-14-67	222.0	68.0		04S/09W-06F01S	211.8	10-02-67	118.6	93.2	5102
		1-08-68	214.3	75.7				11-06-67	119.4	92.4	
		2-08-68	210.0	80.0				12-04-67	120.8	91.0	
		3-07-68	208.9	81.1				1-02-68	115.1	96.7	
		4-17-68	207.4	82.6				2-05-68	113.6	98.2	
		5-06-68	208.0	82.0				3-04-68	108.4	103.4	
03S/10W-32P01S	121.0	10-02-67	74.9	46.1	5102			4-05-68	106.6	105.2	
		11-13-67	75.6	45.4				5-01-68	109.4	102.4	
		12-26-67	71.9	49.1				6-03-68	109.6	102.2	
		1-15-68	71.6	49.4				7-01-68	97.6	114.2	
		2-13-68	72.5	48.5				8-05-68	99.3	112.5	
		3-25-68	72.9	48.1				9-03-68	99.8	112.0	
		4-15-68	74.2	46.8		04S/09W-06G02S	215.4	10-02-67	117.3	98.1	5102
		5-13-68	73.9	47.1				12-04-67	101.7	113.7	
		6-10-68	74.7	46.3				1-02-68	94.2	121.2	
		7-01-68	80.2	40.8				2-05-68	93.1	122.3	
		8-05-68	81.9	39.1				3-04-68	104.5	110.9	
		9-30-68	79.1	41.9				4-05-68	104.2	111.2	
03S/10W-34N01S	154.2	10-02-67	86.5	67.7	5102			5-01-68	90.4	125.0	
		11-09-67	89.1	65.1				7-01-68	93.4	122.0	
		12-05-67	90.7	63.5		04S/10W-01C02S	196.8	10-09-67	118.5	78.3	5102
		2-06-68	94.2	60.0				11-06-67	119.9	76.9	
		3-05-68	89.5	64.7				12-04-67	118.3	78.5	
		4-08-68	89.2	65.0				1-08-68	115.2	81.6	
		5-01-68	88.6	65.6				2-19-68	114.9	81.9	
		6-04-68	91.3	62.9				3-11-68	113.4	83.4	
		7-03-68	90.8	63.4				4-08-68	109.9	86.9	
		8-06-68	93.0	61.2				5-27-68	105.0	91.8	
		9-04-68	94.4	59.8				7-01-68	106.4	90.4	
03S/10W-35K01S	184.0	10-02-67	110.6	73.4	5102			8-06-68	110.6	86.2	
								9-30-68	117.5	79.3	
03S/10W-36H01S	228.0	10-01-67	(1)		5102	04S/10W-01F01S	195.2	10-31-67	117.5	77.7	4210
		3-04-68	(1)					12-00-67	99.8	95.4	
		9-03-68	(1)					1-00-68	113.8	81.4	
03S/11W-26B02S	100.0	1-11-68	61.7	38.3	1101			2-00-68	114.9	80.3	
		4-15-68	61.8	38.2				3-00-68	110.7	84.5	
03S/11W-26B03S	115.0	10-24-67	62.1	52.9	5102			4-00-68	104.2	91.0	
		11-14-67	84.9	30.1				5-00-68	106.0	89.2	
		12-14-67	80.3	34.7				6-00-68	106.8	88.4	
		1-08-68	80.0	35.0				7-00-68	110.8	84.4	
		2-08-68	61.7	53.3				8-00-68	117.3	77.9	
		3-07-68	60.8	54.2				9-00-68	117.5	77.7	
		4-17-68	60.0	55.0		04S/10W-01P01S	196.3	10-01-67	117.6	78.7	5102
		5-06-68	60.1	54.9				11-06-67	115.1	81.2	
		6-17-68	65.1	49.9				12-04-67	118.8	77.5	
		7-19-68	65.2	49.8				1-02-68	116.2	80.1	
		9-12-68	67.1	47.9				2-05-68	115.9	80.4	
03S/11W-36H01S	90.0	12-14-67	56.3	33.7	5102			3-04-68	118.9	77.4	
		1-08-68	55.6	34.4				4-05-68	108.1	88.2	
		2-08-68	56.5	33.5				5-01-68	102.3	94.0	
		3-07-68	58.3	31.7				6-03-68	100.2	96.1	
		9-12-68	63.6	26.4				7-01-68	105.7	90.6	
04S/09W-04D01S	245.4	10-02-67	111.2	134.2	5102			8-05-68	106.9	89.4	
		12-04-67	80.4	165.0				9-03-68	110.4	85.9	
		1-02-68	74.9	170.5		04S/10W-02C01S	182.0	10-02-67	109.2	72.8	5102
		2-05-68	73.7	171.7				11-09-67	110.9	71.1	
		3-04-68	80.4	165.0				12-05-67	113.2	68.8	
		4-05-68	78.2	167.2				1-04-68	111.4	70.6	
		5-01-68	72.3	173.1				2-06-68	112.7	69.3	
								4-08-68	112.1	69.9	
								7-03-68	(6)		

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/10W-02R01S	186.5	10-01-67 11-06-67	111.9 110.0	74.6 76.5	5102	04S/10W-07K01S (CONT.)	108.0	5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	16.5 16.6 62.8 64.7 65.8	91.5 91.4 45.2 43.3 42.2	5102
04S/10W-03P01S	160.4	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	106.0 102.8 100.5 100.9 104.7 97.5 102.8 100.8 102.8 106.8 109.8	54.4 57.6 59.9 59.5 55.7 62.9 57.6 59.6 57.6 53.6 50.6	4210	04S/10W-07K02S	102.4	10-02-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-03-68	55.1 52.3 54.1 53.8 52.4 54.0 54.2 56.1 57.5 58.1	47.3 50.1 48.3 48.6 50.0 48.4 48.2 46.3 44.9 44.3	5102
04S/10W-03P02S	160.1	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	105.4 105.7 99.8 100.4 106.5 97.1 101.4 100.3 102.1 108.5 108.7	54.7 54.4 60.3 59.7 53.6 63.0 58.7 59.8 58.0 51.6 51.4	4210	04S/10W-07K03S	104.0	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	54.9 54.0 9.5 9.8 11.6 14.9 10.0 11.7 12.2 55.4 55.3 56.0	49.1 50.0 94.5 94.2 92.4 89.1 94.0 92.3 91.8 48.6 48.7 48.0	5102
04S/10W-04001S	147.0	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	97.6 102.3 103.1 104.0 98.8 102.3 100.6 99.6 97.2 102.5 105.1 105.9	49.4 44.7 43.9 43.0 48.2 44.7 46.4 47.4 49.8 44.5 41.9 41.1	5102	04S/10W-07K04S	98.2	10-02-67 11-09-67 12-05-67 1-04-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	52.1 53.7 20.7 20.5 46.5 23.6 45.6 46.0 47.2 48.4 49.8	46.1 44.5 77.5 77.7 51.7 74.6 52.6 52.2 51.0 49.8 48.4	5102
04S/10W-04002S	150.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	110.1 103.1 103.1 104.6 106.2 100.9 97.2 98.2 106.6 99.6 101.4	39.9 46.9 46.9 45.4 43.8 49.1 52.8 51.8 43.4 50.4 48.6	4210	04S/10W-08C02S	125.8	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	108.3 95.5 92.7 94.5 97.5 94.5 106.4 105.4 107.7 112.3 107.9	17.5 30.3 33.1 31.3 28.3 31.3 19.4 20.4 18.1 13.5 17.9	4210
04S/10W-04R02S	150.2	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 7-03-68	99.0 104.1 97.5 93.6 92.2 96.5 107.5	51.2 46.1 52.7 56.6 58.0 53.7 42.7	5102	04S/10W-08K01S	126.1	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	88.9 91.1 85.0 86.3 85.3 93.6 93.2 90.5 89.5 93.9 95.2 95.8	37.2 35.0 41.1 39.8 40.8 32.5 32.9 35.6 36.6 32.2 30.9 30.3	5102
04S/10W-07E01S	101.0	12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	87.0 77.1 74.6 80.8 83.7 84.8 86.2 86.7 91.1 90.7	14.0 23.9 26.4 20.2 17.3 16.2 14.8 14.3 9.9 10.3	4210	04S/10W-08N05S	115.5	10-31-67 12-00-67 3-00-68 4-00-68 6-00-68 7-00-68 8-00-68 9-00-68	87.5 80.8 84.6 83.9 84.6 90.8 95.7 94.6	28.0 34.7 30.9 31.6 30.9 24.7 19.8 20.9	4210
04S/10W-07J01S	111.0	10-02-67 12-05-67 1-04-68 4-08-68 7-03-68 9-04-68	80.4 76.3 72.1 78.6 86.1 91.7	30.6 34.7 38.9 32.4 24.9 19.3	5102	04S/10W-09B02S	145.3	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	110.4 102.5 93.2 103.2 107.2 104.8 110.8 110.1 108.2 114.1 115.8	34.9 42.8 52.1 42.1 38.1 40.5 34.5 35.2 37.1 31.2 29.5	4210
04S/10W-07J03S	94.8	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68	58.3 57.7 55.2 52.5 49.9 54.6 52.0 51.2 51.9 60.6 63.8	36.5 37.1 39.6 42.3 44.9 40.2 42.8 43.6 42.9 34.2 31.0	5102	04S/10W-09B03S	144.2	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68	102.0 97.8 97.5 104.5 98.8 95.7 101.8 103.0 98.7 105.2	42.2 46.4 46.7 39.7 45.4 48.5 42.4 41.2 45.5 39.0	4210
04S/10W-07K01S	108.0	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68	62.5 60.6 13.8 13.0 14.5 59.1 13.9	45.5 47.4 94.2 95.0 93.5 48.9 94.1	5102						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/10W-09803S (CONT.)	144.2	9-00-68	105.6	38.6	4210	04S/11W-08P01S (CONT.)	38.2	9-26-68	59.2	-21.0	1733
04S/10W-18A01S	107.0	10-02-67	76.8	30.2	5102	04S/11W-09E02S	44.0	10-24-67	56.2	-12.2	5102
		1-04-68	67.5	39.5				11-14-67	51.7	-7.7	
		2-06-68	69.1	37.9				12-14-67	40.3	3.7	
		3-05-68	68.1	38.9				1-08-68	39.4	4.6	
		4-08-68	68.3	38.7				2-08-68	38.9	5.1	
		6-04-68	70.6	36.4				3-07-68	41.7	2.3	
		7-03-68	73.3	33.7				4-17-68	47.9	-3.9	
		8-06-68	75.1	31.9				5-06-68	52.1	-8.1	
		9-04-68	77.2	29.8				6-17-68	56.3	-12.3	
								7-19-68	57.4	-13.4	
								9-12-68	61.3	-17.3	
04S/10W-18802S	103.9	10-02-67	75.3	28.6	5102	04S/11W-10M03S	67.0	10-24-67	61.4	5.6	5102
		11-09-67	77.4	26.5				11-14-67	56.8	10.2	
		12-05-67	70.6	33.3				12-14-67	49.9	17.1	
		1-04-68	68.9	35.0				1-08-68	45.4	21.6	
		2-06-68	71.0	32.9				2-08-68	48.4	18.6	
		3-05-68	71.8	32.1				3-07-68	51.7	15.3	
		4-08-68	73.8	30.1				4-17-68	54.5	12.5	
		7-03-68	85.1	18.8				5-07-68	56.6	10.4	
		8-06-68	84.3	19.6				6-17-68	66.4	.6	
								7-19-68	68.9	-1.9	
								9-12-68	72.1	-5.1	
04S/10W-18C02S	98.0	10-02-67	80.0	18.0	5102	04S/11W-10M01S	53.5	10-24-67	54.9	-1.4	5102
		11-09-67	80.8	17.2				11-14-67	54.5	-1.0	
		1-04-68	70.9	27.1				12-14-67	47.2	6.3	
		2-06-68	71.0	27.0				1-08-68	46.7	6.8	
		3-05-68	71.6	26.4				2-08-68	42.9	10.6	
		4-08-68	70.2	27.8				3-07-68	44.6	8.9	
								4-17-68	(6)		
04S/11W-04G03S	51.0	10-24-67	61.4	-10.4	5102	04S/11W-12F01S	90.0	10-03-67	74.2	15.8	5102
		12-14-67	55.6	-4.6				12-07-67	70.2	19.8	
		1-08-68	51.4	-.4				1-02-68	65.0	25.0	
		2-08-68	51.2	-.2				2-05-68	66.0	24.0	
		3-07-68	52.8	-1.8				3-04-68	63.3	26.7	
		6-17-68	60.4	-9.4				5-02-68	77.0	13.0	
		7-19-68	62.3	-11.3				6-10-68	76.4	13.6	
								7-08-68	87.1	2.9	
								8-08-68	97.3	-7.3	
04S/11W-05J01S	45.0	10-05-67	65.5	-20.5	1733	04S/11W-12R07S	91.0	10-03-67	62.7	28.3	5102
		10-26-67	65.8	-20.8				11-07-67	63.8	27.2	
		11-16-67	64.6	-19.6				12-07-67	66.5	24.5	
		12-07-67	57.5	-12.5				1-02-68	56.1	34.9	
		12-28-67	56.6	-11.6				2-05-68	57.8	33.2	
		1-18-68	52.8	-7.8				3-04-68	57.1	33.9	
		2-08-68	53.4	-8.4				4-03-68	69.1	21.9	
		2-29-68	53.3	-8.3				5-02-68	69.5	21.5	
		3-21-68	51.5	-6.5	1101			6-10-68	73.8	17.2	
		4-11-68	51.1	-6.1	1733			7-08-68	66.2	24.8	
		5-02-68	61.5	-16.5				8-08-68	67.5	23.5	
		6-13-68	63.7	-18.7				8-27-68	68.3	22.7	
		7-04-68	65.8	-20.8							
		7-25-68	67.8	-22.8							
		8-15-68	64.5	-19.5							
		9-05-68	65.1	-20.1							
		9-26-68	(6)								
04S/11W-05Q01S	41.0	10-05-67	63.9	-22.9	1733	04S/11W-13C01S	85.7	10-03-67	39.8	45.9	5102
		10-26-67	62.6	-21.6				11-07-67	39.7	46.0	
		11-16-67	61.1	-20.1				12-07-67	39.1	46.6	
		12-07-67	50.6	-9.6				1-02-68	38.3	47.4	
		12-28-67	47.9	-6.9				2-05-68	38.1	47.6	
		1-18-68	45.7	-4.7				3-04-68	39.6	46.1	
		2-08-68	46.1	-5.1				4-03-68	41.8	43.9	
		2-29-68	46.6	-5.6				5-02-68	38.4	47.3	
		3-21-68	48.0	-7.0	1101			6-10-68	41.7	44.0	
		4-11-68	48.9	-7.9	1733			7-08-68	38.9	46.8	
		5-02-68	56.2	-15.2				8-08-68	41.3	44.4	
		6-13-68	60.8	-19.8				8-27-68	42.6	43.1	
		7-04-68	62.9	-21.9							
		7-25-68	63.9	-22.9							
		8-15-68	62.1	-21.1							
		9-05-68	63.6	-22.6							
		9-26-68	63.2	-22.2							
04S/11W-08P01S	38.2	10-05-67	49.9	-11.7	1733	04S/11W-13003S	81.0	1-00-68	64.7	16.3	4210
		10-24-67	47.4	-9.2	5102			2-00-68	65.1	15.9	
		10-26-67	48.5	-10.3	1733			3-00-68	68.3	12.7	
		11-14-67	46.7	-8.5	5102			4-00-68	68.5	12.5	
		11-16-67	47.1	-8.9	1733			5-00-68	79.7	1.3	
		12-07-67	36.4	1.8				6-00-68	80.4	.6	
		12-14-67	33.6	4.6	5102			7-00-68	78.1	2.9	
		12-28-67	31.5	6.7	1733			8-00-68	91.1	-10.1	
		1-08-68	30.2	8.0	5102			9-00-68	89.2	-8.2	
		1-18-68	31.4	6.8	1733	04S/11W-13P01S	79.5	1-00-68	69.1	10.4	4210
		2-08-68	32.3	5.9				2-00-68	71.7	7.8	
		2-08-68	31.4	6.8	5102			3-00-68	74.3	5.2	
		2-29-68	32.7	5.5	1733			4-00-68	75.6	3.9	
		3-07-68	33.7	4.5	5102			5-00-68	86.6	-7.1	
		3-21-68	34.1	4.1	1101			6-00-68	87.1	-7.6	
		4-11-68	34.5	3.7	1733			7-00-68	76.2	3.3	
		4-17-68	40.1	-1.9	5102			8-00-68	74.2	5.3	
		5-02-68	45.7	-7.5	1733			9-00-68	75.1	4.4	
		5-07-68	44.5	-6.3	5102	04S/11W-14A01S	76.5	10-03-67	55.3	21.2	5102
		6-13-68	51.7(2)	-13.5	1733			11-07-67	55.9	20.6	
		6-17-68	52.6	-14.4	5102			12-07-67	50.2	26.3	
		7-19-68	54.2	-16.0				1-02-68	46.9	29.6	
		9-05-68	59.2	-21.0	1733			2-05-68	48.4	28.1	
		9-12-68	56.8	-18.6	5102			3-04-68	48.5	28.0	
								4-03-68	49.6	26.9	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/11W-14A01S (CONT.)	76.5	5-02-68 7-08-68 8-08-68 8-27-68	50.3 63.7 66.4 68.8	26.2 12.8 10.1 7.7	5102	04S/11W-19Q02S	24.0	10-15-67 11-15-67 11-16-67 12-15-67 12-21-67 1-09-68 1-21-68 2-09-68 2-15-68 3-13-68 3-15-68 4-15-68 5-15-68 6-01-68 8-15-68 9-21-68	46.0 45.0(5) 34.6 27.9 42.0(5) 21.9 32.0(5) 23.4 36.0(5) 24.9 35.0(5) 39.0(5) 41.0(5) 42.0(5) 51.0(5) 56.0(5)	-22.0 -21.0 -10.6 -3.9 -18.0 2.1 -8.0 .6 -12.0 -.9 -11.0 -15.0 -17.0 -18.0 -27.0 -32.0	1101 5102 1101 5102 1101
04S/11W-14P01S	68.0	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68	43.6 47.2 43.4 43.0 42.0 47.4 45.0 52.8 52.0 55.7 53.2	24.4 20.8 24.6 25.0 26.0 20.6 23.0 15.2 16.0 12.3 14.8	5102	04S/11W-23D02S	58.0	10-03-67 12-07-67 1-02-68 2-05-68 5-02-68 6-11-68 7-08-68 8-08-68	41.7 35.7 33.0 34.1 42.5 47.7 46.1 47.5	16.3 22.3 25.0 23.9 15.5 10.3 11.9 10.5	5102
04S/11W-14Q04S	65.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	57.6 60.0 68.2 70.3 73.8 74.0 72.7 70.4 76.2	7.4 5.0 -3.2 -5.3 -8.8 -9.0 -7.7 -5.4 -11.2	4210	04S/11W-27A03S	52.0	10-03-67 12-07-67 1-02-68 2-05-68 4-03-68 5-02-68 7-08-68 8-08-68 8-27-68	45.3 39.5 36.2 37.3 44.1 50.2 55.3 57.0 58.4	6.7 12.5 15.8 14.7 7.9 1.8 -3.3 -5.0 -6.4	5102
04S/11W-15H01S	64.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	52.5 54.4 59.0 62.3 69.2 70.4 73.4 75.4 71.7	11.5 9.6 5.0 1.7 -5.2 -6.4 -9.4 -11.4 -7.7	4210	04S/11W-27D01S	38.5	10-25-67 11-16-67 12-15-67 1-09-68 2-09-68 3-13-68 4-22-68 6-18-68	36.2 34.5 28.1 26.7 25.7 28.8 32.7 39.4	2.3 4.0 10.4 11.8 12.8 9.7 5.8 -.9	5102
04S/11W-15L06S	58.0	10-25-67 11-16-67 12-15-67 1-09-68 2-09-68 3-13-68 4-22-68 5-08-68 6-18-68 7-22-68 9-06-68	25.0 23.9 22.1 21.9 22.3 24.1 23.5 23.9 25.6 26.2 26.9	33.0 34.1 35.9 36.1 35.7 33.9 34.5 34.1 32.4 31.8 31.1	5102	04S/11W-28B01S	33.0	10-25-67 11-16-67 12-15-67 1-09-68 2-09-68 3-13-68 4-22-68 5-08-68 6-18-68 7-22-68 9-06-68	36.9 37.4 29.8 24.3 25.7 25.0 33.6 35.6 46.3 47.9 49.6	-3.9 -4.4 3.2 8.7 7.3 8.0 -.6 -2.6 -13.3 -14.9 -16.6	5102
04S/11W-19K01S	28.7	10-02-67 10-09-67 10-16-67 10-23-67 10-30-67 11-06-67 11-13-67 11-20-67 11-27-67 12-04-67 12-11-67 12-18-67 12-26-67 1-02-68 1-12-68 1-15-68 1-22-68 1-29-68 2-05-68 2-12-68 2-19-68 2-26-68 3-04-68 3-18-68 3-25-68 4-01-68 4-08-68 4-15-68 4-22-68 4-29-68 5-06-68 5-13-68 5-20-68 5-27-68 6-03-68 6-10-68 6-17-68 6-24-68 7-22-68 7-29-68 8-05-68 8-12-68 8-19-68 8-26-68 9-02-68 9-09-68 9-16-68 9-23-68 9-30-68	44.7 45.1 45.7 43.2 41.3 41.9 42.3 42.0 36.0 34.2 32.3 31.9 30.4 29.9 29.8 29.7 30.4 30.9 30.9 30.4 30.3 30.3 30.4 30.7 31.7 31.9 32.8 33.1 37.9 39.6 39.8 39.7 39.8 43.2 43.6 43.3 45.0 46.6 48.6 49.0 48.9 48.9 50.3 50.9 51.2 49.2 48.4 49.0	-16.0 -16.4 -17.0 -14.5 -12.6 -13.2 -13.6 -13.3 -7.3 -5.5 -3.6 -3.2 -1.7 -1.2 -1.1 -1.0 -1.7 -2.2 -2.2 -1.7 -1.6 -1.6 -1.7 -2.0 -3.0 -3.2 -4.1 -4.4 -9.2 -10.9 -11.1 -11.0 -11.1 -14.5 -14.9 -14.6 -16.3 -17.9 -19.9 -20.3 -20.2 -20.2 -21.6 -22.2 -22.5 -20.5 -19.7 -20.3	4206	04S/11W-28J01S	35.7	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68	32.9 33.5 33.7 21.1 22.6 26.7 29.4 34.8 38.6 41.5 42.8	2.8 2.2 2.0 14.6 13.1 9.0 6.3 .9 -2.9 -5.8 -7.1	5102
						04S/11W-30M04S	18.1	10-15-67 11-15-67 12-21-67 1-21-68 2-15-68 3-21-68 4-21-68 5-07-68 6-01-68 7-07-68 8-15-68 9-15-68	36.9(5) 34.9(5) 28.9(5) 26.9(5) 24.9(5) 26.9(5) 30.9(5) 32.9(5) 34.9(5) 47.5 44.9(5) 46.9(5)	-18.8 -16.8 -10.8 -8.8 -6.8 -8.8 -12.8 -14.8 -16.8 -29.4 -26.8 -28.8	1101
						04S/11W-30M05S	17.5	10-21-67 11-15-67 12-15-67 1-07-68 2-15-68 3-15-68 4-15-68 5-15-68 6-01-68 7-15-68 8-21-68 9-21-68	40.6(5) 38.6(5) 36.6(5) 30.6(5) 28.6(5) 28.6(5) 32.6(5) 36.6(5) 36.6(5) 46.6(5) 46.6(5) 48.6(5)	-23.1 -21.1 -19.1 -13.1 -11.1 -11.1 -15.1 -19.1 -19.1 -29.1 -29.1 -31.1	1101
						04S/11W-31D01S	13.8	10-15-67 10-15-67	39.1(5) 39.1(5)	-25.3 -25.3	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			ANAHEIM HYDRO SUBAREA			U-05.F1		
04S/11W-31D01S (CONT.)	13.8	11-15-67	35.1(5)	-21.3	1101	04S/12W-36N06S (CONT.)	23.1	1-25-68	24.9	-1.8	1101
		11-15-67	35.1(5)	-21.3				2-29-68	24.0	-.9	
		12-15-67	31.1(5)	-17.3				3-27-68	24.8	-1.7	
		12-15-67	31.1(5)	-17.3				7-30-68	29.5	-6.4	
		4-21-68	29.1(5)	-15.3				8-28-68	30.6	-7.5	
		5-15-68	31.1(5)	-17.3				9-25-68	33.4	-10.3	
		6-01-68	31.1(5)	-17.3		04S/12W-36P01S	8.2	10-25-67	19.9	-11.7	1101
		7-21-68	37.1(5)	-23.3				11-13-67	17.3	-9.1	
		8-15-68	38.1(5)	-24.3				2-28-68	10.6	-2.4	
		9-21-68	39.1(5)	-25.3							
04S/11W-31F03S	16.0	10-25-67	21.6	-5.6	5102	04S/12W-36P02S	8.2	10-25-67	27.8	-19.6	1101
		11-16-67	19.2	-3.2				11-13-67	25.0	-16.8	
		12-15-67	20.4	-4.4				2-28-68	16.7	-8.5	
		1-09-68	19.6	-3.6		04S/12W-36P03S	8.8	10-24-67	11.9	-3.1	1101
		4-22-68	18.5	-2.5				11-28-67	8.5	.3	
		5-08-68	18.4	-2.4				12-29-67	6.5	2.3	
		6-18-68	22.7	-6.7				1-25-68	7.1	1.7	
		7-22-68	24.2	-8.2				2-27-68	6.5	2.3	
		9-06-68	25.9	-9.9				3-26-68	7.4	1.4	
04S/11W-31F04S	16.6	10-25-67	28.2	-11.6	5102			7-30-68	8.0	.8	
		11-16-67	22.8	-6.2				8-28-68	8.6	.2	
		12-15-67	18.8	-2.2				9-25-68	10.9	-2.1	
		1-09-68	17.6	-1.0		04S/12W-36P04S	8.8	10-24-67	14.2	-5.4	1101
		2-09-68	18.2	-1.6				11-28-67	9.9	-1.1	
		3-13-68	18.2	-1.6				12-29-67	7.7	1.1	
		4-22-68	23.4	-6.8				1-25-68	8.1	.7	
		5-08-68	24.7	-8.1				2-27-68	7.4	1.4	
		6-18-68	30.9	-14.3				3-26-68	8.4	.4	
		7-22-68	33.4	-16.8				7-30-68	10.6	-1.8	
		9-06-68	34.1	-17.5				8-28-68	11.5	-2.7	
04S/11W-31F05S	12.3	10-21-67	26.4(5)	-14.1	1101			9-25-68	14.5	-5.7	
		11-15-67	24.4(5)	-12.1		04S/12W-36P05S	8.8	10-24-67	17.2	-8.4	1101
		12-15-67	20.4(5)	-8.1				11-28-67	12.3	-3.5	
		1-21-68	16.4(5)	-4.1				12-29-67	9.9	-1.1	
		2-15-68	15.4(5)	-3.1				1-25-68	10.2	-1.4	
		3-15-68	15.4(5)	-3.1				2-27-68	9.8	-1.0	
		4-17-68	18.4(5)	-6.1				3-26-68	10.6	-1.8	
		5-07-68	19.4(5)	-7.1				7-30-68	14.8	-6.0	
		6-01-68	23.4(5)	-11.1				8-28-68	15.4	-6.6	
		7-21-68	32.4(5)	-20.1				9-25-68	19.0	-10.2	
		8-15-68	34.4(5)	-22.1		04S/12W-36P06S	8.8	10-24-67	24.3	-15.5	1101
		9-15-68	36.4(5)	-24.1				11-28-67	18.5	-9.7	
04S/11W-31P01S	12.4	10-15-67	28.4(5)	-16.0	1101			12-26-67	14.6	-5.8	
		11-07-67	26.4(5)	-14.0				1-23-68	16.9	-8.1	
		12-15-67	20.4(5)	-8.0				2-27-68	14.5	-5.7	
		1-15-68	18.4(5)	-6.0				3-26-68	15.9	-7.1	
		2-15-68	15.4(5)	-3.0				7-30-68	23.9	-15.1	
		3-21-68	16.4(5)	-4.0				8-28-68	25.3	-16.5	
		4-15-68	19.4(5)	-7.0				9-24-68	27.6	-18.8	
		5-15-68	19.4(5)	-7.0		05S/12W-01A03S	11.0	2-09-68	17.9	-6.9	5102
		6-01-68	20.4(5)	-8.0				3-13-68	18.2	-7.2	
		8-15-68	31.4(5)	-19.0				4-22-68	21.6	-10.6	
		9-15-68	33.4(5)	-21.0		05S/12W-01C01S	6.8	10-18-67	17.1	-10.3	1101
04S/11W-32L01S	19.0	11-01-67	21.9	-2.9	1101			11-13-67	14.6	-7.8	
		4-17-68	15.6	3.4		05S/12W-01C02S	6.8	10-18-67	23.2	-16.4	1101
04S/12W-36J02S	12.0	10-21-67	25.9(5)	-13.9	1101			11-13-67	21.4	-14.6	
		11-15-67	24.9(5)	-12.9		05S/12W-01D01S	5.6	10-24-67	10.1	-4.5	1101
		12-15-67	23.9(5)	-11.9				11-28-67	6.9	-1.3	
		1-15-68	16.9(5)	-4.9				12-29-67	5.1	.5	
		2-15-68	14.9(5)	-2.9				1-26-68	5.7	-.1	
		3-21-68	15.9(5)	-3.9				2-27-68	5.9	-.3	
		4-07-68	19.9(5)	-7.9				3-26-68	5.7	-.1	
		5-07-68	21.9(5)	-9.9				7-29-68	9.6	-4.0	
		6-01-68	22.9(5)	-10.9				8-28-68	10.6	-5.0	
		7-15-68	31.9(5)	-19.9				9-25-68	13.8	-8.2	
		8-15-68	33.9(5)	-21.9		05S/12W-01D02S	5.6	10-24-67	9.8	-4.2	1101
		9-15-68	34.9(5)	-22.9				11-28-67	6.7	-1.1	
04S/12W-36N01S	8.0	10-31-67	15.9	-7.9	1101			12-29-67	4.8	.8	
		11-13-67	14.6	-6.6				1-26-68	5.3	.3	
		12-29-67	9.4	-1.4				2-27-68	4.8	.8	
		1-25-68	10.6	-2.6				3-26-68	5.5	.1	
		2-29-68	8.6	-.6				7-29-68	8.9	-3.3	
		3-27-68	7.8	.2				8-28-68	10.1	-4.5	
		7-30-68	15.0	-7.0				9-25-68	11.7	-6.1	
		8-28-68	16.2	-8.2		05S/12W-01D03S	5.6	10-24-67	10.5	-4.9	1101
		9-25-68	18.2	-10.2				11-28-67	7.4	-1.8	
04S/12W-36N05S	8.0	10-25-67	18.3	-10.3	5102			12-29-67	5.5	.1	
		11-16-67	15.5	-7.5				1-26-68	5.5	.1	
		12-15-67	11.4	-3.4				2-27-68	3.6	2.0	
		1-09-68	11.9	-3.9				3-26-68	7.2	-1.6	
		2-09-68	10.5	-2.5				7-29-68	8.0	-2.4	
		4-22-68	12.8	-4.8				8-28-68	10.8	-5.2	
		5-08-68	14.1	-6.1				9-25-68	11.9	-6.3	
		6-18-68	17.7	-9.7		05S/12W-01D04S	5.6	10-24-67	20.8	-15.2	1101
		7-22-68	16.8	-8.8				11-28-67	15.3	-9.7	
		9-06-68	18.7	-10.7				12-26-67	11.3	-5.7	
04S/12W-36N06S	23.1	10-31-67	31.6	-8.5	1101						
		11-13-67	29.2	-6.1							
		12-29-67	24.5	-1.4							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
ANAHEIM HYDRO SUBAREA			U-05.F1			LA HABRA HYDRO SUBAREA			U-05.F2		
05S/12W-01D04S (CONT.)	5.6	1-26-68 12.3 2-27-68 11.8 3-26-68 11.5 7-29-68 19.5 8-28-68 21.0 9-24-68 22.7	-6.7 -6.2 -5.9 -13.9 -15.4 -17.1	1101		03S/10W-03P01S (CONT.)	410.0	11-03-67 139.0 12-05-67 140.0 1-08-68 139.0 2-01-68 137.0 4-02-68 135.8	271.0 270.0 271.0 273.0 274.2	5102	
05S/12W-01E04S	5.4	10-24-67 10.5 11-28-67 7.5 12-29-67 5.7 1-23-68 6.3 2-27-68 5.8 3-26-68 6.2 7-31-68 10.4 8-27-68 11.8 9-25-68 12.9	-5.1 -2.1 -.3 -.9 -.4 -.8 -5.0 -6.4 -7.5	1101		03S/10W-07B01S	288.0	10-05-67 42.8 11-02-67 42.4 12-05-67 42.4 1-08-68 41.7 2-01-68 40.7 4-02-68 40.4 5-06-68 42.6 6-12-68 44.2 7-10-68 42.7 9-17-68 42.9	245.2 245.6 245.6 246.3 247.3 247.6 245.4 243.8 245.3 245.1	5102	
05S/12W-01E05S	5.4	10-24-67 12.5 11-28-67 9.3 12-29-67 7.2 1-25-68 7.3 2-27-68 7.0 3-26-68 7.6 7-30-68 12.1 8-27-68 13.8 9-25-68 15.1	-7.1 -3.9 -1.8 -1.9 -1.6 -2.2 -6.7 -8.4 -9.7	1101		03S/10W-07G02S	270.0	10-05-67 49.4 11-02-67 48.0 12-05-67 47.0 1-08-68 47.0 2-01-68 46.0 4-02-68 45.0 5-06-68 47.0 6-12-68 47.8 7-10-68 47.8 9-17-68 48.0	220.6 222.0 223.0 223.0 224.0 225.0 223.0 222.2 222.2 222.0	5102	
05S/12W-01E07S	5.4	10-24-67 19.5 11-28-67 14.5 12-26-67 10.4 1-23-68 11.5 2-27-68 9.7 3-26-68 10.6 7-30-68 18.5 8-27-68 20.1 9-24-68 21.6	-14.1 -9.1 -5.0 -6.1 -4.3 -5.2 -13.1 -14.7 -16.2	1101		03S/10W-07Q01S	226.0	10-24-67 139.1 11-14-67 138.8 12-14-67 138.3 1-08-68 137.9 2-08-68 137.4 3-07-68 138.8 4-17-68 136.1 5-06-68 137.3 6-17-68 135.8 7-19-68 136.6 9-12-68 137.1	86.9 87.2 87.7 88.1 88.6 87.2 89.9 88.7 90.2 89.4 88.9	5102	
05S/12W-01G02S	6.3	11-13-67 11.8 12-07-67 8.5	-5.5 -2.2	1101							
05S/12W-01G03S	6.3	11-13-67 19.4 12-07-67 14.1	-13.1 -7.8	1101		03S/10W-09E03S	302.0	10-05-67 26.5 11-02-67 26.5 12-05-67 25.6 1-08-68 25.2 2-01-68 24.4 4-02-68 22.6 5-06-68 25.6 6-12-68 26.3 7-10-68 26.3 9-17-68 26.6	275.5 275.5 276.4 276.8 277.6 279.4 276.4 275.7 275.7 275.4	5102	
05S/12W-11P01S	14.2	11-10-67 45.4 12-11-67 45.4	-31.2 -31.2	1101							
05S/12W-12C01S	17.0	10-25-67 36.7 11-16-67 36.0 12-15-67 30.3 1-09-68 27.2 2-09-68 25.8 4-22-68 33.0 5-08-68 29.5 6-18-68 35.6 7-22-68 36.2 9-06-68 38.0	-19.7 -19.0 -13.3 -10.2 -8.8 -16.0 -12.5 -18.6 -19.2 -21.0	5102		03S/10W-09H02S	327.0	10-05-67 44.0 11-02-67 43.1 12-05-67 43.6 1-08-68 43.3 2-01-68 41.1 4-02-68 40.3 5-06-68 41.9 6-12-68 42.7 7-10-68 42.6 9-17-68 42.8	283.0 283.9 283.4 283.7 285.9 286.7 285.1 284.3 284.4 284.2	5102	
05S/12W-12C02S	6.6	10-25-67 12.1 11-29-67 10.0 12-28-67 7.4 1-25-68 7.3 2-29-68 7.8 3-27-68 8.1 7-30-68 14.0 8-28-68 15.1 9-25-68 15.2	-5.5 -3.4 -.8 -.7 -1.2 -1.5 -7.4 -8.5 -8.6	1101		03S/10W-09M02S	305.0	12-05-67 32.4 9-17-68 34.6	272.6 270.4	5102	
05S/12W-12F02S	6.5	11-10-67 28.2	-21.7	1101		03S/10W-09R01S	305.0	10-05-67 20.8 11-02-67 20.8 12-05-67 20.8 1-08-68 19.0 2-01-68 19.0 4-02-68 17.3 5-06-68 16.3 9-17-68 20.3	284.2 284.2 284.2 286.0 286.0 287.7 288.7 284.7	5102	
05S/12W-12M01S	39.0	11-10-67 57.2 12-11-67 52.2	-18.2 -13.2	1101							
05S/12W-12N02S	39.0	11-10-67 43.0 12-11-67 39.7	-4.0 -.7	1101		03S/10W-10C01S	345.0	10-05-67 94.7 11-02-67 93.7 12-05-67 89.8 1-08-68 89.0 2-01-68 88.0 4-02-68 85.5 5-06-68 90.0 6-12-68 92.2 7-10-68 90.5 9-17-68 93.3	250.3 251.3 255.2 256.0 257.0 259.5 255.0 252.8 254.5 251.7	5102	
LA HABRA HYDRO SUBAREA			U-05.F2			03S/10W-10N02S			5102		
03S/10W-02N02S	423.0	10-05-67 151.3 11-02-67 152.6 1-08-68 150.3 2-01-68 147.0 4-02-68 146.0 9-17-68 154.0	271.7 270.4 272.7 276.0 277.0 269.0	5102							
03S/10W-02O01S	373.5	10-05-67 22.1 11-02-67 20.5 12-05-67 21.5 1-08-68 20.5 2-01-68 17.9 4-02-68 17.5 5-06-68 19.5 6-12-68 20.8 7-10-68 21.6 9-17-68 22.5	351.4 353.0 352.0 353.0 355.6 356.0 354.0 352.7 351.9 351.0	5102		03S/10W-10N04S	307.0	10-05-67 25.0 5-06-68 24.4 9-16-68 29.8	290.0 290.4 290.3 290.1 290.7 292.2 290.8 293.0	5102	
03S/10W-03P01S	410.0	10-05-67 140.5	269.5	5102							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
L A SAN GABRIEL RIVER HYDRO UNIT						U-05.00					
ANAHEIM HYDRO SUBUNIT			U-05.F0			ANAHEIM HYDRO SUBUNIT			U-05.F0		
LA HABRA HYDRO SUBAREA			U-05.F2			LA HABRA HYDRO SUBAREA			U-05.F2		
03S/10W-10P03S	340.0	11-02-67	218.0	122.0	5102	03S/10W-18C01S	211.0	9-12-68	123.7	87.3	5102
		1-08-68	215.0	125.0		(CONT.)					
		2-01-68	212.4	127.6		03S/10W-22C02S	280.0	10-02-67	185.1	94.9	5102
		4-02-68	210.6	129.4				11-09-67	184.8	95.2	
		5-06-68	212.2	127.8				12-05-67	183.9	96.1	
		6-12-68	213.3	126.7				1-04-68	188.0	92.0	
03S/10W-11K01S	375.0	10-05-67	83.0	292.0	5102			2-06-68	187.9	92.1	
		11-02-67	82.8	292.2				4-08-68	185.8	94.2	
		12-05-67	81.7	293.3				5-01-68	187.0	93.0	
		1-08-68	81.0	294.0				6-04-68	185.9	94.1	
		2-01-68	80.0	295.0				7-03-68	186.9	93.1	
		4-02-68	81.3	293.7				8-06-68	187.3	92.7	
		5-06-68	79.6	295.4				9-04-68	187.8	92.2	
		6-12-68	80.2	294.8							
		7-10-68	79.5	295.5							
		9-16-68	81.0	294.0							
03S/10W-11M02S	350.7	10-05-67	47.7	303.0	5102						
		11-02-67	48.6	302.1							
		12-05-67	47.7	303.0		03S/09W-17R01S	395.0	10-05-67	112.8	282.2	5102
		1-08-68	47.7	303.0				11-02-67	113.0	282.0	
		2-01-68	46.7	304.0				12-05-67	112.6	282.4	
		4-02-68	45.9	304.8				1-08-68	112.0	283.0	
		6-12-68	48.0	302.7				2-01-68	114.5	280.5	
		7-10-68	48.8	301.9				4-02-68	117.8	277.2	
		9-17-68	47.1	303.6				5-07-68	114.1	280.9	
03S/10W-12M01S	388.0	10-05-67	94.0	294.0	5102			6-12-68	116.1	278.9	
		11-03-67	92.6	295.4				7-10-68	115.9	279.1	
		12-05-67	92.2	295.8				9-17-68	115.6	279.4	
		1-08-68	92.0	296.0		03S/09W-19N01S	292.0	10-05-67	166.0	126.0	5102
		2-01-68	91.0	297.0				11-02-67	168.1	123.9	
		4-02-68	89.2	298.8				12-05-67	168.7	123.3	
		5-06-68	86.2	301.8				1-08-68	168.2	123.8	
		6-12-68	89.1	298.9				2-01-68	165.7	126.3	
		7-10-68	90.9	297.1				4-02-68	164.9	127.1	
		9-16-68	93.2	294.8				5-07-68	162.6	129.4	
03S/10W-14G01S	348.7	10-05-67	66.7	282.0	5102			6-12-68	163.7	128.3	
		11-02-67	65.7	283.0				7-10-68	162.5	129.5	
		12-05-67	66.7	282.0				9-17-68	167.1	124.9	
		1-08-68	67.7	281.0		03S/09W-20M01S	335.2	10-05-67	153.7	181.5	5102
		2-01-68	66.0	282.7				11-02-67	153.7	181.5	
		4-02-68	68.8	279.9				12-05-67	151.7	183.5	
		5-07-68	66.3	282.4				1-08-68	151.2	184.0	
		6-12-68	69.8	278.9				2-01-68	154.1	181.1	
		7-10-68	63.3	285.4				4-02-68	155.0	180.2	
		9-17-68	63.7	285.0				5-07-68	152.8	182.4	
03S/10W-15B01S	327.0	10-05-67	110.0	217.0	5102			6-12-68	153.9	181.3	
		11-02-67	119.0	208.0				7-10-68	153.0	182.2	
		12-05-67	120.0	207.0				9-17-68	155.6	179.6	
		1-08-68	118.0	209.0		03S/09W-21M03S	365.0	10-05-67	67.2	297.8	5102
		2-01-68	116.3	210.7				11-03-67	67.3	297.7	
		4-02-68	114.8	212.2				12-04-67	67.4	297.6	
		5-07-68	116.3	210.7				1-08-68	66.0	299.0	
		6-12-68	115.3	211.7				2-01-68	66.3	298.7	
		7-10-68	114.7	212.3				4-02-68	65.6	299.4	
		9-17-68	117.1	209.9				5-07-68	67.7	297.3	
03S/10W-15C01S	322.0	10-05-67	120.9	201.1	5102			7-10-68	67.7	297.3	
		12-05-67	120.1	201.9				9-17-68	68.5	296.5	
		1-08-68	117.0	205.0		03S/09W-21M05S	356.0	10-05-67	69.1	286.9	5102
		2-01-68	116.0	206.0				11-02-67	69.0	287.0	
		4-02-68	115.1	206.9				1-08-68	68.8	287.2	
		5-07-68	117.8	204.2				2-01-68	68.0	288.0	
		6-12-68	118.3	203.7		03S/09W-30R01S	262.0	10-02-67	70.7	191.3	5102
03S/10W-15P01S	305.0	10-02-67	225.5	79.5	5102			11-06-67	71.2	190.8	
		11-09-67	225.5	79.5				12-04-67	71.4	190.6	
		12-05-67	223.8	81.2				1-02-68	69.1	192.9	
		1-04-68	217.9	87.1				2-05-68	68.8	193.2	
		2-06-68	218.0	87.0				3-04-68	70.5	191.5	
		4-08-68	215.6	89.4				4-05-68	69.9	192.1	
		6-04-68	214.3	90.7				5-01-68	69.5	192.5	
		8-06-68	225.2	79.8				6-03-68	69.1	192.9	
03S/10W-17D01S	311.0	11-14-67	217.6	93.4	5102			7-01-68	69.0	193.0	
		1-08-68	209.7	101.3				8-05-68	70.0	192.0	
		2-08-68	211.3	99.7				9-03-68	70.9	191.1	
		3-07-68	213.0	98.0		03S/09W-34C01S	265.0	10-03-67	28.2	236.8	5102
		4-17-68	208.4	102.6				11-06-67	29.6	235.4	
		5-06-68	209.0	102.0				12-04-67	27.0	238.0	
		6-17-68	217.2	93.8				1-03-68	26.7	238.3	
		7-19-68	220.4	90.6				2-01-68	25.8	239.2	
		9-12-68	223.6	87.4				4-04-68	25.2	239.8	
03S/10W-18C01S	211.0	10-24-67	126.0	85.0	5102			5-02-68	24.6	240.4	
		11-14-67	127.1	83.9				6-05-68	25.1	239.9	
		12-14-67	124.6	86.4				7-09-68	25.9	239.1	
		1-08-68	124.5	86.5				8-29-68	26.2	238.8	
		2-08-68	124.7	86.3				9-30-68	28.3	236.7	
		3-07-68	123.6	87.4							
		4-17-68	122.4	88.6							
		5-06-68	122.8	88.2							
		6-17-68	122.3	88.7							
		7-19-68	123.0	88.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
AMARGOSA HYDRO UNIT						W-09.00					
FURNACE CREEK HYDRO SUBUNIT						W-09.C0					
FURNACE CREEK HYDRO SUBAREA						W-09.C1					
27N/01E-24E01S	490.0	1-12-68	75.2	414.8	5010						

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUPERIOR HYDRO UNIT						W-19.00					
31S/45E-01C01M	3040.0	8-15-68	117.6	2922.4	5010						
31S/45E-24Q01M	3026.0	8-21-68	DRY		5010						
31S/46E-02M01M	3020.0	8-22-68	100.3	2919.7	5010						
31S/46E-16J01M	3011.0	8-21-68	93.2	2917.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
INDIAN WELLS HYDRO UNIT						W-24.00					
INDIAN WELLS HYDRO SUBUNIT			W-24.80			INDIAN WELLS HYDRO SUBUNIT			W-24.80		
24S/40E-32H01M	2178.8	11-16-67	5.1	2173.7	5010	26S/39E-14E01M	2334.2	11-15-67	138.6	2195.6	5010
24S/40E-33E01M	2178.0	11-16-67	- .8	2178.8	5010	26S/39E-15Q01M	2365.6	11-15-67	172.7	2192.9	5010
24S/40E-33N01M	2175.8	11-16-67	4.3	2171.5	5010	26S/39E-19Q01M	2418.3	11-14-67 2-26-68	218.1 217.5	2200.2 2200.8	5010
24S/40E-34E01M	2176.7	11-16-67	4.5	2172.2	5010	26S/39E-20Q01M	2421.8	11-14-67	(6)		5010
24S/40E-36M01M	2174.4	11-15-67	4.1	2170.3	5010	26S/39E-23E01M	2372.3	11-15-67	181.9	2190.4	5010
25S/38E-11K01M	2400.0	11-17-67	196.2	2203.8	5010	26S/39E-24K01M	2347.4	11-15-67	175.3	2172.1	5010
25S/38E-13001M	2351.2	11-17-67	149.0	2202.2	5010	26S/39E-24M01M	2366.5	11-15-67	197.9	2168.6	5010
25S/38E-13K01M	2316.2	11-17-67	114.6	2201.6	5010	26S/39E-24Q01M	2350.4	11-14-67	192.3	2158.1	5010
25S/38E-23G01M	2412.0	11-17-67	208.3	2203.7	5010	26S/39E-24R01M	2344.9	11-14-67 2-26-68	178.8 170.9	2166.1 2174.0	5010
25S/38E-24C01M	2329.2	11-17-67	127.1	2202.1	5010	26S/39E-25D01M	2372.9	11-14-67 2-26-68	201.3 201.3	2171.6 2171.6	5010
25S/38E-25L01M	2329.2	11-17-67	128.0	2201.2	5010	26S/39E-25D02M	2368.0	11-14-67	198.2	2169.8	5010
25S/38E-35B01M	2402.8	11-17-67	191.9	2210.9	5010	26S/39E-25E01M	2372.2	11-14-67	201.8	2170.4	5010
25S/39E-02E01M	2227.4	11-16-67	38.1	2189.3	5010	26S/39E-26C01M	2394.9	11-14-67	219.0	2175.9	5010
25S/39E-04R01M	2252.6	11-16-67	59.2	2193.4	5010	26S/39E-26E01M	2402.3	11-14-67	207.7	2194.6	5010
25S/39E-11N01M	2228.1	11-16-67	36.1	2192.0	5010	26S/39E-28C02M	2425.0	11-14-67	221.6	2203.4	5010
25S/39E-12R01M	2200.9	11-16-67	18.1	2182.8	5010	26S/39E-30C01M	2427.1	11-14-67 2-26-68	234.5 231.9	2192.6 2195.2	5010
25S/39E-13E01M	2209.9	11-16-67	24.3	2185.6	5010	26S/39E-30F01M	2433.5	11-14-67 2-26-68	247.0 (2) 233.2	2186.5 2200.3	5010
25S/39E-22J01M	2215.4	11-16-67	24.8	2190.6	5010	26S/39E-30F03M	2433.0	11-14-67	(1)		5010
25S/39E-26M01M	2202.8	11-15-67	15.9	2186.9	5010	26S/40E-01A01M	2153.5	11-16-67	7.9	2145.6	5010
25S/39E-26N01M	2220.6	11-15-67	29.4	2191.2	5010	26S/40E-01J01M	2161.8	11-15-67	4.5	2157.3	5010
25S/39E-28P01M	2228.9	11-16-67	32.8	2196.1	5010	26S/40E-01Q01M	2161.6	11-15-67	4.0	2157.6	5010
25S/39E-28R01M	2221.8	11-16-67	33.2	2188.6	5010	26S/40E-01Q02M	2159.7	11-15-67	4.2	2155.5	5010
25S/39E-29M01M	2232.1	11-16-67	32.9	2199.2	5010	26S/40E-05F01M	2196.8	11-15-67	DRY		5010
25S/39E-31E01M	2283.7	11-17-67	78.9	2204.8	5010	26S/40E-06E01M	2231.8	11-15-67	42.6	2189.2	5010
25S/39E-35N01M	2253.2	11-15-67	59.2	2194.0	5010	26S/40E-06N01M	2249.8	11-15-67	57.9	2191.9	5010
25S/40E-03N01M	2177.4	11-16-67	3.6	2173.8	5010	26S/40E-10F01M	2188.8	11-15-67	17.5	2171.3	5010
25S/40E-08A01M	2183.2	11-16-67	7.6	2175.6	5010	26S/40E-11J01M	2174.0	11-15-67	4.5	2169.5	5010
25S/40E-11K01M	2166.4	11-16-67	-2.7	2169.1	5010	26S/40E-12A01M	2167.8	11-15-67	4.6	2163.2	5010
25S/40E-14M01M	2160.5	11-16-67	3.8	2156.7	5010	26S/40E-12G01M	2170.4	11-15-67	6.6	2163.8	5010
25S/40E-18R01M	2183.0	11-16-67	3.3	2179.7	5010	26S/40E-12Q01M	2175.7	11-13-67	1.7	2174.0	5010
25S/40E-19L01M	2188.2	11-16-67	9.3	2178.9	5010	26S/40E-12R01M	2181.5	11-13-67	.5	2161.0	5010
25S/40E-20F01M	2179.5	11-16-67	.5	2179.0	5010	26S/40E-13C01M	2189.1	11-13-67	6.2	2182.9	5010
25S/40E-27E01M	2168.7	11-16-67	4.6	2164.1	5010	26S/40E-13M01M	2196.2	11-13-67 2-26-68	10.4 9.0	2185.8 2187.2	5010
25S/40E-33L01M	2171.1	11-15-67	2.6	2168.5	5010	26S/40E-14M01M	2195.4	11-13-67	8.8	2186.6	5010
25S/40E-33L02M	2171.0	11-15-67	2.6	2168.4	5010	26S/40E-15E01M	2223.1	11-15-67	45.6	2177.5	5010
25S/40E-35P01M	2158.8	11-16-67	8.9	2149.9	5010	26S/40E-15E02M	2226.1	11-15-67	44.9	2181.2	5010
25S/41E-19L01M	2157.8	11-15-67	5.2	2152.6	5010	26S/40E-15N01M	2241.1	11-15-67	57.1	2184.0	5010
25S/41E-28B01M	2238.6	11-15-67	67.8	2170.8	5010	26S/40E-17N01M	2293.0	11-15-67	111.5	2181.5	5010
25S/41E-31C01M	2153.1	11-15-67	7.4	2145.7	5010	26S/40E-18E01M	2297.0	11-15-67	100.0	2197.0	5010
26S/38E-01B01M	2334.9	11-17-67	(0)		5010	26S/40E-19N01M	2337.7	11-15-67	164.3	2173.4	5010
26S/38E-02Q01M	2429.6	11-17-67	(0)		5010	26S/40E-19P01M	2336.0	11-14-67	172.7	2163.3	5010
26S/39E-02C01M	2248.3	11-15-67	55.8	2192.5	5010	26S/40E-20N01M	2311.9	11-14-67	133.0	2178.9	5010
26S/39E-02N01M	2285.7	11-15-67	88.3	2197.4	5010	26S/40E-22N01M	2261.4	11-14-67	75.0	2186.4	5010
26S/39E-05F01M	2276.7	11-16-67	74.2	2202.5	5010	26S/40E-22P01M	2258.7	11-14-67 2-26-68	76.6 75.8	2182.1 2182.9	5010
26S/39E-07N01M	2394.3	11-17-67	193.3	2201.0	5010	26S/40E-23C01M	2213.8	11-13-67 2-26-68	22.6 22.4	2191.2 2191.4	5010
26S/39E-08K01M	2321.0	11-16-67 2-26-68	120.3 120.4	2200.7 2200.6	5010						
26S/39E-11E01M	2305.0	11-15-67	(1)		5010						
26S/39E-12G01M	2277.0	11-15-67	82.8	2194.2	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
INDIAN WELLS HYDRO UNIT						W-24.00					
INDIAN WELLS HYDRO SUBUNIT						W-24.80					
26S/40E-24C01M	2212.0	2-26-68	26.9	2185.1	5010						
26S/40E-28J01M	2208.8	11-14-67	109.4	2179.4	5010						
26S/40E-30E02M	2342.8	11-14-67	(1)		5010						
26S/40E-30O01M	2353.1	11-14-67	179.5	2173.6	5010						
26S/40E-32D01M	2340.9	11-14-67	167.9	2173.0	5010						
26S/40E-32N01M	2368.0	11-14-67	200.0	2168.0	5010						
26S/40E-33P02M	2312.0	11-14-67	143.9	2168.1	5010						
26S/40E-34N01M	2290.4	11-14-67 2-26-68	115.0 113.5	2175.4 2176.9	5010						
26S/40E-36A01M	2247.2	11-14-67	60.2	2187.0	5010						
26S/41E-07D01M	2160.2	11-15-67	2.0	2158.2	5010						
26S/41E-07E01M	2166.5	11-15-67	5.7	2160.8	5010						
26S/41E-07G01M	2177.0	11-15-67	25.7	2151.3	5010						
27S/39E-02B01M	2440.0	11-14-67	249.0	2191.0	5010						
27S/40E-01K01M	2318.1	11-14-67	142.9	2175.2	5010						
27S/40E-02J01M	2300.0	11-14-67 2-26-68	(1) (1)		5010						
27S/40E-03J01M	2275.0	11-14-67	85.2	2189.8	5010						
27S/40E-03R01M	2287.3	11-14-67	98.7	2188.6	5010						
27S/40E-04A01M	2305.0	11-14-67	133.0	2172.0	5010						
27S/40E-07M01M	2515.0	11-14-67	309.7	2205.3	5010						
27S/40E-09P01M	2368.0	11-14-67	188.5	2179.5	5010						
27S/40E-10R01M	2380.0	11-14-67	197.9	2182.1	5010						
27S/40E-15D01M	2385.0	11-14-67	199.8	2185.2	5010						
27S/40E-15L01M	2470.0	11-14-67	249.2	2220.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
FREMONT HYDRO UNIT						W-25.00					
KOEHN HYDRO SUBUNIT						W-25.00					
11N/11W-07A01S	2627.9	3-21-68	203.0	2424.9	5010						
11N/11W-08D01S	2624.5	10-10-67	199.4	2425.1	5010						
11N/11W-09A01S	2549.6	3-21-68	125.9	2423.7	5010						
12N/12W-35H01S	2743.3	3-21-68	318.1	2425.2	5010						
29S/39E-28H01M	2100.0	10-10-67 3-20-68	181.5 (0)	1918.5	5010						
30S/37E-24J01M	1975.0	10-11-67 3-20-68	55.0 53.1	1920.0 1921.9	5010						
30S/37E-36G01M	1981.0	10-11-67 3-20-68	65.3(2) 60.4(2)	1915.7 1920.6	5010						
30S/39E-08A01M	2050.0	10-11-67 3-20-68	141.0 140.1	1909.0 1909.9	5010						
31S/37E-08C01M	2190.0	10-10-67 3-20-68 4-02-68	188.6 189.4 189.3	2001.4 2000.6 2000.7	5010						
31S/37E-13A01M	2135.0	10-11-67 3-21-68	(4) DRY		5010						
31S/37E-35N01M	2320.0	10-11-67 3-21-68	248.1 248.1	2071.9 2071.9	5010						
32S/36E-35D01M	2692.0	10-10-67 3-21-68	266.9 266.9	2425.1 2425.1	5010						
32S/37E-11N01M	2375.0	10-11-67 3-21-68	279.7 279.8	2095.3 2095.2	5010						
32S/37E-22N01M	2460.0	10-11-67 3-21-68	358.0 357.6	2102.0 2102.4	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT			W-26.A0			ANTELOPE HYDRO SUBUNIT			W-26.A0		
CHAFEE HYDRO SUBAREA			W-26.A1			NEENACH HYDRO SUBAREA			W-26.A4		
10N/12W-02B01S	2575.1	4-02-68	148.1	2427.0	5010	08N/16W-25B01S (CONT.)	2955.0	1-05-68 2-07-68 2-27-68 3-28-68	94.9 94.8 94.8 (6)	2860.1 2860.2 2860.2	5050
11N/12W-12M01S	2695.0	3-21-68	269.2	2425.8	5010						
11N/12W-26J01S	2594.6	10-10-67 3-21-68 3-21-68	193.3 203.6(2) 203.6(2)	2401.3 2391.0 2391.0	5010	08N/17W-01N01S	2955.5	3-14-68	267.6	2687.9	5010
11N/13W-36K01S	2888.0	4-02-68	283.2	2604.8	5010	08N/18W-23G02S	3375.0	11-15-67 1-05-68 2-07-68 3-07-68 4-03-68 4-30-68 5-29-68 7-03-68 8-05-68 9-12-68	21.9 18.3 18.1 17.9 17.9 166.8 166.8 167.3 167.7 167.9	3353.1 3356.7 3356.9 3357.1 3357.1 3208.2 3208.2 3207.7 3207.3 3207.1	5050
GLOSTER HYDRO SUBAREA			W-26.A2								
10N/12W-09A01S	2594.0	4-02-68	153.3	2440.7	5010	09N/14W-15M01S	2620.0	10-31-67 3-14-68	346.8 342.3	2273.2 2277.7	5050 5010
10N/12W-13M01S	2505.0	4-02-68	56.8	2448.2	5010	09N/14W-20B01S	2680.0	10-31-67 3-14-68	330.6 309.7	2349.4 2370.3	5050 5010
10N/12W-20C05S	2665.0	3-21-68	109.9	2555.1	5010	09N/14W-31K02S	2604.0	10-31-67 3-14-68	227.7 276.4(2)	2376.3 2327.6	5050 5010
10N/12W-22C01S	2878.0	4-02-68	304.0	2574.0	5010	09N/15W-32B01S	2825.0	3-27-68	320.3	2504.7	5010
10N/12W-22J01S	2530.0	4-02-68	37.8	2492.2	5010	09N/16W-36C01S	2910.0	3-27-68	274.6	2635.4	5010
10N/13W-22C01S	2878.0	11-01-67	328.6(6)	2549.4	5050						
WILLOW SPRINGS HYDRO SUBAREA			W-26.A3			LANCASTER HYDRO SUBAREA			W-26.A5		
09N/13W-04A01S	2636.8	11-01-67 3-27-68	100.2 107.3	2536.6 2529.5	5050 5010	06N/11W-03E01S	2491.0	3-12-68	306.6	2184.4	5010
09N/13W-07O03S	2605.0	10-10-67 3-27-68	82.1 69.4	2522.9 2535.6	5010	06N/11W-16J01S	2547.0	3-27-68	(1)		5010
09N/14W-01M01S	2700.0	10-31-67 4-02-68	147.4 148.5	2552.6 2551.5	5050 5010	06N/12W-15F01S	2643.0	5-11-68	(1)		5010
09N/14W-02J01S	2735.0	10-10-67 3-27-68	147.8 148.3	2587.2 2586.7	5010	06N/13W-12N01S	2818.0	10-30-67 12-11-67 1-05-68 2-07-68 2-27-68 3-28-68 4-30-68 5-29-68 7-02-68 7-30-68 9-11-68	94.0 95.7 93.8 93.5 93.2 93.4 93.6 93.8 94.6 93.9 93.9	2724.0 2722.3 2724.2 2724.5 2724.8 2724.6 2724.4 2724.2 2723.4 2724.1 2724.1	5050
09N/15W-11A01S	2953.4	10-31-67 3-27-68	91.8 83.3	2861.6 2870.1	5050 5010	07N/09W-17N02S	2492.0	10-25-67 11-03-67 3-13-68	262.3(2) 255.7 242.4	2229.7 2236.3 2249.6	5010 5050 5010
09N/15W-12M01S	2899.1	10-31-67 3-27-68	484.9 483.9	2414.2 2415.2	5050 5010	07N/10W-02E01S	2412.0	10-25-67 11-02-67 3-13-68	234.0 241.9 237.7	2178.0 2170.1 2174.3	5010 5050 5010
10N/13W-19M01S	2905.0	10-10-67 11-01-67 4-02-68	318.5 320.3(8) 318.3	2586.5 2584.7 2586.7	5010 5050 5010	07N/10W-05E01S	2391.0	11-02-67 3-13-68	(3) 194.6		5050 5010
10N/13W-32M01S	2740.0	10-10-67	(1)		5010	07N/10W-05N03S	2398.0	10-25-67 3-13-68	288.1 (1)	2109.9	5010
11N/13W-29M01S	3391.0	10-10-67 11-10-67 12-11-67 1-10-68 2-10-68 3-11-68 4-10-68 5-10-68 6-10-68 7-10-68 8-10-68 9-10-68	335.0 339.0 336.0 337.0 336.0 335.0 337.0 343.0 350.0 352.0 355.0 345.0	3056.0 3052.0 3055.0 3054.0 3055.0 3056.0 3054.0 3048.0 3041.0 3039.0 3036.0 3046.0	4785	07N/10W-10N01S	2437.0	11-03-67 1-10-68 3-13-68	324.0 299.7 329.3	2113.0 2137.3 2107.7	5050 5010
NEENACH HYDRO SUBAREA			W-26.A4			07N/10W-14O01S	2464.0	11-02-67 1-10-68	(6) (6)		5050 5010
08N/14W-18N01S	2642.0	3-27-68 11-03-67	149.9 146.3	2492.1 2495.7	5010 5050	07N/10W-14R03S	2466.0	1-10-68 3-13-68	351.5 346.2	2114.5 2119.8	5010
08N/15W-10P01S	2712.0	11-03-67 3-27-68	175.0(2) 152.8	2537.0 2559.2	5050 5010	07N/10W-19D01S	2446.0	11-03-67 11-06-67 12-13-67 1-09-68 1-17-68 2-19-68 3-12-68 3-13-68 4-09-68 5-14-68 6-13-68 7-02-68 7-09-68 8-06-68 9-03-68	268.3 329.5 266.5 (7) 267.0 267.9 268.4 268.3 280.0 (8) 285.4 271.1 271.2 271.6 272.4	2177.7 2116.5 2179.5 2179.0 2178.1 2177.6 2177.7 2166.0 2160.6 2174.9 2174.8 2174.4 2173.6	5050 1101
08N/15W-18M01S	2790.0	3-14-68	197.9	2592.1	5010						
08N/15W-22N02S	2817.0	3-12-68 11-03-67 11-03-67 11-06-67 3-27-68 4-08-68	(5) 204.3 208.3 203.8 (6) (6)		1101 5050 1101 5010 1101	07N/10W-31M01S	2505.3	3-27-68	345.2	2160.1	5010
08N/15W-33G01S	2930.0	3-27-68	239.1	2690.9	5010	07N/10W-33J02S	2523.0	3-12-68	338.4	2184.6	5010
08N/16W-03F01S	2860.0	3-27-68	196.7	2663.3	5010	07N/11W-01Q01S	2385.0	10-25-67	215.2	2169.8	5010
08N/16W-16A01S	2925.0	3-14-68	296.2	2628.8	5010						
08N/16W-18E01S	3029.0	3-14-68	357.2	2671.8	5010						
08N/16W-25B01S	2955.0	10-30-67 12-11-67 12-11-67	98.4(6) 106.0(6) 99.0(6)	2856.6 2849.0 2856.0	5050						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT LANCASTER HYDRO SUBAREA			W-26.A0		W-26.A5	ANTELOPE HYDRO SUBUNIT LANCASTER HYDRO SUBAREA			W-26.A0		W-26.A5
07N/11W-01Q01S (CONT.)	2385.0	3-13-68	210.0	2175.0	5010	08N/10W-09P01S	2321.0	3-06-68	(0)		5010
07N/11W-10N03S	2394.0	11-03-67 3-13-68	211.5 214.3	2182.5 2179.7	5050 5010	08N/10W-19N04S	2338.0	10-25-67 3-06-68	116.9 114.8	2221.1 2223.2	5010
07N/11W-13Q01S	2434.0	10-23-67 3-13-68	292.0 (1)	2142.0	5010	08N/10W-19Q01S	2342.0	10-25-67	112.2	2229.8	5010
07N/11W-17E01S	2396.0	3-13-68	223.0	2173.0	5010	08N/10W-23F01S	2350.0	10-25-67 3-00-68 3-06-68	106.0 (0) (4)	2244.0	5010
07N/11W-19Q01S	2418.0	10-26-67 3-13-68	219.2(2) 217.6	2198.8 2200.4	5010	08N/10W-23F02S	2350.0	3-06-68	108.1	2241.9	5010
07N/11W-21E01S	2422.0	11-03-67 3-13-68	105.1 105.8	2316.9 2316.2	5050 5010	08N/10W-28B01S	2358.0	10-25-67 3-12-68	134.4 134.2	2223.6 2223.8	5010
07N/11W-28L01S	2448.0	3-12-68	137.3	2310.7	5010	08N/11W-14R01S	2317.0	10-25-67 3-07-68	94.2 94.5	2222.8 2222.5	5010
07N/11W-33N01S	2473.0	10-26-67 3-12-68	301.2 303.0	2171.8 2170.0	5010	08N/11W-15Q01S	2307.0	10-25-67 3-07-68	89.7 88.4	2217.3 2218.6	5010
07N/12W-13F01S	2382.0	10-26-67 11-03-67 3-27-68	168.2 167.1 165.4	2213.8 2214.9 2216.6	5010 5050 5010	08N/11W-18L01S	2297.0	3-07-68	(0)		5010
07N/12W-13H02S	2385.0	11-03-67 3-13-68	120.6 120.3	2264.4 2264.7	5050 5010	08N/11W-18Q01S	2298.0	3-07-68	(0)		5010
07N/12W-15F01S	2348.0	3-27-68	142.1	2205.9	5010	08N/11W-22P01S	2317.0	10-25-67 3-07-68	103.6 102.7	2213.4 2214.3	5010
07N/12W-15F02S	2354.0	10-27-67 3-27-68	158.0 149.4	2196.0 2204.6	5010	08N/11W-23R01S	2332.0	10-25-67 3-06-68	123.1 125.4	2208.9 2206.6	5010
07N/12W-18R02S	2337.0	3-12-68	50.8	2286.2	5010	08N/11W-27R02S	2341.0	10-25-67 11-02-67 3-13-68	161.9(2) 158.2 169.5(2)	2179.1 2182.8 2171.5	5010 5050 5010
07N/12W-19R01S	2386.0	3-12-68	171.2	2214.8	5010	08N/11W-32E01S	2340.0	10-26-67 3-13-68	(1) 91.3		5010
07N/12W-22K01S	2407.0	3-27-68	201.1	2205.9	5010	08N/11W-34D02S	2340.0	10-25-67 11-02-67 3-13-68	151.2(1) 152.7 147.4	2188.8 2187.3 2192.6	5010 5050 5010
07N/12W-25M01S	2455.0	10-26-67 3-12-68	246.9 246.3	2208.1 2208.7	5010	08N/11W-34R02S	2358.0	10-25-67 3-13-68	171.2 178.8(2)	2186.8 2179.2	5010
07N/12W-28P01S	2447.0	10-27-67 3-12-68	241.4 238.1	2205.6 2208.9	5010	08N/12W-02Q01S	2283.0	10-26-67 3-07-68	40.4 35.9	2242.6 2247.1	5010
07N/12W-29F02S	2415.0	3-27-68	207.0	2208.0	5010	08N/12W-14R01S	2291.0	3-07-68	56.6	2234.4	5010
07N/12W-34N01S	2523.0	3-12-68	303.2	2219.8	5010	08N/12W-20B02S	2317.5	10-26-67 11-01-67 3-07-68	68.9 79.2 67.3	2248.6 2238.3 2250.2	5010 5050 5010
07N/13W-03E01S	2381.0	11-03-67 3-15-68	200.0 201.1	2181.0 2179.9	5050 5010	08N/12W-22M01S	2302.0	10-26-67 11-01-67 3-07-68	61.5 90.4 44.1	2240.5 2211.6 2257.9	5010 5050 5010
07N/13W-06A06S	2433.0	11-03-67 3-14-68	169.4 167.7	2263.6 2265.3	5050 5010	08N/12W-30K01S	2324.0	10-26-67 3-27-68	101.1 93.5	2222.9 2230.5	5010
07N/13W-16A03S	2367.0	11-02-67 3-12-68	209.7 (4)	2157.3	5050 5010	08N/12W-31Q02S	2322.0	11-02-67 3-14-68	42.8 52.0	2279.2 2270.0	5050 5010
07N/13W-21A01S	2360.0	11-03-67 3-12-68	40.9 40.7	2319.1 2319.3	5050 5010	08N/13W-05E01S	2440.0	11-01-67 3-14-68	322.5 270.5	2117.5 2169.5	5050 5010
07N/13W-34B01S	2433.0	11-03-67 3-12-68	(1) 346.9		5050 5010	08N/13W-09K01S	2412.0	11-01-67 3-14-68	221.4 220.1	2190.6 2191.9	5050 5010
07N/14W-07M01S	2795.0	10-30-67 12-11-67 1-05-68 2-07-68 2-27-68 3-28-68 4-30-68 5-29-68 7-02-68 7-30-68 9-11-68	16.3 14.9 14.4 14.5 14.5 14.9 15.5 16.0 16.8 16.5 16.7	2778.7 2780.1 2780.6 2780.5 2780.5 2780.1 2779.5 2779.0 2778.2 2778.5 2778.3	5050	08N/13W-14J01S	2370.0	11-01-67 3-27-68	139.4 139.7	2230.6 2230.3	5050 5010
07N/14W-10F01S	2557.0	3-12-68	316.0	2241.0	5010	08N/13W-20B01S	2430.0	11-01-67 3-14-68	(1) (1)		5050 5010
07N/14W-13A01S	2467.0	3-12-68	289.2(4)	2177.8	5010	08N/13W-23M02S	2376.0	11-01-67 3-27-68	78.3 77.0	2297.7 2299.0	5050 5010
08N/09W-06D01S	2293.0	3-06-68	36.3	2256.7	5010	08N/13W-34P03S	2365.0	11-02-67 3-14-68 3-18-68	75.1 (1) (1)	2289.9	5050 5010
08N/10W-01C01S	2300.0	10-24-67 3-06-68	92.0 92.5	2208.0 2207.5	5010	08N/13W-36L01S	2340.0	11-02-67 3-27-68	126.6 130.5	2213.4 2209.5	5050 5010
08N/10W-01F01S	2303.0	3-06-68	(0)		5010	08N/14W-15G01S	2525.0	11-03-67 3-27-68	(3) (1)		5050 5010
08N/10W-02N02S	2310.0	3-06-68	(0)		5010	08N/14W-36E01S	2488.0	3-14-68	291.7	2196.3	5010
08N/10W-08J01S	2315.0	3-06-68	(0)		5010	09N/08W-06M01S	2387.0	10-25-67 3-06-68	151.6 150.5	2235.4 2236.5	5010
08N/10W-08R03S	2318.0	10-24-67 12-07-67 1-30-68 1-30-68 3-06-68	66.9 66.7 66.8 66.8 67.1	2251.1 2251.3 2251.2 2251.2 2250.9	5010	09N/08W-06M02S	2395.0	10-25-67 3-06-68	166.7(1) 162.0	2228.3 2233.0	5010

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT			W-26.A0			ANTELOPE HYDRO SUBUNIT			W-26.A0		
LANCASTER HYDRO SUBAREA			W-26.A5			LANCASTER HYDRO SUBAREA			W-26.A5		
09N/08W-06J015	2300.0	3-06-68	166.6	2133.4	5010	09N/10W-25M015 (CONT.)	2269.4	7-23-68 8-19-68 9-04-68	12.8 13.2 13.0	2256.6 2256.2 2256.4	5010
09N/09W-020015	2274.8	3-06-68	(0)		5010	09N/10W-28F025	2290.0	3-05-68	63.3	2226.7	5010
09N/09W-03F015	2270.8	4-11-68 5-06-68 6-04-68 7-24-68 8-19-68 9-04-68	49.3 49.2 49.4 49.6 49.6 49.6	2221.5 2221.6 2221.4 2221.2 2221.2 2221.2	5010	09N/10W-34D015	2285.0	3-05-68	(0)		5010
09N/09W-04E015	2272.6	10-20-67 4-11-68 5-06-68 6-04-68 7-24-68 8-19-68 9-04-68	34.1 34.4 34.5 34.5 34.7 34.7 34.8	2238.5 2238.2 2238.1 2238.1 2237.9 2237.9 2237.8	5010	09N/10W-34H015	2285.0	10-24-67 12-08-67 1-30-68 3-05-68	63.7 61.2 58.1 58.6	2221.3 2223.8 2226.9 2226.4	5010
09N/09W-06E015	2290.2	3-05-68	46.1	2244.1	5010	09N/11W-21N015	2274.4	10-20-67 4-01-68 5-06-68 6-03-68 7-23-68 8-16-68 9-04-68	8.9 4.9 5.1 5.3 5.5 5.5 5.6	2265.5 2269.5 2269.3 2269.1 2268.9 2268.9 2268.8	5010
09N/09W-10R015	2280.0	5-08-68	52.9	2227.1	5010	09N/11W-36L015	2290.0	3-06-68	71.1	2218.9	5010
09N/09W-12F015	2288.8	3-05-68	(0)		5010	09N/12W-21D035	2350.0	10-26-67 10-31-67 3-21-68	97.3 97.1 95.0	2252.7 2252.9 2255.0	5010 5050 5010
09N/09W-13N015	2350.2	3-06-68 3-07-68	118.0(4) (0)	2232.2	5010	09N/12W-23N015	2294.0	10-26-67 3-07-68	47.2 46.2	2246.8 2247.8	5010
09N/09W-14P025	2283.5	3-06-68	(0)		5010	09N/12W-31N015	2347.2	10-27-67 11-01-67 3-27-68	124.5 (3) 115.2	2222.7 5050 2232.0	5010 5050 5010
09N/09W-15J015	2297.0	3-06-68 3-07-68	58.2(1) (0)	2238.8	5010	09N/12W-35N015	2295.0	10-26-67 3-07-68	33.5 33.5	2261.5 2261.5	5010
09N/09W-17R015	2275.0	10-20-67	46.1	2228.9	5010	09N/13W-14Q015	2442.0	3-27-68	188.4	2253.6	5010
09N/09W-18C015	2280.3	10-24-67 3-05-68	(1) 193.6(1)	2086.7	5010	09N/13W-17R015	2450.0	11-01-67 3-14-68	170.1 160.6	2279.9 2289.4	5050 5010
09N/09W-20A015	2269.0	4-10-68 5-06-68 6-03-68 7-23-68 8-19-68 9-04-68	1.0 1.7 49.3 50.5 50.5 50.7	2268.0 2267.3 2219.7 2218.5 2218.5 2218.3	5010	09N/14W-27R015	2550.0	10-31-67 3-27-68	307.8 310.3	2242.2 2239.7	5050 5010
09N/09W-23B015	2319.9	3-06-68	(0)		5010	10N/09W-28K015	2275.0	10-20-67	(4)		5010
09N/09W-27H025	2280.0	3-06-68	48.3	2231.7	5010	10N/09W-31C015	2280.0	10-24-67 3-05-68	38.5 (0)	2241.5	5010
09N/09W-29M015	2269.1	10-20-67 4-10-68 5-06-68 6-03-68 7-23-68 8-19-68 9-04-68	45.0 47.6 48.8 48.8 49.0 49.0 49.2	2224.1 2221.5 2220.3 2220.3 2220.1 2220.1 2219.9	5010	10N/09W-34K015	2275.0	10-20-67	49.1	2225.9	5010
09N/10W-08P015	2372.0	10-24-67 3-05-68	84.4 84.3	2287.6 2287.7	5010	10N/09W-36G015	2282.4	3-06-68	(0)		5010
09N/10W-12R015	2280.0	10-24-67 12-08-67 1-30-68 3-05-68	63.7 61.9 60.6 60.8	2216.3 2218.1 2219.4 2219.2	5010	NORTH MUROC HYDRO SUBAREA					
09N/10W-16C015	2333.0	10-24-67 3-05-68	71.4 (0)	2261.6	5010	10N/09W-04D015	2304.0	4-18-68 10-23-67 12-07-67 1-29-68 3-04-68	107.1 110.2(2) 106.9 106.6 108.7(2)	2196.9 2193.8 2197.1 2197.4 2195.3	5010
09N/10W-16C025	2328.0	10-24-67 3-05-68	100.2 (0)	2227.8	5010	10N/09W-04D025	2306.9	10-23-67 3-04-68 3-06-68 4-15-68	123.7(1) 127.3(1) 110.7 118.2	2183.2 2179.6 2196.2 2188.7	5010
09N/10W-16H015	2325.0	10-24-67 3-05-68	90.5 (0)	2234.5	5010	10N/09W-05B015	2290.0	10-23-67 3-04-68 3-06-68	84.6 111.8(1) 81.7	2205.4 2178.2 2208.3	5010
09N/10W-16P015	2322.0	10-24-67 3-05-68	85.7 85.4	2236.3 2236.6	5010	10N/09W-05R015	2272.6	10-20-67 4-11-68 5-08-68 6-04-68 7-24-68 8-19-68 9-04-68	72.3 71.7 71.9 72.3 73.1 73.6 73.8	2200.3 2200.9 2200.7 2200.3 2199.5 2199.0 2198.8	5010
09N/10W-22J025	2285.0	3-05-68	(0)		5010	10N/09W-07A025	2276.9	10-23-67 3-04-68 4-15-68	73.2 73.4 (0)	2203.7 2203.5	5010
09N/10W-24C015	2285.0	10-24-67 3-05-68	202.8(1) 181.0(1)	2082.2 2104.0	5010	10N/09W-16P015	2275.0	10-20-67	(4)		5010
09N/10W-24E015	2280.0	10-24-67 3-05-68	(1) (1)		5010	10N/09W-20E015	2271.2	4-11-68 5-08-68 6-04-68 7-24-68 8-19-68 9-04-68	47.3 47.3 47.3 47.4 47.9 47.4	2223.9 2223.9 2223.9 2223.8 2223.3 2223.8	5010
09N/10W-24F015	2281.2	10-24-67 3-05-68	85.1 (1)	2196.1	5010	10N/09W-20F015	2275.0	10-20-67	47.3	2227.7	5010
09N/10W-24G015	2280.0	10-24-67 3-05-68	135.1(1) 154.5(1)	2144.9 2125.5	5010	10N/09W-24A025	2287.0	10-23-67 3-04-68	75.3 75.4	2211.7 2211.6	5010
09N/10W-24N015	2273.0	3-05-68	(0)		5010						
09N/10W-25M015	2269.4	10-20-67 4-10-68 5-06-68 6-03-68	15.4 12.0 12.3 12.4	2254.0 2257.4 2257.1 2257.0	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANTELOPE HYDRO UNIT						W-26.00					
ANTELOPE HYDRO SUBUNIT			W-26.A0			ANTELOPE HYDRO SUBUNIT			W-26.A0		
NORTH MUDIC HYDRO SUBAREA			W-26.A6			ROCK CREEK HYDRO SUBAREA			W-26.A8		
11N/08W-20H01S	2379.1	3-04-68	(0)		5010	05N/09W-20K01S (CONT.)	3177.0	7-09-68	187.3	2989.7	1101
11N/08W-29K01S	2351.8	3-04-68	(0)		5010			8-06-68	187.6	2989.4	
11N/08W-32G01S	2342.1	10-23-67	134.4	2207.7	5010			9-03-68	188.4	2988.6	
		3-04-68	134.6	2207.5		05N/10W-03L01S	2802.0	11-01-67	(1)		5050
11N/08W-35D01S	2382.0	3-04-68	247.3(1)	2134.7	5010			3-11-68	93.6	2708.4	5010
		3-05-68	(0)			05N/10W-06N01S	2777.2	10-09-67	117.7	2659.5	1101
11N/09W-17N01S	2319.9	10-23-67	136.9	2183.0	5010			10-09-67	117.5	2659.7	5010
		3-04-68	137.1	2182.8				11-15-67	116.2	2661.0	1101
11N/09W-24A01S	2348.8	3-04-68	148.5	2200.3	5010			11-15-67	116.0	2661.2	5010
11N/09W-30H01S	2298.3	3-04-68	(0)		5010			1-09-68	115.1	2662.1	1101
11N/09W-30N01S	2328.0	10-23-67	122.6	2205.4	5010			1-09-68	114.9	2662.3	5010
		3-04-68	124.5	2203.5				2-19-68	114.6	2662.6	1101
		4-18-68	126.7	2201.3				2-19-68	114.4	2662.8	5010
11N/09W-32O01S	2302.5	10-23-67	132.8(1)	2169.7	5010			3-12-68	114.5	2662.7	1101
		3-04-68	134.9(1)	2167.6				3-12-68	114.3	2662.9	5010
		3-06-68	108.6	2193.9				4-08-68	114.5	2662.7	1101
11N/09W-36A01S	2323.8	3-04-68	(0)		5010			4-08-68	114.3	2662.9	5010
11N/09W-36R01S	2312.5	3-04-68	(0)		5010			5-14-68	114.8	2662.4	1101
								5-14-68	114.6	2662.6	5010
								6-13-68	115.4	2661.8	1101
								6-13-68	115.2	2662.0	5010
								7-09-68	117.0	2660.2	1101
								7-09-68	116.8	2660.4	5010
								8-06-68	119.8	2657.4	
								9-03-68	118.1	2659.1	
						05N/10W-16P01S	3023.0	11-01-67	253.0	2770.0	5050
						06N/08W-30H01S	2848.0	11-02-67	211.3	2636.7	5050
								3-11-68	209.4	2638.6	5010
						06N/09W-30F01S	2758.0	11-02-67	35.6	2722.4	5050
								3-11-68	40.5	2717.5	5010
BUTTES HYDRO SUBAREA			W-26.A7								
05N/11W-01M01S	2738.5	11-01-67	82.0	2656.5	5050						
		3-11-68	85.5	2653.0	5010						
05N/11W-04E01S	2695.0	11-15-67	157.7	2537.3	1101						
		4-08-68	168.6	2526.4							
05N/11W-04R02S	2755.0	11-01-67	175.3	2579.7	5050						
		3-11-68	174.2	2580.8	5010						
05N/11W-07G01S	2842.3	10-30-67	30.2	2812.1	5050						
		12-11-67	30.5	2811.8							
		1-05-68	30.5	2811.8							
		2-07-68	30.2	2812.1							
		2-27-68	32.9	2809.4							
		3-28-68	30.4	2811.9							
		4-30-68	30.5	2811.8							
		5-29-68	30.8	2811.5							
		7-02-68	31.7	2810.6							
		7-30-68	31.5	2810.8							
		9-11-68	26.9	2815.4							
05N/12W-12A02S	2893.0	11-14-67	25.8	2867.2	1101						
		4-08-68	19.6	2873.4							
05N/12W-14L01S	3140.0	11-02-67	207.0	2933.0	1101						
		4-16-68	213.4	2926.6							
06N/09W-04H02S	2595.0	11-02-67	168.7	2426.3	5050						
		3-11-68	164.5	2430.5	5010						
06N/09W-11N01S	2666.0	11-02-67	166.9	2499.1	5050						
		3-11-68	168.6	2497.4	5010						
06N/10W-18Q01S	2595.0	11-02-67	205.6	2389.4	5050						
		3-12-68	201.9	2393.1	5010						
06N/10W-20P01S	2637.0	10-31-67	237.1	2399.9	5050						
		12-01-67	233.5	2403.5							
		1-01-68	229.9	2407.1							
		2-01-68	226.8	2410.2							
		8-14-68	210.4	2426.6							
		9-01-68	209.6	2427.4							
06N/10W-22D01S	2645.0	11-02-67	169.6	2475.4	5050						
		3-12-68	169.6	2475.4	5010						
06N/10W-34D01S	2706.0	11-02-67	127.4	2578.6	5050						
		3-11-68	127.4	2578.6	5010						
ROCK CREEK HYDRO SUBAREA			W-26.A8								
05N/09W-02E01S	2900.0	11-01-67	(9)		5050						
05N/09W-20K01S	3177.0	10-09-67	196.2	2980.8	1101						
		11-01-67	187.4	2989.6	5050						
		1-09-68	187.2	2989.8	1101						
		2-19-68	187.2	2989.8							
		3-11-68	187.7	2989.3	5010						
		3-12-68	199.2	2977.8	1101						
		4-06-68	186.6	2990.4							
		5-14-68	187.0	2990.0							
		6-13-68	187.1	2989.9							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CUDEBACK HYDRO UNIT						W-27.00					
30S/42E-10L01M	2530.0	8-01-68	71.0	2459.0	5010						
30S/42E-18R01M	2635.0	7-31-68	98.6	2536.4	5010						
30S/42E-20D01M	2600.0	7-31-68	89.7	2510.3	5010						
30S/42E-24L01M	2656.0	8-01-68	149.5	2506.5	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
EL MIRAGE HYDRO SUBUNIT						UPPER MOJAVE HYDRO SUBUNIT					
W-28.A0						W-28.80					
05N/07W-09M01S	3211.1	10-25-67 4-09-68	284.5 284.5	2926.6 2926.6	5010	02N/04W-07A01S	3361.5	10-01-67 11-14-67 12-07-67 1-30-68 1-31-68 2-03-68 2-14-68 2-15-68 2-20-68 2-27-68 3-01-68 5-17-68	18.2 51.3 54.5 54.8 54.5 52.0 51.0 50.5 44.0 44.0 49.3 (7)	3343.3 3310.2 3307.0 3306.7 3307.0 3309.5 3310.5 3311.0 3317.5 3317.5 3312.2	5050
06N/06W-18P01S	2894.3	1-10-68 4-26-68	(5) 51.8	2842.5	5100	02N/04W-07A04S	4640.0	12-13-67 1-18-68 2-21-68 3-22-68 5-17-68 9-16-68	(6) 31.6 28.1 25.6 30.3 78.0	4608.4 4611.9 4614.4 4609.7 4562.0	5050
06N/07W-12N02S	2860.0	10-25-67 4-09-68	13.2 14.0	2846.8 2846.0	5010	02N/04W-07H02S	3280.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 7-01-68 7-12-68 7-29-68 8-01-68 8-06-68 8-13-68 8-13-68 8-16-68 8-23-68 9-16-68 9-23-68	7.7 7.6 7.0 7.4 7.3 8.2 7.0 17.5 39.0 45.5(3) 45.5(3) 67.5 69.5 74.4 86.5 84.5(3)	3272.3 3272.4 3273.0 3272.6 3272.7 3271.8 3273.0 3262.5 3241.0 3234.5 3234.5 3212.5 3210.5 3205.6 3193.5 3195.5	5050
06N/07W-26R01S	3005.0	1-10-68 4-26-68	124.3 125.4	2880.7 2879.6	5100	02N/04W-07J02S	4095.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 6-21-68 7-01-68 8-23-68 9-01-68 9-15-68 9-19-68	79.0 149.2 131.9 132.5 131.7 134.5 136.5 137.0 136.0(5) 136.5(5) 137.7(5)	4016.0 3945.8 3963.1 3962.5 3963.3 3960.5 3958.5 3958.0 3959.0 3958.5 3957.3	5050
06N/07W-27N01S	3020.0	1-10-68 4-26-68	137.0 136.1	2883.0 2883.9	5100	02N/04W-18R01S	5100.0	1-18-68 2-21-68 3-22-68 4-24-68 7-03-68 8-23-68 9-16-68	26.0 6.2 11.5 21.0 24.9 27.5 (7)	5074.0 5093.8 5088.5 5079.0 5075.1 5072.5	5050
07N/07W-27L01S	2835.0	10-25-67 4-09-68	63.9 66.1	2771.1 2768.9	5010	02N/04W-20K01S	4880.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 7-03-68	18.5 20.8 20.0 19.8 21.8 .8	4861.5 4859.2 4860.0 4860.2 4858.2 4879.2	5050
						02N/04W-20L02S	4880.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 7-03-68 8-23-68 9-16-68	13.0(3) 14.7 14.9 14.7 16.2 17.2 17.5 21.4	4867.0 4865.3 4865.1 4865.3 4863.8 4862.8 4862.5 4858.6	5050
						02N/04W-20Q02S	5330.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 7-03-68 9-16-68	103.2(6) 57.2(3) 156.0 168.7 165.2 185.9 (7)	5226.8 5272.8 5174.0 5161.3 5164.8 5144.1	5050
						03N/03W-06E02S	2940.0	10-26-67 4-10-68	22.3 5.0	2917.7 2935.0	5010
						03N/04W-13H02S	3005.3	1-08-68 4-26-68	74.9 73.5	2930.4 2931.8	5100
						04N/03W-01M01S	3037.0	1-08-68 4-26-68	223.3 224.3	2813.7 2812.7	5100
						04N/03W-06O02S	2870.0	12-06-67 4-26-68	66.2 66.6	2803.8 2803.4	5100
						04N/03W-07P02S	2868.5	12-06-67 4-26-68	39.1 41.2	2829.4 2827.3	5100
						04N/03W-10R01S	3090.0	10-26-67	272.7	2817.3	5010

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
UPPER MOJAVE HYDRO SUBUNIT			W-28.80			UPPER MOJAVE HYDRO SUBUNIT			W-28.80		
04N/03W-10R01S (CONT.)	3090.0	4-10-68	271.2	2818.8	5010	07N/04W-30C01S	2561.5	10-25-67 12-06-67 4-11-68 4-30-68	61.0 60.2 59.4 59.3	2500.5 2501.3 2502.1 2502.2	5010 5100 5010 5100
04N/03W-18E01S	2866.6	10-26-67 4-10-68	40.3 44.4	2826.3 2822.2	5010	07N/05W-07N01S	2780.0	10-23-67 4-10-68	146.4 145.8	2633.6 2634.2	5010
04N/04W-01D02S	2827.0	4-10-68	19.9	2807.1	5010	07N/05W-15P01S	2705.0	10-23-67 4-10-68	132.1 DKY	2572.9	5010
04N/05W-22H01S	3551.9	11-17-67	697.3	2854.6	5010	07N/05W-22N02S	2715.0	10-23-67 4-10-68	88.8 88.6	2626.2 2626.4	5010
05N/02W-33N01S	3030.0	12-02-67 3-02-68 6-08-68 8-31-68	170.2 169.2 170.3 170.9	2859.8 2860.8 2859.7 2859.1	5713	08N/04W-31R01S	2449.0	10-25-67 4-11-68	28.7 23.9	2420.3 2425.1	5010
05N/03W-03D02S	2920.0	1-08-68 4-26-68	118.9 120.3	2801.1 2799.7	5100						
05N/03W-13D01S	2930.0	1-08-68 4-26-68	103.3 103.6	2826.7 2826.4	5100						
05N/03W-14G01S	2916.0	10-26-67 4-09-68	93.1 93.1	2822.9 2822.9	5010						
05N/03W-19E01S	2875.0	10-26-67 4-10-68	101.0 100.7	2774.0 2774.3	5010						
05N/03W-24N01S	2927.7	1-08-68 4-26-68	108.8 108.6	2818.9 2819.1	5100						
05N/03W-35N01S	2984.0	1-08-68 4-26-68	168.3 168.0	2815.7 2816.0	5100						
05N/04W-04Q03S	2708.0	10-25-67 4-09-68	7.3 6.7	2700.7 2701.3	5010						
05N/04W-11P01S	2788.3	10-25-67 4-09-68	57.6(4) 57.3(4)	2730.7 2731.0	5010						
05N/04W-21E01S	2890.0	10-25-67 4-09-68	115.4 (4)	2774.6	5010						
05N/04W-36N01S	2827.0	4-10-68	23.8	2803.2	5010						
05N/05W-04C01S	2945.0	10-25-67 4-09-68	133.8 133.2	2811.2 2811.8	5010						
05N/05W-22E02S	3121.0	10-25-67 4-09-68	316.4 313.7	2804.6 2807.3	5010						
05N/06W-12N01S	3100.0	10-25-67 4-09-68	182.8 182.6	2917.2 2917.4	5010						
06N/03W-09E04S	3085.0	1-09-68 5-01-68	31.2 34.5	3053.8 3050.5	5100						
06N/03W-28R01S	2968.0	10-26-67 4-09-68	175.1 173.2	2792.9 2794.8	5010						
06N/04W-06E06S	2580.0	10-25-67 4-11-68	45.1 44.2	2534.9 2535.8	5010						
06N/04W-18P02S	2610.0	10-25-67 4-11-68	11.2 10.3	2598.8 2599.7	5010						
06N/04W-32G04S	2750.0	10-25-67 4-11-68	45.1 46.3	2704.9 2703.7	5010						
06N/05W-08F01S	2780.0	10-23-67 4-10-68	78.1 80.8	2701.9 2699.2	5010						
06N/05W-09B01S	2780.0	10-23-67 4-10-68	96.7 98.5	2683.3 2681.5	5010						
06N/05W-19C01S	2820.0	10-23-67 4-10-68	65.4 64.8	2754.6 2755.2	5010						
06N/05W-28F01S	2875.6	1-10-68 4-26-68	120.6 121.1	2755.0 2754.5	5100						
06N/05W-29H01S	2880.0	10-23-67 4-10-68	104.5 104.3	2775.5 2775.7	5010						
06N/05W-30R01S	2880.0	10-23-67 4-10-68	106.5 106.3	2773.5 2773.7	5010						
06N/05W-32R02S	2945.0	1-10-68 4-26-68	130.0 129.5	2815.0 2815.5	5100						
06N/06W-14P03S	2835.0	10-25-67 4-09-68	45.7 46.3	2789.3 2788.7	5010						
06N/06W-21A01S	2860.0	1-10-68 4-26-68	63.8(1) 60.4	2796.2 2799.6	5100						
07N/04W-18D01S	2475.0	10-25-67 4-11-68	14.6 12.0	2460.4 2463.0	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MUJAVE HYDRO UNIT						W-28.00					
MIDDLE MUJAVE HYDRO SUBUNIT			W-28.00			HARPER HYDRO SUBUNIT			W-28.00		
						HARPER HYDRO SUBAREA			W-28.02		
08N/01W-29F01S	2869.2	1-09-68 5-01-68	92.8 97.6(1)	2776.4 2771.6	5100	10N/04W-10D01S	2135.0	10-23-67 4-11-68	184.1 183.7	1950.9 1951.3	5010
08N/03W-07N03S	2340.0	12-06-67 4-30-68	27.1 31.7	2312.9 2308.3	5100	10N/05W-03J01S	2245.0	10-23-67 4-11-68	227.5 227.6	2017.5 2017.4	5010
08N/04W-12D01S	2329.0	4-11-68	15.6	2313.4	5010	10N/06W-05E03S	2970.5	10-23-67 4-10-68	207.4 204.7	2763.1 2765.8	5010
08N/04W-20N01S	2407.7	1-10-68 4-30-68	24.9 28.0	2382.8 2379.7	5100	11N/03W-07D01S	2065.0	10-23-67 4-11-68 5-03-68	64.5 64.8 62.8	2000.5 2000.2 2002.2	5010 5100
08N/04W-21F02S	2385.0	10-25-67 4-11-68	7.5 7.7	2377.5 2377.3	5010	11N/03W-28R02S	2075.0	10-23-67 12-07-67 4-11-68 5-02-68	38.8 43.1 39.0 41.9	2036.2 2031.9 2035.2 2033.1	5010 5100 5010 5100
08N/04W-30E01S	2470.0	1-10-68 4-30-68	57.4 60.2	2412.6 2409.8	5100	11N/03W-30A01S	2030.8	10-23-67 4-11-68 7-18-68	2.7 2.0 1.8	2028.1 2028.8 2029.0	5010
09N/02W-04D02S	2160.0	12-07-67 5-02-68	58.3(6) 54.9	2101.7 2105.1	5100	11N/03W-30A02S	2033.0	10-23-67 4-11-68 7-18-68	2.1 1.6 2.2	2030.9 2031.4 2030.8	5010
09N/02W-20B01S	2293.0	12-06-67 5-02-68	124.8 125.6	2168.2 2167.4	5100	11N/03W-30J01S	2033.0	12-07-67 4-30-68	.6 .5	2032.4 2032.5	5100
09N/02W-34D01S	2450.0	12-08-67 5-02-68	125.8 125.9	2324.2 2324.1	5100	11N/03W-30J02S	2030.8	12-07-67 4-30-68	2.2 2.0	2028.6 2028.8	5100
09N/03W-11N01S	2209.0	1-10-68 4-30-68	53.1 53.7	2155.9 2155.3	5100	11N/03W-32R01S	2064.0	12-07-67 5-02-68	18.1(1) 17.2(1)	2045.9 2046.8	5100
09N/03W-13R01S	2245.0	10-25-67 4-11-68	88.6 87.7	2156.4 2157.3	5010	11N/04W-04R01S	2036.0	10-23-67 4-11-68 7-03-68	38.5 41.5 38.1	1997.5 1994.5 1997.9	5010
09N/03W-27L02S	2250.0	10-25-67	(0)		5010	11N/04W-06M01S	2060.6	10-23-67 4-11-68 7-17-68	65.4 67.9 66.2	1995.2 1992.7 1994.4	5010
09N/03W-27L04S	2260.0	10-25-67 4-10-68	11.6 13.6	2248.4 2246.4	5010	11N/04W-19H01S	2039.1	12-07-67 4-30-68	116.0 122.4(4)	1923.1 1916.7	5100
09N/03W-28A03S	2245.0	1-10-68 4-30-68	32.0 38.5(2)	2213.0 2206.5	5100	11N/04W-19L01S	2055.0	10-23-67 4-11-68	162.6 155.9	1892.4 1899.1	5010
10N/02W-19P01S	2216.0	12-07-67 5-02-68	104.4 105.7	2111.6 2110.3	5100	11N/04W-28N02S	2044.0	12-07-67 4-30-68	102.5(1) 118.4	1941.5 1925.6	5100
10N/02W-32K01S	2170.0	12-07-67 5-02-68	56.5 56.6	2113.5 2113.4	5100	11N/04W-29R01S	2045.0	10-23-67 4-11-68 7-11-68	115.9 126.6 133.5	1929.1 1918.4 1911.5	5010
10N/03W-10R01S	2135.0	10-23-67 4-11-68	64.6 65.3	2070.4 2069.7	5010	11N/04W-30P01S	2095.0	10-23-67 4-11-68 7-12-68	170.9 166.5 172.5	1924.1 1928.5 1922.5	5010
10N/03W-15H02S	2145.0	12-07-67 5-02-68	69.5 (1)	2075.5	5100	11N/05W-13H01S	2036.2	12-07-67 4-30-68	97.3 98.8	1938.9 1937.4	5100
10N/03W-27D01S	2164.6	12-07-67 5-02-68	62.4 62.6	2102.2 2102.0	5100	32S/43E-28Q01M	2277.0	12-07-67 4-30-68	FLOW FLOW		5100
10N/03W-27R01S	2185.0	12-07-67 5-02-68	113.4 113.9	2071.6 2071.1	5100						
10N/03W-29M01S	2206.0	1-10-68 4-30-68	(2) 74.0(1)		5100						
10N/03W-33J01S	2230.0	10-23-67 4-11-68	86.9 87.2	2143.1 2142.8	5010						
10N/03W-35N01S	2212.0	10-23-67 4-11-68	104.7 104.7	2107.3 2107.3	5010						
10N/03W-36J02S	2180.0	12-07-67 5-02-68	76.3 76.9	2103.7 2103.1	5100						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MUJAVE HYDRO UNIT						W-28.00					
LOWER MUJAVE HYDRO SUBUNIT			W-28.E0			TROY HYDRO SUBUNIT			W-28.F0		
						TROY HYDRO SUBAREA			W-28.F2		
09N/01E-03H01S	1948.0	12-08-67 5-02-68	94.9(1) (1)	1853.1	5100	08N/03E-04B03S	1819.6	12-08-67 5-02-68	12.0 11.6	1807.6 1808.0	5100
09N/01E-13E01S	1947.7	12-06-67 5-02-68	99.2 96.8	1848.5 1850.9	5100	08N/04E-07E01S	1803.0	10-24-67 4-10-68	27.4 40.4(1)	1775.6 1762.6	5010
09N/01E-13E02S	1949.6	10-24-67 12-06-67 3-11-68 5-02-68 6-18-68	97.4 97.3 97.7 98.4 98.6	1852.2 1852.3 1851.9 1851.2 1851.0	5010 5100 5010 5100 5010	08N/04E-12L01S	1809.9	10-24-67	33.1	1776.8	5010
09N/02E-03G02S	1860.0	12-08-67	11.3	1848.7	5100	09N/03E-19E01S	1860.1	12-06-67 5-02-68	18.8 19.9	1841.3 1840.2	5100
09N/02E-20001S	1921.4	10-24-67 12-06-67 3-14-68 5-02-68	73.6 73.3 73.4 73.1	1847.8 1848.1 1848.0 1848.3	5010 5100 5010 5100	09N/03E-19P01S	1856.8	10-24-67 3-14-68 4-10-68	18.2 18.2 19.2	1838.6 1838.6 1837.6	5010
09N/03E-03D02S	1818.0	10-24-67 4-10-68	55.4 55.8	1762.6 1762.2	5010	09N/03E-29G02S	1850.0	12-06-67 5-02-68	15.0 (1)	1835.0	5100
09N/03E-12D01S	1810.0	10-24-67 4-10-68	46.0 47.3	1764.0 1762.7	5010	09N/03E-34D03S	1828.8	12-06-67 5-02-68	45.8 46.3	1783.0 1782.5	5100
09N/03E-15M01S	1830.0	12-08-67 5-02-68	55.7 56.0	1774.3 1774.0	5100	09N/04E-31K02S	1787.0	4-10-68	17.9	1769.1	5010
09N/03E-29A01S	1846.0	10-24-67 3-14-68 4-10-68	76.1 77.0 (1)	1769.9 1769.0	5010						
09N/04E-07M02S	1803.0	12-06-67 5-02-68	35.9 (1)	1767.1	5100						
10N/02E-32P01S	1905.5	12-08-67 5-02-68	54.4 55.5	1851.1 1850.0	5100						
09N/01W-10D02S	2045.0	12-06-67 5-02-68	22.5 23.1(1)	2022.5 2021.9	5100						
09N/01W-10M02S	2097.4	12-06-67 5-02-68	86.9 88.8	2010.5 2008.6	5100						
10N/01W-31C01S	2130.2	12-07-67 5-02-68	(4) (4)		5100						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
MOJAVE HYDRO UNIT						W-28.00					
AFTON HYDRO SUBUNIT						W-28.60					
CAVES HYDRO SUBAREA						W-28.61					
10N/03E-21A01S	1817.0	10-23-67	120.8	1696.2	5010						
		12-08-67	116.2	1700.8	5100						
		4-10-68	117.9	1699.1	5010						
		5-02-68	115.2	1701.8	5100						
10N/04E-04E01S	1740.0	12-08-67	89.8	1650.2	5100						
		5-02-68	95.5	1644.5							
11N/05E-16J01S	1638.8	4-10-68	153.0	1485.8	5010						

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LUCERNE HYDRU UNIT						X-01.00					
04N/01E-02L01S	2927.0	12-02-67 3-02-68 6-08-68 8-31-68	90.8 91.1 91.8 91.8	2836.2 2835.9 2835.2 2835.2	5713	05N/01E-18J01S (CONT.)	2860.0	6-08-68 8-31-68	78.5 80.3	2781.5 2779.7	5713
04N/01E-02M01S	2922.0	12-02-67 3-02-68 6-08-68 8-31-68	95.9 96.1 (1) 97.2	2826.1 2825.9 2824.8	5713	05N/01E-20F01S	2860.0	10-23-67 4-03-68	DRY DRY		5010
04N/01E-03F01S	2911.0	12-02-67 3-02-68 6-08-68	94.9 95.4 95.9	2816.1 2815.6 2815.1	5713	05N/01E-27D01S	2908.0	12-02-67 3-02-68 6-08-68 8-31-68	95.7 95.8 96.3 96.7	2812.3 2812.2 2811.7 2811.3	5713
04N/01E-03L01S	2917.0	12-02-67 3-02-68 6-08-68 8-31-68	102.1 102.5 102.9 103.5	2814.9 2814.5 2814.1 2813.5	5713	05N/01E-27H01S	2930.0	10-23-67 12-02-67 3-02-68 4-03-68 6-08-68 8-31-68	101.7 102.1 102.2 102.0 102.4 102.6	2828.3 2827.9 2827.8 2828.0 2827.6 2827.4	5010 5713 5713 5010 5713
04N/01E-05M01S	2905.0	10-24-67 12-02-67 3-02-68 4-03-68 6-08-68 8-31-68	124.5 123.3 119.8 120.9 123.5 126.7	2780.5 2781.7 2785.2 2784.1 2781.5 2778.3	5010 5713 5010 5713	05N/01E-32C01S	2869.0	10-23-67 4-03-68	100.3(2) 96.7	2768.7 2772.3	5010
04N/01E-05M02S	2905.0	12-02-67 3-02-68 6-08-68 8-31-68	123.0 119.1 122.7 125.9	2782.0 2785.9 2782.3 2779.1	5713	06N/01E-31Q01S	3030.0	1-09-68 5-01-68	(2) 245.8(4)	2784.2	5100
04N/01E-06L01S	2885.0	10-23-67 4-03-68	119.5(1) 115.9(1)	2765.5 2769.1	5010	04N/01W-02P01S	2880.0	12-02-67 3-02-68 6-08-68 8-31-68	93.4 94.0 (1) (1)	2786.6 2786.0	5713
04N/01E-06R01S	2895.0	1-09-68 4-26-68	(7) 101.7	2793.3	5100	04N/01W-03D01S	2850.0	12-02-67 3-02-68 6-08-68 8-31-68	12.3 12.1 12.0 12.8	2837.7 2837.9 2838.0 2837.2	5713
04N/01E-07P02S	2950.0	12-02-67 3-02-68 6-08-68 8-31-68	122.0 122.0 122.4 123.8	2828.0 2828.0 2827.6 2826.2	5713	04N/01W-08N01S	2940.0	12-02-67 12-02-67 3-02-68 3-02-68 6-08-68 8-31-68	15.0 15.0 14.7 14.7 14.9 15.0	2925.0 2925.0 2925.3 2925.3 2925.1 2925.0	5713
04N/01E-07R01S	2945.0	10-23-67 4-02-68	105.6 108.3	2839.4 2836.7	5010	04N/01W-09D01S	2975.0	1-09-68 4-26-68	43.5(4) 42.8	2931.5 2932.2	5100
04N/01E-07R02S	2940.0	12-02-67 3-02-68 6-08-68 8-31-68	104.8 104.8 105.0 105.2	2835.2 2835.2 2835.0 2834.8	5713	04N/01W-10A01S	2907.0	12-02-67 3-02-68 6-08-68 8-31-68	7.8 7.2 7.2 8.2	2899.2 2899.8 2899.8 2898.8	5713
04N/01E-10F02S	2960.0	4-26-68	149.2	2810.8	5100	04N/01W-11Q01S	2933.3	10-23-67 4-03-68	62.0 61.1	2871.3 2872.2	5010
04N/01E-10G02S	2960.0	10-24-67 4-04-68	149.2(2) 148.7	2810.8 2811.3	5010	04N/01W-12F01S	2915.0	10-23-67 4-03-68	145.7 154.3	2769.3 2760.7	5010
04N/01E-10Q01S	2988.0	12-02-67 3-02-68 6-08-68 8-31-68	171.4 170.5 172.6 176.1	2816.6 2817.5 2815.4 2811.9	5713	04N/01W-12M03S	2930.0	10-23-67 4-03-68	74.6 (4)	2855.4	5010
04N/01E-11D02S	2940.0	12-02-67 3-02-68 6-08-68 8-31-68	108.7 108.1 109.0 109.2	2831.3 2831.9 2831.0 2830.8	5713	04N/01W-14A02S	2965.0	12-02-67 3-02-68 6-08-68 8-31-68	80.0 80.0 80.1 80.2	2885.0 2885.0 2884.9 2884.8	5713
04N/01E-11Q02S	2970.0	12-02-67 3-02-68 6-08-68 8-31-68	125.0 125.3 126.0 126.3	2845.0 2844.7 2844.0 2843.7	5713	04N/01W-14B01S	2945.0	10-23-67 4-03-68	3.4 2.7	2941.6 2942.3	5010
04N/01E-12P01S	2971.0	1-09-68 4-26-68	126.8 127.5	2844.2 2843.5	5100	04N/01W-14B02S	2940.0	12-02-67 3-02-68 6-08-68 8-31-68	15.5 14.8 15.6 16.1	2924.5 2925.2 2924.4 2923.9	5713
04N/01E-13M01S	3020.0	10-24-67 4-04-68	171.9(1) 112.3	2848.1 2907.7	5010	04N/01W-14P01S	3025.0	10-23-67 4-03-68	36.2 35.3	2988.8 2989.7	5010
04N/01E-17Q02S	3015.0	4-02-68	126.9	2888.1	5010	04N/02W-10D01S	3073.2	10-26-67 4-10-68	208.1 208.2	2865.1 2865.0	5010
04N/01E-20A01S	3035.0	12-02-67 3-02-68 6-08-68 8-31-68	130.7 130.5 130.5 130.7	2904.3 2904.5 2904.5 2904.3	5713	04N/02W-13A01S	2980.0	1-09-68 4-26-68	70.0(1) 67.2	2910.0 2912.8	5100
05N/01E-16C01S	2932.0	12-02-67 3-02-68 6-08-68 8-31-68	112.0 112.0 112.3 112.6	2820.0 2820.0 2819.7 2819.4	5713	05N/01W-01C01S	2920.0	1-08-68 5-01-68	152.2 147.7	2767.8 2772.3	5100
05N/01E-17D01S	2880.0	10-23-67 12-02-67 3-02-68 4-03-68 6-08-68 8-31-68	99.5 101.0 99.8 98.9 101.7 101.6	2780.5 2779.0 2780.2 2781.1 2778.3 2778.4	5010 5713 5010 5713	05N/01W-01L01S	2905.0	1-08-68 5-01-68	144.6(1) 133.4	2760.4 2771.6	5100
05N/01E-18J01S	2860.0	12-02-67 3-02-68	77.1 76.1	2782.9 2783.9	5713	05N/01W-01R03S	2890.0	10-23-67 4-03-68	113.8 113.3	2776.2 2776.7	5010
						05N/01W-22M01S	2850.0	10-23-67 4-03-68	DRY (0)		5010
						05N/01W-25G01S	2850.0	10-23-67 3-02-68 4-03-68 6-08-68 8-31-68	75.3 73.4 77.7 79.9 83.8	2774.7 2776.6 2772.3 2770.1 2766.2	5010 5713 5010 5713

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LUCERNE HYDRO UNIT						X-01.00					
05N/01W-35Q01S	2855.0	4-03-68	56.8	2798.2	5010						
06N/01W-05J01S	3229.0	1-09-68	122.5	3106.5	5100						
		5-01-68	122.8	3106.2							
06N/01W-22P01S	3059.0	1-09-68	162.3	2896.7	5100						
		5-01-68	158.0	2901.0							
06N/01W-27B01S	3040.0	10-23-67	150.7	2889.3	5010						
		4-03-68	152.4	2887.6							
06N/01W-35A01S	2970.0	10-23-67	197.4	2772.6	5010						
		4-03-68	197.6	2772.4							
06N/01W-36K01S	2933.0	1-09-68	165.5	2767.5	5100						
		5-01-68	(1)								
06N/01W-36K02S	2940.0	1-09-68	164.7	2775.3	5100						
		5-01-68	184.9(1)	2755.1							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
JOHNSON HYDRO UNIT						X-02.00					
04N/03E-24001S	2833.0	10-24-67 4-04-68	55.7 55.5	2777.3 2777.5	5010						
04N/04E-19C01S	2775.0	10-24-67 4-04-68	43.4 43.8	2731.6 2731.2	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EMERSON HYDRO UNIT						X-05.00					
01N/05E-02N015	3519.0	10-23-67 4-04-68	78.0 80.1	3441.0 3438.9	5010						
02N/05E-01A015	2980.0	10-24-67 4-04-68	60.9 60.9	2919.1 2919.1	5010						
02N/06E-30L015	3328.0	10-24-67 4-04-68	328.5 344.8(4)	2999.5 2983.2	5010						
03N/07E-18D015	2403.7	12-19-67	147.7	2256.0	5010						
03N/07E-31E015	2514.3	12-19-67	249.9	2264.4	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DEADMAN HYDRO UNIT						X-07.00					
02N/07E-02C01S	2300.0	12-21-67	100.5(2)	2199.5	5010						
02N/07E-03A01S	2300.9	12-19-67	118.4	2182.5	5010						
02N/07E-04H01S	2442.2	12-22-67 9-20-68	197.2 198.6	2245.0 2243.6	5010						
02N/07E-14K01S	2532.1	12-19-67	336.8	2195.3	5010						
03N/07E-35P02S	2270.8	12-21-67	105.0(1)	2165.8	5010						
03N/08E-17L01S	1850.4	12-19-67	47.9	1802.5	5010						
03N/08E-29C01S	1890.9	12-19-67	88.6	1802.3	5010						
03N/08E-29L01S	1905.7	12-19-67	103.1	1802.6	5010						
03N/08E-33B01S	1845.7	12-19-67	45.0	1800.7	5010						
03N/08E-34D01S	1823.9	12-19-67	24.2	1799.7	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
JOSHUA TREE HYDRO UNIT						X-08.00					
WARREN HYDRO SUBUNIT						COPPER MOUNTAIN HYDRO SUBUNIT					
X-08.A0						X-08.80					
01N/05E-36K01S	3230.0	10-24-67 4-04-68	160.9 178.8	3069.1 3051.2	5010	01N/06E-09001S	3220.0	1-11-68 5-08-68	404.3 403.3	2815.7 2816.7	5100
01N/06E-28L01S	2970.0	1-11-68 5-08-68	211.0 210.5	2759.0 2759.5	5100	01N/06E-13R01S	2650.0	1-11-68 5-08-68	437.2 437.0	2212.8 2213.0	5100
01N/06E-29R02S	3150.0	10-24-67	266.7	2883.3	5010	01N/07E-14N01S	2359.0	1-13-68 5-08-68	185.1 185.2	2173.9 2173.8	5100
01N/06E-31P01S	3280.0	1-11-68 5-08-68	307.0 (2)	2973.0	5100	01N/07E-21J01S	2440.0	1-13-68 5-08-68	259.5 262.9	2180.5 2177.1	5100
01S/05E-02801S	3285.0	10-24-67 4-04-68	193.6 196.4	3091.4 3088.6	5010	01N/07E-26D01S	2385.0	10-24-67 4-04-68	211.6 211.7	2173.4 2173.3	5010
01S/05E-02C02S	3305.0	1-11-68 5-08-68	226.5 230.0	3078.5 3075.0	5100	01N/07E-30P01S	2670.0	1-11-68 5-08-68	369.6 369.6	2300.4 2300.4	5100
01S/05E-04R02S	3520.0	1-11-68 5-08-68	76.8 79.4	3443.2 3440.6	5100	01N/07E-32C01S	2620.0	10-24-67 4-04-68	305.4 (1)	2314.6	5010
						01N/07E-35D01S	2485.0	10-24-67 4-04-68	181.8(1) 181.8(4)	2303.2 2303.2	5010
						01S/07E-27R01S	3770.0	10-25-67 4-04-68	(4) (4)		5010
						02S/08E-03C01S	4300.0	10-25-67 4-05-68	92.0 94.6	4208.0 4205.4	5010
						02S/08E-07K01S	4100.0	10-25-67 4-04-68	215.5 215.8	3884.5 3884.2	5010
						02S/08E-21G02S	4480.0	10-25-67 4-04-68	38.3(4) 41.0	4441.7 4439.0	5010

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
DALE HYDRO UNIT						X-09.00					
TWENTYNINE PALMS HYDRO SUBUNIT			X-09.A0			DALE HYDRO SUBUNIT			X-09.B0		
01N/08E-01801S	1890.0	12-20-67	125.9	1764.1	5010	01N/09E-12G01S	1750.0	01-12-68 05-09-68	209.5 209.6	1540.5 1540.4	5100
01N/08E-01H01S	1856.0	1-12-68 5-09-68	71.0 71.1	1785.0 1784.9	5100	01N/09E-12G03S	1750.0	01-12-68 05-09-68	213.4 213.1	1536.6 1536.9	5100
01N/08E-11L01S	2180.0	4-04-68	368.0	1812.0	5010	01N/09E-14D01S	1805.0	10-24-67 04-04-68	254.1 254.0	1550.9 1551.0	5010
01N/08E-12G01S	1972.7	12-20-67 1-12-68 5-09-68	197.8(7) 198.6 (7)	1774.9 1774.1	5010 5100	01N/10E-22J01S	1640.0	01-12-68 05-09-68	297.9 319.0(1)	1342.1 1321.0	5100
01N/08E-33A02S	2520.0	1-13-68 5-08-68	269.7 261.4	2250.3 2258.6	5100	01N/10E-24M02S	1520.0	01-12-68 05-09-68	208.8 208.9	1311.2 1311.1	5100
01N/08E-33R01S	2677.0	10-24-67 4-04-68	327.8 328.7	2349.2 2348.3	5010	01N/10E-36P01S	1560.0	10-25-67	333.3	1226.7	5010
01N/08E-36A01S	2129.7	1-13-68 5-08-68	163.4 (1)	1966.3	5100	01N/11E-04M01S	1360.0	01-12-68 05-09-68	140.3 150.5(4)	1219.7 1209.5	5100
01N/09E-04N03S	1787.0	12-18-67 1-12-68 5-09-68	14.0 13.9 14.0	1773.0 1773.1 1773.0	5010 5100	01N/11E-14A01S	1285.0	01-12-68 05-09-68	80.3 80.3	1204.7 1204.7	5100
01N/09E-05Q02S	1800.0	12-18-67	30.1	1769.9	5010	01N/11E-21C01S	1340.0	10-25-67	124.5	1215.5	5010
01N/09E-06E01S	1840.0	1-12-68 5-09-68	66.2 66.1	1773.8 1773.9	5100	01N/11E-35R01S	1265.0	01-12-68 05-09-68	65.3 65.3	1199.7 1199.7	5100
01N/09E-06J01S	1820.1	1-12-68 5-09-68	DRY DRY		5100	01N/12E-20D01S	1211.3	10-25-67	27.2	1184.1	5010
01N/09E-07H01S	1843.5	12-18-67	70.4(7)	1773.1	5010	01N/12E-20D04S	1212.4	10-25-67	27.9	1184.5	5010
01N/09E-09M02S	1810.0	12-18-67 1-12-68 5-09-68	39.4 39.9 39.5	1770.6 1770.1 1770.5	5010 5100						
01N/09E-16D01S	1815.0	12-18-67	41.5	1773.5	5010						
01N/09E-16G01S	1800.0	12-18-67 1-12-68 5-09-68	11.7 12.5 11.6	1788.3 1787.5 1788.4	5010 5100						
01N/09E-16G02S	1800.0	1-12-68 5-09-68	11.1 (1)	1788.9	5100						
01N/09E-17E01S	1870.0	12-18-67 1-12-68 5-09-68	109.1 109.1 109.2	1760.9 1760.9 1760.8	5010 5100						
01N/09E-21E01S	1840.0	1-12-68 5-09-68	(3) DRY		5100						
01N/09E-22C01S	1814.1	1-12-68 5-09-68	46.8 43.6	1767.3 1770.5	5100						
01N/09E-22E01S	1827.0	1-12-68 5-09-68	55.9(3) 54.3	1771.1 1772.7	5100						
01N/09E-26N01S	1933.7	1-12-68	148.6	1785.1	5100						
01N/09E-27C04S	1870.0	1-12-68 5-09-68	83.0 83.3	1787.0 1786.7	5100						
01N/09E-27M01S	1900.0	10-24-67 4-04-68	116.8 116.6	1783.2 1783.4	5010						
01N/09E-30Q01S	2091.6	10-24-67 4-04-68	112.6 (4)	1979.0	5010						
01N/09E-31C01S	2102.3	1-13-68 5-08-68	144.0 157.2(1)	1958.3 1945.1	5100						
01N/09E-33F03S	1984.0	1-13-68 5-08-68	12.9 13.2	1971.1 1970.8	5100						
01N/09E-33J01S	1961.4	1-13-68 2-09-68 5-09-68	(5) 4.5 DRY	1956.9	5100						
01N/09E-34A02S	1950.0	1-12-68 5-09-68	151.7 152.0(3)	1798.3 1798.0	5100						
01N/09E-35F01S	1971.0	1-12-68 5-09-68	107.7 108.7	1863.3 1862.3	5100						
02N/08E-26J01S	1950.0	12-20-67	155.8	1794.2	5010						
02N/09E-19N01S	1834.0	12-22-67 1-12-68 5-09-68	68.9 70.8 68.8	1765.1 1763.2 1765.2	5010 5100						
02N/09E-30P02S	1790.0	12-20-67	29.2	1760.8	5010						
01S/09E-03D01S	2076.4	1-12-68 5-09-68	102.6 102.0	1973.8 1974.4	5100						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
COLORADO HYDRO UNIT						X-15.00					
VIDAL HYDRO SUBUNIT						X-15.00					
01N/23E-08001S	960.0	10-25-67	267.8	692.2	5010						
01S/23E-01A02S	627.0	10-25-67	246.2	380.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
RICE HYDRO UNIT					
X-16.00					
01S/21E-32801S	740.0	10-25-67	150.7	589.3	5010

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CHUCKWALLA HYDRO UNIT						X-17.00					
FORD HYURO SUBUNIT			X-17.A0			PALEN HYURO SUBUNIT			X-17.B0		
075/20E-04R015	418.0	10-25-67	150.9	267.1	5010	045/16E-29R015	545.0	10-26-67	78.8	466.2	5010
						045/16E-32D015	560.0	10-26-67 4-08-68	87.8 85.8	472.2 474.2	5010
						045/17E-06C015	500.0	10-26-67 4-08-68	23.0 22.8	477.0 477.2	5010
						055/16E-07M025	610.0	10-26-67 4-08-68	126.4 126.8	483.6 483.2	5010
						055/16E-08K015	550.0	10-01-67 10-26-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-08-68 6-26-68 7-01-68 8-01-68 9-01-68	75.5 80.5 75.5 75.5 75.5 75.5 75.5 87.2 75.8 75.8 75.6 75.6	474.5 469.5 474.5 474.5 474.5 474.5 474.5 462.8 474.2 474.2 474.4 474.4	5050 5010 5050 5010 5050
						055/16E-22N015	665.0	10-25-67	189.7	475.3	5010

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CHUCKWALLA HYDRO UNIT						X-17.00					
PINTO HYDRO SUBUNIT						X-17.00					
02S/12E-36F01S	1347.0	10-26-67	400.4	946.6	5010						
		4-05-68	400.6	946.4							
03S/15E-04J01S	1080.6	10-26-67	164.8	915.8	5010						
		4-08-68	(1)								
04S/11E-27Q01S	2975.0	10-26-67	181.8	2793.2	5010						
		4-05-68	183.0	2792.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITewater HYDRO UNIT						X-19.00					
MORONGO HYDRO SUBUNIT						SAN GORGONIO HYDRO SUBUNIT					
X-19.A0						SAN GORGONIO HYDRO SUBAREA					
						X-19.C0					
						X-19.C2					
01S/04E-12001S	2740.0	10-23-67 4-04-68	164.1 164.1	2575.9 2575.9	5010	02S/01E-03X01S	5000.0	10-20-67	FLOW		5713
01S/04E-14N01S	2750.0	1-11-68 5-08-68	197.3 195.4	2552.7 2554.6	5100	02S/01E-03X02S	5000.0	10-20-67	15.1	4984.9	5713
01S/04E-22J01S	2750.0	10-24-67 1-11-68 1-11-68 4-04-68 5-08-68 5-08-68	173.9 172.8 172.8 172.8 173.4 173.4	2576.1 2577.2 2577.2 2577.2 2576.6 2576.6	5010 5100 5010 5100	02S/01E-17F01S	3730.0	10-20-67 2-09-68	25.7 21.9	3704.3 3708.1	5713
01S/04E-23C03S	2700.0	1-11-68 5-08-68	141.6 140.0	2558.4 2560.0	5100	02S/01E-17L01S	3696.0	10-02-67	FLOW		4103
01S/04E-29J01S	2640.0	1-11-68 5-08-68	90.7 90.7	2549.3 2549.3	5100	02S/01E-20M01S	3395.0	10-02-67 11-06-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	46.0 47.0 47.0 48.0 48.0 48.0 48.0 48.0 48.0 49.0 52.0 53.0	3349.0 3348.0 3348.0 3347.0 3347.0 3347.0 3347.0 3347.0 3347.0 3346.0 3343.0 3342.0	4103
01S/04E-32G01S	2600.0	4-04-68	62.0	2538.0	5010	02S/01E-29C01S	3442.0	10-20-67 2-09-68	117.3 118.7	3324.7 3323.3	5713
						02S/01E-29D01S	3455.0	10-20-67 2-09-68	129.8 129.9	3325.2 3325.1	5713
						02S/01E-29F01S	3210.0	10-02-67 11-06-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	59.0 71.0 73.0 67.0 57.0 48.0 44.0 39.0 49.0(1) 52.0 61.0 68.0	3151.0 3139.0 3137.0 3143.0 3153.0 3162.0 3166.0 3171.0 3161.0 3158.0 3149.0 3142.0	4103
						02S/01E-29H01S	3158.0	10-02-67 10-09-67 10-16-67 10-23-67 10-30-67 11-06-67 11-13-67 11-20-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	27.0 32.0 32.0 36.0 36.0 37.0 39.0 43.0 41.0 37.0 27.0 20.0 17.0 13.0 19.0 23.0 30.0 36.0	3131.0 3126.0 3126.0 3122.0 3122.0 3121.0 3119.0 3115.0 3117.0 3121.0 3131.0 3138.0 3141.0 3145.0 3139.0 3135.0 3128.0 3122.0	4103
						02S/01E-29P01S	3278.0	10-20-67 10-20-67 2-09-68	142.8 (1) FLOW	3135.2	5713
						02S/01E-29Q03S	3260.0	10-20-67	130.1	3129.9	5713
						02S/01E-33J02S	2768.0	10-02-67 11-06-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	18.0(1) 23.0(1) 26.0(1) 26.0(1) 29.0(1) 30.0(1) 22.0 18.0 15.0 16.0 32.0(1) 45.0(1)	2750.0 2745.0 2742.0 2742.0 2739.0 2738.0 2746.0 2750.0 2753.0 2752.0 2736.0 2723.0	4103
						02S/01E-33J03S	2770.0	10-02-67 11-06-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	17.0 18.0 18.0 23.0 26.0 26.0 19.0 15.0 14.0 17.0 20.0 29.0	2753.0 2752.0 2752.0 2747.0 2744.0 2744.0 2751.0 2755.0 2756.0 2753.0 2750.0 2741.0	4103
						02S/01E-33K01S	2804.0	10-20-67 2-09-68	10.3 23.1	2793.7 2780.9	5713
						03S/01E-07E01S	2521.0	10-20-67 2-09-68	298.3 297.1	2222.7 2223.9	5713

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
SAN GORGONIO HYDRO SUBUNIT			X-19.C0			COACHELLA HYDRO SUBUNIT			X-19.00		
SAN GORGONIO HYDRO SUBAREA			X-19.C2			GARNET HILL HYDRO SUBAREA			X-19.01		
03S/02E-23801S	1524.0	2-14-68	336.3	1187.7	5131	03S/04E-13N01S	713.0	2-08-68	225.6	487.4	5131
		4-24-68	336.1	1187.9				4-05-68	225.9	487.1	
		5-24-68	336.5	1187.5				5-21-68	(7)		
		8-16-68	336.6	1187.4				5-23-68	226.1	486.9	
								8-15-68	225.9	487.1	
03S/02E-23C01S	1520.0	2-14-68	336.5	1183.5	5131	03S/04E-17K01S	901.0	2-14-68	347.0	554.0	5131
		4-24-68	336.6	1183.4				4-09-68	347.7	553.3	
		9-03-68	(2)					5-21-68	348.2	552.8	
03S/03E-07M01S	1472.0	2-16-68	336.8	1135.2	5131			8-16-68	352.8	548.2	
		4-11-68	337.0	1135.0		03S/04E-22A01S	711.0	2-15-68	169.3	541.7	5131
		9-03-68	339.7	1132.3				4-05-68	171.0	540.0	
03S/03E-08M01S	1350.0	11-15-67	239.0	1111.0	4103			5-21-68	169.3	541.7	
		12-07-67	239.0	1111.0				8-15-68	169.1	541.9	
		1-04-68	239.2	1110.8		MISSION CREEK HYDRO SUBAREA					
		2-20-68	237.2	1112.8	5131	X-19.02					
		3-07-68	239.5	1110.5	4103	02S/03E-12L01S	2363.0	11-16-67	66.7	2296.3	5010
		3-09-68	239.4	1110.6				1-02-68	61.0	2302.0	
		4-10-68	240.2	1109.8				2-07-68	61.4	2301.6	
		4-12-68	237.5	1112.5	5131			4-22-68	72.1	2290.9	
		5-09-68	239.8	1110.2	4103			5-21-68	80.1	2282.9	
		5-23-68	237.6	1112.4	5131			6-19-68	87.3	2275.7	
		6-07-68	240.1	1109.9	4103			9-06-68	98.2	2264.8	
		7-01-68	240.0	1110.0		02S/03E-12L03S	2365.0	1-02-68	-0.1	2365.1	5010
		8-05-68	240.1	1109.9				2-07-68	.0	2365.0	
		8-16-68	237.9	1112.1	5131	02S/04E-25N01S	1099.0	11-16-67	(7)		4103
		9-10-68	240.2	1109.8	4103			12-12-67	337.4	761.6	5131
		9-30-68	240.5	1109.5				2-15-68	337.6	761.4	
03S/01W-01N01S	2603.1	10-20-67	347.2	2255.9	5713			4-09-68	337.8	761.2	
		2-09-68	347.2	2255.9				4-12-68	338.1	760.9	4103
03S/01W-01Q01S	2580.0	10-20-67	(1)		5713			9-03-68	338.0	761.0	5131
		2-09-68	334.2	2245.8		02S/04E-27R01S	1189.0	11-15-67	(3)		4103
03S/01W-12C01S	2570.6	10-20-67	322.7	2247.9	5713			4-12-68	431.3	757.7	
		2-09-68	323.1	2247.5		02S/04E-35A01S	1120.0	12-12-67	361.7	758.3	5131
								2-08-68	361.8	758.2	
								4-23-68	362.2	757.8	
								9-03-68	(2)		
								9-09-68	361.9	758.1	
						02S/04E-35Q01S	1045.0	12-12-67	285.4	759.6	5131
								2-08-68	285.3	759.7	
								4-09-68	285.4	759.6	
								9-03-68	286.8	758.2	
						02S/05E-31L01S	984.0	12-12-67	224.8	759.2	5131
								2-15-68	224.9	759.1	
								4-12-68	225.0	759.0	
								9-09-68	224.8	759.2	
						03S/04E-02E01S	1010.0	11-15-67	254.7	755.3	4103
								12-07-67	254.5	755.5	
								1-04-68	254.7	755.3	
								2-09-68	254.9	755.1	
								3-07-68	254.9	755.1	
								4-12-68	255.0	755.0	
								5-09-68	255.0	755.0	
								6-07-68	255.2	754.8	
								7-01-68	253.2	756.8	
								8-05-68	255.2	754.8	
								9-10-68	255.3	754.7	
								9-30-68	255.4	754.6	
						03S/04E-10J01S	869.0	11-15-67	(1)		4103
								4-12-68	114.6(4)	754.4	
						03S/04E-11B03S	911.0	11-15-67	151.5	759.5	4103
								4-12-68	151.7	759.3	
						03S/04E-11L02S	864.0	12-07-67	107.2	756.8	5131
								3-13-68	107.3	756.7	
								5-07-68	108.4	755.6	
								5-16-68	107.5	756.5	
						03S/04E-12B01S	885.0	12-07-67	126.7	758.3	5131
								3-13-68	126.8	758.2	
								5-14-68	133.1	751.9	
								5-22-68	127.1	757.9	
						03S/04E-12E02S	857.0	1-04-68	104.6	752.4	4103
								2-09-68	104.6	752.4	
								3-07-68	104.6	752.4	
								4-12-68	104.7	752.3	
								5-09-68	104.7	752.3	
								6-07-68	104.8	752.2	
								7-01-68	104.9	752.1	
								8-05-68	105.0	752.0	
								9-10-68	104.9	752.1	
								9-30-68	103.2	753.8	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
MISSION CREEK HYDRO SUBAREA			X-19.02			SKY VALLEY HYDRO SUBAREA			X-19.04		
03S/04E-12M01S	846.0	3-13-68 5-14-68 5-22-68	89.1 89.3 89.3	756.9 756.7 756.7	5131	03S/06E-28A01S	996.0	11-16-67 4-12-68	248.1 248.1	747.9 747.9	4103
03S/04E-13M01S	769.0	11-16-67 4-15-68	38.8 38.9	730.2 730.1	4103	03S/06E-36P01S	772.0	2-19-68 4-12-68 5-16-68 8-15-68	77.2 78.1 77.9 77.1	694.8 693.9 694.1 694.9	5131
03S/05E-06P01S	867.0	1-11-68 2-09-68 3-07-68 4-12-68 5-09-68 6-07-68 7-01-68 8-05-68 9-10-68 9-30-68	114.5 114.0 114.0 114.1 114.1 114.2 114.3 114.4 114.2 114.7	752.5 753.0 753.0 752.9 752.9 752.8 752.7 752.6 752.8 752.3	4103	04S/06E-12K01S	560.0	12-08-67 2-02-68 4-05-68 8-23-68	3.5 3.8 3.6 3.8	556.5 556.2 556.4 556.2	5131
03S/05E-08M02S	820.0	11-15-67 12-07-67 1-04-68 2-09-68 3-07-68 4-12-68 5-09-68 6-07-68 7-01-68 8-05-68 9-10-68 9-30-68	69.6 69.4 69.4 69.5 72.4 (1) 71.7 69.8 70.4 70.1 (1) 69.9 69.9 70.1	750.4 750.6 750.6 750.5 747.6 748.3 750.2 749.6 749.9 750.1 750.1 749.9	4103	04S/06E-08L01S	365.0	2-09-68 4-05-68 8-23-68 8-27-68	272.8 272.6 (1) 274.1	92.2 92.4 90.9	5131
03S/05E-09C01S	1007.0	11-16-67 4-12-68	241.9 242.1	765.1 764.9	4103	04S/06E-17R01S	215.0	10-14-67 12-19-67 3-13-68 5-24-68 8-03-68	119.7 118.8 119.7 120.3 123.2	95.3 96.2 95.3 94.7 91.8	5131
03S/05E-10L02S	928.0	2-20-68 4-15-68 8-29-68	166.4 166.3 (2)	761.6 761.7	5131	04S/06E-22C01S	217.0	12-07-67 3-13-68 5-16-68 7-20-68 8-13-68	136.8 139.4 141.2 144.8 (1)	88.2 77.6 75.8 72.2	5131
03S/05E-17G01S	789.0	11-16-67 4-15-68	40.4 40.3	748.6 748.7	4103	04S/06E-22C02S	217.0	12-07-67 3-13-68 5-16-68	136.7 134.2 134.9	80.3 82.8 82.1	5131
03S/05E-17J01S	793.0	12-07-67 3-15-68 5-16-68	38.0 38.1 38.5	755.0 754.9 754.5	5131	04S/06E-22J01S	225.0	12-08-67 2-19-68 4-05-68 8-23-68 9-10-68	147.4 148.3 149.3 (2) 148.0	77.6 76.7 75.7 77.0	5131
03S/05E-17K01S	780.0	12-07-67 3-15-68 5-16-68	31.0 31.2 31.0	749.0 748.8 749.0	5131	04S/06E-22K01S	215.0	12-08-67 2-19-68 4-05-68 8-23-68	134.0 133.9 134.3 136.0	81.0 81.1 80.7 79.0	5131
03S/05E-19B01S	689.0	2-23-68 4-15-68 4-16-68 5-16-68 8-15-68	-6.1 -9.6 -10.0 -10.0 -9.6	695.1 698.6 699.0 699.0 698.6	5131	04S/07E-30E01S	165.0	12-07-67 2-02-68 4-05-68 8-26-68	124.4 126.7 127.2 129.2	40.6 38.3 37.8 35.8	5131
03S/05E-22G01S	845.0	11-16-67 4-15-68	98.7 98.8	746.3 746.2	4103	04S/07E-30M01S	150.0	12-07-67 2-02-68 4-05-68 8-26-68	105.7 106.7 107.9 109.0	44.3 43.3 42.1 41.0	5131
MIRACLE HILL HYDRO SUBAREA			X-19.03			04S/07E-33N01S	72.8	12-08-67 2-02-68 4-04-68 8-22-68	41.1 44.2 45.1 (1)	31.7 28.6 27.7	5131
02S/05E-30Q01S	1095.8	11-15-67 4-12-68	108.8 110.3	987.0 985.5	4103	05S/07E-04A01S	48.0	11-27-67 1-31-68 3-28-68 8-19-68	35.1 35.9 38.9 40.8	12.9 12.1 9.1 7.2	5131
03S/05E-03L01S	1164.0	2-20-68 4-15-68 9-03-68	220.2 220.3 220.3	943.8 943.7 943.7	5131	05S/07E-04D01S	58.0	12-19-67 3-20-68 5-10-68	38.4 43.7 44.5	19.6 14.3 13.5	5131
03S/05E-04K01S	1074.0	11-16-67 4-12-68	86.6 86.8	987.4 987.2	4103	INDIO HYDRO SUBAREA			X-19.07		
03S/05E-10R01S	962.0	2-20-68 4-15-68 8-29-68	68.2 69.5 68.4	893.8 892.5 893.6	5131	03S/04E-21D01S	830.0	10-18-67 2-14-68 4-11-68 5-29-68 7-31-68	480.6 481.4 481.5 DRY DRY	349.4 348.6 348.5	5131
03S/05E-11J01S	1101.0	11-16-67 12-07-67 1-04-68 2-09-68 3-07-68 4-12-68 5-09-68 6-07-68 7-01-68 8-05-68 9-10-68 9-30-68	231.3 231.0 231.1 231.3 231.3 231.4 232.0 231.6 231.6 231.6 231.6 231.7	869.7 870.0 869.9 869.7 869.7 869.6 869.0 869.4 869.4 869.4 869.4 869.3	4103	03S/04E-23M01S	649.0	2-15-68 4-11-68 9-02-68	232.5 233.3 234.0	416.5 415.7 415.0	5131
03S/05E-11R01S	1090.0	2-20-68 4-12-68 8-29-68	210.7 210.8 211.3	879.3 879.2 878.7	5131	03S/04E-30C01S	944.0	12-06-67 3-15-68 5-15-68 5-29-68	556.2 568.5 574.3 571.7	387.8 375.5 369.7 372.3	5131
03S/05E-12P01S	960.0	2-21-68 4-12-68 8-29-68	304.0 304.2 304.2	656.0 655.8 655.8	5131	03S/04E-36M01S	548.0	12-29-67 1-26-68 3-26-68 7-17-68	332.0 332.0 332.8 345.6	216.8 216.0 215.2 202.4	4700

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
INDIO HYDRO SUBAREA			X-19.07			INDIO HYDRO SUBAREA			X-19.07		
04S/04E-01N01S	500.0	2-21-68 4-04-68 5-21-68 7-31-68	303.9 304.8 305.2 305.8	196.1 195.2 194.8 194.2	5131	04S/05E-09B01S	405.0	12-06-67 3-12-68 5-16-68 5-21-68	220.2 221.4 222.2 222.6	184.8 183.6 182.8 182.4	5131
04S/04E-01N02S	502.0	10-26-67 10-26-67 12-28-67 12-28-67 1-25-68 1-25-68 3-19-68 3-19-68 7-16-68 7-16-68	354.8(1) 352.8(1) 357.8(1) 355.8(1) 305.8 303.8 306.6 304.6 310.8 307.6	147.2 149.2 144.2 146.2 196.2 198.2 195.4 197.4 191.2 194.4	4700 5131 4700 5131 4700 5131 4700 5131 4700 5131	04S/05E-09F01S	397.0	12-06-67 3-12-68 5-21-68 5-22-68	222.4 223.5 225.0 224.1	174.6 173.5 172.0 172.9	5131
04S/04E-11K01S	492.9	10-25-67 10-25-67 12-28-67 12-28-67 1-25-68 1-25-68 3-06-68 3-06-68 7-16-68 7-16-68	297.9 292.7 298.9 293.7 298.9 293.7 298.0 292.8 310.4(1) 297.5(1)	195.0 200.2 194.0 199.2 194.0 199.2 194.9 200.1 182.5 195.4	4700 5131 4700 5131 4700 5131 4700 5131 4700 5131	04S/05E-11E01S	327.0	11-22-67 2-02-68 4-23-68 5-09-68 9-04-68	165.2 165.3 167.1 167.0 167.3	161.8 161.7 159.9 160.0 159.7	5131
04S/04E-11R01S	458.0	10-67-67 12-29-67 1-26-68 3-19-68 7-16-68	259.0 260.0 260.0 260.8 299.9(1)	199.0 198.0 198.0 197.2 158.1	4700	04S/05E-15R01S	345.0	11-28-67 2-02-68 4-12-68 5-20-68 8-12-68	198.6 199.0 199.5 199.8 199.8	146.4 146.0 145.5 145.2 145.2	5131
04S/04E-13P01S	414.0	2-23-68 4-03-68 9-04-68	224.6 224.4 226.2	189.4 189.6 187.8	5131	04S/05E-15R02S	346.0	11-28-67 2-02-68 4-12-68 8-28-68	196.0 196.2 196.1 198.2	150.0 149.8 149.9 147.8	5131
04S/04E-14R01S	410.0	10-26-67 12-27-67 1-23-68 3-19-68	223.0 223.0 223.0 219.7	187.0 187.0 187.0 190.3	4700	04S/05E-17L01S	375.0	10-12-67 11-14-67 12-19-67 1-19-68 2-16-68 3-20-68 4-04-68 4-23-68 5-17-68 7-11-68 9-30-68	201.4 201.6 201.8 202.0 202.2 202.5 202.5 202.8 202.6 203.1 204.0	173.6 173.4 173.2 173.0 172.8 172.5 172.5 172.2 172.4 171.9 171.0	5131
04S/04E-15J01S	453.0	4-03-68 5-28-68 8-14-68	251.9 252.6 254.1	201.1 200.4 198.9	5131	04S/05E-19001S	393.0	10-26-67 10-26-67 12-27-67 12-27-67 1-25-68 1-25-68 3-06-68 3-06-68	215.0 215.2 215.0 215.2 215.0 215.2 215.0 215.2	178.0 177.8 178.0 177.8 178.0 177.8 178.0 177.8	4700 5131 4700 5131 4700 5131 4700 5131
04S/04E-23C01S	424.0	10-24-67 3-06-68	250.3 241.3	173.7 182.7	4700	04S/05E-21A01S	357.0	12-12-67 3-15-68 5-15-68	202.3 202.8 203.1	154.7 154.2 153.9	5131
04S/04E-23E01S	435.0	10-24-67 12-20-67 1-25-68 3-06-68 7-16-68	264.0(1) 241.0 264.0(1) 246.7 275.1(1)	171.0 194.0 171.0 188.3 159.9	4700	04S/05E-21H01S	356.0	12-12-67 3-15-68 5-15-68	201.0 201.6 201.9	155.0 154.4 154.1	5131
04S/04E-26A01S	428.0	10-24-67 10-24-67 12-20-67 12-20-67 1-09-68 1-09-68 2-17-68 7-17-68	265.0(1) 270.0(1) 266.0(1) 271.0(1) 266.9(1) 271.8(1) 267.5(1) 264.5(1)	163.0 158.0 162.0 157.0 161.1 156.2 160.5 163.5	4700 5131 4700 5131 4700 5131 4700 5131	04S/05E-21J01S	348.0	12-12-67 3-15-68 5-17-68	190.8 191.2 191.6	157.2 156.8 156.4	5131
04S/04E-35L01S	525.0	2-29-68 4-05-68 9-04-68 9-30-68	320.4 327.3 (1) 329.9	204.6 197.7 195.1	5131	04S/05E-22A01S	347.0	11-28-67 2-09-68 4-12-68 8-22-68	198.4 198.5 199.2 200.7	148.6 148.5 147.8 146.3	5131
04S/05E-03P01S	380.0	11-22-67 2-02-68 4-23-68 5-09-68 8-12-68 9-04-68	205.8 205.6 207.0 207.2 (1) 208.0	174.2 174.4 173.0 172.8 172.0	5131	04S/05E-27E01S	313.0	12-13-67 3-15-68 5-21-68 5-29-68	166.4 166.6 167.1 167.3	146.6 146.4 145.9 145.7	5131
04S/05E-04E01S	433.0	2-13-68 4-12-68	249.6 251.3	183.4 181.7	5131	04S/05E-27N01S	296.0	2-07-68 4-16-68 5-17-68 8-12-68	158.4 158.8 159.3 153.0	137.6 137.2 136.7 143.0	5131
04S/05E-04F01S	430.0	2-15-68 4-12-68	247.3 248.0	182.7 182.0	5131	04S/05E-29A01S	332.0	2-09-68 4-23-68 8-30-68	173.3 173.4 174.5	158.7 158.6 157.5	5131
04S/05E-05K01S	446.0	12-06-67 3-12-68 5-23-68 5-28-68 8-12-68	258.0 258.7 259.4 259.9 (1)	188.0 187.3 186.6 186.1 (1)	5131	04S/05E-29F01S	329.0	2-06-68 4-09-68 8-28-68	167.3 167.9 169.3	161.7 161.1 159.7	5131
						04S/05E-29F02S	333.0	2-06-68 4-11-68 8-28-68	166.4 167.1 168.5	166.6 165.9 164.5	5131
						04S/05E-29K01S	324.0	2-06-68 4-24-68 5-20-68 8-14-68	165.4 166.0 166.3 167.9	158.6 158.0 157.7 156.1	5131
						04S/05E-33B01S	302.0	10-25-67 12-28-67 1-23-68 2-06-68 3-26-68	158.0 158.0 158.0 154.6 158.6	144.0 144.0 144.0 147.4 143.4	4700 5131 4700

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
INDIO HYDRO SUBAREA			X-19.07			INDIO HYDRO SUBAREA			X-19.07		
04S/05E-33801S (CONT.)	302.0	3-26-68 154.6 4-16-68 158.8 4-16-68 154.8 8-28-68 157.0	147.4 143.2 147.2 145.0	5131		04S/06E-21N01S (CONT.)	180.0	8-23-68	97.4	82.6	5131
04S/05E-33802S	305.0	2-29-68 158.4 3-26-68 161.3 3-26-68 154.3 4-16-68 157.0 9-03-68 156.3	146.6 143.7 150.7 148.0 148.7	5131 4700 5131		04S/06E-27N01S	165.0	10-13-67 93.8 12-07-67 93.9 2-15-68 100.9 4-08-68 100.9 5-09-68 101.1 7-31-68 99.0	71.2 71.1 64.1 64.1 63.9 66.0	5131	
04S/05E-33601S	300.0	10-24-67 152.0 12-28-67 152.0 1-23-68 154.0 (1) 3-26-68 154.8 (1)	148.0 148.0 146.0 145.2	4700		04S/06E-28A02S	173.0	12-08-67 93.2 2-16-68 98.8 4-09-68 101.9 8-27-68 (1) 9-27-68 105.3	79.8 74.2 71.1 67.7	5131	
04S/05E-35C01S	271.0	2-07-68 153.8 4-24-68 154.5 8-27-68 157.7	117.2 116.5 113.3	5131		04S/06E-28E01S	177.0	12-07-67 86.7 2-16-68 94.4 4-09-68 91.3 9-06-68 92.4	90.3 82.6 85.7 84.6	5131	
04S/05E-35002S	268.0	2-02-68 145.9 4-25-68 147.0 8-27-68 146.1 9-27-68 149.0	122.1 121.0 121.9 119.0	5131		04S/06E-28E03S	0177.0	12-07-67 90.5 2-16-68 96.0 4-11-68 98.6 8-23-68 (1) 9-06-68 96.8	0086.5 0081.0 0078.4 1673.2	5131	
04S/05E-35E01S	267.0	2-02-68 144.8 4-25-68 145.9 8-27-68 (1) 9-27-68 150.0	122.2 121.1 117.0	5131		04S/06E-28M01S	167.0	12-08-67 82.8 2-15-68 100.1 4-09-68 101.8 8-27-68 (1) 9-27-68 105.5	84.2 66.9 65.2 61.5	5131	
04S/05E-35G02S	267.0	2-06-68 157.9 4-16-68 159.1 5-17-68 159.6 8-12-68 160.7	109.1 107.9 107.4 106.3	5131		04S/06E-28J02S	167.0	12-07-67 87.7 2-15-68 93.9 4-09-68 95.7 8-27-68 94.9	79.3 73.1 71.3 72.1	5131	
04S/05E-35L01S	257.0	2-06-68 144.2 4-16-68 145.0 8-28-68 (7)	112.8 112.0	5131		04S/06E-28K01S	169.0	12-07-67 89.9 2-16-68 93.2 4-09-68 95.1 5-09-68 99.1 8-13-68 98.4	79.1 75.8 73.9 69.9 70.6	5131	
04S/05E-35R01S	253.0	2-28-68	113.0	5131		04S/06E-29A01S	179.0	12-07-67 86.4 2-16-68 90.9 4-08-68 93.4 8-23-68 93.2	92.6 88.1 85.6 85.8	5131	
04S/05E-36001S	318.0	2-07-68 204.5 2-07-68 204.5 4-16-68 205.7 4-16-68 205.7 8-27-68 207.6 8-27-68 207.6	113.5 113.5 112.3 112.3 110.4 110.4	5131		04S/06E-30D01S	336.0	12-07-67 221.3 3-12-68 221.6 5-17-68 222.4	114.7 114.4 113.6	5131	
04S/05E-36002S	314.0	2-07-68 202.7 4-16-68 203.8 8-28-68 205.5	111.3 110.2 108.5	5131		04S/06E-34C01S	163.0	12-07-67 67.4 2-15-68 63.1 4-09-68 64.8 8-27-68 64.1	95.6 99.9 98.2 98.9	5131	
04S/05E-36N02S	254.0	2-09-68 143.1 4-16-68 144.7 8-27-68 146.6	110.9 109.3 107.4	5131		04S/06E-34D01S	160.0	12-07-67 90.5 2-15-68 97.1 4-08-68 96.2 8-27-68 99.1	69.5 62.9 63.8 60.9	5131	
04S/06E-18N01S	230.0	10-13-67 113.4 12-08-67 113.1 2-16-68 113.7 4-08-68 114.1 5-07-68 118.8 7-31-68 115.3	116.6 116.9 116.3 115.9 111.2 114.7	5131		04S/06E-34D02S	161.5	12-07-67 93.6 2-15-68 98.7 4-11-68 100.5 8-27-68 98.6	67.9 62.8 61.0 62.9	5131	
04S/06E-18P01S	232.0	12-07-67 115.3 3-13-68 116.2 5-14-68 117.8 8-03-68 119.8	116.7 115.8 114.2 112.2	5131		04S/06E-34F01S	161.0	12-07-67 95.2 2-15-68 100.5 4-09-68 100.1 8-27-68 100.2	65.8 60.5 60.9 60.8	5131	
04S/06E-18P03S	236.0	12-08-67 119.0 2-16-68 119.1 4-08-68 119.4 8-27-68 120.6	117.0 116.9 116.6 115.4	5131		04S/06E-34K01S	160.0	12-07-67 96.7 2-15-68 101.5 4-11-68 102.1 8-27-68 100.9	63.3 58.5 57.9 59.1	5131	
04S/06E-18Q02S	242.0	12-07-67 129.2 3-13-68 128.2 5-16-68 130.1 8-03-68 132.5	112.8 113.8 111.9 109.5	5131		04S/06E-34Q01S	168.0	12-06-67 60.9 2-15-68 62.8 4-11-68 62.9 5-09-68 63.1 8-27-68 64.9	107.1 105.2 105.1 104.9 103.1	5131	
04S/06E-18R01S	240.0	10-14-67 132.6 10-14-67 146.2 (1) 12-13-67 133.0 3-13-68 133.6 5-24-68 134.5 8-03-68 133.6	107.4 93.8 107.0 106.4 105.5 106.4	5131		04S/07E-31Q02S	96.5	12-06-67 65.2 2-01-68 72.4 4-04-68 66.1 8-26-68 78.2	31.3 24.1 30.4 18.3	5131	
04S/06E-19C01S	221.0	12-08-67 108.9 2-09-68 110.1 4-08-68 110.2 8-23-68 112.5	112.1 110.9 110.8 108.5	5131		04S/07E-31Q03S	100.0	12-06-67 67.5 2-02-68 72.7 4-02-68 68.5 8-22-68 (1) 9-05-68 79.3	32.5 27.3 31.5 20.7	5131	
04S/06E-19J02S	220.0	12-08-67 103.4 2-16-68 102.5 4-08-68 103.6 8-23-68 106.5	116.6 117.5 116.4 113.5	5131		04S/07E-32N01S	73.3	11-25-67 49.1 12-19-67 47.8 3-20-68 53.7	24.2 25.5 19.6	5131	
04S/06E-21N01S	180.0	12-07-67 91.3 2-16-68 95.1 4-08-68 97.5	88.7 84.9 82.5	5131							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT INDIO HYDRO SUBAREA			X-19.00		X-19.07	COACHELLA HYDRO SUBUNIT INDIO HYDRO SUBAREA			X-19.00		X-19.07
04S/07E-32N01S (CONT.)	73.3	5-10-68 7-20-68	54.0 61.7	19.3 11.6	5131	05S/06E-06Q01S (CONT.)	220.3	6-04-68 8-09-68 8-22-68	135.4 (1) 136.4	84.9 83.9	5131
05S/04E-02G01S	580.0	2-06-68 4-04-68 9-04-68	303.7 304.4 316.5	276.3 275.6 263.5	5131	05S/06E-07J01S	210.0	12-05-67 1-31-68 4-03-68 9-27-68	120.0 120.1 121.7 124.7	90.0 89.9 88.3 85.3	5131
05S/05E-01C01S	245.0	12-04-67 2-06-68 3-27-68 8-22-68	133.7 138.9 141.0 147.4	111.3 106.1 104.0 97.6	5131	05S/06E-08L02S	204.5	12-05-67 1-31-68 4-02-68 8-23-68	119.5 119.8 119.6 121.0	85.0 84.7 84.9 83.5	5131
05S/05E-01D02S	250.8	12-04-67 2-06-68 4-02-68 9-27-68	140.4 140.8 141.5 142.9	110.4 110.0 109.3 107.9	5131	05S/06E-12G01S	120.0	11-28-67 2-01-68 3-26-68 8-30-68	86.2 86.7 86.8 89.2	33.8 33.3 33.2 30.8	5131
05S/05E-01E02S	250.0	12-01-67 2-01-68 3-27-68 5-08-68	140.0 142.5 143.4 144.5	110.0 107.5 106.6 105.5	5131	05S/06E-13H01S	151.0	12-21-67 3-21-68 5-16-68 8-21-68	119.0 118.7 119.6 121.0	32.0 32.3 31.4 30.0	5131
05S/05E-01K01S	240.0	12-04-67 2-08-68 3-27-68 8-22-68 9-27-68	140.3 142.8 141.5 (1) 142.2	99.7 97.2 98.5 97.8	5131	05S/06E-13J01S	154.0	10-20-67 12-21-67 3-19-68 5-07-68 6-26-68 8-09-68	124.8 123.9 123.3 124.5 127.0 (1)	29.2 30.1 30.7 29.5 27.0	5131
05S/05E-01M03S	246.2	12-04-67 2-01-68 3-27-68 8-22-68 9-27-68	139.9 139.6 141.7 (1) 144.0	106.3 106.6 104.5 102.2	5131	05S/06E-13J02S	155.0	10-05-67 12-06-67 1-30-68 3-29-68 8-21-68	128.4 127.5 126.7 127.3 129.9	26.6 27.5 28.3 27.7 25.1	5131
05S/05E-01Q01S	237.0	12-04-67 2-01-68 4-02-68 8-23-68	136.5 136.1 138.0 141.0	100.5 100.9 99.0 96.0	5131	05S/06E-13K01S	160.0	12-19-67 3-21-68 5-14-68 6-26-68 8-21-68	124.1 123.8 125.5 126.8 126.0	35.9 36.2 34.5 33.2 34.0	5131
05S/05E-02F01S	250.0	12-05-67 2-07-68 4-02-68 8-23-68	141.9 141.5 142.2 144.3	108.1 108.5 107.8 105.7	5131	05S/06E-16A01S	181.0	10-06-67 12-05-67 1-30-68 3-26-68 4-02-68 8-19-68	119.6 118.7 118.0 118.6 119.1 120.5	61.4 62.3 63.0 62.4 61.9 60.5	5131
05S/05E-02F02S	250.0	12-05-67 2-07-68 3-12-68 3-29-68 8-22-68	142.1 142.7 146.4 143.5 145.5	107.9 107.3 103.6 106.5 104.5	5131	05S/06E-16H01S	160.0	10-06-67 12-05-67 1-30-68 3-26-68 4-02-68 8-19-68	96.7 95.7 95.2 99.5 98.8 97.9	63.3 64.3 64.8 60.5 61.2 62.1	5131
05S/05E-02L01S	255.0	10-19-67 12-05-67 2-08-68 3-29-68 5-08-68 7-31-68	145.7 145.6 144.4 145.3 143.6 147.6	109.3 109.4 110.6 109.7 111.4 107.4	5131	05S/06E-18R01S	193.0	12-13-67 3-20-68 5-24-68 8-29-68	124.6 124.5 125.2 127.4	68.4 68.5 67.8 65.6	5131
05S/05E-03A01S	260.0	2-29-68 4-03-68 9-03-68	146.6 146.9 149.3	113.4 113.1 110.7	5131	05S/06E-20P01S	267.0	12-21-67 1-23-68 3-20-68 5-14-68 6-04-68 8-30-68	197.6 199.5 198.7 199.2 199.7 203.7 (1) 201.5	69.4 67.5 68.3 67.8 67.3 63.3 65.5	5131
05S/05E-12C02S	230.0	3-12-68	133.8	96.2	5131	05S/06E-21N01S	248.0	12-13-67 3-19-68 5-24-68 6-04-68 8-30-68	176.1 175.6 176.4 178.3 180.1	71.9 72.4 71.6 69.7 67.9	5131
05S/05E-12O01S	235.0	12-01-67 2-08-68 4-02-68 8-23-68	137.8 138.4 140.3 142.5	97.2 96.6 94.7 92.5	5131	05S/06E-22L01S	185.0	11-30-67 12-20-67 3-19-68 5-24-68 6-25-68 8-21-68	120.7 119.8 120.6 121.4 121.1 124.5	64.3 65.2 64.4 63.6 63.9 60.5	5131
05S/05E-12H01S	223.0	12-04-67 2-01-68 4-03-68 8-22-68	132.9 132.4 133.1 134.7	90.1 90.6 89.9 88.3	5131	05S/06E-22N01S	211.0	11-30-67 12-20-67 3-20-68 5-24-68 8-21-68	144.6 143.3 143.9 146.2 146.0	66.4 67.7 67.1 64.8 63.0	5131
05S/05E-12H02S	220.0	10-24-67 12-05-67 12-29-67 1-24-68 2-08-68 3-12-68 3-12-68 4-03-68 5-08-68 9-03-68	136.0 131.4 134.0 133.0 132.6 134.2 134.0 135.0 137.4 138.3	84.0 88.6 86.0 87.0 87.4 85.8 86.0 85.0 82.6 81.7	4700 5131 4700 5131 4700 5131 5131	05S/06E-02A01S	140.0	10-02-67 12-05-67 2-01-68 3-27-68 8-21-68	92.6 90.7 91.5 92.9 96.6	47.4 49.3 48.5 47.1 43.2	5131
05S/06E-06N01S	228.0	12-04-67 2-01-68 3-29-68 8-22-68	134.2 134.7 135.9 138.2	93.8 93.3 92.1 89.8	5131	05S/06E-22P01S	205.0	11-30-67 12-20-67 3-19-68 5-29-68 6-25-68 8-30-68	131.8 130.7 131.5 133.9 135.2 135.4	73.2 74.3 73.5 71.1 69.8 69.6	5131
05S/06E-06Q01S	220.3	12-13-67 3-12-68 5-15-68	133.2 133.3 135.1	87.1 87.0 85.2	5131	05S/06E-22Q01S	190.0	10-18-67 12-06-67	126.2 125.0	63.8 65.0	5131

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
INDIO HYDRO SUBAREA			X-19.07			INDIO HYDRO SUBAREA			X-19.07		
05S/06E-22Q01S (CONT.)	190.0	1-31-68 124.3 3-29-68 125.1 5-07-68 126.8 7-31-68 127.8	65.7 64.9 63.2 62.2	5131		05S/07E-07P01S	97.0	11-06-67 81.0 12-19-67 72.2 3-20-68 73.0 5-10-68 73.7 7-20-68 81.2	16.0 24.8 24.0 23.3 15.8	5131	
05S/06E-23L02S	142.0	11-01-67 92.8 11-09-67 96.7 12-06-67 87.6 1-31-68 86.7 3-12-68 92.9 3-29-68 88.8	49.2 45.3 54.4 55.3 49.1 53.2	5131		05S/07E-08G01S	90.0	11-27-67 77.1 1-31-68 77.7 4-03-68 78.3 8-19-68 79.0	12.9 12.3 11.7 11.0	5131	
05S/06E-23M01S	162.0	3-12-68 96.9	65.1	5131		05S/07E-09F01S	40.0	11-27-67 37.5 1-30-68 39.9 4-01-68 40.3 8-19-68 41.7	2.5 .1 -.3 -1.7	5131	
05S/06E-27B01S	180.0	12-20-67 118.5 3-15-68 119.2 5-14-68 118.4 8-20-68 121.3	61.5 60.8 61.6 58.7	5131		05S/07E-10E01S	28.0	10-19-67 34.9 11-29-67 29.9 1-30-68 32.5 3-28-68 35.9 5-03-68 38.6 8-01-68 35.0	-6.9 -1.9 -4.5 -7.9 -10.6 -7.0	5131	
05S/06E-27C01S	204.0	12-20-67 129.8 3-19-68 128.8 5-24-68 131.4 6-18-68 132.1 8-20-68 135.5	74.2 75.2 72.6 71.9 68.5	5131		05S/07E-13D01S	-11.0	10-19-67 16.6 1-30-68 13.4 4-02-68 14.6 5-08-68 15.5 8-02-68 19.2	-27.6 -24.4 -25.6 -26.5 -30.2	5131	
05S/06E-27C02S	211.0	12-20-67 138.4 3-19-68 139.1 5-23-68 139.8 6-18-68 142.3 8-20-68 144.7	72.6 71.9 71.2 68.7 66.3	5131		05S/07E-14J02S	-12.0	11-30-67 13.9 2-01-68 12.3 4-01-68 13.4 8-19-68 (1) 9-05-68 17.5	-25.9 -24.3 -25.4 -29.5	5131	
05S/06E-28C01S	262.0	11-29-67 189.6 12-20-67 188.8 3-19-68 188.6 5-23-68 189.1 6-04-68 191.6 8-20-68 192.2	72.4 73.2 73.4 72.9 70.4 69.8	5131		05S/07E-14K01S	-5.0	12-01-67 18.6 2-01-68 18.3 4-02-68 20.3 9-05-68 23.2	-23.6 -23.3 -25.3 -28.2	5131	
05S/06E-28E01S	332.0	10-31-67 257.1 11-29-67 257.3 1-31-68 255.8 3-26-68 255.6 8-20-68 258.5	74.9 74.7 76.2 76.4 73.5	5131		05S/07E-16C01S	30.0	11-27-67 40.7 2-01-68 40.6 4-02-68 41.0 8-19-68 (1) 8-21-68 43.7	-10.7 -10.6 -11.0 -13.7	5131	
05S/06E-29B01S	310.0	11-03-67 239.3 2-02-68 237.5 4-02-68 237.9 8-19-68 240.8	70.7 72.5 72.1 69.2	5131		05S/07E-16K02S	34.0	12-19-67 33.8 3-12-68 35.3 5-10-68 36.2 7-05-68 37.0	.2 -1.3 -2.2 -3.0	5131	
05S/06E-29C01S	337.0	12-21-67 273.0 3-22-68 271.3 5-23-68 271.9 6-05-68 272.2 8-30-68 278.6	64.0 65.7 65.1 64.8 58.4	5131		05S/07E-18D01S	125.0	12-01-67 105.8 1-26-68 105.1 4-03-68 105.5 8-19-68 107.5	19.2 19.9 19.5 17.5	5131	
05S/06E-29M01S	415.0	12-20-67 332.6 3-22-68 331.7 5-23-68 332.3 6-05-68 340.0 8-21-68 334.7	82.4 83.3 82.7 75.0 80.3	5131		05S/07E-18M02S	120.0	12-19-67 108.6 3-21-68 108.5 5-10-68 109.6	11.4 11.5 10.4	5131	
05S/06E-29R01S	395.0	11-29-67 329.1 12-21-67 328.8 3-21-68 329.3 5-14-68 330.0 8-21-68 330.3	65.9 66.2 65.7 65.0 64.7	5131		05S/07E-21F02S	40.0	10-13-67 43.2 1-31-68 40.3 4-02-68 40.4 5-07-68 42.5 8-01-68 43.5	-3.2 -.3 -.4 -2.5 -3.5	5131	
05S/06E-32G01S	450.0	10-27-67 377.2 11-29-67 377.9 1-30-68 377.4 3-26-68 376.8 8-21-68 379.4	72.8 72.1 72.6 73.2 70.6	5131		05S/07E-30F01S	76.0	10-14-67 73.4 12-19-67 71.6 3-21-68 71.0 5-15-68 72.2 7-20-68 74.8	2.6 4.4 5.0 3.8 1.2	5131	
05S/06E-36L01S	53.0	12-06-67 74.9 1-30-68 74.8 3-29-68 74.8 8-22-68 78.3	-21.9 -21.8 -21.8 -25.3	5131		05S/07E-30F02S	76.0	12-19-67 72.0 3-21-68 71.5 5-15-68 72.7	4.0 4.5 3.3	5131	
05S/07E-04M01S	50.0	11-27-67 32.9 1-30-68 36.0 3-28-68 37.9 8-19-68 40.1	17.1 14.0 12.1 9.9	5131		05S/07E-33M01S	40.0	1-26-68 62.3 4-02-68 64.2 5-08-68 66.7 8-08-68 71.1	-22.3 -24.2 -26.7 -31.1	5131	
05S/07E-06B01S	92.9	11-27-67 63.1 2-01-68 55.4 3-28-68 55.6 8-19-68 56.0	29.8 37.5 37.3 36.9	5131		05S/07E-36D01S	-21.0	1-19-68 16.2 4-03-68 16.4 8-08-68 19.6	-37.2 -37.4 -40.6	5131	
05S/07E-07F01S	102.0	11-27-67 83.2 2-01-68 83.0 4-02-68 83.1 9-25-68 83.2	18.8 19.0 18.9 18.8	5131		05S/07E-36G01S	-32.0	1-19-68 11.6 1-23-68 11.7 4-03-68 12.3 8-21-68 14.0	-43.6 -43.7 -44.3 -46.0	5131	
05S/07E-07J01S	105.0	11-30-67 99.7 2-01-68 98.6 4-02-68 99.1 9-05-68 101.1	5.3 6.4 5.9 3.9	5131		05S/07E-36Q01S	-34.0	11-30-67 11.2 1-19-68 11.6 1-23-68 11.7 4-01-68 13.4 8-21-68 (1) 9-25-68 16.1	-45.2 -45.6 -45.7 -47.4 -50.1	5131	
						05S/08E-17N01S	29.0	11-30-67 71.1	-42.1	5131	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA HYDRO SUBUNIT			X-19.00			COACHELLA HYDRO SUBUNIT			X-19.00		
INDIO HYDRO SUBAREA			X-19.07			INDIO HYDRO SUBAREA			X-19.07		
055/08E-17N015 (CONT.)	29.0	1-29-68 4-01-68 8-22-68	62.9 68.0 73.0	-33.9 -39.0 -44.0	5131	065/07E-22B015 (CONT.)	-42.0	8-07-68	3.4	-45.4	5131
055/08E-19H025	-6.0	12-01-67 1-30-68 1-31-68 3-28-68 8-21-68 8-26-68	46.5 (1) 47.8 46.7 (1) 58.0	-52.5 -53.8 -52.7 -64.0	5131	065/08E-020015	12.0	1-11-68 3-21-68 3-21-68 3-22-68 9-18-68	88.0 117.7(1) 96.3 95.8 99.8	-76.0 -105.7 -84.3 -83.8 -87.8	5131
055/08E-28M015	-40.0	11-30-67 1-19-68 3-28-68 8-21-68	36.4 36.0 39.8 49.3	-76.4 -76.0 -79.8 -89.3	5131	065/08E-05P015	-75.0	1-12-68 1-23-68 3-21-68 9-18-68	6.4 6.9 7.1 9.4	-81.4 -81.9 -82.1 -84.4	5131
055/08E-28M025	-40.0	11-30-67 1-19-68 3-28-68 6-06-68 8-21-68	16.1 16.5 17.1 18.0 18.0	-56.1 -56.5 -57.1 -58.0 -58.0	5131	065/08E-05R015	-80.5	10-14-67 10-20-67 12-21-67 1-05-68 3-21-68 5-01-68 7-05-68 8-07-68	18.7(1) .3 -1.6 -.2 .4 1.7 21.4(1) 4.0	-99.2 -80.8 -78.9 -80.3 -80.9 -82.2 -101.9 -84.5	5131
055/08E-29K015	-40.0	1-04-68	19.4	-59.4	5131	065/08E-05R025	-82.2	10-14-67 12-20-67 1-05-68 3-21-68 5-08-68 7-05-68 8-03-68 9-21-68	2.1 -2.4 -2.0 -1.2 3.1 5.2 2.2 2.2	-84.3 -79.8 -80.2 -81.0 -85.3 -87.4 -84.4 -84.4	5131
055/08E-29R015	-50.0	11-30-67 1-04-68 1-19-68 1-23-68 1-29-68 3-25-68 6-06-68 8-21-68	8.0 8.2 7.4 7.1 6.9 9.2 15.7 17.0	-58.0 -58.2 -57.4 -57.1 -56.9 -59.2 -65.7 -67.0	5131	065/08E-17R015	-109.5	12-15-67 12-29-67 1-04-68 1-26-68 3-26-68 5-03-68 8-14-68 9-17-68	-14.5 -13.5 -12.0 -11.3 -11.0 -7.6 (1) -4.5	-95.0 -96.0 -97.5 -98.2 -98.5 -101.9 -105.0	5131
055/08E-31C015	-41.0	11-30-67 1-04-68 1-19-68 1-23-68 3-25-68 6-04-68 8-22-68	8.0 8.8 8.8 8.5 8.8 11.2 12.7	-49.0 -49.8 -49.8 -49.5 -49.8 -52.2 -53.7	5131	065/08E-19D015	-85.0	1-11-68 3-26-68 9-17-68	-19.3 -18.4 -15.0	-65.7 -66.6 -70.0	5131
055/08E-34G015	24.0	11-30-67 1-29-68 3-28-68 4-01-68 8-21-68 8-26-68	111.1 96.7 160.4(1) 110.4 (1) 120.3	-87.1 -72.7 -136.4 -86.4 -96.3	5131	065/08E-19R015	-105.0	10-18-67 12-13-67 12-21-67 12-29-67 1-11-68 1-18-68 3-26-68 5-01-68 8-07-68 9-17-68	-31.6 -35.9 -33.3 -34.3 -33.9 -34.4 -34.2 -32.0 -29.5 -30.0	-73.4 -69.1 -71.7 -70.7 -71.1 -70.6 -70.8 -73.0 -75.5 -75.0	5131
06S/07E-01P015	-50.0	1-04-68 1-10-68 1-18-68 1-23-68 6-05-68 9-05-68	4.6 4.7 5.0 5.1 6.6 5.5	-54.6 -54.7 -55.0 -55.1 -56.6 -55.5	5131	065/08E-22C025	-123.0	12-20-67 3-22-68 5-15-68	-5.2 -2.2 -1.6	-117.8 -120.8 -121.4	5131
06S/07E-02G015	-11.2	12-19-67 3-14-68 4-30-68 5-23-68	19.1 21.2 21.0 21.4	-30.3 -32.4 -32.2 -32.6	5131	065/08E-22C035	-123.0	12-20-67 3-22-68 5-15-68	-22.5 -18.7 -14.8	-100.5 -104.3 -108.2	5131
06S/07E-05B015	38.0	1-29-68 3-22-68 6-06-68 9-05-68	69.3 77.6 80.2 79.9	-31.3 -39.6 -42.2 -41.9	5131	065/08E-32R015	-140.0	1-05-68 3-26-68 9-17-68	-44.7 -50.2 -48.7	-95.3 -89.8 -91.3	5131
06S/07E-10G015	-10.0	10-20-67 1-18-68 3-22-68 5-01-68 6-05-68 8-01-68	17.4 17.0 18.2 18.4 18.3 17.7	-27.4 -27.0 -28.2 -28.4 -28.3 -27.7	5131	065/08E-36M015	-155.0	10-20-67 12-13-67 12-29-67 1-11-68 3-26-68 5-01-68 8-07-68 9-17-68	-25.2 -29.8 -27.9 -26.7 -25.2 -25.2 -18.8 -17.8	-129.8 -125.2 -127.1 -128.3 -129.8 -129.8 -136.2 -137.2	5131
06S/07E-12E015	-45.0	1-18-68 1-24-68 3-22-68 6-04-68 9-05-68	8.4 8.3 8.9 10.1 9.0	-53.4 -53.3 -53.9 -55.1 -54.0	5131	06S/09E-19L015	-35.0	1-26-68 3-19-68 9-18-68 9-26-68	89.4 93.1 (1) 109.3	-124.4 -128.1 -144.3	5131
06S/07E-13M025	-56.0	12-19-67 3-19-68 4-30-68 5-21-68 7-05-68 8-03-68 9-21-68	7.8 7.4 7.9 8.2 8.7 9.5 9.5	-63.8 -63.4 -63.9 -64.2 -64.7 -65.5 -65.5	5131	07S/07E-01C015	-112.0	12-15-67 12-28-67 1-08-68 3-26-68 6-06-68 9-20-68	-7.1 -7.8 -7.7 -7.6 -6.1 -3.8	-104.9 -104.2 -104.3 -104.4 -105.9 -108.2	5131
06S/07E-17R015	-5.0	1-26-68 3-25-68 6-06-68 9-05-68	45.7 46.3 46.9 48.3	-50.7 -51.3 -51.9 -53.3	5131	07S/07E-03A015	-72.0	12-28-67 1-08-68 1-12-68 3-18-68 6-06-68 9-20-68	15.8 15.5 15.8 15.9 16.1 16.9	-87.8 -87.5 -87.8 -87.9 -88.1 -88.9	5131
06S/07E-22B015	-42.0	10-20-67 12-15-67 1-03-68 1-12-68 3-25-68 5-01-68 6-04-68	6.2 4.1 4.8 4.5 4.4 5.0 5.3	-48.2 -46.1 -46.8 -46.5 -46.4 -47.0 -47.3	5131	07S/08E-03A015	-159.5	1-08-68 1-12-68	-23.4 -23.8	-136.1 -135.7	5131

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
WHITEWATER HYDRO UNIT						X-19.00					
COACHELLA	HYDRO SUBUNIT		X-19.00			COACHELLA	HYDRO SUBUNIT		X-19.00		
	INDIO HYDRO SUBAREA		X-19.07				INDIO HYDRO SUBAREA		X-19.07		
07S/08E-03A01S (CONT.)	-159.5	3-26-68 6-06-68 9-20-68	-22.4 -15.4 -15.7	-137.1 -144.1 -143.8	5131	07S/10E-27A01S	34.0	1-25-68 3-15-68 5-31-68 9-19-68	53.4 53.6 53.4 53.2	-19.4 -19.6 -19.4 -19.2	5131
07S/08E-07R01S	-90.0	10-20-67 12-26-67 1-03-68 3-18-68 4-30-68 6-06-68 8-02-68	27.6 27.5 27.3 28.0 27.7 28.6 28.5	-117.6 -117.5 -117.3 -118.0 -117.7 -118.6 -118.5	5131	08S/08E-03B01S	-95.1	1-10-68 3-14-68 5-27-68 9-20-68	34.4 34.5 35.8 36.7	-129.5 -129.6 -130.9 -131.8	5131
07S/08E-17A01S	-115.0	1-26-68	-1.1	-113.9	5131	08S/08E-11B01S	-149.2	1-25-68 3-26-68 5-29-68 9-20-68	-9.6 -9.3 (1) -6.1	-139.6 -139.9 -143.1	5131
07S/08E-17A02S	-118.0	12-26-67 1-08-68 3-18-68 6-06-68	3.1 3.0 3.9 6.3	-121.1 -121.0 -121.9 -124.3	5131	08S/08E-24A01S	-155.2	1-10-68 1-11-68 3-14-68 4-26-68 5-29-68 9-20-68	-5 .2 -.7 .1 .6 .9	-154.7 -155.4 -154.5 -155.3 -155.8 -156.1	5131
07S/08E-18C01S	-73.0	12-26-67 3-18-68 6-06-68 9-20-68	39.2 39.9 41.1 41.7	-112.2 -112.9 -114.1 -114.7	5131	08S/08E-24L01S	-110.8	10-20-67 1-10-68 3-14-68 4-26-68 5-29-68 8-07-68 9-20-68	42.6 42.3 40.8 41.5 42.1 42.2 41.5	-153.4 -153.1 -151.6 -152.3 -152.9 -153.0 -152.3	5131
07S/08E-18C02S	-74.0	12-26-67 3-18-68 6-06-68 9-20-68	39.3 40.1 40.5 41.2	-113.3 -114.1 -114.5 -115.2	5131	08S/09E-19L01S	-176.0	1-10-68 1-22-68	-11.9 -12.5	-164.1 -163.5	5131
07S/08E-20B01S	-18.0	1-08-68 3-18-68 9-20-68	96.7 96.9 (1)	-114.7 -114.9 	5131	08S/09E-21L01S	-228.5	1-25-68	-47.3	-181.2	5131
07S/08E-21H01S	-82.0	1-08-68 3-18-68 6-07-68 9-20-68	29.2 30.6 32.8 32.6	-111.2 -112.6 -114.8 -114.6	5131	08S/09E-29A01S	-192.0	1-10-68	-16.5	-175.5	5131
07S/08E-23Q01S	-181.7	1-08-68 1-11-68 3-26-68 6-07-68 9-25-68	-22.5 -23.4 -23.4 -22.8 -13.0	-159.2 -158.3 -158.3 -158.9 -168.7	5131	08S/09E-31R01S	-17.8	12-21-67 3-14-68 4-30-68 5-27-68 7-13-68	155.5 156.1 155.2 154.5 155.7	-173.3 -173.9 -173.0 -172.3 -173.5	5131
07S/08E-28G01S	-16.5	1-25-68 3-19-68 4-30-68 6-07-68 9-25-68	105.0 106.7 107.5 107.7 106.8	-121.5 -123.2 -124.0 -124.2 -123.3	5131	08S/09E-31R02S	-18.5	12-21-67 3-14-68 4-30-68 5-27-68 7-13-68	153.2 152.5 152.9 152.2 143.2	-171.7 -171.0 -171.4 -170.7 -161.7	5131
07S/08E-33B01S	21.3	1-26-68 2-13-68 3-19-68 9-25-68	(1) 146.7 147.2 146.4	-125.4 -125.9 -125.1	5131	08S/09E-33N01S	-133.6	1-10-68 3-14-68 4-30-68 5-29-68 9-20-68	34.4 33.9 33.8 (1) 34.8	-168.0 -167.5 -167.4 -168.4	5131
07S/08E-34G01S	-92.3	12-28-67 1-10-68 3-19-68 9-26-68	34.3 34.6 35.8 34.2	-126.6 -126.9 -128.1 -126.5	5131						
07S/08E-34K01S	-84.7	12-28-67 1-10-68 3-19-68 9-26-68	41.1 41.5 42.2 42.6	-125.8 -126.2 -126.9 -127.3	5131						
07S/08E-35B01S	-163.0	12-28-67 1-08-68 1-23-68	-32.8 -35.2 -34.9	-130.2 -127.8 -128.1	5131						
07S/08E-35K01S	-161.1	12-15-67 1-09-68 1-23-68 6-06-68 9-26-68	-31.7 -31.9 -30.4 (1) -27.2	-129.4 -129.2 -130.7 -133.9	5131						
07S/09E-13N01S	-106.0	1-04-68 1-25-68 3-15-68 5-31-68 9-19-68	36.8 37.5 37.5 36.7 33.9	-142.8 -143.5 -143.5 -142.7 -139.9	5131						
07S/09E-23N01S	-187.7	12-20-67 3-14-68 5-15-68 7-05-68	6.7 3.5 6.1 8.8	-194.4 -191.2 -193.8 -196.5	5131						
07S/09E-30M01S	-213.0	1-12-68 1-25-68 3-27-68 6-03-68 6-04-68 9-20-68	-36.0 -36.4 -37.3 -36.8 -35.1 -15.0	-177.0 -176.6 -175.7 -176.2 -177.9 -198.0	5131						
07S/10E-20R01S	-135.0	1-25-68 3-15-68 5-01-68 5-31-68 9-19-68	23.4 25.2 25.3 25.8 23.9	-158.4 -160.2 -160.3 -160.8 -158.9	5131						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA
CLARK HYDRO UNIT					
09S/06E-36A015	570.0	3-13-68	16.9	553.1	5010

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANZA BORREGO HYDRO UNIT						X-22.00					
BORREGO HYDRO SUBUNIT			X-22.A0			OCOTILLO-LR S FELIPE HYDR SUBUNIT			X-22.80		
BORREGO HYDRO SUBAREA			X-22.A3								
10S/06E-08B01S	760.0	10-24-67 3-13-68	278.9 278.0	481.1 482.0	5010	12S/08E-22E01S	110.0	10-24-67 3-12-68	108.6 110.1	1.4 -9.1	5010
10S/06E-21A01S	640.0	10-13-67 3-13-68	167.8 166.0	472.2 474.0	5010	12S/09E-22A02S	10.0	10-24-67	(1)		5010
10S/06E-29N01S	595.0	10-24-67 3-13-68	123.8 123.7	471.2 471.3	5010	12S/09E-23D01S	15.0	10-24-67 3-12-68	112.3(2) 114.3(2)	-97.3 -99.3	5010
10S/06E-35N01S	520.0	10-24-67 3-13-68	93.8(1) (1)	426.2	5010						
10S/06E-36D01S	525.0	10-24-67 3-13-68	62.3 61.5	462.7 463.5	5010						
10S/07E-19M01S	600.0	10-24-67 3-13-68	98.2 98.4	501.8 501.6	5010						
11S/06E-05P01S	600.0	10-24-67 3-13-68	142.4 142.4	457.6 457.6	5010						
11S/06E-10N01S	522.0	10-24-67 3-12-68	68.9 67.7	453.1 454.3	5010						
11S/06E-11D02S	500.0	10-24-67 3-13-68	34.0 32.6	466.0 467.4	5010						
11S/06E-11M01S	487.0	10-24-67 3-13-68	27.7 25.9	459.3 461.1	5010						
11S/06E-12G01S	475.0	3-13-68	33.1	441.9	5010						
11S/06E-22A01S	540.0	10-24-67 3-12-68	64.9 64.1	475.1 475.9	5010						
11S/07E-20P01S	595.0	10-24-67 3-12-68	71.4 71.3	523.6 523.7	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
ANZA BORREGO HYDRO UNIT						X-22.00					
SAN FELIPE HYDRO SUBUNIT						VALLECITO-CARRIZO HYDRO SUBUNIT					
X-22.00						CARRIZO HYDRO SUBAREA					
						X-22.F0					
						X-22.F1					
12S/04E-24K01S	2440.0	10-24-67 3-12-68	37.2 36.6	2402.8 2403.4	5010	15S/08E-17C01S	610.0	3-12-68	71.5	538.5	5010
						VALLECITO HYDRO SUBAREA					
						X-22.F2					
12S/05E-34J01S	2280.0	10-24-67 3-12-68	64.9 63.0	2215.1 2217.0	5010	14S/05E-02G01S	2060.0	3-12-68	88.5	1971.5	5010
						14S/06E-08F03S	1645.0	3-12-68	70.8	1574.2	5010

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
EAST SALTON SEA HYDRO UNIT						X-25.00					
075/10E-356015	-66.0	1-25-68	88.9	-154.9	5131						
		3-14-68	89.0	-155.0							
		5-31-68	88.8	-154.8							
		9-19-68	89.0	-155.0							

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/09W-02B03S	280.0	12-04-67	10.5	269.5	5102	04S/09W-17Q01S	231.0	5-06-68	159.8	71.2	5102
		1-03-68	10.9	269.1		(CONT.)		6-11-68	158.3	72.7	
		2-01-68	12.0	268.0				7-17-68	159.3	71.7	
		4-04-68	11.3	268.7				9-16-68	163.6	67.4	
		5-02-68	11.1	268.9		04S/09W-18C01S	197.0	10-03-67	130.2	66.8	4715
		6-05-68	12.0	268.0				11-07-67	134.1	62.9	
04S/09W-02L01S	331.5	10-03-67	55.8	275.7	5102			12-04-67	124.6	72.4	
		11-06-67	54.5	277.0				1-02-68	117.6	79.4	
		12-04-67	54.6	276.9				2-05-68	123.2	73.8	
		1-03-68	54.6	276.9				3-04-68	120.4	76.6	
		2-01-68	54.3	277.2				4-01-68	116.6	80.4	
		4-04-68	53.9	277.6				5-06-68	111.1	85.9	
		5-02-68	53.7	277.8				6-03-68	118.9	78.1	
		6-05-68	54.0	277.5				7-01-68	120.5	76.5	
		7-09-68	55.9	275.6				8-05-68	123.4	73.6	
		8-29-68	57.4	274.1				9-02-68	130.6	66.4	
		9-30-68	55.6	275.9		04S/09W-18C02S	201.0	10-03-67	132.2	68.8	4715
04S/09W-03H01S	300.3	10-05-67	63.9	236.4	5102			11-13-67	135.7	65.3	
		11-14-67	60.0	240.3				12-04-67	125.2	75.8	
		12-13-67	55.0	245.3				1-02-68	118.2	82.8	
		1-04-68	54.7	245.6				2-05-68	123.9	77.1	
		2-07-68	(6)					3-04-68	121.4	79.6	
04S/09W-04G01S	256.4	10-00-67	61.5(1)	194.9	4742			4-01-68	116.7	84.3	
		11-00-67	47.5(1)	208.9				5-06-68	110.8	90.2	
		12-00-67	52.6(1)	203.8				6-03-68	120.1	80.9	
		1-00-68	56.2(1)	200.2				7-01-68	121.8	79.2	
		2-00-68	58.2(1)	198.2				8-05-68	123.9	77.1	
		3-00-68	37.0	219.4				9-02-68	132.2	68.8	
		4-00-68	59.2(1)	197.2		04S/09W-18F01S	195.0	10-03-67	126.5	68.5	4715
		5-00-68	60.9(1)	195.5				11-07-67	130.5	64.5	
		6-00-68	65.7(1)	190.7				12-04-67	122.2	72.8	
		7-00-68	67.9(1)	188.5				1-02-68	116.4	78.6	
		8-00-68	83.3(1)	173.1				2-05-68	120.9	74.1	
		9-00-68	88.0(1)	168.4				3-04-68	118.9	76.1	
04S/09W-07Q01S	203.8	10-03-67	133.5	70.3	4715			4-01-68	115.3	79.7	
		11-07-67	137.9	65.9				5-06-68	110.3	84.7	
		12-04-67	121.3	82.5				6-03-68	117.3	77.7	
		1-02-68	107.6	96.2				7-01-68	118.8	76.2	
		2-06-68	120.1	83.7				8-05-68	121.7	73.3	
		3-04-68	114.8	89.0				9-02-68	127.7	67.3	
		4-08-68	102.3	101.5		04S/09W-18H01S	195.0	10-06-67	126.4	68.6	5102
		5-06-68	97.4	106.4				10-19-67	126.3	68.7	
		6-03-68	114.7	89.1				11-14-67	126.1	68.9	
		7-01-68	118.1	85.7				12-13-67	123.0	72.0	
		8-05-68	116.4	87.4				1-04-68	121.0	74.0	
		9-02-68	130.6	73.2				2-07-68	120.4	74.6	
04S/09W-07Q03S	202.0	10-03-67	135.1	66.9	4715			3-06-68	124.4	70.6	
		11-07-67	138.3	63.7				4-09-68	121.8	73.2	
		12-04-67	128.6	73.4				5-06-68	122.3	72.7	
		1-02-68	120.5	81.5				6-11-68	114.8	80.2	
		2-05-68	127.2	74.8				7-17-68	114.7	80.3	
		3-04-68	124.4	77.6				9-16-68	120.6	74.4	
		4-01-68	120.0	82.0		04S/09W-19D01S	177.7	10-05-67	113.1	64.6	5102
		5-06-68	113.6	88.4				12-13-67	112.5	65.2	
		6-03-68	122.8	79.2				1-04-68	(0)		
		7-01-68	125.0	77.0		04S/09W-22H01S	317.4	10-05-67	296.7	20.7	5102
		8-05-68	127.9	74.1				12-13-67	286.3	31.1	
		9-02-68	136.3	65.7				2-07-68	288.6	28.8	
04S/09W-07Q04S	205.0	10-03-67	127.3	77.7	4715			3-06-68	279.8	37.6	
		11-07-67	131.7	73.3				4-09-68	(0)		
		12-04-67	109.7	95.3		04S/09W-23A01S	409.0	10-05-67	50.8(1)	358.2	5102
		1-02-68	107.1	97.9				11-14-67	48.4(1)	360.6	
		2-05-68	112.3	92.7				12-13-67	45.3(1)	363.7	
		3-04-68	109.7	95.3				1-04-68	46.4(1)	362.6	
		4-01-68	103.1	101.9				2-07-68	46.5(1)	362.5	
		5-06-68	96.8	108.2				3-06-68	50.3(1)	358.7	
		6-03-68	109.4	95.6				4-09-68	49.6(1)	359.4	
		7-01-68	109.1	95.9				5-06-68	58.2(1)	350.8	
		8-05-68	112.8	92.2				6-11-68	59.4(1)	349.6	
		9-02-68	124.1	80.9				7-17-68	59.9(1)	349.1	
04S/09W-07Q05S	205.0	10-03-67	129.9	75.1	4715			9-13-68	50.7(1)	358.3	
		11-07-67	134.3	70.7		04S/09W-27D01S	300.0	10-05-67	253.6	46.4	5102
		12-04-67	112.8	92.2				11-14-67	257.8	42.2	
		1-02-68	109.1	95.9				12-13-67	256.4	43.6	
		2-05-68	114.8	90.2				1-04-68	250.1	49.9	
		3-04-68	112.2	92.8				2-07-68	247.9	52.1	
		4-01-68	105.5	99.5				3-06-68	250.0	50.0	
		5-06-68	99.0	106.0				5-06-68	250.6	49.4	
		6-03-68	112.2	92.8				6-11-68	250.9	49.1	
		7-01-68	112.6	92.4		04S/09W-28H02S	290.0	10-03-67	235.5	54.5	4715
		8-05-68	115.2	89.8				11-07-67	239.0	51.0	
		9-02-68	126.9	78.1				12-04-67	238.1	51.9	
04S/09W-17Q01S	231.0	10-05-67	160.4	70.6	5102			1-02-68	235.2	54.8	
		11-14-67	162.7	68.3				2-05-68	234.5	55.5	
		12-13-67	161.3	69.7				3-04-68	234.1	55.9	
		1-04-68	159.8	71.2				4-01-68	233.8	56.2	
		2-07-68	160.9	70.1				5-06-68	234.4	55.6	
		3-06-68	161.3	69.7				6-03-68	236.8	53.2	
		4-09-68	158.6	72.4				7-01-68	237.6	52.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/09W-28H02S (CONT.)	290.0	8-05-68 9-02-68	240.2 240.6	49.8 49.4	4715	04S/10W-14D02S (CONT.)	166.4	4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	97.7 110.1 109.9 114.3 117.9 119.6	68.7 56.3 56.5 52.1 48.5 46.8	4210
04S/09W-28R01S	262.1	2-07-68 3-06-68	198.2 199.8	63.9 62.3	5102						
04S/09W-30D02S	161.5	11-14-67 12-13-67 1-04-68 2-07-68 3-06-68 4-09-68 5-06-68 6-11-68 7-17-68 9-16-68	100.8 101.0 100.3 100.9 99.0 99.4 98.7 100.3 103.0 105.4	60.7 60.5 61.2 60.6 62.5 62.1 62.8 61.2 58.5 56.1	5102	04S/10W-14H01S	173.2	10-01-67 11-06-67 12-04-67 1-02-68 2-05-68 3-04-68 4-05-68 5-01-68 6-03-68	106.1(2) 101.7(2) 104.7(2) 103.7 104.2 109.2(2) 107.9(2) 108.2(2) 110.3(2)	67.1 71.5 68.5 69.5 69.0 64.0 65.3 65.0 62.9	5102
04S/09W-31H01S	178.0	10-05-67 11-14-67 12-13-67 1-04-68 5-06-68 7-17-68 9-13-68	128.1 138.3 127.1 125.3 129.8 132.5 135.4	49.9 39.7 50.9 52.7 48.2 45.5 42.6	5102	04S/10W-14H02S	173.4	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	121.5 122.0 110.4 113.7 113.1 104.0 110.6 107.8 109.1 117.9 119.5	51.9 51.4 63.0 59.7 60.3 69.4 62.8 65.6 64.3 55.5 53.9	4210
04S/09W-32K01S	200.0	10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	164.2 169.2 165.6 167.2 167.8 169.5 169.2 169.4 175.2 174.5 176.5 173.8	35.8 30.8 34.4 32.8 32.2 30.5 30.8 30.6 24.8 25.5 23.5 26.2	4715	04S/10W-14M01S	163.1	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	105.0 107.0 98.3 99.6 98.3 95.3 100.4 100.1 102.6 103.8	58.1 56.1 64.8 63.5 64.8 67.8 62.7 63.0 60.5 59.3	4210
04S/09W-33M01S	226.0	10-05-67 11-14-67 12-13-67 1-04-68 2-07-68 3-06-68 4-09-68 5-06-68 6-11-68 7-17-68 9-13-68	201.8 194.6 190.5 179.6 189.9 191.4 192.1 194.1 197.8 199.1 202.8	24.2 31.4 35.5 46.4 36.1 34.6 33.9 31.9 28.2 26.9 23.2	5102	04S/10W-15B01S	152.6	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	106.7 113.5 99.4 102.6 103.5 100.0 105.8 104.6 102.0 111.7 112.9	45.9 39.1 53.2 50.0 49.1 52.6 46.8 48.0 50.6 40.9 39.7	4210
04S/10W-11D02S	171.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	111.8 117.5 106.4 102.7 102.3 98.9 102.4 102.1 105.2 105.7 111.5	59.2 53.5 64.6 68.3 68.7 72.1 68.6 68.9 65.8 65.3 59.5	4210	04S/10W-15B05S	155.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	106.0 113.2 103.6 103.7 106.0 100.0 106.2 116.7 107.2 110.3 113.2	49.0 41.8 51.4 51.3 49.0 55.0 48.8 38.3 47.8 44.7 41.8	4210
04S/10W-12A01S	200.0	10-01-67 11-06-67 12-04-67 1-02-68 2-05-68 3-04-68 4-05-68 5-01-68 6-03-68 7-01-68 8-05-68 9-03-68	116.5 122.2 113.9 106.0 105.8 110.2 107.9 100.2 98.3 105.0 107.7 116.0	83.5 77.8 86.1 94.0 94.2 89.8 92.1 99.8 101.7 95.0 92.3 84.0	5102	04S/10W-15J04S	152.0	12-04-67 1-02-68 2-05-68 3-04-68 4-05-68	116.3 115.6 116.0 119.2 118.0	35.7 36.4 36.0 32.8 34.0	5102
04S/10W-12C01S	197.7	2-00-68	98.3	99.4	4210	04S/10W-15P01S	142.0	10-04-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 6-11-68 7-08-68	106.9 106.4 107.4 107.7 102.9 105.5 103.7 105.5	35.1 35.6 34.6 34.3 39.1 36.5 38.3 36.5	5102
04S/10W-12J02S	199.0	10-01-67 11-06-67 12-04-67 1-02-68 2-05-68 3-04-68 4-05-68 5-01-68 6-03-68 8-05-68	115.2 113.9 107.9 101.4 101.9 106.2 105.9 100.3 91.6 88.5	83.8 85.1 91.1 97.6 97.1 92.8 93.1 98.7 107.4 110.5	5102	04S/10W-17H01S	123.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	90.8 89.0 78.7 78.9 82.6 80.4 87.0 86.6 82.8 88.7 88.8	32.2 34.0 44.3 44.1 40.4 42.6 36.0 36.4 40.2 34.3 34.2	4210
04S/10W-13B02S	185.2	10-01-67 11-06-67 1-02-68 2-05-68	115.7 118.4 123.7 124.4	69.5 66.8 61.5 60.8	5102	04S/10W-17J02S	116.1	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68	101.5 102.5 99.1 83.2 103.5 102.2 113.5	14.6 13.6 17.0 32.9 12.6 13.9 2.6	4210
04S/10W-14D02S	166.4	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68	116.6 122.5 112.2 113.5 111.0	49.8 43.9 54.2 52.9 55.4	4210						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
045/10W-17J02S (CONT.)	116.1	6-00-68 7-00-68 8-00-68 9-00-68	113.0 113.6 116.0 111.4	3.1 2.5 .1 4.7	4210	045/10W-22C03S (CONT.)	140.0	11-08-67 12-06-67 1-00-68	101.0 99.7 (6)	39.0 40.3	5102
045/10W-17L02S	110.6	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	110.2 107.5 101.5 102.5 106.5 107.5 94.5 93.5 94.5 95.5 95.5	.4 3.1 9.1 8.1 4.1 3.1 16.1 17.1 16.1 15.1 15.1	4210	045/10W-23B02S	165.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-01-68 6-00-68 7-00-68 8-00-68 9-00-68	110.0 106.3 105.3 108.2 107.0 103.4 102.3 103.3 101.4 104.9 105.1	55.0 58.7 59.7 56.8 58.0 61.6 62.7 61.7 63.6 60.1 59.9	4210
045/10W-17Q01S	112.0	10-02-67 11-09-67 12-05-67 1-04-68 2-06-68 3-05-68 4-08-68 5-01-68 6-04-68 7-03-68 8-06-68 9-04-68	73.9 74.5 70.7 69.0 69.9 71.4 69.7 71.6 77.9 73.5 74.2 75.1	38.1 37.5 41.3 43.0 42.1 40.6 42.3 40.4 34.1 38.5 37.8 36.9	5102	045/10W-23H01S	163.0	10-01-67 11-06-67 12-04-67 1-02-68 2-05-68 3-04-68 4-05-68 5-01-68 6-03-68 7-01-68 8-05-68 9-03-68	98.5 101.0 101.2 100.7 99.9 101.0 100.3 99.5 99.3 101.0 103.4 103.0	64.5 62.0 61.8 62.3 63.1 62.0 62.7 63.5 63.7 62.0 59.6 60.0	5102
045/10W-18K01S	100.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	78.0 93.3 81.9 82.2 104.9 105.2 103.0 106.8 103.7	22.0 6.7 18.1 17.8 -4.9 -5.2 -3.0 -6.8 -3.7	4210	045/10W-23R01S	156.0	10-01-67 11-06-67 12-04-67 2-05-68 3-04-68 4-05-68 5-01-68 6-03-68 7-01-68 8-05-68 9-03-68	96.1 95.4 92.2 90.7 94.8 93.5 99.5 97.4 94.7 96.8 97.4	59.9 60.6 63.8 65.3 61.2 62.5 56.5 58.6 61.3 59.2 58.6	5102
045/10W-18P01S	92.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	56.7 59.0 58.1 61.9 70.7 71.3 65.6 67.2 68.0	35.3 33.0 33.9 30.1 21.3 20.7 26.4 24.8 24.0	4210	045/10W-24B03S	172.0	12-04-67 1-02-68 2-05-68 3-04-68 4-05-68 7-01-68	111.3 107.0 107.0 110.7 109.2 109.4	60.7 65.0 65.0 61.3 62.8 62.6	5102
045/10W-19G02S	93.0	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68 8-27-68	60.7 60.4 62.7 62.7 63.7 64.8 62.4 60.2 62.5 63.9 66.8 69.1	32.3 32.6 30.3 30.3 29.3 28.2 30.6 32.8 30.5 29.1 26.2 23.9	5102	045/10W-24D01S	173.0	10-01-67 1-02-68 2-05-68 3-04-68 4-05-68 5-01-68 7-01-68 8-05-68 9-03-68	103.0 101.8 101.0 105.5 104.4 102.8 103.8 106.3 106.6	70.0 71.2 72.0 67.5 68.6 70.2 69.2 66.7 66.4	5102
045/10W-19H01S	99.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	62.6 62.8 66.4 68.3 73.5 74.2 68.2 67.7 69.0	36.4 36.2 32.6 30.7 25.5 24.8 30.8 31.3 30.0	4210	045/10W-24R02S	163.0	11-20-67 12-04-67 1-08-68 2-13-68 3-11-68 8-19-68	87.3 94.5 93.1 97.8 97.1 97.9	75.7 68.5 69.9 65.2 65.9 65.1	5102
045/10W-20N01S	98.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	66.3 74.3 74.0 76.3 79.8 80.1 82.2 85.5 86.2	31.7 23.7 24.0 21.7 18.2 17.9 15.8 12.5 11.8	4210	045/10W-25E01S	144.5	10-09-67 11-20-67 12-26-67 1-22-68 2-26-68 3-11-68 4-15-68 5-13-68 6-03-68 7-29-68 8-19-68 9-16-68	87.7 89.5 87.4 88.0 88.8 86.6 88.6 86.6 88.8 89.6 91.4 100.6	56.8 55.0 57.1 56.5 55.7 57.9 55.9 57.9 55.7 54.9 53.1 43.9	5102
045/10W-20N02S	100.0	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	62.0 63.5 64.3 67.1 67.2 67.1 70.7 73.3 74.1	38.0 36.5 35.7 32.9 32.8 32.9 29.3 26.7 25.9	4210	045/10W-25F01S	145.0	10-31-67 12-00-67 1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	100.5 119.0 111.2 95.8 93.5 98.1 100.8 99.7 98.9 102.3 104.1	44.5 26.0 33.8 49.2 51.5 46.9 44.2 45.3 46.1 42.7 40.9	4210
045/10W-21F01S	118.0	12-05-67 2-06-68 5-01-68	78.6 77.8 76.0	39.4 40.2 42.0	5102	045/10W-26C01S	139.6	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68	89.5 91.0 90.4 90.5 90.3 93.3 90.1 90.4	50.1 48.6 49.2 49.1 49.3 46.3 49.5 49.2	5102
045/10W-22C03S	140.0	10-04-67	98.9	41.1	5102						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
04S/10W-26C01S (CONT.)	139.6	6-11-68 7-08-68 8-08-68 9-05-68	91.0 91.3 92.5 95.8	48.6 48.3 47.1 43.8	5102	04S/11W-26B01S (CONT.)	59.8	8-08-68 8-27-68	39.2 40.5	20.6 19.3	5102
04S/10W-27C02S	129.0	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-05-68	83.4 82.7 82.3 81.8 80.5 81.4 81.5 82.3 83.2 82.5 84.5 85.4	45.6 46.3 46.7 47.2 48.5 47.6 47.5 46.7 45.8 46.5 44.5 43.6	5102	04S/11W-26J01S	66.0	2-05-68 3-04-68 4-03-68 5-02-68 6-11-68	45.5 49.1 44.5 56.6 55.3	20.5 16.9 21.5 9.4 10.7	5102
04S/10W-31B02S	80.0	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-06-68	52.8 51.4 47.1 47.1 46.0 48.4 49.6 52.3 53.5 55.1 56.8 57.1	27.2 28.6 32.9 32.9 34.0 31.6 30.4 27.7 26.5 24.9 23.2 22.9	5102	04S/11W-35B01S	55.4	10-03-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68 8-27-68	37.4 35.2 28.0 28.5 30.2 37.5 39.8 46.9 41.4 46.1 46.9	18.0 20.2 27.4 26.9 25.2 17.9 15.6 8.5 14.0 9.3 8.5	5102
04S/10W-32B01S	83.1	10-03-67 11-07-67 12-26-67 1-23-68 2-20-68 4-02-68	52.6 49.1 44.6 44.4 45.6 50.7	30.5 34.0 38.5 38.7 37.5 32.4	5102	05S/08W-19H01S	254.3	10-06-67 11-15-67 12-13-67 1-05-68 2-09-68 3-14-68 4-16-68 5-06-68 6-14-68 7-18-68 9-11-68	157.1 155.9 154.5 153.2 153.6 152.4 152.9 154.0 154.9 158.0 159.0	97.2 98.4 99.8 101.1 100.7 101.9 101.4 100.3 99.4 96.3 95.3	5102
04S/10W-34D03S	95.9	10-04-67 11-08-67 12-06-67 1-03-68 7-08-68 8-08-68 9-06-68	55.1 54.7 53.7 54.1 70.6 58.5 58.1	40.8 41.2 42.2 41.8 25.3 37.4 37.8	5102	05S/08W-29P01S	265.8	10-06-67 11-15-67 12-13-67 1-05-68 2-09-68 3-14-68 4-16-68 5-06-68 6-14-68 7-18-68 9-11-68	215.2 214.3 210.6 209.3 211.4 220.0 222.6 223.3 218.0 222.3 225.8	50.6 51.5 55.2 56.5 54.4 45.8 43.2 42.5 47.8 43.5 40.0	5102
04S/10W-35A03S	136.0	10-04-67 12-04-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 8-08-68 9-05-68	83.3 85.6 85.0 85.4 85.8 85.7 88.2 94.7 91.1 90.0	52.7 50.4 51.0 50.6 50.2 50.3 47.8 41.3 44.9 46.0	5102	05S/08W-31K01S	219.7	11-01-67 11-15-67 12-13-67 1-05-68 2-09-68 3-05-68 3-14-68 5-06-68 7-18-68 9-11-68	226.5 188.6 175.5 171.5 169.5 188.0 175.5 182.6 188.0 196.5	-6.8 31.1 44.2 48.2 50.2 31.7 44.2 37.1 31.7 23.2	4709 5102
04S/10W-35K01S	121.0	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-05-68	80.0 78.9 76.6 78.4 77.0 87.0 86.3 90.1 89.0 90.8 83.4 82.9	41.0 42.1 44.4 42.6 44.0 34.0 34.7 30.9 32.0 30.2 37.6 38.1	5102	05S/08W-33A01S	439.0	10-06-67 11-09-67 12-13-67 2-09-68 3-02-68 4-16-68 5-06-68 6-14-68 9-11-68	48.4 16.2 35.4 28.2 1.8 36.6 33.0 35.6 13.0	390.6 422.8 403.6 410.8 437.2 402.4 406.0 403.4 426.0	5102 4709 5102
04S/11W-24A01S	82.5	1-00-68 2-00-68 3-00-68 4-00-68 5-00-68 6-00-68 7-00-68	55.9 58.5 61.0 64.6 74.2 74.7 78.8	26.6 24.0 21.5 17.9 8.3 7.8 3.7	4210	05S/09W-04C01S	203.0	9-13-68	195.0	8.0	5102
04S/11W-24A03S	83.0	4-03-68 5-02-68 6-10-68 7-08-68 8-08-68 8-27-68	47.6 50.3 54.4 52.5 53.3 56.1	35.4 32.7 28.6 30.5 29.7 26.9	5102	05S/09W-08B02S	171.0	12-13-67 1-04-68 2-07-68 3-06-68 4-09-68	120.8 119.8 119.6 120.7 120.7	50.2 51.2 51.4 50.3 50.3	5102
04S/11W-24M01S	71.0	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 5-02-68 8-27-68	60.3 57.7 58.4 46.0 49.0 51.0 59.8 70.4	10.7 13.3 12.6 25.0 22.0 20.0 11.2 .6	5102	05S/09W-09H01S	150.0	10-05-67 12-13-67 2-07-68 3-06-68 4-09-68 5-06-68 6-11-68 7-17-68 9-13-68	118.9 118.4 114.4 116.2 115.1 114.6 117.1 109.0 98.4	31.1 31.6 35.6 33.8 34.9 35.4 32.9 41.0 51.6	5102
04S/11W-26B01S	59.8	3-04-68 4-03-68 5-02-68 7-08-68	34.6 31.5 38.5 37.9	25.2 28.3 21.3 21.9	5102	05S/09W-10C01S	189.1	10-05-67 11-14-67 1-04-68 2-07-68	152.5 154.7 141.5 141.1	36.6 34.4 47.6 48.0	5102
						05S/09W-10B01S	180.4	10-09-67 11-13-67 12-11-67 1-02-68 2-05-68 3-04-68	138.7 138.8 134.4 132.9 133.3 133.4	41.7 41.6 46.0 47.5 47.1 47.0	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
05S/09W-10G01S (CONT.)	180.4	4-08-68 5-13-68 6-05-68 7-16-68 8-28-68 9-25-68	136.7 140.3 140.6 147.1 147.7 148.8	43.7 40.1 39.8 33.3 32.7 31.6	5102	05S/09W-22Q01S (CONT.)	67.0	3-12-68	133.0(1)	-66.0	4709
05S/09W-14Q01S	123.1	11-08-67 3-12-68	82.6 130.0(1)	40.5 -6.9	4709	05S/09W-23A01S	118.7	11-08-67 3-01-68	76.0 81.0	42.7 37.7	4709
05S/09W-15J01S	107.3	10-06-67 11-08-67 11-15-67 12-13-67 1-05-68 2-09-68 3-01-68 4-16-68 6-14-68 9-11-68	72.6 75.3 74.4 63.0 59.4 66.9 85.6 70.6 81.3 82.5	34.7 32.0 32.9 44.3 47.9 40.4 21.7 36.7 26.0 24.8	5102 4709 5102 4709 5102	05S/09W-23N01S	77.2	10-06-67 11-08-67 11-15-67 12-13-67 1-05-68 3-01-68 3-14-68 4-16-68 5-06-68 9-11-68	49.3 49.4 44.0 33.9 28.9 51.2 37.9 39.7 51.3 56.5	27.9 27.8 33.2 43.3 48.3 26.0 39.3 37.5 25.9 20.7	5102 4709 5102 4709 5102
05S/09W-15R03S	96.7	10-06-67 11-15-67 12-13-67 1-05-68 2-09-68 3-14-68 4-15-68 5-06-68 6-14-68 7-18-68 9-11-68	23.9 24.2 23.2 23.6 23.4 22.4 23.2 23.8 24.2 25.4 24.7	72.8 72.5 73.5 73.1 73.3 74.3 73.5 72.9 72.5 71.3 72.0	5102	05S/09W-25E01S	109.9	10-06-67 11-02-67 12-13-67 1-05-68 2-09-68 3-14-68 3-15-68 4-16-68 5-06-68 7-18-68 9-11-68	95.7 80.0 66.4 61.1 59.1 71.2 89.0 70.2 80.8 98.9 84.1	14.2 29.9 43.5 48.8 50.8 38.7 20.9 39.7 29.1 11.0 25.8	5102 4709 5102 4709 5102
05S/09W-16802S	127.0	10-06-67 11-15-67 12-13-67 1-05-68 2-09-68 3-14-68 4-16-68 9-11-68	117.9(2) 103.5(2) 92.5(2) 90.9(2) 87.7(2) 90.5(2) 100.1(2) 119.7(2)	9.1 23.5 34.5 36.1 39.3 36.5 26.9 7.3	5102	05S/09W-27D01S	67.4	11-08-67	8.9	58.5	4709
05S/09W-16Q02S	110.0	11-07-67 1-08-68 3-12-68 5-03-68 7-02-68 9-09-68	85.0 75.0 74.0 120.0(1) 128.0(1) 119.0(1)	25.0 35.0 36.0 -10.0 -18.0 -9.0	5721	05S/09W-28D01S	60.0	11-08-67 3-01-68	54.0 52.1	6.0 7.9	4709
05S/09W-16Q03S	107.0	11-07-67 1-08-68 3-12-68 5-03-68 7-02-68 9-09-68	80.0 71.0 86.0 154.0(1) 159.0(1) 154.0(1)	27.0 36.0 21.0 -47.0 -52.0 -47.0	5721	05S/09W-28E01S	57.0	11-08-67 3-12-68	45.0 45.0(1)	12.0 12.0	4709
05S/09W-19801S	86.6	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-12-68 4-15-68	58.2 59.8 52.7 51.4 53.4 58.6 60.2	28.4 26.8 33.9 35.2 33.2 28.0 26.4	5102	05S/09W-29M01S	52.0	10-06-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	43.2 33.4 29.9 40.9 38.2 34.8 39.9 43.7 44.7 44.9	8.8 18.6 22.1 11.1 13.8 17.2 12.1 8.3 7.3 7.1	5102
05S/09W-21801S	94.8	11-08-67 11-13-67 12-06-67 1-05-68 2-09-68 3-12-68 4-15-68 5-03-68 6-12-68 9-16-68	73.1 80.3 57.8 56.6 59.4 130.0(1) 69.3 79.5 80.2 83.8	21.7 14.5 37.0 38.2 35.4 -35.2 25.5 15.3 14.6 11.0	4709 5102 4709 5102	05S/09W-29M02S	50.0	11-09-67 3-01-68	44.0 54.1	6.0 -4.1	4709
05S/09W-21P02S	74.5	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	14.1 14.2 13.9 14.2 14.2 14.3 14.3 14.4 14.5 15.9 16.6	60.4 60.3 60.6 60.3 60.3 60.2 60.2 60.1 60.0 58.6 57.9	5102	05S/09W-30F01S	53.8	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	18.0 17.9 16.6 16.4 16.7 16.6 16.5 16.7 18.1 19.0 19.7	35.8 35.9 37.2 37.4 37.1 37.2 37.3 37.1 35.7 34.8 34.1	5102
05S/09W-22A02S	86.8	11-08-67 3-05-68	65.0 74.0	21.8 12.8	4709	05S/09W-30F02S	53.8	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	39.6 37.2 33.3 29.8 30.1 30.0 30.9 33.6 41.2 45.8 42.6	14.2 16.6 20.5 24.0 23.7 23.8 22.9 20.2 12.6 8.0 11.2	5102
05S/09W-22E04S	80.0	11-07-67 1-08-68 3-12-68 5-03-68 7-02-68 9-09-68	154.0(1) 128.0 128.0 128.0 129.0 129.0	-74.0 -48.0 -48.0 -48.0 -49.0 -49.0	5721	05S/09W-31A02S	39.4	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	36.1 32.9 22.9 19.5 22.7 30.5 27.3 29.6 31.4 35.2 36.5	3.3 6.5 16.5 19.9 16.7 8.9 12.1 9.8 8.0 4.2 2.9	5102
05S/09W-22Q01S	67.0	11-08-67	44.0	23.0	4709	05S/09W-31B01S	40.4	11-08-67 3-01-68	31.0 35.0	9.4 5.4	4709
						05S/09W-31M02S	34.3	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 3-11-68 4-15-68 5-03-68	29.5 25.8 20.0 17.0 21.8 25.4 29.5 28.6	4.8 8.5 14.3 17.3 12.5 8.9 4.8 5.7	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
055/09W-31M02S (CONT.)	34.3	6-12-68 7-16-68 9-16-68	31.9 36.7 32.0	2.4 -2.4 2.3	5102	055/10W-09N04S	68.0	2-06-68 3-05-68 4-08-68 5-02-68 7-08-68 8-08-68 9-05-68	41.2 43.0 41.9 46.6 50.1 52.0 52.8	26.8 25.0 26.1 21.4 17.9 16.0 15.2	5102
055/09W-32A01S	44.3	11-08-67 11-13-67 12-06-67 2-09-68 3-01-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68	32.0 33.1 26.0 26.6 30.0 31.3 27.5 36.1 38.1 39.8	12.3 11.2 18.3 17.7 14.3 13.0 16.8 8.2 6.2 4.5	4709 5102 4709 5102	055/10W-09R01S	74.2	10-03-67 11-14-67 12-26-67 1-30-68 2-27-68 3-26-68 4-16-68 5-07-68 6-18-68 7-15-68 8-19-68 9-24-68	45.9 43.8 40.1 39.6 40.0 40.6 40.7 41.7 45.9 46.8 47.8 48.5	28.3 30.4 34.1 34.6 34.2 33.6 33.5 32.5 28.3 27.4 26.4 25.7	5102
055/09W-32L01S	35.1	11-09-67 11-13-67 12-06-67 1-04-68 2-09-68 3-01-68 3-11-68 4-15-68 5-03-68	11.8 20.1 15.6 12.0 12.2 -2 16.6 13.6 18.0	23.3 15.0 19.5 23.1 22.9 35.3 18.5 21.5 17.1	4709 5102 4709 5102	055/10W-10A05S	96.2	11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-05-68	56.1 55.0 52.0 52.8 55.2 53.0 54.6 55.8 56.5 57.7 58.5	40.1 41.2 44.2 43.4 41.0 43.2 41.6 40.4 39.7 38.5 37.7	5102
055/09W-34J01S	67.9	10-06-67 11-03-67 11-15-67 12-13-67 1-05-68 2-09-68 3-01-68 3-14-68 4-16-68 5-06-68	64.3 66.6 55.5 42.0 32.8 39.0 57.0 56.0 49.2 69.0	3.6 1.3 12.4 25.9 35.1 28.9 10.9 11.9 18.7 -1.1	5102 4709 5102 4709 5102	055/10W-10D04S	84.0	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-05-68	56.1 52.9 49.0 47.7 48.5 49.7 49.6 54.3 55.7 56.7 57.9 57.5	27.9 31.1 35.0 36.3 35.5 34.3 34.4 29.7 28.3 27.3 26.1 26.5	5102
055/09W-34Q01S	69.7	11-03-67 3-15-68	70.0 61.0	-3 8.7	4709	055/10W-10P01S	82.4	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68 6-11-68 7-08-68 8-08-68 9-05-68	56.1 52.9 49.0 47.7 48.5 49.7 49.6 54.3 55.7 56.7 57.9 57.5	27.9 31.1 35.0 36.3 35.5 34.3 34.4 29.7 28.3 27.3 26.1 26.5	5102
055/09W-35J01S	99.0	10-06-67 11-03-67 11-15-67 12-13-67 1-05-68 3-11-68 4-16-68 5-06-68 7-18-68 7-28-68	91.5 98.2 83.5 67.5 60.5 81.6 75.2 93.2 117.4 182.0(1)	7.5 .8 15.5 31.5 38.5 17.4 23.8 5.8 -18.4 -83.0	5102 4709 5102 4709 5102	055/10W-15B02S	79.0	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	45.8 49.0 47.0 46.1 46.6 47.2 47.8 52.7 53.4 55.3	33.2 30.0 32.0 32.9 32.4 31.8 31.2 26.3 25.6 23.7	5102
055/09W-36B01S	157.0	10-06-67 11-04-67 12-13-67 1-05-68 2-09-68 3-05-68 3-14-68 4-16-68 5-06-68 6-14-68 7-28-68 9-11-68	162.2 134.0 121.6 112.0 113.5 119.0 120.9 134.5 127.0 134.4 254.0(1) 151.4	-5.2 23.0 35.4 45.0 43.5 38.0 36.1 22.5 30.0 22.6 -97.0 5.6	5102 4709 5102 4709 5102	055/10W-17Q01S	46.0	11-13-67 12-08-67 2-07-68 3-12-68 5-02-68	28.1 22.5 24.4(2) 23.8 30.1(2)	17.9 23.5 21.6 22.2 15.9	5102
055/09W-36K01S	147.6	2-07-68 3-06-68 4-03-68 5-01-68 6-05-68 7-03-68 8-06-68 9-11-68	89.4 102.4 96.8 108.5 121.8 124.3 126.4 126.7	58.2 45.2 50.8 39.1 25.8 23.3 21.2 20.9	5102	055/10W-19A05S	40.0	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 3-12-68 6-13-68 8-09-68	25.2 24.1 18.4 16.5 18.9 20.9 30.5 28.9	14.8 15.9 21.6 23.5 21.1 19.1 9.5 11.1	5102
055/09W-36Q01S	158.0	11-14-67 11-15-67 12-13-67 1-05-68 2-09-68 3-05-68 3-14-68 4-16-68 7-27-68 9-11-68	146.5 134.2 116.5 111.1 110.1 118.5 113.1 122.4 188.6(1) 143.9	11.5 23.8 41.5 46.9 47.9 39.5 44.9 35.6 -30.6 14.1	4709 5102 4709 5102	055/10W-20M03S	45.0	1-05-68 2-07-68 3-12-68	22.5 23.2 22.8	22.5 21.8 22.2	5102
055/10W-02B02S	114.0	10-02-67 11-06-67 12-11-67 1-02-68 2-05-68 3-04-68 4-22-68 5-27-68 6-24-68 7-29-68 8-26-68 9-30-68	72.4 70.9 70.0 69.7 69.3 68.9 69.1 69.5 70.4 71.4 71.6 72.7	41.6 43.1 44.0 44.3 44.7 45.1 44.9 44.5 43.6 42.6 42.4 41.3	5102	055/10W-21M02S	40.0	10-05-67 1-05-68 2-07-68 3-12-68 4-10-68 5-02-68 6-13-68 7-16-68 8-09-68	25.9 17.5 19.8 18.5 22.0 25.1 29.7 30.6 32.0	14.1 22.5 20.2 21.5 18.0 14.9 10.3 9.4 8.0	5102
055/10W-04P03S	84.0	10-04-67	54.9	29.1	5102						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
05S/10W-21M02S (CONT.)	40.0	9-05-68	34.0	6.0	5102	05S/10W-32P02S (CONT.)	20.0	5-21-68 6-18-68 7-29-68 8-27-68 9-24-68	.2 .6 .9 1.1 1.3	19.8 19.4 19.1 18.9 18.7	5102
05S/10W-23C01S	61.4	10-06-67 11-14-67 12-26-67 1-02-68 2-13-68 3-12-68 4-16-68 5-14-68 6-25-68 7-29-68 8-19-68 9-17-68	34.7 31.0 27.2 27.0 27.7 28.3 28.1 30.3 33.3 34.0 33.6 34.2	26.7 30.4 34.2 34.4 33.7 33.1 33.3 31.1 28.1 27.4 27.8 27.2	5102	05S/10W-33Q01S	37.6	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-12-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	28.6 27.4 26.5 26.4 26.4 26.7 26.6 26.7 27.5 28.2 30.8	9.0 10.2 11.1 11.2 11.2 10.9 11.0 10.9 10.1 9.4 6.8	5102
05S/10W-25R01S	37.7	10-06-67 11-13-67 12-06-67 1-04-68 2-09-68 4-15-68 5-03-68 6-12-68 9-16-68	22.9 20.1 16.3 13.3 13.7 14.2 17.1 23.2 24.7	14.8 17.6 21.4 24.4 24.0 23.5 20.6 14.5 13.0	5102	05S/10W-34D01S	34.5	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-12-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	18.4 16.1 14.1 13.4 13.7 13.4 14.5 15.0 16.8 17.9 18.7	16.1 18.4 20.4 21.1 20.8 21.1 20.0 19.5 17.7 16.6 15.8	5102
05S/10W-26D02S	44.5	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-12-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	31.0 29.0 24.0 22.2 26.8 29.8 28.0 28.4 32.8 34.7 35.6	13.5 15.5 20.5 22.3 17.7 14.7 16.5 16.1 11.7 9.8 8.9	5102	05S/10W-35K01S	32.7	10-06-67 11-13-67 12-06-67 1-04-68 3-12-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	29.2 24.9 18.7 17.7 26.7 26.7 28.0 30.2 30.7 31.7	3.5 7.8 14.0 15.0 6.0 6.0 4.7 2.5 2.0 1.0	5102
05S/10W-26R02S	37.2	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 4-15-68 5-03-68 7-16-68 9-16-68	9.3 9.7 8.3 7.6 11.3 7.1 8.4 10.3 11.0	27.9 27.5 28.9 29.6 25.9 30.1 28.8 26.9 26.2	5102	05S/11W-01R01S	64.0	10-04-67 11-08-67 12-06-67 1-03-68 2-06-68 3-05-68 4-08-68 5-02-68	32.6 32.1 28.5 28.7 27.6 28.8 24.2 (6)	31.4 31.9 35.5 35.3 36.4 35.2 39.8	5102
05S/10W-28R01S	45.0	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 3-12-68 4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	36.5 32.8 22.9 24.4 27.6 24.9 32.8 41.3 36.3 37.4 40.1	8.5 12.2 22.1 20.6 17.4 20.1 12.2 3.7 8.7 7.6 4.9	5102	05S/11W-02G01S	48.2	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68 8-27-68	23.1 23.1 19.4 18.6 18.8 19.3 19.8 23.0 24.4 26.6 27.3 28.7	25.1 25.1 28.8 29.6 29.4 28.9 28.4 25.2 23.8 21.6 20.9 19.5	5102
05S/10W-29Q01S	35.0	4-23-68 5-14-68 6-11-68 7-02-68 8-12-68 9-24-68	18.5 20.7 23.0 24.4 26.1 26.7	16.5 14.3 12.0 10.6 8.9 8.3	5102	05S/11W-02N01S	38.5	2-05-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68	28.8 30.9 36.1 40.8 43.0 43.7	9.7 7.6 2.4 -2.3 -4.5 -5.2	5102
05S/10W-31Q04S	20.0	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 3-12-68 4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	15.9 15.5 12.2 10.6 11.3 11.6 11.3 13.2 14.3 18.8 19.2	4.1 4.5 7.8 9.4 8.7 8.4 8.7 6.8 5.7 1.2 .8	5102	05S/11W-03A01S	46.0	10-03-67 11-07-67 12-07-67 1-02-68 2-05-68 3-04-68 4-03-68 5-02-68 6-11-68 7-08-68 8-08-68	38.0 39.1 29.6 27.6 28.9 34.5 34.5 40.4 45.6 48.2 48.9	8.0 6.9 16.4 18.4 17.1 11.5 11.5 5.6 .4 -2.2 -2.9	5102
05S/10W-32C01S	26.6	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 3-12-68 4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	19.1 15.4 12.3 10.4 13.1 12.7 12.8 16.8 18.3 20.1 22.2	7.5 11.2 14.3 16.2 13.5 13.9 13.8 9.8 8.3 6.5 4.4	5102	05S/11W-04A01S	32.0	12-05-67 1-09-68 2-13-68 3-12-68 4-16-68 5-21-68 6-11-68 7-15-68 8-27-68 9-24-68	21.5 17.7 20.2 22.2 25.7 29.1 32.2 36.5 37.3 37.1	10.5 14.3 11.8 9.8 6.3 2.9 -2.2 -4.5 -5.3 -5.1	5102
05S/10W-32P02S	20.0	10-03-67 11-07-67 12-05-67 1-02-68 2-06-68 3-05-68 4-29-68	2.7 2.5 .2 .2 .3 .4 .6	17.3 17.5 19.8 19.8 19.7 19.6 19.4	5102	05S/11W-04Q01S	23.5	10-25-67 11-16-67 12-15-67 1-09-68 2-09-68	23.4 22.2 18.6 12.1 10.3	.1 1.3 4.7 11.4 13.2	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
05S/11W-07C01S	10.0	10-25-67	24.4	-14.4	5102	05S/11W-20C05S (CONT.)	9.7	4-09-68	7.5	2.2	5102
		1-09-68	13.4	-3.4				5-14-68	10.1	-4.4	
		2-09-68	12.8	-2.8		05S/11W-20R04S	31.2	10-05-67	35.9	-4.7	5102
		3-13-68	13.1	-3.1				11-13-67	35.5	-4.3	
		4-22-68	15.4	-5.4				2-07-68	31.5	-4.3	
		5-08-68	17.7	-7.7				3-12-68	31.1	.1	
05S/11W-07D01S	10.5	10-25-67	24.1	-13.6	5102	05S/11W-24A05S	35.0	10-05-67	28.7	6.3	5102
		1-09-68	12.7	-2.2				11-13-67	27.1	7.9	
		2-09-68	11.9	-1.4				12-08-67	21.0	14.0	
		3-13-68	11.9	-1.4				1-05-68	20.6	14.4	
		4-22-68	14.8	-4.3				2-07-68	24.8	10.2	
		5-08-68	15.7	-5.2				3-12-68	24.2	10.8	
05S/11W-08J02S	17.0	10-25-67	24.0	-7.0	5102			4-10-68	25.4	9.6	
		11-16-67	24.4	-7.4				5-02-68	28.4	6.6	
		12-15-67	20.8	-3.8				7-16-68	30.3	4.7	
		1-09-68	21.0	-4.0				8-09-68	33.9	1.1	
		2-09-68	20.1	-3.1				9-05-68	34.4	.6	
05S/11W-09O02S	18.0	1-09-68	13.5	4.5	5102	05S/11W-24M02S	25.0	11-13-67	19.4	5.6	5102
		4-22-68	23.5	-5.5				12-08-67	15.5	9.5	
		5-08-68	23.1	-5.1				1-05-68	14.3	10.7	
		6-18-68	29.1	-11.1				2-07-68	17.8	7.2	
05S/11W-10K01S	23.0	4-03-68	24.8	-1.8	5102			4-10-68	18.4	6.6	
		5-02-68	31.7	-8.7				6-13-68	19.4	5.6	
		6-11-68	33.9	-10.9				7-16-68	25.2	-4.2	
05S/11W-12E03S	41.0	10-03-67	21.6	19.4	5102			9-05-68	26.0	-1.0	
		11-07-67	21.6	19.4		05S/11W-25B03S	27.6	10-05-67	21.4	6.2	5102
		12-07-67	15.9	25.1				11-13-67	21.2	6.4	
		1-02-68	14.5	26.5				12-08-67	17.6	10.0	
		2-05-68	15.5	25.5				1-05-68	16.5	11.1	
		3-04-68	17.2	23.8				2-07-68	19.4	8.2	
		4-03-68	15.1	25.9				3-12-68	19.1	8.5	
		5-02-68	22.4	18.6		05S/11W-25P01S	47.6	10-05-67	40.5	7.1	5102
		6-11-68	24.9	16.1				1-05-68	33.2	14.4	
		8-08-68	27.2	13.8				2-07-68	38.5	9.1	
05S/11W-12L01S	42.0	10-03-67	32.2	9.8	5102			3-12-68	37.6	10.0	
		11-07-67	27.7	14.3				4-10-68	38.8	8.8	
		12-05-67	21.6	20.4				9-05-68	45.6	2.0	
		1-02-68	19.3	22.7		05S/11W-27M04S	8.0	10-03-67	7.4	.6	5102
		2-06-68	22.0	20.0				11-07-67	5.5	2.5	
		3-05-68	20.9	21.1				12-12-67	3.5	4.5	
		4-02-68	23.6	18.4				1-02-68	2.4	5.6	
		5-07-68	29.1	12.9				2-06-68	6.0	2.0	
		6-25-68	32.3	9.7				3-12-68	4.6	3.4	
05S/11W-13A02S	42.0	11-08-67	30.7	11.3	5102			4-02-68	5.4	2.6	
		12-06-67	25.7	16.3				5-07-68	6.3	1.7	
05S/11W-13L04S	35.0	10-04-67	25.7	9.3	5102			6-25-68	9.1	-1.1	
		11-08-67	23.5	11.5				7-22-68	9.3	-1.3	
		12-06-67	20.2	14.8				8-19-68	9.5	-1.5	
		1-03-68	20.2	14.8				9-24-68	10.1	-2.1	
		2-06-68	19.3	15.7		05S/11W-28C08S	20.0	10-05-67	17.6	2.4	5102
		3-05-68	24.4	10.6				11-13-67	16.0	4.0	
		4-08-68	24.4	10.6				12-08-67	13.7	6.3	
		5-02-68	26.7	8.3				1-05-68	13.8	6.2	
		7-08-68	33.3	1.7				2-07-68	15.0	5.0	
		8-08-68	33.0	2.0				3-12-68	14.2	5.8	
		9-05-68	32.5	2.5				4-10-68	15.2	4.8	
05S/11W-14C01S	34.0	10-04-67	(6)		5102			5-02-68	16.6	3.4	
05S/11W-16C01S	15.2	10-03-67	19.1	-3.9	5102			6-13-68	19.0	1.0	
		11-07-67	19.3	-4.1				7-16-68	19.9	.1	
		12-26-67	11.9	3.3		05S/11W-29B08S	36.0	10-05-67	40.4	-4.4	5102
		1-23-68	10.6	4.6				11-03-67	39.9	-3.9	
		2-20-68	12.5	2.7				12-08-67	33.9	2.1	
		3-19-68	10.5	4.7				1-05-68	31.3	4.7	
		4-30-68	15.2	.0				2-07-68	36.4	-4.4	
		5-28-68	15.2	.0				3-12-68	34.6	1.4	
		6-25-68	19.2	-4.0				4-10-68	36.6	-4.6	
		7-22-68	21.4	-6.2				5-02-68	38.9	-2.9	
		8-27-68	22.1	-6.9				6-13-68	40.6	-4.6	
		9-24-68	22.3	-7.1				7-16-68	42.2	-6.2	
05S/11W-16O02S	16.0	10-31-67	19.2	-3.2	5102			8-09-68	44.0	-8.0	
		11-14-67	19.0	-3.0				9-05-68	42.3	-6.3	
		12-12-67	13.0	3.0		05S/11W-29C01S	47.0	12-08-67	58.1	-11.1	5102
		1-23-68	15.1	.9				1-05-68	53.3	-6.3	
		2-20-68	15.7	.3				4-10-68	62.7	-15.7	
		3-19-68	14.2	1.8				6-13-68	67.2	-20.2	
		4-23-68	19.3	-3.3				9-05-68	69.8	-22.8	
		5-14-68	20.6	-4.6		06S/08W-05E02S	285.4	11-03-67	286.0	-.6	4709
		6-04-68	23.5	-7.5				3-03-68	259.0	26.4	
		7-22-68	24.5	-8.5		06S/08W-06J01S	238.9	11-03-67	205.0	33.9	4709
		8-27-68	25.4	-9.4				3-01-68	196.0	42.9	
		9-17-68	25.9	-9.9				7-18-68	271.6(1)	-32.7	
05S/11W-20C05S	9.7	12-12-67	7.5	2.2	5102	06S/08W-06P01S	203.0	10-06-67	150.6	52.4	5102
		1-02-68	6.0	3.7				11-15-67	149.7	53.3	
		2-06-68	7.2	2.5				12-13-67	144.2	58.8	
		3-12-68	8.0	1.7				1-05-68	142.9	60.1	
								2-09-68	142.7	60.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
06S/08W-06P01S (CONT.)	203.0	3-14-68	143.0	60.0	5102	06S/09W-05A01S	41.4	12-13-67	25.0	16.4	5102
		4-16-68	142.6	60.4				1-05-68	22.8	18.6	
		5-06-68	145.9	57.1				2-09-68	18.8	22.6	
		6-14-68	149.2	53.8				3-14-68	19.7	21.7	
		7-18-68	151.3	51.7				4-16-68	22.0	19.4	
		9-11-68	152.4	50.6							
06S/08W-07E01S	178.2	10-06-67	134.4	43.8	5102	06S/09W-08L01S	10.0	10-06-67	5.2	4.8	5102
		11-03-67	148.6	29.6	4709			11-03-67	9.0	1.0	4709
		11-15-67	135.0	43.2	5102			11-15-67	3.0	7.0	5102
		12-13-67	125.0	53.2				12-13-67	.0	10.0	
		1-05-68	121.0	57.2				1-05-68	-.3	10.3	
		2-09-68	122.5	55.7				2-07-68	-.7	10.7	
		3-01-68	142.0	36.2	4709			3-01-68	.0	10.0	4709
		3-14-68	136.4	41.8	5102			3-14-68	-.5	10.5	5102
		4-16-68	137.4	40.8				4-16-68	-1.2	11.2	
		7-18-68	158.3	19.9				6-14-68	3.0	7.0	
		7-30-68	195.0(1)	-16.8	4709			7-18-68	5.8	4.2	
		9-11-68	151.0	27.2	5102			9-11-68	10.0	.0	
06S/08W-07Q01S	202.2	10-06-67	146.3	55.9	5102	06S/09W-09A01S	67.0	10-06-67	47.8	19.2	5102
		11-15-67	145.1	57.1				11-03-67	45.6	21.4	4709
		12-13-67	139.1	63.1				11-15-67	41.6	25.4	5102
		1-05-68	138.1	64.1				12-13-67	37.0	30.0	
		2-09-68	137.3	64.9				1-05-68	34.8	32.2	
		3-14-68	138.1	64.1				2-09-68	32.6	34.4	
		4-16-68	139.9	62.3				3-12-68	113.0	-46.0	4709
		5-06-68	142.5	59.7				3-14-68	36.6	30.4	5102
		6-14-68	154.3	47.9				4-16-68	44.8	22.2	
		7-18-68	153.1	49.1				5-06-68	40.8	26.2	
		9-11-68	155.0	47.2				6-14-68	54.8	12.2	
								7-18-68	51.0	16.0	
								9-11-68	51.6	15.4	
06S/08W-08M01S	244.1	10-06-67	205.1	39.0	5102	06S/09W-12K01S	146.0	10-06-67	73.4	72.6	5102
		11-03-67	220.0	24.1	4709			11-15-67	73.1	72.9	
		11-15-67	204.1	40.0	5102			12-13-67	71.2	74.8	
		12-13-67	185.1	59.0				1-05-68	71.0	75.0	
		2-09-68	199.3	44.8				2-09-68	69.7	76.3	
		3-03-68	200.0	44.1	4709			3-14-68	70.0	76.0	
		8-12-68	264.0(1)	-19.9				4-16-68	75.5(1)	70.5	
		9-11-68	215.5	28.6	5102			5-06-68	71.7	74.3	
								6-14-68	79.8(1)	66.2	
06S/08W-14L01S	490.0	11-09-67	20.9	469.1	5102			7-18-68	74.0	72.0	
		12-07-67	19.3	470.7				9-11-68	72.4	73.6	
		1-11-68	19.1	470.9							
		4-11-68	19.2	470.8							
		5-09-68	17.7	472.3		06S/09W-18E01S	20.0	10-06-67	13.3	6.7	5102
		6-06-68	20.1	469.9				11-13-67	13.4	6.6	
		7-11-68	20.8	469.2				12-06-67	13.0	7.0	
		8-07-68	20.8	469.2				1-04-68	12.8	7.2	
		9-12-68	22.5	467.5				2-08-68	12.7	7.3	
								3-11-68	12.2	7.8	
06S/09W-01L01S	142.4	11-01-67	126.5	15.9	4709			4-15-68	12.3	7.7	
		3-05-68	130.0	12.4				5-03-68	12.2	7.8	
		7-28-68	178.4(1)	-36.0				6-12-68	13.0	7.0	
06S/09W-01P02S	138.2	10-06-67	126.4	11.8	5102			7-16-68	13.5	6.5	
		11-15-67	112.3	25.9				9-16-68	13.4	6.6	
		12-13-67	96.6	41.6		06S/09W-18E02S	18.0	10-06-67	12.5	5.5	5102
		1-05-68	91.6	46.6				11-13-67	12.7	5.3	
		2-09-68	92.3	45.9				12-06-67	12.3	5.7	
		3-14-68	92.9	45.3				1-04-68	12.2	5.8	
		4-16-68	98.3	39.9				2-08-68	12.1	5.9	
		5-06-68	107.5	30.7				3-11-68	11.8	6.2	
		6-14-68	123.4	14.8				4-15-68	12.3	5.7	
		7-18-68	137.2	1.0				5-03-68	12.0	6.0	
		9-11-68	135.6	2.6				6-12-68	13.4	4.6	
								7-16-68	13.7	4.3	
06S/09W-02A04S	101.7	11-03-67	94.6	7.1	4709			9-16-68	12.7	5.3	
		3-05-68	83.0	18.7							
06S/09W-02D01S	84.0	10-06-67	77.5	6.5	5102	06S/10W-01E02S	35.0	5-07-68	29.3	5.7	5102
		11-03-67	81.0	3.0	4709			6-04-68	31.0	4.0	
		11-15-67	69.1	14.9	5102			7-08-68	33.8	1.2	
		12-13-67	54.7	29.3				8-05-68	38.0	-3.0	
		1-05-68	47.5	36.5				9-24-68	39.8	-4.8	
		2-09-68	53.0	31.0							
		3-11-68	72.0	12.0	4709	06S/10W-01L01S	40.0	10-06-67	41.0	-1.0	5102
		3-14-68	69.5	14.5	5102			11-13-67	41.0	-1.0	
		5-06-68	82.5	1.5				12-06-67	34.0	6.0	
		7-18-68	122.2	-38.2				1-04-68	30.0	10.0	
		7-28-68	171.0(1)	-87.0	4709			2-08-68	39.0	1.0	
		9-11-68	110.8	-26.8	5102			3-11-68	36.0	4.0	
								4-15-68	34.8	5.2	
06S/09W-03R01S	96.0	10-06-67	42.6	53.4	5102			5-03-68	36.5	3.5	
		11-15-67	41.8	54.2				6-12-68	40.5	-.5	
		12-13-67	41.0	55.0				7-16-68	47.0	-7.0	
		1-05-68	40.8	55.2				9-17-68	43.0	-3.0	
		2-09-68	40.8	55.2		06S/10W-02G01S	37.5	10-06-67	37.5	.0	5102
		3-14-68	41.2	54.8				11-13-67	34.2	3.3	
		4-16-68	41.1	54.9				12-06-67	29.1	8.4	
		5-06-68	41.3	54.7				1-04-68	26.3	11.2	
		6-14-68	42.2	53.8				2-08-68	30.5	7.0	
		7-18-68	43.0	53.0				3-11-68	35.3	2.2	
		9-11-68	42.4	53.6				4-15-68	35.3	2.2	
								5-03-68	36.2	1.3	
06S/09W-04L01S	48.3	11-03-67	41.0	7.3	4709			6-12-68	41.6	-4.1	
		3-01-68	33.5	14.8				7-16-68	44.6	-7.1	
								9-16-68	39.6	-2.1	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1			EAST COASTAL PLAIN HYDRO SUBAREA			Y-01.A1		
06S/10W-04002S	60.0	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-12-68 4-15-68 5-03-68 6-12-68 9-16-68	60.5 59.0 57.2 56.3 59.1 60.9 59.8 60.2 61.9 62.6	-0.5 1.0 2.8 3.7 0.9 -0.9 0.2 -0.2 -1.9 -2.6	5102	06S/11W-01A03S (CONT.)	13.0	4-10-68 9-05-68	7.9 16.4	5.1 -3.4	5102
06S/10W-05803S	18.4	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	16.0 14.2 10.5 15.1 18.0 13.8 17.6 24.1 21.6 25.6	2.4 4.2 7.9 3.3 0.4 4.6 0.8 -5.7 -3.2 -7.2	5102	06S/11W-01B02S	10.0	10-05-67 11-13-67 12-08-67 1-05-68 10-05-67 11-13-67 12-08-67 1-05-68	11.3 11.0 3.4 -0.7 14.3 4.6 9.2 12.6	-1.3 -1.0 6.6 10.7 -4.3 5.4 0.8 -2.6	5102
06S/10W-05805S	20.0	11-13-67 12-06-67 1-04-68 2-08-68 3-12-68 4-15-68 5-03-68 6-12-68	12.2 9.0 8.0 13.7 14.1 12.9 11.4 19.1	7.8 11.0 12.0 6.3 5.9 7.1 8.6 0.9	5102	06S/11W-11K03S	32.9	10-05-67 11-13-67 12-08-67 1-05-68	8.7 9.2 9.2 8.0	24.2 23.7 23.7 24.9	5102
06S/10W-07802S	10.2	4-23-68 5-07-68 6-04-68 7-02-68 8-05-68 9-03-68	5.7 6.2 11.4 12.2 12.8 13.0	4.5 4.0 -1.2 -2.0 -2.6 -2.8	5102	06S/11W-13F02S	2.7	10-05-67 10-05-67 11-13-67 11-13-67 12-08-67 12-08-67 1-05-68 1-05-68 2-07-68 2-07-68 3-12-68 3-12-68 4-10-68 4-10-68 6-13-68 6-13-68 7-16-68 7-16-68 8-09-68 8-09-68 9-05-68 9-05-68	FLOW -1.0 FLOW -1.1 FLOW -1.1 -1.1 -1.0 -1.0 0.1 0.1 -0.9 -0.9 -0.8 -0.8 -0.8 -0.8 2.0 2.0 1.9 1.9	5010 5102 5010 5102 5010 5102 5010 5102 5010 5102 5010 5102 5010 5102 5010 5102 5010 5102 5010 5102	
06S/10W-07003S	9.0	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68 3-12-68 4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	3.0 2.6 1.3 1.2 2.4 7.2 3.7 3.7 4.3 10.5 9.8	6.0 6.4 7.7 7.8 6.6 1.8 5.3 5.3 4.7 -1.5 -0.8	5102	SANTIAGO HYDRO SUBAREA					
06S/10W-11601S	54.0	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	54.9 49.9 44.1 41.9 41.5 49.9 48.0 49.4 53.8 60.5 55.9	-0.9 4.1 9.9 12.1 12.5 4.1 6.0 4.6 0.2 -6.5 -1.9	5102	05S/07W-19801S	1135.0	12-07-67 1-11-68 2-08-68 3-08-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	27.2 23.0 22.2 22.4 16.0 20.8 23.3 28.1 30.7 34.8	1107.8 1112.0 1112.8 1112.6 1119.0 1114.2 1111.7 1106.9 1104.3 1100.2	5102
06S/10W-13E01S	11.4	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	8.5 8.7 8.8 8.6 8.5 8.7 8.9 8.8 8.6 8.4 8.8	2.9 2.7 2.6 2.8 2.9 2.7 2.5 2.6 2.8 3.0 2.6	5102	05S/07W-29E01S	1245.0	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-10-68 8-07-68 9-12-68	11.3 11.6 6.1 9.3 5.7 10.3 7.6 9.1 14.7 12.8 12.9 23.4	1233.7 1233.4 1238.9 1235.7 1239.3 1234.7 1237.4 1235.9 1230.3 1232.2 1232.1 1221.6	5102
06S/10W-13K01S	19.0	10-06-67 11-13-67 12-06-67 1-04-68 2-08-68 3-11-68 4-15-68 5-03-68 6-12-68 7-16-68 9-16-68	15.3 15.4 15.2 15.1 15.0 14.8 14.5 14.3 15.3 15.2 15.4	3.7 3.6 3.8 3.9 4.0 4.2 4.5 4.7 3.7 3.8 3.6	5102	05S/08W-01N01S	905.0	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	42.8 51.8 45.9 40.0 45.9 34.4 33.4 45.4 35.4 43.4 47.6	862.2 853.2 859.1 865.0 859.1 870.6 871.6 859.6 869.6 861.6 857.4	5102
06S/10W-20C03S	5.7	4-10-68 6-13-68 7-16-68 8-09-68 9-05-68	1.6 1.9 2.6 3.8 4.0	4.1 3.8 3.1 1.9 1.7	5102	05S/08W-13C01S	1017.0	10-12-67 11-09-67 12-07-67 2-08-68 3-07-68 5-09-68 6-06-68 8-07-68 9-12-68	46.2 49.1 49.2 38.6 39.0 30.3 37.5 46.6 50.8	970.8 967.9 967.8 978.4 978.0 986.7 979.5 970.4 966.2	5102
06S/11W-01A03S	13.0	10-05-67 11-13-67 12-08-67 1-05-68 2-07-68	13.1 12.8 6.6 3.1 7.7	-0.1 0.2 6.4 9.9 5.3	5102	SANTA ANA NARROWS HYDRO SUBAREA					
						03S/07W-29C01S	466.8	1-18-68 2-15-68 3-14-68 4-18-68	24.7 24.8 24.8 24.1	442.1 442.0 442.0 442.7	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3			SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3		
035/07W-29C01S (CONT.)	466.8	5-20-68 6-13-68 7-18-68	24.6 24.9 25.2	442.2 441.9 441.6	5102	035/08W-29K01S (CONT.)	340.0	1-03-68 2-01-68 2-05-68 3-04-68 4-01-68 4-04-68 5-02-68 5-06-68 6-03-68 6-05-68 7-01-68 7-09-68 8-05-68 8-29-68 9-09-68 9-30-68	12.5 11.6 11.9 11.7 10.6 10.3 11.0 11.6 11.7 11.8 12.6 12.9 15.7 14.5 18.6 19.9	327.5 328.4 328.1 328.3 329.4 329.7 329.0 328.4 328.3 328.2 327.4 327.1 324.3 325.5 321.4 320.1	5102 5102 4715 5102 4715 5102 4715 5102 4715 5102 4715 5102 4715
035/07W-29C03S	461.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.5 20.9 20.2 21.0 20.3 19.4 19.9 20.1 20.6	440.8 440.6 440.2 440.9 440.1 440.8 441.7 441.2 441.0 440.5	5102	035/08W-29N01S	320.0	10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-30-68	13.5 11.2 10.1 10.0 8.7 8.9 8.5 8.9 8.9 10.1 17.5 15.9	306.5 308.8 309.9 310.0 311.3 311.1 311.5 311.1 311.1 309.9 302.5 304.1	4715 5102 4715 5102 4715 5102 4715 5102 4715
035/07W-29D03S	459.8	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	19.3 19.6 19.6 19.2 19.6 19.6 18.6 18.8 19.1 19.6	440.5 440.2 440.2 440.6 440.2 440.2 441.2 441.0 440.7 440.2	5102	035/08W-29P01S	336.0	10-03-67 11-06-67 11-07-67 12-04-67 12-04-67 1-02-68 1-03-68 2-01-68 2-05-68 3-04-68 4-04-68 4-08-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68 9-30-68	22.0 20.1 20.3 15.5 14.7 13.5 12.7 12.0 12.8 12.7 11.1 11.7 13.5 13.1 14.5 20.2 24.5 24.5	314.0 315.9 315.7 320.5 321.3 322.5 323.3 324.0 323.2 323.3 324.9 324.3 322.5 322.9 321.5 315.8 311.5 311.5	4715 5102 4715 5102 4715 5102 4715 4715 5102 4715 5102 4715 5102 4715 5102 4715 5102
035/07W-29D04S	467.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	26.5 27.1 27.4 27.4 27.5 27.6 27.1 27.0 27.6 27.5	440.6 440.0 439.7 439.7 439.6 439.5 440.0 440.1 439.5 439.6	5102	035/08W-29Q01S	339.0	10-03-67 11-07-67 12-04-67 12-04-67 1-02-68 1-03-68 2-01-68 2-05-68 3-04-68 4-01-68 4-04-68 5-02-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68 9-30-68	21.5 20.9 15.5 15.9 13.9 14.0 13.2 12.8 12.5 11.6 11.8 13.5 12.8 12.9 14.0 15.3 19.5 23.1 24.0	317.5 318.1 323.5 323.1 325.1 325.0 325.8 326.2 326.5 327.4 327.2 325.5 326.2 326.1 325.0 323.7 319.5 315.9 315.0	4715 5102 4715 5102 4715 5102 4715 4715 5102 5102 5102 4715 5102 4715 5102 4715 5102 4715 5102
035/07W-29D06S	480.5	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	34.1 34.7 34.6 34.6 34.9 34.7 34.7 34.7 34.7 34.8	446.4 445.8 445.9 445.9 445.6 445.8 445.8 445.8 445.8 445.7	5102	035/08W-29Q02S	338.0	10-03-67 11-07-67 12-04-67 12-04-67 1-02-68 1-03-68 2-01-68 2-05-68 3-04-68 4-01-68 4-04-68 5-02-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68 9-30-68	21.0 20.0 16.0 14.5 13.5 13.4 12.5 13.5 13.4 12.5 13.5 13.4 14.5 18.6 22.2	317.0 318.0 322.0 323.5 324.5 324.6 325.5 324.5 324.6 323.5 319.4 315.8	4715 5102 4715 5102 4715 5102 4715 5102 4715 5102 4715 5102 4715 5102 4715 5102
035/07W-29D07S	464.6	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	13.8 13.9 13.8 14.0 14.1 14.0 14.1 14.1 13.9 14.3	450.8 450.7 450.8 450.6 450.5 450.6 450.5 450.5 450.7 450.3	5102	035/08W-30N01S	329.7	10-03-67 12-04-67 1-03-68 2-03-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	27.7 25.3 24.9 24.6 26.6 24.0 24.5 25.0 25.7 29.2	302.0 304.4 304.8 305.1 303.1 305.7 305.2 304.7 304.0 300.5	5102 5102 5102 5102 5102 5102 5102 5102
035/07W-29E01S	445.7	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68	7.0 7.2 7.1 6.7 7.6	438.7 438.5 438.6 439.0 438.1	5102	035/08W-30N02S	329.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 2-05-68 3-04-68 4-01-68 4-04-68 5-02-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68 9-30-68	27.5 28.1 23.6 23.0 22.7	301.5 300.9 305.4 306.0 306.3	5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102 5102
035/07W-29E02S	449.4	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	9.9 9.9 10.0 10.1 10.6 3.7 5.2 6.1 7.1	439.5 439.5 439.4 439.3 438.8 445.7 444.2 443.3 442.3	5102	035/08W-25J01S	435.0	10-11-67 3-20-68	18.8 18.5	416.2 416.5	5102
035/07W-29F02S	461.4	3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.2 20.8 21.4 23.4	441.1 441.2 440.6 440.0 438.0	5102	035/08W-26N02S	387.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 7-09-68 9-30-68	13.3 11.1 11.1 11.8 11.6 12.0 12.8 12.6	373.7 375.9 375.9 375.2 375.4 375.0 374.2 374.4	5102
035/08W-29K01S	340.0	10-03-67 11-07-67 12-04-67 12-04-67 1-02-68	18.1 17.5 14.1 13.9 12.4	321.9 322.5 325.9 326.1 327.6	4715 5102 4715	035/08W-29C01S	466.8	5-20-68 6-13-68 7-18-68	24.6 24.9 25.2	442.2 441.9 441.6	5102
035/08W-29C03S	461.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.5 20.9 20.2 21.0 20.3 19.4 19.9 20.1 20.6	440.8 440.6 440.2 440.9 440.1 440.8 441.7 441.2 441.0 440.5	5102	035/08W-29C03S	461.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.5 20.9 20.2 21.0 20.3 19.4 19.9 20.1 20.6	440.8 440.6 440.2 440.9 440.1 440.8 441.7 441.2 441.0 440.5	5102
035/08W-29D03S	459.8	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	19.3 19.6 19.6 19.2 19.6 19.6 18.6 18.8 19.1 19.6	440.5 440.2 440.2 440.6 440.2 440.2 441.2 441.0 440.7 440.2	5102	035/08W-29D03S	459.8	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	19.3 19.6 19.6 19.2 19.6 19.6 18.6 18.8 19.1 19.6	440.5 440.2 440.2 440.6 440.2 440.2 441.2 441.0 440.7 440.2	5102
035/08W-29D04S	467.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	26.5 27.1 27.4 27.4 27.5 27.6 27.1 27.0 27.6 27.5	440.6 440.0 439.7 439.7 439.6 439.5 440.0 440.1 439.5 439.6	5102	035/08W-29D04S	467.1	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	26.5 27.1 27.4 27.4 27.5 27.6 27.1 27.0 27.6 27.5	440.6 440.0 439.7 439.7 439.6 439.5 440.0 440.1 439.5 439.6	5102
035/08W-29D06S	480.5	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	34.1 34.7 34.6 34.6 34.9 34.7 34.7 34.7 34.7 34.8	446.4 445.8 445.9 445.9 445.6 445.8 445.8 445.8 445.8 445.7	5102	035/08W-29D06S	480.5	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	34.1 34.7 34.6 34.6 34.9 34.7 34.7 34.7 34.7 34.8	446.4 445.8 445.9 445.9 445.6 445.8 445.8 445.8 445.8 445.7	5102
035/08W-29D07S	464.6	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	13.8 13.9 13.8 14.0 14.1 14.0 14.1 14.1 13.9 14.3	450.8 450.7 450.8 450.6 450.5 450.6 450.5 450.5 450.7 450.3	5102	035/08W-29D07S	464.6	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	13.8 13.9 13.8 14.0 14.1 14.0 14.1 14.1 13.9 14.3	450.8 450.7 450.8 450.6 450.5 450.6 450.5 450.5 450.7 450.3	5102
035/08W-29E01S	445.7	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68	7.0 7.2 7.1 6.7 7.6	438.7 438.5 438.6 439.0 438.1	5102	035/08W-29E01S	445.7	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68	7.0 7.2 7.1 6.7 7.6	438.7 438.5 438.6 439.0 438.1	5102
035/08W-29E02S	449.4	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	9.9 9.9 10.0 10.1 10.6 3.7 5.2 6.1 7.1	439.5 439.5 439.4 439.3 438.8 445.7 444.2 443.3 442.3	5102	035/08W-29E02S	449.4	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	9.9 9.9 10.0 10.1 10.6 3.7 5.2 6.1 7.1	439.5 439.5 439.4 439.3 438.8 445.7 444.2 443.3 442.3	5102
035/08W-29F02S	461.4	3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.2 20.8 21.4 23.4	441.1 441.2 440.6 440.0 438.0	5102	035/08W-29F02S	461.4	3-20-68 4-18-68 5-20-68 6-13-68 7-18-68	20.3 20.2 20.8 21.4 23.4	441.1 441.2 440.6 440.0 438.0	5102
035/08W-25J01S	435.0	10-11-67 3-20-68	18.8 18.5	416.2 416.5	5102	035/08W-25J01S	435.0	10-11-67 3-20-68	18.8 18.5	416.2 416.5	5102
035/08W-26N02S	387.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 7-09-68 9-30-68	13.3 11.1 11.1 11.8 11.6 12.0 12.8 12.6	373.7 375.9 375.9 375.2 375.4 375.0 374.2 374.4	5102	035/08W-26N02S	387.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 7-09-68 9-30-68	13.3 11.1 11.1 11.8 11.6 12.0 12.8 12.6	373.7 375.9 375.9 375.2 375.4 375.0 374.2 374.4	5102
035/08W-29K01S	340.0	10-03-67 11-07-67 12-04-67 12-04-67 1-02-68	18.1 17.5 14.1 13.9 12.4	321.9 322.5 325.9 326.1 327.6	4715 5102 4715	035/08W-29K01S	340.0	10-03-67 11-07-67 12-04-67 12-04-67 1-02-68	18.1 17.5 14.1 13.9 12.4	321.9 322.5 325.9 326.1 327.6	4715 5102 4715

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0		
SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3			SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3		
035/08W-30N02S (CONT.)	329.0	4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	24.7 22.5 23.6 24.5 25.7 27.3	304.3 306.5 305.4 304.5 303.3 301.7	5102	035/08W-31N03S (CONT.)	325.0	2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	29.3 29.0 29.1 29.4 30.2 31.7 32.0	295.7 296.0 295.9 295.6 294.8 293.3 293.0	5102
035/08W-30Q01S	350.0	4-04-68 7-09-68	44.7 44.0	305.3 306.0	5102	035/08W-32D01S	360.0	10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68	19.6 17.4 15.6 15.1 13.6 13.8 13.4 13.9 14.0 15.3 22.5 26.5	340.4 342.6 344.4 344.9 346.4 346.2 346.6 346.1 346.0 344.7 337.5 333.5	4715
035/08W-30R01S	327.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 9-30-68	13.0 12.4 12.2 11.0 11.2 11.6 12.2 13.0 15.8	314.0 314.6 314.8 316.0 315.8 315.4 314.8 314.0 311.2	5102	035/08W-33C01S	360.0	10-03-67 11-06-67 12-04-67 1-03-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	11.1 10.0 9.0 8.5 7.9 8.9 9.3 9.5 11.0	348.9 350.0 351.0 351.5 352.1 351.1 350.7 350.5 349.0	5102
035/08W-31001S	327.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	22.4 19.0 19.0 18.0 17.9 18.1 17.6 18.0 19.3 20.2 22.2	304.6 308.0 308.0 309.0 309.1 308.9 309.4 309.0 307.7 306.8 304.8	5102	035/08W-34C01S	368.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	10.7 11.0 10.0 9.6 9.7 9.2 9.0 9.7 10.0 10.9 11.5	357.3 357.0 358.0 358.4 358.3 358.8 359.0 358.3 358.0 357.1 356.5	5102
035/08W-31E02S	315.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 6-05-68	19.3 16.0 16.9 17.2 17.0 16.8 20.2	295.7 299.0 298.1 297.8 298.0 298.2 294.8	5102	035/08W-35801S	400.0	12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	45.0 44.2 44.3 41.0 45.3	355.0 355.8 355.7 359.0 354.7	5102
035/08W-31F03S	312.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 9-30-68	9.1 9.2 8.9 8.6 8.5 8.5 9.6 9.5	302.9 302.8 303.1 303.4 303.5 303.5 302.4 302.5	5102	035/08W-35802S	400.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	36.3 32.1 30.6 31.2 27.8 29.8 29.3 30.4 32.0 30.3	363.7 367.9 369.4 368.8 372.2 370.2 370.7 369.6 368.0 369.7	5102
035/08W-31M01S	310.6	10-03-67 10-03-67 11-06-67 11-07-67 12-04-67 12-04-67 1-02-68 1-03-68 2-01-68 2-05-68 3-04-68 4-01-68 4-04-68 5-02-68 5-06-68 6-03-68 7-01-68 8-05-68 9-09-68	9.1 8.1 8.9 8.0 7.6 7.6 8.2 7.8 8.1 7.5 7.6 7.1 8.0 (6) 7.9 8.0 8.5 10.6 9.1	301.5 302.5 301.7 302.6 303.0 303.0 302.4 302.8 302.5 303.1 303.0 303.5 302.6 302.7 302.6 302.1 300.0 301.5	4715 5102 4715 5102 5102 5102 5102 5102 5102 4715 5102 5102 5102 4715	035/09W-36001S	298.1	12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	5.3 5.6 4.2 5.4 5.4 5.9 6.2 6.5 6.9	292.8 292.5 293.9 292.7 292.7 292.2 291.9 291.6 291.2	5102
035/08W-31M02S	310.0	10-03-67 11-07-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	7.7 6.6 6.2 6.8 6.1 6.1 6.0 6.6 6.8 7.1 9.1 14.6	302.3 303.4 303.8 303.2 303.9 303.9 304.0 303.4 303.2 302.9 300.9 295.4	4715	035/09W-36R01S	299.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	8.5 8.6 8.0 8.7 8.1 9.1 8.3 8.9 10.4 11.4 8.8	290.5 290.4 291.0 290.3 290.9 289.9 290.7 290.1 288.6 287.6 290.2	5102
035/08W-31N01S	325.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	26.8 26.2 26.1 26.0 25.7 25.1 25.3 25.6 26.5 27.7 26.6	298.2 298.8 298.9 299.0 299.3 299.9 299.7 299.4 298.5 297.3 298.4	5102	035/09W-36R02S	306.9	10-03-67 11-06-67 12-04-67 1-03-68 5-02-68 7-09-68 8-29-68 9-30-68	11.3 11.5 11.0 10.7 11.0 11.4 12.1 12.0	295.6 295.4 295.9 296.2 295.9 295.5 294.8 294.9	5102
035/08W-31N03S	325.0	10-03-67 11-06-67 12-04-67 1-03-68	30.0 29.4 29.0 29.4	295.0 295.6 296.0 295.6	5102	04S/08W-06U01S	334.4	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68	46.0 45.6 45.8 45.0 45.0 44.5 44.5	288.4 288.8 288.6 289.4 289.4 289.9 289.9	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LOWER SANTA ANA RIV HYDRO SUBUNIT			Y-01.A0			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.B0		
SANTA ANA NARROWS HYDRO SUBAREA			Y-01.A3			CHIND HYDRO SUBAREA			Y-01.B1		
04S/08W-06D01S (CONT.)	334.4	6-05-68 7-09-68 8-29-68 9-30-68	45.1 47.4 48.3 47.0	289.3 287.0 286.1 287.4	5102	01S/05W-06J01S	1364.0	12-01-67 3-05-68 6-03-68 9-03-68	583.8(5) 586.2(5) 586.2(5) 593.1(1)	780.2 777.8 777.8 770.9	4706
04S/09W-01803S	299.2	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 9-30-68	15.8 13.8 14.7 13.0 12.8 13.1 13.1 13.4 14.6	283.4 285.4 284.5 286.2 286.4 286.1 286.1 285.8 284.6	5102	01S/05W-07N01S	1235.2	12-01-67 3-04-68 6-03-68 9-03-68	462.4(5) 464.6(5) 462.4(5) 469.3(5)	772.8 770.6 772.8 765.9	4706
04S/09W-01E01S	287.0	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	7.8 8.4 7.2 7.2 7.3 7.2 7.8 8.1 8.7 9.2 10.2	279.2 278.6 279.8 279.8 279.7 279.8 279.2 278.9 278.3 277.8 276.8	5102	01S/05W-07R01S	1247.8	12-01-67 3-01-68 6-04-68 9-03-68	466.5(5) 475.8(5) 466.5(5) 466.5(5)	781.3 772.0 781.3 781.3	4706
04S/09W-01E02S	299.1	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	18.2 18.6 17.4 18.4 18.8 18.0 18.2 18.7 19.1 20.0	280.9 280.5 281.7 280.7 280.3 281.1 280.9 280.4 280.0 279.1	5102	01S/05W-16C01S	1227.3	12-01-67 2-01-68 3-04-68 4-01-68 5-01-68 6-03-68 7-02-68 8-05-68 9-03-68	425.3(5) 425.6(5) 425.2(5) 424.8(5) 424.7(5) 425.1(5) 425.6(5) 426.3(5) 426.8(5)	802.0 801.7 802.1 802.5 802.6 802.2 801.7 801.0 800.5	4706
04S/09W-01E03S	291.1	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	9.2 10.9 8.8 8.2 7.2 10.2 9.6 10.8 11.5 11.7	281.9 280.2 282.3 282.9 283.9 280.9 281.5 280.3 279.6 279.4	5102	01S/05W-16J01S	1180.8	12-01-67 3-04-68 6-03-68 9-03-68	384.3(5) 386.6(5) 386.6(5) 373.2(5)	796.5 794.2 794.2 807.6	4706
04S/09W-01F03S	318.7	10-03-67 11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68	37.9 34.1 33.1 33.1 32.9 31.5 33.3 34.6 35.8 36.9	280.8 284.6 285.6 285.6 285.8 287.2 285.4 284.1 282.9 281.8	5102	01S/05W-19A01S	1156.9	12-01-67 3-04-68 6-03-68 9-03-68	398.2(5) 398.2(5) 398.2(5) 398.2(5)	758.7 758.7 758.7 758.7	4706
04S/09W-01G01S	318.7	10-03-67 11-06-67 1-03-68 2-01-68 4-04-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	35.6 34.8 34.0 34.0 32.6 33.1 34.9 36.0 37.2 36.0	283.1 283.9 284.7 284.7 286.1 285.6 283.8 282.7 281.5 282.7	5102	01S/05W-19D01S	1142.0	12-01-67 3-04-68 6-03-68 9-09-68	385.6(5) 385.6(5) 385.6(5) 385.6(5)	756.4 756.4 756.4 756.4	4706
04S/09W-02A01S	283.0	10-03-67 11-06-67 1-03-68 2-01-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	7.1 7.0 8.2 8.5 7.0 8.2 9.5 10.1 9.4	275.9 276.0 274.8 274.5 276.0 274.8 273.5 272.9 273.6	5102	01S/05W-19J01S	1106.9	12-01-67 3-04-68 6-03-68 9-03-68	350.4(5) 350.5(5) 350.5(5) 350.5(5)	756.5 756.4 756.4 756.4	4706
04S/09W-02A02S	285.0	11-06-67 1-03-68 2-01-68 5-02-68 6-05-68 7-09-68 8-29-68 9-30-68	7.1 7.3 7.2 7.2 7.9 8.1 8.6 8.5	277.9 277.7 277.8 277.8 277.1 276.9 276.4 276.5	5102	01S/05W-22E01S	1106.6	10-05-67 10-14-67 11-04-67 11-14-67 12-16-67 1-06-68 1-25-68 2-10-68 3-06-68 3-09-68 4-06-68 4-06-68 4-24-68 5-11-68 6-13-68 6-15-68 7-06-68 7-10-68 8-06-68 8-10-68 9-04-68 9-07-68	293.6 294.8 294.6 293.4 294.3 294.3 295.8 294.1 295.7 293.7 293.6 293.6 292.4 293.7 293.7 294.2 294.8 295.3 293.5 295.4 294.6 296.3	813.0 811.8 812.0 813.2 812.3 812.3 810.8 812.5 810.9 812.9 813.0 813.0 814.2 812.9 812.9 812.4 811.8 811.3 813.1 811.2 812.0 810.3	5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713 5010 5713
04S/09W-02H01S	285.0	11-06-67 12-04-67 1-03-68 2-01-68 4-04-68 5-02-68	6.9 6.3 6.1 6.3 6.2 5.7	278.1 278.7 278.9 278.7 278.8 279.3	5102	01S/05W-29A01S	1082.4	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	293.0 292.0 292.0 294.0 296.0 298.0 297.0 296.0 294.0 293.0 292.0 294.0	789.4 790.4 790.4 788.4 786.4 784.4 785.4 786.4 788.4 789.4 790.4 788.4	4124
						01S/05W-30L01S	1049.0	12-01-67 3-04-68 6-03-68 9-03-68	294.1 294.5 294.3 294.4	754.9 754.5 754.7 754.6	4706
						01S/06W-11801S	1246.5	12-01-67 3-04-68 6-03-68 9-03-68	503.3(5) 503.3(5) 500.9(5) 500.9(5)	743.2 743.2 745.6 745.6	4706
						01S/06W-11N01S	1165.8	12-01-67 3-04-68 6-03-68 9-03-68	430.2(5) 437.2(1) 439.5(1) 441.8(5)	735.6 728.6 726.3 724.0	4706
						01S/06W-12P01S	1209.7	12-01-67	449.1(5)	760.6	4706

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/06W-12P01S (CONT.)	1209.7	3-04-68 6-04-68 9-03-68	446.8(5) 451.4(5) 453.7(5)	762.9 758.3 756.0	4706	01S/07W-14E01S (CONT.)	1080.0	8-12-68 9-04-68	423.0(1) 427.0(1)	657.0 653.0	4702
01S/06W-16A01S	1112.6	11-22-67 12-27-67 2-26-68 5-08-68 6-13-68 7-05-68 8-23-68	386.8 390.3 391.2 388.8 393.1 394.7 394.3	725.8 722.3 721.4 723.8 719.5 717.9 718.3	4850	01S/07W-14G01S	1085.0	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	396.0 396.0 396.0 396.0 399.0 391.0 403.0 408.0 420.0(1) 474.0(1) 454.0(1) 460.0(1)	689.0 689.0 689.0 689.0 686.0 694.0 682.0 677.0 665.0 611.0 631.0 625.0	4702
01S/06W-16G01S	1091.6	11-22-67 12-27-67 2-26-68 5-08-68 6-13-68 7-05-68 8-23-68	365.6 368.4 370.3 368.5 368.1 370.3 370.7	726.0 723.2 721.3 723.1 723.5 721.3 720.9	4850	01S/07W-14L01S	1066.0	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	380.0 385.0 380.0 308.0(1) 408.0(1) 412.0(1) 412.0(1) 417.0(1) 431.0(1) 435.0(1) 435.0(1) 440.0(1)	686.0 681.0 686.0 758.0 658.0 654.0 654.0 649.0 635.0 631.0 631.0 626.0	4702
01S/06W-16L01S	1075.0	12-01-67 3-04-68 6-04-68 9-03-68	330.0 330.0 330.0 345.0	745.0 745.0 745.0 730.0	4706	01S/07W-17E01S	1155.0	10-02-67 11-01-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-01-68 6-03-68 7-01-68 8-01-68 9-16-68	519.0(5) 557.0(1) 518.0(5) 518.0(5) 518.0(5) 552.0(1) 518.0(5) 554.0(1) 556.0(1) 556.0(1) 555.0(1) 523.0(5)	636.0 598.0 637.0 637.0 637.0 603.0 637.0 601.0 599.0 599.0 600.0 632.0	4235
01S/06W-20B01S	1041.9	10-05-67 11-14-67 1-25-68 3-06-68 4-24-68 6-13-68 7-10-68 8-06-68 9-04-68	348.3(6) (3) 369.3 369.6 (3) (3) 366.7 367.1 (3)	693.6 (3) 672.6 672.3 (3) (3) 675.2 674.8 (3)	5100	01S/07W-17J01S	1128.3	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	503.5(5) 487.4(5) 480.4(5) 478.2(5) 477.0(5) 481.6(5) 480.5(5) 481.9(5) 482.8(5) 483.9(5) 483.4(5) 485.1(5) 487.4(5)	624.8 640.9 647.9 650.1 651.3 646.7 647.8 646.4 645.5 644.4 644.9 643.2 640.9	4748
01S/06W-23D01S	1079.0	12-01-67 3-04-68 6-03-68 9-03-68	354.4(1) 338.2(5) 338.2(5) 340.5(5)	724.6 740.8 740.8 738.5	4706	01S/07W-18G01S	1153.0	12-07-67 4-24-68	520.0(5) 518.0(5)	633.0 635.0	4228
01S/06W-25C01S	1050.0	12-01-67 3-04-68 6-03-68 9-03-68	303.8 303.9 303.8 305.2	746.2 746.1 746.2 744.8	4706	01S/07W-19D01S	1080.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	451.4(5) 456.1(5) 453.8(5) 453.8(5) 453.8(5) 460.7(5) 458.4(5) 456.1(5) 456.1(5) 458.4(5) 456.1(5) 456.1(5) 456.1(5)	628.6 623.9 626.2 626.2 626.2 619.3 621.6 623.9 623.9 621.6 623.9 623.9 623.9	4748
01S/06W-27L01S	955.1	12-01-67 3-04-68 6-03-68 9-03-68	234.8 234.1 234.4 236.1	720.3 721.0 720.7 719.0	4706	01S/07W-19D02S	1092.3	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	454.7(5) 461.0(5) 458.7(5) 456.4(5) 456.4(5) 462.2(5) 459.9(5) 458.7(5) 458.7(5) 458.7(5) 461.0(5) 461.0(5) 461.0(5)	637.6 631.3 633.6 635.9 635.9 630.1 632.4 633.6 633.6 633.6 631.3 631.3 631.3	4748
01S/06W-31M01S	861.8	12-01-67 4-17-68	225.2 224.4	636.6 637.4	5100	01S/07W-20A01S	1070.1	12-07-67 4-24-68	424.6(5) 434.8(5)	645.3 635.3	4228
01S/06W-33M01S	868.8	12-01-67 4-17-68	177.0 176.5	691.8 692.3	5100	01S/07W-21C01S	1053.0	12-07-67 4-24-68	412.0(5) 479.0(1)	641.0 574.0	4228
01S/06W-34B01S	937.0	12-01-67 4-17-68	(4) (4)		5100	01S/07W-21D01S	1056.0	12-07-67	432.3(5)	623.7	4228
01S/06W-36D01S	979.0	12-01-67 4-17-68	231.4 231.6	747.6 747.4	5100	01S/07W-22B01S	1020.0	12-07-67 4-24-68	363.0(5) 452.0(1)	657.0 568.0	4228
01S/07W-08N01S	1212.2	10-02-67 11-01-67 12-04-67 1-02-68 2-05-68 3-04-68 4-01-68 5-01-68 6-03-68 7-01-68 8-01-68 9-16-68	622.4(1) 619.4(1) 627.4(1) 619.4(1) 621.4(1) 620.4(7) 619.4(1) 624.4(1) 622.4(1) 622.4(5) 586.4(5) 584.4(5)	589.8 592.8 584.8 592.8 590.8 591.8 592.8 587.8 589.8 589.8 625.8 627.8	4235	01S/07W-14D01S	1094.0	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	437.0(1) 446.0(1) 410.0 447.0(1) 407.0(1) 449.0(1) 412.0 435.0(1) 442.0(1) 466.0(1) 438.0(1) 445.0(1)	657.0 648.0 684.0 647.0 687.0 645.0 682.0 659.0 652.0 628.0 656.0 649.0	4702
01S/07W-14E01S	1080.0	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	401.0 447.0(1) 395.0 399.0 400.0 401.0 458.0(1) 421.0(1) 434.0(1) 422.0(1)	679.0 633.0 685.0 681.0 680.0 679.0 622.0 659.0 646.0 658.0	4702	01S/07W-20A01S	1070.1	12-07-67 4-24-68	424.6(5) 434.8(5)	645.3 635.3	4228

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		Y-01.81	MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		Y-01.81
CHINO HYDRO SUBAREA						CHINO HYDRO SUBAREA					
01S/07W-27001S	958.0	4-24-68	307.7(5)	650.3	4228	01S/08W-12J01S (CONT.)	1042.0	12-11-67	378.0	664.0	1101
01S/07W-28M02S	937.0	12-07-67	327.0(5)	610.0	4228			1-02-68	378.1	663.9	
01S/07W-28R02S	907.0	4-24-68	364.0(1)	573.0	4228			2-05-68	378.6	663.4	
01S/07W-29A01S	962.0	12-07-67	330.0(5)	632.0	4228			2-05-68	378.6	663.4	
01S/07W-30E01S	954.0	4-24-68	332.0(5)	630.0	4228			3-09-68	378.9	663.1	
01S/07W-30001S	921.6	12-07-67	317.0(5)	604.6	4228			4-15-68	379.2	662.8	
01S/07W-30R01S	930.4	4-24-68	316.0(5)	605.6	4228			5-14-68	378.8	663.2	
01S/07W-34A01S	891.0	12-07-67	230.0(5)	661.0	4228			6-11-68	378.9	663.1	
01S/08W-01003S	1555.0	4-24-68	233.0(5)	658.0	4228	01S/08W-12K01S	1255.0	7-02-68	379.5	662.5	
								9-10-68	380.2	661.8	
01S/08W-01005S	1498.0	1-30-68	(0)		1101			10-19-67	595.0(5)	660.0	3719
01S/08W-02801S	1552.0	10-16-67	139.4(5)	1412.6	1101			11-28-67	593.6(5)	661.4	
		10-19-67	139.4(5)	1412.6	3719			1-03-68	592.8(5)	662.2	
		11-28-67	141.8(5)	1410.2	1101			2-16-68	592.1(5)	662.9	
		11-28-67	141.8(5)	1410.2	3719			4-30-68	593.0(5)	662.0	
		1-03-68	143.2(5)	1408.8	1101			5-30-68	595.5(5)	659.5	
		1-03-68	143.2(5)	1408.8	3719			6-30-68	595.0(5)	660.0	
		2-16-68	141.2(5)	1410.8	1101			8-00-68	614.5(1)	640.5	
		2-16-68	141.2(5)	1410.8	3719			9-30-68	599.0(5)	656.0	
		4-30-68	160.4(1)	1391.6	1101	01S/08W-12P01S	1214.6	10-19-67	576.6(5)	638.0	3719
		4-30-68	160.4(5)	1391.6	3719			11-28-67	575.7(5)	638.9	
		5-30-68	175.0(5)	1377.0				1-03-68	574.4(5)	640.2	
		6-30-68	179.7(5)	1372.3				2-16-68	574.7(5)	639.9	
		8-00-68	202.0(5)	1350.0				4-30-68	572.6(5)	642.0	
		9-30-68	209.0(5)	1343.0				5-30-68	574.1(5)	640.5	
01S/08W-02M03S	1396.7	10-03-67	15.0	1381.7	1101			6-30-68	575.6(5)	639.0	
		10-19-67	15.3(5)	1381.4		01S/08W-14A03S	1190.0	8-00-68	580.6(5)	634.0	
		11-13-67	15.9	1380.8				9-30-68	579.6(5)	635.0	
		11-28-67	18.2(5)	1378.5				10-11-67	574.5(1)	615.5	5100
		12-04-67	19.7	1377.0				11-08-67	574.1(1)	615.9	
		1-02-68	19.5	1377.2				2-01-68	549.8	640.2	
		2-05-68	20.5	1376.2				3-21-68	570.6(1)	619.4	
		2-16-68	19.9(5)	1376.8				4-24-68	582.1(1)	607.9	
		3-05-68	21.6	1375.1		01S/08W-14D01S	1178.0	10-11-67	562.0	616.0	5100
		4-03-68	23.3	1373.4				11-03-67	561.5	616.5	
		4-30-68	26.2(5)	1370.5				2-01-68	561.5	616.5	
		7-02-68	37.8	1358.9				3-21-68	561.5	616.5	
01S/08W-10801S	1301.0	10-01-67	483.0	818.0	1101			4-24-68	563.0	615.0	
		11-07-67	483.8(5)	817.2		01S/08W-15H01S	1125.0	10-11-67	522.4	602.6	5100
		12-15-67	459.8(5)	841.2				11-03-67	521.3	603.7	
		1-07-68	461.8(5)	839.2				2-01-68	(9)		
		2-15-68	459.8(5)	841.2				3-21-68	(9)		
		3-15-68	461.8(5)	839.2		01S/08W-15J01S	1097.0	4-24-68	(9)		
		4-21-68	461.8(5)	839.2				10-11-67	525.6(1)	571.4	5100
		4-21-68	461.8	839.2				11-08-67	524.8(1)	572.2	
		5-21-68	462.8(5)	838.2				12-15-67	504.1	592.9	1101
		7-01-68	460.0	841.0				1-01-68	525.2(1)	571.8	
		8-01-68	473.0	828.0				2-01-68	524.4(1)	572.6	
		9-07-68	465.0	836.0				2-01-68	502.7(5)	594.3	5100
01S/08W-10N12S	1137.6	10-01-67	333.0	804.6	1101			3-01-68	523.1(1)	573.9	1101
		11-01-67	311.8(5)	825.8				5-06-68	534.0(1)	563.0	
		12-15-67	316.8(5)	820.8		01S/08W-15P02S	1062.0	10-11-67	484.0(1)	578.0	5100
		1-07-68	320.0	817.6				10-15-67	464.0(5)	598.0	1101
		2-07-68	320.0	817.6				11-01-67	464.0(5)	598.0	
		3-28-68	343.8	793.8				11-08-67	486.5(1)	575.5	5100
		4-01-68	345.0	792.6				12-15-67	464.0(5)	598.0	1101
		5-21-68	358.8(5)	778.8				1-15-68	457.0(5)	605.0	
		7-21-68	356.0	781.6				2-01-68	454.2	607.8	5100
		8-15-68	363.8(5)	773.8				2-15-68	457.0(5)	605.0	1101
		9-07-68	373.0	764.6				3-15-68	455.0(5)	607.0	
01S/08W-11R01S	1219.9	12-11-67	532.0(5)	687.9	4235			3-21-68	(1)		5100
		1-02-68	540.0(1)	679.9				4-21-68	457.5	604.5	1101
		2-05-68	520.0(5)	699.9				4-24-68	(1)		5100
		3-04-68	542.0(1)	677.9				5-15-68	458.0(5)	604.0	1101
		4-24-68	517.0(5)	702.9				6-01-68	463.0(5)	599.0	
		5-01-68	540.0(1)	679.9		01S/08W-15P05S	1045.2	7-01-68	464.0(5)	598.0	
		6-03-68	526.0(5)	693.9				8-09-68	469.5	592.5	
		7-01-68	529.0(5)	690.9				9-07-68	468.5	593.5	
		8-01-68	521.0(5)	698.9				10-11-67	441.9	603.3	5100
		9-16-68	546.0(1)	673.9				11-08-67	440.4	604.8	
01S/08W-12J01S	1042.0	10-03-67	377.2	664.8	1101			2-01-68	(9)		
		11-13-67	377.8	664.2				3-21-68	(9)		
								4-24-68	(9)		
						01S/08W-15Q02S	1047.6	10-11-67	443.4	604.2	5100
								11-08-67	445.5	602.1	
								2-01-68	439.5	608.1	
								3-21-68	439.5	608.1	
								4-24-68	429.5	618.1	
						01S/08W-22M01S	977.5	10-11-67	385.2	592.3	5100
								11-03-67	385.1	592.4	
								11-15-67	379.7	597.8	1101
								2-01-68	383.1	594.4	5100
								3-21-68	384.4	593.1	
								4-10-68	381.2	596.3	1101
						01S/08W-23A03S	1073.0	10-11-67	474.4(1)	598.6	5100
								11-08-67	477.1(1)	595.9	
								2-01-68	449.7	623.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/08W-23A03S (CONT.)	1073.0	3-21-68 4-24-68	471.6(1) 463.3	601.4 609.7	5100	01S/08W-28M01S (CONT.)	868.0	5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	299.8(1) 304.4(5) 309.0 337.9(1) 337.9(1)	568.2 563.6 559.0 530.1 530.1	1101
01S/08W-24E01S	1032.0	10-11-67 11-08-67 2-01-68 3-21-68 4-24-68	425.2(1) 413.2 410.8 409.1 419.4(1)	606.8 618.8 621.2 622.9 612.6	5100	01S/08W-28M02S	870.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	298.4(5) 288.1(5) 300.8(1) 286.9(5) 298.2(5) 312.3(1) 305.4(5) 307.7(1) 337.7(1) 340.0(1)	571.6 581.9 569.2 583.1 571.8 557.7 564.6 562.3 532.3 530.0	1101
01S/08W-25Q01S	918.0	10-11-67 11-08-67 2-01-68 3-21-68 4-24-68	335.0(1) 338.4(1) 322.7(1) 322.7(1) 328.6(1)	583.0 579.6 595.3 595.3 589.4	5100	01S/08W-28M03S	864.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	292.0(5) 279.3(5) 279.3(5) 274.7(5) 290.8(1) 281.6(5) 302.4(5) 303.5(5) 325.5(1) 333.6(1)	572.0 584.7 584.7 589.3 573.2 582.4 561.6 560.5 538.5 530.4	1101
01S/08W-25Q02S	915.0	12-07-67 4-24-68	317.0(5) 334.0(1)	598.0 581.0	4228	01S/08W-28N01S	857.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	297.5(1) 306.7(5) 269.8(5) 272.1(5) 274.4(5) 301.0(1) 313.7(1) 309.1(1) 320.6(1) 325.2(1)	559.5 550.3 587.2 584.9 582.6 556.0 543.3 547.9 536.4 531.8	1101
01S/08W-27K01S	910.0	10-11-67 11-08-67 2-01-68 3-21-68	314.7 (3) 310.0 312.0	595.3 600.0 598.0	5100	01S/08W-28N02S	859.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	308.2(1) 293.2(1) 275.9(5) 299.0(1) 275.9(5) 310.6(1) 323.3(1) 319.8(1) 330.2(1) 336.0(1)	550.8 565.8 583.1 560.0 583.1 548.4 535.7 539.2 528.8 523.0	1101
01S/08W-28E01S	883.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	333.5(1) 316.5(1) 299.2(5) 294.6(5) 322.3(1) 322.3(1) 326.9(1) 352.3(1) 344.2(1) 363.9(1) 366.2(1)	549.5 566.5 583.8 588.4 560.7 560.7 556.1 530.7 538.8 519.1 516.8	1101	01S/08W-29M02S	886.0	11-14-67 4-15-68	313.3 298.8	572.7 587.2	1101
01S/08W-28E02S	890.0	10-01-67 10-11-67 11-08-67 1-01-68 2-01-68 2-01-68 3-01-68 3-21-68 4-01-68 4-24-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	317.3(5) 326.5 318.7 302.2(5) 311.5(5) 324.8 311.5(5) 323.0(3) 305.7(1) 314.6 306.9(1) 311.5(5) 327.7(5) 361.2(1) 345.8(1)	572.7 563.5 571.3 587.8 578.5 565.2 578.5 567.0 584.3 575.4 583.1 578.5 562.3 528.8 544.2	1101 5100 1101 1101 5100 5100 5100 5100 5100 1101	01S/08W-31J01S	808.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	187.8(5) 180.9(1) 185.5(1) 187.8(1) 187.8(1) 172.5(5) 191.3(1) 190.1 194.7(1) 191.3(1)	620.2 627.1 622.5 620.2 620.2 635.5 616.7 617.9 613.3 616.7	1101
01S/08W-28F02S	887.5	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 6-01-68 7-01-68 8-01-68 9-15-68	330.5(1) 316.7(1) 309.8(5) 309.8(5) 310.9(5) 339.8 332.9(1) 349.0(1) 352.5(1)	557.0 570.8 577.7 577.7 576.6 547.7 554.6 538.5 535.0	1101	01S/08W-31Q01S	783.0	10-02-67 11-14-67 12-04-67 1-02-68 2-06-68 3-06-68 4-15-68 5-15-68 6-11-68 7-08-68 8-05-68 9-11-68	124.7 128.0 124.8 124.5 125.2 125.6 125.5 125.8 125.9 126.1 126.7 125.8	658.3 655.0 658.2 658.5 657.8 657.4 657.5 657.2 657.1 656.9 656.3 657.2	1101
01S/08W-28G01S	898.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	348.9(1) 309.6(5) 321.2(5) 344.3(5) 314.2(1) 351.2(1) 355.8(1) 347.7(1) 342.0(5) 383.9(1)	549.1 588.4 576.8 553.7 583.8 546.8 542.2 550.3 556.0 514.1	1101	01S/08W-32G01S	818.0	10-01-67 1-01-68 5-01-68 8-01-68 9-15-68	264.0(1) 262.8(1) 267.4(5) 276.6(1) 277.9(1)	554.0 555.2 550.6 541.4 540.1	1101
01S/08W-28G02S	903.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-01-68 9-15-68	323.7(5) 308.7(5) 331.8(5) 332.9(5) 314.5(5) 316.9(5) 350.3(1) 345.6(1) 357.2(1) 363.0(1)	579.3 594.3 571.2 570.1 588.5 586.1 552.7 557.4 545.8 540.0	1101	01S/08W-32L01S	803.0	11-14-67 11-14-67 4-15-68	(1) 190.1 217.5(4)	 612.9 585.5	1101
01S/08W-28L01S	873.7	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 6-01-68 7-01-68 8-01-68 9-15-68	316.2(1) 289.6(5) 290.7(5) 304.6(5) 289.6(5) 332.3(5) 330.0(1) 341.6(1) 350.7(1)	557.5 584.1 583.0 569.1 584.1 541.4 543.7 532.1 523.0	1101	01S/08W-33B01S	855.0	11-30-67 4-19-68	270.9 267.9	584.1 587.1	5100
01S/08W-28M01S	868.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68	298.6(5) 285.9(5) 289.4(5) 332.4(5) 288.2(5)	569.4 582.1 578.6 535.6 579.8	1101	01S/08W-33D01S	843.0	10-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 7-01-68 8-01-68	263.1(5) 244.6(5) 253.8(5) 246.9(5) 271.2(1) 265.4(5) 288.5(1) 304.7(1)	579.9 598.4 589.2 596.1 571.8 577.6 554.5 538.3	1101

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
01S/08W-33D01S (CONT.)	843.0	9-15-68	307.0(1)	536.0	1101	02S/06W-13M03S (CONT.)	753.0	4-30-68	28.3	724.7	5718
01S/08W-35M01S	847.0	11-30-67 4-19-68	(3) (3)		5100	02S/06W-14C02S	734.5	12-15-67 4-30-68	29.6 31.4	704.9 703.1	5718
01S/08W-36M01S	868.0	11-30-67 4-19-68	263.7 262.0	604.3 606.0	5100	02S/06W-14G02S	734.0	12-15-67 4-30-68	30.7 30.1	703.3 703.9	5718
02S/05W-07M01S	851.0	12-11-67 5-01-68	21.0 14.0	830.0 837.0	5718	02S/06W-14H02S	737.0	12-15-67 4-30-68	31.0 28.1	706.0 708.9	5718
02S/05W-07R01S	900.0	11-10-67 3-28-68	41.2 41.3	858.8 858.7	4103	02S/06W-14L01S	711.0	12-15-67 4-30-68	15.7 16.7	695.3 694.3	5718
02S/05W-07R03S	878.0	12-11-67 5-01-68	14.2 16.6	863.8 861.4	5718	02S/06W-16B02S	727.6	12-20-67 5-01-68	115.6 113.3	612.0 614.3	5718
02S/05W-18C02S	861.0	12-11-67 5-01-68	44.7 45.9	816.3 815.1	5718	02S/06W-16M01S	726.3	12-01-67 4-17-68	116.4 (1)	609.9	5100
02S/05W-19Q01S	847.0	12-13-67	43.6	803.4	5718	02S/06W-18A01S	732.0	11-10-67 3-28-68	118.0 (8)	614.0	4103
02S/06W-01Q01S	875.0	11-10-67 3-28-68	42.9 39.8	832.1 835.2	4103	02S/06W-18P01S	701.5	10-09-67 3-15-68	104.5 99.4	597.0 602.1	5102
02S/06W-03B01S	856.0	12-01-67 4-17-68	144.9 144.8(1)	711.1 711.2	5100	02S/06W-21O03S	709.2	12-01-67 12-20-67 4-17-68 5-01-68 8-05-68 9-31-68	114.2(2) 104.7 (4) (1) 103.5 (1)	595.0 604.5 5100 5718 5100 5718 4103	5100
02S/06W-05B01S	845.3	11-10-67 3-29-68 4-17-68	190.4 188.6 (2)	654.9 656.7	4103	02S/06W-21E01S	695.2	12-20-67 5-01-68	88.3 (1)	606.9	5718
02S/06W-05B02S	830.0	11-10-67 3-29-68	191.4 188.3	638.6 641.7	4103	02S/06W-21Q01S	659.4	10-05-67 11-14-67 12-01-67 1-25-68 3-06-68 4-17-68 4-24-68 6-13-68 7-10-68 8-06-68 9-04-68	(7) 41.0 42.3 40.8 (7) 40.4 (7) (7) 40.9 40.9 41.3	618.4 617.1 618.6 619.0 618.5 618.5 618.1	5100
02S/06W-06N02S	806.0	11-10-67 3-28-68	180.1 (4)	625.9	4103	02S/06W-22G01S	692.0	11-10-67 3-28-68	44.6 44.1	647.4 647.9	4103
02S/06W-08D01S	784.3	12-01-67 4-17-68	166.3 163.2	618.0 621.1	5100	02S/06W-22R02S	686.0	12-20-67 4-26-68	44.9 43.4	641.1 642.6	5718
02S/06W-08D03S	782.0	11-10-67 3-28-68	162.9 159.9	619.1 622.1	4103	02S/06W-23A01S	748.0	12-15-67 4-30-68	DRY 49.6	698.4	5718
02S/06W-11J02S	770.0	12-01-67 12-15-67 4-17-68 4-30-68	30.3 30.0 32.5 29.2	739.7 740.0 737.5 740.8	5100 5718 5100 5718	02S/06W-23G01S	707.0	11-14-67 12-21-67 3-29-68 4-30-68	34.9 48.8(4) 28.1 55.6(4)	672.1 658.2 678.9 651.4	4103 5718 4103 5718
02S/06W-11K03S	755.0	12-15-67 4-30-68	13.2 (4)	741.8	5718	02S/06W-23G04S	708.6	12-21-67 4-30-68	50.2(4) 57.1(4)	658.4 651.5	5718
02S/06W-11Q01S	745.0	12-15-67 4-30-68	25.4 28.5	719.6 716.5	5718	02S/06W-25C01S	736.0	12-13-67 4-30-68	49.4 (1)	686.6	5718
02S/06W-11R02S	764.0	12-15-67 4-30-68	29.4 (6)	734.6	5718	02S/06W-26D01S	684.1	12-21-67 4-30-68	44.0 44.8	640.1 639.3	5718
02S/06W-12L01S	817.0	12-11-67 4-30-68	56.1 58.3	760.9 758.7	5718	02S/06W-26D02S	686.0	11-14-67 12-21-67 3-29-68 4-30-68	50.5 45.7 (1) 47.0	635.5 640.3 4103 639.0	4103 5718 4103 5718
02S/06W-12M03S	795.9	11-10-67 12-15-67 3-28-68 4-30-68	26.9 25.4(4) 26.6 26.8	769.0 770.5 769.3 769.1	4103 5718 4103 5718	02S/06W-27A01S	660.5	12-20-67 5-01-68	14.9 14.9	645.6 645.6	5718
02S/06W-12N02S	775.0	12-15-67 5-01-68	34.1 (6)	740.9	5718	02S/06W-27D04S	650.0	12-20-67 5-01-68	15.9(4) 17.2	634.1 632.8	5718
02S/06W-13B04S	784.0	12-11-67 5-01-68	35.3 32.4(4)	748.7 751.6	5718	02S/06W-28B01S	647.0	11-10-67 12-06-67 1-03-68 2-01-68 3-01-68 3-28-68 5-06-68 6-05-68 7-02-68 8-01-68 9-04-68	23.7 23.4 23.7 23.7 23.8 24.2 24.1 23.9 24.0 24.2 24.5	623.3 623.6 623.3 623.3 623.2 622.8 622.9 623.1 623.0 622.8 622.5	4103
02S/06W-13B05S	780.0	12-11-67 5-01-68	30.1 22.9	749.9 757.1	5718	02S/06W-28E01S	626.0	11-10-67 12-01-67 12-06-67	14.5 14.8 14.8	611.5 611.2 611.2	4103 5100 4103
02S/06W-13B06S	783.0	12-07-67 5-01-68	41.5 41.8(4)	741.5 741.2	5718						
02S/06W-13C06S	774.0	12-12-67 5-01-68	35.5 31.8	738.5 742.2	5718						
02S/06W-13C07S	775.0	12-15-67 5-01-68	38.4 31.9	736.6 743.1	5718						
02S/06W-13F01S	764.0	12-15-67 4-30-68	40.4 36.6	723.6 727.4	5718						
02S/06W-13F02S	755.0	12-15-67 4-30-68	30.2 26.2	724.8 728.8	5718						
02S/06W-13G03S	775.0	12-11-67 4-30-68	40.8 37.0	734.2 738.0	5718						
02S/06W-13M02S	753.0	12-15-67 4-30-68	34.6 29.7	718.4 723.3	5718						
02S/06W-13M03S	753.0	12-15-67	33.0	720.0	5718						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA ANA RIVER HYDRO UNIT						Y-01.00						
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			
CHIND HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81			
02S/06W-28E01S (CONT.)	626.0	1-03-68 2-01-68 3-01-68 3-28-68 4-17-68 5-06-68 6-05-68 7-02-68 8-01-68 9-04-68	15.2 15.2 15.1 14.8 14.7 14.6 14.7 14.7 14.8 14.8	610.8 610.8 610.9 611.2 611.3 611.4 611.3 611.3 611.2 611.2	4103 5100 4103 	02S/07W-15E02S (CONT.)	704.0	4-24-68	110.5	593.5	5100	
						02S/07W-15K01S	709.9	11-29-67 3-15-68 4-19-68	(2) 109.6 (2)	600.3	5100 5102 5100	
						02S/07W-16D01S	713.3	11-29-67 4-19-68	122.9 120.0	590.4 593.3	5100	
02S/06W-29P01S	607.9	10-09-67 3-15-68	20.4 13.3	587.5 594.6	5102	02S/07W-17J01S	689.7	3-18-68	103.3	586.4	5102	
						02S/07W-17P02S	680.0	11-29-67 4-19-68	104.7 (1)	575.3	5100	
02S/06W-30J02S	650.6	10-09-67 12-01-67 3-15-68 4-17-68	67.1 63.5 60.2 (1)	583.5 587.1 590.4 5100	5102 5100 5102 5100	02S/07W-18E01S	690.0	11-29-67 4-19-68	120.0 113.7	570.0 576.3	5100	
						02S/07W-18Q01S	676.2	10-10-67 11-29-67 3-18-68 4-19-68	111.2 (4) 100.7 (1)	565.0 5100 575.5 5100	5102 5100 5102 5100	
02S/06W-30R03S	617.7	11-10-67 12-01-67 12-06-67 1-03-68 2-01-68 3-01-68 3-28-68 4-17-68 5-06-68 6-05-68 7-02-68 8-01-68 9-06-68	25.6 34.4 26.8 27.2 27.4 27.6(2) 25.6(2) (5) 24.9(2) 23.0(2) 22.2(2) 22.4(2) 25.4	592.1 583.3 590.9 590.5 590.3 590.1 592.1 592.8 594.7 595.5 595.3 592.3	4103 5100 4103 5100 4103 	02S/07W-19J02S	635.5	10-05-67 11-14-67 1-25-68 3-05-68 4-24-68 6-13-68 7-10-68 8-06-68 9-04-68	84.6 79.6 69.0 71.5 (1) 71.4 (4) (4) (4)	550.9 555.9 566.5 564.0 564.1	5100	
						02S/07W-22K01S	657.6	10-09-67 3-15-68	80.7 68.8	576.9 588.8	5102	
02S/06W-31C01S	601.0	11-10-67 12-06-67 1-03-68 2-01-68 3-01-68 3-28-68 5-06-68 6-05-68 7-02-68 8-01-68 9-06-68	30.1(4) 29.0 27.9(4) 26.2(4) 25.8 26.1(4) (1) 28.7 29.2(4) 30.3(4) (1)	570.9 572.0 573.1 574.8 575.2 574.9 572.3 571.8 570.7	4103	02S/07W-24R01S	665.2	10-09-67 3-15-68	86.0 72.8	579.2 592.4	5102	
						02S/07W-25M01S	624.4	11-09-67 3-28-68	55.2 45.5(2)	569.2 578.9	4103	
02S/06W-31D01S	628.6	11-09-67 3-28-68	55.3 50.1(4)	573.3 578.5	4103	02S/07W-27A02S	643.1	12-01-67 4-17-68	69.5(1) 59.5	573.6 583.6	5100	
02S/06W-32B01S	598.0	12-20-67 5-01-68	-.9 .2(4)	598.9 597.8	5718	02S/07W-27J01S	626.0	10-09-67 3-15-68	60.3 41.5	565.7 584.5	5102	
02S/06W-32B02S	601.6	12-20-67 5-01-68	2.2 3.8(4)	599.4 597.8	5718	02S/07W-27P01S	607.5	10-09-67 3-15-68	49.5 46.5	558.0 561.0	5102	
02S/06W-33E01S	715.9	12-20-67 5-01-68	82.3 78.3	633.6 637.6	5718	02S/07W-27R01S	617.4	11-09-67 3-27-68	55.2 (1)	562.2	4103	
02S/06W-33E02S	743.6	12-20-67 5-01-68	32.2 33.7	711.4 709.9	5718	02S/07W-28N01S	607.1	12-01-67 4-17-68	(4) 40.2	566.9	5100	
02S/07W-02D02S	830.0	11-29-67 4-19-68	(4) (1)		5100	02S/07W-29K01S	610.7	10-10-67 3-18-68	64.2 42.9	546.5 567.8	5102	
02S/07W-02K01S	801.5	11-29-67 4-19-68	179.2 176.7	622.3 624.8	5100	02S/07W-30R02S	581.3	3-18-68	26.4	554.9	5102	
02S/07W-04A01S	837.0	4-19-68 4-24-68	(1) 210.1		5100	02S/07W-31B01S	573.4	3-18-68	30.4	543.0	5102	
02S/07W-05D01S	847.5	11-30-67 4-19-68	214.5(5) 217.5(1)	633.0 630.0	5100	02S/07W-31L03S	559.2	12-01-67 4-19-68	30.9 29.6	528.3 529.6	5100	
02S/07W-05D02S	838.0	11-30-67 4-19-68	236.1 228.5	601.9 609.5	5100	02S/07W-31L04S	548.8	10-10-67 3-18-68	21.1 20.6	527.7 528.2	5102	
02S/07W-05J02S	808.0	11-30-67 4-19-68	199.7 (1)	608.3	5100	02S/07W-31R01S	547.9	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	19.7 18.0 15.6 16.2 15.0 13.2 13.8 16.1 16.3 18.7	528.2 529.9 532.3 531.7 532.9 534.7 534.1 531.8 531.6 529.2	5102	
02S/07W-09M01S	749.8	11-29-67 4-19-68	157.4 (1)	592.4	5100	02S/07W-32G01S	575.9	3-18-68	18.9	557.0	5102	
02S/07W-09P01S	723.0	11-29-67 4-19-68	128.5 124.0	594.5 599.0	5100	02S/07W-32H01S	575.2	10-05-67 11-14-67 12-01-67 1-25-68 3-05-68 4-17-68 4-17-68 6-13-68 7-10-68 8-06-68 9-04-68	(1) 60.0 44.0 46.6 42.9 82.4(1) 82.4(1) 81.6(1) (1) (1) 72.6	515.2 531.2 528.6 532.3 534.7 492.8 492.8 493.6	5100	
02S/07W-10B01S	775.0	11-29-67 4-19-68	154.9(3) 149.8	620.1 625.2	5100							
02S/07W-10R01S	746.3	11-29-67 4-19-68	(4) (1)		5100	02S/07W-33A01S	602.2	12-01-67 4-17-68	(3) 35.6	566.6	5100	
02S/07W-12A01S	795.0	12-01-67 4-17-68	172.4 170.7	622.6 624.3	5100							
02S/07W-13J02S	726.0	12-01-67 4-17-68	124.2 (1)	601.8	5100							
02S/07W-15E02S	704.0	11-29-67 4-19-68	114.6 (1)	589.4	5100							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			CHINO HYDRO SUBAREA			Y-01.81		
02S/07W-34H01S	595.5	3-27-68	29.8	565.7	4103	02S/08W-36B01S (CONT.)	560.5	3-18-68	24.9	535.6	5102
02S/07W-34J01S	585.2	11-09-67	33.8	551.4	4103	02S/08W-36C02S	545.4	10-10-67	28.1	517.3	5102
		12-01-67	30.7	554.5	5100			3-18-68	17.8	527.6	
		3-27-68	26.0	559.2	4103	02S/08W-36C03S	545.7	11-30-67	(9)		5100
		4-17-68	27.6	557.6	5100			4-17-68	19.5	526.2	
02S/07W-34N01S	567.6	11-09-67	25.2	542.4	4103	02S/08W-36K01S	534.4	10-16-67	20.3	514.1	5102
		3-27-68	(1)					11-16-67	17.2	517.2	
02S/07W-34R01S	580.9	11-09-67	35.3	545.6	4103			12-14-67	15.1	519.3	
		3-27-68	29.1	551.8				1-18-68	13.5	520.9	
02S/07W-35B01S	613.5	12-01-67	(3)		5100			2-15-68	12.3	522.1	
		4-17-68	42.1	571.4				3-14-68	11.0	523.4	
02S/07W-35C02S	613.1	11-09-67	(1)		4103			4-18-68	12.8	521.6	
		3-15-68	39.9	573.2	5102			5-20-68	20.4	514.0	
		3-27-68	41.0	572.1	4103			6-13-68	19.9	514.5	
02S/07W-35J03S	597.0	12-01-67	41.4	555.6	5100	02S/08W-36O01S	527.2	10-16-67	18.6	508.6	5102
		4-17-68	16.4	580.6				11-16-67	12.5	514.7	
02S/07W-36D01S	611.6	11-09-67	47.4	564.2	4103			12-14-67	10.0	517.2	
		3-27-68	39.9	571.7				1-18-68	9.7	517.5	
02S/07W-36E01S	601.5	11-09-67	32.0	569.5	4103			2-15-68	7.4	519.8	
		3-27-68	24.9	576.6				3-14-68	5.6	521.6	
02S/07W-36E02S	605.6	3-28-68	(4)		4103			4-18-68	7.3	519.9	
02S/07W-36L01S	570.5	11-09-67	11.4	559.1	4103	03S/07W-02M01S	545.9	10-09-67	11.7	534.2	5102
		3-28-68	6.6(2)	563.9				3-15-68	8.8	537.1	
02S/07W-36M01S	612.6	10-09-67	58.1	554.5	5102	03S/07W-02N01S	542.3	3-01-68	8.9	533.4	4103
		3-15-68	53.5	559.1				5-06-68	9.4	532.9	
02S/07W-36M02S	613.1	10-09-67	54.2	558.9	5102			6-05-68	10.0	532.3	
		11-09-67	55.3	557.8	4103			7-02-68	10.8	531.5	
		3-15-68	49.1	564.0	5102			8-01-68	11.5	530.8	
		3-27-68	50.1	563.0	4103			9-06-68	12.1	530.2	
02S/08W-04B01S	797.6	11-30-67	DRY		5100	03S/07W-03A02S	579.0	12-01-67	30.4	548.6	5100
		4-19-68	DRY					4-17-68	(1)		
02S/08W-04P01S	745.0	10-02-67	169.9	575.1	1101	03S/07W-03J01S	581.0	11-07-67	(1)		4103
		10-05-67	DRY		5100			3-27-68	41.7	539.3	
		11-14-67	169.7	575.3	1101	03S/07W-03N01S	561.5	11-07-67	(1)		4103
		11-14-67	DRY		5100			12-01-67	39.2	522.3	5100
		12-04-67	159.5	585.5	1101			3-14-68	36.9	524.6	5102
		1-02-68	167.5	577.5				3-27-68	(1)		4103
		2-06-68	159.7	585.3				4-17-68	(1)		5100
		3-06-68	162.4	582.6		03S/07W-03R01S	582.8	10-09-67	54.2	528.6	5102
		4-15-68	162.3	582.7				3-15-68	48.9	533.9	
		5-15-68	167.5	577.5		03S/07W-04H01S	564.5	10-10-67	41.1	523.4	5102
		6-11-68	172.7	572.3				12-01-67	29.2	535.3	5100
		7-08-68	176.8	568.2				3-15-68	35.5	529.0	5102
		8-21-68	180.7	564.3				4-17-68	25.6(1)	538.9	5100
		9-11-68	182.3	562.7		03S/07W-05J02S	552.1	10-10-67	46.4	505.7	5102
02S/08W-05G01S	775.0	11-15-67	188.3	586.7	1101			3-19-68	46.6	505.5	
		4-15-68	182.8	592.2		03S/07W-06L01S	509.9	10-10-67	10.0	499.9	5102
02S/08W-09D02S	705.0	11-30-67	DRY		5100			3-18-68	3.0	506.9	
		4-19-68	146.4	558.6		03S/07W-06L02S	509.5	10-10-67	17.2	492.3	5102
02S/08W-14A01S	693.0	11-29-67	(4)		5100			3-18-68	2.5	507.0	
		4-19-68	78.0(3)	615.0		03S/07W-07G01S	502.6	10-10-67	15.9	486.7	5102
02S/08W-15K01S	655.0	11-29-67	97.5	557.5	5100			3-18-68	5.5	497.1	
		4-19-68	(1)			03S/07W-07G02S	515.0	12-01-67	10.0	505.0	5100
02S/08W-16B08S	682.0	11-30-67	105.0	577.0	5100			4-17-68	8.2	506.8	
		4-19-68	105.6	576.4		03S/07W-07K02S	509.7	10-10-67	28.2	481.5	5102
02S/08W-16J03S	657.0	11-30-67	53.4	603.6	5100			3-18-68	17.5	492.2	
		4-19-68	53.8	603.2		03S/07W-07R01S	510.3	10-16-67	29.3	481.0	5102
02S/08W-20L01S	737.0	4-19-68	11.5	725.5	5100			11-16-67	29.4	480.9	
02S/08W-21C01S	675.0	11-30-67	19.6	655.4	5100			12-14-67	23.5	486.8	
		4-19-68	17.2	657.8				1-18-68	36.0	474.3	
02S/08W-22D03S	646.3	11-29-67	111.5	534.8	5100			2-15-68	28.2	482.1	
		4-19-68	(1)					3-14-68	23.3	487.0	
		4-23-68	105.5	540.8				4-18-68	20.6	469.7	
02S/08W-23M01S	605.4	11-30-67	77.2	528.2	5100			5-20-68	27.8	482.5	
		4-17-68	73.8	531.6				6-13-68	28.2	482.1	
02S/08W-25M01S	571.1	10-10-67	35.2	535.9	5102	03S/07W-08F02S	490.2	11-16-67	6.9	483.3	5102
		3-18-68	24.1	547.0				12-14-67	1.2	489.0	
02S/08W-26L01S	590.7	10-10-67	69.7	521.0	5102			1-18-68	.8	489.4	
		3-18-68	56.5	534.2				2-15-68	-.3	490.5	
02S/08W-36B01S	560.5	10-10-67	38.9	521.6	5102			3-14-68	-.7	490.9	
								4-18-68	1.4	488.8	
								5-20-68	2.2	488.0	
								6-13-68	2.8	487.4	
								7-18-68	2.1	488.1	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80	Y-01.81		MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80	Y-01.81	
CHINO HYDRO SUBAREA						CHINO HYDRO SUBAREA					
03S/07W-08J01S	491.5	2-01-68	6.9	484.6	4103	03S/07W-17F01S (CONT.)	487.6	1-18-68	4.1	483.5	5102
		3-01-68	6.8	484.7				2-15-68	3.3	484.3	
		3-27-68	5.5	486.0				4-18-68	3.5	484.1	
		5-07-68	6.1	485.4				5-02-68	4.2	483.4	
		6-05-68	6.9	484.6				6-13-68	4.6	483.0	
		7-05-68	7.6	483.9				7-18-68	6.3	481.3	
		8-01-68	7.9	483.6		03S/07W-17K01S	489.5	10-16-67	7.2	482.3	5102
		9-06-68	8.3	483.2				11-16-67	6.8	482.7	
03S/07W-08K01S	527.6	2-01-68	25.5	502.1	4103			12-14-67	6.2	483.3	
		3-01-68	25.5	502.1				1-18-68	5.6	483.9	
		3-27-68	25.5	502.1				2-15-68	4.6	484.9	
		5-07-68	25.5	502.1				4-18-68	4.9	484.6	
		6-05-68	25.5	502.1				5-20-68	5.4	484.1	
		7-05-68	25.5	502.1				6-13-68	5.8	483.7	
		8-01-68	25.6	502.0				7-18-68	6.9	482.6	
		9-06-68	25.6	502.0		03S/07W-17R02S	487.0	10-10-67	5.0	482.0	5102
03S/07W-08Q01S	487.8	1-03-68	2.8	485.0	4103	03S/07W-20D01S	478.9	10-10-67	3.5	475.4	5102
		2-01-68	2.9	484.9				12-01-67	(9)	5100	
		3-01-68	2.8	485.0				3-18-68	1.4	477.5	5102
		3-27-68	-1.8	488.6				4-19-68	(2)	5100	
		5-07-68	-0.2	488.0		03S/07W-20D02S	473.0	11-08-67	(7)	4103	
		6-05-68	.3	487.5				3-26-68	(7)		
		7-05-68	.9	486.9		03S/07W-20D04S	478.3	10-10-67	3.3	475.0	5102
		8-01-68	1.5	486.3		03S/07W-20D05S	475.7	11-08-67	.2	475.5	4103
		9-06-68	5.8	482.0				3-26-68	1.3	474.4	
03S/07W-09A02S	545.3	10-10-67	41.2	504.1	5102	03S/07W-20E01S	476.4	10-16-67	6.0	470.4	5102
		3-15-68	35.3	510.0				11-16-67	4.6	471.8	
03S/07W-09J01S	515.0	11-07-67	15.6	499.4	4103			12-14-67	3.6	472.8	
		3-27-68	13.3	501.7				1-18-68	3.7	472.7	
03S/07W-09L01S	539.5	11-16-67	43.7	495.8	5102			2-15-68	3.4	473.0	
		12-14-67	42.3	497.2				6-13-68	4.1	472.3	
		2-15-68	41.9	497.6				7-18-68	4.8	471.6	
		4-18-68	44.5	495.0		03S/07W-20E02S	471.0	10-16-67	.0	471.0	5102
		5-20-68	44.1	495.4							
03S/07W-09R02S	512.2	3-01-68	8.1	504.1	4103	03S/07W-20E03S	471.4	11-08-67	-0.7	472.1	4103
		3-27-68	7.6	504.6				12-06-67	-1.7	473.1	
		5-06-68	8.3	503.9				1-02-68	-1.4	472.8	
		6-05-68	8.6	503.6				2-02-68	-1.5	472.9	
		7-02-68	8.4	503.8				3-04-68	-1.5	472.9	
		8-01-68	8.8	503.4				3-26-68	(9)		
		9-06-68	9.0	503.2				5-07-68	-1.5	472.9	
03S/07W-10C03S	575.0	12-01-67	50.1(1)	524.9	5100			6-06-68	-1.4	472.8	
		4-17-68	50.3(1)	524.7				7-05-68	-1.2	472.6	
03S/07W-10D01S	553.6	11-07-67	39.4	514.2	4103			8-02-68	-1.3	472.7	
		3-27-68	33.8	519.8				9-06-68	-0.7	472.1	
03S/07W-10G01S	534.5	10-09-67	13.6	520.9	5102	03S/07W-20E05S	480.0	11-16-67	1.4	478.6	5102
		3-15-68	10.2	524.3				4-18-68	5.0	475.0	
03S/07W-10P01S	516.7	3-19-68	(9)		5102			5-20-68	5.4	474.6	
03S/07W-10R02S	566.8	2-15-68	52.2	514.6	5102	03S/07W-20M01S	478.0	10-16-67	7.5	470.5	5102
		3-14-68	52.1	514.7				11-16-67	6.5	471.5	
		4-18-68	52.0	514.8				12-14-67	6.6	471.4	
		5-20-68	53.1	513.7				1-18-68	6.6	471.4	
		6-13-68	53.6	513.2				2-15-68	7.4	470.6	
		7-18-68	54.9	511.9				5-20-68	7.9	470.1	
03S/07W-11B01S	588.1	10-11-67	55.1	533.0	5102			6-13-68	8.7	469.3	
		3-19-68	54.3	533.8				7-18-68	9.0	469.0	
03S/07W-11P01S	570.7	10-11-67	54.1	516.6	5102	03S/07W-20M02S	480.0	11-16-67	3.4	476.6	5102
		11-08-67	53.9	516.8	4103						
		3-19-68	51.1	519.6	5102	03S/08W-01J01S	523.6	11-30-67	20.4	503.2	5100
		3-26-68	50.8	519.9	4103			4-17-68	16.1	507.5	
03S/07W-16B01S	500.0	10-16-67	6.0	494.0	5102	03S/08W-01J02S	511.8	10-10-67	7.7	504.1	5102
		11-16-67	2.2	497.8				3-18-68	2.6	509.2	
		2-15-68	1.3	498.7		03S/08W-01J05S	524.0	4-18-68	16.4	507.6	5102
		4-18-68	1.8	498.2				5-20-68	17.9	506.1	
		5-20-68	2.2	497.8				6-13-68	18.3	505.7	
		6-13-68	1.7	498.3				7-18-68	20.1	503.9	
		7-18-68	2.3	497.7		01N/06W-35A01S	1438.0	11-29-67	521.2	916.8	5100
03S/07W-17D01S	480.2	11-07-67	5.7	474.5	4103			12-01-67	544.8	893.2	4706
		12-06-67	3.0	477.2				3-04-68	551.5	886.5	
		1-03-68	2.1	478.1				4-19-68	541.3	896.7	5100
		2-01-68	1.5	478.7				6-05-68	551.4	886.6	4706
		3-01-68	2.0	478.2				9-03-68	551.3	886.7	
		3-27-68	(9)			01N/08W-25K03S	1830.0	10-02-67	154.0(1)	1676.0	4235
		5-07-68	2.9	477.3				10-16-67	131.0(1)	1699.0	1101
		6-05-68	3.8	476.4				10-19-67	131.0(1)	1699.0	3719
		7-05-68	4.3	475.9				11-01-67	171.0(1)	1659.0	4235
		8-01-68	5.2	475.0				11-28-67	125.2(5)	1704.8	1101
		9-06-68	6.2	474.0				12-04-67	173.0(1)	1657.0	4235
03S/07W-17F01S	487.6	10-16-67	6.5	481.1	5102			1-02-68	165.0(1)	1665.0	
		11-16-67	6.1	481.5				1-03-68	130.6	1699.4	1101
		12-14-67	4.8	482.8				2-13-68	165.0(5)	1665.0	4235
								2-16-68	136.4(5)	1693.6	1101
								3-04-68	186.0(1)	1644.0	4235

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CHINO HYDRO SUBAREA			Y-01.81			HARRISON HYDRO SUBAREA			Y-01.82		
01N/08W-25K035 (CONT.)	1830.0	4-01-68	192.0(1)	1638.0	4235	01S/08W-09H015 (CONT.)	1230.0	4-10-68	229.0	1001.0	1101
		4-30-68	151.7(5)	1678.3	1101						
		5-01-68	200.0(1)	1630.0	4235						
		5-30-68	194.3(5)	1635.7	3719	01S/08W-09L015	1174.0	10-01-67	284.5	889.5	1101
		6-03-68	225.0(1)	1605.0	4235			11-01-67	283.5	890.5	
		6-30-68	230.7(5)	1599.3	3719			12-07-67	278.5(5)	895.5	
		7-01-68	241.0(1)	1589.0	4235			12-21-67	288.5(5)	885.5	
		8-00-68	272.0(1)	1558.0	3719			1-15-68	278.5(5)	895.5	
		8-12-68	232.0(5)	1598.0	4235			2-15-68	280.5(5)	893.5	
		9-23-68	240.0(5)	1590.0				3-15-68	282.5(5)	891.5	
		9-30-68	236.5(1)	1593.5	3719			4-07-68	287.5(5)	886.5	
01N/08W-25Q015	1831.7	10-01-67	100.0(5)	1731.7	1101			5-21-68	288.5(5)	885.5	
		11-01-67	113.2(5)	1718.5				6-07-68	288.5	885.5	
		12-01-67	119.7(5)	1712.0				7-15-68	281.5(5)	892.5	
		12-29-67	126.2(5)	1705.5				8-07-68	283.5	890.5	
		1-30-68	129.2(5)	1702.5				9-15-68	278.5(5)	895.5	
		2-29-68	129.2(5)	1702.5		01S/08W-09M015	1155.0	10-15-67	279.5(5)	875.5	1101
		3-30-68	140.0(5)	1691.7				11-15-67	279.5(5)	875.5	
		4-30-68	142.2(5)	1689.5				12-07-67	274.5(5)	880.5	
		5-30-68	153.2(5)	1678.5				1-15-68	276.5(5)	878.5	
		6-30-68	161.7(5)	1670.0				2-15-68	275.5(5)	879.5	
		7-31-68	175.2(5)	1656.5				3-15-68	289.5(5)	865.5	
		8-31-68	182.7(5)	1649.0				4-21-68	313.5	841.5	
		9-00-68	188.0	1643.7	4748			5-21-68	316.5	838.5	
		9-30-68	187.7(5)	1644.0	1101			6-01-68	337.5	817.5	
01N/08W-35J035	1618.0	10-01-67	202.0	1416.0	4748			8-15-68	279.5(5)	875.5	
		11-01-67	202.5	1415.5				9-15-68	279.5(5)	875.5	
		12-01-67	213.0	1405.0		01S/08W-09P015	1118.0	10-07-67	333.0(5)	785.0	1101
		12-29-67	213.0	1405.0				11-28-67	329.4	788.6	
		1-30-68	215.5	1402.5				12-15-67	324.0(5)	794.0	
		2-29-68	218.8	1399.2				1-15-68	318.0(5)	800.0	
		3-30-68	224.5	1393.5				2-21-68	313.0(5)	805.0	
		4-30-68	376.0(1)	1242.0				3-21-68	309.0(5)	809.0	
		5-30-68	313.0(1)	1305.0				3-21-68	309.0	809.0	
		6-30-68	358.0(1)	1260.0				4-15-68	305.0(5)	813.0	
		7-31-68	380.0(1)	1238.0				5-07-68	304.0(5)	814.0	
		8-31-68	381.5(1)	1236.5				6-01-68	304.0(5)	814.0	
		9-00-68	380.5(1)	1237.5				7-25-68	350.4	767.6	
01N/08W-35Q015	1574.4	10-15-67	148.0(5)	1426.4	1101			9-15-68	344.0(5)	774.0	
		11-30-67	165.0	1409.4		01S/08W-16B015	1114.0	10-07-67	329.5(5)	784.5	1101
		12-15-67	165.0(5)	1409.4				11-15-67	323.5(5)	790.5	
		1-21-68	165.0(5)	1409.4				12-21-67	326.5(5)	787.5	
		2-21-68	172.0	1402.4				1-21-68	332.5(5)	781.5	
		3-21-68	176.0(5)	1398.4				2-21-68	340.5(5)	773.5	
		4-15-68	180.0(5)	1394.4				3-15-68	346.5(5)	767.5	
		4-22-68	(1)					4-21-68	376.5(1)	737.5	
		5-07-68	183.0	1391.4				5-07-68	363.5	750.5	
		6-01-68	191.0	1383.4				6-01-68	367.5	746.5	
		8-15-68	207.0(5)	1367.4				7-15-68	338.5(5)	775.5	
		9-15-68	214.0(5)	1360.4				8-15-68	334.5(5)	779.5	
01N/08W-35R015	1605.0	10-01-67	250.0	1355.0	4748			9-15-68	328.5(5)	785.5	
		11-01-67	250.0	1355.0		01S/08W-16F015	1062.0	11-15-67	253.8	808.2	1101
		12-01-67	255.0	1350.0				4-10-68	255.3	806.7	
		12-29-67	259.0	1346.0		01S/08W-16G015	1073.0	11-15-67	272.0	801.0	1101
		1-30-68	265.0	1340.0				4-10-68	273.5	799.5	
		2-29-68	265.5	1339.5		01S/08W-17K015	1015.0	10-01-67	473.5	541.5	1101
		3-30-68	267.3	1337.7				11-01-67	461.9	553.1	
		4-30-68	271.0	1334.0				12-01-67	455.0	560.0	
		5-30-68	278.0	1327.0				1-01-68	448.1	566.9	
		6-30-68	284.0	1321.0				1-15-68	464.2	550.8	
		7-31-68	287.5	1317.5				2-15-68	457.3(1)	557.7	
		8-31-68	297.0	1308.0				3-15-68	455.0	560.0	
		9-00-68	301.5	1303.5				4-15-68	455.0	560.0	
HARRISON HYDRO SUBAREA			Y-01.82					5-15-68	452.7(5)	562.3	
01S/08W-08H015	1176.0	10-01-67	364.9(5)	811.1	1101			6-15-68	527.9(1)	487.1	
		1-01-68	340.6(5)	835.4				7-01-68	465.4(5)	549.6	
		2-01-68	345.3(5)	830.7				8-15-68	478.1(5)	536.9	
		3-01-68	333.7(5)	842.3				9-15-68	479.3(5)	535.7	
		4-01-68	325.6(5)	850.4		01S/08W-17K025	999.4	10-01-67	442.5	556.9	1101
		5-15-68	349.9(5)	826.1				11-01-67	507.1(1)	492.3	
		5-15-68	369.5(1)	806.5				1-01-68	503.7	495.7	
		6-01-68	334.9	841.1				1-15-68	509.4(1)	490.0	
		7-01-68	331.4(5)	844.6				2-15-68	507.1(1)	492.3	
		8-01-68	377.6(1)	798.4				3-15-68	502.5(1)	496.9	
		9-15-68	382.2(1)	793.8				4-15-68	502.5	496.9	
01S/08W-08J015	1132.0	11-13-67	333.3	798.7	1101			5-15-68	509.4(1)	490.0	
		4-10-68	337.4	794.6				6-15-68	525.6(5)	473.8	
01S/08W-09D015	1225.0	1-01-68	311.9(5)	913.1	1101			7-01-68	443.5(5)	555.9	
		2-01-68	315.4(1)	909.6		01S/08W-17K035	1004.2	11-13-67	242.7	761.5	1101
		3-01-68	309.6(5)	915.4				4-15-68	242.6	761.6	
		4-01-68	303.8(5)	921.2		01S/08W-17P015	966.0	11-28-67	(9)		1101
		5-15-68	305.0(5)	920.0				4-17-68	(1)		
		6-01-68	355.8(1)	869.2				4-22-68	(1)		
		7-01-68	362.7(1)	862.3		01S/08W-17P025	969.0	11-22-67	239.1	729.9	1101
		8-01-68	321.2(5)	903.8				11-28-67	239.0	730.0	
		9-15-68	376.6(1)	848.4				4-01-68	248.5	720.5	
01S/08W-09H015	1230.0	11-13-67	149.7	1080.3	1101			4-17-68	(1)		

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
HARRISON HYDRO SUBAREA			Y-01.82			CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83		
015/08W-17P04S	991.2	1-01-68	489.6(5)	501.6	1101	015/08W-02F01S	1470.0	10-19-67	60.0(1)	1410.0	3719
		2-01-68	502.3(5)	488.9				11-28-67	55.2(1)	1414.8	
		3-01-68	538.1(1)	453.1				1-03-68	62.1(1)	1407.9	
		4-01-68	542.7(1)	448.5				2-16-68	66.3(1)	1403.7	
		5-01-68	548.5(1)	442.7				4-30-68	75.2(5)	1394.8	
		6-01-68	550.8	440.4				5-30-68	88.3(5)	1381.7	
		7-01-68	554.3(1)	436.9				6-30-68	91.3(5)	1378.7	
		8-01-68	556.6(1)	434.6				8-00-68	106.0(5)	1364.0	
		9-15-68	557.9(1)	433.3				9-30-68	119.3(1)	1350.7	
015/08W-20B01S	942.0	11-28-67	124.0	818.0	1101	015/08W-03A01S	1511.8	10-02-67	(1)		1101
		4-17-68	(9)					10-03-67	(1)		
015/08W-20B02S	948.0	11-25-67	559.0	389.0	1101			11-13-67	113.8	1398.0	
		4-17-68	454.0	494.0				12-04-67	116.7	1395.1	
CLAREMONT HEIGHTS HYDRO SUBAREA						Y-01.83					
015/08W-02B02S	1549.3	10-16-67	148.7(1)	1400.6	1101			1-02-68	119.1	1392.7	
		10-19-67	148.7(1)	1400.6	3719			2-05-68	122.1	1389.7	
		11-28-67	141.5(5)	1407.8	1101			2-05-68	122.1	1389.7	
		11-28-67	141.5(5)	1407.8	3719			3-05-68	124.7	1387.1	
		1-03-68	143.3(5)	1406.0	1101			4-03-68	127.4	1384.4	
		1-03-68	143.3(5)	1406.0	3719			5-14-68	(1)		
		2-16-68	147.3(5)	1402.0	1101			6-10-68	(1)		
		2-16-68	147.3(5)	1402.0	3719			6-11-68	137.1	1374.7	
		4-30-68	167.3(1)	1382.0	1101			7-02-68	141.2	1370.6	
		4-30-68	167.3(5)	1382.0	3719	015/08W-03F01S	1372.0	8-21-68	(1)		
		5-30-68	178.3(5)	1371.0				9-10-68	(1)		
		6-30-68	182.3(5)	1367.0				9-11-68	(1)		
		8-00-68	211.6(1)	1337.7				1-01-68	93.1(5)	1278.9	1101
		9-30-68	221.3(1)	1328.0				2-01-68	103.5(5)	1268.5	
015/08W-02D01S	1481.8	10-19-67	91.3(5)	1390.5	1101			3-01-68	101.1(5)	1270.9	
		10-19-67	91.3(5)	1390.5	3719			4-01-68	99.8(5)	1272.2	
		11-28-67	97.3(5)	1384.5	1101			5-01-68	96.5(5)	1275.5	
		11-28-67	97.3(5)	1384.5	3719			6-01-68	120.8(5)	1251.2	
		1-03-68	98.9(5)	1382.9	1101	015/08W-03F02S	1374.5	7-01-68	124.2(5)	1247.8	
		1-03-68	98.9(5)	1382.9	3719			8-01-68	121.9(5)	1250.1	
		2-16-68	103.4(5)	1378.4	1101			9-15-68	119.6(5)	1252.4	
		2-16-68	103.4(5)	1378.4	3719			10-01-67	137.7(1)	1236.8	1101
		4-30-68	121.5(5)	1360.3	1101			1-01-68	141.1(1)	1233.4	
		4-30-68	121.5(5)	1360.3	3719			2-01-68	154.8	1219.7	
		5-30-68	118.6(5)	1363.2				3-01-68	151.6(1)	1222.9	
		6-30-68	90.6(5)	1391.2				4-01-68	148.1	1226.4	
		8-00-68	132.3(5)	1349.5				5-15-68	150.4(1)	1224.1	
		9-30-68	138.3(5)	1343.5				6-01-68	165.4(1)	1209.1	
015/08W-02D02S	1476.1	10-05-67	80.3	1395.8	1101	015/08W-03F03S	1377.5	7-01-68	180.4(1)	1194.1	
		10-11-67	82.6	1393.5				8-01-68	163.1(1)	1211.4	
		10-19-67	81.4	1394.7				9-15-68	160.8(1)	1213.7	
		10-26-67	82.1	1394.0				10-01-67	98.8(5)	1278.7	1101
		11-02-67	84.3	1391.8				1-01-68	102.4(1)	1275.1	
		11-09-67	84.4	1391.7				2-01-68	114.0(1)	1263.5	
		11-16-67	85.1	1391.0				3-01-68	114.0(1)	1263.5	
		11-24-67	85.5	1390.6				4-01-68	111.7(1)	1265.8	
		11-29-67	87.5	1388.6				5-15-68	127.8(1)	1249.7	
		12-07-67	88.5	1387.6				6-01-68	138.2(1)	1239.3	
		12-14-67	89.8	1386.3		015/08W-03G02S	1435.0	8-01-68	(0)		
		12-21-67	90.4	1385.7				11-13-67	(1)		1101
		12-28-67	92.2	1383.9				4-10-68	(1)		
		1-04-68	90.7	1385.4		015/08W-03G04S	1442.0		73.0	1369.0	1101
		1-11-68	91.6	1384.5					85.6	1356.4	
		1-18-68	95.2	1380.9		015/08W-03J01S	1411.0	11-13-67	(9)		1101
		1-25-68	92.5	1383.6				11-13-67	25.0	1386.0	
		2-01-68	93.6	1382.5				12-04-67	26.6	1384.4	
		2-08-68	95.7	1380.4				1-02-68	26.5	1384.5	
		2-14-68	94.6	1381.5				2-05-68	27.6	1383.4	
		2-21-68	95.0	1381.1				3-05-68	28.7	1382.3	
		2-29-68	96.1	1380.0				4-03-68	30.9	1380.1	
		3-07-68	95.9	1380.2				7-02-68	41.9	1369.1	
		3-15-68	96.3	1379.8		015/08W-03L02S	1344.0	10-02-67	57.2	1286.8	1101
		3-21-68	96.8	1379.3				11-13-67	59.8	1284.2	
		3-29-68	98.6	1377.5				12-04-67	62.0	1282.0	
		4-04-68	98.2	1377.9				1-02-68	59.0	1285.0	
		4-11-68	99.6	1376.5				2-05-68	60.0	1284.0	
		4-18-68	106.5	1369.6				3-05-68	59.8	1284.2	
		4-25-68	101.9	1374.2				4-03-68	60.6	1283.4	
		5-09-68	104.1	1372.0				5-14-68	61.2	1282.8	
		5-16-68	102.6	1373.5				6-10-68	63.1	1280.9	
		5-23-68	105.7	1370.4				7-02-68	64.6	1279.4	
		5-29-68	106.8	1369.3				9-10-68	62.7	1281.3	
		6-06-68	102.8	1373.3		015/08W-03M03S	1329.0	10-02-67	63.9	1265.1	1101
		6-13-68	108.3	1367.8				11-13-67	65.3	1263.7	
		6-20-68	109.3	1366.8				12-04-67	65.3	1263.7	
		6-27-68	112.1	1364.0				1-02-68	66.0	1263.0	
		7-11-68	114.5	1361.6				2-05-68	68.0	1261.0	
		7-18-68	115.5	1360.6				3-05-68	67.6	1261.4	
		8-01-68	117.8	1358.3				4-03-68	67.6	1261.4	
		8-08-68	116.2	1359.9				5-14-68	69.0	1260.0	
		8-15-68	115.5	1360.6				6-10-68	71.7	1257.3	
		8-29-68	120.8	1355.3				7-02-68	72.6	1256.4	
		9-05-68	123.8	1352.3				8-12-68	69.3	1259.7	
		9-11-68	124.8	1351.3				9-10-68	69.7	1259.3	
		9-19-68	126.5	1349.6							
		9-26-68	127.5	1348.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83			CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83		
015/08W-04K015	1318.8	11-13-67	150.7	1168.1	1101	01N/08W-25M015	1864.9	2-16-68	194.0(5)	1670.9	3719
		12-14-67	(9)			(CONT.)		4-30-68	200.5(5)	1664.4	
		12-21-67	(9)					5-30-68	208.5(5)	1656.4	3719
		12-28-67	(9)					6-30-68	210.0(5)	1654.9	
		1-02-68	(9)					8-00-68	221.0(5)	1643.9	
		1-27-68	126.6	1192.2		01N/08W-26P015	1740.3	10-05-67	241.9	1498.4	1101
		2-05-68	(9)					10-11-67	243.8	1496.5	
		2-25-68	118.9	1199.9				10-19-67	246.0	1494.3	
		3-05-68	(9)					10-26-67	247.8	1492.5	
		3-23-68	120.2	1198.6				11-02-67	248.3	1492.0	
		3-23-68	117.9	1200.9				11-09-67	251.0	1489.3	
		4-09-68	126.1	1192.7				11-16-67	252.2	1488.1	
		5-14-68	138.4	1180.4				11-24-67	253.6	1486.7	
		6-15-68	141.4	1177.4				11-29-67	254.5	1485.8	
		7-02-68	(9)					12-07-67	255.6	1484.7	
		8-21-68	153.7	1165.1				12-14-67	256.3	1484.0	
		9-10-68	(9)					12-21-67	257.2	1483.1	
		9-28-68	170.9	1147.9				12-28-67	257.8	1482.5	
01N/08W-23J015	2069.0	4-22-68	30.5	2038.5	1101			1-04-68	258.4	1481.9	
01N/08W-24E015	2141.7	10-02-67	115.0(1)	2026.7	4235			1-11-68	259.0	1481.3	
		10-23-67	123.0(1)	2018.7	1101			1-18-68	259.6	1480.7	
		11-01-67	120.0	2021.7				1-25-68	260.0	1480.3	
		11-01-67	120.0(5)	2021.7	4235			2-01-68	260.6	1479.7	
		12-04-67	99.0(1)	2042.7				2-08-68	261.1	1479.2	
		12-20-67	(7)		1101			2-14-68	261.6	1478.7	
		12-26-67	90.0(1)	2051.7				2-21-68	261.9	1478.4	
		1-02-68	92.0(1)	2049.7	4235			2-29-68	262.3	1478.0	
		1-08-68	96.0(1)	2045.7	1101			3-07-68	263.7	1476.6	
		1-29-68	108.0(1)	2033.7				3-15-68	264.2	1476.1	
		2-05-68	111.0(1)	2030.7	4235			3-21-68	263.5	1476.8	
		2-27-68	122.0(1)	2019.7	1101			3-28-68	263.8	1476.5	
		3-04-68	127.0(1)	2014.7	4235			4-04-68	264.2	1476.1	
		3-12-68	125.0(1)	2016.7	1101			4-11-68	264.4	1475.9	
		4-01-68	115.0	2026.7				4-18-68	264.5	1475.8	
		4-01-68	115.0(1)	2026.7	4235			4-25-68	264.7	1475.6	
		5-01-68	126.0(1)	2015.7				5-02-68	264.9	1475.4	
		5-07-68	126.0	2015.7	1101			5-02-68	264.9	1475.4	
		6-03-68	124.0(1)	2017.7				5-09-68	265.1	1475.2	
		6-03-68	124.0(1)	2017.7	4235			5-16-68	265.2	1475.1	
		7-01-68	127.0(1)	2014.7				5-23-68	265.3	1475.0	
		7-10-68	127.0(1)	2014.7	1101			5-29-68	265.3	1475.0	
		8-12-68	132.0	2009.7				6-06-68	265.4	1474.9	
		8-12-68	132.0(5)	2009.7	4235			6-13-68	265.5	1474.8	
		9-16-68	123.0	2018.7	1101			6-20-68	265.6	1474.7	
		9-23-68	123.0(5)	2018.7	4235			6-27-68	265.7	1474.6	
01N/08W-24L015	2137.6	10-02-67	163.0(1)	1974.6	4235			7-11-68	265.9	1474.4	
		10-16-67	169.0(1)	1968.6	1101			7-18-68	266.0	1474.3	
		11-13-67	177.0(1)	1960.6				8-01-68	266.0	1474.3	
		11-13-67	177.0(5)	1960.6	4235			8-08-68	266.2	1474.1	
		12-11-67	167.0	1970.6	1101			8-15-68	266.2	1474.1	
		12-11-67	167.0(5)	1970.6	4235			8-29-68	266.4	1473.9	
		1-08-68	152.0(5)	1985.6				9-05-68	266.5	1473.8	
		1-29-68	164.0	1973.6	1101			9-12-68	266.5	1473.8	
		2-05-68	177.0	1960.6				9-19-68	266.6	1473.7	
		2-13-68	185.0(5)	1952.6	4235			9-26-68	271.5	1468.8	
		3-12-68	192.0	1945.6	1101	01N/08W-34A015	1670.0	10-03-67	(1)		1101
		3-12-68	192.0(5)	1945.6	4235			11-13-67	(1)		
		4-01-68	192.0	1945.6	1101			1-02-68	(1)		
		4-15-68	191.0(5)	1946.6	4235			2-05-68	154.6	1515.4	
		5-07-68	191.0	1946.6	1101			3-05-68	(1)		
		5-13-68	191.0(5)	1946.6	4235			4-10-68	(1)		
		6-03-68	191.0	1946.6	1101			4-11-68	236.9	1433.1	
		6-03-68	191.0(5)	1946.6	4235			7-02-68	(1)		
		7-01-68	191.0	1946.6	1101			9-11-68	(1)		
		7-15-68	191.0(5)	1946.6	4235	01N/08W-34A025	1648.0	10-03-67	199.3	1448.7	1101
		8-12-68	192.0	1945.6	1101			11-13-67	208.9	1439.1	
		8-12-68	192.0(5)	1945.6	4235			12-04-67	204.2	1443.8	
		9-16-68	185.0	1952.6	1101			1-02-68	208.9	1439.1	
		9-23-68	185.0(5)	1952.6	4235			2-05-68	212.4	1435.6	
01N/08W-25K025	1855.0	10-02-67	154.0(1)	1701.0	1101			3-05-68	218.6	1429.4	
		11-01-67	171.0(1)	1684.0				4-10-68	221.6	1426.4	
		11-20-67	(7)					7-02-68	232.5	1415.5	
		12-11-67	176.0(1)	1679.0				9-11-68	236.1	1411.9	
		1-29-68	170.0(1)	1685.0		01N/08W-34A035	1635.0	10-03-67	206.7	1428.3	1101
		2-13-68	165.0	1690.0				11-13-67	219.0	1416.0	
		3-18-68	188.0	1667.0				12-04-67	218.1	1416.9	
		4-15-68	194.0(1)	1661.0				1-02-68	222.3	1412.7	
		5-07-68	204.0(1)	1651.0				2-05-68	226.5	1408.5	
		6-26-68	236.0(1)	1619.0				3-05-68	231.9(1)	1403.1	
		7-10-68	244.0(1)	1611.0				7-02-68	247.9	1387.1	
		8-12-68	232.0(5)	1623.0				9-11-68	(1)		
		9-16-68	237.0(5)	1618.0		01N/08W-34M015	1589.0	10-03-67	(1)		1101
01N/08W-25L015	1861.6	4-30-68	177.4(5)	1684.2	3719			11-13-67	(1)		
		5-30-68	207.6(5)	1654.0				12-04-67	182.2	1406.8	
		6-30-68	216.6(5)	1645.0				1-02-68	(1)		
		8-00-68	242.1(1)	1619.5				2-05-68	192.7	1396.3	
		9-30-68	268.6(1)	1593.0				3-05-68	193.7	1395.3	
01N/08W-25M015	1864.9	10-16-67	167.2(5)	1697.7	1101			4-10-68	193.4	1395.6	
		10-19-67	167.2(5)	1697.7	3719			7-02-68	(1)		
		11-28-67	188.8(5)	1676.1	1101			9-11-68	(1)		
		1-03-68	189.6(5)	1675.3	3719	01N/08W-34K015	1518.0	10-03-67	(1)		1101
		2-16-68	194.0(5)	1670.9	1101			11-13-67	131.6	1386.4	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CLAREMONT HEIGHTS HYDRO SUBAREA			Y-01.83			CUCAMONGA HYDRO SUBAREA			Y-01.84		
01N/08W-34K015 (CONT.)	1518.0	1-02-68 (1) 2-05-68 (1) 4-10-68 (1)			1101	015/07W-04B015 (CONT.)	1428.2	2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	161.0 152.0 144.0 139.0 137.0 173.0 (1) 144.0 145.0	1267.2 1276.2 1284.2 1289.2 1291.2 1255.2 1284.2 1283.2	4702
01N/08W-34L015	1503.0	10-03-67 11-13-67 1-02-68 2-05-68 4-03-68	129.7 (1) 128.6 137.1 131.5 135.3	1373.3 1374.4 1365.9 1371.5 1367.7	1101						
01N/08W-35E015	1631.0	10-03-67 (1) 11-13-67 (1) 12-04-67 1-02-68 2-05-68 3-05-68 4-03-68 7-02-68 9-11-68	 224.3 224.5 227.4 230.8 233.1 (1) (1)	 1406.7 1406.5 1403.6 1400.2 1397.9 	1101	015/07W-04B025	1428.2	10-01-67 11-02-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	195.8 207.8 158.8 152.8 144.8 138.8 133.8 131.8 138.8 142.8 143.8	1232.4 1220.4 1269.4 1275.4 1283.4 1289.4 1294.4 1296.4 1289.4 1285.4 1284.4	4702
01N/08W-35J015	1618.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-30-68	202.0 (5) 212.5 (5) 213.0 (5) 213.0 (5) 215.5 (5) 218.8 (5) 224.5 (5) 376.0 (1) 313.0 (5) 338.0 (5) 380.0 (1) 381.5 (1) 380.5 (1)	1416.0 1405.5 1405.0 1405.0 1402.5 1399.2 1393.5 1242.0 1305.0 1280.0 1238.0 1236.5 1237.5	1101	015/07W-04B035	1451.8	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	247.3 (1) 257.3 (1) 231.3 (1) 190.3 182.3 173.3 167.3 162.3 161.3 166.3 166.3 167.3	1204.5 1194.5 1220.5 1261.5 1269.5 1278.5 1284.5 1289.5 1290.5 1285.5 1285.5 1284.5	4702
01N/08W-35J025	1607.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-30-68	250.0 250.0 255.0 259.0 265.0 265.5 267.3 271.0 278.0 284.0 287.5 297.0 301.5	1357.0 1357.0 1352.0 1348.0 1342.0 1341.5 1339.7 1336.0 1329.0 1323.0 1319.5 1310.0 1305.5	1101	015/07W-04E025	1395.9	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	159.8 166.8 149.8 134.8 132.8 117.8 110.3 109.4 107.8 112.8 112.8 113.8	1236.1 1229.1 1246.1 1261.1 1263.1 1278.1 1285.6 1286.5 1288.1 1283.1 1283.1 1282.1	4702
01N/08W-35K015	1638.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-30-68	204.0 221.0 226.0 226.0 228.0 233.0 239.5 241.3 249.5 326.0 (1) 382.0 391.5 396.5	1434.0 1417.0 1412.0 1412.0 1410.0 1405.0 1398.5 1396.7 1388.5 1312.0 1256.0 1246.5 1241.5	1101	015/07W-04E035	1417.4	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	185.3 (1) 180.5 178.5 162.0 148.5 144.8 132.5 148.0 (1) 146.8 (1) 146.0 (1) 139.3 141.0 161.0 (1)	1232.1 1236.9 1238.9 1255.4 1268.9 1272.6 1284.9 1269.4 1270.6 1271.4 1278.1 1276.4 1256.4	4748
01N/08W-35K025	1635.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	204.0 221.0 226.0 226.0 228.0 233.0 239.5 241.3 249.5 326.0 (1) 382.0 (1) 391.5 (1) 396.5 (1)	1431.0 1414.0 1409.0 1409.0 1407.0 1402.0 1395.5 1393.7 1385.5 1309.0 1253.0 1243.5 1238.5	4748	01N/07W-27Q025	1560.0	10-01-67 11-02-67 12-04-67 1-07-68 2-02-68 3-04-68 4-01-68 5-01-68 6-04-68 7-02-68 8-12-68 9-04-68	383.0 374.0 348.0 344.0 346.0 339.0 332.0 330.0 332.0 339.0 (1) 325.0 321.0	1177.0 1186.0 1212.0 1216.0 1214.0 1221.0 1228.0 1230.0 1228.0 1221.0 1235.0 1239.0	4702
01N/08W-360015	1760.0	10-01-67 11-01-67 12-01-67 12-29-67 1-30-68 2-29-68 3-30-68 4-30-68 5-30-68 6-30-68 7-31-68 8-31-68 9-00-68	244.0 255.0 260.0 264.0 267.8 267.8 269.3 270.5 273.5 272.5 276.0 274.0 274.0	1516.0 1505.0 1500.0 1496.0 1492.2 1492.2 1490.7 1489.5 1486.5 1487.5 1484.0 1486.0 1486.0	1101	01N/07W-29E015	1840.4	10-01-67 10-01-67 11-01-67 11-01-67 12-01-67 12-01-67 12-29-67 1-30-68 1-30-68 2-29-68 2-29-68 3-30-68 3-30-68 4-30-68 4-30-68 5-30-68 5-30-68 6-30-68 6-30-68 7-31-68 7-31-68 8-31-68 8-31-68 9-00-68	267.2 (5) 267.2 (5) 271.8 (5) 271.8 (5) 276.4 (5) 276.4 (5) 391.9 (5) 278.5 (5) 278.5 341.1 (5) 341.1 (5) 348.0 (5) 348.0 (5) 345.7 (5) 345.7 (5) 272.0 (5) 272.0 385.0 (1) 385.0 (5) 385.0 (1) 385.0 (5) 285.0 285.0 287.5	1573.2 1573.2 1568.6 1568.6 1564.0 1564.0 1448.5 1561.9 1561.9 1499.3 1499.3 1492.4 1492.4 1494.7 1494.7 1568.4 1568.4 1455.4 1455.4 1455.4 1455.4 1555.4 1555.4 1552.9	1101 4748 1101 4748 1101 4748 1101 1101 4748 1101 4748 1101 4748 1101 1101 1101 1101 1101 1101 4748 4748
CUCAMONGA HYDRO SUBAREA			Y-01.84								
015/07W-04B015	1428.2	10-01-67 11-02-67 12-04-67 1-07-68	198.0 222.0 (1) 185.0 172.0	1230.2 1206.2 1243.2 1256.2	4702						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
CUCAMONGA HYDRO SUBAREA			Y-01.84			CUCAMONGA HYDRO SUBAREA			Y-01.84		
01N/07W-29E01S (CONT.)	1840.4	9-30-68	287.5(5)	1552.9	1101	01N/07W-33P01S (CONT.)	1485.0	2-29-68	202.8	1282.2	4748
01N/07W-29R03S	1702.3	10-01-67	425.0(1)	1277.3	4748			3-30-68	193.5	1291.5	
		11-01-67	455.0(5)	1247.3				4-30-68	188.5	1296.5	
		12-01-67	380.0(5)	1322.3				5-30-68	197.5	1287.5	
		12-29-67	376.5(5)	1325.8				7-31-68	194.0	1291.0	
		1-30-68	369.6(5)	1332.7				8-31-68	227.0(1)	1258.0	
		2-29-68	354.6(5)	1347.7				9-00-68	227.5(1)	1257.5	
		3-30-68	351.1(5)	1351.2		01N/07W-34J02S	1404.0	10-01-67	254.0	1150.0	4702
		4-30-68	397.3(1)	1305.0				11-02-67	257.0	1147.0	
		5-30-68	397.3(1)	1305.0				12-04-67	255.0	1149.0	
		6-30-68	404.2(1)	1298.1				2-02-68	252.0	1152.0	
		7-31-68	406.5(1)	1295.8				3-04-68	250.0	1154.0	
		8-31-68	411.9(1)	1290.4				4-01-68	248.0	1156.0	
		9-00-68	418.1(1)	1284.2				6-04-68	242.0	1162.0	
01N/07W-29R04S	1684.4	10-01-67	408.5(1)	1275.9	4748			7-02-68	243.0	1161.0	
		11-01-67	420.0(1)	1264.4				8-12-68	240.0	1164.0	
		12-01-67	373.3(5)	1311.1				9-04-68	240.0	1164.0	
		12-29-67	366.9(5)	1317.5		TEMESCAL HYDRO SUBAREA					
		1-30-68	355.4(5)	1329.0							Y-01.85
		2-29-68	349.0(5)	1335.4		03S/06W-06K02S	629.0	1-03-68	44.8	584.2	4103
		3-30-68	340.3(5)	1344.1				2-01-68	44.8	584.2	
		4-30-68	383.1(1)	1301.3				3-01-68	44.7	584.3	
		5-30-68	377.3(1)	1307.1				5-06-68	44.8	584.2	
		6-30-68	413.1(1)	1271.3				6-05-68	44.3	584.7	
		7-31-68	415.4(1)	1269.0				7-02-68	44.2	584.8	
		8-31-68	360.0(1)	1324.4				8-01-68	44.1	584.9	
		9-00-68	403.9(1)	1280.5				9-06-68	44.1	584.9	
01N/07W-32R02S	1490.0	10-01-67	205.2(5)	1284.8	4748	03S/06W-07A01S	649.0	11-09-67	13.2	635.8	4103
		11-01-67	233.5(5)	1256.5				3-27-68	(9)		
		12-01-67	226.0(5)	1264.0		03S/06W-28A02S	677.2	12-21-67	52.5	624.7	5718
		12-29-67	206.8(5)	1283.2				5-02-68	49.8	627.4	
		1-30-68	207.5(5)	1282.5		03S/06W-28G02S	686.0	12-18-67	67.8	618.2	5716
		2-29-68	193.7(5)	1296.3				5-02-68	69.9	616.1	
		3-30-68	187.9(5)	1302.1		03S/06W-28M01S	703.0	12-11-67	87.1	615.9	4103
		4-30-68	193.6(5)	1296.4				1-02-68	88.8(2)	614.2	
		5-30-68	200.6(5)	1289.4				2-02-68	89.0(2)	614.0	
		6-30-68	200.6(5)	1289.4				3-04-68	85.9	617.1	
		7-31-68	202.9(5)	1287.1				6-05-68	86.1	616.9	
01N/07W-32R03S	1496.0	10-01-67	222.8(5)	1273.2	4748			7-05-68	86.6	616.4	
		11-01-67	225.0(5)	1271.0				8-02-68	87.3	615.7	
		12-01-67	220.5(5)	1275.5				9-06-68	90.6(2)	612.4	
		12-29-67	211.3(5)	1284.7		03S/06W-28L03S	673.0	12-21-67	50.9(4)	622.1	5716
		1-30-68	206.2(5)	1289.8				5-02-68	50.6	622.4	
		2-29-68	174.3(5)	1321.7		03S/06W-28L04S	674.8	12-21-67	57.7(2)	617.1	5718
		3-30-68	181.2(5)	1314.8				5-02-68	52.0	622.8	
		4-30-68	185.8(5)	1310.2		03S/06W-28M01S	665.7	12-21-67	51.3	614.4	5718
		5-30-68	188.2(5)	1307.8				5-02-68	48.5	617.2	
		6-30-68	199.7(5)	1296.3		03S/06W-28M02S	666.1	12-21-67	51.0	615.1	5718
		7-31-68	238.9(5)	1257.1				5-02-68	51.8	614.3	
		8-31-68	243.6(5)	1252.4		03S/06W-28N01S	670.7	10-11-67	(1)		5102
		9-00-68	245.9(5)	1250.1				3-19-68	(1)		
01N/07W-33A01S	1541.5	10-19-67	231.3(1)	1310.2	3719	03S/06W-29Q03S	650.7	11-09-67	(2)		4103
		11-28-67	230.7(5)	1310.8				3-26-68	(2)		
		1-03-68	231.0(5)	1310.5		03S/06W-30K01S	612.3	11-09-67	(1)		4103
		2-16-68	231.5(5)	1310.0				3-27-68	(1)		
		4-30-68	231.2(5)	1310.3		03S/06W-30Q02S	624.6	3-19-68	50.5	574.1	5102
		6-30-68	230.6(5)	1310.9		03S/06W-31D01S	690.0	10-08-67	138.1(1)	551.9	5272
		8-00-68	230.3(1)	1311.2				11-05-67	138.0(1)	552.0	
01N/07W-33N01S	1488.2	10-01-67	235.0	1253.2	4748			12-03-67	133.6	556.4	
		11-01-67	242.0	1246.2				1-07-68	132.8(1)	557.2	
		12-01-67	236.0	1252.2				2-04-68	131.7(1)	558.3	
		12-29-67	123.0	1365.2				3-03-68	131.8(1)	558.2	
		1-30-68	210.0	1278.2				4-07-68	130.2(1)	559.8	
		2-29-68	201.3	1286.9				5-05-68	128.5	561.5	
		3-30-68	193.3	1294.9				6-02-68	134.6(1)	555.4	
		4-30-68	188.5	1299.7		03S/06W-31D02S	690.0	10-08-67	142.4(1)	547.6	5272
		5-30-68	211.0	1277.2				11-05-67	143.6(1)	546.4	
		6-30-68	201.0	1287.2				12-03-67	140.0(1)	550.0	
		7-31-68	196.5	1291.7				1-07-68	133.2	556.8	
		8-31-68	207.0	1281.2				2-04-68	132.3	557.7	
		9-00-68	210.0	1278.2				3-03-68	132.1	557.9	
01N/07W-33N03S	1490.0	10-01-67	232.0	1258.0	4748			4-07-68	130.4	559.6	
		11-01-67	238.0	1252.0				5-05-68	130.0	560.0	
		12-01-67	232.2	1257.8				6-02-68	135.7(1)	554.3	
		12-29-67	220.7	1269.3				7-07-68	140.6(1)	549.4	
		1-30-68	208.0	1282.0				8-04-68	142.9(1)	547.1	
		2-29-68	199.0	1291.0				9-01-68	145.1(1)	544.9	
		3-30-68	191.0	1299.0		03S/06W-32H01S	663.7	10-11-67	54.0	609.7	5102
		4-30-68	186.5	1303.5				11-09-67	54.7	609.0	4103
		5-30-68	212.5(1)	1277.5							
		6-30-68	226.1(1)	1263.9							
		7-31-68	219.2(5)	1270.8							
		8-31-68	226.2(5)	1263.8							
		9-00-68	233.0(1)	1257.0							
01N/07W-33P01S	1485.0	10-01-67	206.0	1279.0	4748						
		11-01-67	240.0	1245.0							
		12-01-67	234.3	1250.7							
		12-29-67	223.0	1262.0							
		1-30-68	215.5	1269.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		Y-01.85	MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		Y-01.85
TEMESCAL HYDRO SUBAREA						TEMESCAL HYDRO SUBAREA					
03S/06W-32M01S (CONT.)	663.7	3-19-68 3-26-68	53.6 52.5	610.1 611.2	5102	03S/07W-22G02S (CONT.)	528.3	3-20-68	14.7	513.6	5102
03S/07W-13K02S	599.2	3-19-68	49.6	549.6	5102	03S/07W-22M01S	537.5	10-11-67 3-20-68	28.8 22.2	508.7 515.3	5102
03S/07W-14Q01S	581.8	10-11-67 3-19-68	64.6 50.8	517.2 531.0	5102	03S/07W-22J02S	534.8	11-08-67 3-26-68	21.9 17.0	512.9 517.8	4103
03S/07W-20L03S	480.0	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	4.8 4.8 4.3 4.2 4.1 4.8 4.9 6.3 5.6	475.2 475.2 475.7 475.8 475.9 475.2 475.1 473.7 474.4	5102	03S/07W-22L01S	527.8	11-08-67 3-20-68 3-26-68	20.3 16.5 16.5	507.5 511.3 511.3	4103 5102 4103
03S/07W-20L04S	479.6	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	5.4 4.5 4.7 4.8 4.6 5.5 5.3 5.5 5.8	474.2 475.1 474.9 474.8 475.0 474.1 474.3 474.1 473.8	5102	03S/07W-23C03S	546.2	11-08-67 3-26-68	31.0 25.5	515.2 520.7	4103
03S/07W-20P02S	471.5	10-16-67 11-16-67	4.3 3.8	467.2 467.7	5102	03S/07W-23L01S	576.0	10-08-67 11-05-67 12-03-67 1-07-68 2-04-68 3-03-68 4-07-68 5-05-68 6-02-68 7-07-68 8-04-68 9-01-68	56.0 57.8 54.8 53.1 52.1 51.2 50.0 50.0 50.1 52.9 54.0 55.1	520.0 518.2 521.2 522.9 523.9 524.8 526.0 526.0 525.9 523.1 522.0 520.9	5272
03S/07W-20P03S	473.0	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 4-18-68 5-20-68 6-13-68 7-18-68	3.2 3.1 -0.9 -0.6 .2 1.9 2.5 2.8 3.3	469.8 469.9 473.9 473.6 472.8 471.1 470.5 470.2 469.7	5102	03S/07W-23M01S	555.2	10-11-67 3-20-68	40.9 35.8	514.3 519.4	5102
03S/07W-20U01S	490.2	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-14-68 4-18-68 5-20-68 6-13-68 7-18-68	6.3 5.9 6.2 5.6 5.6 5.0 5.6 5.9 6.1 6.5	483.9 484.3 484.0 484.6 484.6 485.2 484.6 484.3 484.1 483.7	5102	03S/07W-23M02S	551.1	10-11-67 11-08-67 3-20-68 3-26-68	44.8 36.4 32.4 31.3	506.3 514.7 518.7 519.8	5102 4103 5102 4103
03S/07W-21C03S	492.7	11-08-67 3-26-68	(7) (9)		4103	03S/07W-23M03S	548.7	10-11-67 3-20-68	40.1 31.1	508.6 517.6	5102
03S/07W-21G01S	505.2	10-11-67 11-08-67 3-20-68 3-26-68	8.6 8.9 6.1 7.0	496.6 496.3 499.1 498.2	5102 4103 5102 4103	03S/07W-23N01S	592.2	10-11-67 3-20-68	80.8 71.4	511.4 520.8	5102
03S/07W-21K01S	512.2	6-13-68 7-18-68	12.5 13.6	499.7 498.6	5102	03S/07W-24K01S	594.0	11-08-67 3-27-68	63.1 57.4	530.9 536.6	4103
03S/07W-21K02S	511.8	10-11-67 3-20-68	13.0 11.0	498.8 500.8	5102	03S/07W-24L01S	583.2	10-11-67 11-08-67 3-19-68 3-27-68	53.2 47.8 46.0 41.4	530.8 535.4 537.2 541.8	5102 4103 5102 4103
03S/07W-21M01S	488.8	10-11-67 11-08-67 3-20-68 3-26-68	1.2 .7 .3 .4	487.6 488.1 488.5 488.4	5102 4103 5102 4103	03S/07W-25A01S	595.0	10-11-67 3-19-68	55.0 47.9	540.0 547.1	5102
03S/07W-21M02S	492.0	10-16-67 11-16-67 12-14-67 1-18-68 2-15-68 3-04-68 3-14-68 3-26-68 4-18-68 5-07-68 5-20-68 6-06-68 6-13-68 7-05-68 7-18-68 8-02-68 9-06-68	5.2 4.9 4.6 4.3 4.2 2.2 4.2 2.2 4.3 2.4 4.6 2.6 5.2 2.8 4.9 2.9 3.1	486.8 487.1 487.4 487.7 487.8 489.8 487.8 489.8 487.7 489.6 487.4 489.4 486.8 489.2 487.1 489.1 488.9	5102 4103 5102 4103 5102 4103 5102 4103 5102 4103 4103 5102 5102 4103 4103 4103	03S/07W-25D01S	582.0	10-10-67 11-16-67 1-09-68 2-09-68 3-18-68 4-09-68 5-14-68 6-11-68 7-09-68 8-12-68 9-11-68	52.8 53.0 48.0 48.5 46.5 45.6 48.0 49.2 51.4 52.2 53.6	529.2 529.0 534.0 533.5 535.5 536.4 534.0 532.8 530.6 529.8 528.4	4701
03S/07W-21M03S	486.9	10-11-67	-0.6	487.5	5102	03S/07W-25E01S	604.0	10-10-67 11-16-67 1-09-68 2-09-68 3-18-68 4-09-68 5-14-68 6-11-68 7-09-68 8-12-68 9-11-68	97.4(1) 97.4(1) 69.0 94.6(1) 77.5 96.0(1) 98.2(1) 95.4(1) 96.7(1) 97.1(1) 97.2(1)	506.6 506.6 535.0 509.4 526.5 508.0 505.8 508.6 507.3 506.9 506.8	4701
03S/07W-21M06S	496.5	10-11-67 3-20-68	5.8 4.2	490.7 492.3	5102	03S/07W-25M01S	606.9	10-11-67 11-09-67 3-19-68 3-27-68	67.2 67.4 61.0 (1)	539.7 539.5 545.9	5102 4103 5102 4103
03S/07W-22A01S	534.9	10-11-67 3-20-68	23.9 18.8	511.0 516.1	5102	03S/07W-25J01S	642.0	10-08-67 11-05-67 12-03-67 1-07-68 2-04-68 3-03-68 4-07-68 5-05-68 6-02-68 7-07-68 8-04-68 9-01-68	97.0 97.2 96.0 93.8 92.7 92.5 90.8 95.3(1) 93.7 95.4 100.0(1) 98.3	545.0 544.8 546.0 548.2 549.3 549.5 551.2 546.7 548.3 546.6 542.0 543.7	5272
03S/07W-22G02S	528.3	10-11-67	20.1	508.2	5102	03S/07W-25M01S	629.0	10-10-67 11-16-67	104.7(1) 104.8(1)	524.3 524.2	4701

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
TEMESCAL HYDRO SUBAREA			Y-01.85			ARLINGTON HYDRO SUBAREA			Y-01.86		
03S/07W-25M01S (CONT.)	629.0	1-09-68	89.3	539.7	4701	02S/05W-14G03S	801.3	11-08-67	61.3(1)	740.0	5204
		2-09-68	99.1(1)	529.9				11-29-67	19.3	782.0	
		3-18-68	87.8	541.2				6-03-68	48.3(1)	753.0	
		4-09-68	94.9(1)	534.1		02S/06W-36H01S	733.0	12-21-67	8.7	724.3	5718
		5-14-68	98.5(1)	530.5				4-25-68	8.8	724.2	
		6-11-68	100.3(1)	528.7		03S/05W-05B01S	766.3	12-21-67	21.9	744.4	5718
		7-09-68	102.8(1)	526.2				3-04-68	21.5	744.8	4103
		8-12-68	104.0(1)	525.0				3-25-68	21.4	744.9	
		9-11-68	103.9(1)	525.1				5-01-68	21.3	745.0	5718
03S/07W-25H02S	661.0	10-08-67	168.1(1)	492.9	5272			5-07-68	21.2	745.1	4103
		11-05-67	158.5(1)	502.5				6-06-68	21.3	745.0	
		12-03-67	128.6	532.4				7-05-68	21.4	744.9	
		1-07-68	125.0	536.0				8-02-68	21.6	744.7	
		2-04-68	123.9	537.1				9-06-68	21.8	744.5	
		3-03-68	162.1(1)	498.9		03S/05W-05M03S	756.6	3-04-68	12.0	744.6	4103
		4-07-68	163.9(1)	497.1				3-25-68	11.8	744.8	
		5-05-68	172.5(1)	488.5				5-07-68	11.9	744.7	
		6-02-68	164.2(1)	496.8				6-06-68	12.3	744.3	
		7-07-68	176.5(1)	484.5				7-05-68	13.3	743.3	
		8-04-68	130.0	531.0				8-02-68	13.9	742.7	
03S/07W-26G01S	640.0	10-10-67	121.0(1)	519.0	4701			9-06-68	13.6	743.0	
		11-16-67	120.8(1)	519.2		03S/05W-06D01S	739.9	12-21-67	8.3	731.6	5718
		1-09-68	108.8	531.2				5-02-68	9.0	730.9	
		2-09-68	115.0(1)	525.0		03S/05W-06Q02S	752.0	10-04-67	14.2	737.8	5204
		3-18-68	107.1	532.9				10-18-67	15.2	736.8	
		4-09-68	114.0(1)	526.0				11-08-67	14.2	737.8	
		5-14-68	115.0(1)	525.0				11-29-67	14.2	737.8	
		6-11-68	116.2(1)	523.8				12-27-67	13.2	738.8	
		7-09-68	116.3(1)	523.7				1-09-68	12.2	739.8	
		8-12-68	119.0(1)	521.0				1-23-68	12.2	739.8	
		9-11-68	121.0(1)	519.0				2-06-68	12.2	739.8	
03S/07W-26K01S	677.8	10-10-67	155.2(1)	522.6	4701			2-20-68	12.2	739.8	
		11-16-67	155.0(1)	522.8				3-05-68	12.2	739.8	
		1-09-68	146.4	531.4				3-19-68	12.2	739.8	
		2-09-68	144.0	533.8				4-02-68	12.2	739.8	
		3-18-68	142.0	535.8				5-22-68	12.2	739.8	
		4-09-68	141.0	536.8				5-24-68	12.2	739.8	
		5-14-68	142.8(1)	535.0				5-31-68	12.2	739.8	
		6-11-68	147.8(1)	530.0				6-03-68	14.2	737.8	
		7-09-68	150.9(1)	526.9				6-26-68	17.2	734.8	
		8-12-68	154.2(1)	523.6		03S/05W-06Q03S	750.0	10-04-67	13.0	737.0	5204
		9-11-68	156.4(1)	521.4				10-18-67	13.0	737.0	
03S/07W-27A01S	631.0	10-11-67	113.8	517.2	5102			11-08-67	12.0	738.0	
		3-20-68	109.9	521.1				11-29-67	13.0	737.0	
03S/07W-27H01S	661.5	10-11-67	151.7	509.8	5102			12-27-67	11.0	739.0	
		11-08-67	141.9	519.6	4103			1-09-68	11.0	739.0	
		3-20-68	139.1	522.4	5102			1-23-68	11.0	739.0	
		3-26-68	136.0	525.5	4103			2-06-68	11.0	739.0	
03S/07W-28F01S	571.7	1-02-68	68.1	503.6	4103			2-20-68	11.0	739.0	
		2-02-68	67.6	504.1				3-05-68	11.0	739.0	
		3-04-68	67.0	504.7				3-19-68	11.0	739.0	
		3-26-68	66.6	505.1				4-02-68	11.0	739.0	
		5-07-68	66.5	505.2				5-22-68	11.0	739.0	
		6-06-68	66.8	504.9				5-24-68	11.0	739.0	
		7-05-68	67.1	504.6				5-31-68	13.0	737.0	
		8-02-68	67.7	504.0				6-03-68	12.0	738.0	
		9-06-68	68.4	503.3				6-26-68	15.0	735.0	
03S/07W-28F02S	573.0	10-16-67	70.8	502.2	5102	03S/05W-06Q04S	752.0	10-04-67	14.2	737.8	5204
		11-16-67	70.4	502.6				10-18-67	14.2	737.8	
		12-14-67	70.6	502.4				11-08-67	13.2	738.8	
		1-18-68	69.1	503.9				11-29-67	14.2	737.8	
		2-15-68	68.7	504.3				12-27-67	12.2	739.8	
		3-14-68	68.2	504.8				1-09-68	12.2	739.8	
		4-18-68	67.8	505.2				1-23-68	12.2	739.8	
		5-20-68	68.3	504.7				2-06-68	12.2	739.8	
		6-13-68	68.7	504.3				2-20-68	12.2	739.8	
		7-18-68	68.6	504.4				3-05-68	12.2	739.8	
03S/07W-28F03S	564.1	11-11-67	62.3	501.8	5102			3-19-68	12.2	739.8	
		3-19-68	59.4	504.7				4-02-68	12.2	739.8	
03S/07W-35C01S	730.0	10-10-67	203.0(1)	527.0	4701			5-22-68	12.2	739.8	
		11-16-67	202.7(1)	527.3				5-24-68	12.2	739.8	
		1-09-68	189.0	541.0				5-31-68	14.2	737.8	
		2-09-68	192.4(1)	537.6				6-03-68	13.2	738.8	
		3-18-68	187.0	543.0				6-26-68	17.2	734.8	
		4-09-68	188.8(1)	541.2		03S/05W-06Q05S	752.0	10-04-67	14.4	737.6	5204
		5-14-68	195.0(1)	535.0				10-18-67	13.4	738.6	
		6-11-68	197.0(1)	533.0				11-08-67	13.4	738.6	
		7-09-68	201.0(1)	529.0				11-29-67	13.4	738.6	
		8-12-68	202.8(1)	527.2				12-27-67	12.4	739.6	
		9-11-68	201.9(1)	528.1				1-09-68	12.4	739.6	
04S/07W-03F01S	951.1	3-19-68	109.3	841.8	5102			1-23-68	12.4	739.6	
04S/07W-03L01S	969.1	11-10-67	(1)		4103			2-09-68	12.4	739.6	
		3-19-68	110.8	858.3	5102			2-20-68	12.4	739.6	
		3-26-68	106.9	862.2	4103			3-05-68	12.4	739.6	
04S/07W-03L02S	980.9	11-10-67	(1)		4103			3-19-68	12.4	739.6	
		3-26-68	130.5	850.4				4-02-68	12.4	739.6	
								5-22-68	12.4	739.6	
								5-31-68	14.4	737.6	
								6-03-68	13.4	738.6	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01-00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01-80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01-80		
ARLINGTON HYDRO SUBAREA			Y-01-86			ARLINGTON HYDRO SUBAREA			Y-01-86		
03S/05W-060055 (CONT.)	752.0	6-26-68	16.4	735.6	5204	03S/06W-13A01S (CONT.)	756.7	9-06-68	(1)		4103
03S/05W-07J01S	788.0	12-21-67 5-02-68	38.3 43.6(2)	749.7 744.4	5718	03S/06W-13B01S	754.0	12-12-67 4-26-68	49.0(4) 54.0(4)	705.0 700.0	5718
03S/05W-08B02S	803.0	12-14-67 2-02-68 3-04-68 3-25-68 5-02-68 5-07-68 6-06-68 7-05-68 8-02-68 9-06-68	51.4 50.6 58.4 48.3 55.0 48.4 48.4 48.8 48.2 49.3	751.6 752.4 744.6 754.7 748.0 754.6 754.6 754.2 754.8 753.7	5718 4103	03S/06W-13B02S	755.0	12-12-67 4-26-68	49.7 50.4	705.3 704.6	5718
03S/05W-08E02S	786.0	12-21-67 5-02-68	37.1 41.4	748.9 744.6	5718	03S/06W-13E05S	716.9	12-12-67 4-26-68	38.8(4) 38.8(4)	678.1 678.1	5718
03S/05W-08G01S	811.7	12-14-67 5-02-68	57.5 58.4	754.2 753.3	5718	03S/06W-13M03S	717.8	12-12-67 4-26-68	39.0 41.9	678.8 675.9	5718
03S/05W-09A01S	887.0	11-14-67 12-11-67 1-02-68 2-02-68 3-04-68 3-25-68 5-07-68 6-06-68 7-05-68 8-01-68 9-06-68	121.9 121.7 121.6 121.4 121.3 121.3 (1) (1) (1) (1) 122.4 (1)	765.1 765.3 765.4 765.6 765.7 765.7 764.6	4103	03S/06W-13M04S	718.8	10-11-67 3-19-68	43.3 35.8	675.5 683.0	5102
03S/05W-09E01S	850.5	12-22-67 5-02-68 5-07-68 6-06-68 7-05-68 8-01-68 9-06-68	89.3 89.6 93.9 93.8 93.8 94.1 94.2	761.2 760.9 756.6 756.7 756.7 756.4 756.3	5718 4103	03S/06W-13N01S	725.2	12-12-67 4-26-68	46.0(4) 43.6(4)	679.2 681.6	5718
03S/05W-09M01S	859.1	12-14-67 5-02-68	96.3 (1)	762.8	5718	03S/06W-13N02S	724.8	12-12-67 4-26-68	45.6 49.4(4)	679.2 675.4	5718
03S/05W-14E01S	1111.4	1-08-68 5-02-68	14.0 14.3	1097.4 1097.1	5718	03S/06W-14Q01S	721.8	12-12-67 4-26-68	47.0(4) 50.0(4)	674.8 671.8	5718
03S/05W-17K02S	878.0	5-02-68	(1)		5718	03S/06W-22K01S	684.7	12-12-67 4-26-68	42.0 38.3	642.7 646.4	5718
03S/05W-17Q01S	892.4	11-14-67 12-14-67 3-25-68 5-02-68	(1) 76.9 72.6 (1)	 815.5 819.8 5718	4103 5718 4103 5718	03S/06W-22L03S	685.8	12-12-67 4-26-68	44.1 38.1	641.7 647.7	5718
03S/05W-19E04S	834.2	12-14-67 5-02-68	8.0 8.6	826.2 825.6	5718	03S/06W-23M01S	748.4	8-05-68 9-06-68	61.5 61.9	686.9 686.5	4103
03S/05W-19P01S	903.0	12-14-67 5-02-68	DWY DWY		5718	03S/06W-24G01S	804.6	11-14-67 3-25-68	10.0 8.8	794.6 795.8	4103
03S/05W-19P02S	908.9	12-14-67 5-02-68	17.5 16.5	891.4 892.4	5718	03S/06W-24P02S	796.0	12-14-67 5-02-68	24.0 26.2	772.0 769.8	5718
03S/05W-19P03S	910.3	5-02-68	17.6	892.7	5718	03S/06W-24Q01S	811.7	12-14-67 2-02-68 3-25-68 5-02-68 5-07-68 6-05-68 7-05-68 8-02-68 9-06-68	6.1 6.0 6.8(4) 6.7(1) 6.2 6.3 6.2 6.7 6.3	805.6 805.7 804.9 805.0 805.5 805.4 805.5 805.0 805.4	5718 4103 5718 4103
03S/05W-28B01S	1015.0	10-23-67 11-20-67 12-02-67 1-08-68 2-06-68 3-04-68 4-02-68 4-28-68 6-17-68 7-29-68 8-26-68 9-30-68	55.5 55.2 55.2 54.9 54.9 54.7 54.6 54.6 54.5 54.5 54.2 54.0	959.5 959.8 959.8 960.1 960.1 960.3 960.4 960.4 960.5 960.5 960.8 961.0	3847	RIVERSIDE HYDRO SUBAREA					
03S/06W-10G01S	742.6	12-18-67 4-25-68	10.8 11.2	731.8 731.4	5718	01S/04W-28L01S	940.0	10-09-67 11-07-67 12-12-67 12-28-67 1-09-68 2-06-68 3-12-68 4-09-68 4-19-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	97.9 97.6 83.0 204.5 77.6 86.6 76.0 84.8 80.0 91.5 84.1 95.7 100.4 104.2	842.1 842.4 857.0 735.5 862.4 853.4 864.0 855.2 860.0 848.5 855.9 844.3 839.6 835.8	5783
03S/06W-11M02S	716.0	3-04-68 5-07-68 6-05-68 7-05-68 8-02-68 9-06-68	9.6 9.3 9.8 10.0 10.3 10.5	706.4 706.7 706.2 706.0 705.7 705.5	4103	01S/04W-28L02S	940.0	10-09-67 11-07-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	127.8(1) 137.5(1) 87.6 81.2 118.7(1) 79.6 107.5(1) 129.0(1) 91.8 135.9(1) 143.2(1) 146.0(1)	812.2 802.5 852.4 858.8 821.3 860.4 832.5 811.0 848.2 804.1 796.8 794.0	5783
03S/06W-13A01S	756.7	12-11-67 1-02-68 2-02-68 3-25-68 5-07-68 6-05-68 7-05-68 8-02-68	50.5(2) 49.9(2) 49.3(2) 48.2(2) 50.4(2) 50.9(2) (1) 52.0(2)	706.2 706.8 707.4 708.5 706.3 705.8 704.7	4103	01S/04W-28M01S	935.0	12-05-67 4-22-68	86.4 89.6	848.6 845.4	5718
						01S/04W-28N05S	927.0	10-09-67 11-07-67 12-05-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-19-68 5-07-68 6-11-68	138.0(1) 146.8(1) 89.3 90.0 83.0 101.3(1) 89.4 124.9(1) (1) 138.8(1) 140.0(1)	789.0 780.2 837.7 837.0 844.0 825.7 837.6 802.1 788.2 787.0	5783 5718 5783

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT RIVERSIDE HYDRO SUBAREA			Y-01.80		Y-01.87	MIDDLE SANTA ANA RIV HYDR SUBUNIT RIVERSIDE HYDRO SUBAREA			Y-01.80		Y-01.87
01S/04W-28N05S (CONT.)	927.0	7-09-68 8-05-68 9-09-68	155.7(1) 148.0(1) 152.3(1)	771.3 779.0 774.7	5783	01S/04W-32H02S (CONT.)	922.0	4-22-68	(7)		5718
01S/04W-28R01S	994.0	12-05-67	113.5	880.5	5718	01S/04W-32E07S	905.6	12-06-67 4-22-68	82.8 78.1	822.8 827.5	5718
01S/04W-28R02S	993.6	11-04-67 1-06-68 3-09-68 5-11-68 7-06-68 9-07-68	111.3 112.0 112.0 112.6 112.7 113.2	882.3 881.6 881.6 881.0 880.9 880.4	5713	01S/04W-32E10S	906.0	12-06-67 4-22-68	84.5 77.0	821.5 829.0	5718
01S/04W-29H02S	937.1	10-06-67 11-03-67 12-01-67 1-05-68 2-02-68 3-01-68 4-05-68 5-03-68 6-07-68 7-05-68 8-02-68 9-06-68	87.2 89.7 87.3 80.4 76.9 75.1 75.2 81.1 78.9 87.1 112.1 100.0	849.9 847.4 849.8 856.7 860.2 862.0 861.9 856.0 858.2 850.0 825.0 837.1	5010	01S/04W-32E12S	903.0	10-14-67 11-04-67 12-06-67 12-16-67 12-16-67 1-06-68 2-10-68 3-09-68 4-06-68 4-06-68 4-22-68 5-11-68 6-15-68 7-06-68 8-10-68 9-07-68	74.0 73.8 75.0 70.7 73.9 68.0 65.3 63.9 63.1 66.3 67.2 66.2 69.5 72.3 75.2 77.6	829.0 829.2 828.0 832.3 829.1 835.0 837.7 839.1 839.9 836.7 835.8 836.8 833.5 830.7 827.8 825.4	5713 5718 5713 5718 5713 5718 5718 5718 5718 5718 5713 5718 5713
01S/04W-29Q01S	924.5	10-06-67 10-13-67 10-20-67 10-27-67 11-03-67 11-10-67 11-17-67 11-24-67 12-01-67 12-08-67 12-15-67 12-22-67 12-29-67 1-05-68 1-12-68 1-22-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 3-01-68 3-08-68 3-15-68 3-22-68 3-29-68 4-05-68 4-12-68 4-19-68 5-02-68 5-10-68 5-17-68 5-24-68 5-31-68 6-07-68 6-14-68 6-21-68 6-28-68 7-05-68 7-12-68 7-19-68 7-26-68 8-02-68 8-09-68 8-16-68 8-23-68 8-30-68 9-06-68 9-13-68 9-20-68 9-27-68	97.5 98.1 98.5 99.2 100.1 100.6 100.2 96.0 93.3 91.3 89.5 87.8 85.7 85.1 84.2 83.2 83.7 82.5 82.2 82.1 81.6 81.5 82.3 81.3 79.2 82.2 82.4 83.1 82.6 116.6 87.1 88.6 90.9 94.1 91.2 95.8 99.2 101.3 102.1 103.0 103.8 106.6 104.7 106.2 105.0 110.4 111.5 111.7 113.3 112.1 113.0	827.0 826.4 826.0 825.3 824.4 823.9 824.3 828.5 831.2 833.2 835.0 836.7 838.8 839.4 840.3 841.3 840.8 842.0 842.3 842.4 842.9 843.0 842.2 843.2 845.3 842.3 842.1 841.4 841.9 807.9 837.4 835.9 833.6 830.4 833.3 828.7 825.3 823.2 822.4 821.5 820.7 817.9 819.8 818.3 819.5 814.1 813.0 812.8 811.2 812.4 811.5	5720	01S/04W-32G04S	917.8	12-07-67 4-22-68	88.0 78.0	829.8 839.8	5718
						01S/04W-32H01S	923.7	10-09-67 11-07-67 12-06-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-22-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	96.1 96.8 105.2 92.8 89.2 87.0 85.4 84.2 95.4 85.7 89.0 92.1 95.4 97.4	827.6 826.9 818.5 830.9 834.5 836.7 838.3 839.5 828.3 838.0 834.7 831.6 828.3 826.3	5783 5718 5783 5718 5783 5718 5783 5718 5783 5718 5783 5718 5783 5718
						01S/04W-32Q02S	1011.3	12-06-67 4-23-68	196.6 185.5	814.7 825.8	5718
						01S/04W-33H03S	974.0	12-05-67 4-19-68	95.6 96.3	878.4 877.7	5718
						01S/04W-33H05S	944.5	10-09-67 11-07-67 12-05-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-19-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	93.0 95.8 86.1 89.4 86.4 87.0 84.5 85.2 90.5 83.4 84.2 95.8 100.3 105.5	851.5 848.7 858.4 855.1 858.1 857.5 860.0 859.3 854.0 861.1 860.3 848.7 844.2 839.0	5783 5718 5783 5718 5783 5718 5783 5718 5783 5718 5783 5718 5783 5718
						01S/05W-23N01S	1037.6	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	236.0(1) 246.0(1) 221.0 220.0 216.0 218.0 218.0 232.0(1) 232.0(1) 236.0(1) 234.0(1) 242.0(1)	801.6 791.6 816.6 817.6 821.6 819.6 819.6 805.6 805.6 801.6 803.6 795.6	4124
01S/04W-30J05S	922.0	10-14-67 11-04-67 12-16-67 1-06-68 2-10-68 3-09-68 4-06-68 5-11-68 6-15-68 7-06-68 8-10-68 9-07-68	78.6 79.2 79.6 79.0 77.1 77.1 76.0 75.9 76.3 77.8 79.9 81.7	843.4 842.8 842.4 843.0 844.9 844.9 846.0 846.1 845.7 844.2 842.1 840.3	5713	01S/05W-23Q01S	1020.1	12-01-67 4-17-68	(2) (2)		5100
						01S/05W-24E01S	1070.0	4-23-68	240.8	829.2	5718
						01S/05W-25A02S	1009.0	12-05-67 4-24-68	(1) 170.1		5718
						01S/05W-25A03S	997.0	12-05-67 4-24-68	160.6 (1)	836.4	5718
01S/04W-31J01S	935.5	12-08-67 4-22-68	130.0 108.0	805.5 827.5	5718	01S/05W-25H02S	999.4	12-01-67 12-06-67 4-17-68 4-24-68	173.0 169.4 (1) (1)	826.4 830.0	5100 5718 5100 5718
01S/04W-32B01S	917.0	12-07-67 4-22-68	91.5 (1)	825.5	5718	01S/05W-25E01S	963.6	12-06-67	137.3	826.3	5718
01S/04W-32B02S	922.0	12-07-67	(7)		5718						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	
SANTA ANA RIVER HYDRO UNIT						Y-01.00						
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87			
01S/05W-25E01S (CONT.)	963.6	4-24-68	(1)		5718	02S/04W-05N01S (CONT.)	946.0	7-09-68 8-05-68 9-09-68	142.5(1) 141.4(1) 144.7(1)	803.5 804.6 801.3	5783	
01S/05W-25L02S	940.0	12-06-67 4-23-68	114.2 111.8(4)	825.8 828.2	5718	02S/04W-06K02S	920.4	12-08-67 4-22-68	107.0 106.0	813.4 814.4	5718	
01S/05W-25R04S	880.0	12-08-67 12-16-67 4-23-68	51.1 50.9 (1)	828.9 829.1	5718	02S/04W-06Q03S	904.6	12-06-67 4-22-68	97.4 97.2	807.2 807.4	5718	
01S/05W-33A01S	1006.0	12-11-67 4-24-68	197.5 196.5	808.5 809.5	5718	02S/04W-06R01S	946.0	12-07-67 4-22-68	132.7 (1)	813.3	5718	
01S/05W-33A02S	1005.8	12-11-67 4-24-68	200.9 196.0	804.9 809.8	5718	02S/04W-06R05S	947.8	12-07-67 4-23-68	141.8 129.2	806.0 818.6	5718	
01S/05W-33F01S	1029.0	12-11-67 4-24-68	108.0 108.8	921.0 920.2	5718	02S/04W-06R06S	943.9	12-07-67 4-23-68	130.1 128.8	813.8 815.1	5718	
01S/05W-33L01S	1016.0	12-08-67 4-23-68	107.5 136.6	908.5 879.4	5718	02S/04W-07L01S	883.1	10-04-67 10-18-67 11-08-67 11-29-67 12-13-67 12-27-67 1-09-68 1-23-68 2-06-68 2-20-68 3-05-68 3-19-68 4-02-68 4-22-68 5-22-68 5-24-68 5-31-68 6-03-68 6-10-68 6-26-68 7-15-68	90.0 92.0 113.0(1) 109.0(1) 107.0(1) 89.0(1) 87.0 86.0 84.0 84.0 86.0 85.0 84.0 94.0 94.0 87.0 89.0 87.0 87.0 87.0	793.1 791.1 770.1 774.1 776.1 794.1 796.1 797.1 799.1 799.1 797.1 798.1 799.1 789.1 789.1 796.1 794.1 796.1 796.1 796.1	5204	
01S/05W-34D01S	995.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	190.0 190.0 190.0 190.0 191.0 189.0 190.0 196.0(1) 197.0(1) 199.0(1) 194.0(1) 191.0	805.0 805.0 805.0 805.0 804.0 806.0 805.0 799.0 798.0 796.0 801.0 804.0	4124							
01S/05W-34K02S	943.0	12-16-67 4-06-68	134.9 135.4	808.1 807.6	5718							
01S/05W-34K03S	943.0	12-16-67 4-06-68	139.9 152.3	803.1 790.7	5718							
01S/05W-34L02S	958.7	12-11-67 4-23-68	152.9 (1)	805.8	5718	02S/04W-07N03S	875.0	10-04-67 10-18-67 11-08-67 11-29-67 12-13-67 12-27-67 1-09-68 1-23-68 2-06-68 2-20-68 3-05-68 3-19-68 4-02-68 4-16-68 5-22-68 5-24-68 5-31-68 6-03-68 6-10-68 6-26-68 7-15-68	88.0 103.0(1) 105.0(1) 103.0(1) 104.0(1) 87.0(1) 86.0 86.0 84.0 84.0 84.0 83.0 82.0 83.0 101.0(1) 101.0(1) 86.0 100.0(1) 86.0 86.0 85.0	787.0 772.0 770.0 772.0 771.0 788.0 789.0 789.0 791.0 791.0 791.0 792.0 793.0 792.0 774.0 774.0 789.0 775.0 789.0 789.0 790.0	5204	
01S/05W-34M01S	951.2	12-08-67 4-23-68	144.8 143.4	806.4 807.8	5718							
01S/05W-35D01S	967.0	12-02-67 4-17-68 8-06-68 9-04-68	153.3 151.3 (1) (1)	813.7 815.7	5100							
01S/05W-35G02S	920.0	12-08-67 4-23-68	106.5 (1)	813.5	5718							
01S/05W-35R01S	887.0	12-01-67 4-17-68	69.4 79.6(1)	817.6 807.4	5100							
01S/05W-36A01S	870.0	12-08-67 4-23-68	33.7 33.6	836.3 836.4	5718							
01S/05W-36C04S	875.8	12-01-67 4-17-68	(2) (2)		5100							
01S/05W-36C10S	876.0	12-08-67	(0)		5718	02S/04W-08D04S	960.0	10-04-67 10-18-67 11-08-67 11-29-67 12-13-67 12-27-67 1-09-68 1-23-68 2-06-68 2-20-68 3-05-68 3-19-68 4-02-68 4-16-68 5-22-68 5-31-68 6-03-68 6-10-68 6-26-68 7-08-68	149.0 149.0 148.0 150.0 148.0 141.0 145.0 145.0 146.0 169.0 170.0 144.0 145.0 145.0 146.0 147.0 148.0 149.0(1) 146.0 147.0	811.0 811.0 812.0 810.0 812.0 819.0 815.0 815.0 814.0 791.0 790.0 816.0 815.0 815.0 814.0 813.0 812.0 811.0 814.0 813.0	5204	
01S/05W-36C11S	886.0	12-08-67 4-24-68	66.6 66.4	819.4 819.6	5718							
01S/05W-36L01S	860.0	11-08-67 11-29-67 6-03-68	51.0 49.0 48.0	809.0 811.0 812.0	5204							
02S/04W-05C01S	976.0	10-04-67 11-01-67 12-02-67 1-03-68 2-07-68 3-13-68 4-03-68 5-08-68 6-19-68 7-03-68 8-22-68 9-04-68	160.6 159.3 160.9 157.2 154.3 152.8 153.4 156.0 155.4 155.8 151.7 159.6	815.4 816.7 815.1 818.8 821.7 823.2 822.6 820.0 820.6 820.2 824.3 816.4	3847							
02S/04W-05F01S	983.5	12-07-67 4-22-68	167.5 162.0	816.0 821.5	5718							
02S/04W-05N01S	946.0	10-09-67 11-07-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 5-07-68 6-11-68	142.7(1) 147.9(1) 132.9 131.0 137.9(1) 129.2 134.8(1) 140.5(1) 141.9(1)	803.3 798.1 813.1 815.0 808.1 816.8 811.2 805.5 804.1	5783	02S/04W-08E01S	987.0	10-04-67 10-18-67 11-08-67 11-29-67 12-13-67 12-27-67 1-09-68 1-23-68 2-06-68 2-20-68 3-05-68 3-19-68 4-02-68 4-16-68	171.0 171.0 172.0 173.0 172.0 169.0 168.0 169.0 169.0 168.0 169.0 170.0 169.0 170.0	816.0 816.0 815.0 814.0 815.0 818.0 819.0 818.0 818.0 818.0 817.0 818.0 817.0	5204	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/04W-08E01S (CONT.)	987.0	5-22-68 5-31-68 6-03-68 6-10-68 6-26-68 7-08-68	169.0 169.0 169.0 174.0(1) 171.0 169.0	818.0 818.0 818.0 813.0 816.0 818.0	5204	02S/05W-01J04S (CONT.)	845.0	1-06-68 2-10-68 3-09-68 5-11-68 6-15-68 7-06-68 8-10-68 9-07-68	39.5 38.6 38.7 39.2 38.9 40.5 40.9 40.6(1)	805.5 806.4 806.3 805.8 806.1 804.5 804.1 804.4	5713
02S/04W-08M01S	1000.0	10-09-67 11-07-67 12-07-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-23-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	186.4 186.8 185.0 185.2 183.5 183.0 182.7 182.3 181.3(2) 181.8 183.3 183.9 192.4(1) 184.7	813.6 813.2 815.0 814.8 816.5 817.0 817.3 817.7 818.7 818.2 816.7 816.1 807.6 815.3	5783 5718 5783 5718 5783	02S/05W-02C01S	936.2	12-08-67 4-23-68	129.7 128.0	806.5 808.2	5718
02S/04W-08M02S	983.0	10-09-67 11-07-67 12-07-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-23-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	175.8(1) 177.0(1) 169.0 168.5 167.2 171.3(1) 166.2 172.8(1) (1) 171.6(1) 172.1(1) 172.0(1) 172.2(1) 173.8(1)	807.2 806.0 814.0 814.5 815.8 811.7 816.8 810.2 811.4 810.9 811.0 810.8 809.2	5783 5718 5783 5718 5783	02S/05W-02E01S	953.5	12-16-67 4-06-68	153.8 152.4	799.7 801.1	5718
02S/04W-18E01S	907.9	11-14-67 12-22-67 3-25-68 5-02-68	111.9 110.4 107.7 107.0	796.0 797.5 800.2 800.9	4103 5718 4103 5718	02S/05W-02E03S	917.6	12-16-67	119.2	798.4	5718
02S/04W-19A01S	994.0	12-19-67 5-02-68	186.6 187.0	807.4 807.0	5718	02S/05W-02F01S	955.2	10-14-67 11-04-67 12-16-67 1-06-68 2-10-68 3-09-68 4-06-68 5-11-68 6-15-68 7-06-68 8-10-68 9-07-68	159.8 (1) 158.6 157.1 157.1 157.0 (1) 159.6 160.1 (1) (1)	795.4 796.6 798.1 798.1 798.2 795.6 795.1	5713
02S/04W-19E01S	938.5	12-22-67 5-02-68	140.7 137.8	797.8 800.7	5718	02S/05W-02F02S	897.8	12-16-67	99.9	797.9	5718
02S/04W-19J01S	1020.0	10-04-67 10-18-67 11-08-67 11-29-67 12-13-67 12-27-67 1-09-68 1-23-68 2-06-68 2-20-68 3-05-68 3-19-68 4-02-68 5-22-68 6-03-68	210.5 208.5 209.5 210.5 206.5 208.5 210.5 207.5 207.5 198.5 192.5 192.5 206.5 210.5 211.5	809.5 811.5 810.5 809.5 813.5 811.5 809.5 812.5 812.5 821.5 827.5 827.5 813.5 809.5 808.5	5204	02S/05W-02L01S	896.2	12-16-67 4-06-68	99.8 98.8	796.4 797.4	5718
02S/04W-19J02S	1027.0	12-22-67 5-03-68	207.6 205.1	819.4 821.9	5718	02S/05W-02L02S	909.0	10-14-67 11-04-67 12-16-67 12-16-67 1-06-68 2-10-68 3-09-68 4-06-68 4-06-68 5-11-68 6-15-68 7-06-68 8-10-68 9-07-68	115.5 116.9 113.6 114.1 112.5 112.9 112.5 112.5 113.0 113.5 115.2 115.5 118.4 118.1	793.5 792.1 795.4 794.9 796.5 796.1 796.5 796.5 796.0 795.5 793.8 793.5 790.6 790.9	5713
02S/04W-19N02S	955.5	12-22-67 5-02-68	153.7 150.8	801.8 804.7	5718	02S/05W-02L03S	902.0	10-14-67 6-15-68	108.3 (1)	793.7	5713
02S/04W-19P01S	997.7	12-19-67 5-02-68	190.7 188.9	807.0 808.8	5718	02S/05W-02L04S	904.6	12-16-67 4-06-68	115.2 114.5	789.4 790.1	5718
02S/04W-29M01S	1050.0	12-22-67 5-03-68	60.5 61.7	989.5 988.3	5718	02S/05W-02M01S	905.8	12-16-67 4-06-68	108.1 49.2	797.7 856.6	5718
02S/04W-33R02S	1496.0	11-01-67 3-29-68	(1) 37.3	 1458.7	4103	02S/05W-02M05S	894.1	12-16-67 4-06-68	95.2 117.3	798.9 776.8	5718
02S/05W-01G01S	854.6	11-08-67 11-29-67	38.0 38.0	816.6 816.6	5204	02S/05W-02M06S	926.7	12-16-67 4-06-68	130.2 130.3	796.5 796.4	5718
02S/05W-01G02S	844.0	11-08-67 11-29-67 6-03-68	46.0 45.0 40.0	798.0 799.0 804.0	5204	02S/05W-02M07S	826.0	10-06-67 10-13-67 10-20-67 10-27-67 1-05-68 1-12-68 1-22-68 1-26-68 4-05-68 4-12-68 4-19-68 9-06-68 9-13-68 9-20-68 9-27-68	44.7(1) 45.1(1) 46.0(1) 46.2(1) 31.7 42.1(1) 42.4(1) 42.6(1) 41.4(1) 41.6(1) 42.1(1) 44.1(1) 45.0(1) 45.1(1) 45.5(1)	781.3 780.9 780.0 779.8 794.3 783.9 783.6 783.4 784.6 784.4 783.9 781.9 781.0 780.9 780.5	5720
02S/05W-01J01S	842.8	4-23-68	128.3	714.5	5718	02S/05W-02R01S	823.0	10-06-67 10-13-67 10-20-67 10-27-67 1-05-68 1-12-68 1-22-68 1-26-68 4-05-68 4-12-68 4-19-68 9-06-68 9-13-68 9-20-68 9-27-68	45.6(1) 46.3(1) 47.0(1) 47.4(1) 29.9 42.2(1) 42.2(1) 43.0(1) 42.1(1) 42.5(1) 42.9(1) 46.5(1) 46.7(1) 46.7(1) 46.5(1)	777.4 776.7 776.0 775.6 793.1 780.8 780.8 780.0 780.9 780.5 780.1 776.5 776.3 776.3 776.5	5720
02S/05W-01J02S	843.0	12-16-67 4-06-68	42.4 (1)	800.6	5718	02S/05W-02R02S	823.0	10-06-67 10-13-67	45.2(1) 45.3(1)	777.8 777.7	5720
02S/05W-01J03S	845.0	11-08-67 11-29-67 6-03-68	44.0 44.0 44.0	801.0 801.0 801.0	5204						
02S/05W-01J04S	845.0	10-14-67 11-04-67 12-16-67	40.2 42.5 40.9	804.8 802.5 804.1	5713						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/05W-02R02S (CONT.)	823.0	10-20-67	46.5(1)	776.5	5720	02S/05W-12A01S (CONT.)	836.8	1-09-68	38.4	798.4	5204
		10-27-67	46.9(1)	776.1				1-23-68	38.4	798.4	
		1-05-68	34.6	788.4				2-06-68	39.4	797.4	
		1-12-68	37.8	785.2				2-20-68	37.4	799.4	
		1-22-68	36.8	786.2				3-05-68	76.4(1)	760.4	
		1-26-68	38.0	785.0				3-19-68	34.4	802.4	
		4-05-68	42.3(1)	780.7				4-02-68	37.4	799.4	
		4-12-68	42.7(1)	780.3				4-16-68	38.4	798.4	
		4-19-68	42.4(1)	780.6				5-22-68	42.4	794.4	
		9-06-68	45.7(1)	777.3				5-31-68	40.4	796.4	
		9-13-68	46.0(1)	777.0				6-03-68	68.4(1)	768.4	
		9-20-68	46.1(1)	776.9				6-10-68	75.4(1)	761.4	
		9-27-68	45.8(1)	777.2				6-26-68	78.4	758.4	
								7-15-68	45.4(1)	791.4	
								7-30-68	40.4	796.4	
02S/05W-02R03S	826.6	10-06-67	41.1(1)	785.5	5720	02S/05W-12B01S	833.8	10-04-67	38.2	795.6	5204
		10-13-67	40.9(1)	785.7				10-18-67	40.2	793.6	
		10-20-67	42.1(1)	784.5				11-08-67	37.2	796.6	
		10-27-67	42.7(1)	783.9				11-29-67	34.2	799.6	
		1-05-68	28.0	798.6				12-27-67	33.2	800.6	
		1-12-68	39.4(1)	787.2				1-09-68	32.2	801.6	
		1-22-68	38.7(1)	787.9				1-23-68	33.2	800.6	
		1-26-68	39.3(1)	787.3				2-06-68	34.2	799.6	
		4-05-68	37.3(1)	789.3				2-20-68	31.2	802.6	
		4-12-68	38.3(1)	788.3				3-05-68	53.2(1)	780.6	
		4-19-68	39.8(1)	786.8				3-19-68	33.2	800.6	
		9-06-68	41.8(1)	784.8				4-02-68	32.2	801.6	
		9-13-68	42.0(1)	784.6				4-16-68	33.2	800.6	
		9-20-68	42.0(1)	784.6				5-13-68	37.2	796.6	
		9-27-68	41.8(1)	784.8				5-22-68	46.2(1)	785.6	
02S/05W-03A01S	953.4	12-08-67	149.4	804.0	5718			5-24-68	48.2	785.6	
		4-23-68	150.0	803.4				5-31-68	38.2	795.6	
02S/05W-03G02S	904.4	12-16-67	96.8	807.6	5718			6-03-68	50.2(1)	783.6	
		4-06-68	138.3	766.1				6-10-68	42.2	791.6	
02S/05W-05R02S	939.8	12-11-67	227.6	712.2	5718			6-26-68	41.2	792.6	
02S/05W-08G01S	903.0	12-12-67	204.7	698.3	5718			7-15-68	40.2	793.6	
		4-25-68	203.7(4)	699.3				7-30-68	36.2	797.6	
02S/05W-08G04S	903.7	12-12-67	206.3	697.4	5718	02S/05W-12J01S	849.2	11-14-67	57.8	791.4	4103
		4-25-68	213.7	690.0				12-05-67	56.8	792.4	
02S/05W-08K02S	892.6	12-12-67	188.4(4)	704.2	5718			12-16-67	56.4	792.8	5718
		4-25-68	185.8(4)	706.8				1-02-68	54.9	794.3	4103
02S/05W-10G01S	849.8	10-14-67	(1)		5713			2-01-68	53.1	796.1	
		11-04-67	61.8	788.0				3-01-68	52.8	796.4	
		12-01-67	62.5	787.3	5100			3-25-68	52.6	796.6	
		12-16-67	62.6	787.2	5713			4-06-68	51.8	797.4	5718
		12-16-67	62.6	787.2	5718			5-06-68	53.4	795.8	4103
		1-06-68	61.9	787.9	5713			6-05-68	54.6	794.6	
		2-10-68	(1)					7-02-68	55.0	794.2	
		3-09-68	61.8	788.0				8-01-68	55.0	794.2	
		4-06-68	62.2	787.6				9-04-68	54.6	794.6	
		4-06-68	62.2	787.6	5718	02S/05W-12K02S	836.2	10-04-67	80.0	756.2	5204
		4-17-68	62.2	787.6	5100			10-18-67	76.0	760.2	
		5-11-68	62.8	787.0	5713			11-08-67	41.0	795.2	
		6-15-68	63.2	786.6				11-29-67	42.0	794.2	
		7-06-68	63.5	786.3				12-13-67	41.0	795.2	
		8-10-68	64.1	785.7				12-27-67	37.0	799.2	
		9-07-68	64.8	785.0				1-09-68	37.0	799.2	
02S/05W-10G07S	842.0	11-27-67	61.3	780.7	5718			1-23-68	36.0	800.2	
		4-29-68	60.8	781.2				2-06-68	37.0	799.2	
02S/05W-10L05S	867.7	11-25-67	87.6(4)	780.1	5718			2-20-68	36.0	800.2	
		4-24-68	95.4(4)	772.3				3-05-68	82.0	754.2	
02S/05W-10P01S	857.5	12-12-67	84.0	773.5	5718			3-19-68	34.0	802.2	
		4-25-68	83.7(4)	773.8				4-02-68	36.0	800.2	
02S/05W-11A01S	824.8	10-06-67	34.6	790.2	5720			5-22-68	41.0	795.2	
		10-13-67	35.2	789.6				5-31-68	39.0	797.2	
		10-20-67	35.2	789.6				5-31-68	71.0	765.2	
		1-05-68	28.2	796.6				6-03-68	71.0(1)	765.2	
		1-12-68	31.2	793.6				6-10-68	81.0	755.2	
		1-22-68	31.8	793.0				6-26-68	78.0	758.2	
		1-26-68	32.2	792.6				7-15-68	84.0	752.2	
		4-05-68	31.3	793.5				7-30-68	40.0	796.2	
		4-12-68	31.3	793.5							
		4-19-68	32.0	792.8							
		9-06-68	35.8	789.0							
		9-13-68	35.9	788.9							
		9-20-68	35.5	789.3							
		9-27-68	35.5	789.3							
02S/05W-11K02S	814.8	11-25-67	26.6	788.2	5718	02S/05W-12P01S	823.2	10-04-67	128.7(1)	694.5	5204
		12-16-67	26.1	788.7				10-18-67	39.7	783.5	
		4-06-68	24.1	790.7				11-08-67	36.7	786.5	
		4-24-68	25.2	789.6				11-29-67	37.7	785.5	
02S/05W-12A01S	836.8	10-04-67	76.4(1)	760.4	5204			12-13-67	37.7	785.5	
		10-18-67	72.4(1)	764.4				12-27-67	36.7	786.5	
		11-08-67	42.4	794.4				1-09-68	29.7	793.5	
		11-29-67	42.4	794.4				1-23-68	32.7	790.5	
		12-27-67	39.4	797.4				2-06-68	33.7	789.5	
								2-20-68	32.7	790.5	
								3-05-68	41.7	781.5	
								3-19-68	30.7	792.5	
								4-02-68	30.7	792.5	
								5-22-68	47.7(1)	775.5	
								5-31-68	38.7	784.5	
								6-03-68	37.7	785.5	
								6-10-68	39.7	783.5	
								6-26-68	41.7	781.5	
								7-15-68	43.7	779.5	
								7-30-68	37.7	785.5	
						02S/05W-12P02S	818.0	11-08-67	49.5	768.5	5204
								11-29-67	49.5(1)	768.5	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80		
RIVERSIDE HYDRO SUBAREA			Y-01.87			RIVERSIDE HYDRO SUBAREA			Y-01.87		
02S/05W-12P02S (CONT.)	818.0	6-03-68	44.5	773.5	5204	02S/05W-23F01S (CONT.)	843.8	1-03-68	76.5	767.3	4103
								2-01-68	75.6	768.2	4103
02S/05W-14D01S	800.0	11-17-67	19.0	781.0	4103			3-01-68	74.8	769.0	
		12-05-67	18.2	781.8				3-25-68	74.3	769.5	
		1-02-68	17.9	782.1				5-03-68	74.0	769.8	5718
		2-01-68	17.8	782.2				5-06-68	73.9	769.9	4103
		3-01-68	18.1	781.9				6-06-68	74.8	769.0	
		3-25-68	17.6	782.4				7-02-68	75.7	768.1	
		5-06-68	17.1	782.9				8-01-68	77.3	766.5	
		6-06-68	17.7	782.3				9-04-68	78.6	765.2	
		7-02-68	18.0	782.0		02S/05W-23J01S	869.4	10-04-67	100.0	769.4	5204
		8-01-68	18.7	781.3				10-18-67	100.0	769.4	
		9-04-68	20.3	779.7				11-08-67	100.0	769.4	
		9-30-68	20.6	779.4				11-29-67	99.0	770.4	
02S/05W-14E01S	770.0	11-08-67	49.0(1)	721.0	5204			12-13-67	99.0	770.4	
		11-29-67	15.0	755.0				12-27-67	100.0	769.4	
		6-03-68	15.0	755.0				1-09-68	97.0	772.4	
02S/05W-14G01S	790.0	11-14-67	19.7	770.3	4103			1-23-68	99.0	770.4	
		3-25-68	17.3	772.7				2-06-68	99.0	770.4	
02S/05W-15M01S	775.1	12-12-67	14.1	761.0	5718			2-20-68	95.0	774.4	
		4-25-68	13.9(4)	761.2				3-05-68	95.0	774.4	
02S/05W-16E06S	790.8	12-12-67	46.1	744.7	5718			3-19-68	96.0	773.4	
		4-25-68	46.7(4)	744.1				4-02-68	96.0	773.4	
02S/05W-16G04S	774.1	12-12-67	16.0	758.1	5718			4-16-68	95.0	774.4	
		4-25-68	15.4(4)	758.7				5-22-68	95.0	774.4	
02S/05W-16R01S	767.5	11-25-67	10.2(4)	757.3	5718			5-31-68	99.0	770.4	
		4-29-68	10.5(4)	757.0				6-03-68	100.0	769.4	
02S/05W-17A01S	820.0	11-10-67	82.3	737.7	4103	02S/05W-23Q01S	854.9	6-10-68	109.0(1)	760.4	
		12-05-67	81.8	738.2				6-26-68	101.0	768.4	
		1-03-68	81.2	738.8				7-15-68	101.0	768.4	
		2-01-68	80.6	739.4				7-30-68	101.0	768.4	
		3-01-68	80.0	740.0				11-29-67	86.4	768.5	5720
		3-28-68	79.7	740.3				12-13-67	87.4	767.5	
		5-06-68	79.8	740.2				12-27-67	86.4	768.5	
		6-05-68	79.4	740.6				1-09-68	85.4	769.5	
		7-02-68	80.0	740.0				1-23-68	87.4	767.5	
		8-01-68	80.2	739.8				2-06-68	85.4	769.5	
		9-04-68	80.4	739.6				2-20-68	82.4	772.5	
02S/05W-17A02S	825.0	4-29-68	87.3	737.7	5718			3-05-68	83.4	771.5	
02S/05W-17K01S	809.0	12-15-67	67.3	741.7	5718			3-19-68	83.4	771.5	
		4-29-68	65.4	743.6				4-02-68	82.4	772.5	
02S/05W-17L01S	853.0	12-21-67	53.6	799.4	5718			4-16-68	83.4	771.5	
		4-29-68	59.1	793.9				5-10-68	86.8	768.1	
02S/05W-20A02S	752.0	11-14-67	10.3	741.7	4103			5-17-68	96.6(1)	758.3	
		12-05-67	9.9	742.1		02S/05W-23Q01S	854.9	5-22-68	87.4	767.5	
		1-03-68	9.6	742.4				5-24-68	97.4(1)	757.5	
		2-01-68	8.9	743.1				5-31-68	96.4(1)	758.5	
		3-01-68	9.2	742.8				6-03-68	97.4(1)	757.5	
		3-28-68	9.3	742.7				6-07-68	87.5	767.4	
		5-06-68	9.4	742.6				6-10-68	97.4(1)	757.5	
		6-05-68	8.9	743.1				6-14-68	100.4(1)	754.5	
		7-02-68	9.1	742.9				6-21-68	100.5(1)	754.4	
		8-01-68	9.2	742.8				6-26-68	103.4(1)	751.5	
		9-04-68	8.9	743.1				6-28-68	99.6(1)	755.3	
02S/05W-20J02S	740.0	12-13-67	6.8(4)	733.2	5718	02S/05W-25A01S	948.4	7-05-68	100.1(1)	754.8	
		4-29-68	4.8(4)	735.2				7-12-68	99.8(1)	755.1	
02S/05W-20J03S	735.7	12-15-67	2.1	733.6	5718			7-15-68	88.4	766.5	
		5-03-68	2.4	733.3				7-19-68	100.9(1)	754.0	
02S/05W-20K01S	767.0	11-14-67	32.7	734.3	4103			7-26-68	100.4(1)	754.5	
		12-15-67	28.5	738.5	5718			7-30-68	89.4	765.5	
		3-29-68	36.0(1)	731.0	4103	02S/05W-25A01S	948.4	11-14-67	(2)		4103
		5-03-68	28.6	738.4	5718			3-25-68	169.3	779.1	
02S/05W-20K03S	768.3	12-15-67	32.1(4)	736.2	5718	02S/05W-25F01S	912.0	10-04-67	135.0	777.0	5204
		4-29-68	29.9(4)	738.4				10-18-67	134.0	778.0	
02S/05W-20R01S	740.0	11-27-67	7.2	732.8	5718			11-08-67	137.0	775.0	
02S/05W-21E01S	747.3	11-25-67	6.2	741.1	5718			11-29-67	140.0	772.0	
		4-29-68	6.4(4)	740.9				12-13-67	139.0	773.0	
02S/05W-22D01S	763.8	11-27-67	7.5	756.3	5718			12-27-67	139.0	773.0	
		4-29-68	6.7	757.1				1-09-68	133.0	779.0	
02S/05W-22R01S	793.6	11-25-67	31.8(4)	761.8	5718			1-23-68	136.0	776.0	
		5-03-68	29.3(4)	764.3				2-06-68	132.0	780.0	
02S/05W-22R02S	795.0	12-13-67	24.8	770.2	5718			2-20-68	128.0	784.0	
		5-03-68	20.0	775.0				3-05-68	132.0	780.0	
02S/05W-23F01S	843.8	11-14-67	78.1	765.7	4103			3-19-68	143.0(1)	769.0	
		12-06-67	76.9	766.9				4-02-68	131.0	781.0	
		12-13-67	79.6	764.2	5718			4-16-68	132.0	780.0	
								5-22-68	135.0	777.0	
								5-24-68	135.0	777.0	
								5-31-68	137.0	775.0	
								6-03-68	137.0	775.0	
								6-26-68	137.0	775.0	
						02S/05W-26E02S	820.0	10-04-67	50.3	769.7	3847
								11-01-67	49.6	770.4	
								12-02-67	48.5	771.5	
								1-03-68	46.5	773.5	
								2-07-68	46.4	773.6	
								3-06-68	46.4	773.6	
								4-03-68	45.2	774.8	
								5-01-68	46.5	773.5	
								6-12-68	48.1	771.9	
								7-03-68	48.6	771.4	
								8-07-68	74.0(1)	746.0	
								9-26-68	51.7	768.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
MIDDLE SANTA ANA RIV HYDR SUBUNIT			Y-01.80			LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0		
RIVERSIDE HYDRO SUBAREA			Y-01.87			COLDWATER HYDRO SUBAREA			Y-01.C1		
02S/05W-26F01S	810.0	10-04-67	50.2	759.8	3847	05S/06W-02P01S	1110.3	10-07-67	119.4	990.9	5717
		11-01-67	48.3	761.7				11-04-67	118.0	992.3	
		12-02-67	47.0	763.0				12-16-67	116.4	993.9	
		1-03-68	45.1	764.9				1-13-68	115.0	994.5	
		2-07-68	45.0	765.0				2-10-68	115.1	995.2	
		3-06-68	44.4	765.6				3-23-68	114.3	996.0	
		4-03-68	43.3	766.7				4-13-68	114.1	996.2	
		5-01-68	45.3	764.7				5-18-68	113.8	996.5	
		6-12-68	46.4	763.6				6-15-68	113.8	996.5	
		7-03-68	47.2	762.8				7-13-68	113.8	996.5	
		8-07-68	50.3	759.7				8-10-68	114.0	996.3	
		9-04-68	51.3	758.7				9-21-68	114.6	995.7	
02S/05W-26M01S	820.0	10-04-67	51.6	768.4	3847	05S/06W-03C01S	1121.0	10-07-67	129.5	991.5	5717
		11-01-67	50.7	769.3				11-04-67	132.2	988.8	
		12-02-67	48.1	771.9				12-16-67	132.1	988.9	
		1-03-68	47.0	773.0				1-13-68	131.8	989.2	
		2-07-68	46.5	773.5				2-10-68	94.9(3)	1026.1	
		3-06-68	46.6	773.4				3-23-68	124.8	996.2	
		4-03-68	45.0	775.0				4-13-68	132.8	988.2	
		5-01-68	45.9	774.1				5-18-68	127.9	993.1	
		6-12-68	48.8	771.2				6-15-68	136.3	984.7	
		7-17-68	49.2	770.8				7-13-68	243.7(6)	877.3	
		8-22-68	54.1	765.9				8-10-68	149.9	971.1	
		9-04-68	53.6	766.4				9-21-68	161.2	959.8	
02S/05W-26R01S	855.0	12-22-67	85.7	769.3	5718	05S/06W-03G01S	1100.0	10-07-67	111.7	988.3	5717
		5-03-68	83.3	771.7				11-04-67	114.4	985.6	
02S/05W-29D02S	745.0	11-04-67	17.7	727.3	5713			12-16-67	114.1	985.9	
		1-06-68	14.8	730.2				1-13-68	113.7	986.3	
		3-09-68	13.0	732.0				2-10-68	112.1	987.9	
		5-11-68	13.0	732.0				3-23-68	114.0	986.0	
		7-06-68	14.2	730.8				4-13-68	115.5	984.5	
		9-07-68	15.8	729.2				5-18-68	118.8	981.2	
02S/05W-29D10S	745.0	11-04-67	13.1	731.9	5713			6-15-68	120.8	979.2	
		1-06-68	(1)					7-13-68	128.9	971.1	
		3-09-68	(1)					8-10-68	135.4	964.6	
		5-11-68	(1)					9-21-68	144.7	955.3	
		7-06-68	13.9	731.1		05S/06W-03J04S	1115.0	10-08-67	161.4	953.6	5272
		9-07-68	15.0	730.0				11-05-67	152.5	962.5	
02S/05W-29E02S	719.4	11-14-67	6.0	713.4	4103			12-03-67	148.8	966.2	
		11-14-67	5.9	713.5	5718			1-07-68	148.5	966.5	
		12-05-67	5.8	713.6	4103			2-04-68	149.0	966.0	
		1-03-68	6.0	713.4				3-03-68	153.9(1)	961.1	
		2-01-68	5.9	713.5				4-07-68	151.7(1)	963.3	
		3-01-68	5.9	713.5				5-05-68	152.4	962.6	
		3-29-68	5.8	713.6				6-02-68	156.4	958.6	
		4-29-68	5.9	713.5	5718			7-07-68	164.6	950.4	
		5-06-68	6.1	713.3	4103			8-04-68	170.9	944.1	
		6-05-68	6.4	713.0				9-01-68	181.2(1)	933.8	
		7-02-68	6.5	712.9		05S/06W-03K01S	1122.0	10-08-67	146.5	975.5	5272
		8-01-68	6.4	713.0				11-05-67	166.6	955.4	
		9-04-68	6.4	713.0				12-03-67	164.5	957.5	
02S/05W-29E06S	738.3	11-27-67	24.2	714.1	5718			1-07-68	163.7	958.3	
		4-29-68	23.5(4)	714.8				2-04-68	164.3	957.7	
02S/05W-32A01S	783.0	12-22-67	49.9	733.1	5718			3-03-68	166.5	955.5	
		5-03-68	50.0(4)	733.0				4-07-68	163.9	958.1	
02S/05W-32B01S	780.1	12-22-67	47.5	732.6	5718			5-05-68	168.8(1)	953.2	
		5-01-68	51.5	728.6				6-02-68	174.2(1)	947.8	
02S/05W-32K01S	777.5	11-14-67	38.7	738.8	4103			7-07-68	183.1(1)	938.9	
		12-11-67	38.6	738.9				8-04-68	191.0(1)	931.0	
		12-18-67	37.8	739.7	5710			9-01-68	193.0	929.0	
		1-02-68	38.5	739.0	4103	05S/06W-03Q01S	1285.0	10-07-67	185.6(1)	1099.4	5717
		2-02-68	38.5	739.0				10-08-67	186.7(1)	1098.3	5272
		3-04-68	(1)					11-04-67	190.9(1)	1094.1	5717
		3-25-68	38.4	739.1				11-05-67	191.2(1)	1093.8	5272
		5-02-68	37.6	739.9	5718			12-03-67	190.0(1)	1095.0	
		5-07-68	38.5	739.0	4103			1-07-68	189.6(1)	1095.4	
		6-06-68	38.3	739.2				2-04-68	190.0(1)	1095.0	
		7-05-68	(1)					3-03-68	192.0(1)	1093.0	
		8-02-68	38.5	739.0				4-07-68	190.0(1)	1095.0	
		9-06-68	38.7	738.8				5-05-68	193.7(1)	1091.3	
02S/05W-36A01S	915.0	11-14-67	60.5	854.5	4103			6-02-68	197.1(1)	1087.9	
		3-25-68	59.1	855.9				7-07-68	205.5(1)	1079.5	
02S/06W-13F03S	770.0	12-15-67	48.4	721.6	5718			8-04-68	211.5(1)	1073.5	
		4-30-68	40.8	729.2				9-01-68	219.8(1)	1065.2	
						BEDFORD HYDRO SUBAREA					
						Y-01.C2					
						04S/06W-16C01S	781.0	10-08-67	28.4	752.6	5272
								11-05-67	37.2(1)	743.8	
								12-03-67	22.8	758.2	
								1-07-68	30.4(1)	750.6	
								2-04-68	30.6(1)	750.4	
								3-03-68	33.2(1)	747.8	
								4-07-68	20.5	760.5	
								5-05-68	36.2(1)	744.8	
								6-02-68	40.0(1)	741.0	
								7-07-68	46.8(1)	734.2	
								8-04-68	60.5(1)	720.5	
								9-01-68	67.0(1)	714.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0			LAKE MATHEWS HYDRO SUBUNIT			Y-01.C0		
BEDFORD HYDRO SUBAREA			Y-01.C2			TERRA COTTA HYDRO SUBAREA			Y-01.C5		
04S/06W-16C02S	790.0	11-04-67	51.6(1)	738.4	5717	05S/04W-31E03S	1275.0	11-06-67	31.7	1243.3	4103
		12-16-67	18.5	771.5				4-05-68	30.5	1244.5	
		1-13-68	17.9	772.1							
		2-10-68	46.8(1)	743.2		05S/04W-31R02S	1300.0	11-03-67	39.2	1260.8	4103
		3-23-68	18.4	771.6				4-04-68	39.6	1260.4	
		4-13-68	45.3	744.7							
		5-18-68	55.5(1)	734.5		05S/05W-36H02S	1256.0	11-06-67	12.5	1243.5	4103
		6-15-68	66.0(1)	724.0				4-05-68	11.0	1245.0	
		7-13-68	61.8(1)	728.2							
		8-10-68	69.0(1)	721.0		05S/05W-36J01S	1260.0	11-06-67	11.3	1248.7	4103
		9-21-68	64.1(1)	725.9				4-05-68	9.7	1250.3	
04S/06W-16F01S	800.0	11-04-67	22.1	777.9	5717	06S/04W-06G01S	1270.0	5-08-68	23.9	1246.1	4103
		12-16-67	15.3	784.7				6-11-68	23.8	1246.2	
		1-13-68	14.8	785.2				7-09-68	23.7	1246.3	
		2-10-68	17.3	782.7				8-06-68	23.9	1246.1	
		3-23-68	15.1	784.9				9-05-68	24.0	1246.0	
		4-13-68	14.1	785.9							
		5-18-68	28.0(1)	772.0							
		6-15-68	37.9(1)	762.1							
		7-13-68	35.3(1)	764.7							
		8-10-68	55.2(1)	744.8							
		9-21-68	63.0(1)	737.0							
04S/06W-35G01S	956.0	10-07-67	30.5	925.5	5717						
		11-04-67	31.9(1)	924.1							
		12-16-67	28.1	927.9							
		1-13-68	27.1	928.9							
		2-10-68	45.3	910.7							
		3-23-68	31.4	924.6							
		4-13-68	52.7	903.3							
		5-18-68	72.0	884.0							
		6-15-68	71.9	884.1							
		7-13-68	39.2	916.8							
		8-10-68	87.2(1)	868.8							
		9-21-68	72.9	883.1							
04S/06W-35G02S	956.0	10-07-67	30.1	925.9	5717						
		11-04-67	31.5	924.5							
		12-16-67	27.7	928.3							
		1-13-68	26.7	929.3							
		2-10-68	45.1(1)	910.9							
		3-23-68	31.0	925.0							
		4-13-68	52.3(1)	903.7							
		5-18-68	71.5(1)	884.5							
		6-15-68	71.6(1)	884.4							
		7-13-68	38.8	917.2							
		8-10-68	71.8	884.2							
		9-21-68	72.9	883.1							
LEE LAKE HYDRO SUBAREA			Y-01.C4								
05S/05W-07C01S	1095.0	10-07-67	26.9(1)	1068.1	5717						
		11-04-67	26.3(1)	1068.7							
		12-16-67	7.3	1087.7							
		1-13-68	5.8	1089.2							
		2-10-68	22.2	1072.8							
		3-23-68	7.0	1088.0							
		4-13-68	21.1(1)	1073.9							
		5-18-68	24.9(1)	1070.1							
		6-15-68	20.4(1)	1074.6							
		7-13-68	29.8(1)	1065.2							
		8-10-68	26.9(1)	1068.1							
		9-21-68	27.1(1)	1067.9							
05S/05W-08N01S	1175.0	10-07-67	77.1(1)	1097.9	5717						
		11-04-67	78.1(1)	1096.9							
		12-16-67	45.3	1129.7							
		1-13-68	42.3	1132.7							
		2-10-68	70.8(1)	1104.2							
		3-23-68	42.0	1133.0							
		4-13-68	70.3(1)	1104.7							
		5-18-68	73.0(1)	1102.0							
		6-15-68	77.1(1)	1097.9							
		7-13-68	79.0(1)	1096.0							
		8-10-68	80.1(1)	1094.9							
		9-21-68	82.1(1)	1092.9							
05S/05W-08P01S	1190.0	10-07-67	85.7(1)	1104.3	5717						
		11-04-67	86.0(1)	1104.0							
		12-16-67	54.4	1135.6							
		1-13-68	51.4	1138.6							
		2-10-68	79.0(1)	1111.0							
		3-23-68	51.0	1139.0							
		4-13-68	78.4(1)	1111.6							
		5-18-68	81.9(1)	1108.1							
		6-15-68	81.5(1)	1108.5							
		7-13-68	81.3(1)	1108.7							
		8-10-68	84.1(1)	1105.9							
		9-21-68	85.9(1)	1104.1							
05S/05W-27P02S	1503.5	6-11-68	45.2(4)	1458.3	4103						
		7-09-68	43.7	1459.8							
		8-06-68	44.7(1)	1458.8							
		9-05-68	43.9	1459.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT			Y-01.D0			COLTON-RIALTO HYDRO SUBUNIT			Y-01.D0		
UPPER LYTLE HYDRO SUBAREA			Y-01.D1			LOWER LYTLE HYDRO SUBAREA			Y-01.D2		
02N/06W-05L015	4775.0	1-03-68 3-01-68 7-02-68 9-02-68	DRY DRY DRY DRY		4706	01N/05W-22C025 (CONT.)	1591.5	8-05-68 9-02-68	287.1(1) 296.3(1)	1304.4 1295.2	4706
02N/06W-21R015	3400.0	10-02-67 11-02-67 12-01-67 1-03-68 2-02-68 3-01-68 4-02-68 5-02-68 6-03-68 7-02-68 8-05-68 9-08-68	46.3 46.5 45.0 45.8 46.3 44.1 45.3 45.3 45.4 45.6 46.0 45.9	3353.7 3353.5 3355.0 3354.2 3353.7 3355.9 3354.7 3354.7 3354.6 3354.4 3354.0 3354.1	4706	01N/05W-22F015	1596.5	10-02-67 11-01-67 12-01-67 1-02-68 2-02-68 3-01-68 4-01-68 5-02-68 6-04-68 7-01-68 8-05-68 9-02-68	166.6(5) 172.8(1) 179.7(1) 212.8(1) 210.4(1) 192.0(1) 196.6(1) 205.8(1) 222.0(1) 231.3(1) 252.1(1) 277.5(1)	1429.9 1423.7 1416.8 1383.7 1386.1 1404.5 1399.9 1390.7 1374.5 1365.2 1344.4 1319.0	4706
02N/06W-26L015	2760.0	10-02-67 11-02-67 12-01-67 1-03-68 2-02-68 3-01-68 4-01-68 5-02-68 6-03-68 7-02-68 8-05-68 9-02-68	16.5 12.1 15.2 15.3 16.3 16.6 15.9 34.1(1) 35.0(1) 34.0(1) 37.9(1) 39.0(1)	2743.5 2747.9 2744.8 2744.7 2743.7 2743.4 2744.1 2725.9 2725.0 2726.0 2722.1 2721.0	4706	01N/05W-22F025	1583.0	10-02-67 11-01-67 12-01-67 1-02-68 2-02-68 3-01-68 4-01-68 5-01-68 6-04-68 7-01-68 8-05-68 9-02-68	223.1(1) 234.6(1) 231.1(1) 220.8(5) 214.3(5) 234.6(1) 243.9(1) 250.8(1) 255.4(1) 280.8(1) 297.0(1) 315.4(1)	1359.9 1348.4 1351.9 1362.2 1368.7 1348.4 1339.1 1332.2 1327.6 1302.2 1286.0 1267.6	4706
LOWER LYTLE HYDRO SUBAREA			Y-01.D2			01N/05W-23P045	1457.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	175.0(1) 175.0(1) 176.0(1) 172.0(1) 169.0(1) 169.0(1) 170.0(1) 175.0(1) 181.0(1) 196.0(1) 164.0(1) 202.0(1)	1282.0 1282.0 1281.0 1285.0 1288.0 1288.0 1287.0 1282.0 1276.0 1261.0 1293.0 1255.0	4124
01N/05W-06G015	2242.5	10-01-67 11-02-67 12-01-67 1-02-68 2-02-68 3-01-68 4-01-68 5-01-68 6-04-68 7-02-68 8-05-68 9-02-68	64.0(5) 66.1(5) 57.5(5) 58.4(5) 66.4(5) 66.1(5) 61.4(1) 73.0(1) 77.6(1) 80.2(1) 82.6(1) 84.1(1)	2178.5 2176.4 2185.0 2184.1 2176.1 2176.4 2181.1 2169.5 2164.9 2162.3 2159.9 2158.4	4706	UPPER COLTON-RIALTO HYDRO SUBAREA			Y-01.D3		
01N/05W-06K025	2153.0	10-02-67 11-02-67 12-01-67 1-02-68 2-02-68 3-01-68 4-01-68 5-01-68 6-03-68 7-02-68 8-05-68 9-02-68	75.2(5) 73.0(5) 75.3(5) 75.2(5) 75.3(5) 75.3(5) 70.6(5) 77.6(5) 86.8(5) 91.5(5) 91.5(5) 93.8(5)	2077.8 2080.0 2077.7 2077.8 2077.7 2077.7 2082.4 2075.4 2066.2 2061.5 2061.5 2059.2	4706	01N/05W-17R015	1850.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	48.0 48.0 49.0 49.0 46.6 49.0 49.0 50.0 57.0 62.0 65.0 76.0	1802.0 1802.0 1801.0 1801.0 1803.4 1801.0 1801.0 1800.0 1793.0 1788.0 1785.0 1774.0	4124
01N/05W-07H015	2065.5	10-02-67 11-02-67 12-01-67 1-02-68 2-02-68 3-01-68 4-01-68 5-01-68 6-03-68 7-01-68 8-05-68 9-02-68	88.9(5) 88.9(5) 91.1(5) 88.9(5) 91.1(5) 95.9(5) 84.3(5) 88.9(5) 95.9(5) 105.0(5) 109.7(5) 112.0(5)	1976.6 1976.6 1974.4 1976.6 1974.4 1969.6 1981.2 1976.6 1969.6 1960.5 1955.8 1953.5	4706	01N/05W-17K015	1854.1	10-00-67 10-02-67 11-00-67 11-02-67 12-00-67 12-01-67 1-00-68 1-02-68 2-02-68 2-05-68 3-05-68 3-07-68 4-00-68 4-01-68 5-00-68 5-01-68 6-04-68 7-00-68 7-01-68 8-00-68 8-05-68 9-00-68 9-03-68	68.4(1) 50.0 71.4(1) 50.1 73.4(1) 49.1 52.4 47.9 70.4(1) 48.3 49.0 72.4(1) 69.4(1) 49.4 76.4(1) 49.9 57.7 92.4(1) 57.7 111.4(1) 58.1 113.4 58.1	1785.7 1804.1 1782.7 1804.0 1780.7 1805.0 1801.7 1806.2 1783.7 1805.8 1805.1 1781.7 1784.7 1804.7 1777.7 1804.2 1796.4 1761.7 1796.4 1742.7 1796.0 1740.7 1796.0	4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706 4124 4706
01N/05W-16K015	1720.0	10-02-67 11-01-67 12-01-67 1-02-68 2-05-68 3-01-68 4-01-68 5-02-68 6-04-68 7-02-68 8-05-68 9-02-68	224.5(5) 231.4(5) 229.1(5) 238.3(5) 240.6(5) 243.0(5) 245.3(5) 291.5(1) 314.6(1) 326.1(1) 333.0(1) 363.1(1)	1495.5 1488.6 1490.9 1481.7 1479.4 1477.0 1474.7 1428.5 1405.4 1393.9 1387.0 1356.9	4706	01N/05W-17K025	1852.6	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	47.5 47.5 49.5 69.5(1) 47.5 50.5 49.5 85.5(1) 56.5 105.5(1) 128.5(1) 118.5(1)	1805.1 1805.1 1803.1 1783.1 1805.1 1802.1 1803.1 1767.1 1796.1 1747.1 1724.1 1734.1	4124
01N/05W-22C025	1591.5	10-02-67 11-01-67 12-01-67 1-02-68 2-02-68 3-01-68 4-03-68 5-01-68 6-04-68 7-01-68	208.5(5) 229.3(1) 238.6(1) 213.2(5) 213.2(5) 231.6(1) 238.6(1) 243.2(1) 261.6(1) 270.9(1)	1383.0 1362.2 1352.9 1378.3 1378.3 1359.9 1352.9 1348.3 1329.9 1320.6	4706	01N/05W-18E025	1895.0	4-19-68	111.4(4)	1783.6	5100

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT						COLTON-RIALTO HYDRO SUBUNIT					
UPPER COLTON-RIALTO HYDRO SUBAREA						COLTON-RIALTO HYDRO SUBAREA					
Y-01.00						Y-01.00					
Y-01.03						Y-01.04					
COLTON-RIALTO HYDRO SUBAREA						COLTON-RIALTO HYDRO SUBAREA					
Y-01.04						Y-01.04					
01S/04W-07C01S	1199.6	11-28-67	207.3	992.3	3230	01S/04W-21J06S	966.0	7-09-68	37.2	928.8	5720
		3-20-68	207.5	992.1		(CONT.)		8-29-68	39.3	926.7	
		4-18-68	208.3	991.3				9-05-68	39.4	926.6	
		4-19-68	203.0	996.6	5100						
01S/04W-18B01S	1135.3	11-01-67	253.0(1)	882.3	4201	01S/04W-21K06S	960.0	10-09-67	40.5	919.5	5720
		11-29-67	252.0(1)	883.3				11-09-67	39.5	920.5	
		1-03-68	252.0	883.3				11-30-67	38.3	921.7	
		2-01-68	151.0(6)	984.3				1-04-68	35.2	924.8	
		3-01-68	250.0(1)	885.3				2-01-68	33.8	926.2	
		4-18-68	254.0	881.3				3-14-68	35.2	924.8	
		8-30-68	254.0(1)	881.3				4-04-68	35.2	924.8	
01S/04W-18E01S	1115.5	9-04-68	241.3	874.2	5100			5-23-68	37.5	922.5	
01S/04W-18F01S	1099.4	11-01-67	223.0(1)	876.4	4201	01S/04W-21K08S	955.0	10-21-67	37.6	917.4	3400
		11-29-67	222.0(1)	877.4				11-18-67	38.2	916.8	
		1-03-68	221.0(1)	878.4				12-02-67	37.1	917.9	
		2-01-68	221.0	878.4				1-04-68	34.3	920.7	
		3-01-68	222.0	877.4				2-07-68	34.6	920.4	
		4-18-68	221.5	877.9				3-02-68	36.4	918.6	
		8-30-68	223.0(1)	876.4				4-10-68	32.9	922.1	
01S/04W-18G01S	1093.5	11-01-67	223.0(1)	870.5	4201			5-04-68	33.4	921.6	
		11-29-67	222.0(1)	871.5				6-18-68	35.1	919.9	
		1-03-68	221.0	872.5				7-25-68	37.2	917.8	
		2-01-68	220.0	873.5				8-21-68	38.7	916.3	
		3-01-68	222.0(1)	871.5							
		4-18-68	221.0	872.5		01S/04W-21K10S	959.0	10-14-67	36.0	923.0	5713
		8-30-68	223.0(1)	870.5				11-04-67	38.1(1)	920.9	
01S/04W-18J02S	1068.0	4-19-68	196.9	871.1	5718			12-16-67	37.2	921.8	
01S/04W-21J01S	962.5	10-09-67	36.9	925.6	5720			1-06-68	35.9	923.1	
		11-09-67	39.2	923.3				2-10-68	35.3	923.7	
		11-30-67	40.5	922.0				3-09-68	36.6	922.4	
		1-04-68	37.8	924.7				4-06-68	35.4	923.6	
		2-01-68	36.7	925.8				5-11-68	34.9(1)	924.1	
		3-14-68	36.4	926.1				6-15-68	36.0(1)	923.0	
		4-04-68	36.7	925.8				7-06-68	37.7	921.3	
		5-23-68	34.3	928.2				8-10-68	40.9(1)	918.1	
		6-06-68	35.7	926.8				9-07-68	42.9(1)	916.1	
		7-09-68	38.1	924.4		01S/04W-21K11S	960.0	10-09-67	61.1	898.9	5720
		8-29-68	42.4	920.1				11-09-67	60.6	899.4	
		9-05-68	42.5	920.0				11-30-67	61.1	898.9	
01S/04W-21J04S	966.0	10-09-67	30.7	935.3	5720			1-04-68	59.0	901.0	
		11-09-67	31.2	934.8				2-01-68	58.6	901.4	
		11-30-67	30.1	935.9				3-14-68	57.4	902.6	
		1-04-68	30.3	935.7				4-04-68	58.0	902.0	
		2-01-68	30.3	935.7				5-23-68	58.9	901.1	
		3-14-68	30.5	935.5				6-06-68	60.2	899.8	
		4-04-68	29.9	936.1				7-09-68	60.1	899.9	
		5-23-68	30.3	935.7				8-29-68	63.9	896.1	
		6-06-68	30.2	935.8				9-05-68	64.1	895.9	
		7-09-68	30.6	935.4		01S/04W-21Q01S	945.5	1-05-68	16.5	929.0	5720
		8-29-68	31.4	934.6				3-14-68	25.1	920.4	
		9-06-68	31.7	934.3				4-13-68	26.5	919.0	
01S/04W-21J05S	968.0	10-09-67	37.7	930.3	5720			5-26-68	27.4	918.1	
		10-14-67	38.0	930.0	5713			6-10-68	23.7	921.8	
		11-04-67	39.2	928.8				7-29-68	25.4	920.1	
		11-09-67	39.1	928.9	5720			8-16-68	33.9	911.6	
		11-30-67	37.3	930.7				9-19-68	34.7	910.8	
		12-16-67	33.7	934.3	5713	01S/04W-21R03S	965.0	12-06-67	26.2	938.8	5718
		1-04-68	33.2	934.8	5720			4-19-68	26.5	938.5	
		1-06-68	33.3	934.7	5713	01S/04W-21R04S	965.0	12-06-67	26.9	938.1	5718
		2-01-68	33.7	934.3	5720			4-19-68	26.1	938.9	
		2-10-68	34.4	933.6	5713	01S/04W-21R05S	965.0	12-06-67	28.6	936.4	5718
		3-09-68	36.8	931.2				4-19-68	27.3	937.7	
		3-14-68	34.1	933.9	5720	01S/04W-21R06S	965.0	12-06-67	29.8	935.2	5718
		4-04-68	29.6	938.4				4-19-68	28.5	936.5	
		4-06-68	30.0	938.0	5713	01S/04W-21R07S	965.0	12-06-67	34.4	930.6	5718
		5-11-68	32.2	935.8				4-19-68	33.9	931.1	
		5-23-68	33.5	934.5	5720	01S/04W-22N03S	975.8	10-09-67	58.8	917.0	5720
		6-06-68	35.2	932.8				11-09-67	61.1	914.7	
		6-15-68	35.2	932.8	5713			11-30-67	60.7	915.1	
		7-06-68	36.9	931.1				1-04-68	56.8	919.0	
		7-09-68	36.4	931.6	5720			2-01-68	57.3	918.5	
		8-10-68	38.9	929.1	5713			3-14-68	54.1	921.7	
		8-29-68	38.3	929.7	5720			4-04-68	56.7	919.1	
		9-06-68	37.6	930.4				5-23-68	57.6	918.2	
		9-07-68	40.2	927.8	5713			6-06-68	58.3	917.5	
01S/04W-21J06S	966.0	10-09-67	36.2	929.8	5720			7-09-68	60.7	915.1	
		11-09-67	37.6	928.4				8-27-68	64.0	911.8	
		11-30-67	36.5	929.5				9-06-68	64.4	911.4	
		1-04-68	32.8	933.2		01S/04W-22N04S	995.0	10-14-67	105.3	889.7	5713
		2-01-68	33.9	932.1				11-04-67	106.0	889.0	
		3-14-68	33.7	932.3				12-16-67	106.1	888.9	
		4-04-68	33.0	933.0				1-06-68	104.8	890.2	
		5-23-68	33.6	932.4				2-10-68	101.6	893.4	
		6-06-68	34.4	931.6				3-09-68	100.5	894.5	
								4-06-68	99.2	895.8	
								5-11-68	99.0	896.0	
								6-15-68	101.1	893.9	
								7-06-68	102.3	892.7	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
COLTON-RIALTO HYDRO SUBUNIT			Y-01.00			COLTON-RIALTO HYDRO SUBUNIT			Y-01.00		
COLTON-RIALTO HYDRO SUBAREA			Y-01.04			COLTON-RIALTO HYDRO SUBAREA			Y-01.04		
01S/04W-22N04S (CONT.)	995.0	8-10-68 9-07-68	104.1 105.6	890.9 889.4	5713	01S/05W-12L01S (CONT.)	1180.0	7-00-68 8-00-68 9-00-68	288.8(1) 287.8(1) 266.8	891.2 892.2 913.2	4124
01S/04W-27L01S	993.0	12-07-67 4-19-68	80.5 (1)	912.5	5718	01S/05W-12N01S	1173.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	269.3(1) 257.3 254.3 253.3 249.3 251.3 250.3 267.3(1) 270.3(1) 255.3 264.3(1) 267.3(1)	903.7 915.7 918.7 919.7 923.7 921.7 922.7 905.7 902.7 917.7 908.7 905.7	4124
01S/04W-27N01S	1015.0	12-05-67	112.6	902.4	5718						
01S/04W-28A05S	960.0	12-05-67 4-19-68	61.0 57.5	899.0 902.5	5718						
01S/04W-28E01S	936.0	10-14-67 11-04-67 12-06-67 12-16-67 1-06-68 2-10-68 4-22-68 6-15-68 7-06-68 8-10-68 9-07-68	34.0 34.6 34.5 33.6 32.5 32.0 35.7 34.3 35.8 36.3 37.4	902.0 901.4 901.5 902.4 903.5 904.0 900.3 901.7 900.2 899.7 898.6	5713 5718 5713 5718 5713						
01S/04W-28G01S	954.0	11-04-67 12-05-67 1-06-68 3-09-68 4-22-68 5-11-68 7-06-68 9-07-68	(1) 56.2 55.0 55.3 (1) 58.0 60.0 (1)	5713 5718 5713 898.7 5718 5713 896.0 894.0		01N/05W-28J01S	1514.2	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	445.0 445.0 445.0 445.0 444.0 444.0 444.0 444.0 444.0 444.0 444.0 444.0	1069.2 1069.2 1069.2 1069.2 1070.2 1070.2 1070.2 1070.2 1070.2 1070.2 1070.2	4124
01S/04W-28K01S	944.5	10-09-67 11-07-67 12-12-67 1-09-68 2-06-68 3-12-68 4-09-68 4-19-68 5-07-68 6-11-68 7-09-68 8-05-68 9-09-68	55.2 57.5 54.4 53.4 53.5 56.4 78.8(1) (1) 58.7 56.3 88.7(1) 57.5 59.1	889.3 887.0 890.1 891.1 891.0 888.1 865.7 885.8 888.2 855.8 887.0 885.4	5783 5718 5783	01N/05W-29A01S	1627.0	10-05-67 11-14-67 1-25-68 3-06-68 7-10-68 8-06-68 9-04-68	484.0 483.5 482.8 482.8 468.0 468.0 468.2	1143.0 1143.5 1144.2 1144.2 1159.0 1159.0 1158.8	5100
01S/04W-28K02S	952.4	11-04-67 12-05-67 4-19-68 5-11-68 9-07-68	(1) 61.0 (1) 62.0 (1)	5713 5718 891.4 890.4 5713		RECHE HYDRO SUBAREA					
01S/05W-02K01S	1287.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68 7-00-68 8-00-68 9-00-68	346.0(1) 346.0(1) 325.0 324.0 345.0(1) 344.0(1) 346.0(1) 346.0(1) 348.0(1) 350.0(1) 350.0(1) 350.0(1)	941.0 941.0 962.0 963.0 942.0 943.0 941.0 941.0 939.0 937.0 937.0 937.0	4124	02S/03W-18D02S	1660.0	11-14-67 4-09-68	42.6 44.3	1617.4 1615.7	4103
01S/05W-05A02S	1407.0	10-03-67 11-02-67 12-01-67 1-02-68 2-03-68 3-05-68 4-01-68 5-01-68 6-04-68 7-01-68 8-05-68 9-03-68	352.9(5) 352.9(5) 355.1(5) 343.6(5) 338.9(5) 336.7(5) 334.4(5) 338.9(5) 343.6(5) 357.5(5) 357.5(5) 358.6(5)	1054.1 1054.1 1051.9 1063.4 1068.1 1070.3 1072.6 1068.1 1063.4 1049.5 1049.5 1048.4	4706	02S/03W-18K01S	1900.0	11-14-67 4-09-68	78.1 84.0(4)	1821.9 1816.0	4103
01S/05W-05A03S	1406.0	10-03-67 11-02-67 12-01-67 1-02-68 2-08-68 5-01-68 6-04-68 7-01-68 8-05-68 9-03-68	371.0(5) 371.0(5) 376.4(1) 334.8(5) 334.8(5) 318.7(5) 316.4(5) 385.4(1) 346.1(5) 387.7(1)	1035.0 1035.0 1029.6 1071.2 1071.2 1087.3 1089.6 1020.6 1059.9 1018.3	4706	02S/03W-20D01S	2000.0	11-14-67 4-09-68	50.0 48.1	1950.0 1951.9	4103
01S/05W-12L01S	1180.0	10-00-67 11-00-67 12-00-67 1-00-68 2-02-68 3-07-68 4-00-68 5-00-68 6-00-68	265.8 283.8(1) 264.8 262.8 279.8(1) 261.8 261.8 262.8 286.8(1)	914.2 896.2 915.2 917.2 900.2 918.2 918.2 917.2 893.2	4124	02S/04W-12P02S	1502.0	11-14-67 4-09-68	(1) 75.9	1426.1	4103

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0		Y-01.E2	UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0		Y-01.E2
01S/03W-01H01S	1541.3	10-14-67	240.7(4)	1300.6	3400	01S/03W-06H04S (CONT.)	1148.6	5-31-68	178.5(1)	970.1	4104
		11-11-67	250.8(1)	1290.5				6-28-68	178.0(1)	970.6	
		11-29-67	240.9	1300.4				7-30-68	179.0(1)	969.6	
		1-04-68	241.0	1300.3				8-30-68	183.0(1)	965.6	
		2-06-68	240.1	1301.2				9-30-68	185.0(1)	963.6	
		3-09-68	239.0	1302.3		01S/03W-06K01S	1132.0	10-25-67	175.8	956.2	4104
		4-10-68	236.1	1305.2				11-29-67	176.0	956.0	
		5-18-68	246.7(1)	1294.6				1-29-68	170.2	961.8	
		6-19-68	241.5	1299.8				2-29-68	161.0	971.0	
		7-24-68	252.9(1)	1288.4				3-28-68	160.5	971.5	
		8-21-68	247.3	1294.0				4-26-68	161.0	971.0	
01S/03W-02J01S	1397.0	10-14-67	160.7	1236.3	3400			5-31-68	160.0	972.0	
		11-11-67	160.9	1236.1				6-28-68	160.2	971.8	
		11-29-67	159.3	1237.7				7-30-68	161.0	971.0	
		1-04-68	158.6	1238.4				8-30-68	164.0	968.0	
		2-06-68	157.6	1239.4				9-30-68	167.0	965.0	
		3-09-68	156.9	1240.1		01S/03W-09E02S	1190.0	6-19-68	202.7(1)	987.3	3400
		4-10-68	155.8	1241.2				7-24-68	190.5	999.5	
		5-18-68	154.4	1242.6				8-21-68	192.5(1)	997.5	
		6-20-68	182.9(1)	1214.1		01S/03W-10D01S	1255.0	10-14-67	212.2(1)	1042.8	3400
		7-24-68	161.1	1235.9				10-31-67	252.5(1)	1002.5	4104
		8-21-68	189.4(1)	1207.6				11-11-67	214.0(1)	1041.0	3400
01S/03W-02P02S	1345.3	4-10-68	186.4	1158.9	3400			11-28-67	252.0(1)	1003.0	4104
		5-18-68	218.5(1)	1126.8				11-29-67	213.3	1041.7	3400
		6-20-68	194.0	1151.3				1-06-68	214.0	1041.0	
		7-24-68	191.0	1154.3				1-31-68	225.0	1030.0	4104
		8-21-68	201.3	1144.0				2-06-68	214.4	1040.6	3400
01S/03W-03D03S	1284.0	10-31-67	263.7	1020.3	4104			2-29-68	223.0	1032.0	4104
		11-28-67	250.0	1034.0				3-09-68	214.7	1040.3	3400
		1-31-68	235.5	1048.5				3-29-68	222.5	1032.5	4104
		2-29-68	225.0	1059.0				4-10-68	216.5(1)	1038.5	3400
		3-29-68	224.0	1060.0				4-26-68	223.0	1032.0	4104
		4-26-68	224.0	1060.0				5-18-68	216.6(1)	1038.4	3400
		5-31-68	223.5	1060.5				5-31-68	219.0	1036.0	4104
		6-28-68	223.0	1061.0				6-20-68	217.4	1037.6	3400
		7-30-68	223.0	1061.0				6-28-68	226.0(1)	1029.0	4104
		8-30-68	226.0	1058.0				7-24-68	220.0(1)	1035.0	3400
		9-30-68	228.0	1056.0				7-30-68	225.0(1)	1030.0	4104
01S/03W-03F01S	1271.9	10-14-67	243.9	1028.0	3400			8-21-68	221.5(1)	1033.5	3400
		11-29-67	219.2	1052.7				8-30-68	227.0(1)	1028.0	4104
		1-04-68	222.5	1049.4		01S/03W-14R01S	1480.0	11-11-67	412.4	1067.6	3400
		2-06-68	222.1	1049.8				11-29-67	315.7	1164.3	
		3-09-68	221.5	1050.4				1-06-68	288.3	1191.7	
		4-10-68	224.1	1047.8				2-06-68	308.0(1)	1172.0	
		5-18-68	224.9	1047.0				3-09-68	281.9	1198.1	
		6-20-68	226.4	1045.5				4-10-68	308.5(1)	1171.5	
		7-24-68	226.1	1045.8				5-18-68	304.7(1)	1175.3	
		8-21-68	229.4	1042.5				6-20-68	307.2(1)	1172.8	
								7-24-68	312.2(1)	1167.8	
01S/03W-03N07S	1241.0	10-31-67	248.5	992.5	4104	01S/03W-15A01S	1315.0	11-11-67	179.2	1135.8	3400
		11-28-67	248.0	993.0				2-06-68	166.3	1148.7	
		1-31-68	231.0	1010.0				5-18-68	164.7	1150.3	
		2-29-68	224.5	1016.5				6-20-68	165.8	1149.2	
		3-29-68	224.0	1017.0				8-21-68	169.0	1146.0	
		4-26-68	225.0	1016.0		01S/03W-15F01S	1280.0	10-14-67	180.2	1099.8	3400
		5-31-68	224.0	1017.0				11-11-67	179.0	1101.0	
		6-28-68	222.0	1019.0				11-29-67	177.4	1102.6	
		7-30-68	222.0	1019.0				1-06-68	167.6	1112.4	
		8-30-68	225.0	1016.0				2-06-68	163.9	1116.1	
		9-30-68	227.0	1014.0				3-09-68	163.0	1117.0	
01S/03W-04J01S	1242.0	10-14-67	211.3(2)	1030.7	3400			5-18-68	161.6	1118.4	
		11-11-67	207.7	1034.3				6-20-68	163.5	1116.5	
		11-29-67	207.5	1034.5				7-24-68	165.8	1114.2	
		1-06-68	214.1(1)	1027.9				8-21-68	167.4	1112.6	
		2-06-68	208.2	1033.8		01S/03W-15M03S	1334.6	10-28-67	268.8(1)	1065.8	3400
		3-09-68	207.8	1034.2				11-11-67	267.3(1)	1067.3	
		4-10-68	213.6	1028.4				11-29-67	240.6	1094.0	
		5-18-68	207.8	1034.2				1-06-68	233.7	1100.9	
		6-20-68	215.0(4)	1027.0				2-06-68	249.5(1)	1085.1	
		7-24-68	217.4(4)	1024.6				3-09-68	227.9	1106.7	
01S/03W-04N01S	1194.0	10-31-67	189.2	1004.8	4104			4-10-68	228.8	1105.8	
		11-27-67	189.0	1005.0				5-18-68	243.8(1)	1090.8	
		1-31-68	185.5	1008.5				6-20-68	245.8(1)	1088.8	
		2-29-68	188.5	1005.5				7-24-68	250.5(1)	1084.1	
		3-28-68	188.0	1006.0				8-01-68	253.0(1)	1081.6	
		4-26-68	189.0	1005.0		01S/03W-16F01S	1257.0	10-07-67	226.8	1030.2	3400
		5-31-68	186.5	1007.5				11-11-67	267.6(1)	989.4	
		6-28-68	185.0	1009.0				11-25-67	227.5	1029.5	
		7-30-68	187.0	1007.0				1-06-68	223.4	1033.6	
		8-30-68	189.0	1005.0				2-06-68	220.1	1036.9	
		9-27-68	191.0	1003.0				3-09-68	219.0	1038.0	
01S/03W-06H03S	1148.6	10-27-67	197.0	951.6	4104			4-10-68	217.1	1039.9	
		11-29-67	196.5	952.1				5-11-68	220.0	1037.0	
01S/03W-06H04S	1148.6	10-27-67	204.0(1)	944.6	4104			6-19-68	260.7(1)	996.3	
		11-29-67	204.0(1)	944.6				7-24-68	224.0	1033.0	
		1-31-68	188.0(1)	960.6				8-10-68	266.5(1)	990.5	
		2-28-68	178.5(1)	970.1		01S/03W-16J01S	1302.9	1-06-68	219.2	1083.7	3400
		3-29-68	178.0(1)	970.6				3-09-68	212.5	1090.4	
		4-26-68	179.0(1)	969.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
015/03W-16J01S (CONT.)	1302.9	4-10-68 6-20-68 7-24-68	210.5 214.1 216.9	1092.4 1088.8 1086.0	3400	015/03W-21H01S (CONT.)	1317.8	11-25-67 11-28-67 12-26-67 12-27-67 1-23-68 2-05-68 2-27-68 3-09-68 3-25-68 4-10-68 4-24-68 5-23-68 6-19-68 6-25-68 7-23-68 7-26-68 8-20-68 8-28-68 9-23-68	247.2 240.7 235.7 241.7 234.7 236.7 226.7 249.2(1) 232.7(1) 238.8 225.7 232.7 232.2 231.7 241.3(2) 235.7 244.6(2) 234.7 236.7	1070.6 1077.1 1082.1 1076.1 1083.1 1081.1 1091.1 1068.6 1085.1 1079.0 1092.1 1085.1 1085.6 1086.1 1076.5 1082.1 1073.2 1083.1 1081.1	3400 5203 3400 5203 3400 5203 3400 5203 3400 5203 3400 3400 5203 3400 5203 3400 5203 5203 5203
015/03W-17C03S	1175.9	10-01-67 11-06-67 12-04-67 1-01-68 2-05-68 3-04-68 4-01-68 5-06-68 6-03-68 7-01-68 8-05-68 9-02-68	187.8 188.9 188.3 188.2 187.4 188.2 188.7 189.0 188.9 189.5 191.1 193.3	988.1 987.0 987.6 987.7 988.5 987.7 987.2 986.9 987.0 986.4 984.8 982.6	5010	015/03W-21H06S	1320.0	10-26-67 11-28-67 12-26-67 1-22-68 2-27-68 3-25-68 4-24-68 5-23-68 6-25-68 7-26-68 8-28-68 9-23-68	247.0 243.0 236.0 235.0 227.0 226.0 227.0 233.0 232.0 235.0 235.0 239.0	1073.0 1077.0 1084.0 1085.0 1093.0 1094.0 1093.0 1087.0 1088.0 1085.0 1085.0 1081.0	5203
015/03W-17H03S	1205.2	10-07-67 11-11-67 11-25-67 1-06-68 2-05-68 3-09-68 4-10-68 5-11-68 6-19-68 7-23-68 8-20-68	219.6 219.4 215.3 209.9 207.7 208.0 209.4 209.4 212.0 220.6(2) 221.2	985.6 985.8 989.9 995.3 997.5 997.2 995.8 995.8 993.2 984.6 984.0	3400	015/03W-21H07S	1319.0	10-27-67 11-28-67 12-26-67 1-23-68 2-27-68 3-25-68 4-24-68 5-23-68 6-25-68 7-26-68 8-28-68 9-23-68	246.0 242.0 236.0 235.0 227.0 226.0 226.0 243.0(1) 245.0(1) 253.0(1) 253.0(1) 262.0(1)	1073.0 1077.0 1083.0 1084.0 1092.0 1093.0 1093.0 1076.0 1074.0 1066.0 1066.0 1057.0	5203
015/03W-17L01S	1188.8	10-21-67 11-18-67 12-02-67 1-04-68 2-07-68 3-09-68 4-11-68 6-19-68 7-25-68 8-22-68	218.8 217.4 208.9 206.5 205.5 207.4 221.0(1) 215.2 232.6(1) 221.7	970.0 971.4 979.9 982.3 983.3 981.4 967.8 973.6 956.2 967.1	3400	015/03W-22A02S	1390.0	10-27-67 11-28-67 12-26-67 1-23-68 2-26-68 3-25-68 4-24-68 5-23-68 6-25-68 7-26-68 8-28-68 9-23-68	284.0(1) 268.0 262.0 259.0 254.0 253.0 265.0(1) 256.0 267.0(1) 270.0(1) 258.0 259.0	1106.0 1122.0 1128.0 1131.0 1136.0 1137.0 1125.0 1134.0 1123.0 1120.0 1132.0 1131.0	5203
015/03W-17R01S	1216.0	10-07-67 11-11-67 11-25-67 1-06-68 2-05-68 3-09-68 4-10-68 5-18-68 8-20-68	193.4(1) 192.0(1) 174.8 164.0 149.5 135.6 151.0(1) 154.0(1) 186.2(1)	1022.6 1024.0 1041.2 1052.0 1066.5 1080.4 1065.0 1062.0 1029.8	3400	015/03W-23A03S	1475.0	10-14-67 2-06-68 3-09-68 4-10-68 5-18-68 6-20-68 7-27-68 8-21-68	301.3 284.0 280.8 280.0 280.6 280.8 284.0 285.2	1173.7 1191.0 1194.2 1195.0 1194.4 1194.2 1191.0 1189.8	3400
015/03W-18L01S	1126.0	10-21-67 11-18-67 12-02-67 1-04-68 2-07-68 3-09-68 4-11-68 6-19-68 7-25-68 8-22-68	185.9(1) 189.9(1) 176.1 172.9 172.3 174.4 181.7(1) 196.3(1) 196.4(1) 198.1(1)	940.1 936.1 949.9 953.1 953.7 951.6 944.3 929.7 929.6 927.9	3400	015/03W-28E02S	1249.0	11-18-67 12-02-67 1-04-68 2-07-68 3-02-68 4-11-68 5-04-68 6-18-68 7-24-68 8-21-68	218.2(1) 198.0 192.7 186.8 185.9 198.6(1) 201.4(1) 186.6 204.9(1) 207.6(1)	1030.8 1051.0 1056.3 1062.2 1063.1 1050.4 1047.6 1062.4 1044.1 1041.4	3400
015/03W-19G02S	1135.2	10-21-67 11-18-67 12-02-67 1-04-68	215.6(1) 216.8(1) 187.8 203.3(1)	919.6 918.4 947.4 931.9	3400	015/03W-28E03S	1250.8	1-04-68 2-07-68 3-02-68 4-11-68 5-04-68 6-18-68 7-24-68 8-21-68	148.1 148.6 148.6 148.6(2) 148.4(2) 148.7 148.6(2) 148.6(2)	1102.7 1102.2 1102.2 1102.2 1102.4 1102.1 1102.2 1102.2	3400
015/03W-19J02S	1160.4	11-18-67 2-07-68 3-09-68 4-11-68	203.0 193.0 190.2 202.6(1)	957.4 967.4 970.2 957.8	3400	015/03W-28H01S	1308.0	10-27-67 11-28-67 12-26-67 1-22-68 2-27-68 3-26-68 4-24-68 5-23-68 6-25-68 7-26-68	268.0(1) 237.0 232.0 222.0 224.0 223.0 246.0(1) 226.0 256.0(1) 258.0(1)	1040.0 1071.0 1076.0 1086.0 1084.0 1085.0 1062.0 1082.0 1052.0 1050.0	5203
015/03W-20F01S	1192.0	8-22-68	211.9	980.1	3400						
015/03W-20P01S	1195.0	11-18-67 12-02-67 1-04-68 2-07-68 3-09-68 4-11-68 6-18-68 7-25-68 8-22-68	238.4 215.7 212.9 212.8 217.1 220.3 245.1(1) 241.8 250.7(1)	956.6 979.3 982.1 982.2 977.9 974.7 949.9 953.2 944.3	3400						
015/03W-21E02S	1240.0	10-07-67 11-11-67 11-25-67 1-06-68 2-05-68 3-09-68 4-10-68 5-11-68 6-19-68 7-23-68 8-20-68	207.8(1) 198.0 194.3 186.0 181.0 179.2 184.6(1) 187.3(1) 190.4(1) 200.9(1) 187.9	1032.2 1042.0 1045.7 1054.0 1059.0 1060.8 1055.4 1052.7 1049.6 1039.1 1052.1	3400						
015/03W-21H01S	1317.8	10-07-67 10-30-67 11-11-67	252.9(2) 243.7 260.9(1)	1064.9 1074.1 1056.9	3400 5203 3400						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/03W-28H01S (CONT.)	1308.0	8-28-68 9-28-68	262.0(1) 251.0(1)	1046.0 1057.0	5203	01S/04W-01E01S (CONT.)	1068.0	2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-28-68 7-12-68 7-19-68 7-30-68	110.0 108.0 160.0(1) 114.0 115.0 164.0(1) 167.0(1) 169.0(1) 172.0(1) 172.0(1) 171.0(1)	958.0 960.0 908.0 954.0 953.0 904.0 901.0 899.0 896.0 896.0 897.0	5204
01S/03W-29G01S	1197.4	10-21-67 11-18-67 12-02-67 1-04-68 2-07-68 3-02-68 4-11-68 5-04-68 6-18-68 7-24-68 8-21-68	99.4 100.4 100.1 99.2 98.2 98.6 98.2 98.6 99.1 99.6 99.8	1098.0 1097.0 1097.3 1098.2 1099.2 1098.8 1099.2 1098.8 1098.3 1097.8 1097.6	3400	01S/04W-01G01S	1097.0	10-26-67 11-28-67 1-30-68 2-28-68 3-29-68 4-24-68 5-29-68 6-27-68 7-26-68 8-29-68 9-27-68	155.1 155.0 146.5 133.0 132.0 132.2 132.0 130.0 131.0 134.0 136.0	941.9 942.0 950.5 964.0 965.0 964.8 965.0 967.0 966.0 963.0 961.0	4104
01S/03W-29L01S	1183.4	10-21-67 11-18-67 12-02-67 1-04-68 2-07-68 4-11-68 5-04-68 6-18-68 7-24-68 8-21-68	48.7 48.4 48.4 49.6 50.8 52.0 52.0 51.0 50.1 51.8	1134.7 1135.0 1135.0 1133.8 1132.6 1131.4 1131.4 1132.4 1133.3 1131.6	3400	01S/04W-01K04S	1092.0	10-27-67 11-29-67 1-30-68 2-28-68 3-29-68 4-30-68 5-29-68 6-28-68 7-30-68 8-30-68 9-30-68	143.3 143.0 138.7 126.8 126.8 127.8 126.8 125.3 125.8 129.3 129.8	948.7 949.0 953.3 965.2 965.2 964.2 965.2 966.7 966.2 962.7 962.2	4104
01S/03W-30D04S	1136.0	10-21-67 11-18-67 12-02-67 1-04-68 2-07-68 3-02-68 4-11-68 5-04-68 6-19-68 7-24-68 8-21-68	119.4 119.4 119.4(2) 119.2(2) 118.8(2) 118.4(2) 118.0(2) 118.0(2) 117.9(2) 117.9(2) 118.1(2)	1016.6 1016.6 1016.6 1016.8 1017.2 1017.6 1018.0 1018.0 1018.1 1018.1 1017.9	3400	01S/04W-02A03S	1072.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-14-68 6-21-68 6-28-68 7-05-68 7-12-68 7-19-68	158.0(1) 152.0(1) 150.0(1) 148.0(1) 148.0(1) 158.0(1) 149.0(1) 149.0(1) 149.0(1) 148.0(1) 140.0 139.0 149.0(1) 152.0(1) 154.0(1) 156.0(1) 159.0(1) 164.0(1) 165.0(1) 165.0(1) 167.0(1) 164.0(1) 170.0(1)	914.0 920.0 922.0 924.0 924.0 914.0 923.0 923.0 923.0 924.0 932.0 933.0 923.0 920.0 918.0 916.0 913.0 908.0 907.0 907.0 905.0 908.0 902.0	5720
01S/03W-32D01S	1206.2	10-21-67 10-21-67 11-18-67 11-18-67 12-02-67 12-02-67 1-04-68 1-04-68 2-07-68 2-07-68 3-09-68 3-09-68 4-10-68 4-10-68 5-04-68 5-04-68 6-19-68 6-19-68 7-24-68 7-24-68 8-21-68 8-21-68	225.4 225.4 224.1 224.1 221.6 221.6 216.6 216.6 212.5 212.5 212.5 212.5 210.2 210.2 213.3 213.3 214.9 214.9 217.9 217.9 226.9 226.9	980.8 980.8 982.1 982.1 984.6 984.6 989.6 989.6 993.7 993.7 993.7 993.7 996.0 996.0 992.9 992.9 991.3 991.3 988.3 988.3 979.3 979.3	3400 5010 3400 5010 3400 5010 3400 3400 5010 3400 5010 3400 5010 3400 5010 3400 5010 3400 5010 3400 5010 3400	01S/04W-02A05S	1087.0	10-31-67 11-27-67 1-29-68 2-28-68 3-28-68 4-30-68 5-29-68 6-27-68 7-26-68 8-30-68 9-30-68	133.5(1) 133.5(1) 128.0(1) 120.0(1) 119.5(1) 120.0(1) 119.0(1) 119.0(1) (3) (3) (3)	953.5 953.5 959.0 967.0 967.5 967.0 968.0 968.0 	4104
01S/04W-01A06S	1096.2	10-12-67 11-09-67 11-30-67 1-05-68 2-15-68 3-07-68 4-12-68 6-06-68 7-10-68 8-30-68 9-05-68	144.4 147.3 148.8 147.5 147.6 147.3 146.5 138.8 127.6 130.5 131.3	951.8 948.9 947.4 948.7 948.6 948.9 949.7 957.4 968.6 965.7 964.9	5010	01S/04W-02K01S	1056.3	6-14-68 8-28-68	143.5 148.7	912.8 907.6	3230
01S/04W-01B04S	1096.8	10-27-67 11-29-67 1-29-68 2-28-68 3-29-68 4-29-68 5-31-68 6-27-68 7-26-68 8-29-68 9-27-68	153.4 153.1 150.0 138.0 138.0 139.2 139.0 140.0 141.0 143.0 145.0	943.4 943.7 946.8 958.8 958.8 957.6 957.8 956.8 955.8 953.8 951.8	4104	01S/04W-02K02S	1057.8	10-16-67 10-16-67 11-30-67 1-10-68 2-15-68 3-06-68 3-26-68 4-22-68 6-14-68 8-28-68	161.0 119.4 118.6 111.9 102.8 153.7(1) 105.3 106.3 117.3 123.0	896.8 938.4 939.2 945.9 955.0 904.1 952.5 951.5 940.5 934.8	3230
01S/04W-01E01S	1068.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-02-68	125.0 166.0(1) 164.0(1) 163.0(1) 163.0(1) 162.0(1) 162.0(1) 161.0(1) 163.0(1) 161.0(1) 163.0(1) 161.0(1)	943.0 902.0 904.0 905.0 905.0 906.0 906.0 907.0 905.0 907.0 905.0 907.0	5204	01S/04W-02L02S	1050.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68	131.0 126.0 123.0 122.0 119.0 122.0 122.0 122.0 121.0 121.0 120.0 117.0	919.0 924.0 927.0 928.0 931.0 928.0 928.0 928.0 929.0 929.0 930.0 933.0	5204

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2	
01S/04W-02L02S (CONT.)	1050.0	2-23-68 5-03-68	123.0 128.0	927.0 922.0	5204	01S/04W-02P03S (CONT.)	1040.5	12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 8-15-68 9-20-68	115.0 113.0 113.0 115.0 115.0 112.0 115.0 115.0 112.0 114.0 117.0 140.0 139.0	925.5 927.5 927.5 925.5 925.5 928.5 925.5 925.5 928.5 926.5 923.5 900.5 901.5	5204
01S/04W-02L07S	1048.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-14-68 6-28-68 7-12-68 7-19-68	150.3(1) 146.3(1) 143.3(1) 141.3(1) 140.3(1) 141.3(1) 142.3(1) 139.3(1) 144.3(1) 125.3 124.3 117.3 127.3 147.3(1) 145.3(1) 139.3(1) 153.3(1) 158.3(1) 153.3(1) 161.3(1) 162.3(1)	897.7 901.7 904.7 906.7 907.7 906.7 905.7 908.7 903.7 922.7 923.7 930.7 920.7 900.7 902.7 908.7 894.7 889.7 894.7 886.7 885.7	5720	01S/04W-02P05S	1045.4	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-14-68 6-21-68 6-28-68 7-05-68 7-12-68 7-19-68 7-30-68	128.0 142.0(1) 140.0(1) 139.0(1) 116.0 141.0(1) 141.0(1) 141.0(1) 141.0(1) 140.0(1) 139.0(1) 137.0(1) 142.0(1) 144.0(1) 144.0(1) 149.0(1) 149.0(1) 156.0(1) 158.0(1) 148.0(1) 160.0(1) 159.0(1) 159.0(1) 162.0(1)	917.4 903.4 905.4 906.4 929.4 904.4 904.4 904.4 905.4 906.4 908.4 903.4 901.4 901.4 896.4 896.4 889.4 887.4 897.4 885.4 886.4 886.4 883.4	5204
01S/04W-02M01S	1048.6	11-27-67 3-20-68 4-17-68	89.7 (1) (1)	958.9	3230	01S/04W-02P06S	1047.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-14-68 6-21-68 6-28-68 7-05-68 7-12-68 7-19-68	135.6(1) 130.6(1) 128.6(1) 127.6(1) 123.6(1) 125.6(1) 128.6(1) 128.6(1) 128.6(1) 127.6(1) 125.6(1) 130.6(1) 129.6(1) 134.6(1) 138.6(1) 137.6(1) 146.6(1) 148.6(1) 147.6(1) 150.6(1) 161.6(1) 158.6(1)	911.4 916.4 918.4 919.4 923.4 921.4 918.4 918.4 918.4 919.4 921.4 916.4 917.4 912.4 908.4 909.4 900.4 898.4 899.4 896.4 885.4 888.4	5204
01S/04W-02N01S	1037.0	10-27-67 11-29-67 1-30-68 2-28-68 3-29-68 4-30-68 5-29-68 6-28-68 7-30-68 8-30-68 9-30-68	88.5 89.0 85.7 73.5 73.0 73.5 73.0 73.0 73.5 75.0 76.0	948.5 948.0 951.3 963.5 964.0 963.5 964.0 964.0 963.5 962.0 961.0	4104	01S/04W-02Q03S	1052.0	11-17-67 11-24-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 2-02-68 2-09-68 2-16-68 2-23-68 5-03-68 5-10-68 5-24-68 5-31-68 6-14-68 6-21-68 6-28-68 7-05-68 7-12-68 7-19-68	125.1 128.1 125.1 123.1 130.1(1) 131.1(1) 134.1(1) 133.1(1) 134.1(1) 132.1(1) 132.1(1) 119.1 135.1(1) 132.1 139.1(1) 143.1(1) 144.1(1) 152.1(1) 153.1(1) 152.1(1) 156.1(1) 156.1(1)	926.9 923.9 926.9 928.9 921.9 920.9 917.9 918.9 917.9 919.9 919.9 932.9 916.9 919.9 912.9 908.9 907.9 899.9 898.9 899.9 895.9 895.9	5204
01S/04W-02N02S	1040.1	10-27-67 11-17-67 11-24-67 11-29-67 11-30-67 12-08-67 12-15-67 12-22-67 12-29-67 1-12-68 1-26-68 1-30-68 2-02-68 2-09-68 2-16-68 2-23-68 2-28-68 3-29-68 4-30-68 5-03-68 5-29-68 6-28-68 7-30-68 8-30-68 9-30-68	140.1 123.0 117.0 139.8 113.0 113.0 110.0 112.0 114.0 115.0 112.0 134.5 113.0 113.0 111.0 116.0 125.0 125.0 126.4 119.0 126.0 124.0 125.0 130.0 132.0	900.0 917.1 923.1 900.3 927.1 927.1 930.1 928.1 926.1 925.1 928.1 905.6 927.1 927.1 929.1 924.1 915.1 915.1 913.7 921.1 914.1 916.1 915.1 910.1 908.1	4104 5204 4104 5204 4104 5204 4104 5204 4104 5204 						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		Y-01.E2	UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		Y-01.E2
BUNKER HILL HYDRO SUBAREA						BUNKER HILL HYDRO SUBAREA					
01S/04W-02Q05S	1055.5	11-29-67	166.0	889.5	4104	01S/04W-08F08S	1096.5	11-01-67	195.0	901.5	4201
		1-30-68	160.5	895.0				11-29-67	175.0(1)	921.5	
		2-28-68	149.0	906.5				1-03-68	161.0	935.5	
		3-29-68	149.0	906.5				2-01-68	164.0	932.5	
		4-30-68	149.8	905.7				3-01-68	174.0	922.5	
		5-29-68	149.0	906.5				4-18-68	185.0	911.5	
		6-28-68	148.5	907.0				8-30-68	206.0	890.5	
		7-30-68	149.0	906.5		01S/04W-08F10S	1096.8	11-01-67	195.6(1)	901.2	4201
		8-30-68	152.0	903.5				11-29-67	175.6(1)	921.2	
		9-30-68	152.0	903.5				1-03-68	161.6	935.2	
01S/04W-02Q06S	1057.0	11-17-67	143.9(1)	913.1	5204			2-01-68	164.6	932.2	
		11-24-67	130.9	926.1				3-01-68	174.6	922.2	
		11-30-67	128.9	928.1				4-18-68	185.6(1)	911.2	
		12-08-67	126.9	930.1				8-30-68	206.6(1)	890.2	
		12-15-67	131.9(1)	925.1		01S/04W-08Q01S	1075.8	11-01-67	166.0(1)	909.8	4201
		12-22-67	130.9(1)	926.1				11-29-67	160.0(1)	915.8	
		12-29-67	134.9(1)	922.1				1-03-68	150.0	925.8	
		1-12-68	134.9(1)	922.1				2-01-68	150.0	925.8	
		1-26-68	133.9(1)	923.1				3-01-68	153.0	922.8	
		2-02-68	133.9(1)	923.1				4-18-68	155.0	920.8	3230
		2-09-68	131.9(1)	925.1		01S/04W-08Q03S	1074.4	11-29-67	164.5	909.9	
		2-16-68	125.9	931.1				3-21-68	150.0	924.4	
		2-23-68	134.9(1)	922.1				4-22-68	146.0	928.4	
		5-03-68	137.9	919.1		01S/04W-08R01S	1075.7	11-01-67	170.0(1)	905.7	4201
		5-10-68	140.9(1)	916.1				11-29-67	165.0(1)	910.7	
		5-24-68	142.9(1)	914.1				1-03-68	147.0	928.7	
		5-31-68	142.9(1)	914.1				2-01-68	147.0(1)	928.7	
		6-14-68	146.9(1)	910.1				3-01-68	147.0	928.7	
		6-28-68	155.9(1)	901.1				4-18-68	150.0	925.7	4201
		7-05-68	153.9(1)	903.1		01S/04W-08R04S	1075.7	11-01-67	166.0(1)	909.7	
		7-12-68	160.9(1)	896.1				11-29-67	157.0(1)	918.7	
		7-19-68	160.9(1)	896.1				1-03-68	145.0	930.7	
								2-01-68	146.0	929.7	
01S/04W-03Q01S	1096.4	11-27-67	136.6	959.8	3230			3-01-68	147.0	928.7	4201
		3-20-68	135.6	960.8		01S/04W-08R05S	1076.0	11-01-67	165.0	911.0	
		4-17-68	135.8	960.6				11-29-67	155.0(1)	921.0	
01S/04W-03J05S	1034.1	8-27-68	159.8	874.3	3230			1-03-68	145.0	931.0	
01S/04W-03Q01S	1041.8	11-27-67	90.7	951.1	3230			2-01-68	146.0	929.7	
		3-20-68	90.1	951.7				3-01-68	147.0	928.7	
		4-17-68	90.1	951.7				4-18-68	150.0	925.7	
								8-30-68	165.0(1)	910.7	
01S/04W-05C03S	1176.0	11-28-67	219.0	957.0	3230	01S/04W-08R05S	1076.0	11-01-67	165.0	911.0	4201
		3-20-68	216.4	959.6				11-29-67	155.0(1)	921.0	
		4-18-68	213.1	962.9				1-03-68	145.0	931.0	
01S/04W-05E05S	1160.0	10-00-67	236.0(1)	924.0	4124			2-01-68	145.0	931.0	
		11-00-67	235.0(1)	925.0				3-01-68	145.0	931.0	
		12-00-67	180.0	980.0				4-18-68	149.0(1)	927.0	
		1-00-68	222.0(1)	938.0				8-30-68	164.0	912.0	3230
		2-02-68	201.0(1)	959.0		01S/04W-09B01S	1069.5	11-29-67	111.4	958.1	
		3-07-68	222.0(1)	938.0				4-18-68	110.7	958.8	
		4-00-68	194.0(1)	966.0		01S/04W-09B03S	1071.6	11-29-67	116.8	954.8	3230
		5-00-68	206.0(1)	954.0				4-18-68	116.6	955.0	
		6-00-68	195.0(1)	965.0		01S/04W-09E02S	1075.0	11-01-67	166.0	909.0	4201
		7-00-68	194.0(1)	966.0				11-29-67	157.0(1)	918.0	
		8-00-68	222.0(1)	938.0				1-03-68	145.0	930.0	
		9-00-68	213.0(1)	947.0				2-01-68	146.0	929.0	
01S/04W-06H01S	1160.0	10-00-67	196.0	964.0	4124			3-01-68	147.0	928.0	
		11-00-67	195.0	965.0				4-18-68	151.0	924.0	3230
		12-00-67	193.0	967.0		01S/04W-09J01S	1029.5	1-12-68	79.6	949.9	
		1-00-68	192.0	968.0				2-15-68	80.0	949.5	
		2-02-68	192.0	968.0				3-26-68	79.7	949.8	
		3-07-68	195.0	965.0				4-18-68	79.9	949.6	3230
		4-00-68	196.0	964.0				6-13-68	83.3	946.2	
		5-00-68	197.0	963.0				8-27-68	86.5	943.0	
		6-00-68	198.0	962.0		01S/04W-09N06S	1060.2	4-22-68	116.5	943.7	3230
		7-00-68	198.0	962.0				11-08-67	104.9	947.5	
		8-00-68	227.0(1)	933.0		01S/04W-09P01S	1052.4	11-28-67	104.6	947.8	
		9-00-68	229.0(1)	931.0				1-12-68	102.4	950.0	
01S/04W-08A01S	1093.9	11-28-67	135.2	958.7	3230			3-26-68	102.9	949.5	
		3-20-68	135.5	958.4				4-18-68	103.2	949.2	3230
		4-18-68	135.9	958.0				8-27-68	109.1	943.3	
01S/04W-08C01S	1106.6	11-01-67	168.0(1)	938.6	4201	01S/04W-10F07S	1022.0	12-02-67	DRY		3400
		11-29-67	162.0(1)	944.6				1-04-68	DRY		
		1-03-68	155.5	951.1				2-07-68	DRY		
		2-01-68	155.0	951.6				3-09-68	DRY		
		3-01-68	158.0	948.6				4-10-68	DRY		
		4-18-68	162.0	944.6				6-19-68	DRY		
		8-30-68	168.0	938.6				7-25-68	DRY		
01S/04W-08F02S	1104.4	11-29-67	172.7	931.7	3230			8-22-68	DRY		
		3-21-68	173.7	930.7		01S/04W-10M02S	1012.0	11-29-67	82.1	929.9	3230
		4-22-68	174.9	929.5				3-21-68	76.7	935.3	
								4-18-68	90.8	921.2	
01S/04W-08F07S	1095.1	11-01-67	195.0(1)	900.1	4201	01S/04W-10N06S	1001.4	10-16-67	131.1(1)	870.3	3230
		11-29-67	175.0	920.1				10-16-67	60.3	941.1	
		1-03-68	161.0	934.1				11-28-67	60.0	941.4	
		2-01-68	164.0	931.1							
		3-01-68	174.0	921.1							
		4-18-68	185.0	910.1							
		8-30-68	206.0(1)	889.1							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-10N06S (CONT.)	1001.4	1-12-68 55.8 2-15-68 55.8 3-26-68 55.7 4-18-68 55.6 6-14-68 124.9(1) 8-27-68 129.0(1)	945.6 945.6 945.7 945.8 876.5 872.4	3230		01S/04W-11M01S	1051.8	11-27-67 106.7 3-20-68 100.0 4-17-68 103.0	945.1 951.8 948.8	3230	
01S/04W-10N09S	1002.0	10-28-67 DRY 11-18-67 DRY 12-02-67 DRY 1-04-68 DRY 2-07-68 DRY 3-09-68 DRY 4-10-68 DRY 5-04-68 DRY 6-19-68 DRY 7-25-68 DRY 8-22-68 DRY		3400		01S/04W-12B05S	1089.3	10-26-67 166.7(1) 11-28-67 166.5(1) 1-30-68 157.0(1) 2-28-68 148.5(1) 3-29-68 148.0(1) 4-24-68 149.0(1) 5-29-68 148.5(1) 6-27-68 148.0(1) 7-26-68 148.0(1) 8-29-68 151.0(1) 9-27-68 154.0(1)	922.6 922.8 932.3 940.8 941.3 940.3 940.8 941.3 941.3 938.3 935.3	4104	
01S/04W-11D01S	1034.4	11-17-67 126.0 11-24-67 118.0 11-30-67 113.0 12-08-67 113.0 12-15-67 113.0 12-27-67 113.0 12-29-67 114.0 1-12-68 113.0 1-26-68 114.0 2-02-68 113.0 2-09-68 114.0 2-16-68 114.0 2-23-68 115.0 5-03-68 120.0 8-15-68 137.0 9-20-68 137.0	908.4 916.4 921.4 921.4 921.4 921.4 920.4 921.4 920.4 921.4 920.4 920.4 919.4 914.4 897.4 897.4	5204		01S/04W-13F02S	1059.0	10-03-67 143.0 11-07-67 162.1(1) 12-02-67 137.3 1-02-68 132.1 2-06-68 135.1 3-05-68 138.2 4-02-68 130.5 5-07-68 138.1 6-04-68 151.1(1) 7-02-68 143.9 8-06-68 144.6 9-03-68 142.9	916.0 896.9 921.7 926.9 923.9 920.8 928.5 920.9 907.9 915.1 914.6 916.1	3847	
01S/04W-11D02S	1034.5	11-17-67 161.7(1) 11-24-67 153.7(1) 11-30-67 151.7(1) 12-08-67 150.7(1) 12-15-67 151.7(1) 12-22-67 149.7(1) 12-29-67 151.7(1) 1-12-68 152.7(1) 1-26-68 151.7(1) 2-02-68 150.7(1) 2-09-68 150.7(1) 2-16-68 150.7(1) 2-23-68 151.7(1) 5-03-68 157.7(1) 5-10-68 160.7(1) 5-24-68 159.7(1) 5-31-68 162.7(1) 6-14-68 165.7(1) 6-28-68 162.7(1) 7-05-68 166.7(1) 7-12-68 166.7(1) 7-19-68 167.7(1)	872.8 880.8 882.8 883.8 882.8 884.8 882.8 881.8 882.8 883.8 883.8 882.8 876.8 873.8 874.8 871.8 868.8 871.8 867.8 867.8 866.8	5204		01S/04W-13G02S	1060.0	10-03-67 201.1(1) 11-07-67 207.1(1) 12-02-67 145.1 1-02-68 137.8 2-06-68 183.0(1) 3-19-68 138.3 4-02-68 138.1 5-07-68 175.2(1) 6-04-68 174.1(1) 7-02-68 189.1(1) 8-06-68 200.8(1) 9-03-68 202.5(1)	858.9 852.9 914.9 922.2 877.0 921.7 921.9 884.8 885.9 870.9 859.2 857.5	3847	
01S/04W-11D03S	1033.3	11-17-67 153.0(1) 11-24-67 144.0(1) 11-30-67 142.0(1) 12-08-67 141.0(1) 12-15-67 143.0(1) 12-22-67 142.0(1) 12-29-67 143.0(1) 1-12-68 142.0(1) 1-26-68 142.0(1) 2-02-68 142.0(1) 2-09-68 144.0(1) 2-16-68 144.0(1) 2-23-68 141.0(1) 5-03-68 148.0(1) 5-10-68 152.0(1) 5-24-68 151.0(1) 5-31-68 154.0(1) 6-14-68 158.0(1) 6-28-68 162.0(1) 7-05-68 163.0(1) 7-12-68 161.0(1) 7-19-68 163.0(1)	880.3 889.3 891.3 892.3 890.3 891.3 890.3 891.3 891.3 891.3 889.3 889.3 892.3 885.3 881.3 882.3 879.3 875.3 871.3 870.3 872.3 870.3	5204		01S/04W-13G03S	1060.0	10-03-67 142.6 11-14-67 144.1 12-26-67 110.5 1-02-68 112.7 2-06-68 166.6(1) 3-19-68 115.6 4-02-68 124.6 5-29-68 126.5 6-04-68 166.8(1) 7-02-68 175.1(1) 8-06-68 180.4(1) 9-03-68 181.1(1)	917.4 915.9 949.5 947.3 893.4 944.4 935.4 933.5 893.2 884.9 879.6 878.9	3847	
01S/04W-11D04S	1020.8	11-17-67 128.0 11-24-67 119.0 11-30-67 116.0 12-08-67 115.0 12-15-67 115.0 12-22-67 114.0 12-29-67 116.0 1-12-68 116.0 1-26-68 116.0 2-02-68 115.0 2-09-68 115.0 2-16-68 113.0 2-23-68 115.0 5-03-68 122.0 8-15-68 141.0 9-20-68 135.0	892.8 901.8 904.8 905.8 905.8 906.8 904.8 904.8 904.8 905.8 905.8 907.8 905.8 905.8 898.8 879.8 885.8	5204		01S/04W-13L02S	1050.0	10-02-67 188.2(1) 11-07-67 147.5 12-02-67 135.5 1-02-68 127.1 2-06-68 132.3 3-05-68 181.1(1) 4-02-68 128.9 5-07-68 177.1(1) 6-04-68 135.6 7-02-68 186.3(1) 8-06-68 143.1 9-03-68 192.0(1)	861.8 902.5 914.5 922.9 917.7 868.9 921.1 872.9 914.4 863.7 906.9 858.0	3847	
						01S/04W-13M02S	1054.0	10-03-67 181.7(1) 11-07-67 174.2(1) 12-02-67 111.9 1-02-68 116.5 2-06-68 154.1(1) 3-05-68 160.4(1) 4-02-68 156.1(1) 5-06-68 173.2(1) 6-04-68 170.8(1) 7-02-68 182.6(1) 8-06-68 181.1(1) 9-03-68 184.1(1)	872.3 879.8 942.1 937.5 899.9 893.6 897.9 880.8 884.0 871.4 872.9 869.9	3847	
						01S/04W-13M01S	1045.0	10-03-67 153.8(1) 11-14-67 155.6(1) 12-02-67 129.3 1-02-68 123.1 2-06-68 145.9(1) 3-12-68 127.0 4-09-68 119.0 5-14-68 123.1 6-11-68 148.1(1) 7-02-68 152.6(1) 8-06-68 154.6(1) 9-03-68 156.1(1)	891.2 889.4 915.7 921.9 899.1 918.0 926.0 921.9 896.9 892.4 890.4 888.9	3847	
						01S/04W-13N02S	1045.0	10-03-67 157.9(1) 11-07-67 160.1(1) 12-02-67 130.8	887.1 884.9 914.2	3847	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA							
SANTA ANA RIVER HYDRO UNIT						Y-01.00												
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		Y-01.E2	UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		Y-01.E2							
BUNKER HILL HYDRO SUBAREA						BUNKER HILL HYDRO SUBAREA												
01S/04W-13N02S (CONT.)	1045.0	1-02-68	122.6	922.4	3847	01S/04W-22B02S (CONT.)	996.0	8-15-68	166.8	829.2	5204							
		2-06-68	146.7 (1)	898.3				9-20-68	173.8	822.2								
		3-05-68	145.1 (1)	899.9		01S/04W-22B03S	999.0	11-29-67	94.4	904.6	3230							
		4-02-68	128.6	916.4					3-21-68	89.5		909.5						
		5-06-68	148.1 (1)	896.9					4-18-68	91.0		908.0						
		6-04-68	146.8 (1)	898.2				01S/04W-22B07S	995.0	11-17-67	100.5	894.5	5204					
		7-02-68	151.9 (1)	893.1							11-24-67	93.5		901.5				
		8-06-68	159.0 (1)	886.0							11-30-67	92.5		902.5				
		9-03-68	160.1 (1)	884.9							12-08-67	88.5		906.5				
01S/04W-13R01S	1100.9	10-21-67	181.9 (4)	919.0	3400			12-15-67	97.5 (1)	897.5								
		11-18-67	174.3	926.6			12-22-67	90.5	904.5									
		12-02-67	153.0	947.9			12-29-67	96.5 (1)	898.5									
		1-04-68	149.8	951.1			1-26-68	97.5 (1)	897.5									
		6-19-68	177.2	923.7			2-02-68	87.5	907.5									
		7-25-68	186.4	914.5			2-09-68	88.5	906.5									
		8-22-68	187.5 (1)	913.4			2-16-68	89.5	905.5									
01S/04W-14P02S	1026.0	11-17-67	127.2	898.8	5204			2-23-68	88.5	906.5								
		11-24-67	102.2	923.8			5-03-68	98.5 (1)	896.5									
		11-30-67	94.2	931.8			5-10-68	99.5 (1)	895.5									
		12-08-67	94.2	931.8			5-24-68	89.5	905.5									
		12-15-67	96.2	929.8			5-31-68	99.5 (1)	895.5									
		12-22-67	95.2	930.8			6-14-68	100.5 (1)	894.5									
		12-29-67	101.2	924.8			6-21-68	102.5 (1)	892.5									
		1-12-68	99.2	926.8			6-28-68	102.5 (1)	892.5									
		1-26-68	99.2	926.8			7-05-68	102.5 (1)	892.5									
		2-02-68	101.2	924.8			7-12-68	103.5 (1)	891.5									
		2-09-68	108.2	917.8			7-19-68	104.5 (1)	890.5									
		2-16-68	107.2	918.8			01S/04W-22C02S	988.5	4-18-68	143.3	845.2	3230						
		2-23-68	115.2	910.8									01S/04W-22E05S	974.9	10-09-67	139.6	835.3	5720
		5-03-68	118.2	907.8														
		8-18-68	130.2	895.8			11-30-67	138.5	836.4									
01S/04W-14P06S	1027.1	11-17-67	127.0	900.1	5204			1-04-68	DRY									
		11-24-67	104.0	923.1			4-04-68	DRY										
		11-30-67	96.0	931.1			9-06-68	DRY										
		12-08-67	97.0	930.1		01S/04W-22H01S	1004.3	11-17-67	104.0	900.3	5204							
		12-15-67	96.0	931.1								11-24-67	101.0	903.3				
		12-22-67	96.0	931.1								11-30-67	98.0	906.3				
		12-29-67	131.0 (1)	896.1								12-08-67	98.0	906.3				
		1-12-68	96.0	931.1								12-15-67	96.0	908.3				
		1-26-68	97.0	930.1								12-22-67	94.0	910.3				
		2-02-68	102.0	925.1								12-29-67	94.0	910.3				
		2-09-68	110.0	917.1								1-12-68	93.0	911.3				
		2-16-68	109.0	918.1								1-26-68	95.0	909.3				
		2-23-68	119.0	908.1								2-02-68	94.0	910.3				
		5-03-68	122.0	905.1								2-09-68	94.0	910.3				
		5-10-68	123.0	904.1								2-16-68	94.0	910.3				
		5-24-68	147.0	880.1								2-23-68	95.0	909.3				
		5-31-68	143.0	884.1								5-03-68	118.0 (1)	886.3				
		6-14-68	134.0	893.1								5-10-68	123.0 (1)	881.3				
		6-21-68	132.0	895.1								5-24-68	96.0	908.3				
		6-28-68	146.0	881.1								5-31-68	119.0 (1)	885.3				
		7-05-68	155.0	872.1								6-14-68	117.0 (1)	887.3				
7-12-68	143.0	884.1	6-21-68	125.0 (1)	879.3													
7-19-68	159.0 (1)	868.1	6-28-68	126.0 (1)	878.3													
01S/04W-15M02S	984.6	11-29-67	115.6	869.0	3230			7-05-68	131.0 (1)	873.3								
		3-21-68	114.6	870.0			7-12-68	131.0 (1)	873.3									
		4-18-68	(1)				7-19-68	136.0 (1)	868.3									
01S/04W-21A01S	970.2	3-21-68	175.2	795.0	3230	01S/04W-22H02S	1005.2	11-17-67	78.0	927.2	5204							
		4-18-68	174.0	796.2								11-24-67	70.0	935.2				
01S/04W-21B05S	966.8	10-09-67	52.8	914.0	5720			11-30-67	66.0	939.2								
		11-09-67	52.9	913.9		12-08-67	64.0	941.2										
		11-30-67	53.3	913.5		12-15-67	148.0 (1)	857.2										
01S/04W-21K09S	959.1	10-09-67	35.3	923.8	5720			12-22-67	149.0 (1)	856.2								
		11-09-67	37.3	921.8			12-29-67	65.0	940.2									
		11-30-67	37.4	921.7			1-12-68	150.0 (1)	855.2									
		1-04-68	34.9	924.2			1-26-68	150.0 (1)	855.2									
		2-01-68	34.4	924.7			2-02-68	144.0 (1)	861.2									
		3-14-68	35.2	923.9			2-09-68	63.0	942.2									
		4-04-68	34.4	924.7			2-16-68	65.0	940.2									
		5-21-68	33.6	925.5			2-23-68	66.0	939.2									
		6-06-68	34.3	924.8			5-05-68	62.0	943.2									
		7-09-68	36.6	922.5			5-10-68	153.0 (1)	852.2									
		8-29-68	40.4	918.7			5-24-68	147.0 (1)	858.2									
		9-06-68	40.7	918.4			5-31-68	149.0 (1)	856.2									
		01S/04W-22B02S	996.0	11-17-67		203.8	792.2	5204			6-14-68	152.0 (1)	853.2					
				11-24-67		197.8	798.2			6-21-68	155.0 (1)	850.2						
11-30-67	192.8			803.2		6-28-68	154.0 (1)		851.2									
12-08-67	187.8			808.2		7-05-68	154.0 (1)		851.2									
12-15-67	184.8			811.2		7-12-68	153.0 (1)		852.2									
12-22-67	182.8			813.2		7-19-68	155.0 (1)		850.2									
12-29-67	174.8			821.2	01S/04W-22H03S	1003.9	11-17-67		109.0	894.9	5204							
1-12-68	172.8			823.2								11-24-67	96.0	907.9				
1-26-68	173.8			822.2								11-30-67	91.0	912.9				
2-02-68	161.8			834.2								12-08-67	92.0	911.9				
2-09-68	163.8			832.2								12-15-67	91.0	912.9				
2-16-68	168.8			827.2								12-22-67	92.0	911.9				
2-23-68	168.8			827.2								12-29-67	92.0	911.9				
5-03-68	163.8			832.2								1-12-68	92.0	911.9				
6-28-68	168.8			827.2								1-26-68	92.0	911.9				
			2-02-68	91.0	912.9													
			2-09-68	92.0	911.9													

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-22H035 (CONT.)	1003.9	2-16-68	93.0	910.9	5204	01S/04W-22H065 (CONT.)	982.0	7-09-68	171.9(1)	810.1	5783
		2-23-68	93.0	910.9				8-05-68	185.0(1)	797.0	
		5-03-68	96.0	907.9				9-09-68	198.9(1)	783.1	
		5-10-68	102.0	901.9		01S/04W-22H025	979.6	10-09-67	105.3	874.3	5720
		5-24-68	103.0	900.9				11-09-67	104.3	875.3	
		5-31-68	171.0(1)	832.9				11-30-67	104.5	875.1	
		6-14-68	103.0	900.9				1-04-68	103.5	876.1	
		6-21-68	173.0(1)	830.9				2-01-68	100.7	878.9	
		6-28-68	173.0(1)	830.9				3-14-68	99.7	879.9	
		7-05-68	106.0	897.9				4-04-68	97.6	882.0	
		7-12-68	176.0(1)	827.9				5-23-68	98.1	881.5	
		7-19-68	176.0(1)	827.9				6-06-68	98.8	880.8	
01S/04W-22H045	998.6	11-24-67	80.0	918.6	5204			7-09-68	100.4	879.2	
		11-30-67	78.0	920.6				8-29-68	103.1	876.5	
		12-08-67	70.0	928.6				9-06-68	103.4	876.2	
		12-15-67	72.0	926.6		01S/04W-22P055	987.0	10-09-67	193.3(1)	793.7	5783
		12-22-67	72.0	926.6				11-07-67	193.6(1)	793.4	
		12-29-67	95.0(1)	903.6				12-07-67	152.6	834.4	5718
		1-12-68	95.0(1)	903.6				12-12-67	147.3	839.7	5783
		1-26-68	94.0(1)	904.6				1-09-68	130.2	856.8	
		2-02-68	76.0	922.6				2-06-68	121.3	865.7	
		2-09-68	82.0	916.6				3-12-68	115.0	872.0	
		2-16-68	83.0	915.6				4-09-68	119.4	867.6	
		2-23-68	89.0	909.6				4-19-68	120.6	866.4	5718
		5-03-68	100.0	898.6				5-07-68	118.3	868.7	5783
		5-10-68	100.0(1)	898.6				6-11-68	127.7	859.3	
		5-24-68	100.0	898.6				7-09-68	188.7(1)	798.3	
		5-31-68	114.0(1)	884.6				8-05-68	191.9(1)	795.1	
		6-14-68	120.0(1)	878.6				9-09-68	225.8(1)	761.2	
		6-21-68	121.0(1)	877.6		01S/04W-23A015	1041.2	10-03-67	148.1	893.1	3847
		6-28-68	124.0(1)	874.6				10-10-67	149.9	891.3	
		7-05-68	126.0(1)	872.6				10-17-67	148.5	892.7	
		7-12-68	128.0(1)	870.6				10-24-67	149.6	891.6	
		7-19-68	130.0(1)	868.6				10-31-67	142.1	899.1	
01S/04W-22L055	983.0	10-09-67	115.9(1)	867.1	5783			11-07-67	144.4	896.8	
		11-07-67	105.2(1)	877.8				11-14-67	141.5	899.7	
		12-07-67	99.1	883.9	5718			11-21-67	146.1	895.1	
		12-12-67	91.2	891.8	5783			11-28-67	109.1	932.1	
		1-09-68	87.0	896.0				12-02-67	113.1	928.1	
		2-06-68	96.9(1)	886.1				12-07-67	109.3	931.9	
		3-12-68	85.3	897.7				12-12-67	105.3	935.9	
		4-09-68	83.3	899.7				12-19-67	107.5	933.7	
		4-19-68	90.6	892.4	5718			12-26-67	101.1	940.1	
		5-07-68	125.3(1)	857.7	5783			1-02-68	104.1	937.1	
		6-11-68	130.0(1)	853.0				1-09-68	105.3	935.9	
		7-09-68	131.9(1)	851.1				1-17-68	117.0	924.2	
		8-05-68	131.9(1)	851.1				1-23-68	124.5	916.7	
		9-09-68	151.7(1)	831.3				1-30-68	120.3	920.9	
01S/04W-22L085	980.2	12-18-67	152.7	827.5	5718			2-06-68	114.2	927.0	
		4-19-68	123.6	856.6				2-13-68	122.9	918.3	
01S/04W-22L095	986.0	10-09-67	161.0(1)	825.0	5783			2-20-68	126.2	915.0	
		12-12-67	120.0	866.0				2-27-68	134.0	907.2	
		1-09-68	123.0	863.0				3-05-68	138.0	903.2	
		2-06-68	120.3	865.7				3-12-68	110.4	930.8	
		3-12-68	113.9	872.1				3-19-68	108.4	932.8	
		4-09-68	128.9(1)	857.1				3-26-68	114.1	927.1	
		5-07-68	140.5(1)	845.5				4-02-68	120.2	921.0	
		6-11-68	151.0(1)	835.0				4-09-68	114.0	927.2	
01S/04W-22L125	976.7	10-09-67	104.1	872.6	5720			4-16-68	122.5	918.7	
		11-09-67	105.2	871.5				4-23-68	127.4	913.8	
		11-30-67	DRY					4-30-68	139.5	901.7	
		1-04-68	116.6	860.1				5-07-68	144.5	896.7	
		2-01-68	116.6	860.1				5-14-68	138.1	903.1	
		3-14-68	116.6	860.1				5-21-68	147.1	894.1	
		4-04-68	115.9	860.8				5-28-68	141.5	899.7	
		5-23-68	DRY					6-04-68	141.1	900.1	
		9-06-68	DRY					6-11-68	151.0	890.2	
01S/04W-22L135	980.0	10-14-67	98.3	881.7	5713			6-18-68	147.6	893.6	
		4-06-68	115.6	864.4				6-25-68	154.1	887.1	
01S/04W-22L155	980.0	10-09-67	147.5	832.5	5720			7-02-68	150.5	890.7	
		11-09-67	150.5	829.5				7-09-68	151.0	890.2	
		11-30-67	154.0	826.0				7-16-68	153.7	887.5	
		1-04-68	150.8	829.2				7-23-68	151.6	889.6	
		2-01-68	136.2	843.8				7-30-68	157.6	883.6	
		3-14-68	133.4	846.6				8-06-68	165.1	876.1	
		4-04-68	124.3	855.7				8-14-68	159.1	882.1	
		5-23-68	130.7	849.3				8-20-68	152.0	889.2	
		6-06-68	130.0	850.0				8-27-68	159.8	881.4	
		7-09-68	135.6	844.4				9-03-68	159.5	881.7	
		8-29-68	146.4	833.6				9-10-68	148.5	892.7	
		9-05-68	146.5	833.5				9-17-68	158.4	882.8	
01S/04W-22H065	982.0	10-09-67	202.3(1)	779.7	5783			9-24-68	156.5	884.7	
		11-07-67	183.3	798.7		01S/04W-23A025	1040.0	10-03-67	162.0(1)	878.0	3847
		12-12-67	156.1	825.9				11-07-67	163.0(1)	877.0	
		1-09-68	140.0	842.0				12-02-67	140.9	899.1	
		2-06-68	134.0	848.0				1-02-68	132.8	907.2	
		3-12-68	136.9	845.1				2-20-68	152.0(1)	888.0	
		4-09-68	123.4	858.6				3-05-68	156.0(1)	884.0	
		5-07-68	146.9(1)	835.1				4-02-68	133.3	906.7	
		6-11-68	170.1(1)	811.9				5-07-68	137.0	903.0	
								6-04-68	152.7(1)	887.3	
								7-02-68	153.5(1)	886.5	
								8-06-68	144.2	895.8	
								9-03-68	164.5(1)	875.5	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT BUNKER HILL HYDRO SUBAREA			Y-01.E0	Y-01.E2	
01S/04W-23A055	1043.0	10-03-67	180.8(1)	862.2	3847	01S/04W-23G015 (CONT.)	1044.7	6-11-68	162.2	882.5	3847
		11-07-67	146.6	896.4				6-18-68	158.2	886.5	
		12-02-67	112.3	930.7				6-25-68	165.2	879.5	
		1-02-68	110.6	932.4				7-02-68	161.2	883.5	
		2-06-68	118.4	924.6				7-09-68	159.1	885.6	
		3-12-68	114.8	928.2				7-16-68	164.4	880.3	
		4-02-68	113.3	929.7				7-23-68	166.1	878.6	
		5-07-68	139.1	903.9				7-30-68	166.5	878.2	
		6-18-68	149.4	893.6				8-06-68	170.5	874.2	
		7-02-68	152.4	890.6				8-14-68	170.2	874.5	
		8-13-68	154.1	888.9				8-20-68	163.4	881.3	
		9-03-68	152.8	890.2				8-27-68	167.2	877.5	
								9-10-68	154.0	890.7	
01S/04W-23C025	1025.0	11-17-67	122.0	903.0	5204	01S/04W-23G035	1042.0	10-03-67	165.1	876.9	3847
		11-24-67	100.0	925.0				11-28-67	113.0	929.0	
		11-30-67	96.0	929.0				12-02-67	112.5	929.5	
		12-08-67	88.0	937.0				1-02-68	113.2	928.8	
		12-15-67	94.0	931.0				2-06-68	114.4	927.6	
		12-22-67	94.0	931.0				3-12-68	113.4	928.6	
		12-29-67	160.0(1)	865.0				4-02-68	124.2	917.8	
		1-12-68	94.0	931.0				5-28-68	145.4	896.6	
		1-26-68	161.0(1)	864.0				6-04-68	142.7	899.3	
		2-02-68	97.0	928.0				7-02-68	171.1	870.9	
		2-09-68	104.0	921.0				8-06-68	185.5	856.5	
		2-16-68	102.0	923.0				9-03-68	181.1	860.9	
		2-23-68	167.0(1)	858.0							
		5-03-68	168.0(1)	857.0		01S/04W-23H015	1040.0	10-03-67	153.8(1)	886.2	3847
		5-10-68	171.0(1)	854.0				11-07-67	161.1(1)	878.9	
		5-24-68	171.0(1)	854.0				12-02-67	140.9	899.1	
		5-31-68	171.0(1)	854.0				1-02-68	132.1	907.9	
		6-14-68	177.0(1)	848.0				2-06-68	147.8(1)	892.2	
		6-21-68	186.0(1)	839.0				3-05-68	150.4(1)	889.6	
		6-28-68	186.0(1)	839.0				4-02-68	131.8	908.2	
		7-05-68	184.0(1)	841.0				5-07-68	146.8(1)	893.2	
		7-12-68	182.0(1)	843.0				6-04-68	139.0	901.0	
		7-19-68	184.0(1)	841.0				7-02-68	154.8(1)	885.2	
								8-06-68	162.4(1)	877.6	
								9-03-68	162.4(1)	877.6	
01S/04W-23C035	1022.8	11-17-67	134.0(1)	888.8	5204	01S/04W-23K015	1042.0	10-03-67	141.8	900.2	3847
		11-24-67	112.0(1)	910.8				11-07-67	158.3(1)	883.7	
		11-30-67	109.0(1)	913.8				12-02-67	141.3	900.7	
		12-08-67	112.0(1)	910.8				1-02-68	133.1	908.9	
		12-15-67	108.0(1)	914.8				2-06-68	135.1	906.9	
		12-22-67	112.0(1)	910.8				3-05-68	136.1	905.9	
		12-29-67	114.0(1)	908.8				4-02-68	132.1	909.9	
		1-12-68	112.0(1)	910.8				5-07-68	146.2(1)	895.8	
		1-26-68	114.0(1)	908.8				6-04-68	148.6(1)	893.4	
		2-02-68	111.0(1)	911.8				7-02-68	142.0	900.0	
		2-09-68	117.0(1)	905.8				8-06-68	158.4(1)	883.6	
		2-16-68	115.0(1)	907.8				9-03-68	162.4(1)	879.6	
		2-23-68	126.0(1)	896.8							
		5-03-68	124.0(1)	898.8		01S/04W-23K025	1041.0	10-03-67	158.6(1)	882.4	3847
		5-10-68	124.0(1)	898.8				11-07-67	146.1	894.9	
		5-24-68	133.0(1)	889.8				12-02-67	140.9	900.1	
		5-31-68	134.0(1)	888.8				1-02-68	133.1	907.9	
		6-14-68	140.0(1)	882.8				2-06-68	152.3(1)	888.7	
		6-21-68	140.0(1)	882.8				3-05-68	150.1(1)	890.9	
		6-28-68	151.0(1)	871.8				4-02-68	131.1	909.9	
		7-05-68	147.0(1)	875.8				5-14-68	136.4	904.6	
		7-12-68	148.0(1)	874.8				6-04-68	151.8(1)	889.2	
		7-19-68	151.0(1)	871.8				7-02-68	152.6(1)	888.4	
								8-06-68	164.1(1)	876.9	
								9-03-68	149.7	891.3	
01S/04W-23G015	1044.7	10-10-67	164.4	880.3	3847	01S/04W-23K035	1040.2	10-03-67	143.5	896.7	3847
		10-17-67	161.5	883.2				10-10-67	153.6	886.6	
		10-24-67	159.2	885.5				10-17-67	152.1	888.1	
		10-31-67	154.1	890.6				10-24-67	148.9	891.3	
		11-07-67	154.1	890.6				10-31-67	143.5	896.7	
		11-14-67	153.8	890.9				11-07-67	144.7	895.5	
		11-21-67	152.9	891.8				11-14-67	143.7	896.5	
		11-28-67	116.6	928.1				11-21-67	146.8	893.4	
		12-02-67	113.5	931.2				11-28-67	109.2	931.0	
		12-07-67	110.1	934.6				12-02-67	111.5	928.7	
		12-12-67	110.3	934.4				12-07-67	112.1	928.1	
		12-19-67	112.0	932.7				12-12-67	104.5	935.7	
		12-26-67	110.5	934.2				12-19-67	109.6	930.6	
		1-02-68	114.5	930.2				12-26-67	106.7	933.5	
		1-09-68	111.9	932.8				1-02-68	109.3	930.9	
		1-17-68	127.2	917.5				1-09-68	109.5	930.7	
		1-23-68	133.4	911.3				1-17-68	117.4	922.8	
		1-30-68	127.8	916.9				1-23-68	125.0	915.2	
		2-06-68	117.5	927.2				1-30-68	120.9	919.3	
		2-13-68	131.5	913.2				2-06-68	113.2	927.0	
		2-20-68	137.0	907.7				2-13-68	122.2	918.0	
		2-27-68	143.2	901.5				2-20-68	127.2	913.0	
		3-05-68	146.0	898.7				2-27-68	133.5	906.7	
		3-12-68	114.0	930.7				3-05-68	137.4	902.8	
		3-19-68	112.8	931.9				3-12-68	109.4	930.8	
		3-26-68	113.3	931.4				3-19-68	109.5	930.7	
		4-02-68	125.0	919.7				3-26-68	116.0	924.2	
		4-09-68	118.3	926.4				4-02-68	111.7	928.5	
		4-16-68	126.7	918.0				4-09-68	114.3	925.9	
		4-23-68	132.0	912.7				4-16-68	123.7	916.5	
		4-30-68	149.6	895.1				4-23-68	129.0	911.2	
		5-07-68	147.3	897.4				4-30-68	141.0	899.2	
		5-14-68	147.0	897.7							
		5-21-68	155.6	889.1							
		5-28-68	145.3	899.4							
		6-04-68	145.9	898.8							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01S/04W-23K03S (CONT.)	1040.2	5-07-68	139.8	900.4	3847	01S/04W-27A02S (CONT.)	1014.4	11-24-67	104.0	910.4	5204
		5-14-68	137.6	902.6				11-30-67	99.0	915.4	
		5-21-68	148.0	892.2				12-08-67	99.0	915.4	
		5-28-68	143.2	897.0				12-15-67	102.0	912.4	
		6-04-68	144.3	895.9				12-22-67	101.0	913.4	
		6-11-68	153.0	887.2				12-29-67	103.0	911.4	
		6-18-68	151.0	889.2				1-12-68	102.0	912.4	
		6-25-68	154.1	886.1				1-26-68	103.0	911.4	
		7-02-68	153.1	887.1				2-02-68	103.0	911.4	
		7-09-68	151.2	889.0				2-09-68	104.0	910.4	
		7-16-68	163.9	876.3				2-16-68	109.0	905.4	
		7-23-68	152.1	888.1				2-23-68	106.0	908.4	
		7-30-68	156.6	883.6				5-03-68	109.0	905.4	
		8-06-68	167.1	873.1				8-15-68	118.0	896.4	
		8-14-68	160.0	880.2				9-20-68	117.0	897.4	
		8-20-68	154.0	886.2		01S/04W-27A06S	1012.3	11-17-67	111.0	901.3	5204
		8-27-68	162.2	878.0				11-24-67	106.0	906.3	
		9-03-68	161.2	879.0				11-30-67	104.0	908.3	
		9-10-68	151.1	889.1				12-08-67	110.0	902.3	
		9-17-68	160.4	879.8				12-15-67	108.0	904.3	
		9-24-68	159.0	881.2				12-22-67	109.0	903.3	
01S/04W-23Q01S	1040.8	10-03-67	152.0	888.8	3847			12-29-67	106.0	906.3	
		10-10-67	151.3	889.5				1-12-68	105.0	907.3	
		10-17-67	154.9	885.9				1-26-68	107.0	905.3	
		10-24-67	152.0	888.8				2-02-68	103.0	909.3	
		10-31-67	147.2	893.6				2-09-68	103.0	909.3	
		11-07-67	147.2	893.6				2-16-68	103.0	909.3	
		11-14-67	148.6	892.2				2-23-68	101.0	911.3	
		11-21-67	149.1	891.7				5-03-68	104.0	908.3	
		11-28-67	114.1	926.7				8-15-68	107.0	905.3	
		12-02-67	112.6	928.2				9-20-68	111.0	901.3	
		12-07-67	109.8	931.0		01S/04W-27A07S	1015.0	11-17-67	119.0	896.0	5204
		12-12-67	110.1	930.7				11-24-67	97.0	918.0	
		12-19-67	107.6	933.2				11-30-67	96.0	919.0	
		12-26-67	110.7	930.1				12-08-67	89.0	926.0	
		1-02-68	112.3	928.5				12-15-67	99.0	916.0	
		1-09-68	113.6	927.2				12-22-67	97.0	918.0	
		1-17-68	119.5	921.3				12-29-67	99.0	916.0	
		1-23-68	125.1	915.7				1-12-68	100.0	915.0	
		1-30-68	122.0	918.8				1-26-68	99.0	916.0	
		2-06-68	117.6	923.2				2-02-68	97.0	918.0	
		2-13-68	126.5	914.3				2-09-68	99.0	916.0	
		2-20-68	131.1	909.7				2-16-68	99.0	916.0	
		2-27-68	136.1	904.7				2-23-68	103.0	912.0	
		3-05-68	140.7	900.1				5-03-68	123.0	892.0	
		3-12-68	113.1	927.7				8-15-68	152.0	863.0	
		3-19-68	113.0	927.8				9-20-68	137.0	878.0	
		3-26-68	119.0	921.8		01S/04W-27A08S	1017.0	11-17-67	120.0	897.0	5204
		4-02-68	114.6	926.2				11-24-67	99.0	918.0	
		4-09-68	118.2	922.6				11-30-67	97.0	920.0	
		4-16-68	127.2	913.6				12-08-67	90.0	927.0	
		4-23-68	136.4	904.4				12-15-67	100.0	917.0	
		4-30-68	142.6	898.2				12-22-67	99.0	918.0	
		5-07-68	143.0	897.8				12-29-67	100.0	917.0	
		5-14-68	140.4	900.4				1-12-68	101.0	916.0	
		5-21-68	152.0	888.8				1-26-68	100.0	917.0	
		5-28-68	147.0	893.8				2-02-68	98.0	919.0	
		6-04-68	146.1	894.7				2-09-68	100.0	917.0	
		6-11-68	156.6	884.2				2-16-68	100.0	917.0	
		6-18-68	152.6	888.2				2-23-68	104.0	913.0	
		6-25-68	158.2	882.6				5-03-68	124.0	893.0	
		7-02-68	156.2	884.6				8-13-68	153.0	864.0	
		7-09-68	154.0	886.8				9-20-68	139.0	878.0	
		7-16-68	164.4	876.4		01S/04W-27A09S	1015.2	11-17-67	120.5	894.7	5204
		7-23-68	156.9	883.9				11-24-67	98.5	916.7	
		7-30-68	159.4	881.4				11-30-67	96.5	918.7	
		8-06-68	170.5	870.3				12-08-67	91.5	923.7	
		8-14-68	164.1	876.7				12-15-67	97.5	917.7	
		8-20-68	158.0	882.8				12-22-67	92.5	922.7	
		8-27-68	166.0	874.8				12-29-67	98.5	916.7	
		9-03-68	166.1	874.7				1-12-68	97.5	917.7	
		9-10-68	155.0	885.8				1-26-68	99.5	915.7	
		9-17-68	165.2	875.6				2-02-68	98.5	916.7	
		9-20-68	162.0	878.8				2-09-68	99.5	915.7	
01S/04W-24J04S	1105.0	10-21-67	161.5(1)	943.5	3400			2-16-68	100.5	914.7	
		11-18-67	162.2(1)	942.8				2-23-68	104.5	910.7	
		12-02-67	161.4	943.6				5-03-68	161.5(1)	853.7	
		1-04-68	160.2(1)	944.8				5-10-68	163.5(1)	851.7	
		2-07-68	158.8	946.2				5-24-68	160.5(1)	854.7	
		3-09-68	158.6	946.4				5-31-68	166.5(1)	848.7	
		4-11-68	157.3	947.7				6-14-68	165.5(1)	849.7	
		5-04-68	158.4(2)	946.6				6-21-68	171.5(1)	843.7	
		6-19-68	158.2	946.8				6-28-68	172.5(1)	842.7	
		7-25-68	159.6	945.4				7-05-68	174.5(1)	840.7	
		8-22-68	160.9	944.1				7-12-68	184.5(1)	830.7	
01S/04W-25J01S	1140.0	10-21-67	129.1	1010.9	3400			7-19-68	149.5	865.7	
		11-18-67	128.9	1011.1		01S/04W-27A10S	1015.7	11-17-67	123.0	892.7	5204
		12-02-67	128.0	1012.0				11-24-67	100.0	915.7	
		1-04-68	122.0	1018.0				11-30-67	98.0	917.7	
		2-07-68	126.5	1013.5				12-08-67	94.0	921.7	
		3-02-68	126.6	1013.4				12-15-67	105.0(1)	910.7	
		4-11-68	125.3	1014.7				12-22-67	96.0	919.7	
		5-04-68	125.4	1014.6				12-29-67	105.0(1)	910.7	
01S/04W-27A02S	1014.4	11-17-67	114.0	900.4	5204						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E2	
BUNKER HILL HYDRO SUBAREA						BUNKER HILL HYDRO SUBAREA					
01S/04W-27A10S (CONT.)	1015.7	1-12-68	106.0(1)	909.7	5204	01S/04W-27H01S (CONT.)	1020.0	5-03-68	84.0	936.0	5204
		2-02-68	99.0	916.7				5-16-68	101.0	919.0	
		2-09-68	102.0	913.7				5-24-68	98.0	922.0	
		2-16-68	103.0	912.7				5-31-68	90.0(1)	930.0	
		2-23-68	106.0	909.7				6-14-68	102.0	918.0	
		5-03-68	124.0	891.7				6-28-68	110.0	910.0	
		5-10-68	128.0	887.7				7-05-68	94.0	926.0	
		5-24-68	126.0	889.7				7-19-68	117.0(1)	903.0	
		5-31-68	138.0(1)	877.7		01S/04W-36J01S	1310.5	10-21-67	374.5	936.0	3400
		6-14-68	134.0	881.7				11-18-67	363.6(1)	946.9	
		6-28-68	140.0	875.7				12-02-67	371.7	938.8	
		7-05-68	141.0	874.7				1-04-68	364.5	946.0	
		7-12-68	160.0(1)	855.7				2-07-68	359.0	951.5	
		7-19-68	156.0(1)	859.7				3-02-68	351.7	958.8	
01S/04W-27A11S	1015.0	11-17-67	119.5	895.5	5204			4-11-68	355.7	954.8	
		11-24-67	98.5	916.5				7-24-68	382.6(1)	927.9	
		11-30-67	97.5	917.5				8-21-68	376.5(1)	934.0	
		12-08-67	93.5	921.5		01N/03W-28P01S	1496.2	11-27-67	485.4	1010.8	4104
		12-15-67	101.5	913.5				1-31-68	480.9	1015.3	
		12-22-67	101.5	913.5				2-29-68	473.9	1022.3	
		12-29-67	99.5	915.5				3-29-68	472.9(1)	1023.3	
		1-12-68	99.5	915.5				4-26-68	473.9(1)	1022.3	
		1-26-68	99.5	915.5				5-31-68	473.4(1)	1022.8	
		2-02-68	96.5	918.5				6-28-68	472.9(1)	1023.3	
		2-09-68	99.5	915.5				7-30-68	473.9(1)	1022.3	
		2-16-68	103.5	911.5				8-30-68	473.9(1)	1022.3	
		2-23-68	103.5	911.5				9-30-68	475.9(1)	1020.3	
		5-03-68	125.5	889.5		01N/03W-29H01S	1345.2	10-20-67	363.7	981.5	5051
		5-10-68	125.5	889.5				11-17-67	351.3	993.9	
		5-24-68	122.5	892.5				12-00-67	350.1	995.1	
		5-31-68	132.5	882.5				1-18-68	349.3	995.9	
		6-14-68	130.5	884.5				2-19-68	351.1	994.1	
		6-28-68	136.5	878.5				3-20-68	346.7	998.5	
		7-05-68	142.5	872.5				4-13-68	344.7	1000.5	
		7-12-68	158.5(1)	856.5				5-20-68	352.7	992.5	
		7-19-68	153.5(1)	861.5				6-20-68	366.5	978.7	
01S/04W-27A13S	1017.0	11-17-67	121.7	895.3	5204			8-13-68	363.8	981.4	
		11-24-67	105.7	911.3				9-00-68	365.3	979.9	
		11-30-67	101.7	915.3		01N/03W-29N01S	1291.0	10-20-67	320.8	970.2	5051
		12-08-67	99.7	917.3				11-17-67	357.9(1)	933.1	
		12-15-67	99.7	917.3				12-00-67	312.5	978.5	
		12-22-67	99.7	917.3				1-18-68	315.5	975.5	
		12-29-67	99.7	917.3				2-19-68	316.9	974.1	
		1-12-68	99.7	917.3				3-20-68	315.2	975.8	
		1-26-68	100.7	916.3				4-13-68	313.9	977.1	
		2-02-68	97.7	919.3				5-20-68	315.8	975.2	
		2-09-68	102.7	914.3				6-20-68	318.0	973.0	
		2-16-68	102.7	914.3				8-13-68	363.9(1)	927.1	
		2-23-68	107.7	909.3				9-00-68	326.9	964.1	
		5-03-68	116.7	900.3		01N/03W-29R01S	1368.7	10-14-67	353.8	1014.9	3400
		8-15-68	142.7	874.3				11-11-67	353.5	1015.2	
		9-20-68	136.7	880.3				11-25-67	353.1	1015.6	
01S/04W-27A19S	1007.0	11-17-67	127.0	880.0	5204			1-06-68	353.5	1015.2	
		11-24-67	102.0	905.0				2-06-68	353.0	1015.7	
		11-30-67	100.0	907.0				3-09-68	351.0	1017.7	
		12-08-67	95.0	912.0				4-10-68	352.8	1015.9	
		12-15-67	99.0	908.0				5-18-68	348.9	1019.8	
		12-22-67	98.0	909.0				6-19-68	351.2	1017.5	
		12-29-67	98.0	909.0				7-24-68	350.1	1018.6	
		1-12-68	98.0	909.0				8-21-68	350.8	1017.9	
		1-26-68	99.0	908.0		01N/03W-30C02S	1355.6	10-27-67	313.7	1041.9	4104
		2-02-68	101.0	906.0				11-27-67	322.1	1033.5	
		2-09-68	103.0	904.0				1-30-68	311.6	1044.0	
		2-16-68	103.0	904.0				2-27-68	301.6	1054.0	
		2-23-68	110.0	897.0				3-28-68	301.6	1054.0	
		5-03-68	122.0	885.0				4-24-68	303.6	1052.0	
		8-15-68	153.0	854.0				5-29-68	301.6	1054.0	
		9-20-68	142.0	865.0				6-27-68	300.6	1055.0	
01S/04W-27C07S	990.0	10-09-67	45.9	944.1	5720			7-26-68	300.6	1055.0	
		11-09-67	45.8	944.2				8-29-68	310.6	1045.0	
		11-30-67	46.1	943.9				9-27-68	313.6	1042.0	
		1-04-68	45.7	944.3		01N/03W-30N01S	1234.7	10-27-67	285.3(1)	949.4	4104
		2-01-68	44.5	945.5				11-27-67	285.2(1)	949.5	
		3-14-68	45.0	945.0				1-31-68	280.0(1)	954.7	
		4-04-68	44.5	945.5				2-28-68	274.9(1)	959.8	
		5-21-68	44.4	945.6				3-29-68	274.7(1)	960.0	
		6-06-68	44.5	945.5				4-24-68	275.7(1)	959.0	
		7-09-68	44.6	945.4				5-31-68	275.2(1)	959.5	
		8-29-68	45.6	944.4				6-27-68	266.7	968.0	
		9-06-68	46.0	944.0				7-26-68	268.7	966.0	
01S/04W-27H01S	1020.0	11-17-67	104.0	916.0	5204			8-29-68	269.7	965.0	
		11-24-67	97.0	923.0				9-27-68	272.7	962.0	
		11-30-67	93.0	927.0		01N/03W-31801S	1227.6	10-20-67	276.4(1)	951.2	5051
		12-08-67	84.0	936.0				11-17-67	275.7(1)	951.9	
		12-15-67	85.0	935.0				12-00-67	256.3	971.3	
		12-22-67	85.0	935.0				1-18-68	253.6	974.0	
		12-29-67	84.0	936.0				2-19-68	251.6	976.0	
		1-12-68	85.0	935.0				3-20-68	251.3	976.3	
		1-26-68	84.0	936.0				4-13-68	250.9	976.7	
		2-07-68	83.0	937.0				5-20-68	251.6	976.0	
		2-09-68	84.0	936.0							
		2-16-68	84.0	936.0							
		2-23-68	86.0(1)	934.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			BUNKER HILL HYDRO SUBAREA			Y-01.E2		
01N/03W-31801S (CONT.)	1227.6	6-20-68 8-13-68 9-00-68	253.6 258.5 260.3	974.0 969.1 967.3	5051	01N/04W-06H02S	1931.9	4-10-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	13.0 13.4 14.5 15.3 16.2 16.5	1918.9 1918.5 1917.4 1916.6 1915.7 1915.4	5050
01N/03W-31C02S	1210.0	10-26-67 11-28-67 1-31-68 2-27-68 3-29-68 4-24-68 5-29-68 6-27-68 7-26-68 8-29-68 9-27-68	253.7 253.4 248.1 238.8 238.5 240.0 239.0 238.0 239.0 242.0 245.0	956.3 956.6 961.9 971.2 971.5 970.0 971.0 972.0 971.0 968.0 965.0	4104	01N/04W-06H03S	1865.8	4-10-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	27.8 28.0 28.6 29.7 36.7 36.3	1838.0 1837.8 1837.2 1836.1 1829.1 1829.5	5050
01N/03W-31L03S	1149.8	10-20-67 11-17-67 12-00-67 1-18-68 2-19-68 3-20-68 4-13-68 5-20-68 6-20-68 8-13-68 9-00-68	185.9 185.3 180.4 177.7 176.6 175.5 175.8 177.7 179.6 184.9 187.2	963.9 964.5 969.4 972.1 973.2 974.3 974.0 972.1 970.2 964.9 962.6	5051	01N/04W-06H04S	1851.0	4-10-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	(9) 26.3 27.1 27.8 33.3 31.7	1824.7 1823.9 1823.2 1817.7 1819.3	5050
01N/03W-32C01S	1286.4	10-20-67 11-17-67 12-00-67 1-18-68 2-19-68 3-20-68 4-13-68 5-20-68 6-20-68 8-13-68 9-00-68	312.7 310.2 310.3 311.5 309.0 308.1 306.8 307.1 308.5 313.1 315.7	973.7 976.2 976.1 974.9 977.4 978.3 979.6 979.3 977.9 973.3 970.7	5051	01N/04W-06H05S	1995.2	4-10-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	115.0 115.1 114.4 117.4 120.9 120.1	1880.2 1880.1 1880.8 1877.8 1874.3 1875.1	5050
01N/03W-32C02S	1270.0	10-20-67 11-17-67 12-00-67 1-18-68 2-19-68 3-20-68 4-13-68 5-20-68 6-20-68 8-13-68 9-00-68	286.0 284.8 283.1 283.1 281.8 280.6 279.5 280.3 281.9 297.1(1) 297.5(1)	984.0 985.2 986.9 986.9 988.2 989.4 990.5 989.7 988.1 972.9 972.5	5051	01N/04W-06H06S	1918.3	4-10-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	11.4 11.6 12.7 12.7 13.8 13.6	1906.9 1906.7 1905.6 1905.6 1904.5 1904.7	5050
01N/03W-34H01S	1649.0	10-14-67 11-11-67 11-29-67 1-04-68 2-06-68 3-09-68 8-21-68	61.6(2) 84.2(1) 55.6 44.3 37.2 32.8 59.8	1587.4 1564.8 1593.4 1604.7 1611.8 1616.2 1589.2	3400	01N/04W-08M01S	1529.8	11-08-67 11-29-67 1-12-68 2-16-68 3-27-68 4-17-68 6-17-68 8-28-68	184.0 187.0 188.5 189.0 187.5 187.5 190.0 192.0	1345.8 1342.8 1341.3 1340.8 1342.3 1342.3 1339.8 1337.8	3230
01N/04W-03H02S	2399.3	12-13-67 1-18-68 2-21-68 2-21-68 3-22-68 7-03-68 9-16-68	85.0 118.0(4) 160.0(3) 200.0 222.3 177.7 151.2	2314.3 2281.3 2239.3 2199.3 2222.3 2221.6 2248.1	5050	01N/04W-14R08S	1409.1	11-28-67 3-20-68 4-17-68	13.2 11.3 12.0	1395.9 1397.8 1397.1	3230
01N/04W-06A01S	1999.0	10-02-67 11-01-67 12-21-67 2-20-68 3-28-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	86.8 87.4 88.8 91.8 91.6 91.6 92.3 93.8 96.3 96.1	1912.2 1911.6 1910.2 1907.2 1907.4 1907.4 1906.7 1905.2 1902.7 1902.9	5050	01N/04W-16E03S	1407.0	8-28-68	251.9	1155.1	3230
01N/04W-06A03S	2130.0	10-02-67 11-01-67 2-20-68 3-28-68 4-22-68 6-02-68 7-28-68 8-28-68 9-25-68	(7) (7) 90.8 86.3 90.8 80.8(6) 92.0 92.5 95.4	2039.2 2043.7 2039.2 2049.2 2038.0 2037.5 2034.6	5050	01N/04W-20N01S	1330.9	11-28-67 3-20-68 4-18-68	330.5 330.0 331.6	1000.4 1000.9 999.3	3230
01N/04W-06H01S	1950.0	10-25-67 12-21-67 2-20-68 3-28-68 4-22-68 6-05-68 7-10-68 8-28-68 9-25-68	18.6 13.6 15.8 14.1 15.0 17.3 18.3 20.3 20.3	1931.4 1936.4 1934.2 1935.9 1935.0 1932.7 1931.7 1929.7 1929.7	5050	01N/04W-21802S	1322.4	11-27-67 3-20-68 4-17-68	224.4 224.9 216.9	1098.0 1097.5 1105.5	3230
						01N/04W-23M01S	1294.8	11-27-67 3-22-68 4-18-68	319.0 (1) 312.6	975.8 982.2	3230
						01N/04W-25A01S	1295.6	10-27-67 11-30-67 1-29-68 2-26-68 3-28-68 4-24-68 5-29-68 6-27-68 7-26-68 8-29-68 9-27-68	259.8(1) 260.0(1) 249.7(1) 235.5(1) 237.0(1) 237.0(1) 236.5(1) 235.0(1) 235.0(1) 238.0(1) 240.0(1)	1035.8 1035.6 1045.9 1060.1 1058.6 1058.6 1059.1 1060.6 1060.6 1057.6 1055.6	4104
						01N/04W-25C02S	1246.3	10-27-67 11-30-67 1-29-68 2-26-68 3-28-68 4-25-68 5-29-68 6-27-68 7-26-68 8-25-68 9-27-68	310.7(1) 310.6(1) 303.6(1) 291.1(1) 303.1(1) 303.6(1) 302.6(1) 301.6(1) 302.6(1) 304.6(1) 306.6(1)	935.6 935.7 942.7 955.2 943.2 942.7 943.7 944.7 943.7 941.7 939.7	4104
						01N/04W-25K01S	1206.6	11-27-67 3-20-68 4-17-68	256.7 257.2 258.7	949.9 949.4 947.9	3230
						01N/04W-25P04S	1190.4	10-25-67 11-29-67 1-29-68 2-26-68 3-28-68 4-25-68 5-29-68	217.5 217.5 210.3 201.5 209.4 210.0 209.0	972.9 972.9 980.1 988.9 981.0 980.4 981.4	4104

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E2		UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E2	
BUNKER HILL HYDRO SUBAREA						BUNKER HILL HYDRO SUBAREA					
01N/04W-25P04S (CONT.)	1190.4	6-27-68 7-26-68 8-29-68 9-27-68	207.0 207.0 210.0 212.0	983.4 983.4 980.4 978.4	4104	01N/04W-32D03S (CONT.)	1230.3	8-27-68	263.3	967.0	3230
01N/04W-26A01S	1243.5	10-27-67 11-30-67 1-29-68 2-26-68 3-28-68 4-25-68 5-29-68 6-27-68 7-26-68 8-29-68 9-30-68	294.2 295.0 283.1 270.5 285.0 285.5 289.5 289.0 290.0 292.0 294.0	949.3 948.5 960.4 973.0 958.5 958.0 954.0 954.5 953.5 951.5 949.5	4104	01N/04W-32D04S	1236.3	10-18-67 10-18-67 11-30-67 1-16-68 2-16-68 3-28-68 4-18-68 6-13-68 8-27-68	273.1 263.0 262.7 263.3 263.5 262.7 263.5 266.0 267.6	963.2 973.3 973.6 973.0 972.8 973.6 972.8 970.3 968.7	3230
01N/04W-26A02S	1241.0	10-27-67 11-30-67 1-29-68 2-26-68 3-28-68 4-28-68 5-29-68 6-27-68 7-26-68 8-29-68 9-27-68	293.0(1) 293.0(1) 285.3(1) 273.0(1) 285.5(1) 286.0(1) 288.0(1) 287.0(1) 288.0(1) 289.0(1) 291.0(1)	948.0 948.0 955.7 968.0 955.5 955.0 953.0 954.0 953.0 952.0 950.0	4104	01N/04W-32N01S	1184.0	10-26-67 10-26-67 11-30-67 1-16-68 2-16-68 3-28-68 4-18-68 6-13-68 8-27-68	240.5(1) 219.9 221.8 219.5 218.7 219.9 218.3 222.6 247.1	943.5 964.1 962.2 964.5 965.3 964.1 965.7 961.4 936.9	5010
01N/04W-26E02S	1236.2	10-17-67 10-17-67 11-30-67 1-10-68 2-15-68 3-26-68 4-22-68 6-14-68 8-27-68	301.9 293.8 292.6 290.0 290.6 287.0 280.0 297.0(1) 295.0	934.3 942.4 943.6 946.2 945.6 949.2 956.2 939.2 941.2	3230	01N/04W-33M01S	1161.0	11-28-67 3-20-68 4-18-68	193.0 193.5 194.2	968.0 967.5 966.8	3230
01N/04W-26N04S	1193.6	11-27-67 3-20-68 4-17-68	264.9 (1) (1)	928.7	3230	01N/04W-34G03S	1136.2	2-15-68 3-26-68 4-22-68 6-18-68 8-28-68	201.6 199.4 198.8 219.8(1) 218.3	934.6 936.8 937.4 916.4 917.9	3230
01N/04W-26P03S	1173.9	10-26-67 10-26-67 11-30-67 1-16-68 2-15-68 3-26-68 4-19-68 6-18-68 8-27-68	262.4 240.1 238.4 233.0 230.4 229.3 230.4 262.4(1) 266.6(1)	911.5 933.8 935.5 940.9 943.5 944.6 943.5 911.5 907.3	3230	01N/04W-35C03S	1168.0	2-15-68 3-26-68 4-19-68 6-18-68 8-27-68	226.3 225.0 226.1 237.1(1) 243.8(1)	941.7 943.0 941.9 930.9 924.2	3230
01N/04W-26N04S	1193.6	11-27-67 3-20-68 4-17-68	264.9 (1) (1)	928.7	3230	01N/04W-35L01S	1130.3	11-28-67 1-22-68 2-01-68 3-07-68 3-20-68 4-05-68 4-17-68 5-31-68 6-13-68 7-12-68 8-08-68 8-16-68 8-22-68 8-30-68 9-05-68 9-12-68 9-19-68 9-26-68	200.6 194.3 193.4 195.2 192.2 191.8 195.8 204.0 197.0 211.4 213.2 212.1 212.5 214.7 213.6 215.1 215.1 215.1	929.7 936.0 936.9 935.1 938.1 938.5 934.5 926.3 933.3 918.9 917.1 918.2 917.8 915.6 916.7 915.2 915.2 915.2	3230 5720
01N/04W-27A01S	1244.4	10-25-67 10-25-67 11-29-67 1-10-68 2-15-68 3-27-68 4-22-68 6-18-68 8-27-68	313.7 305.5 303.4 299.5 294.7 298.7 296.4 300.0 307.0	930.7 938.9 941.0 944.9 949.7 945.7 948.0 944.4 937.4	3230	01N/04W-35L06S	1127.0	11-27-67 3-20-68 4-17-68	212.5 204.8 208.0	914.5 922.2 919.0	3230
01N/04W-27B01S	1233.0	10-27-67 10-27-67 11-30-67 1-10-68 2-00-68 3-26-68 4-22-68 6-19-68 8-27-68	306.9 297.3 296.0 289.0 285.6 284.0 280.2 301.0(1) 306.3(1)	926.1 935.7 937.0 944.0 947.4 949.0 952.8 932.0 926.7	3230	01N/04W-36K07S	1120.0	10-27-67 11-29-67 1-29-68 2-28-68 3-29-68 4-29-68 5-31-68 6-27-68 7-26-68 8-29-68 9-27-68	186.0 185.5 178.7 168.3 168.1 168.5 167.5 168.1 167.5 171.5 173.3	934.0 934.5 941.3 951.7 951.9 951.5 952.5 951.9 952.5 948.5 946.7	4104
01N/04W-27G01S	1226.4	10-24-67 10-24-67 11-30-67 1-10-68 2-15-68 3-26-68 4-22-68 6-19-68 8-27-68	304.5 297.4 295.8 288.6 285.8 284.4 280.2 301.0(1) 306.6(1)	921.9 929.0 930.6 937.8 940.6 942.0 946.2 925.4 919.8	3230	01N/04W-36O01S	1097.0	10-27-67 11-29-67 1-29-68 2-28-68 3-29-68 4-29-68 5-31-68 6-27-68 7-26-68 8-29-68 9-27-68	152.3 155.3 150.6 138.1 138.1 140.4 140.3 140.1 139.6 141.1 143.1	944.7 941.7 946.4 958.9 958.9 956.6 956.7 956.9 957.4 955.9 953.9	4104
01N/04W-27M01S	1189.1	10-24-67 10-24-67 11-30-67 1-16-68 2-16-68 3-28-68 4-22-68 6-13-68 8-27-68	262.5 256.5 254.0 255.5 247.0 248.0 246.2 252.6 261.5	926.6 932.6 935.1 933.6 942.1 941.1 942.9 936.5 927.6	3230	02N/04W-18J01S	5340.0	12-13-67 1-18-68 2-21-68 3-22-68 4-24-68 7-03-68 8-23-68 9-16-68	94.5 100.8(3) 73.0 62.0 89.2 97.0 64.5(3) 105.0	5245.5 5239.2 5267.0 5278.0 5250.8 5243.0 5275.5 5235.0	5050
01N/04W-29F01S	1278.0	11-28-67	(1)		3230	02N/04W-18R03S	4790.0	10-01-67 10-15-67 11-01-67	523.5 524.0 524.0	4266.5 4266.0 4266.0	5050
01N/04W-31E01S	1269.0	12-12-67	335.0(1)	934.0	5718						
01N/04W-32D03S	1230.3	6-13-68	261.9	968.4	3230						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
BUNKER HILL HYDRO SUBAREA			Y-01.E2			REDLANDS HYDRO SUBAREA			Y-01.E3		
02N/04W-18R03S (CONT.)	4790.0	11-15-67	524.0	4266.0	5050	01S/03W-24C01S (CONT.)	1519.7	3-09-68	250.3	1269.4	3400
		12-01-67	524.0	4266.0				4-10-68	247.4	1272.3	
		12-15-67	524.0	4266.0				5-18-68	250.2	1269.5	
		1-01-68	524.0	4266.0				6-20-68	250.6	1269.1	
		1-15-68	524.0	4266.0				7-24-68	291.6(1)	1228.1	
		2-01-68	524.0	4266.0				8-21-68	292.4(1)	1227.3	
		4-24-68	294.5(5)	4495.5		01S/03W-24R01S	1583.0	10-21-67	308.9	1274.1	3400
		5-01-68	524.0(5)	4266.0				11-11-67	306.7	1276.3	
		5-15-68	524.5(5)	4265.5				12-02-67	305.0	1278.0	
		6-01-68	525.0(5)	4265.0				1-06-68	301.7	1281.3	
		6-15-68	525.2(5)	4264.8				2-06-68	296.4	1286.6	
		7-01-68	526.0(5)	4264.0				3-09-68	292.5	1290.5	
		7-15-68	526.5(5)	4263.5				4-10-68	292.4	1290.6	
		8-01-68	527.0(5)	4263.0				5-18-68	285.8	1297.2	
		8-15-68	527.5(5)	4262.5				7-24-68	285.3	1297.7	
		9-01-68	528.0(5)	4262.0				8-21-68	287.3	1295.7	
		9-16-68	528.2(5)	4261.8							
02N/04W-19A01S	4640.0	12-13-67	40.0	4600.0	5050	01S/03W-25N02S	1590.0	11-04-67	DRY		3400
		1-18-68	41.3	4598.7		01S/03W-26C01S	1440.0	10-27-67	275.0	1165.0	5203
		2-21-68	41.5	4598.5				11-28-67	277.0	1163.0	
		3-22-68	41.0	4599.0				12-26-67	269.0	1171.0	
		4-24-68	40.5	4599.5				1-23-68	266.0	1174.0	
		7-03-68	41.0	4599.0				2-27-68	261.0	1179.0	
		8-23-68	42.0	4598.0				3-25-68	259.0	1181.0	
		9-16-68	42.8	4597.2				4-24-68	259.0	1181.0	
02N/04W-20B01S	4600.0	12-13-67	64.0	4536.0	5050			5-24-68	257.0	1183.0	
		1-18-68	91.5(3)	4508.5				6-25-68	288.0(1)	1152.0	
		1-30-68	56.3	4543.7				7-26-68	283.0(1)	1157.0	
		2-21-68	65.5	4534.5				8-28-68	257.0	1183.0	
		3-22-68	88.5	4511.5				9-23-68	253.0	1187.0	
		4-24-68	264.5	4335.5		01S/03W-28P01S	1264.9	10-21-67	DRY		3400
		7-03-68	269.5	4330.5				11-18-67	DRY		
		8-23-68	220.5	4379.5				12-02-67	DRY		
		9-16-68	255.5(3)	4344.5				2-07-68	DRY		
02N/04W-31J02S	2401.0	10-02-67	10.6	2390.4	5050			3-02-68	DRY		
		11-01-67	11.1	2389.9				4-11-68	DRY		
		12-21-67	12.1	2388.9				5-04-68	190.0	1074.9	
		2-20-68	12.1	2388.9				6-18-68	190.6	1074.3	
		4-01-68	12.4	2388.6				7-24-68	193.6	1071.3	
		4-22-68	12.8	2388.2				8-21-68	196.0	1068.9	
		6-05-68	14.1	2386.9		01S/03W-33R01S	1465.0	10-07-67	299.2	1165.8	3400
		7-10-68	15.0	2386.0				11-04-67	297.8	1167.2	
		8-28-68	16.2	2384.8				11-25-67	297.0	1168.0	
		9-25-68	16.7	2384.3				12-27-67	289.5	1175.5	
02N/04W-31R02S	1961.0	10-02-67	56.1	1904.9	5050			6-18-68	298.9	1166.1	
		11-01-67	56.6	1904.4				8-20-68	301.5	1163.5	
		12-21-67	56.9	1904.1							
		2-20-68	55.4	1905.6							
		3-28-68	55.4	1905.6							
		4-22-68	56.2	1904.8							
		6-02-68	56.5	1904.5							
		7-10-68	55.9	1905.1							
		8-28-68	56.6	1904.4							
		9-25-68	56.9	1904.1							
REDLANDS HYDRO SUBAREA						MENTONE HYDRO SUBAREA					
						Y-01.E4					
01S/02W-19D01S	1608.4	10-21-67	290.9	1317.5	3400	01S/02W-18R01S	1762.6	11-04-67	156.8	1605.8	3400
		11-11-67	289.8	1318.6				11-25-67	157.1	1605.5	
		12-02-67	285.0	1323.4				12-27-67	158.5	1604.1	
		1-06-68	279.7	1328.7				2-05-68	158.5	1604.1	
		2-06-68	275.5	1332.9				3-02-68	158.5	1604.1	
		3-09-68	271.8	1336.6				4-11-68	155.0	1607.6	
		4-10-68	269.6	1338.8				5-04-68	152.3	1610.3	
		5-18-68	270.4	1338.0				6-18-68	151.9	1610.7	
		7-24-68	271.9	1336.5		01S/02W-19G01S	1688.6	11-04-67	112.3	1576.3	3400
		8-21-68	274.3	1334.1				11-25-67	112.1(2)	1576.5	
01S/03W-13P01S	1520.3	10-14-67	229.6	1290.7	3400			12-27-67	109.8	1578.8	
		11-11-67	253.5(1)	1266.8				2-05-68	108.8	1579.8	
		11-29-67	233.0	1287.3				3-02-68	109.1	1579.5	
		1-06-68	216.2	1304.1				4-11-68	108.7	1579.9	
		2-06-68	213.6	1306.7				5-04-68	108.7	1579.9	
		3-09-68	211.6	1308.7		01S/02W-19J01S	1760.5	6-18-68	120.3(1)	1568.3	
		4-10-68	211.0	1309.3				7-23-68	129.7(1)	1558.9	
		5-18-68	240.4(1)	1279.9				8-20-68	131.2(1)	1557.4	
		6-20-68	238.4(1)	1281.9							
		7-24-68	246.2(1)	1274.1							
		8-21-68	225.3	1295.0							
01S/03W-13P02S	1534.5	11-29-67	239.5	1295.0	3400	01S/02W-19K01S	1723.9	11-04-67	121.7	1602.2	3400
		1-06-68	239.9	1294.6				11-25-67	110.5	1613.4	
		2-06-68	247.1(1)	1287.4				12-27-67	110.0	1613.9	
		3-09-68	234.4	1300.1				2-05-68	110.4	1613.5	
		6-20-68	242.2	1292.3				3-02-68	110.6	1613.3	
		8-21-68	246.5	1288.0				5-04-68	129.1(1)	1594.8	
01S/03W-24C01S	1519.7	10-14-67	272.0	1247.7	3400			6-18-68	133.7(1)	1590.2	
		11-11-67	270.3	1249.4				7-23-68	137.2(1)	1586.7	
		12-02-67	266.6	1253.1				8-20-68	142.2(1)	1581.7	
		1-06-68	253.9	1265.8				9-11-68	112.1	1611.8	
		2-06-68	251.9	1267.8		01S/02W-20B01S	1880.0	11-07-67	108.1(1)	1771.9	3400
								11-25-67	110.1(1)	1769.9	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
MENTONE HYDRO SUBAREA			Y-01.E4			RESERVOIR HYDRO SUBAREA			Y-01.E5		
01S/02W-20B01S (CONT.)	1880.0	12-27-67 2-05-68 3-02-68 4-11-68 5-04-68 6-18-68 7-23-68 8-20-68	107.7(1) 89.6 79.1(1) 66.7 74.7 91.7 105.1 112.7	1772.3 1790.4 1800.9 1813.3 1805.3 1788.3 1774.9 1767.3	3400	01S/02W-29M01S (CONT.)	1851.8	6-18-68	212.3	1639.5	3400
01S/02W-20K01S	1907.0	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 4-11-68 5-04-68 7-23-68 8-20-68	71.5 72.5 71.5 64.0 62.1 59.1 60.0 69.5 71.8	1835.5 1834.5 1835.5 1843.0 1844.9 1847.9 1847.0 1837.5 1835.2	3400	01S/02W-29N01S	1896.4	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 4-11-68 5-11-68 6-18-68	274.9 272.7 270.0 266.7 264.8 264.4 261.1 259.7	1621.5 1623.7 1626.4 1629.7 1631.6 1632.0 1635.3 1636.7	3400
01S/02W-20R01S	1896.0	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 4-11-68 5-11-68 6-18-68 7-23-68 8-20-68	67.5 70.1 68.4 66.2 64.6 62.5 58.5 60.4 62.2 69.7	1828.5 1825.9 1827.6 1829.8 1831.4 1833.5 1837.5 1835.6 1833.8 1826.3	3400	01S/02W-31B01S	1880.7	11-04-67 11-25-67 12-27-67 3-02-68 4-11-68 5-11-68 6-18-68 7-23-68 8-20-68	277.5 276.6 274.8 266.9 266.7 266.2 265.6 268.7 271.2	1603.2 1604.1 1605.9 1613.8 1614.0 1614.5 1615.1 1612.0 1609.5	3400
01S/02W-21O01S	1965.0	10-27-67 11-04-67 11-25-67 11-27-67 12-27-67 1-23-68 2-05-68 2-26-68 3-02-68 3-25-68 4-11-68 4-25-68 5-11-68 5-24-68 6-18-68 6-25-68 7-23-68 7-26-68 8-20-68 8-28-68 9-25-68	55.0 50.7 45.3 44.0 19.2 23.0 24.2 24.0 19.2 27.0 29.6 39.0 39.0 46.0 44.0 48.0 46.8 52.0 49.4 53.0 56.0	1910.0 1914.3 1919.7 1921.0 1945.8 1942.0 1940.8 1941.0 1945.8 1938.0 1935.4 1926.0 1926.0 1919.0 1921.0 1917.0 1918.2 1913.0 1915.6 1912.0 1909.0	5203 3400 5203 3400 5203 5203 3400 5203 5203 3400 5203 3400 5203 3400 5203 5203 3400 5203 5203 5203	01S/03W-35G0B5	1565.8	10-26-67 11-27-67 12-26-67 1-23-68 2-26-68 3-25-68 4-23-68 5-23-68 6-24-68 7-27-68 8-22-68 9-23-68	154.0 164.0(1) 137.0 143.0 162.0(1) 145.0 138.0 135.0 136.0 199.0(1) 131.0 142.0	1411.8 1401.8 1428.8 1422.8 1403.8 1420.8 1427.8 1430.8 1429.8 1366.8 1434.8 1423.8	5203
01S/02W-29C01S	1835.0	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 4-11-68 5-11-68 6-18-68 7-23-68 8-20-68	80.4 80.7 81.7 83.5 84.6 84.6 82.9 81.5 81.7 80.5	1754.6 1754.3 1753.3 1751.5 1750.4 1750.4 1752.1 1753.5 1753.3 1754.5	3400	01S/03W-35G11S	1560.0	10-27-67 11-27-67 12-26-67 1-23-68 2-26-68 3-25-68 4-23-68 5-23-68 6-25-68 7-26-68 8-26-68 9-23-68	129.0 135.0 120.0 125.0 126.0 123.0 119.0 118.0 120.0 130.0 123.0 123.0	1431.0 1425.0 1440.0 1435.0 1434.0 1437.0 1441.0 1442.0 1440.0 1430.0 1437.0 1437.0	5203
01S/02W-30B03S	1709.4	5-04-68 6-18-68 7-23-68 8-20-68	81.5 79.7 94.0(2) 98.2(2)	1627.9 1629.7 1615.4 1611.2	3400	01S/03W-35H03S	1571.1	10-26-67 11-27-67 12-26-67 1-23-68 2-26-68 3-25-68 4-24-68 5-23-68 6-24-68 7-27-68 8-22-68 9-23-68	155.9 156.9 143.9 141.9(1) 147.9 146.9 143.9 138.9 162.9(1) 196.9(1) 142.9 148.9	1415.2 1414.2 1427.2 1429.2 1423.2 1424.2 1427.2 1432.2 1408.2 1374.2 1428.2 1422.2	5203
01S/02W-30C01S	1649.0	11-04-67 11-25-67 12-27-67 2-05-68 4-11-68 6-18-68 7-23-68 8-20-68	121.9 119.0 113.7 109.7 110.4 121.8(1) 124.9(1) 133.3(1)	1527.1 1530.0 1535.3 1539.3 1538.6 1527.2 1524.1 1515.7	3400	01S/03W-35H04S	1585.3	10-26-67 11-27-67 12-26-67 1-23-68 2-26-68 3-25-68 4-24-68 5-23-68 6-24-68 7-26-68 8-22-68 9-23-68	166.0 168.0 156.0 163.0 159.0 156.0 154.0 150.0 159.0 200.0(1) 152.0 156.0	1419.3 1417.3 1429.3 1422.3 1426.3 1429.3 1431.3 1435.3 1426.3 1385.3 1433.3 1429.3	5203
01S/02W-30E01S	1630.0	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 4-11-68 5-04-68 6-18-68 7-23-68 8-20-68	122.5 122.2 122.3 122.7 122.8 121.2 121.3 121.6 122.0 122.0	1507.5 1507.8 1507.7 1507.3 1507.2 1508.8 1508.7 1508.4 1508.0 1508.0	3400	01S/03W-35L02S	1614.9	10-07-67 11-04-67 11-25-67 12-17-67 2-05-68 3-02-68 4-11-68 5-11-68 7-23-68 8-20-68	192.7 192.0 191.2 189.0 187.4 186.4 185.8 184.3 183.1 183.3	1422.2 1422.9 1423.7 1425.9 1427.5 1428.5 1429.1 1430.6 1431.8 1431.6	3400
01S/02W-30G02S	1709.0	3-02-68 5-04-68 6-18-68	106.5 85.0(5) 96.5(5)	1602.5 1624.0 1612.5	3400	CRAFTON HYDRO SUBAREA					
RESERVOIR HYDRO SUBAREA						Y-01.E6					
01S/02W-29M01S	1851.8	4-11-68 5-11-68	217.3 214.2	1634.5 1637.6	3400	01S/02W-29K01S	1920.0	11-04-67 11-25-67 12-27-67 2-05-68 3-02-68 5-11-68 6-18-68 7-23-68 8-20-68	131.9 131.8 126.8 119.5 116.5 120.4 153.5(1) 153.9(1) 154.5(1)	1788.1 1788.2 1793.2 1800.5 1803.5 1799.6 1766.5 1766.1 1765.5	3400

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E6		UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0	Y-01.E8	
CRAFTON HYDRO SUBAREA						MILL CREEK HYDRO SUBAREA					
02S/03W-01D01S	1789.6	10-07-67	257.1(1)	1532.5	3400	01S/02W-21B02S (CONT.)	2090.0	3-25-68	15.2	2074.8	5203
		11-25-67	218.7	1570.9				4-25-68	17.2	2072.8	
		12-27-67	213.9	1575.7				5-24-68	19.2	2070.8	
		2-05-68	209.1	1580.5				6-25-68	21.2	2068.8	
		3-02-68	207.3	1582.3				7-26-68	24.2	2065.8	
		4-11-68	202.2	1587.4				8-28-68	27.2	2062.8	
		5-11-68	206.3	1583.3				9-25-68	29.2	2060.8	
		6-18-68	227.0(1)	1562.6		01S/02W-21E01S	2015.9	10-27-67	47.0	1968.9	5203
		7-23-68	226.8(1)	1562.8				11-27-67	51.0(1)	1964.9	
		8-20-68	227.6(1)	1562.0				12-26-67	44.0	1971.9	
02S/03W-01P01S	1980.0	10-07-67	260.4	1719.6	3400			1-23-68	20.0	1995.9	
		11-04-67	260.1	1719.9				2-26-68	22.0	1993.9	
		11-25-67	259.2	1720.8				3-25-68	27.0	1988.9	
		12-27-67	259.2	1720.8				4-25-68	34.0	1981.9	
		2-05-68	259.1	1720.9				5-24-68	43.0	1972.9	
		3-02-68	259.0	1721.0				6-24-68	40.0	1975.9	
		4-11-68	258.1	1721.9				7-26-68	45.0	1970.9	
		5-11-68	258.1	1721.9				8-28-68	47.0	1968.9	
		6-18-68	259.4	1720.6				9-23-68	47.0	1968.9	
		7-23-68	259.2	1720.8		01S/02W-21H02S	2126.0	11-04-67	24.3	2101.7	3400
		8-20-68	259.2	1720.8				11-25-67	25.0	2101.0	
SANTA ANA CANYON HYDRO SUBAREA					Y-01.E7			12-27-67	16.9	2109.1	
01S/02W-08C01S	1811.0	10-28-67	71.1	1739.9	3400			2-05-68	9.7	2116.3	
		11-11-67	71.4	1739.6				3-02-68	9.0	2117.0	
		11-29-67	57.0	1754.0				4-11-68	12.2	2113.8	
		1-04-68	51.7	1759.3				5-11-68	14.7	2111.3	
		2-06-68	55.5	1755.5				6-18-68	19.7	2106.3	
		3-09-68	61.3	1749.7				7-13-68	23.4	2102.6	
		4-10-68	59.5	1751.5		01S/02W-21L01S	2013.0	8-20-68	27.3	2098.7	
		5-18-68	68.8	1742.2				11-04-67	29.5	1983.5	3400
		8-21-68	156.9(1)	1654.1				11-25-67	30.3	1982.7	
01S/02W-08C02S	1806.7	10-28-67	72.6	1734.1	3400			12-27-67	26.4	1986.6	
		11-11-67	73.0	1733.7				2-05-68	20.6	1992.4	
		11-29-67	54.8	1751.9				3-02-68	19.2	1993.8	
		1-04-68	52.5	1754.2				4-11-68	21.1	1991.9	
		2-06-68	56.0	1750.7				5-11-68	22.3	1990.7	
		4-10-68	59.9	1746.8				6-18-68	24.6	1988.4	
		5-18-68	70.1	1736.6				7-23-68	27.8	1985.2	
		6-19-68	116.4(1)	1690.3				8-20-68	29.9	1983.1	
		8-21-68	121.9(1)	1684.8		01S/02W-21M01S	1955.3	10-27-67	22.6	1932.7	5203
MILL CREEK HYDRO SUBAREA					Y-01.E8			11-27-67	34.6(1)	1920.7	
01S/01W-08G01S	3570.0	10-27-67	10.0	3560.0	5203			12-26-67	18.6	1936.7	
		11-27-67	10.0	3560.0				1-23-68	16.6	1938.7	
		12-26-67	10.0	3560.0				2-26-68	14.6	1940.7	
		1-23-68	10.0	3560.0				3-25-68	14.6	1940.7	
		2-26-68	11.0	3559.0				4-25-68	15.6	1939.7	
		3-25-68	11.0	3559.0				5-24-68	17.6	1937.7	
		4-25-68	11.0	3559.0				6-24-68	19.6	1935.7	
		5-24-68	11.0	3559.0				7-26-68	24.6	1930.7	
01S/01W-10L01S	4140.0	10-27-67	52.0(1)	4088.0	5203			8-22-68	25.6	1929.7	
		11-28-67	45.0	4095.0				9-23-68	26.6	1928.7	
		12-26-67	45.0	4095.0		01S/02W-22C02S	2260.0	10-27-67	39.0	2221.0	5203
		1-23-68	46.0	4094.0				11-27-67	38.0	2222.0	
		2-26-68	47.0	4093.0				12-26-67	38.0	2222.0	
		3-25-68	49.0	4091.0				1-23-68	39.0	2221.0	
		4-25-68	52.0	4088.0				2-26-68	44.0	2216.0	
		5-24-68	54.0	4086.0				3-25-68	42.0	2218.0	
		6-24-68	54.0	4086.0				4-25-68	40.0	2220.0	
		7-26-68	69.0(1)	4071.0				5-24-68	40.0	2220.0	
		8-22-68	59.0	4081.0				6-25-68	40.0	2220.0	
		9-23-68	70.0(1)	4070.0				7-26-68	41.0	2219.0	
01S/01W-11Q01S	4575.0	10-27-67	56.0	4519.0	5203			8-28-68	42.0	2218.0	
		11-28-67	63.0	4512.0				9-23-68	42.0	2218.0	
		12-26-67	67.0	4508.0		01S/02W-22E01S	2198.9	11-04-67	24.7	2174.2	3400
		1-23-68	71.0	4504.0				11-25-67	24.1	2174.8	
		2-26-68	73.0	4502.0				12-27-67	9.7	2189.2	
		3-25-68	76.0	4499.0				2-05-68	6.2	2192.7	
		4-25-68	66.0	4509.0				3-02-68	9.9	2189.0	
		5-24-68	66.0	4509.0				4-11-68	11.8	2187.1	
		6-24-68	61.0	4514.0				5-11-68	18.0	2180.9	
		7-26-68	93.0(1)	4482.0				6-18-68	23.9	2175.0	
		8-22-68	101.0(1)	4474.0				7-13-68	26.7	2172.2	
		9-23-68	108.0(1)	4467.0				8-20-68	32.4(1)	2166.5	
01S/02W-09Q01S	2150.8	11-25-67	186.6	1964.2	3400	SYCAMORE HYDRO SUBAREA					Y-01.E9
		12-27-67	174.7	1976.1		01N/04W-31P03S	1206.4	10-00-67	269.7	936.7	4124
		2-05-68	164.6	1986.2				11-00-67	268.7	937.7	
		3-02-68	159.3	1991.5				12-00-67	258.7	947.7	
		5-11-68	172.4	1978.4				1-00-68	253.7	952.7	
01S/02W-21B02S	2090.0	10-27-67	28.2	2061.8	5203			2-02-68	245.7	960.7	
		11-27-67	34.2(1)	2055.8				3-07-68	244.7	961.7	
		12-26-67	17.2	2072.8				4-00-68	241.7	964.7	
		1-23-68	14.2	2075.8				6-00-68	239.7	966.7	
		2-26-68	13.2	2076.8				7-00-68	238.7	967.7	
						01N/05W-15K01S	1598.3	8-00-68	237.7	968.7	
								9-00-68	244.7	961.7	
								10-02-67	351.8	1246.5	4706
								11-02-67	348.7	1249.6	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0			UPPER SANTA ANA RIVER HYDRO SUBUNIT			Y-01.E0		
SYCAMORE HYDRO SUBAREA			Y-01.E9			SYCAMORE HYDRO SUBAREA			Y-01.E9		
01N/05W-15K01S (CONT.)	1598.3	12-01-67	345.0	1253.3	4706	01N/05W-23H03S (CONT.)	1412.0	7-00-68	279.0(1)	1133.0	4124
		1-03-68	342.5	1255.8				8-00-68	259.0(1)	1153.0	
		2-05-68	338.7	1259.6				9-00-68	262.0(1)	1150.0	
		3-04-68	340.3	1258.0		01N/05W-24E01S	1472.0	10-27-67	250.0(1)	1222.0	4793
		4-01-68	339.3	1259.0				11-24-67	145.0	1327.0	
		5-02-68	338.4	1259.9				12-29-67	125.0	1347.0	
		6-04-68	337.7	1260.6				1-26-68	115.0	1357.0	
		7-01-68	337.9	1260.4				2-23-68	115.0	1357.0	
		8-05-68	337.7	1260.6				3-22-68	160.0	1312.0	
		9-04-68	337.3	1261.0				4-26-68	180.0(1)	1292.0	
01N/05W-15Q02S	1590.8	10-02-67	408.0	1182.8	4706			5-24-68	115.0(1)	1357.0	
		11-02-67	401.8	1189.0				6-21-68	160.0(1)	1312.0	
		12-01-67	402.2	1188.6				7-26-68	165.0(1)	1307.0	
		1-03-68	401.0	1189.8				8-24-68	160.0(1)	1312.0	
		2-05-68	400.0	1190.8				9-27-68	180.0(1)	1292.0	
		3-01-68	374.1	1216.7		01N/05W-25E01S	1383.4	10-00-67	232.0	1151.4	4124
		4-01-68	367.0	1223.8				11-00-67	231.0	1152.4	
		5-02-68	364.0	1226.8				12-00-67	222.0	1161.4	
		6-04-68	363.8	1227.0				1-00-68	214.0	1169.4	
		7-01-68	365.5	1225.3				2-02-68	205.1	1178.3	
		8-05-68	365.0	1225.8				3-07-68	204.0	1179.4	
		9-02-68	365.7	1225.1				4-00-68	204.0	1179.4	
01N/05W-22A01S	1549.8	10-03-67	373.4(5)	1176.4	4706			5-00-68	200.0	1183.4	
		11-02-67	368.8(5)	1181.0				6-00-68	199.0	1184.4	
		12-01-67	361.8(5)	1188.0				7-00-68	199.0	1184.4	
		1-03-68	368.8(5)	1181.0				8-00-68	199.0	1184.4	
		2-05-68	349.9(5)	1199.9				9-00-68	200.0	1183.4	
		3-04-68	341.0(5)	1208.8		01N/05W-26A03S	1398.0	10-00-67	248.0(1)	1150.0	4124
		4-01-68	334.1(5)	1215.7				11-00-67	241.0	1157.0	
		5-02-68	329.0(5)	1220.8				12-00-67	221.0	1177.0	
		6-04-68	329.0(5)	1220.8				1-00-68	229.0(1)	1169.0	
		7-01-68	331.8(5)	1218.0				2-02-68	204.0	1194.0	
		8-06-68	329.0(5)	1220.8				3-07-68	200.0	1198.0	
		9-04-68	331.8(5)	1218.0				4-00-68	196.0	1202.0	
01N/05W-23A01S	1514.0	10-27-67	100.0	1414.0	4793			5-00-68	194.0	1204.0	
		11-24-67	90.0	1424.0				6-00-68	194.0	1204.0	
		12-29-67	80.0	1434.0				7-00-68	204.0	1194.0	
		1-26-68	75.0	1439.0				8-00-68	198.0	1200.0	
		2-23-68	75.0	1439.0				9-00-68	198.0	1200.0	
		3-22-68	75.0	1439.0		01N/05W-36J03S	1261.5	10-00-67	326.1	935.4	4124
		4-26-68	135.0(1)	1379.0				11-00-67	329.1	932.4	
		5-24-68	135.0(1)	1379.0				12-00-67	321.1	940.4	
		6-21-68	90.0	1424.0				1-00-68	321.1	940.4	
		7-26-68	90.0	1424.0				2-02-68	295.1	966.4	
		8-24-68	80.0	1434.0				3-07-68	299.1	962.4	
		9-27-68	80.0	1434.0				4-00-68	295.1	966.4	
01N/05W-23A02S	1507.0	10-27-67	95.0	1412.0	4793			5-00-68	299.1	962.4	
		11-24-67	85.0	1422.0				6-00-68	298.1	963.4	
		12-29-67	135.0(1)	1372.0				7-00-68	297.1	964.4	
		1-26-68	80.0	1427.0				8-00-68	393.1(1)	868.4	
		2-23-68	80.0	1427.0				9-00-68	361.1	900.4	
		3-22-68	80.0	1427.0							
		4-26-68	75.0	1432.0							
		5-24-68	75.0	1432.0							
		6-21-68	90.0	1417.0							
		7-26-68	215.0(1)	1292.0							
		8-24-68	135.0(1)	1372.0							
		9-27-68	160.0(1)	1347.0							
01N/05W-23H01S	1496.2	10-27-67	100.2	1396.0	4793						
		11-24-67	95.2	1401.0							
		12-29-67	75.2	1421.0							
		1-26-68	80.2	1416.0							
		2-23-68	80.2	1416.0							
		3-22-68	80.2	1416.0							
		4-26-68	80.2	1416.0							
		5-24-68	110.2(1)	1386.0							
		6-21-68	90.2	1406.0							
		7-26-68	90.2	1406.0							
		8-24-68	70.2	1426.0							
		9-27-68	90.2	1406.0							
01N/05W-23K01S	1454.2	10-03-67	286.5(5)	1167.7	4706						
		11-02-67	309.6(5)	1144.6							
		12-02-67	281.9(5)	1172.3							
		1-02-68	284.9(5)	1169.3							
		2-05-68	286.5(5)	1167.7							
		3-04-68	234.1(5)	1220.1							
		4-01-68	249.6(5)	1204.6							
		5-01-68	254.1(5)	1200.1							
		6-04-68	300.4(1)	1153.8							
		7-01-68	298.1(1)	1156.1							
		8-05-68	295.8(1)	1158.4							
		9-02-68	284.2(1)	1170.0							
01N/05W-23R03S	1412.0	10-00-67	210.0	1202.0	4124						
		11-00-67	308.0(1)	1104.0							
		12-00-67	237.0	1175.0							
		1-00-68	218.0	1194.0							
		2-02-68	236.0	1176.0							
		3-07-68	232.0	1180.0							
		4-00-68	254.0(1)	1158.0							
		5-00-68	176.0	1236.0							
		6-00-68	274.0(1)	1138.0							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA ANA RIVER HYDRO UNIT						Y-01.00					
SAN TIMOTEO HYDRO SUBUNIT			Y-01.F0			SAN TIMOTEO HYDRO SUBUNIT			Y-01.F0		
YUCAIPA HYDRO SUBAREA			Y-01.F1			CHERRY VALLEY HYDRO SUBAREA			Y-01.F3		
01S/02W-34N02S	2162.4	10-06-67 (2) 11-16-67 (1) 3-15-68 269.4 4-25-68 (1) 6-12-68 (1) 7-09-68 271.9 8-07-68 (1) 9-04-68 (1)		1893.0	5100	02S/02W-14J02S (CONT.)	2419.0	4-09-68	214.2	2204.8	4103
						02S/02W-23M01S	2387.1	11-16-67 4-09-68	214.8 210.0	2172.3 2177.1	4103
						CHICKEN HILL HYDRO SUBAREA					
						Y-01.F4					
02S/03W-03N01S	1390.0	10-07-67 92.4 11-04-67 92.6 12-27-67 82.3 2-05-68 DRY 3-02-68 DRY 4-11-68 DRY 5-11-68 DRY 6-18-68 DRY 7-23-68 DRY 8-20-68 DRY		1297.6 1297.4 1307.7	3400	02S/02W-02M01S	2386.0	10-06-67 11-16-67 1-31-68 3-15-68 4-25-68 6-12-68 7-09-68 8-07-68 (1) 9-04-68 297.1(3)	300.1 295.2 292.8 291.4 291.0 291.6 296.7 (1) 297.1(3)	2085.9 2090.8 2093.2 2094.6 2095.0 2094.4 2089.3 (1) 2088.9	5100
						02S/02W-11U01S	2320.0	10-06-67 11-16-67 1-31-68 3-15-68 4-25-68 6-12-68 7-09-68 8-07-68	218.1 216.0 213.4 211.8 211.0 214.3 217.0 217.3	2101.9 2104.0 2106.6 2108.2 2109.0 2105.7 2103.0 2102.7	5100
SAN TIMOTEO HYDRO SUBAREA			Y-01.F2								
02S/01W-34M01S	2656.8	10-20-67 389.1 11-13-67 389.9 2-09-68 389.0 4-09-68 389.8		2267.7 2266.9 2267.8 2267.0	5713 4103 5713 4103						
02S/02W-20K01S	1877.7	11-16-67 33.2 4-09-68 (9)		1844.5	4103						
02S/02W-25U05S	2236.5	11-16-67 45.0 4-09-68 39.5		2191.5 2197.0	4103						
02S/03W-10B01S	1491.8	10-07-67 89.5 11-04-67 92.3 11-25-67 92.4 12-27-67 87.3 2-05-68 87.2 4-11-68 88.4 5-11-68 89.1 6-18-68 89.3 7-13-68 89.8 8-20-68 90.1		1402.3 1399.5 1399.4 1404.5 1404.6 1403.4 1402.7 1402.5 1402.0 1401.7	3400						
						GATEWAY HYDRO SUBAREA					
						Y-01.F5					
02S/03W-10F02S	1438.6	10-07-67 119.2 11-04-67 119.2 11-25-67 118.2 12-27-67 116.9 2-05-68 115.6 3-02-68 115.0 4-11-68 114.1 5-11-68 115.0 6-18-68 116.0 7-23-68 116.8 8-20-68 117.3		1319.4 1319.4 1320.4 1321.7 1323.0 1323.6 1324.5 1323.6 1322.6 1321.8 1321.3	3400	01S/01W-30E01S	2816.9	10-06-67 (1) 11-16-67 327.2 1-31-68 331.3 3-15-68 (1) 4-25-68 (1) 6-12-68 324.8 7-09-68 325.3 8-07-68 325.2 9-04-68 324.8		2489.7 2485.6 (1) (1) (1) 2492.1 2491.6 2491.7 2492.1	5100
02S/03W-24B01S	1692.8	11-14-67 45.5 4-09-68 41.5		1647.3 1651.3	4103						
03S/01W-04K01S	2580.0	10-20-67 326.2 2-09-68 327.3		2253.8 2252.7	5713						
03S/01W-04Q02S	2571.3	10-20-67 (1) 2-09-68 320.7		2250.6	5713						
03S/01W-05U01S	.	11-13-67 (7) 4-10-68 218.5		2314.2	4103						
03S/01W-06F01S	2333.0	11-16-67 116.1 4-09-68 116.6		2216.9 2216.4	4103						
03S/01W-06L01S	2334.8	11-16-67 47.5 4-09-68 47.6		2287.3 2287.2	4103						
03S/01W-07C01S	2333.9	11-13-67 41.1 4-10-68 39.1		2292.8 2294.8	4103						
03S/01W-09Q01S	2560.0	11-13-67 (1) 12-07-67 88.0 1-05-68 87.4 2-09-68 88.4 3-07-68 87.1 4-10-68 86.8 5-16-68 87.5 6-07-68 (1) 7-08-68 89.5 8-07-68 88.4 9-13-68 88.5 9-30-68 (1)		2472.0 2472.6 2471.6 2472.9 2473.2 2472.5 (1) 2470.5 2471.6 2471.5	4103						
CHERRY VALLEY HYDRO SUBAREA			Y-01.F3								
02S/02W-14J02S	2419.0	11-16-67 219.7		2199.3	4103						
						OAK GLEN HYDRO SUBAREA					
						Y-01.F6					
						01S/02W-36C04S	2635.0	3-15-68 (1) 4-25-68 (1) 6-12-68 (1) 7-09-68 (1) 8-07-68 351.6 9-04-68 (1)		2283.4	5100
						01S/02W-36M01S	2710.0	10-06-67 (1) 11-16-67 386.5 1-31-68 390.0 3-15-68 394.0 4-30-68 (1) 6-12-68 385.8 7-09-68 (1) 8-07-68 (1) 9-04-68 389.4		2323.5 2320.0 2316.0 (1) 2324.2 (1) 2320.6	5100
						02S/02W-01F01S	2560.0	10-06-67 254.0 11-16-67 254.0 1-31-68 253.0 3-15-68 252.9 4-25-68 252.7 6-12-68 (7) 7-09-68 252.7 8-07-68 253.0 9-04-68 253.1		2306.0 2306.0 2307.0 2307.1 2307.3 (7) 2307.3 2307.0 2306.9	5100
						SOUTH MESA HYDRO SUBAREA					
						Y-01.F7					
						02S/01W-08E02S	2860.0	10-06-67 156.6 11-16-67 154.8 1-31-68 (3) 3-15-68 160.2 4-30-68 (1) 6-12-68 (3) 7-09-68 (3)		2703.4 2705.2 (3) 2699.8 (1) (3) (3)	5100
						NOBLE CREEK HYDRO SUBAREA					
						Y-01.F9					
						02S/01W-22M02S	2942.8	11-13-67 (9) 4-09-68 (1)		(9) (1)	4103
						02S/02W-25B01S	2299.1	11-16-67 80.8 4-09-68 77.8		2218.3 2221.3	4103
						02S/02W-25U01S	2247.8	11-16-67 (1) 4-09-68 63.0		(1) 2184.8	4103

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
PERRIS HYDRO SUBUNIT I			Y-02.A0			PERRIS HYDRO SUBUNIT I			Y-02.A0		
PERRIS VALLEY HYDRO SUBAREA			Y-02.A1			PERRIS VALLEY HYDRO SUBAREA			Y-02.A1		
03S/03W-06U01S	1650.0	11-01-67 3-29-68	196.9 194.8(2)	1453.1 1455.2	4103	04S/03W-19R01S (CONT.)	1440.0	8-27-68 9-11-68 9-30-68	245.6 254.0 244.5	1194.4 1186.0 1195.5	5050
03S/03W-13D01S	1595.5	3-06-68 4-03-68 5-16-68 6-07-68 7-08-68 8-07-68 9-13-68	141.1 141.1 144.4 143.8 143.7 143.5 143.3	1454.4 1454.4 1451.1 1451.7 1451.8 1452.0 1452.2	4103	04S/03W-22N05S	1435.0	10-02-67 10-30-67 12-04-67 12-28-67 1-30-68 2-27-68 4-08-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	60.0 61.2 59.9 59.8 60.3 60.3 60.0 60.0 68.4(1) 61.9 61.7 60.9	1375.0 1373.8 1375.1 1375.2 1374.7 1374.7 1375.0 1375.0 1366.6 1373.1 1373.3 1374.1	5050
03S/03W-15F01S	1538.2	11-01-67 4-03-68	137.3 129.6	1400.9 1408.6	4103	04S/03W-29O03S	1419.0	1-30-68 2-27-68 4-06-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	205.9 203.1 211.8 201.5 210.3 203.8 205.0 204.8	1213.1 1215.9 1207.2 1217.5 1208.7 1215.2 1214.0 1214.2	5050
03S/03W-31C02S	1475.4	11-01-67 3-29-68	210.9 209.3	1264.5 1266.1	4103	04S/03W-33B01S	1415.0	10-02-67 10-30-67 12-04-67 12-29-67	(3) (7) (3) (3)		5050
04S/03W-03K01S	1499.0	10-02-67 10-30-67 12-04-67 12-28-67 1-30-68	153.7 154.0 153.7 153.8 153.3	1345.3 1345.0 1345.3 1345.2 1345.7	5050	04S/03W-35F01S	1431.9	10-26-67 3-29-68	220.2 234.1(2)	1211.7 1197.8	4103
04S/03W-06H01S	1460.0	10-02-67 10-30-67 12-04-67 12-28-67 1-30-68 2-27-68 4-09-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	321.0 369.0(1) 312.0(5) 312.0(5) 309.0(5) 353.0(5) 314.0(5) 358.0(5) 360.0(5) 365.0(5) 320.0(5) 365.0(1)	1139.0 1091.0 1148.0 1148.0 1151.0 1107.0 1146.0 1102.0 1100.0 1095.0 1140.0 1095.0	5050	04S/04W-12E01S	1540.0	8-05-68	0048.1	1491.9	4103
04S/03W-08L01S	1445.0	10-02-67 10-30-67 12-04-67 12-28-67 1-30-68 2-27-68 4-09-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	170.5(3) 177.6(3) 156.4 171.6(3) 162.1 169.1 170.5 169.6 170.5 170.3 170.6 166.1	1274.5 1267.4 1288.6 1273.4 1282.9 1275.9 1274.5 1275.4 1274.5 1274.7 1274.4 1278.9	5050	05S/03W-05B02S	1415.0	2-07-68 3-05-68 3-29-68 5-07-68 6-06-68 7-05-68 8-02-68 9-12-68	163.4 163.1 163.3 163.4 163.1 163.0 163.4 162.8	1251.6 1251.9 1251.7 1251.6 1251.9 1252.0 1251.6 1252.2	4103
04S/03W-10E02S	1470.0	10-02-67 10-02-67 10-30-67 12-04-67 12-28-67 1-30-68 2-27-68 4-08-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	171.4 173.7 179.1 167.4 165.4 163.6 162.4 160.4 160.3 163.0 169.0 180.0 177.1	1298.6 1296.3 1290.9 1302.6 1304.6 1306.4 1307.6 1309.6 1309.7 1307.0 1301.0 1290.0 1292.9	5050	05S/03W-08J01S	1411.7	10-26-67 3-29-68	164.1 162.4	1247.6 1249.3	4103
04S/03W-16L01S	1440.0	10-02-67 10-30-67 12-04-67 12-28-67 1-30-68 2-27-68 4-08-68 4-29-68 5-28-68 6-27-68 7-29-68 9-30-68	168.4 169.4 169.5 169.0 169.0 169.0 160.4 160.3 163.0 169.0 180.0 177.1	1271.6 1270.6 1270.5 1271.0 1271.0 1271.0 1271.0 1270.8 1270.9 1270.8 1270.0 1270.5	5050	MENIFEE HYDRO SUBAREA					Y-02.A2
04S/03W-18G01S	1463.0	10-30-67 12-04-67 12-28-67 1-30-68 4-08-68 4-29-68 5-28-68 6-27-68 7-29-68 9-11-68 9-30-68	270.3 269.3 268.8 268.8 269.4(2) 272.4(2) 271.9 271.3 273.8 272.7 271.9	1192.7 1193.7 1194.2 1194.2 1193.6 1190.6 1191.1 1191.7 1189.2 1190.3 1191.1	5050	06S/03W-01J01S	1429.0	8-16-68	183.9	1245.1	4103
04S/03W-19R01S	1440.0	10-02-67 10-30-67 12-04-67 12-29-67 1-30-68 4-08-68 4-29-68 5-28-68 6-27-68	239.8 241.8 238.0 236.5 236.0 240.2 242.2 243.6 245.5	1200.2 1198.2 1202.0 1203.5 1204.0 1199.8 1197.8 1196.4 1194.5	5050	06S/03W-03H02S	1430.0	1-08-68 2-07-68 3-05-68 3-29-68 5-08-68 5-08-68 6-11-68 6-11-68 7-09-68 7-09-68 8-06-68 8-06-68 9-05-68 9-05-68	164.2(2) (1) (1) (1) (1) (1) 188.0(4) 188.0(4) (1) (1) (1) (1) (1) (1)	1265.8 1242.0 1242.0 5010 4103 5010 4103 5010 4103	5010
						06S/03W-14N01S	1501.0	5-08-68 6-11-68 7-09-68 8-06-68 9-05-68	12.5 12.8 13.1 13.4 13.8	1488.5 1488.2 1487.9 1487.6 1487.2	4103
						WINCHESTER HYDRO SUBAREA					Y-02.A3
						05S/02W-19N01S	1459.0	3-29-68 5-15-68 6-12-68 7-10-68 8-07-68 9-12-68	36.1 36.2 36.6 36.6 34.5 32.0(4)	1422.9 1422.8 1422.4 1422.4 1424.5 1427.0	4103
						05S/02W-27E02S	1477.1	10-26-67 12-07-67 1-05-68 2-08-68 3-07-68 3-29-68 5-15-68 5-15-68 6-12-68 6-12-68 7-10-68 7-10-68	62.4 62.5 62.3 62.2 62.2 62.2 62.2 62.3 62.4 62.5 62.5 62.6	1414.7 1414.6 1414.8 1414.9 1414.9 1414.9 1414.9 1414.8 1414.7 1414.6 1414.6 1414.5	5010 4103 5010 4103 5010 4103

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
PERRIS HYDRO SUBUNIT			Y-02.A0			SAN JACINTO HYDRO SUBUNIT			Y-02.B0		
WINCHESTER HYDRO SUBAREA			Y-02.A3			SAN JACINTO HYDRO SUBAREA			Y-02.B1		
05S/02W-27E02S (CONT.)	1477.1	8-07-68	62.6	1414.5	5010	02S/01W-34001S	2666.3	10-20-67	(1)		5713
		8-07-68	62.7	1414.4				02-09-68	408.7	2257.6	
		9-12-68	62.6	1414.5	5010						
		9-12-68	62.7	1414.4	4103						
05S/02W-27G01S	1480.0	10-26-67	60.3	1419.7	4103	03S/01W-03K02S	2642.8	10-20-67	(1)		5713
		12-07-67	60.3	1419.7				02-09-68	387.9	2254.9	
		1-05-68	60.3	1419.7		03S/01W-03K03S	2633.7	02-09-68	378.4	2255.3	5713
		2-08-68	60.4	1419.6							
		3-07-68	60.4	1419.6		03S/01W-10R01S	2584.5	11-13-67	30.8	2553.7	4103
		3-29-68	60.4	1419.6				04-10-68	30.9	2553.6	
		5-15-68	60.4	1419.6							
		6-12-68	60.6	1419.4		03S/01W-12E01S	2578.0	10-20-67	323.2	2254.8	5713
		7-10-68	60.6	1419.4				02-09-68	323.5	2254.5	
		8-07-68	60.7	1419.3							
		9-12-68	60.7	1419.3		03S/01W-12N01S	2544.2	10-20-67	259.5	2284.7	5713
								02-09-68	258.8	2285.4	
05S/02W-28K01S	1462.0	10-14-67	58.7	1403.3	5713						
		11-04-67	60.6	1401.4		03S/02W-07P01S	1590.0	11-01-67	120.8	1469.2	4103
		12-16-67	58.4	1403.6				04-03-68	124.5	1465.5	
		1-06-68	57.0	1405.0							
		2-10-68	57.3	1404.7		03S/02W-21C01S	1440.0	11-01-67	8.0	1432.0	4103
		3-09-68	58.3	1403.7				04-03-68	8.2	1431.8	
		4-06-68	56.6	1405.4							
		5-11-68	57.3	1404.7		03S/02W-26E01S	1458.0	11-01-67	49.7	1408.3	4103
		6-15-68	59.0	1403.0				04-03-68	49.6	1408.4	
		7-06-68	60.6	1401.4							
		8-10-68	63.3	1398.7		03S/02W-29D01S	1426.5	11-01-67	35.4	1391.1	4103
		9-07-68	64.8	1397.2				12-05-67	35.1	1391.4	
05S/02W-35C01S	1474.5	10-26-67	108.1	1366.4	4103			01-05-68	35.5	1391.0	
		3-29-68	109.7 (2)	1364.8				02-08-68	35.5	1391.0	
05S/03W-25K01S	1446.0	10-26-67	36.8	1409.2	4103			03-06-68	35.6	1390.9	
		3-29-68	36.9	1409.1				04-03-68	35.6	1390.9	
								05-16-68	35.6	1390.9	
								06-07-68	35.7	1390.8	
								07-08-68	35.7	1390.8	
								08-07-68	35.8	1390.7	
LAKEVIEW HYDRO SUBAREA			Y-02.A4			04S/01W-09Q02S	1476.0	01-05-68	64.8	1411.2	4103
04S/02W-03P01S	1436.3	2-08-68	141.8	1294.5	4103			02-08-68	64.6	1411.4	
		3-06-68	142.9	1293.4				03-06-68	65.5 (2)	1410.5	
		4-03-68	143.2	1293.1				04-01-68	66.2 (2)	1409.8	
		5-15-68	143.3	1293.0				05-16-68	(1)		
		6-12-68	143.3	1293.0				06-07-68	(1)		
		7-08-68	144.4	1291.9				07-10-68	69.0	1407.0	
		8-07-68	144.6	1291.7				08-07-68	(1)		
		9-13-68	144.4	1291.9				09-13-68	(1)		
04S/02W-08E01S	1452.0	10-31-67	227.4	1224.6	4103	04S/01W-15001S	1500.0	10-31-67	(5)		4103
		4-03-68	227.5	1224.5				04-01-68	(5)		
04S/02W-19J01S	1579.0	10-31-67	(5)		4103	04S/01W-21P01S	1594.0	10-31-67	88.3	1505.7	4103
		4-03-68	23.1	1555.9				12-05-67	86.7	1507.3	
								01-05-68	84.4	1509.6	
								02-08-68	86.9	1507.1	
								03-06-68	85.4	1508.6	
								04-03-68	92.7	1501.3	
								05-16-68	89.4	1504.6	
								06-12-68	88.8 (2)	1505.2	
								07-10-68	87.9	1506.1	
								08-07-68	86.8	1507.2	
05S/01W-09L02S	1556.0	10-26-67	176.1	1379.9	4103	04S/01W-28F01S	1498.7	10-31-67	136.3	1362.4	4103
		12-05-67	172.0	1384.0				04-03-68	134.2	1364.5	
		1-05-68	171.4	1384.6							
		2-08-68	170.7	1385.3		04S/02W-01M01S	1436.5	11-01-67	130.7	1305.8	4103
		3-06-68	184.6 (2)	1371.4				04-03-68	128.1	1308.4	
		4-01-68	175.0	1381.0							
		5-15-68	177.6	1378.4		05S/01E-06P01S	1676.0	07-03-68	202.7	1473.3	4103
		6-12-68	181.7	1374.3				08-07-68	202.9	1473.1	
		7-10-68	179.7	1376.3				09-12-68	202.9	1473.1	
		8-07-68	181.3	1374.7							
		9-12-68	178.6	1377.4		05S/01E-07K01S	1725.2	03-06-68	342.7	1382.5	4103
05S/01W-10B01S	1583.4	12-05-67	198.1	1385.3	4103			04-01-68	342.7	1382.5	
		1-05-68	198.0	1385.4				05-15-68	342.9	1382.3	
		2-08-68	197.2	1386.2				06-12-68	343.0	1382.2	
		3-06-68	(1)					07-10-68	343.1	1382.1	
		4-01-68	(9)					08-07-68	343.1	1382.1	
		5-15-68	200.2	1383.2				09-13-68	343.0	1382.2	
		6-12-68	(1)			05S/01E-09J02S	1784.2	06-12-68	88.7	1695.5	4103
		7-10-68	203.5	1379.9				07-03-68	91.0	1693.2	
		8-07-68	204.8	1378.6				08-07-68	94.7	1689.5	
		9-12-68	202.7	1380.7				09-12-68	98.7	1685.5	
05S/01W-20P01S	1524.0	8-15-68	133.6	1390.4	4103	05S/01E-09M01S	1759.7	10-31-67	675.1	1084.6	4103
05S/02W-12Q02S	1498.5	10-26-67	69.3	1429.2	4103			04-01-68	675.1	1084.6	
		4-01-68	68.6	1429.9		05S/01E-14G01S	1870.8	10-31-67	39.2	1831.6	4103
06S/01W-02001S	1684.0	5-15-68	91.9	1592.1	4103			12-05-67	40.0	1830.8	
		6-12-68	91.8	1592.2				01-05-68	40.6	1830.2	
		7-10-68	91.9	1592.1				02-08-68	42.2	1828.6	
		8-02-68	91.6	1592.4				03-06-68	43.3	1827.5	
		9-12-68	92.0	1592.0				04-01-68	41.1	1829.7	
06S/01W-10A01S	1698.0	10-27-67	90.9	1607.1	4103			05-15-68	41.5	1829.3	
		4-01-68	90.6	1607.4				06-12-68	44.6	1826.2	
								07-10-68	46.7	1824.1	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
SAN JACINTO HYDRO SUBUNIT			Y-02.80			ELSINORE HYDRO SUBUNIT			Y-02.C0		
SAN JACINTO HYDRO SUBAREA			Y-02.81			ELSINORE HYDRO SUBAREA			Y-02.C1		
055/01E-18F015	1730.0	04-01-68	235.1	1494.9	4103	055/05W-34Q02S	1385.0	5-08-68 6-11-68 7-09-68 8-06-68 9-05-68	260.5 265.5 270.6 273.3 277.7	1124.5 1119.5 1114.4 1111.7 1107.3	4103
055/01E-21F015	1918.6	10-31-67 4-01-68	297.3 297.3	1621.3 1621.3	4103	055/05W-35P01S	1321.0	11-06-67 4-05-68	199.8 (9)	1121.2	4103
						065/04W-05N01S	1280.0	5-08-68 6-11-68 7-09-68 8-06-68 9-05-68	52.7 51.1 50.4 49.8 49.2	1227.3 1228.9 1229.6 1230.2 1230.8	4103
						065/04W-05Q01S	1395.0	11-03-67 4-04-68	20.8 21.2	1374.2 1373.8	4103
						065/04W-06J01S	1280.0	11-03-67 4-04-68	62.2 56.1	1217.8 1223.9	4103
						065/04W-07J03S	1238.0	4-04-68 5-08-68 6-11-68 7-09-68 8-06-68 9-05-68	57.5 58.0 58.7 60.6 59.8 71.5	1180.5 1180.0 1179.3 1177.4 1178.2 1166.5	4103
						065/04W-08L01S	1272.6	11-03-67 4-04-68	74.6 74.8	1198.0 1197.8	4103
						065/04W-16D01S	1260.0	11-03-67 4-04-68 5-08-68 6-11-68 7-09-68 8-06-68	94.5 97.9 98.3 101.2 99.6 100.4	1165.5 1162.1 1161.7 1158.8 1160.4 1159.6	4103
						065/04W-19G01S	1257.9	11-06-67 4-05-68	19.6 18.4	1238.3 1239.5	4103
						065/04W-19K01S	1284.0	11-06-67 4-05-68	34.0 30.4	1250.0 1253.6	4103
						065/04W-20Q01S	1289.0	11-07-67 4-05-68 5-08-68 6-11-68 7-04-68 8-06-68 9-05-68	16.1 18.4 16.7 17.2 17.8 17.8 18.8	1272.9 1270.6 1272.3 1271.8 1271.2 1271.2 1270.2	4103
						065/04W-20Q02S	1279.0	11-07-67 4-05-68	16.3 16.6	1262.7 1262.4	4103
						065/04W-20R01S	1263.0	11-07-67 4-05-68	11.8 12.0	1251.2 1251.0	4103
						065/04W-22M01S	1273.0	11-03-67 4-04-68	195.6 190.2	1077.4 1082.8	4103
						065/04W-22M05S	1277.5	10-10-67 11-14-67 12-12-67 1-24-68 2-00-68 3-11-68 4-08-68 5-05-68 6-03-68 7-01-68 7-08-68 7-29-68 8-19-68 9-10-68	207.6(2) 207.0(2) 199.0 198.7 198.0 199.0 199.0 200.0 203.0 218.0 250.6(2) 224.5(2) 227.0(2) 228.0(2)	1069.9 1070.5 1078.5 1078.8 1079.5 1078.5 1078.5 1077.5 1074.5 1059.5 1026.9 1053.0 1050.5 1049.5	5716
						065/04W-23N01S	1409.0	11-03-67 4-04-68	41.0 42.5	1368.0 1366.5	4103
						065/04W-29C01S	1330.0	11-07-67 4-05-68	43.5 45.1	1286.5 1284.9	4103
						065/04W-29H04S	1325.0	11-07-67 4-05-68	37.5 37.3	1287.5 1287.7	4103
						065/05W-02G01S	1277.7	11-06-67 4-05-68	77.7 76.9	1200.0 1200.8	4103
						065/05W-02L01S	1278.0	11-06-67 4-05-68	78.7 77.8	1199.3 1200.2	4103
						065/05W-02L02S	1267.0	1-08-68 2-07-68 3-05-68 4-05-68 5-08-68 5-08-68	50.6 52.9 53.7 54.9 68.5 (1)	1216.4 1214.1 1213.3 1212.1 1198.5	4103

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JACINTO VALLEY HYDRO UNIT						Y-02.00					
ELSINORE HYDRO SUBUNIT						Y-02.C0					
ELSINORE HYDRO SUBAREA						Y-02.C1					
06S/05W-02L02S (CONT.)	1267.0	6-11-68	68.1	1198.9	4103						
		6-11-68	(1)								
		7-09-68	68.0	1199.0							
		7-09-68	(1)								
		8-06-68	67.9	1199.1							
		8-06-68	(1)								
		9-05-68	67.8	1199.2							
		9-05-68	(1)								
06S/05W-02M03S	1286.8	11-06-67	155.0	1131.8	4103						
		4-05-68	142.5	1144.3							
06S/05W-03K02S	1337.0	4-05-68	191.4	1145.6	4103						
06S/05W-03P01S	1327.5	11-06-67	73.1	1254.4	4103						
		4-05-68	63.9	1263.6							
06S/05W-03Q01S	1324.0	11-06-67	187.7	1136.3	4103						
		4-05-68	174.8	1149.2							
06S/05W-10B01S	1285.0	11-06-67	8.9	1276.1	4103						
		4-05-68	8.3	1276.7							
06S/05W-10C01S	1331.1	11-06-67	24.8	1306.3	4103						
		4-05-68	25.3	1305.8							
06S/05W-11M02S	1290.0	11-06-67	41.1	1248.9	4103						
		4-05-68	36.3	1253.7							
06S/05W-11P02S	1313.0	11-06-67	(1)		4103						
		4-05-68	(1)								
06S/05W-13P01S	1337.0	11-06-67	104.2	1232.8	4103						
		4-05-68	103.7	1233.3							
06S/05W-13Q02S	1270.0	11-06-67	63.7	1206.3	4103						
		4-05-68	62.8	1207.2							
		5-08-68	63.1	1206.9							
		6-11-68	64.0	1206.0							
		7-09-68	64.7	1205.3							
		8-06-68	65.3	1204.7							
		9-05-68	65.9	1204.1							
06S/05W-14A01S	1271.3	11-06-67	(2)		4103						
		4-05-68	(2)								
06S/05W-14E01S	1506.6	11-06-67	45.7	1460.9	4103						
		4-05-68	43.7	1462.9							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
LAGUNA HYDRO SUBUNIT			Z-01.A0			LAGUNA HYDRO SUBUNIT			Z-01.A0		
ALISO HYDRO SUBAREA			Z-01.A3			ALISO HYDRO SUBAREA			Z-01.A3		
055/07W-32J015	1235.0	10-12-67	42.8	1192.2	5102	065/08W-23R015 (CONT.)	461.0	9-26-68	5.2	455.8	5102
		11-09-67	43.4	1191.6		065/08W-24M015	507.8	10-26-67	13.8	494.0	5102
		12-07-67	43.1	1191.9				11-29-67	9.8	498.0	
		1-11-68	42.9	1192.1				12-21-67	8.9	498.9	
		2-08-68	42.8	1192.2				1-25-68	9.0	498.8	
		3-07-68	42.7	1192.3				2-21-68	8.8	499.0	
		4-11-68	42.5	1192.5				3-21-68	8.9	498.9	
		5-09-68	42.3	1192.7				4-25-68	10.2	497.6	
		6-06-68	42.3	1192.7				5-22-68	10.6	497.2	
		7-11-68	42.1	1192.9				6-20-68	13.1	494.7	
		8-07-68	42.3	1192.7				7-25-68	14.5	493.3	
		9-12-68	42.5	1192.5				9-26-68	14.7	493.1	
055/07W-33N015	1150.0	10-12-67	-22.8	1127.2	5102	065/08W-26B015	440.0	10-26-67	11.9	428.1	5102
		11-09-67	-23.3	1126.7				11-29-67	12.0	428.0	
		12-07-67	-24.5	1125.5				12-21-67	12.4	427.6	
		1-11-68	-23.8	1126.2				1-25-68	13.6	426.4	
		2-08-68	-24.4	1125.6				2-21-68	12.7	427.3	
		3-07-68	-24.0	1126.0				3-21-68	12.9	427.1	
		4-11-68	-24.1	1125.9				4-25-68	13.8	426.2	
		5-09-68	-25.0	1125.0				5-23-68	13.7	426.3	
		6-06-68	-24.0	1126.0				6-20-68	13.9	426.1	
		7-11-68	-24.2	1125.8				7-25-68	14.5	425.5	
		8-07-68	-24.6	1125.4				9-26-68	14.6	425.4	
		9-12-68	-27.7	1122.3		065/08W-26B025	453.8	10-26-67	14.2	439.6	5102
055/07W-33Q015	1160.0	11-09-67	14.3	1145.7	5102			11-29-67	14.2	439.6	
		12-07-67	14.2	1145.8				12-21-67	14.9	438.9	
		1-11-68	14.3	1145.7				1-25-68	15.2	438.6	
		2-08-68	14.7	1145.3				2-21-68	14.4	439.4	
		3-07-68	14.3	1145.7				3-21-68	14.2	439.6	
		4-11-68	13.9	1146.1				4-25-68	15.3	438.5	
		5-09-68	14.2	1145.8				5-23-68	15.6	438.2	
		6-06-68	15.4	1144.6				6-20-68	16.2	437.6	
		7-11-68	14.5	1145.5				7-25-68	16.2	437.6	
		8-07-68	14.6	1145.4				9-26-68	15.8	438.0	
		9-12-68	15.0	1145.0		065/08W-26B035	443.0	10-26-67	25.0	418.0	5102
065/07W-04C015	1118.0	10-12-67	13.1	1104.9	5102			11-29-67	25.6	417.4	
		11-09-67	13.9	1104.1				12-21-67	25.3	417.7	
		12-07-67	14.4	1103.6				1-25-68	25.9	417.1	
		1-11-68	15.3	1102.7				2-21-68	25.9	417.1	
		2-08-68	16.0	1102.0				3-21-68	25.8	417.2	
		3-07-68	16.3	1101.7				4-25-68	26.8	416.2	
		4-11-68	15.7	1102.3				5-23-68	27.4	415.6	
		5-09-68	16.3	1101.7				6-20-68	27.9	415.1	
		6-06-68	16.4	1101.6				7-25-68	31.2	411.8	
		7-11-68	16.9	1101.1				9-26-68	29.3	413.7	
		8-07-68	17.4	1100.6		065/08W-26C015	438.0	10-26-67	20.0	418.0	5102
065/07W-04N015	998.0	10-12-67	22.2	975.8	5102			11-29-67	20.4	417.6	
		11-09-67	23.1	974.9				12-21-67	20.4	417.6	
		12-07-67	(6)					1-25-68	20.9	417.1	
065/08W-23J015	507.5	10-26-67	21.1	486.4	5102			2-21-68	20.0	418.0	
		11-29-67	21.4	486.1				3-21-68	20.6	417.4	
		12-21-67	22.0	485.5				4-25-68	22.9	415.1	
		1-25-68	21.6	485.9		065/08W-26F015	422.0	10-26-67	26.5	395.5	5102
		2-21-68	22.6	484.9				11-29-67	26.1	395.9	
		3-21-68	21.9	485.6				12-21-67	26.3	395.7	
		4-25-68	22.7	484.8				1-25-68	26.6	395.4	
		5-23-68	22.3	485.2				2-21-68	26.6	395.4	
		6-20-68	22.3	485.2				3-21-68	26.4	395.6	
		7-25-68	23.0	484.5				4-25-68	27.7	394.3	
		9-26-68	23.5	484.0				5-23-68	27.3	394.7	
065/08W-23Q015	457.9	10-26-67	23.3	434.6	5102			6-20-68	27.5	394.5	
		11-29-67	22.9	435.0				7-25-68	28.0	394.0	
		12-21-67	22.7	435.2				9-26-68	26.9	395.1	
		1-25-68	23.3	434.6		065/08W-26F035	421.9	10-26-67	16.7	405.2	5102
		2-21-68	23.3	434.6				11-29-67	14.9	407.0	
		3-21-68	23.5	434.4				12-21-67	14.6	407.3	
		4-25-68	24.6	433.3				1-25-68	16.7	405.2	
		5-23-68	23.6	434.3				2-21-68	17.2	404.7	
		6-20-68	26.7	431.2				3-21-68	16.6	405.3	
		7-25-68	24.0	433.9				5-23-68	17.8	404.1	
		9-26-68	27.7	430.2		065/08W-26F045	420.2	10-26-67	17.3	402.9	5102
065/08W-23Q025	451.2	10-26-67	15.6	435.6	5102			11-29-67	16.0	404.2	
		11-29-67	15.7	435.5				12-21-67	15.7	404.5	
		12-21-67	15.2	436.0				1-25-68	16.3	403.9	
		1-25-68	15.4	435.8				2-21-68	17.7	402.5	
		2-21-68	16.0	435.2				3-21-68	17.5	402.7	
		3-21-68	15.8	435.4				4-25-68	18.8	401.4	
		3-25-68	16.1	435.1				5-23-68	18.8	401.4	
		9-26-68	15.4	435.8				6-20-68	20.0	400.2	
065/08W-23R015	461.0	10-26-67	5.2	455.8	5102			7-25-68	21.7	398.5	
		11-29-67	4.7	456.3				9-26-68	21.4	398.8	
		12-21-67	4.5	456.5		065/08W-26F055	431.3	10-26-67	27.4	403.9	5102
		1-25-68	4.6	456.4				11-29-67	27.2	404.1	
		2-21-68	3.9	457.1				12-21-67	25.5	405.8	
		3-21-68	3.6	457.4				1-25-68	28.5	402.8	
		4-25-68	4.3	456.7				2-21-68	28.6	402.7	
		5-23-68	4.5	456.5				3-21-68	28.3	403.0	
		6-20-68	4.7	456.3				4-25-68	30.3	401.0	
		7-25-68	4.7	456.3							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
LAGUNA HYDRO SUBUNIT			Z-01.A0			SAN JUAN HYDRO SUBUNIT			Z-01.B0		
ALISO HYDRO SUBAREA			Z-01.A3								
06S/08W-26F05S (CONT.)	431.3	5-23-68 6-20-68 9-26-68	30.3 31.4 30.0	401.0 399.9 401.3	5102	06S/07W-10H015	974.0	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	21.6 21.9 23.8 20.6 11.4 14.0 13.1 14.3 17.2 22.1 24.8 27.8	952.4 952.1 950.2 953.4 962.6 960.0 960.9 959.7 956.8 951.9 949.2 946.2	5102
06S/08W-26G01S	438.8	10-26-67 11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 5-23-68 6-20-68 7-25-68 9-26-68	25.2 25.0 27.3 25.8 26.1 26.0 27.2 25.9 26.8 19.5 28.9	413.6 413.8 411.5 413.0 412.7 412.8 411.6 412.9 412.0 419.3 409.9	5102	06S/07W-11J015	1082.8	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68	23.6 (1) 26.1 12.2 18.6 20.8 15.7	1059.2 1056.7 1070.6 1064.2 1062.0 1067.1	5102
06S/08W-26M03S	414.0	10-26-67 11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 5-23-68	25.5 25.3 25.3 25.6 20.2 21.2 22.1 26.2	388.5 388.7 388.7 388.4 393.8 392.8 391.9 387.8	5102	06S/07W-11N01S	980.7	10-12-67 11-09-67 12-07-67 2-08-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	19.5 20.7 22.8 8.8 11.8(1) 13.7(1) 15.9 21.5 24.4 27.2	961.2 960.0 957.9 971.9 968.9 967.0 964.8 959.2 956.3 953.5	5102
06S/08W-27J01S	396.0	10-26-67 11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 5-23-68 6-20-68 7-25-68 9-26-68	20.8 20.7 21.1 21.9 21.6 22.2 22.5 22.2 22.4 22.5 22.8	375.2 375.3 374.9 374.1 374.4 373.8 373.5 373.8 373.6 373.5 373.2	5102	06S/07W-11N02S	994.0	11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	22.7 25.3 10.2 9.7 12.2 10.6 13.0 16.3 22.0 27.1 29.4	971.3 968.7 983.8 984.3 981.8 983.4 981.0 977.7 972.0 966.9 964.6	5102
06S/08W-27J02S	402.5	10-26-67 11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 5-23-68 6-20-68 7-25-68 9-26-68	27.6 27.4 27.4 27.9 28.4 28.2 28.5 28.3 28.5 27.5 27.6	374.9 375.1 375.1 374.6 374.1 374.3 374.0 374.2 374.0 375.0 374.9	5102	06S/07W-12B02S	1190.6	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 8-07-68 9-12-68	29.1 32.4 25.4 24.2 26.8 28.2 25.0 43.5 46.3	1161.5 1158.2 1165.2 1166.4 1163.8 1162.4 1165.6 1147.1 1144.3	5102
06S/08W-27Q01S	377.7	10-26-67 11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 5-23-68 6-20-68 7-25-68 9-26-68	23.1 22.6 21.7 22.1 21.1 21.7 21.9 21.8 22.4(1) 21.2	354.6 355.1 356.0 355.6 356.6 356.0 355.8 355.9 355.3 356.5	5102	06S/07W-12C01S	1168.5	4-11-68	17.3	1151.2	5102
06S/08W-27Q02S	383.0	11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 9-26-68	23.1 23.1 22.4 23.3 23.1 24.0 21.8	359.9 359.9 360.6 359.7 359.9 359.0 361.2	5102	06S/07W-12F01S	1200.0	12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-10-68 8-07-68 9-12-68	28.0 28.1 24.8 26.1 22.7 26.0 27.2 30.5 30.1 30.6	1172.0 1171.9 1175.2 1173.9 1177.3 1174.0 1172.8 1169.5 1169.9 1169.4	5102
07S/08W-04G01S	320.0	11-29-67 12-21-67 1-25-68 2-21-68 3-21-68 4-25-68 5-23-68 9-26-68	98.0 96.0 87.9 70.1 76.0 78.0 64.4 99.6	222.0 224.0 232.1 249.9 244.0 242.0 255.6 220.4	5102	06S/07W-12M01S	1100.6	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	26.8 28.6 23.7 14.7 18.3 20.4 16.4 21.7 29.1(1) 30.4(1) 32.4 38.0	1073.8 1072.0 1076.9 1085.9 1082.3 1080.2 1084.2 1078.9 1071.5 1070.2 1068.2 1062.6	5102
07S/08W-05R01S	500.0	10-26-67 11-29-67 12-21-67 1-25-68 3-21-68 4-25-68 5-23-68 6-20-68 7-25-68 9-26-68	116.5 113.0 112.0 111.3 113.2 114.5 111.4 111.5 111.5 114.9	383.5 387.0 388.0 388.7 386.8 385.5 388.6 388.5 388.5 385.1	5102	06S/07W-12M02S	1105.9	11-09-67 12-07-67 1-11-68 2-08-68 3-07-68 4-11-68 5-09-68 6-06-68 7-11-68 8-07-68 9-12-68	37.6 27.2 12.8 21.5 23.7 19.1 24.8 26.4(1) 29.2(1) DRY DRY	1068.3 1078.7 1093.1 1084.4 1082.2 1086.8 1081.1 1079.5 1076.7	5102
						06S/07W-15A04S	958.6	10-12-67 11-09-67 12-07-67 1-11-68 2-08-68	17.1 18.0 19.1 15.2 6.4	941.5 940.6 939.5 943.4 952.2	5102

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYURO UNIT						Z-01.00					
SAN JUAN HYURO SUBUNIT						SAN JUAN HYURO SUBUNIT					
Z-01.80						Z-01.80					
06S/07W-15A04S (CONT.)	958.6	3-07-68	8.9	949.7	5102	07S/08W-25B03S (CONT.)	240.0	12-28-67	41.4	198.6	5102
		4-11-68	7.9	950.7				2-01-68	40.2	199.8	
		5-09-68	8.6	950.0				2-29-68	41.2	198.8	
		6-06-68	12.9	945.7				3-29-68	41.2	198.8	
		7-11-68	17.2	941.4				4-29-68	41.0	199.0	
		8-07-68	19.7	938.9				5-29-68	43.5	196.5	
		9-12-68	23.1	935.5				6-27-68	47.3	192.7	
								8-01-68	48.0	192.0	
06S/07W-15B01S	926.7	11-09-67	17.2	909.5	5102	07S/08W-25K02S	223.0	10-04-67	32.7	190.3	5102
		12-07-67	17.9	908.8				11-08-67	34.5	188.5	
		1-11-68	18.6	908.1				12-13-67	34.7	188.3	
		2-08-68	7.7	919.0				1-03-68	33.6	189.4	
		3-07-68	7.7	919.0				2-07-68	33.5	189.5	
		4-11-68	7.7	919.0				3-13-68	33.7	189.3	
		5-09-68	8.7	918.0				4-02-68	33.4	189.6	
		6-06-68	12.6	914.1				5-22-68	38.9	184.1	
		8-07-68	18.7	908.0				6-19-68	40.0	183.0	
		9-12-68	20.4	906.3				7-16-68	42.3	180.7	
06S/07W-15F03S	900.0	12-07-67	15.5	884.5	5102			9-04-68	44.6	178.4	
		1-11-68	16.7	883.3				9-25-68	47.6	175.4	
		2-08-68	7.7	892.3		07S/08W-25N01S	204.0	10-30-67	30.9	173.1	5102
		3-07-68	7.6	892.4				11-28-67	31.1	172.9	
		4-11-68	7.8(1)	892.2				12-28-67	29.2	174.8	
		9-12-68	21.4(1)	878.6				2-01-68	29.8	174.2	
07S/07W-19001S	307.0	9-29-68	23.8	283.2	5102			2-29-68	30.1	173.9	
07S/07W-19002S	307.0	10-30-67	22.5	284.5	5102			3-29-68	29.6	174.4	
		11-28-67	23.2	283.8				4-29-68	31.5	172.5	
		12-28-67	21.5	285.5				5-29-68	33.2	170.8	
		2-01-68	23.2	283.8				6-27-68	37.9	166.1	
		2-29-68	23.2	283.8				8-01-68	38.7	165.3	
		3-29-68	23.2	283.8		07S/08W-25N02S	204.0	10-30-67	30.1	173.9	5102
		4-29-68	23.0	284.0				11-28-67	30.2	173.8	
		5-29-68	23.3	283.7				12-28-67	29.1	174.9	
		6-27-68	23.1	283.9				2-01-68	29.1	174.9	
		8-01-68	23.4	283.6				2-29-68	28.3	175.7	
07S/07W-32002S	140.0	10-31-67	35.9	104.1	5102			3-29-68	27.8	176.2	
		12-29-67	32.2	107.8				4-29-68	27.5	176.5	
		3-01-68	32.1	107.9				5-29-68	30.7	173.3	
		4-01-68	32.1	107.9				6-27-68	37.3	166.7	
		4-30-68	32.5	107.5				8-01-68	37.7	166.3	
		5-31-68	32.6	107.4		07S/08W-25P02S	213.0	12-28-67	35.0	178.0	5102
		6-28-68	36.3	103.7				2-01-68	33.9	179.1	
		8-02-68	37.5	102.5				2-29-68	34.0	179.0	
07S/07W-33B01S	200.0	10-31-67	13.0	187.0	5102			3-29-68	33.3	179.7	
		11-30-67	11.5	188.5		07S/08W-36C03S	200.4	11-28-67	31.4	169.0	5102
		12-29-67	11.8	188.2				12-28-67	30.4	170.0	
		2-02-68	12.1	187.9				2-01-68	30.1	170.3	
		4-01-68	12.0	188.0				2-29-68	29.9	170.5	
		6-28-68	19.8	180.2				3-29-68	29.8	170.6	
07S/07W-33M01S	159.0	10-31-67	9.0	150.0	5102			4-29-68	31.4	169.0	
		11-30-67	8.9	150.1				6-27-68	39.6	160.8	
		12-29-67	9.2	149.8		07S/08W-36L01S	171.3	11-28-67	20.0	151.3	5102
		2-02-68	9.4	149.6				12-28-67	21.3	150.0	
		2-29-68	9.0	150.0				2-01-68	21.9	149.4	
		4-01-68	8.7	150.3				2-29-68	21.8	149.5	
		4-30-68	9.2	149.8				3-29-68	21.6	149.7	
		5-31-68	9.7	149.3				4-29-68	22.0	149.3	
		6-28-68	10.0	149.0				5-29-68	24.6	146.7	
		8-02-68	10.2	148.8				6-27-68	26.2	145.1	
07S/08W-24N01S	230.0	10-30-67	22.4	207.6	5102			8-01-68	27.5	143.8	
		11-28-67	23.5	206.5		07S/08W-36L02S	158.5	11-28-67	9.4	149.1	5102
		12-28-67	11.5	218.5				12-28-67	8.9	149.6	
		2-03-68	10.0	220.0				2-01-68	9.1	149.4	
		2-29-68	13.5	216.5				2-29-68	8.5	150.0	
		3-28-68	11.1	218.9				3-29-68	8.4	150.1	
		4-29-68	10.7	219.3				4-29-68	9.3	149.2	
		5-29-68	11.7	218.3				5-29-68	14.2	144.3	
		6-27-68	DRY			07S/08W-36P02S	145.0	12-28-67	4.4	140.6	5102
		8-01-68	DRY					2-01-68	4.3	140.7	
07S/08W-25B01S	239.0	10-30-67	37.2	201.8	5102			2-29-68	4.0	141.0	
		11-28-67	38.5	200.5				3-29-68	3.8	141.2	
		12-28-67	34.6	204.4				4-29-68	4.9	140.1	
		2-01-68	38.4	200.6				5-29-68	9.3	135.7	
		2-29-68	38.3	200.7				6-27-68	7.3	137.7	
		3-29-68	38.3	200.7				8-01-68	7.6	137.4	
		4-29-68	38.2	200.8		07S/08W-36P03S	140.2	12-28-67	15.2	125.0	5102
		5-29-68	39.4	199.6				2-01-68	15.3	124.9	
		6-27-68	43.9	195.1				2-29-68	15.6	124.6	
		8-01-68	44.7	194.3		07S/08W-36P04S	131.8	11-08-67	5.7	126.1	5102
07S/08W-25B02S	239.5	10-30-67	37.7	201.8	5102			12-06-67	2.6	129.2	
		11-28-67	39.7	199.8				1-03-68	4.5	127.3	
		12-28-67	38.6	200.9				2-07-68	4.4	127.4	
		2-01-68	39.4	200.1				3-06-68	4.9	126.9	
		2-29-68	41.9	197.6		08S/07W-05B01S	130.0	10-31-67	10.0	120.0	5102
		3-29-68	39.2	200.3				11-30-67	5.8	124.2	
		4-29-68	39.1	200.4				12-29-67	6.2	123.8	
07S/08W-25B03S	240.0	10-30-67	38.1	201.9	5102			2-02-68	6.0	124.0	
		11-28-67	40.8	199.2							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYDRO UNIT						Z-01.00					
SAN JUAN HYDRO SUBUNIT						SAN JUAN HYDRO SUBUNIT					
Z-01.80						Z-01.80					
08S/07W-05B01S (CONT.)	130.0	3-01-68 4-01-68 4-30-68	3.9 6.2 6.9	126.1 123.8 123.1	5102	08S/08W-01K02S (CONT.)	105.0	4-29-68 5-29-68 6-27-68 8-01-68	9.5 26.9 14.4 15.7	95.5 78.1 90.6 89.3	5102
08S/07W-05C01S	132.0	10-31-67 12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68 6-28-68 8-02-68	10.8 6.6 7.1 6.9 6.8 7.2 7.4 11.9 12.7	121.2 125.4 124.9 125.1 125.2 124.8 124.6 120.1 119.3	5102	08S/08W-01L01S	100.0	11-30-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 6-27-68	12.3 7.3 7.1 12.4 7.2 7.4 11.0	87.7 92.7 92.9 87.6 92.8 92.6 89.0	5102
08S/07W-05C02S	128.0	10-31-67 12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68 6-28-68 8-02-68	10.6 4.7 4.9 4.7 4.6 5.4 5.9 16.7 17.6	117.4 123.3 123.1 123.3 123.4 122.6 122.1 111.3 110.4	5102	08S/08W-01Q01S	90.4	10-30-67 11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-01-68	14.3 14.4 9.5 7.9 12.8 8.5 8.8 14.0 10.0 11.2	76.1 76.0 80.9 82.5 77.6 81.9 81.6 76.4 80.4 79.2	5102
08S/07W-06H01S	120.0	10-31-67 11-30-67 12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68 6-28-68 8-02-68	10.0 8.1 8.5 8.4 9.0 8.4 8.0 8.9 10.1 11.0	110.0 111.9 111.5 111.6 111.0 111.6 112.0 111.1 109.9 109.0	5102	08S/08W-01Q04S	103.0	10-30-67 11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-01-68	30.0 23.0 22.0 21.3 28.8 19.9 21.6 25.3 24.7 25.1	73.0 80.0 81.0 81.7 74.2 83.1 81.4 77.7 78.3 77.9	5102
08S/07W-06H02S	113.0	12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68 6-28-68 8-02-68	10.7 10.6 10.6 11.5 11.4 12.3 13.3 14.6	102.3 102.4 102.4 101.5 101.6 100.7 99.7 98.4	5102	08S/08W-01Q07S	95.0	10-30-67 11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-01-68	27.0 21.6 21.1 18.9 27.3 18.7 20.2 25.7 23.6 24.0	68.0 73.4 73.9 76.1 67.7 76.3 74.8 69.3 71.4 71.0	5102
08S/07W-06K02S	100.0	12-29-67 2-02-68 3-01-68	3.6 4.3 4.7	96.4 95.7 95.3	5102	08S/08W-12B01S	85.5	2-01-68 3-29-68 4-19-68 5-29-68 6-27-68 8-01-68	12.0 12.4 12.6 16.6 14.0 14.6	73.5 73.1 72.9 68.9 71.5 70.9	5102
08S/07W-06K03S	106.0	12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68	13.2 13.6 13.8 14.4 14.7 15.2	92.8 92.4 92.2 91.6 91.3 90.8	5102	08S/08W-12B03S	85.0	10-04-67 11-08-67 12-13-67 1-17-68 2-07-68 3-06-68 4-02-68 5-01-68 6-05-68 7-16-68 8-20-68 9-18-68	20.3 21.3 13.9 13.6 14.3 15.3 15.3 15.8 18.3 24.8 19.7 20.4	64.7 63.7 71.1 71.4 70.7 69.7 69.7 69.2 66.7 60.2 65.3 64.6	5102
08S/07W-06P02S	88.0	10-31-67 11-30-67 12-29-67 2-02-68 3-01-68 4-01-68 4-30-68 5-31-68 8-02-68	9.1 8.3 6.1 6.0 4.9 6.2 6.2 6.7 8.8	78.9 79.7 81.9 82.0 83.1 81.8 81.8 81.3 79.2	5102	08S/08W-12L01S	62.0	11-28-67 2-29-68 3-29-68 4-29-68	11.9 11.5 13.3 13.1	50.1 50.5 48.7 48.9	5102
08S/07W-07C03S	86.0	2-21-68 3-27-68 4-24-68 5-29-68 6-19-68 7-23-68 8-13-68 9-25-68	7.4 7.2 7.3 9.4 9.7 16.1 13.4 20.1	78.6 78.8 78.7 76.6 76.3 69.9 72.6 65.9	5102	08S/08W-12P03S	54.4	10-30-67 11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-05-68	21.2 8.5 14.4 11.0 7.5 18.9 16.3 20.1 22.5 23.3	33.2 45.9 40.0 43.4 46.9 35.5 38.1 34.3 31.9 31.1	5102
08S/08W-01F01S	137.0	12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-01-68	19.7 22.2 23.6 22.6 22.3 36.2 24.8 26.8	117.3 114.8 113.4 114.4 114.7 100.8 112.2 110.2	5102	08S/08W-12P05S	48.0	12-29-67 2-02-68 2-29-68 4-01-68 4-30-68 6-27-68 8-02-68	3.0 4.7 5.3 4.6 5.4 8.4 8.0	45.0 43.3 42.7 43.4 42.6 39.6 40.0	5102
08S/08W-01K01S	110.0	11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68 6-27-68 8-01-68	19.7 14.9 14.3 25.3(1) 14.1 14.5 33.4(1) 28.7(1) 29.4(1)	90.3 95.1 95.7 84.7 95.9 95.5 76.6 81.3 80.6	5102	08S/08W-13D01S	46.4	10-31-67 11-30-67 12-28-67 2-02-68 2-29-68 4-01-68 4-30-68 5-31-68	12.4 12.7 9.7 10.8 12.5 9.9 10.1 10.6	34.0 33.7 36.7 35.6 33.9 36.5 36.3 35.8	5102
08S/08W-01K02S	105.0	11-22-67 12-28-67 2-01-68 2-29-68 3-29-68	10.9 7.8 7.5 17.2 7.8	94.1 97.2 97.5 87.8 97.2	5102						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN JUAN HYURO UNIT						Z-01.00					
SAN JUAN HYURO SUBUNIT						Z-01.80					
085/08W-13D01S (CONT.)	46.4	6-27-68 8-02-68	13.5 13.1	32.9 33.3	5102						
085/08W-13E01S	49.0	11-30-67 12-29-67 2-02-68 2-29-68 4-01-68 4-30-68 5-31-68 6-27-68 8-02-68	8.3 7.7 8.0 7.9 7.9 7.8 8.5 7.8 8.1	40.7 41.3 41.0 41.1 41.1 41.2 40.5 41.2 40.9	5102						
085/08W-14H02S	36.5	11-28-67	11.4	25.1	5102						
085/08W-14H04S	40.0	11-28-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-29-68	16.7 17.0 16.5 16.5 16.2 16.1 17.3	23.3 23.0 23.5 23.5 23.8 23.9 22.7	5102						
085/08W-14Q01S	18.0	10-30-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-31-68 6-27-68 8-01-68	3.4 -2.3 6.2 6.1 7.7 6.1 6.7 6.4 7.1	14.6 20.3 11.8 11.9 10.3 11.9 11.3 11.6 10.9	5102						
085/08W-14Q02S	20.0	10-30-67 12-28-67 2-01-68 2-29-68 3-29-68 4-29-68 5-31-68 6-27-68 8-01-68	2.1 2.9 6.0 6.0 5.8 6.1 6.6 6.2 6.4	17.9 17.1 14.0 14.0 14.2 13.9 13.4 13.8 13.6	5102						
085/08W-23A04S	24.5	10-31-67 11-30-67 2-02-68 2-29-68 4-01-68 4-30-68 5-31-68 6-27-68 8-02-68	14.9 15.0 15.2 17.5 17.8 15.3 15.1 15.0 15.4	9.6 9.5 9.3 7.0 6.7 9.2 9.4 9.5 9.1	5102						
085/08W-23A05S	19.3	10-31-67 11-30-67 12-29-67 2-02-68 2-29-68 4-01-68 4-30-68 5-31-68 6-27-68 8-02-68	11.4 11.3 11.2 11.3 10.5 11.3 11.9 11.7 11.6 12.4	7.9 8.0 8.1 8.0 8.8 8.0 7.4 7.6 7.7 6.9	5102						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
MURRIETA HYDRO SUBUNIT			Z-02.C0			MURRIETA HYDRO SUBUNIT			Z-02.C0		
WILDOMAR HYDRO SUBAREA			Z-02.C1			MURRIETA HYDRO SUBAREA			Z-02.C2		
06S/04W-26M01S	1350.0	2-07-68	(1)		4103	07S/03W-17P08S	1093.8	6-11-68	80.9	1012.9	4103
		3-05-68	49.3(2)	1300.7		(CONT.)		7-09-68	81.3	1012.5	
		4-04-68	42.2	1307.8				8-06-68	81.9	1011.9	
		5-08-68	(1)					9-05-68	82.3	1011.5	
		6-11-68	52.9(4)	1297.1		07S/03W-18B01S	1150.0	10-12-67	196.3	953.7	5010
		7-09-68	(1)					2-09-68	183.6	966.4	
		8-06-68	49.1	1300.9				3-20-68	181.9	968.1	
		9-05-68	56.3	1293.7		07S/03W-18Q05S	1108.0	10-12-67	92.8(2)	1015.2	5010
06S/04W-27N01S	1290.0	10-12-67	125.3	1164.7	5010			2-29-68	60.5	1047.5	
		3-19-68	DRY			07S/03W-20A04S	1087.8	3-06-68	(0)		5010
06S/04W-27N02S	1290.9	11-03-67	(7)		4103	07S/03W-20A09S	1090.0	10-12-67	51.5	1038.5	5010
		4-04-68	77.7	1213.2		07S/03W-20G03S	1085.0	3-13-68	114.8	970.2	5010
06S/04W-35C01S	1299.0	10-12-67	101.2	1197.8	5010	07S/03W-20L03S	1100.0	10-12-67	98.6	1001.4	5010
		3-20-68	99.6	1199.4				3-14-68	70.9	1029.1	
06S/04W-35F02S	1279.6	11-07-67	95.6	1184.0	4103	07S/03W-20N01S	1160.0	10-12-67	140.5	1019.5	5010
		12-08-67	87.9	1191.7				3-14-68	118.3	1041.7	
		1-08-68	85.5	1194.1		07S/03W-21K04S	1050.0	10-12-67	(1)		5010
		2-07-68	84.1	1195.5				3-26-68	65.2	984.8	
		3-05-68	91.6	1188.0		07S/03W-21P01S	1054.6	10-12-67	37.3	1017.3	5010
		4-04-68	92.3	1187.3				3-20-68	37.8	1016.8	
		5-08-68	85.4	1194.2		07S/03W-27L02S	1030.0	10-12-67	10.9	1019.1	5010
		6-11-68	101.4	1178.2				3-20-68	11.8	1018.2	
		7-09-68	109.0	1170.6				4-16-68	12.0	1018.0	
		8-06-68	104.9	1174.7		07S/03W-27M01S	1036.3	10-11-67	48.8	987.5	5010
		9-05-68	93.7	1185.9				3-20-68	31.9	1004.4	
06S/04W-35M04S	1255.0	10-12-67	48.0	1207.0	5010			4-17-68	34.7	1001.6	
		3-11-68	47.9	1207.1		07S/03W-34B01S	1028.0	10-12-67	31.7	996.3	5010
		3-20-68	47.8	1207.2				10-13-67	3.8	1024.2	4412
07S/04W-01A01S	1298.0	3-19-68	78.4	1219.6	5010			3-20-68	18.0	1010.0	5010
		3-28-68	78.1	1219.9		07S/03W-34G01S	1025.0	10-12-67	29.3	995.7	5010
07S/04W-02F03S	1237.0	10-12-67	32.4	1204.6	5010			3-20-68	19.3	1005.7	
		3-20-68	32.5	1204.5				4-17-68	21.6(2)	1003.4	
		4-05-68	32.5	1204.5		07S/03W-35P01S	1016.5	10-11-67	18.5	998.0	5010
07S/04W-02H02S	1205.0	10-11-67	37.8	1167.2	5010			3-20-68	13.1	1003.4	
		3-20-68	35.3	1169.7		07S/03W-35P02S	1011.0	10-11-67	24.9	986.1	5010
MURRIETA HYDRO SUBAREA			Z-02.C2					3-20-68	18.3	992.7	
07S/03W-05L02S	1275.0	10-11-67	19.4	1255.6	5010	07S/04W-12M01S	1176.0	3-20-68	39.3	1136.7	5010
		1-24-68	19.4	1255.6				4-02-68	37.3	1138.7	
		3-20-68	19.2	1255.8		07S/04W-12M03S	1176.0	10-12-67	43.5(4)	1132.5	5010
07S/03W-05P01S	1243.0	10-12-67	(0)		5010	08S/02W-07A01S	1143.0	10-12-67	107.5	1035.5	5010
07S/03W-07L01S	1144.7	10-12-67	182.4	962.3	5010			3-19-68	94.4	1048.6	
		1-30-68	179.2	965.5		08S/03W-01P02S	1066.0	10-11-67	(1)		5010
		3-20-68	177.0	967.7				3-26-68	40.9	1025.1	
07S/03W-07R01S	1165.8	10-12-67	205.4	960.4	5010	08S/03W-12C01S	1060.0	10-11-67	43.5	1016.5	5010
		2-09-68	198.6	967.2				3-19-68	38.5	1021.5	
		3-20-68	197.1	968.7		08S/03W-12M06S	1009.1	5-08-68	23.6	985.5	4103
07S/03W-08J01S	1175.0	10-12-67	43.2	1131.8	5010			6-11-68	23.7	985.4	
		1-31-68	49.7(1)	1125.3				7-09-68	24.2	984.9	
07S/03W-08M01S	1190.0	10-12-67	34.6	1155.4	5010			8-06-68	24.6	984.5	
		1-31-68	35.4	1154.6				9-05-68	24.8	984.3	
		3-20-68	35.6	1154.4		08S/03W-12P08S	1002.5	4-04-68	18.2	984.3	4103
07S/03W-09M01S	1260.0	10-12-67	73.1	1186.9	5010			5-08-68	18.6	983.9	
		1-31-68	73.2	1186.8				6-11-68	19.5	983.0	
		3-20-68	73.1	1186.9				7-09-68	19.1	983.4	
07S/03W-10M01S	1280.0	10-11-67	39.0	1241.0	5010			8-06-68	19.5	983.0	
		1-24-68	33.4	1246.6				9-05-68	19.6	982.9	
		3-20-68	32.9	1247.1		08S/03W-12Q02S	1067.0	10-13-67	78.8(4)	988.2	5010
07S/03W-15Q01S	1165.1	10-12-67	127.5	1037.6	5010			3-20-68	(1)		
		2-06-68	124.2	1040.9		08S/03W-13K02S	992.0	10-11-67	14.5	977.5	5010
		3-26-68	124.9	1040.2				11-03-67	14.2	977.8	4103
07S/03W-16G01S	1150.0	10-12-67	53.6	1096.4	5010			12-08-67	13.9	978.1	
		2-08-68	35.0	1115.0				1-08-68	13.7	978.3	
		3-26-68	33.8	1116.2				2-07-68	13.7	978.3	
07S/03W-17E04S	1128.0	10-12-67	93.7(4)	1034.3	5010			3-05-68	13.6	978.4	
07S/03W-17E05S	1122.0	2-14-68	94.9	1027.1	5010			3-26-68	13.5	978.5	5010
		3-20-68	94.9	1027.1				4-04-68	13.6	978.4	4103
07S/03W-17G02S	1125.0	10-12-67	65.0	1060.0	5010			5-08-68	13.7	978.3	
07S/03W-17G03S	1124.4	2-15-68	65.2	1059.2	5010			6-11-68	13.8	978.2	
		3-20-68	65.3	1059.1				7-09-68	13.9	978.1	
07S/03W-17P08S	1093.8	4-04-68	80.5	1013.3	4103			8-06-68	14.1	977.9	
		5-08-68	80.7	1013.1				9-05-68	19.0	973.0	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
MURRIETA HYDRO SUBUNIT			Z-02.C0			MURRIETA HYDRO SUBUNIT			Z-02.C0		
FRENCH HYDRO SUBAREA			Z-02.C3			FRENCH HYDRO SUBAREA			Z-02.C3		
06S/02W-32A01S	1376.6	1-11-68 3-05-68	18.7 19.6	1357.9 1357.0	4412	07S/03W-23K01S (CONT.)	1118.0	2-01-68 3-20-68	84.2 83.6	1033.8 1034.4	5010
06S/02W-32H01S	1375.8	3-05-68	22.3	1353.5	4412						
06S/02W-32L01S	1356.0	1-11-68 3-05-68	DRY 12.2	 1343.8	4412						
06S/02W-32R01S	1368.7	1-11-68 3-05-68	DRY 32.1	 1336.6	4412						
06S/02W-33E01S	1378.0	1-11-68 3-05-68	22.6 21.2	1355.4 1356.8	4412						
06S/02W-34F01S	1425.0	1-11-68 3-05-68	44.7 45.2	1380.3 1379.8	4412						
07S/02W-04001S	1388.4	1-11-68 3-05-68 4-03-68 5-01-68 6-04-68 7-04-68 7-31-68 9-03-68	45.9 46.5 45.4 47.3 48.8 48.6(1) 48.8 48.4	1342.5 1341.9 1343.0 1341.1 1339.6 1339.8 1339.6 1340.0	4412						
07S/02W-05C01S	1359.0	1-11-68 3-05-68 4-03-68 5-01-68 6-04-68 7-04-68 7-31-68 9-03-68	28.4 28.5 28.3 28.4 28.6(1) 28.6 28.4 28.3(1)	1330.6 1330.5 1330.7 1330.6 1330.4 1330.4 1330.6 1330.7	4412						
07S/02W-05H01S	1369.8	1-11-68 3-05-68 4-03-68 5-01-68 6-04-68 7-04-68 7-31-68 9-03-68	33.3 33.1 32.7 33.0 32.8(1) 33.1(1) 33.0(1) 33.1(1)	1336.5 1336.7 1337.1 1336.8 1337.0 1336.7 1336.8 1336.7	4412						
07S/02W-05J01S	1369.0	1-11-68 3-05-68 4-03-68 5-01-68 5-02-68 6-04-68 7-09-68 7-31-68 9-03-68	37.5 37.5(1) 37.2 37.4(1) 37.2 37.3 37.4 37.4 37.5	1331.5 1331.5 1331.8 1331.6 1331.8 1331.7 1331.6 1331.6 1331.5	4412						
07S/02W-05M01S	1358.4	10-13-67 11-16-67 12-14-67 1-11-68 2-08-68 3-05-68 4-03-68 5-01-68 6-04-68 7-04-68 7-31-68 9-03-68	29.7 29.8 30.0 30.0 30.0 29.8 29.6 30.0 29.9 29.9 30.1 30.1	1328.7 1328.6 1328.4 1328.4 1328.4 1328.6 1328.8 1328.4 1328.5 1328.5 1328.3 1328.3	4412						
07S/02W-06Q02S	1330.0	1-11-68 2-01-68 3-06-68 4-11-68 5-01-68 6-05-68 7-04-68 7-31-68 9-04-68	16.0 16.0 15.8 15.4 15.8 16.2 16.7 17.1 17.4	1314.0 1314.0 1314.2 1314.6 1314.2 1313.8 1313.3 1312.9 1312.6	4412						
07S/03W-15Q03S	1173.7	10-11-67 3-26-68	21.5 21.1	1152.2 1152.6	5010						
07S/03W-22H01S	1078.0	10-11-67 2-07-68 3-20-68	45.6 35.9 34.8	1032.4 1042.1 1043.2	5010						
07S/03W-22K01S	1095.0	10-11-67 2-07-68 3-20-68	53.6 50.5 52.0	1041.4 1044.5 1043.0	5010						
07S/03W-23A03S	1134.8	10-11-67 2-01-68 3-19-68	96.3 82.8(2) 81.3	1038.5 1052.0 1053.5	5010						
07S/03W-23Q04S	1086.0	10-11-67 2-02-68 3-20-68	63.9 47.8 46.1	1022.1 1038.2 1039.9	5010						
07S/03W-23K01S	1118.0	10-11-67	107.2	1010.8	5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRU UNIT						Z-02.00					
AULD HYDRO SUBUNIT			Z-02.00			AULD HYDRO SUBUNIT			Z-02.00		
AULD HYDRO SUBAREA			Z-02.01			AULD HYDRO SUBAREA			Z-02.01		
065/01W-31N01S	1475.0	11-16-67	22.2	1452.8	4412	075/02W-08A01S	1345.5	11-16-67	21.5	1324.0	4412
		2-26-68	24.4	1450.6		(CONT.)		1-11-68	21.7	1323.8	
		3-05-68	25.1	1449.9				2-17-68	21.4	1324.1	
		3-13-68	24.5	1450.5				3-05-68	21.8	1323.7	
		4-02-68	24.6	1450.4				4-03-68	21.7	1323.8	
		5-01-68	25.3	1449.7				5-01-68	21.8	1323.7	
		6-04-68	25.4	1449.6				6-05-68	23.1	1322.4	
								7-04-68	22.3	1323.2	
								7-31-68	22.5	1323.0	
								9-04-68	21.8	1323.7	
075/02W-01N01S	1430.0	10-13-67	33.9	1396.1	4412	075/02W-08E01S	1332.3	1-11-68	15.0	1317.3	4412
		2-08-68	34.6	1395.4				3-06-68	15.5	1316.8	
		3-05-68	34.7	1395.3							
		4-02-68	34.3	1395.7		075/02W-08H01S	1345.0	1-11-68	20.6	1324.4	4412
		5-01-68	34.4	1395.6				2-12-68	20.3	1324.7	
		5-01-68	34.7	1395.3				3-05-68	20.7	1324.3	
		6-04-68	34.5	1395.5				4-03-68	20.7	1324.3	
		7-03-68	34.5	1395.5				5-01-68	20.7	1324.3	
		7-31-68	34.6	1395.4				6-05-68	20.5	1324.5	
		9-03-68	34.8	1395.2				7-04-68	20.6	1324.4	
		9-30-68	34.8	1395.2				7-31-68	21.2	1323.8	
075/02W-02P03S	1413.9	1-11-68	37.5	1376.4	4412			9-04-68	20.7	1324.3	
		3-05-68	37.6	1376.3		075/02W-08M01S	1305.0	1-11-68	44.0	1261.0	4412
		4-02-68	39.3	1374.6				3-06-68	45.7	1259.3	
		5-01-68	37.4	1376.5				4-03-68	45.3	1259.7	
		6-04-68	38.1(4)	1375.8				5-01-68	52.2	1252.8	
		7-03-68	38.1(4)	1375.8				6-05-68	51.6	1253.4	
		7-31-68	37.6	1376.3				7-03-68	50.3	1254.7	
		9-03-68	37.8(4)	1376.1				8-01-68	48.0	1257.0	
		9-30-68	37.8(4)	1376.1				9-04-68	49.6	1255.4	
075/02W-02R01S	1422.0	10-13-67	42.8	1379.2	4412	075/02W-08M02S	1292.7	10-13-67	48.3	1244.4	4412
		11-16-67	42.7	1379.3				11-16-67	46.7	1246.0	
		1-11-68	42.9	1379.1				12-14-67	45.6	1247.1	
		2-08-68	42.7	1379.3				1-11-68	41.4	1251.3	
		2-26-68	42.8	1379.2				2-03-68	43.3	1249.4	
		3-05-68	42.8	1379.2				3-06-68	43.4	1249.3	
		3-13-68	42.8	1379.2				4-03-68	42.4	1250.3	
		5-01-68	42.9	1379.1				5-01-68	47.3	1245.4	
		6-04-68	42.9	1379.1				6-05-68	33.5	1259.2	
		7-03-68	43.1	1378.9				6-06-68	35.3	1257.4	
		7-31-68	43.1	1378.9				7-03-68	44.0	1248.7	
		9-03-68	43.2	1378.8				8-01-68	44.4	1248.3	
		9-30-68	43.2	1378.8				9-04-68	46.4	1246.3	
075/02W-03L01S	1476.0	10-13-67	18.1	1457.9	4412	075/02W-08N01S	1300.0	10-13-67	17.0	1283.0	4412
		11-16-67	18.2	1457.8				11-16-67	16.8	1283.2	
		12-14-67	17.8	1458.2				12-14-67	16.3	1283.7	
		1-03-68	17.7	1458.3				2-08-68	16.0	1284.0	
		2-08-68	17.3	1458.7				3-06-68	16.0	1284.0	
		3-05-68	17.3	1458.7				5-01-68	16.2	1283.8	
		5-01-68	17.8	1458.2				6-05-68	16.2	1283.8	
		6-04-68	20.1	1455.9				7-03-68	16.2	1283.8	
		7-03-68	21.1	1454.9				7-31-68	16.1	1283.9	
		7-31-68	21.6	1454.4				9-04-68	16.2	1283.8	
		9-03-68	21.4	1454.6		075/02W-08N02S	1332.0	10-13-67	13.2	1318.8	4412
		9-30-68	21.1	1454.9				11-16-67	13.5	1318.5	
075/02W-03N01S	1366.3	1-11-68	14.9	1351.4	4412			12-14-67	12.8	1319.2	
		3-05-68	17.4	1348.9				1-11-68	12.7	1319.3	
		4-03-68	14.4	1351.9				2-08-68	16.1	1315.9	
		4-30-68	16.4	1349.9				3-06-68	14.8	1317.2	
		6-04-68	DRY					4-03-68	14.2	1317.8	
		7-03-68	DRY					5-01-68	14.0	1318.0	
		7-31-68	DRY					6-05-68	16.0	1316.0	
		9-03-68	DRY					7-03-68	16.5	1315.5	
								8-01-68	18.1	1313.9	
								9-04-68	16.8	1315.2	
075/02W-04K01S	1399.2	10-13-67	54.3	1344.9	4412	075/02W-09F01S	1329.5	10-13-67	6.5	1323.0	4412
		11-16-67	54.5	1344.7				11-16-67	6.1	1323.4	
		12-14-67	54.5	1344.7				12-14-67	5.5	1324.0	
		1-11-68	54.6	1344.6				1-11-68	4.9	1324.6	
		2-06-68	54.3	1344.9				2-08-68	4.5	1325.0	
		2-08-68	54.6	1344.6				3-05-68	4.1	1325.4	
		3-05-68	54.6	1344.6				4-03-68	3.9	1325.6	
		4-02-68	54.1	1345.1				5-01-68	2.5	1327.0	
		4-30-68	54.6	1344.6				6-04-68	1.0	1328.5	
		9-03-68	56.8	1342.4				7-04-68	1.3	1328.2	
075/02W-07J01S	1295.1	1-11-68	8.7	1286.4	4412			7-31-68	1.9	1327.6	
		3-18-68	8.5	1286.6				9-03-68	4.8	1324.7	
		4-03-68	8.4	1286.7		075/02W-09K01S	1330.0	10-13-67	7.6	1322.4	4412
		5-01-68	8.5	1286.6				11-16-67	6.5	1323.5	
		6-05-68	8.3	1286.8				12-14-67	6.0	1324.0	
		7-04-68	8.4	1286.7				1-11-68	5.1	1324.9	
		8-01-68	8.3	1286.8				2-08-68	4.6	1325.4	
		9-04-68	8.3	1286.8				3-05-68	5.1(1)	1324.9	
075/02W-07R01S	1281.0	1-11-68	4.5	1276.5	4412			4-03-68	4.5(1)	1325.5	
		1-31-68	5.8	1275.2				5-01-68	3.2(1)	1326.8	
		3-06-68	19.7(1)	1261.3				6-04-68	4.8(1)	1325.2	
		4-03-68	17.3	1263.7				7-04-68	7(1)	1329.3	
		5-01-68	11.6(1)	1269.4				7-31-68	2.4(1)	1327.6	
		6-05-68	21.0(1)	1260.0				9-03-68	5.7(1)	1324.3	
		7-03-68	12.2(1)	1268.8							
		8-01-68	16.7	1264.3							
		9-04-68	17.7	1263.3							
075/02W-08A01S	1345.5	10-13-67	21.5	1324.0	4412						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SANTA MARGARITA HYDRO UNIT						Z-02.00					
AULD HYDRO SUBUNIT			Z-02.00			PECHANGA HYDRO SUBUNIT			Z-02.E0		
GERTRUDIS HYDRO SUBAREA			Z-02.D2			PAUBA HYDRO SUBAREA			Z-02.E1		
07S/02W-20L01S	1160.0	10-11-67 1-04-68 3-19-68	73.7 77.2 72.8	1086.3 1082.8 1087.2	5010	07S/02W-34N01S	1280.0	10-11-67 3-19-68	166.3 165.1	1113.7 1114.9	5010
07S/02W-21E01S	1215.0	10-11-67 1-04-68 3-19-68	77.5 57.1 67.1	1137.5 1157.9 1147.9	5010	07S/02W-36J01S	1490.0	10-11-67 3-19-68	403.2 366.0	1086.8 1124.0	5010
07S/02W-21E02S	1200.0	10-11-67 1-04-68 3-19-68	54.4 54.3 54.1	1145.6 1145.7 1145.9	5010	08S/01W-06P01S	1237.0	10-10-67 3-26-68	(1) 131.9	1105.1	5010
07S/02W-24F01S	1435.0	10-11-67	1.1	1433.9	5010	08S/02W-11J02S	1182.3	10-10-67 3-19-68	67.0 64.6	1115.3 1117.7	5010
07S/02W-25C01S	1478.0	3-26-68	67.3	1410.7	5010	08S/02W-11L01S	1163.0	10-10-67 3-19-68	54.0 50.9	1109.0 1112.1	5010
07S/02W-25H01S	1440.0	3-19-68	19.9(4)	1420.1	5010	08S/02W-12H01S	1216.0	10-10-67 3-19-68	95.9(1) 93.1	1120.1 1122.9	5010
07S/02W-26G01S	1440.0	10-11-67 3-19-68	(1) (1)		5010	08S/02W-12J01S	1209.0	10-10-67 3-19-68	92.7 90.9	1116.3 1118.1	5010
07S/02W-26N01S	1308.0	10-11-67 3-19-68	166.7 167.6	1141.3 1140.4	5010	08S/02W-12K01S	1207.0	10-10-67 3-19-68	90.3 88.5	1116.7 1118.5	5010
07S/02W-27J01S	1300.0	10-11-67 1-16-68 3-26-68	211.2 202.9 194.1	1088.8 1097.1 1105.9	5010	08S/02W-15C01S	1117.0	11-01-67 3-19-68	12.9 8.9	1104.1 1108.1	5010
07S/02W-27R01S	1300.0	10-11-67 3-19-68	177.8 175.1	1122.2 1124.9	5010	08S/02W-15O01S	1092.0	10-10-67 3-19-68	14.4 13.6	1077.6 1078.4	5010
07S/02W-28J01S	1370.0	10-11-67 3-26-68	245.4 246.0	1124.6 1124.0	5010	08S/02W-17H01S	1050.0	10-10-67 3-19-68	FLOW FLOW		5010
07S/02W-30D02S	1108.0	10-11-67 1-04-68 3-19-68	63.6 60.1 58.7	1044.4 1047.9 1049.3	5010	08S/02W-20B02S	1035.0	10-11-67 3-19-68	3.4 2.6	1031.6 1032.4	5010
07S/02W-30O03S	1108.0	1-04-68	68.0	1040.0	5010	08S/02W-20C01S	1030.0	10-10-67 3-19-68	9.0 (1)	1021.0	5010
07S/01W-30N01S	1440.0	10-11-67	20.1	1419.9	5010	PECHANGA HYDRO SUBAREA			Z-02.E2		
07S/02W-33E01S	1229.0	10-11-67	89.6	1139.4	5010	08S/02W-19J02S	1030.0	10-10-67 3-19-68	25.5 23.3	1004.5 1006.7	5010
07S/03W-24A01S	1105.0	10-11-67 2-07-68	89.3(4) 70.0	1015.7 1035.0	5010	08S/02W-20L01S	1052.0	10-10-67 3-19-68	39.0 39.9	1013.0 1012.1	5010
07S/03W-24A02S	1100.0	2-01-68	45.4	1054.6	5010	08S/02W-28C01S	1129.0	10-10-67 3-19-68	96.7 94.8	1032.3 1034.2	5010
07S/03W-24Q02S	1070.0	10-13-67	66.9	1003.1	4412	08S/02W-28H01S	1126.0	3-19-68	62.1	1063.9	5010
07S/03W-24R01S	1100.0	10-11-67 1-04-68 3-26-68	73.3 62.7 58.4	1026.7 1037.3 1041.6	5010	08S/02W-29C01S	1070.8	10-10-67 3-19-68	1.8 1.8	1069.0 1069.0	5010
07S/03W-25E01S	1072.0	10-11-67 4-23-68	63.5 43.3	1008.5 1028.7	5010	08S/02W-29G01S	1091.1	10-10-67 3-09-68	33.6 33.7	1057.5 1057.4	5010
07S/03W-25M01S	1104.5	10-11-67 10-13-67 3-19-68	66.7 67.4 66.8	1037.8 1037.1 1037.7	5010 4412 5010						
07S/03W-25R01S	1105.0	10-11-67 2-07-68 3-20-68	90.6(4) 73.0 72.4	1014.4 1032.0 1032.6	5010						
07S/03W-26O01S	1050.0	10-11-67 2-07-68	38.7 20.7	1011.3 1029.3	5010						
07S/03W-35A01S	1060.0	2-07-68 3-26-68	32.6 31.4	1027.4 1028.6	5010						
07S/03W-35B02S	1052.0	10-13-67	36.2	1015.8	4412						
07S/03W-35C01S	1048.0	10-11-67 3-20-68	(1) (1)		5010						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
BONSALL HYDRO SUBUNIT			Z-03.A0			BONSALL HYDRO SUBUNIT			Z-03.A0		
MISSION HYDRO SUBAREA			Z-03.A1			MISSION HYDRO SUBAREA			Z-03.A1		
115/04W-09E01S	64.6	10-05-67	48.0	16.6	5202	115/04W-18G02S (CONT.)	38.8	1-08-68	15.6	23.2	5202
		11-08-67	47.6	17.0				2-08-68	15.6	23.2	
		12-05-67	47.8	16.8				3-06-68	15.3	23.5	
		1-08-68	45.6	19.0				4-02-68	15.0	23.8	
		2-08-68	44.8	19.8				5-08-68	15.3	23.5	
		3-06-68	45.3	19.3				6-05-68	15.3	23.5	
		4-02-68	47.8	16.8				7-05-68	15.6	23.2	
		5-08-68	47.2	17.4				8-08-68	15.8	23.0	
		6-05-68	47.9	16.7				9-05-68	15.5	23.3	
		7-05-68	48.2	16.4		115/04W-18L02S	32.0	1-04-68	15.4	16.6	5205
		8-08-68	49.3	15.3		115/04W-18L03S	38.0	10-05-67	16.8	21.2	5202
		9-05-68	43.8	20.8				11-08-67	16.2	21.8	
115/04W-09F01S	64.1	10-03-67	47.6	16.5	5010			12-05-67	69.8	-31.8	
		11-07-67	47.2	16.9				1-08-68	15.3	22.7	
		12-04-67	47.4	16.7				2-08-68	15.4	22.6	
		1-02-68	45.1	19.0				3-06-68	14.8	23.2	
		2-05-68	44.4	19.7				4-02-68	14.8	23.2	
		3-05-68	44.9	19.2				5-08-68	15.1	22.9	
		4-01-68	47.4	16.7				6-05-68	15.2	22.8	
		5-06-68	46.7	17.4				7-05-68	15.3	22.7	
		6-03-68	47.5	16.6				8-08-68	15.5	22.5	
		7-01-68	47.7	16.4				9-05-68	15.7	22.3	
		8-06-68	48.8	15.3		115/04W-18L19S	31.0	10-02-67	17.5	13.5	5205
		9-03-68	43.3	20.8				11-00-67	16.1	14.9	
115/04W-18C04S	35.0	10-02-67	14.7	20.3	5205			12-06-67	16.2	14.8	
		11-00-67	15.3	19.7				2-05-68	15.3	15.7	
		12-06-67	16.4	18.6				3-26-68	14.6	16.4	
		1-04-68	14.3	20.7				4-15-68	15.9	15.1	
		2-05-68	14.1	20.9				5-08-68	14.8	16.2	
		3-26-68	13.6	21.4				6-19-68	14.6	16.4	
		4-15-68	14.3	20.7				7-09-68	14.6	16.4	
		5-08-68	12.5	22.5				8-14-68	14.6	16.4	
		6-19-68	14.9	20.1				9-11-68	14.4	16.6	
		7-09-68	15.0	20.0		115/05W-13N01S	16.2	10-03-67	4.7	11.5	5010
		8-14-68	14.8	20.2				11-07-67	4.6	11.6	
		9-11-68	15.2	19.8				12-04-67	4.7	11.5	
115/04W-18C05S	36.0	10-02-67	13.9	22.1	5205			1-02-68	2.7	13.5	
		11-00-67	14.5	21.5				2-05-68	3.9	12.3	
		12-06-67	15.3	20.7				3-05-68	3.5	12.7	
		1-04-68	13.4	22.6				4-01-68	5.3	10.9	
		2-05-68	13.3	22.7				5-06-68	3.4	12.8	
		3-26-68	13.6	22.4				6-03-68	3.5	12.7	
		4-15-68	13.5	22.5				7-01-68	3.7	12.5	
		5-08-68	13.9	22.1				8-06-68	3.7	12.5	
		6-19-68	14.1	21.9				9-03-68	3.7	12.5	
		7-09-68	14.3	21.7		115/05W-13N02S	17.7	10-05-67	6.2	11.5	5202
		8-14-68	14.1	21.9				11-08-67	6.1	11.6	
		9-11-68	14.5	21.5				12-05-67	6.2	11.5	
115/04W-18C06S	30.0	3-26-68	8.8	21.2	5205			1-08-68	4.3	13.4	
115/04W-18C08S	37.0	1-04-68	10.1	26.9	5205			2-08-68	5.4	12.3	
115/04W-18C09S	32.0	10-02-67	13.4	18.6	5205			3-06-68	5.0	12.7	
		11-00-67	13.8	18.2				4-02-68	6.8	10.9	
		12-06-67	14.7	17.3				5-08-68	4.9	12.8	
		1-04-68	13.0	19.0				6-05-68	5.0	12.7	
		2-05-68	12.8	19.2				7-05-68	5.3	12.4	
		3-26-68	12.3	19.7				8-08-68	5.3	12.4	
		4-15-68	12.9	19.1				9-05-68	5.3	12.4	
		5-08-68	(7)			115/05W-13P02S	21.5	11-08-67	10.1	11.4	5202
		6-19-68	13.3	18.7				12-05-67	10.2	11.3	
		7-09-68	13.5	18.5				1-08-68	7.5	14.0	
		8-14-68	14.2	17.8				2-08-68	8.3	13.2	
		9-11-68	13.7	18.3				3-06-68	8.5	13.0	
115/04W-18E01S	33.0	10-02-67	9.9	23.1	5205			4-02-68	7.4	14.1	
		11-00-67	9.9	23.1				5-08-68	7.8	13.7	
		12-06-67	10.4	22.6				7-05-68	7.6	13.9	
		1-04-68	8.6	24.4				8-08-68	7.8	13.7	
		2-05-68	9.7	23.3				9-05-68	7.8	13.7	
		4-15-68	8.5	24.5				10-05-67	9.9	11.6	
		5-08-68	9.6	23.4				6-05-68	7.6	13.9	
		6-19-68	14.8	18.2		115/05W-24B01S	23.6	10-05-67	8.7	14.9	5202
		7-09-68	8.9	24.1				11-08-67	8.3	15.3	
		8-14-68	9.0	24.0				12-05-67	8.5	15.1	
		9-11-68	9.9	23.1				1-08-68	7.3	16.3	
115/04W-18F01S	30.0	10-02-67	16.7	13.3	5205			2-08-68	8.9	14.7	
		11-00-67	15.5	14.5				3-06-68	9.1	14.5	
		12-06-67	16.8	13.2				4-02-68	7.2	16.4	
		1-04-68	13.7	16.3				5-08-68	7.3	16.3	
		2-05-68	12.1	17.9				6-05-68	7.4	16.2	
		3-26-68	11.4	18.6				7-05-68	7.4	16.2	
		4-15-68	13.9	16.1				8-08-68	7.5	16.1	
		5-08-68	14.5	15.5				9-05-68	7.5	16.1	
		6-19-68	14.9	15.1		BONSALL HYDRO SUBAREA			Z-03.A2		
		7-30-68	14.0	16.0		105/03W-11G01S	237.1	10-18-67	34.1	203.0	5408
		8-14-68	13.3	16.7				10-27-67	40.5	196.6	5050
		9-11-68	13.3	16.7				11-16-67	34.5	202.6	5408
115/04W-18G02S	38.8	10-05-67	16.8	22.0	5202			12-22-67	33.6	203.5	
		11-08-67	16.3	22.5				1-22-68	33.3	203.8	
		12-05-67	72.4	-33.6							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
BONSALL HYDRO SUBUNIT			Z-03.A0			BONSALL HYDRO SUBUNIT			Z-03.A0		
BONSALL HYDRO SUBAREA			Z-03.A2			BONSALL HYDRO SUBAREA			Z-03.A2		
10S/03W-11G01S (CONT.)	237.1	2-15-68 33.9 3-15-68 33.2 4-18-68 31.7 5-09-68 35.5 5-17-68 31.5 6-14-68 32.2 7-16-68 25.7 8-15-68 25.8 9-13-68 25.6	203.2 5408 203.9 205.4 201.6 5050 205.6 5408 204.9 211.4 211.3 211.5			10S/03W-16F01S (CONT.)	190.0	3-11-68 10.5 4-16-68 11.9 5-09-68 14.9 5-13-68 14.9 6-17-68 15.6 7-15-68 16.7 8-13-68 16.4 9-17-68 17.9	179.5 4750 178.1 175.1 5050 175.1 4750 174.4 173.3 173.6 172.1		
10S/03W-11N01S	222.0	10-18-67 25.5 10-27-67 37.9 11-16-67 26.0 12-22-67 24.9 1-22-68 24.7 2-15-68 25.4 3-15-68 25.0 4-18-68 22.9 5-09-68 35.6 5-17-68 22.9 6-14-68 24.1 7-16-68 21.9 8-15-68 21.7 9-13-68 21.7	196.5 5408 184.1 5050 196.0 5408 197.1 197.3 196.6 197.0 199.1 186.4 5050 199.1 5408 197.9 200.1 200.3 200.3			10S/03W-16F05S	190.0	10-16-67 18.1 11-13-67 18.3 12-11-67 15.8 1-15-68 13.2 2-19-68 12.9 3-11-68 11.9 4-16-68 12.2 5-13-68 13.7 6-17-68 14.6 7-15-68 15.1 8-13-68 15.7 9-17-68 16.8	171.9 4750 171.7 174.2 176.8 177.1 178.1 177.8 176.3 175.4 174.9 174.3 173.2		
10S/03W-15A01S	224.0	10-27-67 35.3 5-09-68 31.9	188.7 5050 192.1			10S/03W-16F08S	190.0	10-16-67 18.6 11-13-67 18.6 12-11-67 15.6 1-15-68 12.9 2-11-68 12.5 3-11-68 10.9 4-16-68 13.0 5-13-68 14.5 6-17-68 15.4 7-15-68 16.1 8-13-68 16.4 9-17-68 18.2	171.4 4750 171.4 174.4 177.1 177.5 179.1 177.0 175.5 174.6 173.9 173.6 171.8		
10S/03W-15B01S	211.0	10-27-67 33.0 5-09-68 30.3	178.0 5050 180.7			10S/03W-16J01S	200.0	10-27-67 27.8 5-09-68 23.9(2)	172.2 5050 176.1		
10S/03W-15B02S	215.0	10-27-67 36.0 5-09-68 33.9	179.0 5050 181.1			10S/03W-16L01S	190.0	10-27-67 17.0 5-09-68 14.9(1)	173.0 5050 175.1		
10S/03W-15C01S	204.6	10-18-67 26.4 11-16-67 26.1 12-22-67 24.9 1-22-68 24.7 2-15-68 24.5 3-15-68 25.1 4-18-68 23.3 5-17-68 23.2 6-14-68 24.7 7-16-68 22.3 8-15-68 22.3 9-13-68 22.4	178.2 5408 178.5 179.7 179.9 180.1 179.5 181.3 181.4 179.9 182.3 182.3 182.2			10S/03W-20B01S	176.2	10-18-67 5.6 10-27-67 7.1 11-16-67 5.7 12-22-67 4.9 1-22-68 4.7 2-15-68 4.9 3-15-68 4.7 4-18-68 4.2 5-09-68 6.2 5-17-68 4.0 6-14-68 4.9	170.6 5408 169.1 5050 170.5 5408 171.3 171.5 171.3 171.5 172.0 170.0 5050 172.2 5408 171.3		
10S/03W-15C02S	209.9	10-18-67 38.6 11-18-67 38.4 12-22-67 37.4 1-22-68 37.3 2-15-68 37.6 3-15-68 36.9 4-18-68 30.2 5-17-68 29.9 6-14-68 36.6 7-16-68 36.7 8-15-68 36.5 9-13-68 36.3	171.3 5408 171.5 172.5 172.6 172.3 173.0 179.7 180.0 173.3 173.2 173.4 173.6			10S/03W-20E01S	170.0	10-27-67 6.4 5-09-68 5.6	163.6 5050 164.4		
10S/03W-15E01S	206.0	10-27-67 35.7 5-09-68 32.5	170.3 5050 173.5			10S/03W-29E01S	156.7	10-18-67 14.5 10-27-67 16.9 11-16-67 15.0 12-22-67 13.6 1-22-68 13.4 2-15-68 13.3 3-15-68 13.3 4-18-68 13.5 5-09-68 16.2 5-17-68 13.1 6-14-68 13.9 7-16-68 (2) 8-15-68 (2) 9-13-68 (2)	142.2 5408 139.8 5050 141.7 5408 143.1 143.3 143.4 143.4 143.2 140.5 5050 143.6 5408 142.8		
10S/03W-15F01S	210.0	10-27-67 38.5 5-09-68 29.9(4)	171.5 5050 180.1			10S/03W-30J01S	150.1	10-27-67 11.7 5-09-68 10.8	138.4 5050 139.3		
10S/03W-15F02S	207.5	10-18-67 37.5 11-16-67 33.2 12-22-67 32.3 1-22-68 31.3 2-15-68 30.7 3-15-68 30.1 4-18-68 29.3 5-17-68 28.9 6-14-68 32.6(1) 7-16-68 32.7(1) 8-15-68 33.9(1) 9-13-68 32.8(1)	170.0 5408 174.3 175.2 176.2 176.8 177.4 178.2 178.6 174.9 174.8 173.6 174.7			10S/03W-30K01S	149.8	10-18-67 11.4 10-18-67 14.3 11-16-67 14.5 12-22-67 13.4 1-22-68 13.2 2-15-68 13.1 3-15-68 13.1 4-18-68 13.2 5-17-68 13.2 6-14-68 13.8 7-15-68 14.2 8-15-68 14.1 9-13-68 14.1	138.4 5010 135.5 5408 135.3 136.4 136.6 136.7 136.7 136.6 136.6 136.0 135.6 135.7 135.7		
10S/03W-16E01S	188.0	10-16-67 15.9 11-13-67 16.4 12-11-67 14.3 1-15-68 10.9 2-19-68 10.6 3-11-68 10.4 4-16-68 10.3 5-13-68 12.7 6-17-68 13.9 7-15-68 14.4 8-13-68 14.8 9-17-68 15.6	172.1 4750 171.6 173.7 177.1 177.4 177.6 177.7 175.3 174.1 173.6 173.2 172.4			10S/03W-16F01S	190.0	10-16-67 18.7 10-27-67 19.1(2) 11-13-67 18.7 12-11-67 15.5 1-15-68 12.7 2-19-68 12.4	171.3 4750 170.9 5050 171.3 4750 174.5 177.3 177.6		

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
MONSERATE HYDRO SUBUNIT			Z-03.80			WARNER HYDRO SUBUNIT			Z-03.C0		
PALA HYDRO SUBAREA			Z-03.81			WARNER HYDRO SUBAREA			Z-03.C1		
085/02W-14B01S	1190.0	3-19-68	77.0	1113.0	5010	105/02E-24J01S	2770.0	11-30-67	70.0	2700.0	4405
095/02W-26M01S	425.0	10-18-67	52.0	373.0	5010			12-29-67	69.0	2701.0	
095/02W-28K01S	357.0	10-18-67	15.8(2)	341.2	5010			1-00-68	69.0	2701.0	
105/02W-06F02S	282.4	10-18-67	16.7	265.7	5010			2-29-68	68.0	2702.0	
								3-29-68	67.0	2703.0	
								4-30-68	66.0	2704.0	
								5-00-68	66.0	2704.0	
								7-00-68	67.0	2703.0	
								9-00-68	67.0	2703.0	
PAUMA HYDRO SUBAREA			Z-03.82			105/02E-24Q01S	2749.2	11-30-67	57.0	2692.2	4405
095/02W-36M01S	520.0	10-18-67	30.0(1)	490.0	5010			12-29-67	56.0	2693.2	
105/01W-05L01S	706.0	10-18-67	77.4(1)	628.6	5010			1-00-68	54.0	2695.2	
105/01W-08P01S	725.0	10-18-67	46.3	678.7	5010			2-29-68	54.0	2695.2	
105/01W-09A01S	1070.0	10-18-67	93.9	976.1	5010			3-29-68	54.0	2695.2	
105/01W-09B01S	970.0	10-18-67	63.1(2)	906.9	5010			4-30-68	53.0	2696.2	
105/01W-15P01S	835.0	10-18-67	137.1	697.9	5010			5-00-68	(3)		
105/01W-16B02S	899.0	10-18-67	238.2	660.8	5010	105/02E-25A01S	2741.2	7-00-68	113.0(1)	2636.2	
105/01W-22K01S	835.0	10-18-67	98.7	736.3	5010			9-00-68	124.0(1)	2625.2	
105/01W-22Q01S	853.0	10-18-67	102.8(1)	750.2	5010			11-30-67	61.4	2679.8	4405
105/01W-23N03S	1030.0	10-18-67	219.0	811.0	5010			11-30-67	47.4	2693.8	
105/01W-35B01S	858.0	10-18-67	33.8	824.2	5010			12-29-67	60.4	2680.8	
								12-29-67	45.4	2695.8	
								1-00-68	59.4	2681.8	
								1-00-68	45.4	2695.8	
								2-29-68	59.4	2681.8	
								2-29-68	44.4	2696.8	
								3-29-68	58.4	2682.8	
								3-29-68	43.4	2697.8	
								4-30-68	58.4	2682.8	
								4-30-68	43.4	2697.8	
								5-00-68	57.9	2683.3	
								5-00-68	43.4	2697.8	
								7-00-68	57.9	2683.3	
								7-00-68	44.9	2696.3	
								9-00-68	58.4	2682.8	
								9-00-68	46.4	2694.8	
						105/02E-25C01S	2733.2	11-30-67	39.6	2693.6	4405
								12-29-67	38.6	2694.6	
								1-00-68	37.6	2695.6	
								2-29-68	37.6	2695.6	
								3-29-68	36.6	2696.6	
								4-30-68	35.6	2697.6	
								5-00-68	36.1	2697.1	
								7-00-68	42.1	2691.1	
								9-00-68	42.6	2690.6	
						105/02E-25E01S	2730.0	11-30-67	18.0	2712.0	4405
								12-29-67	16.0	2714.0	
								1-00-68	16.0	2714.0	
								2-29-68	16.0	2714.0	
								3-29-68	16.0	2714.0	
								4-30-68	(7)		
								5-00-68	(7)		
								7-00-68	20.0	2710.0	
								9-00-68	23.0	2707.0	
						105/02E-25G01S	2732.0	11-30-67	34.0	2698.0	4405
								12-29-67	34.0	2698.0	
								1-00-68	35.0	2697.0	
								2-29-68	33.0	2699.0	
								3-29-68	32.0	2700.0	
								4-30-68	34.0	2698.0	
								5-00-68	34.0	2698.0	
								7-00-68	34.0	2698.0	
								9-00-68	34.5	2697.5	
						105/02E-25H01S	2755.0	11-30-67	40.0	2715.0	4405
								12-29-67	39.0	2716.0	
								1-00-68	38.0	2717.0	
								2-29-68	39.0	2716.0	
								3-29-68	58.0	2697.0	
								4-30-68	40.0	2715.0	
								5-00-68	40.0	2715.0	
								7-00-68	41.0	2714.0	
								9-00-68	42.0	2713.0	
						105/03E-17H01S	2920.0	11-30-67	75.0	2845.0	4405
								12-29-67	74.0	2846.0	
								1-00-68	74.0	2846.0	
								2-29-68	74.0	2846.0	
								3-29-68	74.0	2846.0	
								4-30-68	76.0	2844.0	
								5-00-68	77.5	2842.5	
								7-00-68	79.5	2840.5	
								9-00-68	80.5	2839.5	
						105/03E-19N01S	2769.9	11-30-67	67.6	2702.3	4405
								12-29-67	66.6	2703.3	
								1-00-68	65.6	2704.3	
								2-29-68	63.6	2706.3	
								3-29-68	62.6	2707.3	
								4-30-68	62.6	2707.3	
								5-00-68	62.6	2707.3	
								7-00-68	62.6	2707.3	

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
WARNER HYDRO SUBUNIT			Z-03.C0			WARNER HYDRO SUBUNIT			Z-03.C0		
WARNER HYDRO SUBAREA			Z-03.C1			WARNER HYDRO SUBAREA			Z-03.C1		
105/03E-19N01S (CONT.)	2769.9	9-00-68	62.6	2707.3	4405	105/03E-30b01S (CONT.)	2775.0	4-30-68 5-00-68 7-00-68 9-00-68	62.0 62.0 62.5 63.0	2713.0 2713.0 2712.5 2712.0	4405
105/03E-19P01S	2777.7	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	72.2 71.2 70.2 69.2 68.2 68.2 68.2 68.7 69.2	2705.5 2706.5 2707.5 2708.5 2709.5 2709.5 2709.5 2709.0 2708.5	4405	105/03E-30C01S	2750.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	61.0 61.0 61.0 60.0 58.0 59.0 59.0 59.0 59.8	2689.0 2689.0 2689.0 2690.0 2692.0 2691.0 2691.0 2691.0 2690.2	4405
105/03E-19Q01S	2781.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	66.0 65.0 64.0 64.0 63.0 64.0 66.0 64.0 68.0	2715.0 2716.0 2717.0 2717.0 2718.0 2717.0 2715.0 2717.0 2713.0	4405	105/03E-30H01S	2779.6	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	68.0 67.0 66.0 66.0 65.0 66.0 66.0 64.0 64.0	2711.6 2712.6 2713.6 2713.6 2714.6 2713.6 2713.6 2715.6 2715.6	4405
105/03E-20P01S	2800.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	65.2 64.2 63.2 63.2 62.2 (7) 68.2 70.7 70.2	2734.8 2735.8 2736.8 2736.8 2737.8 2731.8 2729.3 2729.8	4405	105/03E-31C01S	2760.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	57.0 56.0 56.0 55.0 55.0 92.0 104.0 112.0 101.5	2703.0 2704.0 2704.0 2705.0 2705.0 2668.0 2656.0 2648.0 2658.5	4405
105/03E-20Q01S	2816.6	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	58.0 57.0 57.0 57.0 57.0 57.0 58.0 59.0 59.0	2758.6 2759.6 2759.6 2759.6 2759.6 2759.6 2758.6 2757.6 2757.6	4405	105/03E-31C02S	2760.0	12-29-67 1-00-68 2-29-68 4-30-68 5-00-68 7-00-68 9-00-68	51.0 50.0 49.0 51.0 52.0 54.0 54.0	2709.0 2710.0 2711.0 2709.0 2708.0 2706.0 2706.0	4405
105/03E-28P01S	2885.8	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	101.2 101.2 101.2 100.2 98.2 101.2 102.2 102.7 103.7	2784.6 2784.6 2784.6 2785.6 2787.6 2784.6 2783.6 2783.1 2782.1	4405	105/03E-31C05S	2780.0	12-29-67 1-00-68 2-29-68 4-30-68 5-00-68 7-00-68 9-00-68	52.0 52.0 51.0 52.0 54.0 56.0 55.0	2728.0 2728.0 2729.0 2728.0 2726.0 2724.0 2725.0	4405
105/03E-29E01S	2794.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	63.7 62.7 63.7 61.7 61.7 63.7 63.7 63.2 64.2	2730.3 2731.3 2730.3 2732.3 2732.3 2730.3 2730.3 2730.8 2729.8	4405	105/03E-31G01S	2778.0	11-30-67 12-29-67 1-00-68 2-29-68 4-30-68 5-00-68 7-00-68 9-00-68	68.0 67.0 66.0 67.0 160.0(1) 175.0(1) 176.0(1) 126.0	2710.0 2711.0 2712.0 2711.0 2618.0 2603.0 2602.0 2652.0	4405
105/03E-29J01S	2810.7	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	29.4 29.4 28.4 28.4 26.4 27.4 30.4 33.4 34.9	2781.3 2781.3 2782.3 2782.3 2784.3 2783.3 2780.3 2777.3 2775.8	4405	105/03E-32C01S	2784.6	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	31.0 32.0 31.0 32.0 31.0 34.0 35.0 37.0 37.0	2753.6 2752.6 2753.6 2752.6 2753.6 2750.6 2749.6 2747.6 2747.6	4405
105/03E-29M01S	2766.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	67.0 66.0 66.0 65.0 64.0 65.0 65.0 64.5 66.5	2699.0 2700.0 2700.0 2701.0 2702.0 2701.0 2701.0 2701.5 2699.5	4405	105/03E-32H01S	2810.7	11-30-67 12-29-67 1-00-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	37.0 37.0 37.0 36.0 37.0 36.5 37.0 37.0	2773.7 2773.7 2773.7 2774.7 2773.7 2774.2 2773.7 2773.7	4405
105/03E-30A01S	2779.7	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	63.1 62.1 62.1 61.1 60.1 61.1 62.1 61.1 63.1	2716.6 2717.6 2717.6 2718.6 2719.6 2718.6 2717.6 2718.6 2716.6	4405	105/03E-33H01S	2927.4	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	132.3 132.3 132.3 131.3 131.3 143.3 148.3 151.3 134.3	2795.1 2795.1 2795.1 2796.1 2796.1 2784.1 2779.1 2776.1 2793.1	4405
105/03E-30B01S	2775.0	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68	65.0 64.0 64.0 63.0 62.0	2710.0 2711.0 2711.0 2712.0 2713.0	4405	105/03E-33C01S	2872.9	11-30-67 12-29-67 1-00-68 2-29-68 3-29-68 4-30-68 5-00-68 7-00-68 9-00-68	90.2 90.2 89.2 88.2 87.2 88.2 94.2 90.2 91.2	2782.7 2782.7 2783.7 2784.7 2785.7 2784.7 2778.7 2782.7 2781.7	4405

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN LUIS REY HYDRO UNIT						Z-03.00					
WARNER HYDRO SUBUNIT			Z-03.C0			WARNER HYDRO SUBUNIT			Z-03.C0		
WARNER HYDRO SUBAREA			Z-03.C1			WARNER HYDRO SUBAREA			Z-03.C1		
105/03E-330015	2865.9	11-30-67	84.2	2781.7	4405	115/03E-07D015 (CONT.)	2728.0	7-00-68	140.0(1)	2588.0	4405
		12-29-67	83.2	2782.7				9-00-68	250.0(1)	2478.0	
		1-00-68	82.2	2783.7		115/03E-07K015	2739.0	11-30-67	56.0	2683.0	4405
		2-29-68	82.2	2783.7				12-29-67	55.0	2684.0	
		3-29-68	81.2	2784.7				1-00-68	56.0	2683.0	
		4-30-68	82.2	2783.7				2-29-68	55.0	2684.0	
		5-00-68	82.7	2783.2				3-29-68	54.0	2685.0	
		7-00-68	83.2	2782.7				4-30-68	54.6	2684.4	
		9-00-68	84.2	2781.7				5-00-68	54.0	2685.0	
								7-00-68	55.0	2684.0	
								9-00-68	207.0(1)	2532.0	
105/03E-330025	2848.3	11-30-67	67.6	2780.7	4405						
		12-29-67	66.6	2781.7							
		1-00-68	66.6	2781.7							
		2-29-68	65.6	2782.7							
		3-29-68	65.6	2782.7							
		4-30-68	65.6	2782.7							
		5-00-68	66.6	2781.7							
		7-00-68	67.6	2780.7							
		9-00-68	68.6	2779.7							
105/03E-33F015	2883.4	11-30-67	131.7	2751.7	4405						
		12-29-67	129.7	2753.7							
		1-00-68	129.7	2753.7							
		2-29-68	127.7	2755.7							
		3-29-68	125.7	2757.7							
		4-30-68	135.7	2747.7							
		5-00-68	150.7	2732.7							
		7-00-68	164.7	2718.7							
		9-00-68	181.2	2702.2							
105/03E-33H015	2902.2	11-30-67	113.9	2788.3	4405						
		12-29-67	112.9	2789.3							
		1-00-68	113.9	2788.3							
		2-29-68	112.9	2789.3							
		3-29-68	111.9	2790.3							
		4-30-68	129.9	2772.3							
		5-00-68	134.4	2767.8							
		7-00-68	138.4	2763.8							
		9-00-68	141.4	2760.8							
115/03E-03J015	2970.0	11-30-67	75.0	2895.0	4405						
		12-29-67	74.0(1)	2896.0							
		1-00-68	73.0(1)	2897.0							
		2-29-68	73.0(1)	2897.0							
		3-29-68	74.0(1)	2896.0							
		4-30-68	62.5	2907.5							
		5-00-68	60.0	2910.0							
		7-00-68	140.0(1)	2830.0							
		9-00-68	174.0(16)	2796.0							
115/03E-04A015	2856.4	11-30-67	124.3	2732.1	4405						
		12-29-67	123.3	2733.1							
		1-00-68	121.3	2735.1							
		2-29-68	119.3	2737.1							
		3-29-68	118.3	2738.1							
		4-30-68	125.3	2731.1							
		5-00-68	128.3	2728.1							
		7-00-68	134.3	2722.1							
		9-00-68	142.3	2714.1							
115/03E-06F015	2750.0	11-30-67	100.0	2650.0	4405						
		12-29-67	100.0	2650.0							
		1-00-68	96.0	2654.0							
		2-29-68	95.0	2655.0							
		3-29-68	94.0	2656.0							
		4-30-68	219.0(1)	2531.0							
		5-00-68	220.0(1)	2530.0							
		7-00-68	213.0(1)	2537.0							
		9-00-68	232.0(1)	2518.0							
115/03E-06Q015	2750.0	11-30-67	126.0(1)	2624.0	4405						
		12-29-67	126.0(1)	2624.0							
		1-00-68	125.0(1)	2625.0							
		2-29-68	125.0(1)	2625.0							
		3-29-68	123.0(1)	2627.0							
		4-30-68	105.0	2645.0							
		5-00-68	127.0(1)	2623.0							
		7-00-68	113.0	2637.0							
		9-00-68	117.0	2633.0							
115/03E-07A015	2730.0	11-30-67	53.0	2677.0	4405						
		12-29-67	52.0	2678.0							
		1-00-68	53.0	2677.0							
		2-29-68	52.0	2678.0							
		3-29-68	51.0	2679.0							
		4-30-68	58.0	2672.0							
		5-00-68	60.5	2669.5							
		7-00-68	110.0(1)	2620.0							
		9-00-68	200.0(1)	2530.0							
115/03E-07D015	2728.0	11-30-67	59.0	2669.0	4405						
		12-29-67	58.0	2670.0							
		1-00-68	58.0	2670.0							
		2-29-68	58.0	2670.0							
		3-29-68	56.0	2672.0							
		4-30-68	56.0	2672.0							
		5-00-68	56.5	2671.5							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CARLSBAD HYDRO UNIT						Z-04.00					
ESCONDIDO HYDRO SUBUNIT						Z-04.F0					
ESCONDIDO HYDRO SUBAREA						Z-04.F2					
12S/02W-22A02S	720.0	10-24-67	48.0	672.0	5050						
		5-06-68	45.5(1)	674.5							
12S/02W-22J01S	697.0	5-06-68	28.4(1)	668.6	5050						
12S/02W-27M02S	690.0	10-23-67	25.9	664.1	5050						
		5-08-68	28.2	661.8							

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYURO UNIT						Z-05.00					
SAN DIEGUITO HYURO SUBUNIT			Z-05.A0			HODGES HYURO SUBUNIT			Z-05.B0		
SAN DIEGUITO HYURO SUBAREA			Z-05.A1			HODGES HYURO SUBAREA			Z-05.B1		
13S/03W-33C01S	43.1	10-26-67 5-09-68	44.5 43.9	-1.4 -.8	5050	12S/02W-32N01S	370.0	10-10-67 12-19-67 1-27-68 3-17-68 4-16-68 5-03-68 6-19-68 8-08-68	26.0 23.0 21.0 27.0 17.0 16.0 29.0 26.0	344.0 347.0 349.0 343.0 353.0 354.0 341.0 344.0	5724
13S/03W-33C03S	40.8	10-26-67 5-09-68	57.4 57.5	-16.6 -16.7	5050						
13S/03W-33M01S	35.0	10-25-67 10-26-67 3-14-68 5-09-68	78.5 76.7 77.6 76.9	-43.5 -41.7 -42.6 -41.9	5010 5050 5010 5050	12S/02W-35K01S	420.0	10-04-67 11-03-67 12-05-67 1-02-68 2-06-68 3-04-68 4-08-68 5-06-68 6-03-68 7-08-68 8-05-68 9-06-68	18.9 16.0 16.5 25.7(1) 20.0 29.2(1) 28.1(1) 33.8(1) 31.1(1) 33.8(1) 35.0(1) 24.5(1)	401.1 404.0 403.5 394.3 400.0 390.8 391.9 386.2 388.9 386.2 385.0 395.5	5710
14S/03W-05F01S	23.4	10-26-67 5-09-68	30.2 27.9	-6.8 -4.5	5050						
14S/03W-06P02S	15.0	10-26-67 5-09-68	7.9 12.5	7.1 2.5	5050						
14S/03W-06Q01S	14.5	10-26-67 5-09-68	21.3 19.0	-6.8 -4.5	5050						
14S/03W-07C07S	14.6	10-26-67 5-09-68	17.9 16.8	-3.3 -2.2	5050						
14S/03W-07M01S	19.3	10-26-67 5-09-68	18.8 18.4	.5 .9	5050	12S/02W-35P01S	395.0	10-04-67 11-03-67 12-05-67 1-09-68 2-06-68 3-05-68 4-05-68 7-10-68 8-05-68 9-06-68	16.0(1) 18.1(1) 5.1 3.9 4.1 4.4 4.5 24.2(1) 27.4(1) 29.4(1)	379.0 376.9 389.9 391.1 390.9 390.6 390.5 370.8 367.6 365.6	5710
14S/04W-01P01S	43.0	10-26-67 5-09-68	40.2 39.8	2.8 3.2	5050						
14S/04W-01R02S	20.7	10-26-67 5-09-68	23.8 22.2	-3.1 -1.5	5050						
14S/04W-01R04S	11.9	10-26-67 5-09-68	14.4 12.9	-2.5 -1.0	5050	12S/02W-35Q04S	395.0	10-04-67 11-03-67 12-05-67 1-09-68 2-06-68 3-05-68 4-08-68 5-00-68 6-00-68 7-00-68 8-05-68 9-06-68	26.3 30.1(1) 4.5 3.8 3.7 3.8 4.1 4.4 5.8 7.8 25.7(1) 9.8	368.7 364.9 390.5 391.2 391.3 391.2 390.9 390.6 389.2 387.2 369.3 385.2	5710
14S/04W-11J02S	5.0	10-26-67 5-09-68	2.9 2.2	2.1 2.8	5050						
						13S/01W-07E02S	330.8	10-23-67 5-08-68	20.2 23.1	310.6 307.7	5050
						13S/02W-02B02S	390.0	10-24-67 5-06-68	16.5 15.3	373.5 374.7	5050
						13S/02W-02C02S	374.0	10-04-67 10-24-67 11-03-67 12-06-67 1-09-68 2-06-68 3-08-68 4-08-68 5-06-68 5-06-68 6-03-68 7-09-68 8-05-68 9-06-68	23.3 13.4 12.2 15.1 10.4 9.5 9.2 8.8 2.3 9.3 17.2(1) 13.6 12.2 35.0(1)	350.7 360.6 361.8 358.9 363.6 364.5 364.8 365.2 371.7 364.7 356.8 360.4 361.8 339.0	5710 5050 5710
						13S/02W-02C03S	383.0	10-04-67 11-03-67 1-09-68 2-06-68 3-05-68 4-05-68 7-11-68 8-05-68 9-06-68	10.4 12.3 2.6 2.6 2.6 2.6 8.3 9.7 11.6	372.6 370.7 380.4 380.4 380.4 380.4 374.7 373.3 371.4	5710
						13S/02W-02C04S	390.0	1-09-68 2-06-68 3-05-68 4-08-68 5-03-68 6-03-68 9-06-68	4.8 4.8 4.8 5.0 4.8 14.8(1) 19.7(1)	385.2 385.2 385.2 385.0 385.2 375.2 370.3	5710
						13S/02W-02D01S	390.0	10-04-67 11-03-67 12-05-67 1-09-68 2-06-68 3-05-68 4-08-68 5-06-68 6-08-68 7-10-68 8-05-68 9-06-68	24.5(1) 21.1 12.9 10.2 14.0 17.6(1) 9.7 15.3 15.7 29.9(1) 33.9(1) 36.1(1)	365.5 368.9 377.1 379.8 376.0 372.4 380.3 374.7 374.3 360.1 356.1 353.9	5710

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
HODGES HYDRO SUBUNIT						HODGES HYDRO SUBUNIT					
HODGES HYDRO SUBAREA						HODGES HYDRO SUBAREA					
Z-05.80						Z-05.81					
13S/02W-02D03S	380.0	10-04-67	13.3	366.7	5710	13S/02W-12G01S (CONT.)	326.0	7-18-68	22.7	303.3	5229
		11-03-67	9.5	370.5				8-20-68	22.8	303.2	
		12-06-67	5.4	374.6				9-19-68	23.3	302.7	
		1-09-68	4.9	375.1		13S/02W-12N01S	315.6	10-23-67	15.9	299.7	5050
		2-06-68	5.0	375.0				1-17-68	15.3	300.3	5229
		3-05-68	5.4	374.6				2-21-68	15.5	300.1	
		4-08-68	5.7	374.3				3-21-68	14.5	301.1	
		5-06-68	6.6	373.4				4-17-68	14.3	301.3	
		6-08-68	7.0	373.0				5-08-68	14.1	301.5	5050
		7-10-68	45.0 (1)	335.0				5-17-68	14.0	301.6	5229
		8-05-68	49.6 (1)	330.4				6-19-68	14.2	301.4	
		9-06-68	50.8 (1)	329.2				7-18-68	14.0	301.6	
13S/02W-02F01S	375.0	10-04-67	41.7 (1)	333.3	5710			8-20-68	14.1	301.5	
		11-03-67	30.4	344.6				9-19-68	14.1	301.5	
		12-05-67	24.8	350.2		13S/02W-12N02S	318.0	1-17-68	17.3	300.7	5229
		1-09-68	19.7	355.3				2-21-68	17.2	300.8	
		2-06-68	18.5	356.5				3-21-68	16.6	301.4	
		3-05-68	16.8	358.2				4-17-68	16.7	301.3	
		4-08-68	15.9	359.1				5-17-68	16.6	301.4	
		5-06-68	5.9	369.1				6-19-68	16.7	301.3	
		6-03-68	31.6 (1)	343.4				7-18-68	18.2	299.8	
		7-10-68	34.8 (1)	340.2				8-20-68	18.3	299.7	
		8-05-68	37.1 (1)	337.9				9-19-68	18.4	299.6	
		9-06-68	39.6 (1)	335.4		13S/02W-13C01S	331.6	1-17-68	12.4	319.2	5229
13S/02W-02F02S	365.0	10-04-67	45.4 (1)	319.6	5710			2-21-68	13.8	317.8	
		11-03-67	50.9 (1)	314.1				3-21-68	14.4	317.2	
		12-05-67	12.9	352.1				4-17-68	14.1	317.5	
		1-09-68	7.0	358.0				5-17-68	14.5	317.1	
		2-06-68	6.4	358.6				6-19-68	15.9	315.7	
		3-05-68	5.1	359.9				7-18-68	15.0	316.6	
		4-08-68	4.8	360.2				8-20-68	14.8	316.8	
		5-00-68	5.4	359.6				9-19-68	16.0	315.6	
		6-03-68	36.0 (1)	329.0		GREEN HYDRO SUBAREA					
		7-10-68	27.6 (1)	337.4		Z-05.82					
		8-05-68	38.0 (1)	327.0		13S/02W-23G01S	500.0	10-23-67	40.5	459.5	5050
		9-06-68	14.8	350.2				5-07-68	39.8	460.2	
13S/02W-02J01S	430.0	10-24-67	23.0	407.0	5050	FELICITA HYDRO SUBAREA					
		5-06-68	24.1	405.9		Z-05.83					
13S/02W-02L01S	345.0	1-08-68	6.1	338.9	5710	12S/02W-27F01S	670.0	10-23-67	36.2	633.8	5050
		5-06-68	6.5	338.5				5-08-68	35.4	634.6	
		6-03-68	7.9 (1)	337.1		12S/02W-27K01S	622.0	10-23-67	10.3	611.7	5050
		7-10-68	6.9	338.1				5-08-68	10.3	611.7	
		8-05-68	13.1 (1)	331.9		12S/02W-27P02S	650.0	10-23-67	16.5	633.5	5050
		9-06-68	8.6 (1)	336.4				5-08-68	16.8	633.2	
13S/02W-02M01S	358.4	10-04-67	59.9 (1)	298.5	5710	12S/02W-28P01S	700.0	10-23-67	75.3	624.7	5050
		10-24-67	(1)		5050			5-08-68	61.7	638.3	
		11-03-67	34.9	323.5	5710	12S/02W-33A01S	635.0	10-27-67	(1)		5050
		12-05-67	21.5	336.9				5-08-68	59.3 (1)	575.7	
		1-09-68	10.7	347.7		12S/02W-33G03S	635.0	10-23-67	(4)		5050
		2-06-68	10.1	348.3		12S/02W-33R01S	596.0	10-23-67	(1)		5050
		3-05-68	48.0 (1)	310.4				5-08-68	10.3	585.7	
		4-08-68	8.9	349.5		12S/02W-34B01S	609.0	10-23-67	12.6	596.4	5050
		5-06-68	48.3 (2)	310.1	5050			5-08-68	8.7	600.3	
		5-06-68	48.4 (1)	310.0	5710	12S/02W-34M02S	610.0	10-23-67	26.2	583.8	5050
		6-03-68	49.1 (1)	309.3				5-08-68	23.9	586.1	
		7-10-68	56.0 (1)	302.4		13S/02W-03E01S	520.0	10-23-67	34.5	485.5	5050
		8-05-68	58.0 (1)	300.4				5-08-68	36.2	483.8	
		9-06-68	60.2 (1)	298.2		BEAR HYDRO SUBAREA					
13S/02W-03R03S	335.0	10-24-67	(6)		5050	Z-05.84					
13S/02W-05D01S	355.0	12-19-67	28.0	327.0	5724	12S/02W-23K02S	710.0	10-24-67	21.3	688.7	5050
		2-16-68	25.0	330.0				5-06-68	17.6	692.4	
		3-17-68	25.0	330.0		12S/02W-24D01S	728.0	10-24-67	20.8	707.2	5050
		4-16-68	18.0	337.0				5-06-68	20.0	708.0	
		5-03-68	24.0	331.0		12S/02W-24E01S	701.0	10-26-67	10.0	691.0	5050
13S/02W-05D02S	340.0	10-10-67	46.0	294.0	5724			5-06-68	10.0	691.0	
		12-19-67	46.0	294.0		12S/02W-24F02S	694.0	5-06-68	2.4	691.6	5050
		12-27-67	43.0	297.0		12S/02W-24M02S	675.0	5-06-68	16.1 (1)	658.9	5050
		3-17-68	40.0	300.0		12S/02W-24N01S	660.0	10-24-67	7.5	652.5	5050
		4-16-68	43.0	297.0				5-06-68	6.5	653.5	
		5-03-68	45.0	295.0		12S/02W-24N02S	639.0	10-01-67	49.0 (1)	590.0	5711
		6-19-68	53.0	287.0				12-01-67	50.0 (1)	589.0	
		8-08-68	56.0	284.0							
13S/02W-11R01S	315.6	1-17-68	16.6	299.0	5229						
		2-21-68	16.8	298.8							
		3-21-68	15.8	299.8							
		4-17-68	15.6	300.0							
		5-17-68	14.5	301.1							
		6-19-68	14.7	300.9							
		7-18-68	15.0	300.6							
		8-20-68	15.6	300.0							
		9-19-68	14.9	300.7							
13S/02W-12G01S	326.0	1-17-68	22.6	303.4	5229						
		2-21-68	22.9	303.1							
		3-21-68	22.7	303.3							
		4-17-68	22.2	303.8							
		5-17-68	22.7	303.3							
		6-19-68	21.6	304.4							

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
HODGES HYDRO SUBUNIT			Z-05.80			SAN PASQUAL HYDRO SUBUNIT			Z-05.C0		
BEAR HYDRO SUBAREA			Z-05.84			HIGHLAND HYDRO SUBAREA			Z-05.C1		
125/02W-24N02S (CONT.)	639.0	1-02-68 2-16-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 9-01-68	30.0 15.0(1) 34.0(1) 30.0(1) 31.0(1) 36.0(1) 42.0(1) 49.0(1)	609.0 624.0 605.0 609.0 608.0 603.0 597.0 590.0	5711	135/01W-05L01S	780.0	10-23-67 5-06-68	28.9 16.7	751.1 763.3	5050
125/02W-24R01S	720.0	10-24-67 5-06-68	.2 1.0	719.8 719.0	5050	135/01W-05M01S	758.0	10-23-67 5-08-68	28.4 17.5	729.6 740.5	5050
125/02W-24R03S	765.0	10-26-67 5-06-68	5.6 .1	759.4 764.9	5050	SAN PASQUAL HYDRO SUBAREA			Z-05.C2		
125/02W-25F01S	660.0	10-23-67 5-06-68	10.8(1) 3.5(1)	649.2 656.5	5050	125/01W-18R01S	434.8	10-23-67	(1)		5050
125/02W-26C01S	698.0	10-24-67 5-06-68	8.9 13.7	689.1 684.3	5050	125/01W-20D01S	418.4	10-23-67 5-06-68	9.6(2) 8.3	408.8 410.1	5050
125/02W-26H01S	622.0	10-24-67 5-06-68	13.6 14.7	608.4 607.3	5050	125/01W-20L01S	403.6	10-23-67 5-06-68	10.7 14.1(2)	392.9 389.5	5050
125/02W-26L01S	610.0	10-24-67 5-06-68	7.3 7.7	602.7 602.3	5050	125/01W-20L02S	406.9	10-24-67 5-06-68	28.9(4) 19.2	378.0 387.7	5050
						125/01W-25N02S	440.8	1-16-68 2-16-68 3-20-68 4-16-68 5-15-68 6-18-68 7-15-68 8-15-68 9-17-68	23.0 23.5 24.5 25.5 26.8 28.6 24.5 29.4 33.8	417.8 417.3 416.3 415.3 414.0 412.2 416.3 411.4 407.0	5229
						125/01W-26C01S	451.8	10-23-67 5-06-68	19.4 19.9	432.4 431.9	5050
						125/01W-29D01S	378.8	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68 9-18-68	8.8 8.9 8.4 7.9 8.1 8.3 8.8 9.1 9.2	370.0 369.9 370.4 370.9 370.7 370.5 370.0 369.7 369.6	5229
						125/01W-29N01S	347.0	1-17-68 2-21-68 3-21-68 4-17-68 5-17-68 6-19-68 7-16-68 8-16-68 9-18-68	18.9 20.2 21.2 39.5(1) 47.5(1) 47.9(1) 49.0(1) 48.8(1) 48.0(1)	328.1 326.8 325.8 307.5 299.5 299.1 298.0 298.2 299.0	5229
						125/01W-30A01S	375.7	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68 9-18-68	5.5 5.5 5.1 4.8 5.5 6.0 6.6 7.1 7.3	370.2 370.2 370.6 370.9 370.2 369.7 369.1 368.6 368.4	5229
						125/01W-30A05S	398.1	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68 9-18-68	28.6 35.4 28.7 27.8(1) 25.7 27.6 28.2(1) 29.2(1) 29.1	369.5 362.7 369.4 370.3 372.4 370.5 369.9 368.9 369.0	5229
						125/01W-30J01S	366.3	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68	4.8 4.6 4.6 4.8 11.1 12.4 12.9(1) 16.2(1)	361.5 361.7 361.7 361.5 355.2 353.9 353.4 350.1	5229
						125/01W-30Q01S	383.9	10-23-67 5-06-68	15.0 16.4	368.9 367.5	5050
						125/01W-30R01S	358.8	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-16-68 8-16-68 9-18-68	20.7(1) 18.9(1) 18.4(1) 20.0(1) 21.1(1) 18.1 22.0(1) 18.7 17.8	338.1 339.9 340.4 338.8 337.7 340.7 336.8 340.1 341.0	5229
						125/01W-31G01S	355.8	10-19-67	DRY		5229

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SAN PASQUAL HYDRO SUBUNIT			Z-05.C0			SAN PASQUAL HYDRO SUBUNIT			Z-05.C0		
SAN PASQUAL HYDRO SUBAREA			Z-05.C2			SAN PASQUAL HYDRO SUBAREA			Z-05.C2		
12S/01W-31G01S (CONT.)	355.8	11-22-67 12-01-67	13.5 (0)	342.3	5229	12S/01W-33N01S (CONT.)	378.0	2-15-68 3-18-68 4-15-68 5-15-68 6-17-68 7-15-68 8-15-68 9-17-68	43.3 42.7 40.5 56.5 57.1 51.2 61.0(1) 61.7(1)	334.7 335.3 337.5 321.5 320.9 326.8 317.0 316.3	5229
12S/01W-31H01S	358.5	1-16-68 2-21-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-18-68	36.4 36.8 37.3 38.3 43.7(1) 44.7(1) 45.6(1) 45.5(1) 45.7(1)	322.1 321.7 321.2 320.2 314.8 313.8 312.9 313.0 312.8	5229	12S/01W-34J01S	414.0	1-16-68 2-15-68 3-20-68 4-15-68 5-15-68 6-17-68 7-15-68 8-15-68 9-17-68	25.7 25.0 25.9 27.0 27.6 27.3 27.4 27.5 28.9	388.3 389.0 388.1 387.0 386.4 386.7 386.6 386.5 385.1	5229
12S/01W-31H02S	357.4	10-25-67 3-14-68	37.7 36.7	319.7 320.7	5010	12S/01W-34K02S	408.8	1-16-68 2-15-68 3-20-68 4-15-68 5-15-68 6-17-68 7-15-68 8-15-68 9-17-68	30.7 29.7 30.5 30.2 34.0(1) 35.2(1) 35.5(1) 36.6(1) 35.9(1)	378.1 379.1 378.3 378.6 374.8 373.6 373.3 372.2 372.9	5229
12S/01W-31J01S	353.0	1-16-68 2-21-68 3-21-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68 9-18-68	45.6 45.9 43.5 48.6(1) 53.5(1) 62.6 66.5(1) 70.6(1) (1)	307.4 307.1 309.5 304.4 299.5 290.4 286.5 282.4	5229	12S/01W-35A01S	443.4	1-16-68 2-16-68 3-20-68 4-16-68 5-15-68 6-18-68 7-15-68 8-15-68 9-17-68	26.7 27.3 28.1 30.9 31.2 33.0 35.9(1) 36.2 39.3	416.7 416.1 415.3 412.5 412.2 410.4 407.5 407.2 404.1	5229
12S/01W-31L03S	353.0	1-17-68 2-21-68 3-20-68 4-17-68 5-17-68 6-19-68 7-17-68 8-19-68 9-18-68	44.1 43.9 44.0 44.1 44.4 52.4 55.4 57.8 63.0	308.9 309.1 309.0 308.9 308.6 300.6 297.6 295.2 290.0	5229	12S/01W-35C01S	426.5	1-16-68 2-16-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-17-68	21.1 21.3 21.6 22.5 22.8 23.9 25.1 26.0 26.7	405.4 405.2 404.9 404.0 403.7 402.6 401.4 400.5 399.8	5229
12S/01W-32B01S	372.9	1-16-68 2-21-68 3-20-68 4-16-68 5-16-68 6-19-68 7-16-68 8-16-68 9-18-68	26.6 26.4 28.4 27.3(1) 26.7(1) 29.1(1) 28.3(1) 29.2(1) 30.5(1)	346.3 346.5 344.5 345.6 346.2 343.8 344.6 343.7 342.4	5229	12S/01W-35C05S	429.0	1-16-68 2-16-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-17-68	22.7 22.4 22.4 22.7 23.5 24.3 25.2 26.1 27.0	406.3 406.6 406.6 406.3 405.5 404.7 403.8 402.9 402.0	5229
12S/01W-32M03S	357.0	1-16-68 2-21-68 3-21-68 4-17-68 5-17-68 6-19-68 7-17-68 8-16-68 9-18-68	42.7 43.4 44.6 53.3 58.6(1) 60.1(1) 59.2(1) 59.5(1) 65.2(1)	314.3 313.6 312.4 303.7 298.4 296.9 297.8 297.5 291.8	5229	12S/01W-35D02S	419.3	1-16-68 2-16-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-17-68	17.9 18.3 18.3 33.2(1) 20.0 20.4 21.1 21.3 22.9	401.4 401.0 401.0 386.1 399.3 398.9 398.2 398.0 396.4	5229
12S/01W-32Q01S	366.4	1-16-68 2-21-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-18-68	42.0 42.0 48.5(1) 49.1(1) 46.9 45.7 (1) 48.6(1) 50.9(1)	324.4 324.4 317.9 317.3 319.5 320.7 317.8 315.5	5229	12S/01W-35F01S	429.6	1-16-68 2-15-68 3-20-68 4-15-68 5-15-68 6-18-68 7-15-68 8-15-68 9-17-68	21.9 22.0 22.6 23.5 25.8 28.4 28.9 30.8 30.8	407.7 407.6 407.0 406.1 403.8 401.2 400.7 398.8 398.8	5229
12S/01W-32Q02S	367.0	1-15-68 2-15-68 3-18-68 4-15-68 5-15-68 6-17-68 7-15-68 8-15-68 9-16-68	40.8 42.3 36.9 40.3 49.4(1) 49.6(1) 48.8(1) 47.6 47.6	326.2 324.7 330.1 326.7 317.6 317.4 318.2 319.4 319.4	5229	12S/01W-35F02S	429.5	1-16-68 2-15-68 3-20-68 4-15-68 5-15-68 6-18-68 7-15-68 8-15-68 9-17-68	22.1 22.0 22.6 22.8 27.3 25.1 29.2 32.1	407.4 407.5 406.9 406.7 402.2 404.4 400.3 397.4	5229
12S/01W-32Q03S	367.0	1-16-68 2-21-68 3-20-68 5-16-68 6-18-68 7-16-68 8-16-68 9-18-68	40.6 41.0 40.3 43.1 45.2(1) 46.0(1) 48.1(1) 52.6(1)	326.4 326.0 326.7 323.9 321.8 321.0 318.9 314.4	5229	12S/01W-35G02S	434.7	1-16-68 2-16-68 3-20-68 4-16-68 5-15-68 6-18-68 7-15-68 8-15-68 9-17-68	22.7 25.2 23.8 24.6 27.0 27.5 28.6 30.0 31.3	412.0 409.5 410.9 410.1 407.7 407.2 406.1 404.7 403.4	5229
12S/01W-32R01S	373.0	1-16-68 2-21-68 3-20-68 4-16-68 5-16-68 6-18-68 7-16-68 8-16-68 9-18-68	40.7 40.9 40.6 41.3 41.3 42.8 44.4 45.7 47.1	332.3 332.1 332.4 331.7 331.7 330.2 328.6 327.3 325.9	5229	12S/01W-33H02S	396.2	10-18-67	DRY		5229
12S/01W-33N01S	378.0	1-15-68	43.1	334.9	5229						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SAN PASQUAL HYDRO SUBUNIT			Z-05.C0			SAN PASQUAL HYDRO SUBUNIT			Z-05.C0		
SAN PASQUAL HYDRO SUBAREA			Z-05.C2			SAN PASQUAL HYDRO SUBAREA			Z-05.C2		
12S/01W-35H02S	444.3	2-16-68	30.1	414.2	5229	13S/02W-01J01S	332.7	5-07-68	28.8	303.9	5050
		3-18-68	31.1	413.2							
		4-16-68	32.3	412.0							
		5-15-68	33.4	410.9							
		6-18-68	35.2	409.1							
		7-15-68	37.7	406.6							
		8-15-68	39.1	405.2							
		9-17-68	40.9	403.4							
12S/01W-35L04S	430.0	1-16-68	25.4	404.6	5229						
		2-15-68	25.8	404.2							
		3-20-68	25.8	404.2							
		4-15-68	27.6	402.4							
		5-15-68	26.1(2)	403.9							
		6-18-68	28.6	401.4							
		7-15-68	30.7(2)	399.3							
		8-15-68	28.7	401.3							
		9-17-68	35.9(2)	394.1							
12S/01W-36001S	448.1	1-16-68	28.3	419.8	5229						
		2-16-68	28.6	419.5							
		3-20-68	29.3	418.8							
		4-16-68	30.9	417.2							
		5-15-68	32.6	415.5							
		6-18-68	34.4	413.7							
		7-15-68	34.6	413.5							
		8-15-68	35.7	412.4							
		9-17-68	39.7	408.4							
12S/01W-36003S	444.5	1-16-68	26.9	417.6	5229						
		2-16-68	27.5	417.0							
		3-20-68	29.2	415.3							
		6-18-68	33.1	411.4							
		8-15-68	36.9	407.6							
12S/01W-36F01S	458.5	1-16-68	25.2	433.3	5229						
		2-16-68	25.5	433.0							
		3-20-68	30.8	427.7							
		4-16-68	31.8	426.7							
		5-15-68	32.3	426.2							
		6-18-68	32.7	425.8							
		7-15-68	33.8	424.7							
		8-15-68	35.7	422.8							
		9-17-68	37.8	420.7							
12S/01W-36H01S	467.1	1-16-68	26.5	440.6	5229						
		2-16-68	26.9	440.2							
		3-20-68	29.7	437.4							
		4-16-68	30.4	436.7							
		5-15-68	30.6	436.5							
		6-18-68	32.4	434.7							
		7-15-68	32.8	434.3							
		8-15-68	36.3	430.8							
		9-17-68	37.1	430.0							
13S/01W-03E01S	399.2	10-23-67	24.4	374.8	5050						
		1-16-68	27.7	371.5	5229						
		2-15-68	28.4	370.8							
		3-20-68	29.1	370.1							
		4-15-68	29.3	369.9							
		5-06-68	29.4	369.8	5050						
		5-15-68	29.8	369.4	5229						
		6-17-68	31.1	368.1							
		7-15-68	32.3	366.9							
		8-15-68	33.4	365.8							
		9-17-68	35.5	363.7							
13S/01W-04C01S	382.1	10-18-67	34.4	347.7	5229						
		11-16-67	35.8	346.3							
		12-21-67	36.8	345.3							
13S/01W-05A02S	372.6	1-15-68	42.3	330.3	5229						
		2-15-68	44.6	328.0							
		3-18-68	43.3	329.3							
		4-15-68	45.5	327.1							
		5-15-68	69.6(1)	303.0							
		6-17-68	79.5(1)	293.1							
		7-15-68	80.6(1)	292.0							
		8-15-68	71.6	301.0							
		9-16-68	55.5	317.1							
13S/01W-06M01S	335.0	10-23-67	37.2	297.8	5050						
		10-25-67	32.7	302.3	5010						
		1-17-68	32.9	302.1	5229						
		2-21-68	31.7	303.3							
		3-14-68	30.7	304.3	5010						
		3-21-68	30.8	304.2	5229						
		4-17-68	30.9	304.1							
		5-17-68	31.2	303.8							
		6-19-68	35.2	299.8							
		7-18-68	36.4	298.6							
		8-19-68	36.1	298.9							
		9-19-68	36.2	298.8							
13S/01W-06M02S	336.0	10-23-67	30.5	305.5	5050						
		5-07-68	(9)								
13S/02W-01J01S	332.7	10-23-67	34.6	298.1	5050						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.D0	Z-05.D1		SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.00	Z-05.D1	
RAMONA HYDRO SUBAREA						RAMONA HYDRO SUBAREA					
12S/01E-34R01S	1570.0	10-25-67 5-07-68	30.3 28.6	1539.7 1541.4	5050	13S/01E-15B02S (CONT.)	1435.0	12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	18.1 17.9 17.9 17.5 17.2 16.9 16.7 16.8 17.3 17.7	1416.9 1417.1 1417.1 1417.5 1417.8 1418.1 1418.3 1418.2 1417.7 1417.3	4402
13S/01E-02R02S	1518.0	10-25-67 5-10-68	23.8 23.0	1494.2 1495.0	5050						
13S/01E-03K01S	1515.0	10-25-67 5-07-68	40.6 40.4	1474.4 1474.6	5050						
13S/01E-10J01S	1465.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-10-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	20.4 20.4 20.6 19.9 19.9 19.6 19.3 17.0 19.1 18.9 19.1 19.3 19.2	1444.6 1444.6 1444.4 1445.1 1445.1 1445.4 1445.7 1448.0 1445.9 1446.1 1445.9 1445.7 1445.8	4402 5050 4402	13S/01E-15E02S	1421.0	10-25-67 5-10-68	10.6 (6)	1410.4	5050
13S/01E-10J02S	1465.0	10-25-67	7.8	1457.2	5050	13S/01E-15E03S	1440.0	5-10-68	14.2	1425.8	5050
13S/01E-10R01S	1450.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	19.1 18.9 18.8 18.6 18.4 18.3 17.9 17.8 17.5 17.4 18.0 18.1	1430.9 1431.1 1431.2 1431.4 1431.6 1431.7 1432.1 1432.2 1432.5 1432.6 1432.0 1431.9	4402	13S/01E-15M01S	1410.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-20-68 7-21-68 8-30-68 9-30-68	10.1 9.3 7.3 7.7 7.8 7.7 7.6 8.0 8.1 8.6 8.8 9.3	1399.9 1400.7 1402.7 1402.3 1402.2 1402.3 1402.4 1402.0 1401.9 1401.4 1401.2 1400.7	4402
13S/01E-11M01S	1465.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	19.9 18.7 18.8 19.5 18.1 17.7 17.4 17.1 17.0 19.2 17.8 17.5	1445.1 1446.3 1446.2 1445.5 1446.9 1447.3 1447.6 1447.9 1448.0 1445.8 1447.2 1447.5	4402	13S/01E-16P01S	1405.0	10-25-67 5-10-68	11.2 10.9	1393.8 1394.1	5050
13S/01E-11M02S	1455.5	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-29-68 8-30-68 9-30-68	21.6 20.6 20.8 21.5 20.1 19.8 19.5 19.2 18.9 18.8 19.6 19.3	1433.9 1434.9 1434.7 1434.0 1435.4 1435.7 1436.0 1436.3 1436.6 1436.7 1435.9 1436.2	4402	13S/01E-17Q02S	1390.0	10-25-67 5-10-68	16.5 14.8	1373.5 1375.2	5050
13S/01E-11M03S	1465.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	19.5 19.7 19.9 19.5 19.4 19.1 18.9 18.6 18.3 18.3 19.0 18.7	1445.5 1445.3 1445.1 1445.5 1445.6 1445.9 1446.1 1446.4 1446.7 1446.7 1446.0 1446.3	4402	13S/01E-19J01S	1360.0	10-25-67 5-10-68	6.1 (6)	1353.9	5050
13S/01E-11Q02S	1480.0	10-25-67 5-10-68	12.1 11.0	1467.9 1469.0	5050	13S/01E-19L01S	1365.0	10-25-67 5-10-68	10.5(1) 8.9	1354.5 1356.1	5050
13S/01E-14A02S	1500.0	5-07-68	8.9	1491.1	5050	13S/01E-22D01S	1423.0	10-25-67 5-10-68	30.4 27.9	1392.6 1395.1	5050
13S/01E-15B01S	1425.0	10-31-67 11-30-67 12-29-67 1-31-68 2-29-68 3-29-68 4-30-68 5-31-68 6-30-68 7-31-68 8-30-68 9-30-68	20.7 20.3 20.1 20.0 18.6 17.9 17.3 17.3 17.3 20.5 20.3 19.8	1404.3 1404.7 1404.9 1405.0 1406.4 1407.1 1407.7 1407.7 1407.7 1404.5 1404.7 1405.2	4402	13S/01E-23K01S	1520.0	10-25-67 5-10-68	77.7 63.5	1442.3 1456.5	5050
13S/01E-15B02S	1435.0	10-31-67 11-30-67	18.1 18.3	1416.9 1416.7	4402	13S/01E-27B01S	1455.0	10-25-67 5-10-68	22.0 22.6	1433.0 1432.4	5050
						13S/01E-28C01S	1420.0	10-25-67 5-10-68	15.0 25.5(1)	1405.0 1394.5	5050
						13S/01E-29P01S	1435.0	10-25-67 5-10-68	44.6 35.2	1390.4 1399.8	5050
						13S/01W-13A01S	1380.0	10-25-67	14.0	1366.0	5050
						13S/01W-13M01S	1370.0	10-25-67 5-10-68	21.4(1) 16.9	1348.6 1353.1	5050
						13S/01W-24K01S	1360.0	10-25-67 5-10-68	7.2 6.4	1352.8 1353.6	5050
						LOWER HATFIELD HYDRO SUBAREA					Z-05.D2
						13S/02E-17C01S	1820.0	10-25-67 5-07-68	(9) 26.6(1)	1793.4	5050
						WASH HOLLOW HYDRO SUBAREA					Z-05.D3
						13S/02E-15E01S	2070.0	10-25-67 5-07-68	9.0 13.9	2061.0 2056.1	5050
						UPPER HATFIELD HYDRO SUBAREA					Z-05.D4
						13S/02E-09M01S	2318.0	10-25-67 5-07-68	10.9 11.7(1)	2307.1 2306.3	5050
						BALLENA HYDRO SUBAREA					Z-05.D5
						13S/02E-10K01S	2460.0	10-25-67 5-07-68	13.6 16.3	2446.4 2443.7	5050
						13S/02E-11C01S	2490.0	10-25-67 5-07-68	15.5 13.2	2474.5 2476.8	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGUITO HYDRO UNIT						Z-05.00					
SANTA MARIA VALLEY HYDRO SUBUNIT			Z-05.00			SANTA YSABEL HYDRO SUBUNIT			Z-05.E0		
EAST SANTA TERESA HYDRO SUBAREA			Z-05.D6			BODEN HYDRO SUBAREA			Z-05.E1		
13S/02E-03E01S	2520.0	10-25-67 5-07-68	19.6 20.7	2500.4 2499.3	5050	12S/01E-34Q01S	1595.0	10-25-67 5-07-68	68.4 68.8	1526.6 1526.2	5050
WEST SANTA TERESA HYDRO SUBAREA			Z-05.07			13S/01E-03P01S	1497.0	10-25-67 5-07-68	44.5 42.7	1452.5 1454.3	5050
12S/02E-32H01S	2345.0	10-25-67 5-07-68	17.2 16.5	2327.8 2328.5	5050	PAMO HYDRO SUBAREA			Z-05.E2		
						11S/01E-35P02S	1060.0	5-07-68	(9)		5050
						11S/01E-35P03S	1058.0	10-23-67 5-07-68	10.3 (9)	1047.7	5050
						12S/01E-02L01S	1040.0	10-25-67 5-07-68	16.5 16.0	1023.5 1024.0	5050
						12S/01E-02P01S	1030.0	10-25-67 5-07-68	9.5 8.3	1020.5 1021.7	5050
						12S/01E-11L02S	1002.0	10-25-67 5-07-68	11.9 12.9(4)	990.1 989.1	5050
						SANTA YSABEL HYDRO SUBAREA			Z-05.E4		
						12S/03E-16C01S	2960.0	10-25-67 5-07-68	9.5 10.1	2950.5 2949.9	5050
						12S/03E-20R01S	2870.0	10-25-67 5-07-68	3.7 4.2(1)	2866.3 2865.8	5050
						12S/03E-28C01S	2960.0	10-25-67 5-07-68	11.3 9.3(1)	2948.7 2950.7	5050

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
PENASQUITO HYDRO UNIT						Z-06.00					
POWAY HYDRO SUBUNIT						Z-06.80					
13S/02W-35Q01S	625.0	10-23-67	5.9	619.1	5050						
		5-07-68	5.2	619.8							

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SAN DIEGO HYDRO UNIT						Z-07.00					
LOWER SAN DIEGO HYDRO SUBUNIT			Z-07.A0			LOWER SAN DIEGO HYDRO SUBUNIT			Z-07.A0		
MISSION SAN DIEGO HYDRO SUBAREA			Z-07.A1			EL MONTE HYDRO SUBAREA			Z-07.A5		
165/02W-190015	47.2	10-25-67 3-14-68	18.2 15.4	29.0 31.8	5010	155/01E-090025 (CONT.)	460.0	6-01-68 7-01-68 8-02-68 9-01-68	62.4 62.5 62.6 62.8	397.6 397.5 397.4 397.2	5420
SANTEE HYDRO SUBAREA			Z-07.A2			155/01E-09R015	450.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	58.8 59.0 59.0 59.1 59.1 59.1 59.1 59.0 59.1 59.2 59.5 59.6	391.2 391.0 391.0 390.9 390.9 390.9 390.9 391.0 390.9 390.8 390.5 390.4	5420
155/01E-178015	430.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	51.2 51.2 51.2 51.2 51.2 51.2 51.4 51.6 51.5 51.5 51.5 51.5	378.8 378.8 378.8 378.8 378.8 378.8 378.6 378.4 378.5 378.5 378.5 378.5	5420	155/01E-10N015	450.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	60.0 60.2 60.3 60.3 60.1 61.0 60.0 60.0 60.1 60.3 60.5 60.8	390.0 389.8 389.7 389.7 389.9 389.0 390.0 390.0 389.9 389.7 389.5 389.2	5420
155/01E-178025	425.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	48.5 48.5 48.5 48.4 48.4 48.4 48.4 48.5 48.9 48.9 48.7 48.7	376.5 376.5 376.5 376.6 376.6 376.6 376.6 376.5 376.1 376.1 376.3 376.3	5420	155/01E-168015	451.5	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	60.3 60.5 60.6 60.7 60.7 60.8 60.9 60.9 60.9 61.0 61.2 61.3	391.2 391.0 390.9 390.8 390.7 390.6 390.6 390.6 390.6 390.5 390.3 390.2	5420
155/01E-17H025	430.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	55.7 55.7 55.8 55.8 55.9 55.9 55.9 55.9 55.8 60.0 56.1 56.2	374.3 374.3 374.2 374.2 374.1 374.1 374.1 374.1 374.2 370.0 373.9 373.8	5420	155/01E-16C025	440.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	53.8 53.8 53.8 54.0 54.1 54.1 54.2 54.3 54.3 54.4 54.5 54.6	386.2 386.2 386.2 386.0 385.9 385.9 385.8 385.7 385.7 385.6 385.5 385.4	5420
155/01E-17H075	435.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	53.8 53.8 53.8 53.8 53.8 53.8 53.8 54.0 54.0 54.1 54.2 54.2	381.2 381.2 381.2 381.2 381.2 381.2 381.2 381.0 381.0 380.9 380.8 380.8	5420	155/01E-16C035	448.5	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	59.5 59.6 59.7 59.8 59.9 59.9 60.1 60.1 60.2 60.3 60.4 60.5	389.0 388.9 388.8 388.7 388.6 388.6 388.4 388.4 388.3 388.2 388.1 388.0	5420
155/01E-208045	476.6	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	26.6 27.2 21.0 23.9 24.5 22.1 26.1 29.0 27.6 28.8 27.7 27.7	450.0 449.4 455.6 452.7 452.1 454.5 450.5 447.6 449.0 447.8 448.9 448.9	5420	155/01E-16C045	445.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	59.0 59.2 59.2 59.2 59.4 59.4 59.6 59.7 59.7 59.9 59.9 60.0	386.0 385.8 385.8 385.8 385.6 385.6 385.4 385.3 385.3 385.1 385.1 385.0	5420
EL MONTE HYDRO SUBAREA			Z-07.A5			155/01E-16E015	435.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	54.1 54.2 55.2 55.2 54.3 54.3 54.4 54.4 54.4 54.5 54.6 54.7	380.9 380.8 379.8 379.8 380.7 380.7 380.6 380.6 380.6 380.5 380.4 380.3	5420
155/01E-09P015	445.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68 6-01-68 7-01-68 8-02-68 9-01-68	59.6 59.7 59.7 59.7 59.9 59.9 60.1 60.1 60.2 60.3 60.2 60.4	385.4 385.3 385.3 385.3 385.1 385.1 384.9 384.9 384.8 384.7 384.8 384.6	5420	155/01E-17H065	434.4	10-25-67 3-14-68	52.4 52.5	382.0 381.9	5010
155/01E-09Q025	460.0	10-01-67 11-01-67 12-01-67 1-01-68 2-01-68 3-01-68 4-01-68 5-01-68	61.9 62.0 62.2 62.2 62.3 62.3 62.3 62.3	398.1 398.0 397.8 397.8 397.7 397.7 397.7 397.7	5420						

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SWEETWATER HYDRO UNIT						Z-09.00					
LOWER SWEETWATER HYDRO SUBUNIT			Z-09.A0			MIDDLE SWEETWATER HYDRO SUBUNIT			Z-09.B0		
SWEETWATER HYDRO SUBAREA			Z-09.A2			JAMACHA HYDRO SUBAREA			Z-09.B1		
17S/01W-19K01S	91.0	8-06-68	11.4	79.6	5703	16S/01E-31D03S	325.8	8-06-68	9.1	316.7	5703

See page 113 for key to terms & abbreviations

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
OTAY HYDRO UNIT						Z-10.00					
OTAY HYDRO SUBUNIT						Z-10.80					
185/02W-22F015	40.0	10-25-67	30.4	9.6	5010						
		3-14-68	27.8	12.2							

TABLE C-1 (Cont.)
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLY- ING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
TIA JUANA HYDRO UNIT						Z-11.00					
TIA JUANA HYDRO SUBUNIT			Z-11.A0			MONUMENT HYDRO SUBUNIT			Z-11.D0		
TIA JUANA HYDRO SUBAREA			Z-11.A1			PINE HYDRO SUBAREA			Z-11.D1		
17S/02W-35E01S	35.0	10-25-67 3-14-68	13.8 10.2	21.2 24.8	5010	15S/04E-26J01S	3851.0	10-02-67 11-04-67 12-02-67	43.0 43.0 43.0	3808.0 3808.0 3808.0	5723
18S/02W-32H01S	12.6	10-26-67 5-08-68	(6) (9)		5050			1-06-68 2-02-68 3-09-68	43.0 43.0 43.0	3808.0 3808.0 3808.0	
18S/02W-33M03S	16.0	5-08-68	15.5	.5	5050			4-06-68 5-02-68	43.0 43.0	3808.0 3808.0	
19S/02W-01E01S	45.5	5-08-68	29.0	16.5	5050			6-10-68 7-04-68	40.0 40.0	3811.0 3811.0	
19S/02W-01P03S	53.5	1-08-68	33.5	20.0	5015			8-06-68 9-01-68	39.0 38.0	3812.0 3813.0	
19S/02W-01N01S	50.0	10-25-67 3-14-68	37.5 36.1	12.5 13.9	5010	15S/04E-36E01S	4000.0	10-02-67 11-04-67 12-02-67	26.5 26.5 26.5	3973.5 3973.5 3973.5	5723
19S/02W-01N02S	50.2	10-11-67 1-08-68 4-12-68 5-16-68 8-27-68 9-23-68	37.7 38.3 36.5 36.0 36.4 36.6	12.5 11.9 13.7 14.2 13.8 13.6	5015			1-06-68 2-02-68 3-09-68 4-06-68 5-02-68	25.5 25.5 24.5 23.5 22.5	3974.5 3974.5 3975.5 3976.5 3977.5	
19S/02W-01P03S	53.5	10-11-67 4-12-68 5-16-68 8-27-68 9-23-68	34.4 32.9 33.0 34.4 35.1	19.1 20.6 20.5 19.1 18.4	5015			6-10-68 7-04-68 8-06-68 9-01-68	22.5 21.5 21.5 21.5	3977.5 3978.5 3978.5 3978.5	
19S/02W-02D01S	39.5	10-26-67 5-08-68	34.4 33.5	5.1 6.0	5050	15S/04E-36K01S	4061.0	10-01-67 11-04-67 12-02-67	135.9 135.9 135.9	3925.1 3925.1 3925.1	5723
19S/02W-02K01S	44.9	10-11-67 1-08-68 4-12-68 5-16-68 8-27-68 9-09-68	35.9 34.3 34.4 33.9 (1) 39.2	9.0 10.6 10.5 11.0 5.7	5015			1-01-68 2-06-68 3-02-68 4-10-68 5-02-68 6-07-68 7-09-68 8-10-68 9-01-68	135.9 135.9 133.9 133.9 132.9 131.9 131.9 132.9 132.9	3925.1 3925.1 3927.1 3927.1 3928.1 3929.1 3929.1 3928.1 3928.1	
19S/02W-04A06S	25.0	10-25-67 3-14-68	24.2 22.1	.8 2.9	5010						
19S/02W-05J01S	13.0	10-26-67 5-08-68	12.5 11.4	.5 1.6	5050						

TABLE C-2
GROUND WATER REPLENISHMENT IN SOUTHERN CALIFORNIA
DURING THE 1967 - 68 WATER YEAR

Areal Designation Code No.	Project	Agency* conducting spreading operation	Source of recharge water	Amount spread, in acre-feet												
				Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Total
U-03.A1	El Rio	UWCD	Local	183	1,968	6,249	4,821	4,962	5,556	2,623	0	0	0	0	0	26,362
U-03.A1	Saticoy	UWCD	Local	947	603	1,107	1,415	973	1,794	1,879	673	516	234	173	585	10,899
U-03.D1	Piru	UWCD	Local	85	46	92	51	67	66	1,379	1,913	1,927	2,311	2,201	0	10,138
U-05.A2	Dominguez	LACFCD	Local	3	25	42	19	21	91	50	16	4	3	0	0	274
U-05.A2	Walteria	LACFCD	Local	+	81	92	52	53	112	59	19	+	+	+	+	468
U-05.A2	West Coast Basin Barrier	LACFCD	Imported	3,665	3,595	3,650	3,627	3,407	3,483	2,908	3,027	3,088	3,230	3,360	2,542	39,583
U-05.A5	Rio Hondo Combined	LACFCD	Local	1,617	6,918	3,427	2,512	2,300	4,598	1,857	921	1,019	914	857	849	27,789
			Imported	11,202	6,200	5,767	7,237	4,551	7,045	9,386	8,362	7,273	5,360	872	9,546	82,801
U-05.A5	San Gabriel Spreading Ground	LACFCD	Local	419	1,000	1,377	1,107	1,240	1,288	1,260	1,160	972	867	640	545	11,875
			Imported	0	0	0	17	0	0	0	0	92	1,831	6,418	6,020	14,377
U-05.B1	Branford	LACFCD	Local	+	99	29	40	28	104	22	+	5	5	7	+	339
U-05.B1	Headworks, Los Angeles River	LADW & P	Imported	1,605	1,555	1,246	1,039	288	479	974	1,020	982	1,064	818	791	11,860
U-05.B1	Big Tujunga	LADW & P	Imported	0	0	0	0	0	0	0	0	0	0	0	0	0
U-05.B1	Pacoima	LACFCD	Local	0	1,245	55	30	57	57	374	58	0	0	0	0	1,819
U-05.B3	Hansen	LACFCD	Local	0	4,024	929	1,619	0	1,181	981	0	900	202	0	0	9,836
U-05.B3	Lopez	LACFCD	Local	0	0	73	442	382	263	129	225	309	0	0	114	1,938
U-05.C1	Eaton Spreading Grounds	LACFCD	Local	0	0	184	0	53	0	68	0	0	0	0	0	305
U-05.C1	Arroyo Seco	LACFCD	Local	0	0	181	38	358	234	44	0	0	0	0	0	855
U-05.C3	Santa Anita	LACFCD	Local	0	32	0	160	205	54	120	0	44	23	0	0	638
U-05.C3	Sierra Madre	CSMWD	Local	154	445	340	112	16	386	13	0	0	0	0	0	1,466
U-05.D1	Ben Lomond	LACFCD	Local	723	582	266	438	325	283	382	713	614	382	138	223	5,096
U-05.D1	Big Dalton	LACFCD	Local	0	146	140	82	172	5	152	0	0	0	0	151	848
U-05.D1	Buena Vista	LACFCD	Local	0	130	25	8	11	88	0	0	0	0	0	0	262
U-05.D1	Citrus	LACFCD	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
U-05.D1	Eaton Spreading Basin	LACFCD	Local	0	330	65	14	26	128	38	+	+	+	4	+	605
U-05.D1	Irwindale	LACFCD	Local	578	870	234	311	102	493	474	544	281	358	328	30	4,603
U-05.D1	Little Dalton	LACFCD	Local	4	55	34	31	24	3	31	5	0	0	0	0	187
U-05.D1	Peck Road	LACFCD	Local	-113	1,086	290	115	100	570	125	37	45	117	146	98	2,616
U-05.D1	Forbes	LACFCD	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
U-05.D1	San Dimas Canyon	LACFCD	Local	201	498	421	319	310	299	3	129	0	0	0	0	2,180
U-05.D1	Santa Fe	LACFCD	Local	5,598	2,278	4,613	5	7	3,441	36	27	21	1,456	13	6	17,501
U-05.D1	Sawpit	LACFCD	Local	0	141	136	112	104	189	82	26	0	0	0	0	790
U-05.D1	Walnut	LACFCD	Local	116	106	104	105	89	257	67	101	88	60	34	74	1,201
U-05.D3	Eastside Mouth Canyon Basin	SGRSC	Local	1,867	973	1,653	3,100	2,304	2,503	2,487	1,722	1,996	1,622	1,200	1,191	22,618
U-05.D3	San Gabriel River**	CAWC	Imported	2,134		1,662		1,815		1,919		1,791		1,389		10,710
U-05.E3	Live Oak	LACFCD	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
U-05.F1	Alamitos Barrier	LACFCD	Imported	394	371	360	341	316	359	331	382	484	565	570	476	4,949
U-05.F1	Carbon Creek System	OCFCD	Local	0	413	66	21	18	180	0	0	0	0	0	0	698
			Imported	1,340	1,170	0	0	1,720	3,590	4,580	2,430	1,260	840	265	2,474	19,669
U-05.F1	Crill Memorial Pit	OCWD	Imported	2,262	1,863	1,271	1,340	823	1,214	940	1,188	924	919	337	0	13,081
U-05.F1	Gomber & Hazard	OCWD	Local	0	158	63	0	0	150	191	158	0	0	0	0	720
U-05.F1	Growth	OCWD	Local	0	121	0	0	0	12	40	55	48	0	6	0	282
U-05.F3	Yorba	OCWD	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
Y-01.A1	Irvine	OCWD	Imported	71	43	0	0	0	13	41	45	0	0	0	0	213
Y-01.A1	Santa Ana River	OCWD	Imported	5,251	8,537	5,182	3,439	4,659	6,258	10,339	6,394	6,781	3,954	571	9,524	70,889
Y-01.A1	Shorb	OCWD	Local	0	0	28	0	0	0	0	0	0	0	0	0	28
Y-01.A3	Batavia-Fletcher	SAVIC	Local	95	215	0	0	0	0	0	0	0	0	0	0	310
Y-01.B1	Day Canyon	FWC	Local	209	175	230	343	330	335	270	121	0	0	0	0	2,013
Y-01.B1	Day Creek	SBCFCD	Local	75	121	285	122	101	168	141	44	51	53	20	19	1,200
Y-01.B1	Eighth Street	SBCFCD	Local	0	81	25	12	5	43	8	0	0	0	0	0	174
Y-01.B1	Montclair	SBCFCD	Local	283***	204***	21	15	10	86	12	0	0	0	0	0	631
Y-01.B1	San Seavine	SBCFCD	Local	0	1	0	1	0	2	1	0	0	0	0	0	4
Y-01.B3	City of Pomona	CPWD	Local	0	89	0	37	33	70	18	19	0	52	86	3	407
Y-01.B4	19th St. & Cucamonga	SAWC	Local	19	300	816	618	649	845	500	31	7	4	5	14	3,808
Y-01.B4	Red Hill	SBCFCD	Local	0	8	1	1	0	1	0	0	0	0	0	0	11
Y-01.B5	Arlington Gravel Pits	RCFC & WCD	Local	0	0	0	1	0	30	16	58	48	73	29	0	255
Y-01.C1	Mayhew Wash	TWC	Local	0	55	75	50	12	148	0	0	0	0	0	0	341
Y-01.C4	Indian Creek	TWC	Local	0	44	40	23	25	80	0	0	0	0	0	0	212
Y-01.C4	Horsethief Creek	TWC	Local	0	1	12	7	1	6	0	0	0	0	0	0	27
Y-01.C4	Cow Creek	TWC	Local	0	0	0	0	0	0	0	0	0	0	0	0	0
Y-01.E2	City Creek	SBCFCD	Local	82	380	465	327	370	370	280	104	36	9	7	4	2,384
Y-01.E2	Devil Canyon	SBCFCD	Local	13	260	120	60	58	115	35	17	27	165	20	35	925
Y-01.E2	Patton	SBCFCD	Local	23	17	3	18	20	13	15	0	0	4	3	2	118
Y-01.E2	Twin Creek	SBCFCD	Local	118	126	222	200	169	185	190	125	54	43	41	40	1,473****
Y-01.E2	Waterman Canyon	SBCFCD	Local	59	76	97	110	99	124	105	75	44	25	27	32	873
Y-01.E3	Santa Ana River	SBVWCD	Local	0	946	1,262	1,313	826	1,357	752	0	0	0	0	0	6,456
Y-01.E4	Mill Creek (Lower)	SBVWCD	Local	0	280	635	465	857	870	417	0	0	0	0	0	3,524
Y-01.E9	Lytle Creek	FUWC	Local	432	1,314	1,145	658	431	472	233	0	0	9	0	0	4,694
Y-01.F9	Little San Geronimo	RCFC & WCD	Local	0	0	0	4	28	16	0	0	0	0	0	0	48
Y-02.B1	Bautista Creek	RCFC & WCD	Local	0	0	13	0	0	2	1	0	0	0	0	0	16
Y-02.B1	San Jacinto	FMWC	Local	0	0	0	0	0	137	0	0	0	0	0	0	137

*Abbreviation of agencies conducting spreading operations are presented in alphabetical order:

CAWC, California-American Water Company; CPWD, City of Pomona Water Department; CSMWD, City of Sierra Madre Water Department; EWC, Etiwanda Water Company; FMWC, Fruitvale Mutual Water Company; FUWC, Fontana Union Water Company; LACFCD, Los Angeles County Flood Control District; LADW&P, Los Angeles Department of Water and Power; OCFCD, Orange County Flood Control District; OCWD, Orange County Water District; RCFC & WCD, Riverside County Flood Control & Water Conservation District; SAVIC, Santa Ana Valley Irrigation Company; SAWC, San Antonio Water Company; SBCFCD, San Bernardino County Flood Control District; SBVWCD, San Bernardino Valley Water Conservation District; SGRSC, San Gabriel River Spreading Corporation; TWC, Temescal Water Company; UWCD, United Water Conservation District.

**Bimonthly amounts.

***Imported amounts.

****Includes amount diverted by the Del Rosa Mutual Water Company.

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER
ARE SUBJECT TO RECALL AFTER ONE WEEK.
RENEWED BOOKS ARE SUBJECT TO
IMMEDIATE RECALL

OCT 23 1984

OCT 23 1984

PHYSICS LIBRARY

MAY 19 1987

RECEIVED


MAY 24 1987

PHYSICS LIBRARY

NOV 2 1980
RECEIVED

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

D4613 (12/76)



3 1175 00565 5736

